



US0D1031817S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D1,031,817 S**

(45) **Date of Patent:** **** Jun. 18, 2024**

(54) **PROJECTOR**

G03B 21/00; G03B 21/001; G03B 21/003; G03B 21/54

See application file for complete search history.

(71) Applicant: **LG ELECTRONICS INC.**, Seoul (KR)

(56) **References Cited**

(72) Inventors: **Daesung Lee**, Seoul (KR); **Daihyung Ryu**, Seoul (KR); **Hyunseung Seo**, Seoul (KR); **Hewon Kihl**, Seoul (KR); **Youngho Kim**, Seoul (KR)

U.S. PATENT DOCUMENTS

D678,384	S *	3/2013	Hirose	D16/235
9,405,176	B2 *	8/2016	Kinebuchi	G03B 21/16
10,191,358	B2 *	1/2019	Jorgensen	G03B 21/145
D863,408	S *	10/2019	Zheng	D16/231
D878,451	S *	3/2020	Pigino	D16/229
D941,905	S *	1/2022	Tsai	D16/229
11,629,830	B2 *	4/2023	Wei	G03B 21/145
					362/277
D1,002,704	S *	10/2023	Kim	D16/235
2018/0084921	A1 *	3/2018	Huang	G03B 21/145
2022/0099261	A1 *	3/2022	Wei	G03B 21/145

(73) Assignee: **LG ELECTRONICS INC.**, Seoul (KR)

* cited by examiner

(**) Term: **15 Years**

Primary Examiner — Wan Laymon

(21) Appl. No.: **35/517,287**

(74) *Attorney, Agent, or Firm* — Birch, Stewart, Kolasch & Birch, LLP

(22) Filed: **Nov. 23, 2022**

(80) **Hague Agreement Data**

Int. Filing Date: **Nov. 23, 2022**

Int. Reg. No.: **DM/225865**

Int. Reg. Date: **Nov. 23, 2022**

Int. Reg. Pub. Date: **May 26, 2023**

(57) **CLAIM**

The ornamental design for a projector, as shown and described.

(30) **Foreign Application Priority Data**

Sep. 26, 2022 (KR) 30-2022-0039268

(51) **LOC (14) Cl.** **16-02**

(52) **U.S. Cl.**
USPC **D16/235**


(58) **Field of Classification Search**
USPC D16/221, 225, 229, 230, 2, 31, 234, 235;
D21/514; D14/204, 216, 238, 447, 451,
D14/506, 508, 509; D6/512, 513, 519,
D6/567; D8/373, 380
CPC G03B 21/16; G03B 21/145; G03B 21/142;

DESCRIPTION

- 1. Projector
- 1.1 : Perspective
- 1.2 : Front
- 1.3 : Back
- 1.4 : Left
- 1.5 : Right
- 1.6 : Top
- 1.7 : Bottom
- 1.8 : Exploded

This article is a stand for projector for enabling a projection part to be rotatable by 90 degrees; reproduction **1.8** show the state of the projection part disassembled from the stand; the broken lines shown in the reproductions depict portions of the projector that form no part of the claimed design; the


(Continued)




shading lines are used to show the surface of the claimed design and do not represent its surface ornamentation.

1 Claim, 8 Drawing Sheets


1.1




1.2




1.3




1.4




1.5



1.6



1.7



1.8

