



(86) Date de dépôt PCT/PCT Filing Date: 2010/12/16
(87) Date publication PCT/PCT Publication Date: 2011/06/23
(45) Date de délivrance/Issue Date: 2021/07/20
(85) Entrée phase nationale/National Entry: 2012/06/15
(86) N° demande PCT/PCT Application No.: EP 2010/069917
(87) N° publication PCT/PCT Publication No.: 2011/073326
(30) Priorité/Priority: 2009/12/18 (US61/288,137)

(51) Cl.Int./Int.Cl. *A61K 31/713*(2006.01),
A61K 47/54 (2017.01), *A61K 47/61* (2017.01),
A61K 47/62 (2017.01), *A61P 31/12* (2006.01),
A61P 35/00 (2006.01), *A61P 37/06* (2006.01),
C12N 15/113 (2010.01)

(72) Inventeurs/Inventors:
HINKLE, GREGORY, US;
KUCHIMANCHI, SATYANARAYANA, US;
MILSTEIN, STUART, US;
WARMUTH, MARKUS, US;
ZHOU, WENLAI, US;
ZHU, PING, US;
ZIMMERMANN, TRACY S., US

(73) Propriétaire/Owner:

(54) Titre : COMPOSITIONS ORGANIQUES DE TRAITEMENT DES PATHOLOGIES LIEES A HSF1
(54) Title: ORGANIC COMPOSITIONS TO TREAT HSF1-RELATED DISEASES

(57) Abrégé/Abstract:

The present disclosure relates to methods of treating heat shock factor 1 (HSF1)-related diseases such as cancer and viral diseases, using a therapeutically effective amount of a RNAi agent to HSF1.

(73) Propriétaires(suite)/Owners(continued):ARROWHEAD RESEARCH CORPORATION, US

(74) Agent: SMART & BIGGAR IP AGENCY CO.

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization

International Bureau



(43) International Publication Date

23 June 2011 (23.06.2011)

(10) International Publication Number

WO 2011/073326 A3

(51) International Patent Classification:

C12N 15/113 (2010.01)

(74) Agents: KASSOW, Anders et al.; Novartis Pharma AG, Patent Department, CH-4002 Basel (CH).

(21) International Application Number:

PCT/EP2010/069917

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(22) International Filing Date:

16 December 2010 (16.12.2010)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/288,137 18 December 2009 (18.12.2009) US

(71) Applicant (for all designated States except US): NOVARTIS AG [CH/CH]; Lichtstrasse 35, CH-4056 Basel (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): HINKLE, Gregory [US/US]; Alnylam Pharmaceuticals, Inc., 300 Third Street, Cambridge, MA 02142 (US). KUCHIMANCHI, Satyanarayana [US/US]; Alnylam Pharmaceuticals, Inc., 300 Third Street, Cambridge, MA 02142 (US). MILSTEIN, Stuart [US/US]; Alnylam Pharmaceuticals, Inc., 300 Third Street, Cambridge, MA 02142 (US). WARMBUTH, Markus [DE/US]; Novartis Institutes for BioMedical Research, Inc., 250 Massachusetts Avenue, Cambridge, MA 02139 (US). ZHOU, Wenlai [AU/US]; Novartis Institutes for BioMedical Research, Inc., 250 Massachusetts Avenue, Cambridge, MA 02139 (US). ZHU, Ping [CN/US]; Novartis Institutes for BioMedical Research, Inc., 250 Massachusetts Avenue, Cambridge, MA 02139 (US). ZIMMERMANN, Tracy, S. [US/US]; Alnylam Pharmaceuticals, Inc., 300 Third Street, Cambridge, MA 02142 (US).

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))

Published:

- with international search report (Art. 21(3))
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(88) Date of publication of the international search report:

11 August 2011

WO 2011/073326 A3

(54) Title: ORGANIC COMPOSITIONS TO TREAT HSF1-RELATED DISEASES

(57) Abstract: The present disclosure relates to methods of treating heat shock factor 1 (HSF1)-related diseases such as cancer and viral diseases, using a therapeutically effective amount of a RNAi agent to HSF1.

ORGANIC COMPOSITIONS TO TREAT HSF1-RELATED DISEASES

BACKGROUND OF THE INVENTION

[001] HSF1 is the master regulator of the heat shock response, in which multiple genes are induced in response to temperature increase and other stresses. At non-shock temperatures in humans and other vertebrates, HSF1 is produced constitutively, but is inactive and bound by protein HSP90. At an elevated temperature, HSF1 is released by HSP90, moves from the cytoplasm to the nucleus, and trimerizes. This active HSF1 binds to heat shock elements (HSE) in DNA and activates transcription of heat shock genes by RNA polymerase II. The HSE has a consensus sequence of three repeats of NGAAN and is present in the promoter regions of the HSP90, HSP70 and HSP27 genes. During cessation of the heat shock response, HSF1 is phosphorylated by mitogen-activated protein kinases (MAPKs) and glycogen synthase kinase 3 (GSK3) and returns to an inactive state. The biochemistry of HSF1 is described, *inter alia*, in Chu et al. 1996 *J. Biol. Chem.* 271:30847-30857; Huang et al. 1997 *J. Biol. Chem.* 272:26009-26016; and Morimoto et al. 1998 *Nat. Biotech.* 16: 833-838.

[002] HSF1 interacts with additional factors. HSF1 binds to DNA-dependent protein kinase (DNA-PK), which is involved in DNA repair. HSF1 is a target of mitogen-activated protein kinases, and its activity is down-regulated when the RAS signaling cascade is active.

[003] Additional heat shock factor proteins in humans include HSF2, HSF3, and HSF4. HSF1, HSF2, and HSF3 are positive regulators of heat shock gene expression, while HSF4 is a negative regulator. HSF1, HSF2 and HSF4 play a role in transcriptional control of other heat shock proteins. The various HSF proteins share about 40% sequence identity.

[004] HSF1 has been implicated in several diseases, including cancer and viral diseases. HSF1 and other heat shock proteins (whose expression is increased by HSF1) are over-expressed in, or have otherwise been implicated in breast, endometrial, fibrosarcoma, gastric, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, prostate, skin, squamous cell, and testicular cancers, leukemia (e.g., promyelocytic leukemia), and Hodgkin's disease.

[005] Without wishing to be bound by any particular theory, it is believed that heat shock proteins (HSP) may block the pathways of apoptosis and permit malignant cells to arise despite the triggering of apoptotic signals during transformation. HSP expression may also afford protection to cancer cells from treatments such as chemotherapy and hyperthermia by thwarting the pro-apoptotic influence of these modalities.

[006] Because HSF1 positively regulates HSPs, a need exists for therapeutics that modulate HSF1.

35

BRIEF DESCRIPTION OF THE DRAWING

[007] Figure 1 illustrates various 5'-end modifications of RNAi agents to HSF1.

BRIEF SUMMARY OF THE INVENTION

[008] The present disclosure encompasses RNAi agents to HSF1, useful in treatment of HSF1-related disease, such as cancer and viral diseases.

[009] The present disclosure provides RNAi agents directed to the HSF1 (heat shock factor 1) gene. HSF1 is the master regulator of the heat shock response, in which multiple genes are induced in response to temperature increase and other stresses.

[0010] HSF1 has been implicated in several HSF1-related diseases, including cancer and viral diseases. HSF1 and other heat shock proteins (whose expression is increased by HSF1) are over-expressed in, or have otherwise been implicated in breast, endometrial, fibrosarcoma, gastric, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, prostate, skin, squamous cell, and testicular cancers, leukemia (e.g., promyelocyte leukemia), and Hodgkin's disease.

[0011] Because HSF1 positively regulates HSPs, a need exists for therapeutics that modulate HSF1. The RNAi agents of the present disclosure are specific to HSF1 and can reduce expression of HSF1. These RNAi agents are therefore useful in treating cancer and viral diseases.

[0011a] In one aspect, there is provided a composition comprising a pharmaceutically acceptable excipient and an RNAi agent to HSF1 comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOs:631, 632, 642-643, 663, or 675-685, wherein the antisense strand comprises at least one modified nucleotide, and wherein the antisense strand and the sense strand are each 19 to about 49 nucleotides in length, and wherein the sense strand is at least substantially complementary to the antisense strand.

[0011b] In another aspect, there is provided use of a composition for treating a proliferative, viral or autoimmune disease in an individual, wherein the composition comprises an RNAi agent comprising a sense strand and an antisense strand that are at least

substantially complementary to each other, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOS: 643, or 678-681, wherein the antisense strand comprises at least one modified nucleotide, and wherein the antisense strand is 19 to about 49 nucleotides in length.

5 **[0011c]** In another aspect, there is provided use of a composition for inhibiting the expression of HSF1 in an cell, wherein the composition comprises an RNAi agent to HSF1 comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOS:631, 632, 642-643, 663, or 675-685, wherein the antisense strand
10 comprises at least one modified nucleotide, and wherein the antisense strand and the sense strand are each 19 to about 49 nucleotides in length, and wherein the sense strand is at least substantially complementary to the antisense strand.

[0011d] In another aspect, there is provided use of the composition as defined herein, in the manufacture of a medicament for treatment of a proliferative, viral or autoimmune disease.

15 **[0011e]** In another aspect, there is provided use of the composition as defined herein, for treatment of a proliferative, viral or autoimmune disease.

DETAILED DESCRIPTION OF THE INVENTION

[0012] The present disclosure encompasses RNAi agents to HSF1, useful in treatment of HSF1-related disease, such as cancer and viral diseases.

20 **[0013]** **Various embodiments of the disclosure include the following.**

[0014] **An RNAi agent comprising an antisense strand of an RNAi agent described herein.**

[0015] In one embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising an antisense strand, wherein the antisense strand comprises at least 25 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from any sequence provided in a table herein (e.g., Table 1,

Table 2, Table 3, Table 3A, Table 8, Table 9A, Table 9B, etc.). In another embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to 5 HSF1 from any sequence provided herein. In another embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising a sense strand and an antisense strand, wherein the sense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the sense strand and the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense 10 strand of an RNAi agent to HSF1 listed immediately above.

[0016] Particular duplexes include the following, wherein each duplex comprises a set of SEQ ID NOs, wherein the first SEQ ID NO corresponds to the sense strand and the second SEQ ID NO corresponds to the antisense strand: AD-20403 (SEQ ID NO: 131 and 643; or SEQ ID NO: 1155 and 1667); AD-20437 (SEQ ID NO: 166 and 678; or SEQ ID NO: 1190 and 1702);

5 AD-20438 (SEQ ID NO: 167 and 679; or SEQ ID NO: 1191 and 1703); AD-20439 (SEQ ID NO: 168 and 680; or SEQ ID NO: 1192 and 1704); AD-20487 (SEQ ID NO: 169 and 681; or SEQ ID NO: 1193 and 1705); AD-20489 (SEQ ID NO: 171 and 683; or SEQ ID NO: 1195 and 1707);

10 AD-20490 (SEQ ID NO: 172 and 684; or SEQ ID NO: 1196 and 1708); AD-20491 (SEQ ID NO: 173 and 685; or SEQ ID NO: 1197 and 1709); AD-20548 (SEQ ID NO: 234 and 746; or SEQ ID NO: 1258 and 1770); AD-20560 (SEQ ID NO: 269 and 781; or SEQ ID NO: 1293 and 1805);

15 AD-20562 (SEQ ID NO: 271 and 783; or SEQ ID NO: 1295 and 1807); AD-20563 (SEQ ID NO: 272 and 784; or SEQ ID NO: 1296 and 1808); AD-20564 (SEQ ID NO: 273 and 785; or SEQ ID NO: 1297 and 1809); AD-20578 (SEQ ID NO: 285 and 797; or SEQ ID NO: 1309 and 1821);

20 AD-20626 (SEQ ID NO: 290 and 802; or SEQ ID NO: 1314 and 1826); AD-20627 (SEQ ID NO: 291 and 803; or SEQ ID NO: 1315 and 1827); AD-20644 (SEQ ID NO: 308 and 820; or SEQ ID NO: 1332 and 1844); AD-20648 (SEQ ID NO: 312 and 824; or SEQ ID NO: 1336 and 1848);

25 AD-20652 (SEQ ID NO: 316 and 828; or SEQ ID NO: 1340 and 1852); AD-20660 (SEQ ID NO: 324 and 836; or SEQ ID NO: 1348 and 1860); AD-20694 (SEQ ID NO: 377 and 889; or SEQ ID NO: 1401 and 1913); AD-20707 (SEQ ID NO: 393 and 905; or SEQ ID NO: 1417 and 1929);

30 AD-20730 (SEQ ID NO: 415 and 927; or SEQ ID NO: 1439 and 1951); AD-20437.4 (SEQ ID NO: 3218 and SEQ ID NO: 3219); AD-20487.7 (SEQ ID NO: 3220 and SEQ ID NO: 3221); AD-20489.2 (SEQ ID NO: 3222 and SEQ ID NO: 3223); AD-20560.4 (SEQ ID NO: 3224 and SEQ ID NO: 3225); AD-37718.1 (SEQ ID NO: 3226 and SEQ ID NO: 3227); AD-37719.1 (SEQ ID NO: 3242 and SEQ ID NO: 3243); AD-37721.1 (SEQ ID NO: 3228 and SEQ ID NO: 3229); AD-37722.1 (SEQ ID NO: 3244 and SEQ ID NO: 3245); AD-37724.1 (SEQ ID NO: 3230 and SEQ ID NO: 3231); AD-37725.1 (SEQ ID NO: 3246 and SEQ ID NO: 3247); AD-37727.1 (SEQ ID NO: 3232 and SEQ ID NO: 3233); AD-37728.1 (SEQ ID NO: 3248 and SEQ ID NO: 3249); AD-37730.1 (SEQ ID NO: 3234 and SEQ ID NO: 3235); AD-37733.1 (SEQ ID NO: 3236 and SEQ ID NO: 3237); AD-37736.1 (SEQ ID NO: 3238 and SEQ ID NO: 3239); AD-37740.1 (SEQ ID NO: 3240 and SEQ ID NO: 3241); AD-36969.2 (SEQ ID NO: 3250 and SEQ ID NO: 3251); AD-30071.2 (SEQ ID NO: 3252 and SEQ ID NO: 3253); AD-36970.2 (SEQ ID NO: 3254 and SEQ ID NO: 3255); AD-37739.1 (SEQ ID NO: 3256 and SEQ ID NO: 3257); AD-37731.1 (SEQ ID NO: 3258 and SEQ ID NO: 3259); AD-37734.1 (SEQ ID NO: 3260 and SEQ ID NO: 3261); AD-37737.1 (SEQ ID NO: 3262 and SEQ ID NO: 3263); AD-37741.1 (SEQ ID NO: 3264 and SEQ ID NO: 3265); AD-37720.1 (SEQ ID NO: 3266 and SEQ ID NO: 3267); AD-37723.1 (SEQ ID NO: 3268 and SEQ ID NO: 3269); AD-37726.1 (SEQ ID NO: 3270 and SEQ ID NO: 3271); AD-37729.1 (SEQ ID NO: 3272 and SEQ ID NO: 3273); AD-37732.1 (SEQ ID NO: 3274 and SEQ

1 ID NO: 3275); AD-37735.1 (SEQ ID NO: 3276 and SEQ ID NO: 3277); AD-37738.1 (SEQ ID
 2 NO: 3278 and SEQ ID NO: 3279); AD-37742.1 (SEQ ID NO: 3280 and SEQ ID NO: 3281); AD-
 3 20303 (SEQ ID NO: 30 and 542; or SEQ ID NO: 1054 and 1566); AD-20313 (SEQ ID NO: 40
 4 and 552; or SEQ ID NO: 1064 and 1576); AD-20315 (SEQ ID NO: 42 and 554; or SEQ ID NO:
 5 1066 and 1578); AD-20348 (SEQ ID NO: 56 and 568; or SEQ ID NO: 1080 and 1592); AD-
 6 20362 (SEQ ID NO: 70 and 582; or SEQ ID NO: 1094 and 1606); AD-20364 (SEQ ID NO: 72
 7 and 584; or SEQ ID NO: 1096 and 1608); AD-20365 (SEQ ID NO: 73 and 585; or SEQ ID NO:
 8 1097 and 1609); AD-20366 (SEQ ID NO: 74 and 586; or SEQ ID NO: 1098 and 1610); AD-
 9 20373 (SEQ ID NO: 81 and 593; or SEQ ID NO: 1105 and 1617); AD-20376 (SEQ ID NO: 84
 10 and 596; or SEQ ID NO: 1108 and 1620); AD-20378 (SEQ ID NO: 85 and 597; or SEQ ID NO:
 11 1109 and 1621); AD-20386 (SEQ ID NO: 93 and 605; or SEQ ID NO: 1117 and 1629); AD-
 12 20389 (SEQ ID NO: 117 and 629; or SEQ ID NO: 1141 and 1653); AD-20391 (SEQ ID NO: 119
 13 and 631; or SEQ ID NO: 1143 and 1655); AD-20392 (SEQ ID NO: 120 and 632; or SEQ ID NO:
 14 1144 and 1656); AD-20397 (SEQ ID NO: 125 and 637; or SEQ ID NO: 1149 and 1661); AD-
 15 20398 (SEQ ID NO: 126 and 638; or SEQ ID NO: 1150 and 1662); AD-20399 (SEQ ID NO: 127
 16 and 639; or SEQ ID NO: 1151 and 1663); AD-20401 (SEQ ID NO: 129 and 641; or SEQ ID NO:
 17 1153 and 1665); AD-20402 (SEQ ID NO: 130 and 642; or SEQ ID NO: 1154 and 1666); AD-
 18 20404 (SEQ ID NO: 132 and 644; or SEQ ID NO: 1156 and 1668); AD-20406 (SEQ ID NO: 136
 19 and 648; or SEQ ID NO: 1160 and 1672); AD-20407 (SEQ ID NO: 137 and 649; or SEQ ID NO:
 20 1161 and 1673); AD-20408 (SEQ ID NO: 138 and 650; or SEQ ID NO: 1162 and 1674); AD-
 21 20409 (SEQ ID NO: 139 and 651; or SEQ ID NO: 1163 and 1675); AD-20410 (SEQ ID NO: 140
 22 and 652; or SEQ ID NO: 1164 and 1676); AD-20411 (SEQ ID NO: 141 and 653; or SEQ ID NO:
 23 1165 and 1677); AD-20413 (SEQ ID NO: 2042 and 2043; or SEQ ID NO: 2046 and 2047); AD-
 24 20422 (SEQ ID NO: 151 and 663; or SEQ ID NO: 1175 and 1687); AD-20428 (SEQ ID NO: 157
 25 and 669; or SEQ ID NO: 1181 and 1693); AD-20434 (SEQ ID NO: 163 and 675; or SEQ ID NO:
 26 1187 and 1699); AD-20435 (SEQ ID NO: 164 and 676; or SEQ ID NO: 1188 and 1700); AD-
 27 20488 (SEQ ID NO: 170 and 682; or SEQ ID NO: 1194 and 1706); AD-20493 (SEQ ID NO: 175
 28 and 687; or SEQ ID NO: 1199 and 1711); AD-20495 (SEQ ID NO: 177 and 689; or SEQ ID NO:
 29 1201 and 1713); AD-20502 (SEQ ID NO: 184 and 696; or SEQ ID NO: 1208 and 1720); AD-
 30 20507 (SEQ ID NO: 189 and 701; or SEQ ID NO: 1213 and 1725); AD-20513 (SEQ ID NO: 195
 31 and 707; or SEQ ID NO: 1219 and 1731); AD-20527 (SEQ ID NO: 209 and 721; or SEQ ID NO:
 32 1233 and 1745); AD-20535 (SEQ ID NO: 217 and 729; or SEQ ID NO: 1241 and 1753); AD-
 33 20544 (SEQ ID NO: 230 and 742; or SEQ ID NO: 1254 and 1766); AD-20545 (SEQ ID NO: 231
 34 and 743; or SEQ ID NO: 1255 and 1767); AD-20546 (SEQ ID NO: 232 and 744; or SEQ ID NO:
 35 1256 and 1768); AD-20547 (SEQ ID NO: 233 and 745; or SEQ ID NO: 1257 and 1769); AD-
 36 20549 (SEQ ID NO: 235 and 747; or SEQ ID NO: 1259 and 1771); AD-20552 (SEQ ID NO: 238
 37 and 750; or SEQ ID NO: 1262 and 1774); AD-20555 (SEQ ID NO: 241 and 753; or SEQ ID NO:

1265 and 1777); AD-20556 (SEQ ID NO: 242 and 754; or SEQ ID NO: 1266 and 1778); AD-
 20557 (SEQ ID NO: 243 and 755; or SEQ ID NO: 1267 and 1779); AD-20558 (SEQ ID NO: 267
 and 779; or SEQ ID NO: 1291 and 1803); AD-20561 (SEQ ID NO: 270 and 782; or SEQ ID NO:
 1294 and 1806); AD-20565 (SEQ ID NO: 274 and 786; or SEQ ID NO: 1298 and 1810); AD-
 5 20566 (SEQ ID NO: 275 and 787; or SEQ ID NO: 1299 and 1811); AD-20572 (SEQ ID NO: 280
 and 792; or SEQ ID NO: 1304 and 1816); AD-20574 (SEQ ID NO: 2044 and 2045; or SEQ ID
 NO: 2048 and 2049); AD-20575 (SEQ ID NO: 282 and 794; or SEQ ID NO: 1306 and 1818);
 AD-20577 (SEQ ID NO: 284 and 796; or SEQ ID NO: 1308 and 1820); AD-20579 (SEQ ID NO:
 286 and 798; or SEQ ID NO: 1310 and 1822); AD-20625 (SEQ ID NO: 289 and 801; or SEQ ID
 10 NO: 1313 and 1825); AD-20633 (SEQ ID NO: 297 and 809; or SEQ ID NO: 1321 and 1833);
 AD-20634 (SEQ ID NO: 298 and 810; or SEQ ID NO: 1322 and 1834); AD-20640 (SEQ ID NO:
 304 and 816; or SEQ ID NO: 1328 and 1840); AD-20646 (SEQ ID NO: 310 and 822; or SEQ ID
 NO: 1334 and 1846); AD-20650 (SEQ ID NO: 314 and 826; or SEQ ID NO: 1338 and 1850);
 AD-20653 (SEQ ID NO: 317 and 829; or SEQ ID NO: 1341 and 1853); AD-20661 (SEQ ID NO:
 15 325 and 837; or SEQ ID NO: 1349 and 1861); AD-20671 (SEQ ID NO: 337 and 849; or SEQ ID
 NO: 1361 and 1873); AD-20693 (SEQ ID NO: 376 and 888; or SEQ ID NO: 1400 and 1912);
 AD-20700 (SEQ ID NO: 383 and 895; or SEQ ID NO: 1407 and 1919); AD-20702 (SEQ ID NO:
 385 and 897; or SEQ ID NO: 1409 and 1921); AD-20709 (SEQ ID NO: 394 and 906; or SEQ ID
 NO: 1418 and 1930); AD-20710 (SEQ ID NO: 395 and 907; or SEQ ID NO: 1419 and 1931);
 20 AD-20714 (SEQ ID NO: 399 and 911; or SEQ ID NO: 1423 and 1935); AD-20716 (SEQ ID NO:
 401 and 913; or SEQ ID NO: 1425 and 1937); AD-20728 (SEQ ID NO: 413 and 925; or SEQ ID
 NO: 1437 and 1949); AD-20741 (SEQ ID NO: 429 and 941; or SEQ ID NO: 1453 and 1965);
 AD-20764 (SEQ ID NO: 452 and 964; or SEQ ID NO: 1476 and 1988); AD-20783 (SEQ ID NO:
 471 and 983; or SEQ ID NO: 1495 and 2007); AD-20278 (SEQ ID NOs: 2053 and 2064; or SEQ
 25 ID NOs: 2075 and 2086); AD-20279 (SEQ ID NOs: 2054 and 2065; or SEQ ID NOs: 2076 and
 2087); AD-20280 (SEQ ID NOs: 2055 and 2066; or SEQ ID NOs: 2077 and 2088); AD-20281
 (SEQ ID NOs: 2056 and 2067; or SEQ ID NOs: 2078 and 2089); AD-20282 (SEQ ID NOs: 2057
 and 2068; or SEQ ID NOs: 2079 and 2090); AD-20283 (SEQ ID NOs: 2058 and 2069; or SEQ ID
 NOs: 2080 and 2091); AD-20377 (SEQ ID NOs: 2059 and 2070; or SEQ ID NOs: 2081 and
 30 2092); AD-20570 (SEQ ID NOs: 2060 and 2071; or SEQ ID NOs: 2082 and 2093); AD-20580
 (SEQ ID NOs: 2061 and 2072; or SEQ ID NOs: 2083 and 2094); AD-20597 (SEQ ID NOs: 2062
 and 2073; or SEQ ID NOs: 2084 and 2095); and AD-20598 (SEQ ID NOs: 2063 and 2074; or
 SEQ ID NOs: 2085 and 2096). These example duplexes and the SEQ ID NOs for the specific
 35 sense strand (SS) and antisense strand (AS) are provided herein with their nucleotide sequence,
 e.g., as listed within Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A and Table 9B.
 Modified sequences (e.g., sequences comprising one or more chemically modified base) of each

of the compositions above and each of the RNAi agents in Tables 1, 2, 3, 3A, 8, 9A and 9B are also contemplated as part of the disclosure.

[0017] Particular compositions

5 **[0018]** In one embodiment, the present disclosure relates to particular compositions comprising an RNAi agent comprising an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from any one or more of the sequences in Tables 1, 2, 3, 3A, 8, 9A and 9B. In another embodiment, the present disclosure relates to a composition comprising 10 an RNAi agent comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 listed in any one or more of Tables 1, 2, 3, 3A, 8, 9A and 9B. In another embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising a sense strand and an antisense strand, wherein the sense strand 15 comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the sense strand and the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 listed immediately above. Particular duplexes include those specific duplexes provided above and as listed in any one or more of Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A and Table 9B. Additional 20 modified sequences (e.g., sequences comprising one or more modified base) of each of the compositions above are also contemplated as part of the disclosure.

Table A1. SEQ ID NOs for Sense Strand (SS) and Antisense Strand (AS) for RNAi agents of the invention.

RNAi agent	SEQ ID NO:				
	Strand:	SS	AS	SS	AS
AD-20403		131	643	1155	1667
AD-20437		166	678	1190	1702
AD-20438		167	679	1191	1703
AD-20439		168	680	1192	1704
AD-20487		169	681	1193	1705
AD-20489		171	683	1195	1707
AD-20490		172	684	1196	1708
AD-20491		173	685	1197	1709
AD-20548		234	746	1258	1770
AD-20560		269	781	1293	1805
AD-20562		271	783	1295	1807
AD-20563		272	784	1296	1808
AD-20564		273	785	1297	1809
AD-20578		285	797	1309	1821
AD-20626		290	802	1314	1826
AD-20627		291	803	1315	1827
AD-20644		308	820	1332	1844
AD-20648		312	824	1336	1848
AD-20652		316	828	1340	1852

AD-20660	324	836	1348	1860
AD-20694	377	889	1401	1913
AD-20707	393	905	1417	1929
AD-20730	415	927	1439	1951
AD-20437.4	3218	3219		
AD-20487.7	3220	3221		
AD-20489.2	3222	3223		
AD-20560.4	3224	3225		
AD-37718.1	3226	3227		
AD-37719.1	3242	3243		
AD-37721.1	3228	3229		
AD-37722.1	3244	3245		
AD-37724.1	3230	3231		
AD-37725.1	3246	3247		
AD-37727.1	3232	3233		
AD-37728.1	3248	3249		
AD-37730.1	3234	3235		
AD-37733.1	3236	3237		
AD-37736.1	3238	3239		
AD-37740.1	3240	3241		
AD-36969.2	3250	3251		
AD-30071.2	3252	3253		
AD-36970.2	3254	3255		
AD-37739.1	3256	3257		
AD-37731.1	3258	3259		
AD-37734.1	3260	3261		
AD-37737.1	3262	3263		
AD-37741.1	3264	3265		
AD-37720.1	3266	3267		
AD-37723.1	3268	3269		
AD-37726.1	3270	3271		
AD-37729.1	3272	3273		
AD-37732.1	3274	3275		
AD-37735.1	3276	3277		
AD-37738.1	3278	3279		
AD-37742.1	3280	3281		
AD-20303	30	542	1054	1566
AD-20313	40	552	1064	1576
AD-20315	42	554	1066	1578
AD-20348	56	568	1080	1592
AD-20362	70	582	1094	1606
AD-20364	72	584	1096	1608
AD-20365	73	585	1097	1609
AD-20366	74	586	1098	1610
AD-20373	81	593	1105	1617
AD-20376	84	596	1108	1620
AD-20378	85	597	1109	1621
AD-20386	93	605	1117	1629
AD-20389	117	629	1141	1653
AD-20391	119	631	1143	1655
AD-20392	120	632	1144	1656
AD-20397	125	637	1149	1661
AD-20398	126	638	1150	1662

AD-20399	127	639	1151	1663
AD-20401	129	641	1153	1665
AD-20402	130	642	1154	1666
AD-20404	132	644	1156	1668
AD-20406	136	648	1160	1672
AD-20407	137	649	1161	1673
AD-20408	138	650	1162	1674
AD-20409	139	651	1163	1675
AD-20410	140	652	1164	1676
AD-20411	141	653	1165	1677
AD-20413	2042	2043	2046	2047
AD-20422	151	663	1175	1687
AD-20428	157	669	1181	1693
AD-20434	163	675	1187	1699
AD-20435	164	676	1188	1700
AD-20488	170	682	1194	1706
AD-20493	175	687	1199	1711
AD-20495	177	689	1201	1713
AD-20502	184	696	1208	1720
AD-20507	189	701	1213	1725
AD-20513	195	707	1219	1731
AD-20527	209	721	1233	1745
AD-20535	217	729	1241	1753
AD-20544	230	742	1254	1766
AD-20545	231	743	1255	1767
AD-20546	232	744	1256	1768
AD-20547	233	745	1257	1769
AD-20549	235	747	1259	1771
AD-20552	238	750	1262	1774
AD-20555	241	753	1265	1777
AD-20556	242	754	1266	1778
AD-20557	243	755	1267	1779
AD-20558	267	779	1291	1803
AD-20561	270	782	1294	1806
AD-20565	274	786	1298	1810
AD-20566	275	787	1299	1811
AD-20572	280	792	1304	1816
AD-20574	2044	2045	2048	2049
AD-20575	282	794	1306	1818
AD-20577	284	796	1308	1820
AD-20579	286	798	1310	1822
AD-20625	289	801	1313	1825
AD-20633	297	809	1321	1833
AD-20634	298	810	1322	1834
AD-20640	304	816	1328	1840
AD-20646	310	822	1334	1846
AD-20650	314	826	1338	1850
AD-20653	317	829	1341	1853
AD-20661	325	837	1349	1861
AD-20671	337	849	1361	1873
AD-20693	376	888	1400	1912
AD-20700	383	895	1407	1919
AD-20702	385	897	1409	1921

AD-20709	394	906	1418	1930
AD-20710	395	907	1419	1931
AD-20714	399	911	1423	1935
AD-20716	401	913	1425	1937
AD-20728	413	925	1437	1949
AD-20741	429	941	1453	1965
AD-20764	452	964	1476	1988
AD-20783	471	983	1495	2007
AD-20278	2053	2064	2075	2086
AD-20279	2054	2065	2076	2087
AD-20280	2055	2066	2077	2088
AD-20281	2056	2067	2078	2089
AD-20282	2057	2068	2079	2090
AD-20283	2058	2069	2080	2091
AD-20377	2059	2070	2081	2092
AD-20570	2060	2071	2082	2093
AD-20580	2061	2072	2083	2094
AD-20597	2062	2073	2084	2095
AD-20598	2063	2074	2085	2096

[0019] An RNAi agent comprising an antisense strand of an RNAi agent described herein.

5 **[0020] In one particular specific embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from those antisense strands in the specific duplexes provided above and as listed in Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A, and Table 9B.**

[0021] Various particular specific embodiments of this embodiment are described below.

10 **[0022] In one embodiment, the composition further comprises a second RNAi agent to HSF1. In various embodiments, the second RNAi agent is physically separate from the first, or the two are physically connected (e.g., covalently linked or otherwise conjugated).**

[0023] In one embodiment, the antisense strand is about 30 or fewer nucleotides in length.

15 **[0024] In one embodiment, the antisense strand forms a duplex region with a sense strand, wherein the duplex region is about 15 to 30 nucleotide pairs in length.**

[0025] In one embodiment, the antisense strand is about 15 to about 30 nucleotides in length, including about 19 to about 23 nucleotides in length. In one embodiment, the antisense strand has at least the length selected from about 15 nucleotides, about 16 nucleotides, about 17 nucleotides, about 18 nucleotides, about 19 nucleotides, about 20 nucleotides, about 21 nucleotides, about 22 nucleotides, about 23 nucleotides, about 24 nucleotides, about 25 nucleotides, about 26 nucleotides, about 27 nucleotides, about 28 nucleotides, about 29 nucleotides and 30 nucleotides.

[0026] In one embodiment, the RNAi agent comprises a modification that causes the RNAi agent to have increased stability in a biological sample or environment.

[0027] In one embodiment, the RNAi agent comprises at least one sugar backbone modification (e.g., phosphorothioate linkage) or at least one 2'-modified nucleotide.

[0028] In one embodiment, the RNAi agent comprises: at least one 5'-uridine-adenine-3' (5'-ua-3') dinucleotide, wherein the uridine is a 2'-modified nucleotide; at least one 5'-guanine-3' (5'-ug-3') dinucleotide, wherein the 5'-uridine is a 2'-modified nucleotide; at least one 5'-cytidine-adenine-3' (5'-ca-3') dinucleotide, wherein the 5'-cytidine is a 2'-modified nucleotide; or at least one 5'-uridine-uridine-3' (5'-uu-3') dinucleotide, wherein the 5'-uridine is a 2'-modified nucleotide. These dinucleotide motifs are particularly prone to serum nuclease degradation (e.g. RNase A). Chemical modification at the 2'-position of the first pyrimidine nucleotide in the motif prevents or slows down such cleavage. This modification recipe is also known under the term 'endo light'.

[0029] In one embodiment, the RNAi agent comprises a 2'-modification selected from the group consisting of: 2'-deoxy, 2'-deoxy-2'-fluoro, 2'-O-methyl, 2'-O-methoxyethyl (2'-O-MOE), 2'-O-aminopropyl (2'-O-AP), 2'-O-dimethylaminoethyl (2'-O-DMAOE), 2'-O-dimethylaminopropyl (2'-O-DMAP), 2'-O-dimethylaminoethoxyethyl (2'-O-DMAEOE), and 2'-O-N-methylacetamido (2'-O-NMA). In one embodiment, all pyrimidines (uridine and cytidine) are 2' O-methyl-modified nucleosides.

[0030] In one embodiment, the RNAi agent comprises at least one blunt end.

[0031] In one embodiment, the RNAi agent comprises an overhang having 1 nt to 4 nt unpaired.

[0032] In one embodiment, the RNAi agent comprises an overhang at the 3'-end of the antisense strand of the RNAi agent.

[0033] In one embodiment, the RNAi agent is ligated to one or more diagnostic compound, reporter group, cross-linking agent, nuclease-resistance conferring moiety, natural or unusual nucleobase, lipophilic molecule, cholesterol, lipid, lectin, steroid, uvaol, hecigenin, diosgenin, terpene, triterpene, sarsasapogenin, Friedelin, epifriedelanol-derivatized lithocholic acid, vitamin, carbohydrate, dextran, pullulan, chitin, chitosan, synthetic carbohydrate, oligo lactate 15-mer, natural polymer, low- or medium-molecular weight polymer, inulin, cyclodextrin, hyaluronic acid, protein, protein-binding agent, integrin-targeting molecule, polycationic, peptide, polyamine, peptide mimic, and/or transferrin.

[0034] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 60% in WI-38 and/or HeLa cells *in vitro*.

[0035] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 70% in WI-38 and/or HeLa cells *in vitro*.

[0036] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 75% in WI-38 and/or HeLa cells *in vitro*.

[0037] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 80% in WI-38 and/or HeLa cells *in vitro*.

[0038] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 90% in WI-38 and/or HeLa cells *in vitro*.

5 [0039] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 95% in WI-38 and/or HeLa cells *in vitro*.

[0040] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 99% in WI-38 and/or HeLa cells *in vitro*.

10 [0041] In one embodiment, the RNAi has an EC50 of no more than about 0.1 nM. EC50 is effective concentration to reduce gene expression by 50%.

[0042] In one embodiment, the RNAi has an EC50 of no more than about 0.01 nM.

[0043] In one embodiment, the RNAi has an EC50 of no more than about 0.001 nM.

15 [0044] **An RNAi agent comprising a sense and antisense strand of an RNAi described herein.**

[0045] In one particular specific embodiment, the present disclosure relates to a composition comprising an RNAi agent comprising a sense strand and an antisense strand, wherein the sense strand and antisense strand comprise at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides, from the sense and antisense strand, respectively, of an RNAi agent to HSF1 selected 20 from the specific duplexes provided above and as listed in Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A, and Table 9B.

[0046] Various particular specific embodiments of this embodiment are described below.

[0047] In one embodiment, the composition comprises a second RNAi agent to HSF1. In various embodiments, the second RNAi agent is physically separate from the first, or the two are 25 physically connected (e.g., chemically linked or otherwise conjugated).

[0048] In one embodiment, the antisense strand is about 30 or fewer nucleotides in length.

[0049] In one embodiment, the sense strand and the antisense strand form a duplex region about 15 to about 30 nucleotide pairs in length.

30 [0050] In one embodiment, the antisense strand and the sense strand are both about 19 to about 23 nt in length.

[0051] In one embodiment, the RNAi agent comprises a modification that causes the RNAi agent to have increased stability in a biological sample or environment.

[0052] In one embodiment, the RNAi agent comprises a modified sugar backbone such as, e.g., a phosphorothioate linkage, or comprises a 2'-modified nucleotide.

35 [0053] In one embodiment, the RNAi agent comprises: at least one 5'-uridine-adenine-3' (5'-ua-3') dinucleotide, wherein the uridine is a 2'-modified nucleotide; at least one 5'-uridine-guanine-3' (5'-ug-3') dinucleotide, wherein the 5'-uridine is a 2'-modified nucleotide; at least one

5'-cytidine-adenine-3' (5'-ca-3') dinucleotide, wherein the 5'-cytidine is a 2'-modified nucleotide; or at least one 5'-uridine-uridine-3' (5'-uu-3') dinucleotide, wherein the 5'-uridine is a 2'-modified nucleotide.

[0054] In one embodiment, the RNAi agent comprises a 2'-modification selected from the 5 group consisting of: 2'-deoxy, 2'-deoxy-2'-fluoro, 2'-O-methyl, 2'-O-methoxyethyl (2'-O-MOE), 2'-O-aminopropyl (2'-O-AP), 2'-O-dimethylaminoethyl (2'-O-DMAOE), 2'-O-dimethylaminopropyl (2'-O-DMAP), 2'-O-dimethylaminoethoxyethyl (2'-O-DMAEOE), and 2'-O-N-methylacetamido (2'-O-NMA). In one embodiment, all pyrimidines (uridine and cytidine) are 2' O-methyl-modified nucleosides.

10 [0055] In one embodiment, the RNAi agent comprises at least one blunt end.

[0056] In one embodiment, the RNAi agent comprises an overhang having 1 to 4 nt unpaired.

[0057] In one embodiment, the RNAi agent comprises an overhang at the 3'-end of the antisense strand of the RNAi agent.

15 [0058] In one embodiment, the RNAi agent is ligated to one or more diagnostic compound, reporter group, cross-linking agent, nuclease-resistance conferring moiety, natural or unusual nucleobase, lipophilic molecule, cholesterol, lipid, lectin, steroid, uvaol, hecigenin, diosgenin, terpene, triterpene, sarsasapogenin, Friedelin, epifriedelanol-derivatized lithocholic acid, vitamin, carbohydrate, dextran, pullulan, chitin, chitosan, synthetic carbohydrate, oligo lactate 15-mer, 20 natural polymer, low- or medium-molecular weight polymer, inulin, cyclodextrin, hyaluronic acid, protein, protein-binding agent, integrin-targeting molecule, polycationic, peptide, polyamine, peptide mimic, and/or transferrin.

[0059] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 60% in WI-38 and/or HeLa cells *in vitro*.

25 [0060] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 70% in WI-38 and/or HeLa cells *in vitro*.

[0061] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 80% in WI-38 and/or HeLa cells *in vitro*.

[0062] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by 30 at least about 90% in WI-38 and/or HeLa cells *in vitro*.

[0063] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 95% in WI-38 and/or HeLa cells *in vitro*.

[0064] In one embodiment, the RNAi agent is capable of inhibiting expression of HSF1 by at least about 99% in WI-38 and/or HeLa cells *in vitro*.

35 [0065] In one embodiment, the RNAi has an EC50 of no more than about 0.1 nM.

[0066] In one embodiment, the RNAi has an EC50 of no more than about 0.01 nM.

[0067] In one embodiment, the RNAi has an EC50 of no more than about 0.001 nM.

[0068] **A method of treatment using an RNAi agent comprising a RNAi agent described herein.**

[0069] In one particular specific embodiment, the present disclosure relates to a method of 5 treating a HSF1-related disease in an individual, comprising the step of administering to the individual a therapeutically effective amount of a composition comprising an RNAi agent comprising an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from those specific duplexes provided above and as listed in Table 1, Table 2, 10 Table 3, Table 3A, Table 8, Table 9A and Table 9B. In one embodiment, the RNAi agent to HSF1 comprises an antisense strand duplexed with a sense strand, wherein the sense and antisense strands are selected from one or more of the sequences provided in Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A or Table 9.

[0070] Various particular specific embodiments of this embodiment are described below.

[0071] In one embodiment, the HSF1-related disease is proliferative disease such as, e.g., a 15 cancer, or is an autoimmune disease, or is a viral disease.

[0072] In one embodiment, the HSF1-related disease is cancer selected from the list of bladder, bone, breast, cervical, colon, colorectal, endometrial, fibrosarcoma, gastric, 20 haematopoietic, intestine, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, osteosarcoma, ovary, pancreas, pleura, prostate, skin, squamous cell, stomach, and testicular cancers, leukemia, promyelocytic leukemia, and Hodgkin's disease.

[0073] In one embodiment, the method further comprises the step of administering an additional cancer treatment.

[0074] In one embodiment, the method further comprises the step of administering an 25 additional cancer treatment selected from the list of actinomycin D, an inhibitor of HSP90 (heat shock protein 90), 17-AAG (tanespimycin), 17-DMAG (alvespimycin), IPI-504 (retaspimycin), IPI-493, SNX-5422 mesylate, AUY922, BIB021 CNF-2024, BIIB028, STA-9090, KW-2478, ATI3387, XL888, HSP990, MPC-3100, ABI-010 (as reviewed in Kim et al. 2009 *Curr. Topics in Med. Chem.* 9: 1479-1492), or 2-chlorodeoxyadenosine, 5-azacitidine, 5-fluoro-2'-deoxyuridine, 30 5-fluorouracil, 6-mercaptopurine, 6-thioguanine, 7-hydroxystauroporine, 13-cis-retinoic acid, a goserelin implant, alemtuzumab, alitretinoin, all-trans retinoic acid, alpha interferon, altretamine, amifostine, aminoglutethimide, anagrelide, anastrozole, arabinosylcytosine, arsenic trioxide, asparaginase, bacillus calmette-guerin, bendamustine, bevacizumab, bexarotene, bicalutamide, bleomycin, bortezomib, busulfan, camptothecin, capecitabine, carboplatin, carmustine, cetuximab, 35 chlorambucil, cisplatin, cladribine, colcemid, Cycloheximide, cyclophosphamide, cytarabine, cytosine arabinoside (Ara-C), dacarbazine, dactinomycin, dasatinib, daunorubicin liposomal, daunorubicin, decitabine, denileukin diftitox, dexamethazone, docetaxel, doxorubicin, edelfosine,

ehlorambucil, epipodophyllotoxin, epirubicin, erlotinib, estramustine, etoposide, everolimus, exemestane, fenretinide, finasteride, flavopiridol, floxuridine, fludarabine, fluorouracil, fluoxymesterone, flutamide, fulvestrant, gefitinib, gemitabine, gemtuzumab ozogamicin, goserelin, hexamethylmelamine, hydrocortisone, hydroxyurea, ibritumomab tiuxetan,

5 ibritumomab, idarubicin, ifosfamide, imatinib, imidazole carboxamide, interleukin-11, interleukin-2, irinotecan, ixabepilone, lapatinib, L-asparaginase, lenalidomide, letrozole, leukovorin, leuprolide, mechlorethamine, megestrol, melphalan, mercaptopurine, methotrexate, methylprednisolone, mitixantrone, mitomycin, mitoxantrone, nelarabine, nitrogen mustard, octreotide, oxaliplatin, paclitaxel, paclitaxel-albumin formulations, paclitaxel-protein

10 formulations, pamidronate, panitumumab, pemetrexed, pentostatin, phenylalanine mustard, pirubicin, prednisolone, prednisone, procarbazine, Puromycin, raloxifene, rituxan, rubidomycin, sargramostim, sorafenib, staurosporine, steroids, streptozocin, sunitinib, tamoxifen, Taxol, tegafur, temozolomide, temsirolimus, teniposide, thalidomide, thiophosphoamide, thiotepa, topotecan, toremifene, tositumomab, trastuzumab, tretinoin, UFT, vinblastine, vincristine,

15 vinorelbine, vorinostat, and/or zoledronic acid. A RNAi agent to HSF1 can be used in conjunction with any additional treatment disclosed herein, as appropriate for the disease, optionally, in further conjunction with one or more additional RNAi agents to HSF1.

[0075] In one embodiment, the HSF1-related disease is a viral disease.

20 [0076] In one embodiment, the HSF1-related disease is a viral disease selected from the list of viral diseases mediated in whole or in part by adenovirus, herpes simplex virus, human cytomegalovirus, HTLV-1, SV40, polyoma virus, HIV, and/or Epstein-Barr virus.

[0077] In one embodiment, the method further comprises the step of administering an additional viral disease treatment.

25 In one embodiment, the method further comprises the step of administering an additional viral disease treatment selected from the list of Abacavir, Aciclovir, acyclovir (acycloguanosine), Adefovir, Amantadine, Ampligen, Amprenavir, Arbidol, Atazanavir, Atripla, bevirimat, Boceprevir, broad spectrum inhibitor, Cidofovir, Combivir, Darunavir, Delavirdine, Didanosine, Docosanol, Edoxudine, Efavirenz, Emtricitabine, Enfuvirtide, Entecavir, Entry inhibitors, Entry or fusion inhibitor, Famciclovir, Fomivirsen, Fosamprenavir, Foscarnet, Fosfonet, Fusion

30 inhibitor, Ganciclovir, Ibacicabine, Idoxuridine, Imiquimod, Imunovir, Indinavir, Inosine, Integrase inhibitor, Integrase inhibitor, Interferon, Interferon type I, Interferon type II, Interferon type III, Lamivudine, Lopinavir, Loviride, Maraviroc, Maturation inhibitor, Moroxydine, Nelfinavir, Nevirapine, Nexavir, Non-nucleoside reverse transcriptase inhibitor, NOV-205, Nucleoside analogues, Nucleotide analog reverse transcriptase inhibitor, Oseltamivir (Tamiflu),

35 Peginterferon alfa-2a, Penciclovir, Peramivir, Pleconaril, Podophyllotoxin, Protease inhibitor, Protease inhibitor, Raltegravir, Raltegravir, Reverse transcriptase inhibitor, Reverse transcriptase inhibitor, Ribavirin, Rimantadine, Ritonavir, Saquinavir, Saquinavir, Stavudine, Synergistic

enhancer (antiretroviral), Tenofovir, Tenofovir disoproxil, Tipranavir, Trifluridine, Trizivir, Tromantadine, TruvadaTM, Valaciclovir (ValtrexTM), Valganciclovir, Vicriviroc, Vidarabine, Viramidine, Zalcitabine, Zanamivir (RelenzaTM), and Zidovudine. It will be understood that references to any additional treatment (e.g., viral disease treatment or cancer treatment or

5 autoimmune disease treatment, etc.) are meant to also include the pharmaceutically acceptable salts of any of the active substances. If active substances comprised by components (a) and/or (b) have, for example, at least one basic center, they can form acid addition salts. Corresponding acid addition salts can also be formed having, if desired, an additionally present basic center. Active substances having an acid group, e.g., COOH, can form salts with bases. The active substances
10 comprised in components (a) and/or (b) or a pharmaceutically acceptable salts thereof may also be used in form of a hydrate or include other solvents used for crystallization.

[0078] In one embodiment, the HSF1-related disease is an autoimmune disease.

[0079] In one embodiment, the HSF1-related disease is lupus or rheumatoid arthritis.

[0080] In one embodiment, the composition comprises a second RNAi agent to HSF1. In
15 various embodiments, the second RNAi agent is physically distinct from the first, or the two are physically connected (e.g., linked or conjugated).

[0081] A method of inhibiting the expression of HSF1, using an RNAi comprising an RNAi agent described herein.

20 [0082] In one particular specific embodiment, the present disclosure relates to a method of inhibiting the expression of HSF1 in an individual, comprising the step of administering to the individual a therapeutically effective amount of a composition comprising an RNAi agent of the disclosure. In one embodiment, the RNAi comprises a sense strand and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3
25 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from those specific duplexes provided above and as listed in Table 1, Table 2, Table 3, Table 3A, Table 8, Table 9A, and Table 9B.

[0083] Various particular specific embodiments of this embodiment are described below.

[0084] In one embodiment, the individual is afflicted with or susceptible to an HSF1-related
30 disease.

[0085] In one embodiment, the HSF1-related disease is proliferative disease, such as, e.g., a cancer.

[0086] In one embodiment, the HSF1-related disease is cancer selected from the list of bladder, bone, breast, cervical, colon, colorectal, endometrial, fibrosarcoma, gastric,
35 haematopoietic, intestine, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, osteosarcoma, ovary, pancreas, pleura, prostate, skin, squamous cell, stomach, and testicular cancers, leukemia, promyelocytic leukemia, and Hodgkin's disease.

[0087] In one embodiment, the method further comprises the step of administering an additional cancer treatment.

[0088] In one embodiment, the method further comprises the step of administering an additional cancer treatment selected from the list of any cancer treatment listed herein, or known 5 in the art.

[0089] In one embodiment, the HSF1-related disease is a viral disease.

[0090] In one embodiment, the HSF1-related disease is a viral disease selected from the list of viral diseases mediated in whole or in part by adenovirus, herpes simplex virus, human cytomegalovirus, HTLV-1, SV40, polyoma virus, HIV, and/or Epstein-Barr virus.

10 [0091] In one embodiment, the method further comprises the step of administering an additional viral disease treatment.

[0092] In one embodiment, the method further comprises the step of administering an additional viral disease treatment selected from the list of any viral disease treatment listed herein.

[0093] In one embodiment, the HSF1-related disease is an autoimmune disease.

15 [0094] In one embodiment, the HSF1-related disease is lupus or rheumatoid arthritis.

[0095] In one embodiment, the composition further comprises a second RNAi agent to HSF1. In various embodiments, the second RNAi agent is physically distinct from the first, or the two are physically connected (e.g., linked or conjugated).

20 [0096] **Other embodiments**

[0097] Various particular specific embodiments of this disclosure are described below.

[0098] In one embodiment, the disclosure pertains to a composition according to any of the above embodiments, for use in a method of treating a HSF1-related disease in an individual, the method comprising the step of administering to the individual a therapeutically effective amount 25 of a composition according to any of the claims.

[0099] Various particular specific embodiments of this embodiment are described below.

[00100] In one embodiment, the disclosure pertains to the composition according to any of the above embodiments, for use in a method of inhibiting the expression of HSF1 in an individual, the method comprising the step of administering to the individual a therapeutically effective 30 amount of a composition according to any of the above embodiments.

[00101] One embodiment of the disclosure is the use of a composition according to any of the above embodiments, in the manufacture of a medicament for treatment of an HSF1-related disease.

[00102] In one embodiment, the HSF1-related disease is selected from cancer, viral disease 35 or autoimmune disease.

[00103] In one embodiment, the disclosure pertains to the composition of any of the above embodiments, for use in the treatment of an HSF1-related disease.

[00104] In one embodiment, the HSF1-related disease is selected from cancer, viral disease or autoimmune disease.

[00105] In one embodiment, the disclosure relates to a method of inhibiting the expression of HSF1 in an cell, comprising the step of introducing into the cell a composition comprising an

5 RNAi agent comprising an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand of an RNAi agent to HSF1 selected from the HSF1 siRNAs disclosed herein.

[00106] In one embodiment, the disclosure relates to a method of inhibiting the expression of HSF1 in an cell, comprising the step of introducing into the cell a composition comprising an

10 RNAi agent comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the antisense strand, and the sense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nucleotides from the sense strand of an RNAi agent to HSF1 selected from the HSF1 siRNAs disclosed herein.

15

Heat Shock Factor 1 (HSF1)

[00107] By "HSF1" is meant the gene or protein heat shock factor 1, or heat shock transcription factor 1 (HSTF1). HSF1 is the master regulator of the heat shock response, in which multiple genes are induced in response to temperature increase and other stresses. HSF1 has been

20 designated HGNC ID HGNC:5224, on Chromosome 8q24.3. It (including homologues) is also identified as: GeneID: 3297; RefSeq IDs NM_005526; AccNo. M64673; Mouse Genome Database ID MGI:96238; Rat Genome Database ID RGD:620913; Entrez Gene ID 3297; CCDS IDs CCDS6419.1; Pubmed IDs 1871105; Ensembl ID ENSG00000185122; OMIM ID (NCBI) 140580; UCSC ID (UCSC) uc003zbt.2; and/or UniProt ID (mapped data supplied by UniProt)

25 Q00613.

[00108] The amino acid sequence of human HSF1 is provided as SEQ ID NO 2050.:

MDLPVPGAGPSNVPAFLTKLWTLVSDPDTDALICWSFGNSFHVFDQGQFAKEVLPKYFKHNNMASFVRQLNMYGFRK
VUHIEQGGLVVKPERDDTEFQHPCFLRGQEQLLENIKRKVTSVSTLKSEDIKIRQDSVTKLTDVQLMKGKQECMDSKLLA
MKHENEAALWREVA SLRKHAQQQKVVKLIQFLISLVQSNRILGVKRKIPMLNDSGSAHSMPKYSRQFSLEHVHGSGPY
SAPSPAYSSSSLYAPDAVASSGPPIISDITELAPASPMASPGGSIDERPLSSPLVRVKEEPPSPQSPRVEEASPGRPSS
VDTLLSPTALIDSILRESEPAPASVTA LDTARGHTDTEGRPPSPPTSTPEKCLSVACLDKNELSDHLDAMDSNLNDNLQT
MLSSHGFSVDTTSALLDFSPSVTPDMSLPDLDSSLASIQLLSPQEPPRPEAENSSPDGKQLVHYTAQPLFLDPGS
VDTGSNDLPVLFELGEGSYFSEGDGFAEDPTISLLTGSEPPKAKDPTVS
(SEQ ID NO: 2050)

35 **[00109]** The functional domains of HSF1 have been delineated by mutagenesis. A sequence near the N terminus forms the DNA binding domain (numbered approximately aa 13-121; or aa 16-120, Shi et al. Adjacent to this is a hydrophobic region comprising three "leucine zippers" that mediate monomerization and trimerization (numbered approximately aa 126-217; or 137-212; or 137-203. A fourth hydrophobic patch or leucine zipper lies at approximately aa 378-407; this

40 region is involved in negative regulation under non-stress conditions. The central part of the molecule contains a region that regulates the activity of transcriptional activation domains in

response to stress. Sequences within the regulatory domain undergo specific phosphorylation and dephosphorylation in response to stress. This regulatory domain, which is rich in serines and prolines, lies at approximately aa 221-310, or 201-370. The C-terminal portion of HSF1 contains the main transcriptional activation regions; this comprises the 100 most C-terminal amino acids, 5 or aa 395-503, or can perhaps be reduced to AD1 at aa 401-420 (Newton et al.). These domains are described in, *inter alia*, Green et al. 1995 *Mol. Cell. Biol.* 15: 3354-3362; and Shi et al. 1995 *Mol. Cell. Biol.* 15: 4309-4318. The HSF1 RNAi agent of the present disclosure can interact with a specific functional domain or domains of HSF1.

[00110] In various embodiments, the RNAi agents of the present disclosure specifically bind 10 to HSF1 mRNA, in a sequence corresponding to a functional domain, e.g., in a sequence near the N terminus that forms the DNA binding domain; in the 4/3 hydrophobic repeat or “leucine zipper” that mediates trimerization; in the first, second, third or fourth leucine zipper; in the central part of the molecule that contains several elements that maintain HSF1 in its latent form, or that regulate the activity of transcriptional activation domains in response to stress; in sequences within the 15 regulatory domain that undergo specific phosphorylation and dephosphorylation in response to stress; in the C-terminal portion of HSF1 that contains the main transcriptional activation regions; in the arrays of amphipathic alpha-helical residues in the amino-terminal domain of HSF family proteins that interact to form coiled coils; and/or in the fourth region of amphipathic alpha-helix in the carboxyl-terminal domain. In other embodiments, the RNAi agents of the present disclosure 20 bind to the 5' or 3' UTR [untranslated region(s)].

[00111] In various embodiments, the RNAi agents of the present disclosure bind to HSF1 mRNA, but not in a sequence corresponding to a functional domain, e.g., not in a sequence near the N terminus that forms the DNA binding domain; not the 4/3 hydrophobic repeat or “leucine zipper” that mediates trimerization; not the first, second, third or fourth leucine zipper; not the 25 central part of the molecule that contains several elements that maintain HSF1 in its latent form, or that regulate the activity of transcriptional activation domains in response to stress; not in sequences within the regulatory domain that undergo specific phosphorylation and dephosphorylation in response to stress; not in the C-terminal portion of HSF1 that contains the main transcriptional activation regions; not in the arrays of amphipathic alpha-helical residues in 30 the amino-terminal domain of HSF family proteins that interact to form coiled coils; not in the fourth region of amphipathic alpha-helix in the carboxyl-terminal domain; or not in the 5' or 3' UTRs. In another embodiment, the RNAi agents of the present disclosure bind to the HSF1 mRNA, but not in sequence spanning nt 322 to 340 downstream of the gene transcription start site as described by Rossi et al. 2006 *Cancer Res.* 66:7678-7685.

32204-6

HSF1-related diseases

[00112] As used herein, the phrase a "HSF1-related disease" means one or more of the following: a proliferative disease, including, e.g., a cancer, wherein the cancer is selected from one or more of cancers of bladder, bone, breast, cervical, colon, colorectal, endometrial, 5 fibrosarcoma, gastric, haematopoietic, intestine, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, osteosarcoma, ovary, pancreas, pleura, prostate, skin, squamous cell, stomach, and testicular cancers, leukemia, promyelocytic leukemia, and Hodgkin's disease; a viral disease, wherein the viral disease is selected from one or more of viral diseases mediated in whole or in part by adenovirus, herpes simplex virus, human cytomegalovirus, HTLV-1, SV40, 10 polyoma virus, HIV, and/or Epstein-Barr virus; and an autoimmune disease, wherein the autoimmune disease is selected from one or more of lupus and a rheumatoid arthritis.

[00113] HSF1 has been implicated in several diseases, including cancer and viral diseases. HSF1 and other heat shock proteins (whose expression is increased by HSF1) are over-expressed in, or have otherwise been implicated in bladder, bone, breast, cervical, colon, colorectal, 15 endometrial, fibrosarcoma, gastric, haematopoietic, intestine, kidney, liver, lung, lymphoma, neuroectodermal, neuroblastoma, Ewing's sarcoma, osteosarcoma, ovary, pancreas, pleura, prostate, skin, squamous cell, stomach, and testicular cancers, leukemia (e.g., promyelocytic leukemia), and Hodgkin's disease. HSF1 is over-expressed in metastatic prostate carcinoma cell line PC-3M (as compared to the non-metastatic PC-3 line), and other prostate cancer cells.

20 [00114] The over-expression of HSF1 is correlated with an up-regulation of heat shock protein HSP27. Hoang et al. 2000 Am. J. Pathol. 156: 857-864. HSP27 up-regulation is also associated with increased tumorigenicity and invasiveness of some cancers, including colon, breast, promyelocytic leukemia, testicular and prostate. HSF1 also plays a functional role in cancer cells under non-stress conditions; a dominant-negative HSF1 alters DNA content in PC-3 cell 25 populations and inhibits aneuploidy. Wang et al. 2004 J. Biol. Chem. 279: 32651-32659. Many tumor types contain high concentrations of heat shock protein of the HSP27, HSP70, and HSP90 families, which are up-regulated by HSF1. Without wishing to be bound by any particular theory, applicants note that it has been suggested that heat shock proteins (HSP) may block the pathways of apoptosis and permit malignant cells to arise despite the triggering of apoptotic signals during 30 transformation. HSP expression may also afford protection of cancer cells from treatments such as chemotherapy and hyperthermia by thwarting the pro-apoptotic influence of these modalities. Tang et al. 2005 Cell Stress Chaperones 10: 46-58. Rossi et al. also showed that decreasing HSF1 levels increased the sensitivity of uterine cervix carcinoma cells to cisplatin associated with hyperthermia. Over-expression of heat shock proteins is also associated 35 with protection of cancer cells against doxorubicin and hyperthermia and other anti-cancer treatments. Helmbrecht et al. 2000 Cell Prolif. 33: 341-365.

[00115] Over-expression of heat shock proteins is also associated with viral infections, including those mediated by adenovirus, herpes simplex virus, human cytomegalovirus, HTLV-1, SV40, polyoma virus, HIV, Epstein-Barr virus. High heat shock protein levels are also associated with autoimmune diseases, including lupus and rheumatoid arthritis. Inhibition of HSF1, e.g., via use of an anti-HSF1 RNAi agent, can thus be an effective treatment against cancer, and viral and other diseases. Few HSP inhibitors are known, but they include quercetin, a flavonoid that inhibits the HSF1. Zanini et al. 2007 J. Neurochem. 103:1344-354.

Quercetin can thus be used as a positive control for RNAi agents that inhibit HSF1 in treating a viral disease or cancer.

10

HSF1 gene sequences in various species

[00116] The human HSF1 gene has been cloned, Rabindran et al. 1991 Proc. Natl. Acad. Sci USA 88: 6906-6910. Various sequences are available for human HSF1, including Genbank identifier NM_005526.2. The mouse (*Mus musculus*) HSF1 gene is, for example, Genbank id 15 NM_008296.2. Another mouse HSF1 sequence is available as Acc. Number XM_128055 (as used in Yin et al. 2005 J. Mol. Cell. Card. 39: 681-689).

[00117] The Cynomolgus monkey (“Cyno”, or *Macaca fascicularis*) HSF1 sequence (SEQ ID NO: 2051), compared to the human sequence (SEQ ID NO: 2052), is presented below in Table A2:

20

TABLE A2

	human	TTCCCTGCCTGGCCAGGAGCAGCTCCTTGAGAACATCAA-GAGGAAAGTGACCAGTGTGTC
	cyno	TTCCCTGCCTGGCCAGGAGCAGCTCCTTGAGAACATCANAGAGGAAAGTGACCAGTGTGTC
5	human	*****
	cyno	*****
	human	CACCCCTGAAGAGTGAAGACATAAAGATCCGCCAGGACAGCGTCACCAAGCTGCTGACGGA
	cyno	CACCCCTGAAGAGTGAAGACATAAAGATCCGTCAGGACAGTGTCAACCAAGCTGCTGACGGA
10	human	*****
	cyno	*****
	human	CGTGCAGCTGATGAAGGGAAAGCAGGAGTGCATGGACTCCAAGCTCCTGGCATGAAGCA
	cyno	CGTGCAGCTGATGAAGGGAAAGCAGGAGTGCATGGACTCCAAGCTCCTGGCATGAAGCA
15	human	*****
	cyno	*****
	human	TGAGAATGAGGCTCTGGCGGGAGGTGGCCAGCCTCGGCAGAAGCATGCCAGCAACA
	cyno	TGAGAATGAGGCTCTGGCGGGAGGTGGCCAGCCTCGGCAGAAGCATGCCAGCAACA
20	human	*****
	cyno	*****
	human	GAAAGTCGTCAACAAGCTATTCACTGGTCAGTCAAACCGGATCCT
	cyno	GAAAGTCGTCAACAAGCTATTCACTGGTCAGTCAAACCGGATCCT
25	human	*****
	cyno	*****
	human	GGGGGTGAAGAGAAAGATCCCCCTGATGCTGAACGACAGTGGCTCAGCACATTCCATGCC
	cyno	GGGGGTGAAGAGAAAGATCCCCCTGATGCTGAACGACAGTGGCTCAGCACATTCCATGCC
30	human	*****
	cyno	*****
	human	CAAGTATAGCCGGCAGTTCTCCCTGGAGCACGTCCACGGCTCGGGCCCTACTCGGCCCC
	cyno	CAAGTATAGCCGGCAGTTCTCCCTGGAGCACGTCCACGGCTCGGGCCCTACTCGGCCCC
35	human	*****
	cyno	*****
	human	CATCATCTCCGACATCACCAGCTGGCTCTGGCCAGCCCCATGGCTCCCCGGGGAG
	cyno	CATCATCTCCGACATCACCAGCTGGCTCTGGCCAGCCCCATGGCTCCCCGGGGAG
40	human	*****
	cyno	*****
	human	CATAGACGAGAGGCCCTATCCAGCAGCCCCCTGGTGCCTGCAAGGAGGGAGCCCCCAG
	cyno	CATAGACGAGAGGCCCTGTCTAGCAGCCCCCTGGTGCCTGCAAGGAGGGAGCCCCCAG
45	human	*****
	cyno	*****
	human	CCCGCCTCAGAGCCCCGGTAGAGGAGGCGAGTCCCGGGCGCCATCTCCGTGGACAC
	cyno	CCCGCCTCAGAGCCCCGGTAGAGGAGGCGAGTCCCGGGCGCCATCTCCGTGGACAC
50	human	*****
	cyno	*****
	human	CCTCTTGCCCCGACCGCCCTCATTGACTCCATCCTGCGGGAGAGTGAACCTGCCCGCGC
	cyno	CCTCTTGCCCCGACCGCCCTCATTGACTCCATCCTGCGGGAGAGTGAACCTGCCCGCGC
55	human	*****
	cyno	*****
	human	CTCCGTACAGCCCTCACGGACGCCAGGGCCACACGGACACCAGGGCCGCCCTCCCTC
	cyno	CTCCGCCACAGCCCTCACCGATGCCAGGGCCACACGGACACCAGGGCCGCCCTCCCTC
60	human	*****
	cyno	*****
	human	CCTCCGCCCCACCTCCACCCCTGAAAAGTGCCTCAGCGTAGCCTGCCCTGGACAAGATGA
	cyno	ACCCCCGCCACCTCCACCCCTGAAAAGTGCCTCAGCGTAGCCTGCCCTGGACAAGATGA
65	human	*****
	cyno	*****
	human	GCTCAGTGACCACTTGGATGCTATGGACTCCAACCTGGATAACCTGCAGACCATGCTGAG
	cyno	GCTCAGTGACCACTTGGATGCTATGGACTCCAACCTGGACAACCTGCAGACCATGCTGAG
70	human	*****
	cyno	*****
	human	CAGCCACGGCTTCAGCGTGGACACCAGTGCCTGCTGGACCTGTTAGCAGCCCTCGGTGAC
	cyno	CAGCCACGGCTTCAGCGTGGACACCAGCAGGCCCTGCTGGACCTGTTAGCAGCCCTCGGTGAC
75	human	*****
	cyno	*****
	human	CGTCCCCGACATGAGCCTGCCCTGACCTTGCAGCAGCAGCCCTGGCAGTATCCAAGAGCTCCT
	cyno	CGTCCCCGACATGAGCCTGCCCTGACCTTGCAGCAGCAGCCCTGGCTAGTATCCAAGAGCTCCT

	human	GTCTCCCCAGGAGCCCCCAGGCCCTCCGAGGCAGAGAACAGCAGCCGGATTCAAGGGAA
	cyno	GTCTCCCCAGGAGCCCCCAGGCCCTCCGAGGCAGAGAACAGCAGCCGGATTCAAGGGAA
5	human	GCAGCTGGTGCACTACACAGCGCAGCCGCTGTTCTGCTGGACCCCGCTCCGTGGACAC
	cyno	GCAGCTGGTGCACTACACAGCACAGCCACTGTTCTGCTGACCCCGCTCCGTGGGACAC
10	human	CGGGAGCAACGACCTGCCGGTGTGTTGAGCTGGGAGAGGGCTCCTACTTCTCCGAAGG
	cyno	CGGGAGCAGCGACTTGCCGGTGTGTTGAGCTGGGGAGGGCTCCTACTTCTCCGAAGG
15	human	GGACGGCTTCGCCAGGACCCCACCATCTCCCTGCTGACAGGCTGGAGCCTCCAAAGC
	cyno	GGACGGCTTCGCCAGGACCCCACCATCTCCCTGCTGACAGGCTCAGAGCCTCCAAAGC
20	human	STOP CAAGGACCCACTGTCTCC <u>TAG</u> AGGCCCGGAGGAGCTGGGCCAGCCGCCACCCACC
	cyno	CAAGGACCCACTGTCTCC <u>TAG</u> GCGCCGGAGGAGCTGGGCCAGCCGCCACCCACC
25	human	CCCAGTGCAAGGCTGCTCTGGGAGGCAG-GGCAGCCTGCCGGTCTTGCCACTGGTGG
	cyno	CCCAGTGCAAGGCTGCCCTGGGAGGAGGCCAGGAGCTGGGCCACTGGTGG
30	human	CAGGAGGGTCACCCCTGCCAGTGCCTTCCCCAACCCGTGTCCGTGGTTGG
	cyno	CAGGAGGGTCACCCCGCTCCAGTGCCTTCCCCAACCCGTGTCCGTGGTTGG
35	human	TTGGGGCTTCACAGCCACACCTGGACTGACCCCTGCCAGGTTGTTCATAGTCAGAATTGTAT
	cyno	TTGGGGCTTCGTAGCCACACCTGGACTGACCCCTGCCAGGTTGTTCATAGTCAGAATTGTAT
40	human	TTTGGATTTTACACA <u>ACTGT</u> CCGTTCCACAGAGATA <u>ACACAG</u> ATATACAC
	cyno	TTTGGATTTTACACA <u>ACTGT</u> CCGTTCCACAGAGATA <u>ACACAG</u> ATATACAC
45	human	ACAG-TGGATGGACGGACAAGACAGGGCAGAGATCTATAAACAGACAGGCTATGCTAAA
	cyno	ACAGGTGGATGGACGGACAAGACAGGGCAGAGATCTATAAACAGACAG-----

		AAAAA
		(SEQ ID NO: 2051)

		(SEQ ID NO: 2052)

[00118] The start (ATG) and stop (TAG) of the human HSF1 sequence and putative start and stop of the cyno HSF1 sequence are indicated in bold underlined. N indicates that the nucleotide was not determined at that position in the sequencing experiment.

[00119] In one embodiment, the HSF1 RNAi agent of the present disclosure comprises a sequence which is identical in the human, mouse and cyno HSF1 gene. This sequence identity facilitates animal testing prior to human testing.

55 [00120] In one embodiment, the HSF1 RNAi agent comprises a sequence which does not match that of any other gene. In one embodiment, the HSF1 RNAi agent comprises a sequence which differs from all other known non-HSF1 genes by at least 0, 1, 2 or 3 nucleotides.

[00121] In one embodiment, the HSF1 RNAi agent comprises a sequence which is identical to that in HSF2, HSF3 or HSF4. In one embodiment, the HSF1 RNAi agent comprises a sequence which is not identical to any in HSF2, HSF3 or HSF4.

5 **HSF1 RNAi agent for use in treating various HSF1-related diseases**

[00122] In one embodiment, the HSF1 RNAi agent of the present disclosure comprises a sequence disclosed herein and is administered to a patient in need thereof (e.g., a patient suffering from cancer and/or a viral disease and/or autoimmune disease and/or HSF1-related disease). In one embodiment, the HSF1 RNAi agent of the present disclosure is administered to a patient in 10 need thereof, along with one or more additional pharmaceutical agent appropriate for that disease. For example, a patient suffering from cancer can be administered a pharmacologically effective amount of one or more HSF1 RNAi agent along with a pharmacologically effective amount of one or more of any cancer treatment listed herein, and/or any other cancer treatment known in the art.

15 [00123] A patient suffering from a viral disease can be administered one or more RNAi agent to HSF1 and one or more additional viral disease treatment. This additional treatment can be selected from the list of any viral disease treatment listed herein, and/or any anti-viral known in the art.

[00124] The patient can also be administered more than one RNAi agent to HSF1.

20 [00125] In the case of cancer, autoimmune and viral diseases, the RNAi agent(s) and additional disease treatment(s) can be administered in any order, simultaneously or sequentially, or in multiple doses over time. Administration of the RNAi agent and the additional treatment can be, for example, simultaneous, concurrent, separate or sequential.

[00126] Simultaneous administration may, e.g., take place in the form of one fixed 25 combination with two or more active ingredients, or by simultaneously administering two or more active ingredients that are formulated independently. Sequential use (administration) preferably means administration of one (or more) components of a combination at one time point, other components at a different time point, that is, in a chronically staggered manner, preferably such that the combination shows more efficiency than the single compounds administered.

30 independently (especially showing synergism). Separate use (administration) preferably means administration of the components of the combination independently of each other at different time points, preferably meaning that the components (a) and (b) are administered such that no overlap of measurable blood levels of both compounds are present in an overlapping manner (at the same time).

35 [00127] Also combinations of two or more of sequential, separate and simultaneous administration are possible, preferably such that the combination component-drugs show a joint therapeutic effect that exceeds the effect found when the combination component-drugs are used

independently at time intervals so large that no mutual effect on their therapeutic efficiency can be found, a synergistic effect being especially preferred.

5 [00128] The term "delay of progression" as used herein means administration of the combination to patients being in a pre-stage or in an early phase, of the first manifestation or a relapse of the disease to be treated, in which patients, e.g., a pre-form of the corresponding disease is diagnosed or which patients are in a condition, e.g., during a medical treatment or a condition resulting from an accident, under which it is likely that a corresponding disease will develop.

10 [00129] "Jointly therapeutically active" or "joint therapeutic effect" means that the compounds may be given separately (in a chronically staggered manner, especially a sequence-specific manner) in such time intervals that they preferably, in the warm-blooded animal, especially human, to be treated, still show a (preferably synergistic) interaction (joint therapeutic effect). Whether this is the case, can inter alia be determined by following the blood levels, showing that both compounds are present in the blood of the human to be treated at least during certain time intervals.

15

[00130] **Definitions**

20 [00131] For convenience, the meaning of certain terms and phrases used in the specification, examples, and appended claims, are provided below. If there is an apparent discrepancy between the usage of a term in other parts of this specification and its definition provided in this section, the definition in this section shall prevail.

[00132] As used throughout this disclosure, articles such as "a" and "an" refer to one or more than one (at least one) of the grammatical object of the article.

RNAi agent

25 [00133] As used herein, the term "RNAi agent," "RNAi agent to HSF1", "siRNA to HSF1", "HSF1 siRNA" and the like refer to an siRNA (short inhibitory RNA), shRNA (short or small hairpin RNA), iRNA (interference RNA) agent, RNAi (RNA interference) agent, dsRNA (double-stranded RNA), microRNA, and the like, which specifically binds to the HSF1 gene. As used herein, the terms "iRNA" and "RNAi" refers to an agent that contains RNA, and which mediates the targeted cleavage of another RNA transcript via an RNA-induced silencing complex (RISC) pathway. In one embodiment, the RNAi agent is an oligonucleotide composition that activates the RISC complex/pathway. In another embodiment, the RNAi agent comprises an antisense strand sequence (antisense oligonucleotide). In one embodiment, the RNAi comprises a single strand. This single-stranded RNAi agent oligonucleotide or polynucleotide can comprise the sense or antisense strand, as described by Sioud 2005 J. Mol. Biol. 348:1079-1090, and references therein. Thus the disclosure encompasses RNAi agents with a single strand comprising either the sense or antisense strand of an RNAi agent described herein.

[00134] RNA interference is a post-transcriptional, targeted gene-silencing technique that uses double-stranded RNA (dsRNA) to degrade messenger RNA (mRNA) containing the same sequence as the dsRNA. The process of RNAi occurs when ribonuclease III (Dicer) cleaves the longer dsRNA into shorter fragments called siRNAs. siRNAs (small interfering RNAs) are

5 typically about 21 to 23 nucleotides long and comprise about 19 base pair duplexes. The smaller RNA segments then mediate the degradation of the target mRNA. Dicer has also been implicated in the excision of 21- and 22-nucleotide small temporal RNAs (stRNAs) from precursor RNA of conserved structure that are implicated in translational control. Hutvagner et al. 2001, *Science*, 293, 834. The RNAi response also features an endonuclease complex, commonly referred to as an

10 RNA-induced silencing complex (RISC), which mediates cleavage of single-stranded mRNA complementary to the antisense strand of the siRNA. Cleavage of the target RNA takes place in the middle of the region complementary to the antisense strand of the siRNA duplex.

[00135] Kits for RNAi synthesis are commercially available, e.g., from New England Biolabs and Ambion.

15 **[00136]** The use of the RNAi agent to HSF1 results in a decrease of HSF1 activity, level and/or expression, e.g., a “knock-down” or “knock-out” of the target gene or target sequence.

[00137] A suitable RNAi agent can be selected by any process known in the art or conceivable by one of ordinary skill in the art. For example, the selection criteria can include one or more of the following steps: initial analysis of the HSF1 gene sequence and design of RNAi agents; this design can take into consideration sequence similarity across species (human, cynomolgus, mouse, etc.) and dissimilarity to other (non-HSF1) genes; screening of RNAi agents in vitro (e.g., at 10 nM in WI-38 cells); determination of EC50 in HeLa cells; determination of viability of WI-38, HeLa and GTL16 cells treated with RNAi agents, wherein it is desired that the RNAi agent to HSF1 not inhibit the viability of these cells; testing with human PBMC (peripheral blood mononuclear cells), e.g., to test levels of TNF-alpha to estimate immunogenicity, wherein immunostimulatory sequences are less desired; testing in human whole blood assay, wherein fresh human blood is treated with an RNAi agent and cytokine/chemokine levels are determined [e.g., TNF-alpha (tumor necrosis factor-alpha) and/or MCP1 (monocyte chemotactic protein 1)], wherein Immunostimulatory sequences are less desired; determination of gene knockdown in vivo using Hep3B subcutaneous tumors in test animals; HSF1 target gene modulation analysis, e.g., using a pharmacodynamic (PD) marker, for example, HSP70 or HSP27, wherein HSF1 knockdown leads to a dose-dependent reduction of HSP70 and HSP27 expression in A375 cells; and optimization of specific modifications of the RNAi agents.

35 **Targets and sequences**

[00138] As used herein, “target sequence” or “target gene” refer to a contiguous portion of the nucleotide sequence of an mRNA molecule formed during the transcription of a gene, e.g., a

HSF1 gene, including mRNA that is a product of RNA processing of a primary transcription product. The target portion of the sequence will be at least long enough to serve as a substrate for iRNA-directed cleavage at or near that portion. For example, the target sequence will generally be from about 9-36 nucleotides (“nt”) in length, e.g., about 15-30 nucleotides in length, including all 5 sub-ranges therebetween. As non-limiting examples, the target sequence can be from about 15-30 nt, about 15-26 nt, about 15-23 nt, about 15-22 nt, about 15-21 nt, about 15-20 nt, about 15-19 nt, about 15-18 nt, about 15-17 nt, about 18-30 nt, about 18-26 nt, about 18-23 nt, about 18-22 nt, about 18-21 nt, about 18-20 nt, about 19-30 nt, about 19-26 nt, about 19-23 nt, about 19-22 nt, about 19-21 nt, about 19-20 nt, about 20-30 nt, about 20-26 nt, about 20-25 nt, about 20-24 nt, 10 about 20-23 nt, about 20-22 nt, about 20-21 nt, about 21-30 nt, about 21-26 nt, about 21-25 nt, about 21-24 nt, about 21-23 nt, or about 21-22 nt.

[00139] As used herein, the term “strand comprising a sequence” refers to an oligonucleotide comprising a chain of nucleotides that is described by the sequence referred to using the standard nucleotide nomenclature.

15 **[00140]** As used herein, and unless otherwise indicated, the term “complementary” refers to the ability of an oligonucleotide or polynucleotide comprising a first nucleotide sequence to hybridize and form a duplex structure under certain conditions with an oligonucleotide or polynucleotide comprising a second nucleotide sequence. Such conditions can, for example, be stringent, e.g., 400 mM NaCl, 40 mM PIPES pH 6.4, 1 mM EDTA, 50°C or 70°C for 12-16 hours 20 followed by washing. Other conditions, such as physiologically relevant conditions as may be encountered inside an organism, can apply. The skilled person will be able to determine the set of conditions most appropriate for a test of complementarity of two sequences in accordance with the ultimate application of the hybridized nucleotides.

[00141] Complementary sequences within an iRNA, e.g., within a dsRNA as described 25 herein, include base-pairing of the oligonucleotide or polynucleotide comprising a first nucleotide sequence to an oligonucleotide or polynucleotide comprising a second nucleotide sequence over the entire length of one or both sequences. Such sequences can be referred to as “fully complementary” with respect to each other herein. However, where a first sequence is referred to herein as “substantially complementary” with respect to a second sequence, the two sequences can 30 be fully complementary, or they may form one or more, but generally not more than 5, 4, 3 or 2 mismatched base pairs upon hybridization for a duplex up to 30 base pairs, while retaining the ability to hybridize under the conditions most relevant to their ultimate application, e.g., inhibition of gene expression via a RISC pathway. However, where two oligonucleotides are designed to form, upon hybridization, one or more single stranded overhangs, such overhangs shall not be 35 regarded as mismatches with regard to the determination of complementarity. For example, a dsRNA comprising one oligonucleotide 21 nt in length and another oligonucleotide 23 nt in length, wherein the longer oligonucleotide comprises a sequence of 21 nt that is fully

complementary to the shorter oligonucleotide, may yet be referred to as “fully complementary” for the purposes herein.

[00142] “Complementary” sequences, as used herein, may also include, or be formed entirely from, non-Watson-Crick base pairs and/or base pairs formed from non-natural and modified 5 nucleotides, in as far as the above requirements with respect to their ability to hybridize are fulfilled. Such non-Watson-Crick base pairs includes, but are not limited to, G:U Wobble or Hoogstein base pairing.

[00143] The terms “complementary,” “fully complementary” and “substantially complementary” herein may be used with respect to the base matching between the sense strand 10 and the antisense strand of a dsRNA, or between the antisense strand of an iRNA agent and a target sequence, as will be understood from the context of their use.

[00144] As used herein, a polynucleotide that is “substantially complementary to at least part of” a messenger RNA (mRNA) refers to a polynucleotide that is substantially complementary to a contiguous portion of the mRNA of interest (e.g., an mRNA encoding HSF1). For example, a 15 polynucleotide is complementary to at least a part of a HSF1 mRNA if the sequence is substantially complementary to a non-interrupted portion of an mRNA encoding HSF1.

Double-stranded RNA

[00145] The term “double-stranded RNA” or “dsRNA,” as used herein, refers to an iRNA 20 that includes an RNA molecule or complex of molecules having a hybridized duplex region that comprises two anti-parallel and substantially complementary nucleic acid strands, which will be referred to as having “sense” and “antisense” orientations with respect to a target RNA. The antisense strand, with respect to the mRNA target, is also called the “guide” strand, and the sense strand is also called the “passenger” strand. The passenger strand can include at least one or more 25 of the following: one or more extra nucleotides (e.g., a bulge or 1 nt loop) compared to the other strand, a nick, a gap, etc., compared to the other strand.

[00146] The duplex region can be of any length that permits specific degradation of a desired target RNA through a RISC pathway, but will typically range from 9 to 36 base pairs in length, e.g., 15-30 base pairs in length. Considering a duplex between 9 and 36 base pairs, the duplex can 30 be any length in this range, for example, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, or 36 and any sub-range therebetween, including, but not limited to 15-30 base pairs (“bp”), 15-26 bp, 15-23 bp, 15-22 bp, 15-21 bp, 15-20 bp, 15-19 bp, 15-18 bp, 15-17 bp, 18-30 bp, 18-26 bp, 18-23 bp, 18-22 bp, 18-21 bp, 18-20 bp, 19-30 bp, 19-26 bp, 19-23 bp, 19-22 bp, 19-21 bp, 19-20 bp, 20-30 bp, 20-26 bp, 20-25 bp, 20-24 bp, 20-23 bp, 20-22 bp, 20-21 bp, 21-30 bp, 21-26 bp, 21-25 bp, 21-24 bp, 21-23 bp, or 21-22 bp. dsRNAs generated in the cell by processing with Dicer and similar enzymes are generally in the range of about 19-22 base pairs in length. One strand of the duplex region of a dsDNA comprises a

sequence that is substantially complementary to a region of a target RNA. The two strands forming the duplex structure can be from a single RNA molecule having at least one self-complementary region, or can be formed from two or more separate RNA molecules. Where the duplex region is formed from two strands of a single molecule, the molecule can have a duplex 5 region separated by a single stranded chain of nucleotides (herein referred to as a "hairpin loop") between the 3'-end of one strand and the 5'-end of the respective other strand forming the duplex structure. The hairpin loop can comprise at least one unpaired nucleotide; in some embodiments the hairpin loop can comprise at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 20, at least 23 or more unpaired nucleotides. Where the two substantially 10 complementary strands of a dsRNA are comprised by separate RNA molecules, those molecules need not, but can be covalently connected. Where the two strands are connected covalently by means other than a hairpin loop, the connecting structure is referred to as a "linker." The term "siRNA" is also used herein to refer to a dsRNA as described above.

[00147] In one aspect, an RNA interference agent includes a single stranded RNA that 15 interacts with a target RNA sequence to direct the cleavage of the target RNA. Without wishing to be bound by theory, long double stranded RNA introduced into plants and invertebrate cells is broken down into siRNA by a Type III endonuclease known as Dicer (Sharp et al., Genes Dev. 2001, 15:485). Dicer, a ribonuclease-III-like enzyme, processes the dsRNA into 19-23 base pair short interfering RNAs with characteristic two base 3' overhangs (Bernstein, et al., (2001) Nature 20 409:363). The siRNAs are then incorporated into an RNA-induced silencing complex (RISC) where one or more helicases unwind the siRNA duplex, enabling the complementary antisense strand to guide target recognition (Nykanen, et al., (2001) Cell 107:309). Upon binding to the appropriate target mRNA, one or more endonucleases within the RISC cleaves the target to induce silencing (Elbashir, et al., (2001) Genes Dev. 15:188). Thus, in one aspect the disclosure 25 relates to a single stranded RNA that promotes the formation of a RISC complex to effect silencing of the target gene.

Down-regulation of HSF1

[00148] As used herein, "down-regulates" refers to any statistically significant decrease in a 30 biological activity and/or expression of HSF1, including full blocking of the activity (i.e., complete inhibition) and/or expression. For example, "down-regulation" can refer to a decrease of at least about 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 % in HSF1 activity and/or expression.

[00149] As used herein, the term "inhibit" or "inhibiting" HSF1 refers to any statistically significant decrease in biological activity and/or expression of HSF1, including full blocking of 35 the activity and/or expression. For example, "inhibition" can refer to a decrease of at least about 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 % in HSF1 activity and/or expression. As used herein,

the term "inhibit" similarly refers to a significant decrease in activity and/or expression, while referring to any other biological agent or composition.

[00150] By "level", it is meant that the HSF1 RNAi agent can interfere with the detectable level of HSF1, e.g., the level of HSF1 mRNA or the level of HSF1 protein.

5 **[00151]** By "activity," it is meant that the HSF1 RNAi agent can alter any known activity of HSF1, as described herein or as known in the literature.

[00152] By "heat shock" (HS) and "heat shock response" (HSR) is meant the biochemical response to environmental stress, such as elevated temperature. In the laboratory, experimental animals and cells can be maintained at a "non-shock" temperature (37 °C or lower) and heat shock

10 can be induced at an elevated temperature (e.g., 40, 41, 42, 43, 44, or 45 degrees C or higher).

Experimentally, heat shock is typically induced at 42, 43 or 44 degrees C.

[00153] Heat shock is characterized by misfolding, denaturation and aggregation of various proteins; the induced heat shock proteins (HSP or HSPs) include chaperone proteins (chaperonins) and others which repair and/or remove these proteins. Genes induced during the 15 heat shock response include, *inter alia*, HSP90, HSP70 and HSP27. The heat shock response can also be induced (or mimicked) by additional environmental conditions, such as oxidative stress, chemical stress, free radicals, ATP depletion, acidosis, heavy metals, alcohols, presence of antibiotics, inhibitors of energy metabolism, pathological conditions such as ischemia and reperfusion, inflammation, tissue damage, infection and mutant proteins associated with genetic 20 diseases. Jolly et al. 2000 *J. Natl. Cancer Inst.* 92: 1564-1572; Dai et al. 2007 *Cell* 130: 1005-1018.

The RNAi agent to HSF1.

[00154] In one embodiment, the disclosure pertains to a HSF1 RNAi agent or other antisense 25 nucleic acid complementary to a HSF1 gene (or portion thereof), or a recombinant expression vector encoding the antisense nucleic acid. As used herein, an "antisense" nucleic acid comprises a nucleotide sequence complementary to a "sense" nucleic acid encoding the HSF1 protein (e.g., complementary to the coding strand of a double-stranded DNA, complementary to an mRNA or complementary to the coding strand of a HSF1 gene).

30 **[00155]** The use of antisense nucleic acids to down-modulate the expression of a particular protein in a cell is well known in the art. An antisense nucleic acid comprises a sequence complementary to, and is capable of hydrogen binding to, the coding strand of another nucleic acid (e.g., an mRNA). Antisense sequences complementary to an mRNA can be complementary to the coding region, the 5' or 3' untranslated region of the mRNA, and/or a region bridging the 35 coding and untranslated regions, and/or portions thereof. Furthermore, an antisense nucleic acid can be complementary to a regulatory region of the gene encoding the mRNA, for instance a transcription or translation initiation sequence or regulatory element. Preferably, an antisense

nucleic acid can be complementary to a region preceding or spanning the initiation codon on the coding strand or in the 3' untranslated region of an mRNA.

[00156] Antisense nucleic acids can be designed according to the rules of Watson and Crick base pairing. The antisense nucleic acid molecule can be complementary to the entire coding

5 region of HSF1 mRNA, but in at least one embodiment is an oligonucleotide which is antisense to only a portion of the coding or non-coding region of HSF1 mRNA. For example, the antisense oligonucleotide can be complementary to the region surrounding the translation start site of HSF1 mRNA. An antisense oligonucleotide can be, for example, about 5, about 10, about 15, about 16, about 17, about 18, about 19, about 20, about 21, about 22, about 23, about 24, about 25, about
10 30, about 35, about 40, about 45 or about 50 nt in length, or 5, 10, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 30, 35, 40, 45 or 50 nt in length.

[00157] siRNA may have modifications internally, or at one or both ends. Example modifications at the 5' end are illustrated in Figure 1. These include: C6-alkyl (5'-hexylphosphate), 5'-Methoxy; 5'-inverted dT (idT), and 5'-beta-L-uridine. The modifications at 15 the ends can help stabilize the siRNA, protecting it from degradation by nucleases in the blood. The siRNAs may optionally be directed to regions of the HSF1 mRNA known or predicted to be near or at splice sites of the gene; e.g., exon-intron junctions. The siRNAs can also optionally be designed to anneal to known or predicted exposed and/or single-stranded regions of the mRNA (e.g., loops).

20 [00158] An antisense nucleic acid can be constructed using chemical synthesis and enzymatic ligation reactions using procedures known in the art. For example, an antisense nucleic acid (e.g., an antisense oligonucleotide) can be chemically synthesized using naturally-occurring nucleotides or variously modified nucleotides designed to decrease off-target effects, and/or increase the biological stability of the molecules or to increase the physical stability of the duplex
25 formed between the antisense and sense nucleic acids. In at least one embodiment a modified sugar backbone, including a phosphorothioate linkage or its derivatives, and acridine substituted nucleotides can be used.

[00159] Each of "G," "C," "A," "T" and "U" generally stand for a nucleotide that contains guanine, cytosine, adenine, thymidine and uracil as a base, respectively. However, the term
30 "ribonucleotide" or "nucleotide" can also refer to a modified nucleotide or a surrogate replacement moiety. The skilled person is well aware that guanine, cytosine, adenine, and uracil may be replaced by other moieties without substantially altering the base pairing properties of an oligonucleotide comprising a nucleotide bearing such replacement moiety. For example, without limitation, a nucleotide comprising inosine as its base may base pair with nucleotides containing
35 adenine, cytosine, or uracil. Hence, nucleotides containing uracil, guanine, or adenine may be replaced in the nucleotide sequences of dsRNA featured in the disclosure by a nucleotide containing, for example, inosine. In another example, adenine and cytosine anywhere in the

oligonucleotide can be replaced with guanine and uracil, respectively to form G-U Wobble base pairing with the target mRNA. Sequences containing such replacement moieties are suitable for the compositions and methods featured in the disclosure.

5 Modifications

[00160] The skilled artisan will recognize that the term “RNA molecule” or “ribonucleic acid molecule” encompasses not only RNA molecules as expressed or found in nature, but also analogs and derivatives of RNA comprising one or more ribonucleotide/ribonucleoside analogs or derivatives as described herein or as known in the art. Strictly speaking, a “ribonucleoside” includes a nucleoside base and a ribose sugar, and a “ribonucleotide” is a ribonucleoside with one, two or three phosphate moieties. However, the terms “ribonucleoside” and “ribonucleotide” can be considered to be equivalent as used herein. The RNA can be modified in the nucleobase structure or in the ribose-phosphate backbone structure, e.g., as described herein below. However, the molecules comprising ribonucleoside analogs or derivatives must retain the ability to form a duplex. As non-limiting examples, an RNA molecule can also include at least one modified ribonucleoside, including but not limited to a 2'-O-methyl modified nucleotide, a nucleoside comprising a 5' phosphorothioate linkage group, a terminal nucleoside linked to a cholesteryl derivative or dodecanoic acid bisdecylamide group, a locked nucleoside, an abasic nucleoside, a 2'-deoxy-2'-fluoro modified nucleoside, a 2'-amino-modified nucleoside, 2'-alkyl-modified nucleoside, morpholino nucleoside, an unlocked ribonucleotide (e.g., an acyclic nucleotide monomer, as described in WO 2008/147824), a phosphoramidate or a non-natural base comprising nucleoside, or any combination thereof. Alternatively, an RNA molecule can comprise at least two modified ribonucleosides, at least 3, at least 4, at least 5, at least 6, at least 7, at least 8, at least 9, at least 10, at least 15, at least 20 or more, up to the entire length of the dsRNA molecule. The modifications need not be the same for each of such a plurality of modified ribonucleosides in an RNA molecule. In one embodiment, modified RNAs contemplated for use in methods and compositions described herein are peptide nucleic acids (PNAs) that have the ability to form the required duplex structure and that permit or mediate the specific degradation of a target RNA via a RISC pathway.

[00161] Examples of modified nucleotides which can be used to generate the antisense nucleic acid include 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxymethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine, 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine, 7-methylguanine, 5-methylaminomethyluracil, 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine, 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6-

isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiacytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5- oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

5 [00162] In one aspect, a modified ribonucleoside includes a deoxyribonucleoside. In such an instance, an iRNA agent can comprise one or more deoxynucleosides, including, for example, a deoxynucleoside overhang(s), or one or more deoxynucleosides within the double stranded portion of a dsRNA. However, it is self-evident that under no circumstances is a double stranded DNA molecule encompassed by the term "iRNA."

10 [00163] Replacing the 3'-terminal nucleotide overhanging segments of a 21-mer siRNA duplex having two-nucleotide 3'-overhangs with deoxyribonucleotides does not have an adverse effect on RNAi activity. Replacing up to four nucleotides on each end of the siRNA with deoxyribonucleotides has been well tolerated, whereas complete substitution with deoxyribonucleotides results in no RNAi activity. International PCT Publication No. WO 15 00/44914, and Beach et al. International PCT Publication No. WO 01/68836 preliminarily suggest that siRNA may include modifications to either the phosphate-sugar backbone or the nucleoside to include at least one of a nitrogen or sulfur heteroatom. Kreutzer et al. Canadian Patent Application No. 2,359,180, also describe certain chemical modifications for use in dsRNA constructs in order to counteract activation of double-stranded RNA-dependent protein kinase 20 PKR, specifically 2'-amino or 2'-O-methyl nucleotides, and nucleotides containing a 2'-O or 4'-C methylene bridge. Additional 3'-terminal nucleotide overhangs include dT (deoxythymidine), 2'-O,4'-C-ethylene thymidine (eT), and 2-hydroxyethyl phosphate (hp).

[00164] Parrish et al. (2000 Molecular Cell 6: 1077-1087) tested certain chemical modifications targeting the unc-22 gene in *C. elegans* using long (>25 nt) siRNA transcripts. The 25 authors describe the introduction of thiophosphate residues into these siRNA transcripts by incorporating thiophosphate nucleotide analogs with T7 and T3 RNA polymerase and observed that RNAs with two phosphorothioate modified bases also had substantial decreases in effectiveness as RNAi. Further, Parrish et al. reported that phosphorothioate modification of more than two residues greatly destabilized the RNAs *in vitro* such that interference activities could not 30 be assayed. Id. at 1081. The authors also tested certain modifications at the 2'-position of the nucleotide sugar in the long siRNA transcripts and found that substituting deoxynucleotides for ribonucleotides produced a substantial decrease in interference activity, especially in the case of Uridine to Thymidine and/or Cytidine to deoxy-Cytidine substitutions. Id. In addition, the authors tested certain base modifications, including substituting, in sense and antisense strands of the 35 siRNA, 4-thiouracil, 5-bromouracil, 5-iodouracil, and 3-(aminoallyl)uracil for uracil, and inosine for guanosine. Whereas 4-thiouracil and 5-bromouracil substitution appeared to be tolerated, Parrish reported that inosine produced a substantial decrease in interference activity when

incorporated in either strand. Parrish also reported that incorporation of 5-iodouracil and 3-(aminoallyl)uracil in the antisense strand resulted in a substantial decrease in RNAi activity as well.

[00165] Those skilled in the art will appreciate that it is possible to synthesize and modify the 5 siRNA as desired, using any conventional method known in the art (see Henschel et al. 2004 DEQOR: a web-based tool for the design and quality control of siRNAs. *Nucleic Acids Research* 32 (Web Server Issue): W113-W120). Further, it will be apparent to those skilled in the art that there are a variety of regulatory sequences (for example, constitutive or inducible promoters, tissue- specific promoters or functional fragments thereof, etc.) which are useful for the antisense 10 oligonucleotide, siRNA, or shRNA expression construct/vector.

[00166] There are several examples in the art describing sugar, base, phosphate and backbone modifications that can be introduced into nucleic acid molecules with significant enhancement in their nuclease stability and efficacy. For example, oligonucleotides are modified to enhance 15 stability and/or enhance biological activity by modification with nuclease resistant groups, for example, 2'-amino, 2'-C-allyl, 2'-flouro, 2'-O-methyl, 2'-O-allyl, 2'-H, nucleotide base modifications (for a review see Usman and Cedergren 1992 *TIBS*. 17: 34; Usman et al. 1994 *Nucleic Acids Symp. Ser.* 31: 163; Burgin et al. 1996 *Biochemistry* 35: 14090). Sugar modifications of nucleic acids have been extensively described in the art.

[00167] Additional modifications and conjugations of RNAi agents have been described. 20 Soutschek et al. 2004 *Nature* 432: 173-178 presented conjugation of cholesterol to the 3'-end of the sense strand of a siRNA molecule by means of a pyrrolidine linker, thereby generating a covalent and irreversible conjugate. Chemical modifications (including conjugation with other molecules) of siRNA may also be made to improve the in vivo pharmacokinetic retention time and efficiency.

[00168] In various embodiments, the RNAi agent to HSF1 comprises at least one 5'-uridine- 25 adenine-3' (5'-ua-3') dinucleotide, wherein the uridine is a 2'-modified nucleotide; at least one 5'-uridine-guanine-3' (5'-ug-3') dinucleotide, wherein the 5'-uridine is a 2'-modified nucleotide; at least one 5'-cytidine-adenine-3' (5'-ca-3') dinucleotide, wherein the 5'-cytidine is a 2'-modified nucleotide; or at least one 5'-uridine-uridine-3' (5'-uu-3') dinucleotide, wherein the 5'-uridine is a 30 2'-modified nucleotide.

[00169] In various embodiments, the RNAi agent comprises a 2'-modification selected from the group consisting of: 2'-deoxy, 2'-deoxy-2'-fluoro, 2'-O-methyl, 2'-O-methoxyethyl (2'-O-MOE), 2'-O-aminopropyl (2'-O-AP), 2'-O-dimethylaminoethyl (2'-O-DMAOE), 2'-O-dimethylaminopropyl (2'-O-DMAP), 2'-O-dimethylaminoethoxyethyl (2'-O-DMAEOE), and 2'-O-N-methylacetamido (2'-O-NMA).

[00170] In another embodiment, the RNAi comprises a gap or missing base. For example, the phosphate-sugar backbone may be present, but the base missing.

[00171] In another embodiment, the RNAi agent has a single-stranded nick (e.g., a break or missing bond in the backbone). This nick can be, for example, in the sense strand, producing a small internally segmented interfering RNA, or siRNA, which may have less off-target effects than the corresponding RNAi agent without a nick.

5 **[00172]** The antisense nucleic acid or RNAi agent can also have an alternative backbone such as locked nucleic acids (LNA), Morpholinos, peptidic nucleic acids (PNA), threose nucleic acid (TNA), or glycol nucleic acid (GNA), and/or it can be labeled (e.g., radiolabeled or otherwise tagged). One or both strands can comprise an alternative backbone

10 **[00173]** In yet another embodiment, the antisense nucleic acid molecule employed by the methods of the present disclosure can include an α -anomeric nucleic acid molecule. An α -anomeric nucleic acid molecule forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual β -units, the strands run parallel to each other. Gaultier et al. 1987 Nucleic Acids. Res. 15: 6625-6641. The antisense nucleic acid molecule can also comprise a 2'-o-methylribonucleotide (Inoue et al. 1987 Nucleic Acids Res. 15: 6131-6148) or a chimeric RNA-DNA analogue (Inoue et al. 1987 FEBS Lett. 215: 327-330).

15 **[00174]** In still another embodiment, an antisense nucleic acid is a ribozyme. Ribozymes are catalytic RNA molecules with ribonuclease activity which are capable of cleaving a single-stranded nucleic acid, such as an mRNA, to which they have a complementary region. Thus, ribozymes [e.g., hammerhead ribozymes (described in Haselhoff et al. 1988, Nature 334: 585-591)] can be used to catalytically cleave HSF1 mRNA transcripts to thereby inhibit translation of HSF1 mRNA.

20 **[00175]** Alternatively, gene expression can be inhibited by targeting nucleotide sequences complementary to the regulatory region of HSF1 (e.g., the promoter and/or enhancers) to form triple helical structures that prevent transcription of the HSF1 gene. See generally, Helene 1991 Anticancer Drug Des. 6(6): 569-84; Helene et al. 1992 Ann. N.Y. Acad. Sci. 660: 27-36; and Maher 1992, Bioassays 14(12): 807-15.

25 **[00176]** Alternatively, the antisense nucleic acid can be produced biologically using an expression vector into which a nucleic acid has been subcloned in an antisense orientation (i.e., RNA transcribed from the inserted nucleic acid will be in an antisense orientation to a target nucleic acid of interest).

30 **[00177]** The antisense nucleic acid molecules of the present disclosure are typically administered to a subject or generated *in situ* such that they hybridize with cellular mRNA and/or genomic DNA encoding HSF1, and inhibit expression by inhibiting transcription and/or translation. An example of a route of administration of antisense nucleic acid molecules includes 35 direct injection at a tissue site. Alternatively, antisense nucleic acid molecules can be modified to target selected cells and then administered systemically. For example, for systemic administration, antisense molecules can be modified such that they specifically bind to receptors

or antigens expressed on a selected cell surface, e.g., by linking the antisense nucleic acid molecules to peptides or antibodies which bind to cell surface receptors or antigens. The antisense nucleic acid molecules can also be delivered to cells using vectors well known in the art and described in, for example, US20070111230.

5 To achieve sufficient intracellular concentrations of the antisense molecules, vector constructs in which the antisense nucleic acid molecule is placed under the control of a strong pol II or pol III promoter can be used.

RNA interference

10 [00178] RNAi (RNA interference) has been studied in a variety of systems. Recent work in *Drosophila* embryonic lysates (Elbashir et al. 2001 EMBO J. 20: 6877 and Tuschl et al. International PCT Publication No. WO 01/75164) has revealed certain requirements for siRNA length, structure, chemical composition, and sequence that are essential to mediate efficient RNAi activity. These studies have shown that 21-nucleotide siRNA duplexes are most active when 15 containing 3'-terminal dinucleotide overhangs. Substitution of the 3'-terminal siRNA overhang nucleotides with 2'-deoxy nucleotides (2'-H) was tolerated. In addition, a 5'-phosphate on the target-complementary strand of an siRNA duplex is usually required for siRNA activity.

[00179] The use of longer dsRNA has been described. For example, Beach et al. International PCT Publication No. WO 01/68836, describes attenuating gene expression using endogenously-derived dsRNA. Tuschl et al. International PCT Publication No. WO 01/75164, describe a *Drosophila in vitro* RNAi system and the use of specific siRNA molecules for certain functional genomic and certain therapeutic applications. Li et al. International PCT Publication No. WO 00/44914, describe the use of specific long (141 bp-488 bp) enzymatically synthesized or vector expressed dsRNAs for attenuating the expression of certain target genes. Zernicka-Goetz et al. 25 International PCT Publication No. WO 01/36646, describe certain methods for inhibiting the expression of particular genes in mammalian cells using certain long (550 bp-714 bp), enzymatically synthesized or vector expressed dsRNA molecules. Fire et al. International PCT Publication No. WO 99/32619, describe particular methods for introducing certain long dsRNA molecules into cells for use in inhibiting gene expression in nematodes. Plaetinck et al. 30 International PCT Publication No. WO 00/01846, describe certain methods for identifying specific genes responsible for conferring a particular phenotype in a cell using specific long dsRNA molecules. Mello et al. International PCT Publication No. WO 01/29058, describe the identification of specific genes involved in dsRNA-mediated RNAi. Pachuck et al. International PCT Publication No. WO 00/63364, describe certain long (at least 200 nt) dsRNA constructs. 35 Deschamps Depaillette et al. International PCT Publication No. WO 99/07409, describe specific compositions consisting of particular dsRNA molecules combined with certain anti-viral agents. Waterhouse et al. International PCT Publication No. 99/53050 and 1998, PNAS, 95, 13959.

13964, describe certain methods for decreasing the phenotypic expression of a nucleic acid in plant cells using certain dsRNAs. Driscoll et al. International PCT Publication No. WO 01/49844, describe specific DNA expression constructs for use in facilitating gene silencing in targeted organisms.

5 [00180] Others have reported on various RNAi and gene-silencing systems. For example, Parrish et al. 2000, Molecular Cell 6: 1077-1087 describes specific chemically modified dsRNA constructs targeting the unc-22 gene of *C. elegans*. Grossniklaus, International PCT Publication No. WO 01/38551, describes certain methods for regulating polycomb gene expression in plants using certain dsRNAs. Churikov et al. International PCT Publication No. WO 01/42443, describe 10 certain methods for modifying genetic characteristics of an organism using certain dsRNAs. Cogoni et al, International PCT Publication No. WO 01/53475, describe certain methods for isolating a Neurospora silencing gene and uses thereof. Reed et al. International PCT Publication No. WO 01/68836, describe certain methods for gene silencing in plants. Honer et al. International PCT Publication No. WO 01/70944, describe certain methods of drug screening 15 using transgenic nematodes as Parkinson's Disease models using certain dsRNAs. Deak et al. International PCT Publication No. WO 01/72774, describe certain *Drosophila*-derived gene products that may be related to RNAi in *Drosophila*. Arndt et al. International PCT Publication No. WO 01/92513 describe certain methods for mediating gene suppression by using factors that enhance RNAi. Tuschl et al. International PCT Publication No. WO 02/44321, describe certain 20 synthetic siRNA constructs. Pachuk et al. International PCT Publication No. WO 00/63364, and Satishchandran et al. International PCT Publication No. WO 01/04313, describe certain methods and compositions for inhibiting the function of certain polynucleotide sequences using certain long (over 250 bp), vector expressed dsRNAs. Echeverri et al. International PCT Publication No. WO 02/38805, describe certain *C. elegans* genes identified via RNAi. Kreutzer et al. International 25 PCT Publications Nos. WO 02/055692, WO 02/055693, and EP 1144623 B1 describes certain methods for inhibiting gene expression using dsRNA. Graham et al. International PCT Publications Nos. WO 99/49029 and WO 01/70949, and AU 4037501 describe certain vector expressed siRNA molecules. Fire et al. U.S. Pat. No. 6,506,559, describe certain methods for inhibiting gene expression *in vitro* using certain long dsRNA (299 bp-1033 bp) constructs that 30 mediate RNAi. Martinez et al. 2002, Cell, 110, 563-574, describe certain single-stranded siRNA constructs, including certain 5'-phosphorylated single-stranded siRNAs that mediate RNA interference in HeLa cells. Harborth et al. 2003, Antisense & Nucleic Acid Drug Development, 13, 83-105, describe certain chemically and structurally modified siRNA molecules. Chiu and Rana, 2003, RNA, 9, 1034-1048, describe certain chemically and structurally modified siRNA 35 molecules. Woolf et al. International PCT Publication Nos. WO 03/064626 and WO 03/064625 describe certain chemically modified dsRNA constructs.

[00181] In various embodiments, the RNAi agent to HSF1 is ligated to one or more diagnostic compound, reporter group, cross-linking agent, nuclease-resistance conferring moiety, natural or unusual nucleobase, lipophilic molecule, cholesterol, lipid, lectin, steroid, uvaol, hecigenin, diosgenin, terpene, triterpene, sarsasapogenin, Friedelin, epifriedelanol-derivatized 5 lithocholic acid, vitamin, carbohydrate, dextran, pullulan, chitin, chitosan, synthetic carbohydrate, oligo lactate 15-mer, natural polymer, low- or medium-molecular weight polymer, inulin, cyclodextrin, hyaluronic acid, protein, protein-binding agent, integrin-targeting molecule, polycationic, peptide, polyamine, peptide mimic, and/or transferrin.

10 **Delivery of RNAi agents**

[00182] RNAi agents of the present disclosure can be delivered or introduced (e.g., to a cell *in vitro* or to a patient) by any means known in the art.

[00183] "Introducing into a cell," when referring to an iRNA, means facilitating or effecting uptake or absorption into the cell, as is understood by those skilled in the art. Absorption or 15 uptake of an iRNA can occur through unaided diffusive or active cellular processes, or by auxiliary agents or devices. The meaning of this term is not limited to cells *in vitro*; an iRNA may also be "introduced into a cell," wherein the cell is part of a living organism. In such an instance, introduction into the cell will include the delivery to the organism. For example, for *In vivo* delivery, iRNA can be injected into a tissue site or administered systemically. *In vivo* delivery can 20 also be by a beta-glucan delivery system, such as those described in U.S. Patent Nos. 5,032,401 and 5,607,677, and U.S. Publication No. 2005/0281781.

In vitro introduction into a cell includes methods known in the art such as electroporation and lipofection. Further approaches are described below or known in the art.

[00184] Delivery of RNAi agent to tissue is a problem both because the material must reach 25 the target organ and must also enter the cytoplasm of target cells. RNA cannot penetrate cellular membranes, so systemic delivery of naked RNAi agent is unlikely to be successful. RNA is quickly degraded by RNase activity in serum. For these reasons, other mechanisms to deliver RNAi agent to target cells has been devised. Methods known in the art include but are not limited to: viral delivery (retrovirus, adenovirus, lentivirus, baculovirus, AAV); liposomes 30 (Lipofectamine, cationic DOTAP, neutral DOPC) or nanoparticles (cationic polymer, PEI), bacterial delivery (lkRNAi), and also chemical modification (LNA) of siRNA to improve stability. Xia et al. 2002 Nat. Biotechnol. 20 and Devroe et al. 2002. BMC Biotechnol. 2 1: 15, disclose incorporation of siRNA into a viral vector. Other systems for delivery of RNAi agents are contemplated, and the RNAi agents of the present disclosure can be delivered by various 35 methods yet to be found and/or approved by the FDA or other regulatory authorities.

[00185] Liposomes have been used previously for drug delivery (e.g., delivery of a chemotherapeutic). Liposomes (e.g., cationic liposomes) are described in PCT publications

WO02/100435A1, WO03/015757A1, and WO04029213A2; U.S. Pat. Nos. 5,962,016; 5,030,453; and 6,680,068; and U.S. Patent Application 2004/0208921. A process of making liposomes is also described in WO04/002453A1. Furthermore, neutral lipids have been incorporated into cationic liposomes (e.g., Farhood et al. 1995). Cationic liposomes have been used to deliver RNAi agent 5 to various cell types (Sioud and Sorensen 2003; U.S. Patent Application 2004/0204377; Duxbury et al., 2004; Donze and Picard, 2002). Use of neutral liposomes disclosed in Miller et al. 1998, and U.S. Publ. 2003/0012812.

[00186] As used herein, the term "SNALP" refers to a stable nucleic acid-lipid particle. A SNALP represents a vesicle of lipids coating a reduced aqueous interior comprising a nucleic acid 10 such as an iRNA or a plasmid from which an iRNA is transcribed. SNALPs are described, e.g., in U.S. Patent Application Publication Nos. 20060240093, 20070135372, and in International Application No. WO 2009082817.

[00187] Chemical transfection using lipid-based, amine-based and polymer-based techniques, 15 is disclosed in products from Ambion Inc., Austin, Tex.; and Novagen, EMD Biosciences, Inc, an Affiliate of Merck KGaA, Darmstadt, Germany); Ovcharenko D (2003) "Efficient delivery of siRNAs to human primary cells." Ambion TechNotes 10 (5): 15-16). Additionally, Song et al. (Nat Med. published online (Fete 1 0, 2003) doi: 10.1038/nm828) and others [Caplen et al. 2001 Proc. Natl. Acad. Sci. (USA) , 98: 9742-9747; and McCaffrey et al. Nature 414: 34-39] disclose 20 that liver cells can be efficiently transfected by injection of the siRNA into a mammal's circulatory system.

[00188] A variety of molecules have been used for cell-specific RNAi agent delivery. For example, the nucleic acid-condensing property of protamine has been combined with specific antibodies to deliver siRNAs. Song et al. 2005 Nat Biotech. 23: 709-717. The self-assembly 25 PEGylated polycation polyethylenimine (PEI) has also been used to condense and protect siRNAs. Schiffelers et al. 2004 Nucl. Acids Res. 32: e149, 141-1 10.

[00189] The siRNA-containing nanoparticles were then successfully delivered to integrin-overexpressing tumor neovasculature. Hu-Lieskován et al. 2005 Cancer Res. 65: 8984-8992.

[00190] The RNAi agents of the present disclosure can be delivered via, for example, Lipid 30 nanoparticles (LNP); neutral liposomes (NL); polymer nanoparticles; double-stranded RNA binding motifs (dsRBMs); or via modification of the RNAi agent (e.g., covalent attachment to the dsRNA).

[00191] Lipid nanoparticles (LNP) are self-assembling cationic lipid based systems. These can comprise, for example, a neutral lipid (the liposome base); a cationic lipid (for siRNA 35 loading); cholesterol (for stabilizing the liposomes); and PEG-lipid (for stabilizing the formulation, charge shielding and extended circulation in the bloodstream). The cationic lipid can comprise, for example, a headgroup, a linker, a tail and a cholesterol tail. The LNP can have, for

example, good tumor delivery, extended circulation in the blood, small particles (e.g., less than 100 nm), and stability in the tumor microenvironment (which has low pH and is hypoxic).

[00192] Neutral liposomes (NL) are non-cationic lipid based particles.

[00193] Polymer nanoparticles are self-assembling polymer-based particles.

5 [00194] Double-stranded RNA binding motifs (dsRBMs) are self-assembling RNA binding proteins, which will need modifications.

RNAi agents to HSF1

[00195] siRNAs that are particularly useful for this disclosure include those which can bind 10 specifically to a region of the HSF1 mRNA, and have one or more of the following qualities: binding in the coding segment of HSF1; binding at or near the junction of the 5' untranslated region and the start of the coding segment; binding at or near the translational start site of the mRNA; binding at or near junctions of exons and introns; little or no binding to the mRNAs of other genes (little or no “off-target effects”); binding to the HSF1 mRNA in or near a region or 15 regions that is not double-stranded or a stem region, e.g., in a loop or single-stranded portion; eliciting little or no immunogenicity; binding in a segment of the HSF1 mRNA sequence which is conserved among various animal species (including human, mouse, rat, cynomolgus monkey, etc.), as the presence of a conserved sequence facilitates testing using various laboratory animals; binding to double-stranded region(s) of the mRNA; binding to an AT-rich region (e.g., at least 20 about 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, or 60% AT-rich); and lacking particular sequences known or suspected to decrease siRNA activity, e.g., the presence of a GG sequence at the 5' end, which may decrease separation of the double-stranded portion of the siRNA.

[00196] RNAi agents can be designed as HSF1 RNAi agents which bind to and assist in degradation of HSF1 mRNA. The anti-HSF1 RNAi agents can be designed to bind to the coding 25 segment or non-coding segment (e.g., the 5' or 3' untranslated regions, or UTRs). Preferably the RNAi agent binds to the coding segment of the mRNA. The RNAi agents can have double-stranded regions of, for example, about 17, 18, 19, 20, 21, 22, 23, or 24 bp. Preferably the RNAi agent comprises about 19, 20 or 21 bp. The RNAi agents can be longer (e.g., up to 49 bp), as incorporated into a construct suitable for shortening by the Dicer complex. The RNAi can also be 30 incorporated into a longer construct for expression prior to further shortening and processing.

Sense and Antisense Strand of HSF1 RNAi Agents

[00197] The RNAi agents comprise a first strand and a second strand. In one embodiment, the first and second strands are a sense strand and an antisense strand, respectively. In other 35 embodiments, the first and second strands are an antisense and sense strand, respectively. The first strand thus can comprise a sense or antisense strand of any sequence disclosed herein, or a variant sequence thereof comprising 15 contiguous nucleotides with up to 3 mismatches; and the second strand can thus comprise the corresponding antisense or sense strand of any sequence

disclosed herein, or a variant sequence thereof comprising 15 contiguous nucleotides with up to 3 mismatches.

[00198] The term “antisense strand” refers to the strand of an iRNA, e.g., a dsRNA, which includes a region that is substantially complementary to a target sequence. As used herein, the 5 term “region of complementarity” refers to the region on the antisense strand that is substantially complementary to a sequence, for example a target sequence, as defined herein. Where the region of complementarity is not fully complementary to the target sequence, the mismatches may be in the internal or terminal regions of the molecule. Generally, the most tolerated mismatches are in the terminal regions, e.g., within 5, 4, 3, or 2 nucleotides of the 5' and/or 3' terminus.

10 [00199] The term “sense strand,” as used herein, refers to the strand of an iRNA that includes a region that is substantially complementary to a region of the antisense strand as that term is defined herein.

Overhangs and Blunt Ends

15 [00200] The RNAi agents can have 0, 1, or 2 overhangs; in the case of 0 nt overhangs, both ends are blunt-ended. An RNAi agent can have 0, 1 or 2 blunt ends. In a “blunt-ended RNAi agent” no strands contain unpaired nucleotides at that end; thus a blunt-ended molecule lacks either 3' or 5' single-stranded nucleotide overhangs.

[00201] As used herein, the term “overhang” or “nucleotide overhang” refer to at least one 20 unpaired nucleotide that protrudes from the duplex structure of an iRNA, e.g., a dsRNA. For example, when a 3'-end of one strand of a dsRNA extends beyond the 5'-end of the other strand, or vice versa, there is an overhang. A dsRNA can comprise an overhang of at least one nucleotide; alternatively the overhang can comprise at least 2 nt, at least 3 nt, at least 4 nt, at least 5 nt or more. An overhang can comprise or consist of a nucleotide/nucleoside analog, including a 25 deoxynucleotide/nucleoside. The overhang(s) may be on the sense strand, the antisense strand or any combination thereof. The nucleotide(s) of an overhang can be present on the 5' end, 3' end or both ends of either an antisense or sense strand of a dsRNA.

[00202] The terms “blunt” or “blunt-ended” as used herein in reference to a dsRNA mean that there are no unpaired nucleotides or nucleotide analogs at a given terminal end of a dsRNA, *i.e.*, 30 no nucleotide overhang. One or both ends of a dsRNA can be blunt. Where both ends of a dsRNA are blunt, the dsRNA is said to be blunt ended. To be clear, a “blunt ended” dsRNA is a dsRNA that is blunt at both ends, *i.e.*, no nucleotide overhang at either end of the molecule. Most often such a molecule will be double-stranded over its entire length.

[00203] In one embodiment, a blunt end of an RNAi duplex is chemically modified by the 35 addition of a 3' cap, e.g., those described in WO 2005/021749 and WO 2007/128477. In such embodiments, the 3' caps are non-nucleotidic, and thus do not constitute an overhang.

[00204] The mRNA sequence of a gene may vary from individual to individual, especially at wobble positions within the coding segment, or in the untranslated region; individuals may also differ from each other in coding sequence, resulting in additional differences in mRNA and corresponding RNAi agent sequence. RNAi agents can also be modified in sequence to reduce 5 immunogenicity, binding to undesired genes (e.g., "off-target effects") or to increase stability in the blood. (These sequence variants are independent of chemical modification of the bases or 5' or 3' or other end-caps of the RNAi agents.)

[00205] Example anti-HSF1 RNAi agents include those which bind to an HSF1 gene provided herein. Example siRNAs to HSF1 are provided in any one or more of Tables 1, 2, 3, 10 3A, 8, 9A and 9B.

Measuring the Effect of an RNAi Agent on HSF1 Activity, Level and/or Expression

[00206] Any method known in the art can be used to measure changes in HSF1 activity, level and/or expression induced by a HSF1 siRNA. Measurements can be performed at multiple 15 timepoints, prior to, during and after administration of the siRNA, to determine the effect of the siRNA.

[00207] The RNAi agents of the present disclosure silence, inhibit the expression of, down-regulate the expression of, and/or suppress the expression of HSF1.

[00208] The terms "silence," "inhibit the expression of," "down-regulate the expression of," 20 "suppress the expression of," and the like, in so far as they refer to a HSF1 gene, herein refer to the at least partial suppression of the expression of a HSF1 gene, as manifested by a reduction of the amount of HSF1 mRNA which may be isolated from or detected in a first cell or group of cells in which a HSF1 gene is transcribed and which has or have been treated such that the expression of a HSF1 gene is inhibited, as compared to a second cell or group of cells 25 substantially identical to the first cell or group of cells but which has or have not been so treated (control cells). The degree of inhibition is usually expressed in terms of

$$\frac{(\text{mRNA in control cells}) - (\text{mRNA in treated cells})}{(\text{mRNA in control cells})} \cdot 100\% \quad (\text{Equation 1})$$

[00209] Alternatively, the degree of inhibition may be given in terms of a reduction of a parameter that is functionally linked to HSF1 gene expression, e.g., the amount of protein 30 encoded by a HSF1 gene, or the number of cells displaying a certain phenotype, e.g., modulation of expression of a gene (e.g., HSP70) whose expression is mediated in whole or in part by HSF1. In principle, HSF1 gene silencing may be determined in any cell expressing HSF1, either constitutively or by genomic engineering, and by any appropriate assay. However, when a reference or control is needed in order to determine whether a given iRNA inhibits the expression 35 of HSF1 by a certain degree and therefore is encompassed by the instant disclosure, the assays provided in the Examples below shall serve as such reference.

[00210] For example, in certain instances, expression of a HSF1 gene is suppressed by at least about 10%, 15%, 20%, 25%, 30%, 35%, 40%, 45%, or 50% by administration of an iRNA featured in the disclosure. In some embodiments, a HSF1 gene is suppressed by at least about 60%, 70%, or 80% by administration of an iRNA featured in the disclosure. In some 5 embodiments, a HSF1 gene is suppressed by at least about 85%, 90%, or 95% or more by administration of an iRNA as described herein.

Treatments involving HSF1 RNAi Agents

[00211] As used herein in the context of HSF1 expression, the terms "treat," "treatment," and 10 the like, refer to relief from or alleviation of pathological processes mediated by HSF1 expression. In the context of the present disclosure insofar as it relates to any of the other conditions recited herein below (other than pathological processes mediated by HSF1 expression), the terms "treat," "treatment," and the like mean to relieve or alleviate at least one symptom associated with such condition, or to slow or reverse the progression or anticipated progression of such condition, such 15 as slowing the progression of a lipid disorder, such as atherosclerosis.

[00212] By "lower" in the context of a disease marker or symptom is meant a statistically significant decrease in such level. The decrease can be, for example, at least 10%, at least 20%, at least 30%, at least 40% or more. If, for a particular disease, or for an individual suffering from a particular disease, the levels or expression of HSF1 are elevated, treatment with an HSF1 RNAi 20 agent of the present disclosure can preferably reduce the level or expression of HSF1 to a level considered in the literature as within the range of normal for an individual without such disorder.

[00213] The level or expression of HSF1 can be measured by evaluation of mRNA (e.g., via 25 Northern blots or PCR), or protein (e.g., Western blots). The effect of an RNAi agent on HSF1 expression can be determined by measuring HSF1 gene transcription rates (e.g., via Northern blots; or reverse transcriptase polymerase chain reaction or real-time polymerase chain reaction). RT-PCR has been used to show that mRNA levels of HSF1 are high in kidney, pancreas and prostate, and medium in liver and spleen. Brauner-Osborne et al. 2001. *Biochim. Biophys. Acta* 1518: 237-248. Direct measurements can be made of levels of HSF1 (which is expressed by the cell surface), e.g. by Western blots of tissues in which HSF1 is expressed.

30 [00214] In another embodiment of the disclosure, the compositions comprising a HSF1 RNAi agent can be administered to non-human animals. For example, the compositions can be given to chickens, turkeys, livestock animals (such as sheep, pigs, horses, cattle, etc.), companion animals (e.g., cats and dogs) and can have efficacy in treatment of cancer and viral diseases. In each case, the RNAi agent to HSF1 would be selected to match the sequence of the HSF1 of the genome of 35 the animal, and to, preferably, contain at least 1 nt mismatch from all other genes in that animal's genome.

[00215] By "treatment" is meant prophylaxis, therapy, cure, or any other change in a patient's condition indicating improvement or absence of degradation of physical condition. By "treatment" is meant treatment of HSF1-related disease (e.g., cancer or viral disease), or any appropriate treatment of any other ailment the patient has. As used herein, the terms "treatment" 5 and "treat" refer to both prophylactic or preventative treatment and curative or disease-modifying treatment, including treatment of patients at risk of contracting a disease or suspected of having a disease, as well as patients already ill or diagnosed as suffering from a condition. The terms "treatment" and "treat" also refer to the maintenance and/or promotion of health in an individual not suffering from a disease but who may be susceptible to developing an unhealthy condition, 10 such as nitrogen imbalance or muscle loss. In one embodiment, "treatment" does not encompass prevention of a disease state. Thus, the present disclosure is useful for suppressing expression of HSF1 and/or treating an HSF1-related disease in an individual afflicted by an HSF1-related disease, or an individual susceptible to an HSF1-related disease. An individual "afflicted" by an HSF1-related disease has demonstrated detectable symptoms characteristics of the disease, or had 15 otherwise been shown clinically to have been exposed to or to carry HSF1-related disease pathogens or markers. As non-limiting examples, an individual afflicted by an HSF1-related disease can show outward symptoms; or can show no outward symptoms but can be shown with a clinical test to carry protein markers associated with an HSF1-related disease, or proteins or genetic material associated with a pathogen in the blood.

20 [00216] An "effective amount" or a "therapeutically effective amount" is an amount that treats a disease or medical condition of an individual, or, more generally, provides a nutritional, physiological or medical benefit to an individual. As used herein, the phrases "therapeutically effective amount" and "prophylactically effective amount" refer to an amount that provides a therapeutic benefit in the treatment, prevention, or management of pathological processes 25 mediated by HSF1 expression or an overt symptom of pathological processes mediated by HSF1 expression. The specific amount that is therapeutically effective can be readily determined by an ordinary medical practitioner, and may vary depending on factors known in the art, such as, e.g., the type of pathological processes mediated by HSF1 expression, the patient's history and age, the stage of pathological processes mediated by HSF1 expression, and administration of other agents 30 that inhibit pathological processes mediated by HSF1.

[00217] In various embodiments of the disclosure, the patient is at least about 1, 5, 10, 20, 30, 40, 50, 55, 60, 65, 70, or 75 years of age. In various embodiments, the patient is no more than about 1, 5, 10, 20, 30, 40, 50, 55, 60, 65, 70, 75, 80, 90, or 100 years of age. In various embodiments the patient has a body weight of at least about 20, 30, 40, 50, 60, 70, 80, 90, 100, 35 120, 140, 160, 180, 200, 220, 240, 260, 280, 300, 320, 340, 360, 380 or 400 lbs. In various embodiments, the patient has a body weight of no more than about 20, 30, 40, 50, 60, 70, 80, 90, 100, 120, 140, 160, 180, 200, 220, 240, 260, 280, 300, 320, 340, 360, 380 or 400 lbs.

[00218] In various embodiments of the disclosure, the dosage [measuring only the active ingredient(s)] can be at least about 1, 5, 10, 25, 50, 100, 200, 250, 300, 250, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 ng, 1, 5, 10, 25, 50, 100, 200, 250, 300, 250, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 micrograms, 1, 5, 10, 25, 50, 100, 200, 250, 300, 250, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 mg. In various embodiments, the dosage can be no more than about 10, 25, 50, 100, 200, 250, 300, 250, 400, 450, 500, 550, 600, 650, 700, 750, 800, 850, 900, 950 or 1000 mg. In various embodiments, the dosage can be administered at least more than once a day, daily, more than once a weekly, weekly, bi-weekly, monthly, and/or every 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 or 12 months, or a combination thereof.

[00219] In various embodiments, the dosage is correlated to the body weight or body surface area of the individual. The actual dosage level can be varied to obtain an amount of active agent which is effective for a particular patient, composition and mode of administration, without being toxic to the patient. The selected dose will depend on a variety of pharmacokinetic factors, including the activity of the particular RNAi agent employed, the route of administration, the rate of excretion of the RNAi agent, the duration of the treatment, other drugs, compounds and/or materials used in combination with the RNAi agent, the age, sex, weight, condition, general health and prior medical history of the patient, and like factors well known in the medical arts. A physician or veterinarian having ordinary skill in the art can readily determine the effective amount of the RNAi agent required. A suitable dose will be that amount which is the lowest dose effective to produce a therapeutic effect, or a dose low enough to produce a therapeutic effect without causing side effects.

Pharmaceutical Compositions Comprising a HSF1 RNAi Agent

[00220] As used herein, a “pharmaceutical composition” comprises a pharmacologically effective amount of an iRNA and a pharmaceutically acceptable carrier. As used herein, “pharmacologically effective amount,” “therapeutically effective amount” or simply “effective amount” refers to that amount of an iRNA effective to produce the intended pharmacological, therapeutic or preventive result. For example, if a given clinical treatment is considered effective when there is at least a 10% reduction in a measurable parameter associated with a disease or disorder, a therapeutically effective amount of a drug for the treatment of that disease or disorder is the amount necessary to effect at least a 10% reduction in that parameter. For example, a therapeutically effective amount of an iRNA targeting HSF1 can reduce HSF1 protein levels by at least 10%.

[00221] The term “pharmaceutically acceptable carrier” refers to a carrier for administration of a therapeutic agent. Such carriers include, but are not limited to, saline, buffered saline, dextrose, water, glycerol, ethanol, and combinations thereof. The term specifically excludes cell

culture medium. For drugs administered orally, pharmaceutically acceptable carriers include, but are not limited to pharmaceutically acceptable excipients such as inert diluents, disintegrating agents, binding agents, lubricating agents, sweetening agents, flavoring agents, coloring agents and preservatives. Suitable inert diluents include sodium and calcium carbonate, sodium and 5 calcium phosphate, and lactose, while corn starch and alginic acid are suitable disintegrating agents. Binding agents may include starch and gelatin, while the lubricating agent, if present, will generally be magnesium stearate, stearic acid or talc. If desired, the tablets may be coated with a material such as glyceryl monostearate or glyceryl distearate, to delay absorption in the gastrointestinal tract. Agents included in drug formulations are described herein.

10 [00222] The pharmaceutical compositions comprising a HSF1 RNAi agent can be in solid form, for example, powders, granules, tablets, pills, gelcaps, gelatin capsules, liposomes, suppositories, chewable forms, or patches. The pharmaceutical compositions comprising a HSF1 RNAi agent can also be presented in liquid form, for example, solutions, emulsions, suspensions, elixirs, or syrups. Appropriate liquid supports can be, for example, water, organic solvents such 15 as polyol, such as glycerol or glycols, including propylene glycol and polyethylene glycol, or ethanol, Cremophor EL, or mixtures thereof, in varying proportions, in water. The compositions can comprise nano-sized amorphous or crystalline granules coated with albumin or a surfactant.

[00223] Appropriate supports can include, for example, antibacterial and antifungal agents, buffering agents, calcium phosphate, cellulose, methyl cellulose, chlorobutanol, cocoa butter, 20 colorings, dextrin, emulsifiers, enteric coatings, flavorings, gelatin, isotonic agents, lecithin, magnesium stearate, perfuming agents, polyalcohols such as mannitol, injectable organic esters such as ethyl oleate, paraben, phenol sorbic acid, polyethylene glycol, polyvinylpyrrolidone, phosphate buffered saline (PBS), preserving agents, propylene glycol, sodium carboxymethylcellulose, sodium chloride, sorbitol, various sugars (including, but not limited to, 25 sucrose, fructose, galactose, lactose and trehalose), starch, suppository wax, talc, vegetable oils, such as olive oil and corn oil, vitamins, wax, and/or wetting agents. For HSF1 RNAi agents, a particular support comprises dextran and water, e.g. 5% dextrose in water (DSW).

[00224] The biologically inert portion of the pharmaceutical composition can optionally be erodible, allowing timed release of the RNAi agent.

30 [00225] The pharmaceutical composition comprising a HSF1 can be administered by buccal, inhalation (including insufflation and deep inhalation), nasal, oral, parenteral, implant, injection or infusion via epidural, intra-arterial, intra-articular, intracapsular, intracardiac, intracerebroventricular, intracranial, intradermal, intramuscular, intraorbital, intraperitoneal, intraspinal, intrasternal, intrathecal, intravenous, subarachnoid, subcapsular, subcutaneous, 35 subcuticular, transendothelial, transtracheal, transvascular, rectal, sublingual, topical, and/or vaginal routes. This may be by injection, infusion, dermal patch, or any other method known in the art. The formulation can be powdered, nebulized, aerosolized, granulated or otherwise

appropriately prepared for delivery. The administration, if liquid, may be slow or via bolus, though, under some circumstances known in the art, bolus injections may lead to loss of material through the kidneys.

[00226] The HSF1 RNAi agents can be administered with medical devices known in the art.

5 For example, in a particular specific embodiment, an RNAi agent can be administered with a needleless hypodermic injection device, such as the devices disclosed in U.S. Patent Nos. 5,399,163, 5,383,851, 5,312,335, 5,064,413, 4,941,880, 4,790,824, or 4,596,556. Examples of well-known implants and modules useful in the present disclosure include: U.S. Patent No. 4,487,603, which discloses an implantable micro-infusion pump for dispensing medication at 10 a controlled rate; U.S. Patent No. 4,486,194, which discloses a therapeutic device for administering medications through the skin; U.S. Patent No. 4,447,233, which discloses a medication infusion pump for delivering medication at a precise infusion rate; U.S. Patent No. 4,447,224, which discloses a variable flow implantable infusion apparatus for continuous drug delivery; U.S. Patent No. 4,439,196, which discloses an osmotic drug delivery system having 15 multi-chamber compartments; and U.S. Patent No. 4,475,196, which discloses an osmotic drug delivery system. Many other such implants, delivery systems, and modules are known to those skilled in the art.

[00227] In certain embodiments, RNAi agents can be formulated to ensure proper distribution *in vivo*. For example, the blood-brain barrier (BBB) excludes many highly hydrophilic 20 compounds. To ensure that the HSF1 RNAi agents cross the BBB (if desired), they can be formulated, for example, in liposomes. For methods of manufacturing liposomes, see, *e.g.*, U.S. Patents 4,522,811; 5,374,548; and 5,399,331. The liposomes may comprise one or more moieties which are selectively transported into specific cells or organs, thus enhance targeted drug delivery (see, *e.g.*, V.V. Ranade (1989) *J. Clin. Pharmacol.* 29: 685). Example targeting moieties include 25 folate or biotin (see, *e.g.*, U.S. Patent 5,416,016 to Low *et al.*); mannosides (Umezawa *et al.*, (1988) *Biochem. Biophys. Res. Commun.* 153: 1038); antibodies (P.G. Bloeman *et al.* (1995) *FEBS Lett.* 357: 140; M. Owais *et al.* (1995) *Antimicrob. Agents Chemother.* 39: 180); surfactant protein A receptor (Briscoe *et al.* (1995) *Am. J. Physiol.* 1233: 134), different species of which may comprise the formulations of the disclosures, as well as components of the invented 30 molecules; p120 (Schreier *et al.* (1994) *J. Biol. Chem.* 269: 9090); see also K. Keinanen; M.L. Laukkonen (1994) *FEBS Lett.* 346: 123; J.J. Killion; I.J. Fidler (1994) *Immunomethods* 4: 273.

[00228] **Particular specific embodiments**

[00229] In a particular specific embodiment, the present disclosure is a composition 35 comprising one or more HSF1 RNAi agents.

[00230] In one embodiment, the disclosure comprises or consists of: AD-20278, or modified or unmodified variants thereof.

[00231] In one embodiment, the disclosure comprises or consists of: AD-20279, or modified or unmodified variants thereof.

[00232] In one embodiment, the disclosure comprises or consists of: AD-20280, or modified or unmodified variants thereof.

5 [00233] In one embodiment, the disclosure comprises or consists of: AD-20281, or modified or unmodified variants thereof.

[00234] In one embodiment, the disclosure comprises or consists of: AD-20282, or modified or unmodified variants thereof.

[00235] In one embodiment, the disclosure comprises or consists of: AD-20283, or modified

10 10 or unmodified variants thereof.

[00236] In one embodiment, the disclosure comprises or consists of: AD-20303, or modified or unmodified variants thereof.

[00237] In one embodiment, the disclosure comprises or consists of: AD-20313, or modified or unmodified variants thereof.

15 [00238] In one embodiment, the disclosure comprises or consists of: AD-20315, or modified or unmodified variants thereof.

[00239] In one embodiment, the disclosure comprises or consists of: AD-20348, or modified or unmodified variants thereof.

[00240] In one embodiment, the disclosure comprises or consists of: AD-20362, or modified

20 20 or unmodified variants thereof.

[00241] In one embodiment, the disclosure comprises or consists of: AD-20364, or modified or unmodified variants thereof.

[00242] In one embodiment, the disclosure comprises or consists of: AD-20365, or modified or unmodified variants thereof.

25 [00243] In one embodiment, the disclosure comprises or consists of: AD-20366, or modified or unmodified variants thereof.

[00244] In one embodiment, the disclosure comprises or consists of: AD-20373, or modified or unmodified variants thereof.

[00245] In one embodiment, the disclosure comprises or consists of: AD-20376, or modified

30 30 or unmodified variants thereof.

[00246] In one embodiment, the disclosure comprises or consists of: AD-20377, or modified or unmodified variants thereof.

[00247] In one embodiment, the disclosure comprises or consists of: AD-20378, or modified or unmodified variants thereof.

35 [00248] In one embodiment, the disclosure comprises or consists of: AD-20386, or modified or unmodified variants thereof.

[00249] In one embodiment, the disclosure comprises or consists of: AD-20389, or modified or unmodified variants thereof.

[00250] In one embodiment, the disclosure comprises or consists of: AD-20391, or modified or unmodified variants thereof.

5 [00251] In one embodiment, the disclosure comprises or consists of: AD-20392, or modified or unmodified variants thereof.

[00252] In one embodiment, the disclosure comprises or consists of: AD-20397, or modified or unmodified variants thereof.

[00253] In one embodiment, the disclosure comprises or consists of: AD-20398, or modified

10 or unmodified variants thereof.

[00254] In one embodiment, the disclosure comprises or consists of: AD-20399, or modified or unmodified variants thereof.

[00255] In one embodiment, the disclosure comprises or consists of: AD-20401, or modified or unmodified variants thereof.

15 [00256] In one embodiment, the disclosure comprises or consists of: AD-20402, or modified or unmodified variants thereof.

[00257] In one embodiment, the disclosure comprises or consists of: AD-20403, or modified or unmodified variants thereof.

[00258] In one embodiment, the disclosure comprises or consists of: AD-20404, or modified

20 or unmodified variants thereof.

[00259] In one embodiment, the disclosure comprises or consists of: AD-20406, or modified or unmodified variants thereof.

[00260] In one embodiment, the disclosure comprises or consists of: AD-20407, or modified or unmodified variants thereof.

25 [00261] In one embodiment, the disclosure comprises or consists of: AD-20408, or modified or unmodified variants thereof.

[00262] In one embodiment, the disclosure comprises or consists of: AD-20409, or modified or unmodified variants thereof.

[00263] In one embodiment, the disclosure comprises or consists of: AD-20410, or modified

30 or unmodified variants thereof.

[00264] In one embodiment, the disclosure comprises or consists of: AD-20411, or modified or unmodified variants thereof.

[00265] In one embodiment, the disclosure comprises or consists of: AD-20413, or modified or unmodified variants thereof.

35 [00266] In one embodiment, the disclosure comprises or consists of: AD-20422, or modified or unmodified variants thereof.

[00267] In one embodiment, the disclosure comprises or consists of: AD-20428, or modified or unmodified variants thereof.

[00268] In one embodiment, the disclosure comprises or consists of: AD-20434, or modified or unmodified variants thereof.

5 [00269] In one embodiment, the disclosure comprises or consists of: AD-20435, or modified or unmodified variants thereof.

[00270] In one embodiment, the disclosure comprises or consists of: AD-20437.4, or modified or unmodified variants thereof.

[00271] In one embodiment, the disclosure comprises or consists of: AD-20437, or modified

10 or unmodified variants thereof.

[00272] In one embodiment, the disclosure comprises or consists of: AD-20438, or modified or unmodified variants thereof.

[00273] In one embodiment, the disclosure comprises or consists of: AD-20439, or modified or unmodified variants thereof.

15 [00274] In one embodiment, the disclosure comprises or consists of: AD-20487.7, or modified or unmodified variants thereof.

[00275] In one embodiment, the disclosure comprises or consists of: AD-20487, or modified or unmodified variants thereof.

[00276] In one embodiment, the disclosure comprises or consists of: AD-20488, or modified

20 or unmodified variants thereof.

[00277] In one embodiment, the disclosure comprises or consists of: AD-20489.2, or modified or unmodified variants thereof.

[00278] In one embodiment, the disclosure comprises or consists of: AD-20489, or modified or unmodified variants thereof.

25 [00279] In one embodiment, the disclosure comprises or consists of: AD-20490, or modified or unmodified variants thereof.

[00280] In one embodiment, the disclosure comprises or consists of: AD-20491, or modified or unmodified variants thereof.

[00281] In one embodiment, the disclosure comprises or consists of: AD-20493, or modified

30 or unmodified variants thereof.

[00282] In one embodiment, the disclosure comprises or consists of: AD-20495, or modified or unmodified variants thereof.

[00283] In one embodiment, the disclosure comprises or consists of: AD-20502, or modified or unmodified variants thereof.

35 [00284] In one embodiment, the disclosure comprises or consists of: AD-20507, or modified or unmodified variants thereof.

[00285] In one embodiment, the disclosure comprises or consists of: AD-20513, or modified or unmodified variants thereof.

[00286] In one embodiment, the disclosure comprises or consists of: AD-20527, or modified or unmodified variants thereof.

5 [00287] In one embodiment, the disclosure comprises or consists of: AD-20535, or modified or unmodified variants thereof.

[00288] In one embodiment, the disclosure comprises or consists of: AD-20544, or modified or unmodified variants thereof.

[00289] In one embodiment, the disclosure comprises or consists of: AD-20545, or modified

10 or unmodified variants thereof.

[00290] In one embodiment, the disclosure comprises or consists of: AD-20546, or modified or unmodified variants thereof.

[00291] In one embodiment, the disclosure comprises or consists of: AD-20547, or modified or unmodified variants thereof.

15 [00292] In one embodiment, the disclosure comprises or consists of: AD-20548, or modified or unmodified variants thereof.

[00293] In one embodiment, the disclosure comprises or consists of: AD-20549, or modified or unmodified variants thereof.

[00294] In one embodiment, the disclosure comprises or consists of: AD-20552, or modified

20 or unmodified variants thereof.

[00295] In one embodiment, the disclosure comprises or consists of: AD-20555, or modified or unmodified variants thereof.

[00296] In one embodiment, the disclosure comprises or consists of: AD-20556, or modified or unmodified variants thereof.

25 [00297] In one embodiment, the disclosure comprises or consists of: AD-20557, or modified or unmodified variants thereof.

[00298] In one embodiment, the disclosure comprises or consists of: AD-20558, or modified or unmodified variants thereof.

[00299] In one embodiment, the disclosure comprises or consists of: AD-20560.4, or

30 modified or unmodified variants thereof.

[00300] In one embodiment, the disclosure comprises or consists of: AD-20560, or modified or unmodified variants thereof.

[00301] In one embodiment, the disclosure comprises or consists of: AD-20561, or modified or unmodified variants thereof.

35 [00302] In one embodiment, the disclosure comprises or consists of: AD-20562, or modified or unmodified variants thereof.

[00303] In one embodiment, the disclosure comprises or consists of: AD-20563, or modified or unmodified variants thereof.

[00304] In one embodiment, the disclosure comprises or consists of: AD-20564, or modified or unmodified variants thereof.

5 [00305] In one embodiment, the disclosure comprises or consists of: AD-20565, or modified or unmodified variants thereof.

[00306] In one embodiment, the disclosure comprises or consists of: AD-20566, or modified or unmodified variants thereof.

[00307] In one embodiment, the disclosure comprises or consists of: AD-20570, or modified
10 or unmodified variants thereof.

[00308] In one embodiment, the disclosure comprises or consists of: AD-20572, or modified or unmodified variants thereof.

[00309] In one embodiment, the disclosure comprises or consists of: AD-20574, or modified or unmodified variants thereof.

15 [00310] In one embodiment, the disclosure comprises or consists of: AD-20575, or modified or unmodified variants thereof.

[00311] In one embodiment, the disclosure comprises or consists of: AD-20577, or modified or unmodified variants thereof.

[00312] In one embodiment, the disclosure comprises or consists of: AD-20578, or modified
20 or unmodified variants thereof.

[00313] In one embodiment, the disclosure comprises or consists of: AD-20579, or modified or unmodified variants thereof.

[00314] In one embodiment, the disclosure comprises or consists of: AD-20580, or modified or unmodified variants thereof.

25 [00315] In one embodiment, the disclosure comprises or consists of: AD-20597, or modified or unmodified variants thereof.

[00316] In one embodiment, the disclosure comprises or consists of: AD-20598, or modified or unmodified variants thereof.

[00317] In one embodiment, the disclosure comprises or consists of: AD-20625, or modified
30 or unmodified variants thereof.

[00318] In one embodiment, the disclosure comprises or consists of: AD-20626, or modified or unmodified variants thereof.

[00319] In one embodiment, the disclosure comprises or consists of: AD-20627, or modified or unmodified variants thereof.

35 [00320] In one embodiment, the disclosure comprises or consists of: AD-20633, or modified or unmodified variants thereof.

[00321] In one embodiment, the disclosure comprises or consists of: AD-20634, or modified or unmodified variants thereof.

[00322] In one embodiment, the disclosure comprises or consists of: AD-20640, or modified or unmodified variants thereof.

5 [00323] In one embodiment, the disclosure comprises or consists of: AD-20644, or modified or unmodified variants thereof.

[00324] In one embodiment, the disclosure comprises or consists of: AD-20646, or modified or unmodified variants thereof.

[00325] In one embodiment, the disclosure comprises or consists of: AD-20648, or modified 10 or unmodified variants thereof.

[00326] In one embodiment, the disclosure comprises or consists of: AD-20650, or modified or unmodified variants thereof.

[00327] In one embodiment, the disclosure comprises or consists of: AD-20652, or modified or unmodified variants thereof.

15 [00328] In one embodiment, the disclosure comprises or consists of: AD-20653, or modified or unmodified variants thereof.

[00329] In one embodiment, the disclosure comprises or consists of: AD-20660, or modified or unmodified variants thereof.

[00330] In one embodiment, the disclosure comprises or consists of: AD-20661, or modified 20 or unmodified variants thereof.

[00331] In one embodiment, the disclosure comprises or consists of: AD-20671, or modified or unmodified variants thereof.

[00332] In one embodiment, the disclosure comprises or consists of: AD-20693, or modified or unmodified variants thereof.

25 [00333] In one embodiment, the disclosure comprises or consists of: AD-20694, or modified or unmodified variants thereof.

[00334] In one embodiment, the disclosure comprises or consists of: AD-20700, or modified or unmodified variants thereof.

[00335] In one embodiment, the disclosure comprises or consists of: AD-20702, or modified 30 or unmodified variants thereof.

[00336] In one embodiment, the disclosure comprises or consists of: AD-20707, or modified or unmodified variants thereof.

[00337] In one embodiment, the disclosure comprises or consists of: AD-20709, or modified or unmodified variants thereof.

35 [00338] In one embodiment, the disclosure comprises or consists of: AD-20710, or modified or unmodified variants thereof.

[00339] In one embodiment, the disclosure comprises or consists of: AD-20714, or modified or unmodified variants thereof.

[00340] In one embodiment, the disclosure comprises or consists of: AD-20716, or modified or unmodified variants thereof.

5 [00341] In one embodiment, the disclosure comprises or consists of: AD-20728, or modified or unmodified variants thereof.

[00342] In one embodiment, the disclosure comprises or consists of: AD-20730, or modified or unmodified variants thereof.

[00343] In one embodiment, the disclosure comprises or consists of: AD-20741, or modified 10 or unmodified variants thereof.

[00344] In one embodiment, the disclosure comprises or consists of: AD-20764, or modified or unmodified variants thereof.

[00345] In one embodiment, the disclosure comprises or consists of: AD-20783, or modified or unmodified variants thereof.

15 [00346] In one embodiment, the disclosure comprises or consists of: AD-30071, or modified or unmodified variants thereof.

[00347] In one embodiment, the disclosure comprises or consists of: AD-36969, or modified or unmodified variants thereof.

[00348] In one embodiment, the disclosure comprises or consists of: AD-36970, or modified 20 or unmodified variants thereof.

[00349] In one embodiment, the disclosure comprises or consists of: AD-37718, or modified or unmodified variants thereof.

[00350] In one embodiment, the disclosure comprises or consists of: AD-37719, or modified or unmodified variants thereof.

25 [00351] In one embodiment, the disclosure comprises or consists of: AD-37720, or modified or unmodified variants thereof.

[00352] In one embodiment, the disclosure comprises or consists of: AD-37721, or modified or unmodified variants thereof.

[00353] In one embodiment, the disclosure comprises or consists of: AD-37722, or modified 30 or unmodified variants thereof.

[00354] In one embodiment, the disclosure comprises or consists of: AD-37723, or modified or unmodified variants thereof.

[00355] In one embodiment, the disclosure comprises or consists of: AD-37724, or modified or unmodified variants thereof.

35 [00356] In one embodiment, the disclosure comprises or consists of: AD-37725, or modified or unmodified variants thereof.

[00357] In one embodiment, the disclosure comprises or consists of: AD-37726, or modified or unmodified variants thereof.

[00358] In one embodiment, the disclosure comprises or consists of: AD-37727, or modified or unmodified variants thereof.

5 [00359] In one embodiment, the disclosure comprises or consists of: AD-37728, or modified or unmodified variants thereof.

[00360] In one embodiment, the disclosure comprises or consists of: AD-37729, or modified or unmodified variants thereof.

[00361] In one embodiment, the disclosure comprises or consists of: AD-37730, or modified

10 or unmodified variants thereof.

[00362] In one embodiment, the disclosure comprises or consists of: AD-37731, or modified or unmodified variants thereof.

[00363] In one embodiment, the disclosure comprises or consists of: AD-37732, or modified or unmodified variants thereof.

15 [00364] In one embodiment, the disclosure comprises or consists of: AD-37733, or modified or unmodified variants thereof.

[00365] In one embodiment, the disclosure comprises or consists of: AD-37734, or modified or unmodified variants thereof.

[00366] In one embodiment, the disclosure comprises or consists of: AD-37735, or modified

20 or unmodified variants thereof.

[00367] In one embodiment, the disclosure comprises or consists of: AD-30071.2, or modified or unmodified variants thereof.

[00368] In one embodiment, the disclosure comprises or consists of: AD-36969.2, or modified or unmodified variants thereof.

25 [00369] In one embodiment, the disclosure comprises or consists of: AD-36970.2, or modified or unmodified variants thereof.

[00370] In one embodiment, the disclosure comprises or consists of: AD-37718.1, or modified or unmodified variants thereof.

[00371] In one embodiment, the disclosure comprises or consists of: AD-37719.1, or modified or unmodified variants thereof.

30 [00372] In one embodiment, the disclosure comprises or consists of: AD-37720.1, or modified or unmodified variants thereof.

[00373] In one embodiment, the disclosure comprises or consists of: AD-37721.1, or modified or unmodified variants thereof.

35 [00374] In one embodiment, the disclosure comprises or consists of: AD-37722.1, or modified or unmodified variants thereof.

[00375] In one embodiment, the disclosure comprises or consists of: AD-37723.1, or modified or unmodified variants thereof.

[00376] In one embodiment, the disclosure comprises or consists of: AD-37724.1, or modified or unmodified variants thereof.

5 [00377] In one embodiment, the disclosure comprises or consists of: AD-37725.1, or modified or unmodified variants thereof.

[00378] In one embodiment, the disclosure comprises or consists of: AD-37726.1, or modified or unmodified variants thereof.

[00379] In one embodiment, the disclosure comprises or consists of: AD-37727.1, or modified or unmodified variants thereof.

10 [00380] In one embodiment, the disclosure comprises or consists of: AD-37728.1, or modified or unmodified variants thereof.

[00381] In one embodiment, the disclosure comprises or consists of: AD-37729.1, or modified or unmodified variants thereof.

15 [00382] In one embodiment, the disclosure comprises or consists of: AD-37730.1, or modified or unmodified variants thereof.

[00383] In one embodiment, the disclosure comprises or consists of: AD-37731.1, or modified or unmodified variants thereof.

[00384] In one embodiment, the disclosure comprises or consists of: AD-37732.1, or modified or unmodified variants thereof.

20 [00385] In one embodiment, the disclosure comprises or consists of: AD-37733.1, or modified or unmodified variants thereof.

[00386] In one embodiment, the disclosure comprises or consists of: AD-37734.1, or modified or unmodified variants thereof.

25 [00387] In one embodiment, the disclosure comprises or consists of: AD-37735.1, or modified or unmodified variants thereof.

[00388] In one embodiment, the disclosure comprises or consists of: AD-37736, or modified or unmodified variants thereof.

[00389] In one embodiment, the disclosure comprises or consists of: AD-37737, or modified or unmodified variants thereof.

30 [00390] In one embodiment, the disclosure comprises or consists of: AD-37738, or modified or unmodified variants thereof.

[00391] In one embodiment, the disclosure comprises or consists of: AD-37739, or modified or unmodified variants thereof.

35 [00392] In one embodiment, the disclosure comprises or consists of: AD-37740, or modified or unmodified variants thereof.

[00393] In one embodiment, the disclosure comprises or consists of: AD-37741, or modified or unmodified variants thereof.

[00394] In one embodiment, the disclosure comprises or consists of: AD-37742, or modified or unmodified variants thereof.

5

[00395] **Additional particular specific embodiments**

[00396] In various embodiments, the disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of any one or more RNAi agent disclosed herein.

[00397] Various embodiments are further delineated below.

[00398] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20278, or modified or unmodified variants thereof.

[00399] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20279, or modified or unmodified variants thereof.

[00400] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20280, or modified or unmodified variants thereof.

[00401] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20281, or modified or unmodified variants thereof.

[00402] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20282, or modified or unmodified variants thereof.

[00403] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20283, or modified or unmodified variants thereof.

[00404] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20303, or modified or unmodified variants thereof.

5 **[00405]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20313, or modified or unmodified variants thereof.

[00406] The disclosure comprises a RNAi agent comprising a first and a second strand,

10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20315, or modified or unmodified variants thereof.

[00407] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

15 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20348, or modified or unmodified variants thereof.

[00408] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

20 0, 1, 2, or 3 nt from the second strand of: AD-20362, or modified or unmodified variants thereof.

[00409] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20364, or modified or unmodified variants thereof.

25 **[00410]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20365, or modified or unmodified variants thereof.

[00411] The disclosure comprises a RNAi agent comprising a first and a second strand,

30 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20366, or modified or unmodified variants thereof.

[00412] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

35 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20373, or modified or unmodified variants thereof.

[00413] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20376, or modified or unmodified variants thereof.

5 [00414] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20377, or modified or unmodified variants thereof.

[00415] The disclosure comprises a RNAi agent comprising a first and a second strand,

10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20378, or modified or unmodified variants thereof.

[00416] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

15 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20386, or modified or unmodified variants thereof.

[00417] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

20 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20389, or modified or unmodified variants thereof.

[00418] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20391, or modified or unmodified variants thereof.

[00419] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

30 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20392, or modified or unmodified variants thereof.

[00420] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

35 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20397, or modified or unmodified variants thereof.

[00421] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

40 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20398, or modified or unmodified variants thereof.

[00422] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20399, or modified or unmodified variants thereof.

5 **[00423]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20401, or modified or unmodified variants thereof.

[00424] The disclosure comprises a RNAi agent comprising a first and a second strand,

10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20402, or modified or unmodified variants thereof.

[00425] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

15 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20403, or modified or unmodified variants thereof.

[00426] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

20 0, 1, 2, or 3 nt from the second strand of: AD-20404, or modified or unmodified variants thereof.

[00427] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20406, or modified or unmodified variants thereof.

25 **[00428]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20407, or modified or unmodified variants thereof.

[00429] The disclosure comprises a RNAi agent comprising a first and a second strand,

30 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20408, or modified or unmodified variants thereof.

[00430] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

35 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20409, or modified or unmodified variants thereof.

[00431] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20410, or modified or unmodified variants thereof.

5 [00432] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20411, or modified or unmodified variants thereof.

[00433] The disclosure comprises a RNAi agent comprising a first and a second strand,

10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20413, or modified or unmodified variants thereof.

[00434] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

15 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20422, or modified or unmodified variants thereof.

[00435] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

20 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20428, or modified or unmodified variants thereof.

[00436] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20434, or modified or unmodified variants thereof.

25 [00437] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20435, or modified or unmodified variants thereof.

[00438] The disclosure comprises a RNAi agent comprising a first and a second strand,

30 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20437.4, or modified or unmodified variants

thereof.

[00439] The disclosure comprises a RNAi agent comprising a first and a second strand,

35 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20437, or modified or unmodified variants thereof.

[00440] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20438, or modified or unmodified variants thereof.

5 **[00441]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20439, or modified or unmodified variants thereof.

[00442] The disclosure comprises a RNAi agent comprising a first and a second strand,

10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20487.7, or modified or unmodified variants thereof.

[00443] The disclosure comprises a RNAi agent comprising a first and a second strand,

15 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20487, or modified or unmodified variants thereof.

[00444] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

20 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20488, or modified or unmodified variants thereof.

[00445] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

25 0, 1, 2, or 3 nt from the second strand of: AD-20489.2, or modified or unmodified variants thereof.

[00446] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

30 0, 1, 2, or 3 nt from the second strand of: AD-20489, or modified or unmodified variants thereof.

[00447] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20490, or modified or unmodified variants thereof.

35 **[00448]** The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20491, or modified or unmodified variants thereof.

[00449] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20493, or modified or unmodified variants thereof.

[00450] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20495, or modified or unmodified variants thereof.

[00451] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20502, or modified or unmodified variants thereof.

15 [00452] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20507, or modified or unmodified variants thereof.

[00453] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20513, or modified or unmodified variants thereof.

[00454] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20527, or modified or unmodified variants thereof.

[00455] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20535, or modified or unmodified variants thereof.

[00456] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20544, or modified or unmodified variants thereof.

35 [00457] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20545, or modified or unmodified variants thereof.

[00458] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20546, or modified or unmodified variants thereof.

[00459] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20547, or modified or unmodified variants thereof.

[00460] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20548, or modified or unmodified variants thereof.

15 [00461] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20549, or modified or unmodified variants thereof.

20 [00462] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20552, or modified or unmodified variants thereof.

25 [00463] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20555, or modified or unmodified variants thereof.

30 [00464] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20556, or modified or unmodified variants thereof.

35 [00465] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20557, or modified or unmodified variants thereof.

35 [00466] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20558, or modified or unmodified variants thereof.

[00467] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20560.4, or modified or unmodified variants thereof.

[00468] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

10 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20560, or modified or unmodified variants thereof.

[00469] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 15 0, 1, 2, or 3 nt from the second strand of: AD-20561, or modified or unmodified variants thereof.

[00470] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20562, or modified or unmodified variants thereof.

20 [00471] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20563, or modified or unmodified variants thereof.

[00472] The disclosure comprises a RNAi agent comprising a first and a second strand, 25 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20564, or modified or unmodified variants thereof.

[00473] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt 30 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20565, or modified or unmodified variants thereof.

[00474] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 35 0, 1, 2, or 3 nt from the second strand of: AD-20566, or modified or unmodified variants thereof.

[00475] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20570, or modified or unmodified variants thereof.

[00476] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20572, or modified or unmodified variants thereof.

[00477] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20574, or modified or unmodified variants thereof.

[00478] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20575, or modified or unmodified variants thereof.

15 [00479] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20577, or modified or unmodified variants thereof.

[00480] The disclosure comprises a RNAi agent comprising a first and a second strand,

20 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20578, or modified or unmodified variants thereof.

[00481] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20579, or modified or unmodified variants thereof.

[00482] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

30 0, 1, 2, or 3 nt from the second strand of: AD-20580, or modified or unmodified variants thereof.

[00483] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20597, or modified or unmodified variants thereof.

35 [00484] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20598, or modified or unmodified variants thereof.

[00485] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20625, or modified or unmodified variants thereof.

[00486] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20626, or modified or unmodified variants thereof.

[00487] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20627, or modified or unmodified variants thereof.

15 [00488] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20633, or modified or unmodified variants thereof.

[00489] The disclosure comprises a RNAi agent comprising a first and a second strand,

20 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20634, or modified or unmodified variants thereof.

[00490] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20640, or modified or unmodified variants thereof.

[00491] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

30 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20644, or modified or unmodified variants thereof.

[00492] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20646, or modified or unmodified variants thereof.

35 [00493] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20648, or modified or unmodified variants thereof.

[00494] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20650, or modified or unmodified variants thereof.

[00495] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20652, or modified or unmodified variants thereof.

[00496] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20653, or modified or unmodified variants thereof.

15 [00497] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20660, or modified or unmodified variants thereof.

[00498] The disclosure comprises a RNAi agent comprising a first and a second strand,

20 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20661, or modified or unmodified variants thereof.

[00499] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20671, or modified or unmodified variants thereof.

[00500] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

30 0, 1, 2, or 3 nt from the second strand of: AD-20693, or modified or unmodified variants thereof.

[00501] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20694, or modified or unmodified variants thereof.

35 [00502] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20700, or modified or unmodified variants thereof.

[00503] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20702, or modified or unmodified variants thereof.

[00504] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20707, or modified or unmodified variants thereof.

[00505] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20709, or modified or unmodified variants thereof.

15 [00506] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20710, or modified or unmodified variants thereof.

20 [00507] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20714, or modified or unmodified variants thereof.

[00508] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20716, or modified or unmodified variants thereof.

[00509] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

30 0, 1, 2, or 3 nt from the second strand of: AD-20728, or modified or unmodified variants thereof.

[00510] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20730, or modified or unmodified variants thereof.

35 [00511] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20741, or modified or unmodified variants thereof.

[00512] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-20764, or modified or unmodified variants thereof.

[00513] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-20783, or modified or unmodified variants thereof.

[00514] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-30071 or modified or unmodified variants thereof.

15 [00515] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-36969 or modified or unmodified variants thereof.

20 [00516] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-36970 or modified or unmodified variants thereof.

25 [00517] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37718 or modified or unmodified variants thereof.

30 [00518] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37719 or modified or unmodified variants thereof.

[00519] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37720 or modified or unmodified variants thereof.

35 [00520] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37721 or modified or unmodified variants thereof.

[00521] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37722 or modified or unmodified variants thereof.

[00522] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37723 or modified or unmodified variants thereof.

[00523] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37724 or modified or unmodified variants thereof.

[00524] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37725 or modified or unmodified variants thereof.

[00525] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37726 or modified or unmodified variants thereof.

[00526] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37727 or modified or unmodified variants thereof.

[00527] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37728 or modified or unmodified variants thereof.

[00528] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37729 or modified or unmodified variants thereof.

[00529] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37730 or modified or unmodified variants thereof.

[00530] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37731 or modified or unmodified variants thereof.

[00531] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

10 0, 1, 2, or 3 nt from the second strand of: AD-37732 or modified or unmodified variants thereof.

[00532] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37733 or modified or unmodified variants thereof.

15 [00533] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37734 or modified or unmodified variants thereof.

[00534] The disclosure comprises a RNAi agent comprising a first and a second strand,

20 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37735 or modified or unmodified variants thereof.

[00535] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37736 or modified or unmodified variants thereof.

[00536] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

30 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37737 or modified or unmodified variants thereof.

[00537] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37738 or modified or unmodified variants thereof.

35 [00538] The disclosure comprises a RNAi agent comprising a first and a second strand,

wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37739 or modified or unmodified variants thereof.

[00539] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

5 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37740 or modified or unmodified variants thereof.

[00540] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

10 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37741 or modified or unmodified variants thereof.

[00541] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

15 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37742 or modified or unmodified variants thereof.

[00542] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

20 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-30071.2, or modified or unmodified variants thereof.

[00543] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

25 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-36969.2, or modified or unmodified variants thereof.

[00544] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

30 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-36970.2, or modified or unmodified variants thereof.

[00545] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

35 from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37718.1, or modified or unmodified variants thereof.

[00546] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37719.1, or modified or unmodified variants thereof.

[00547] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37720.1, or modified or unmodified variants thereof.

[00548] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37721.1, or modified or unmodified variants thereof.

[00549] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37722.1, or modified or unmodified variants thereof.

[00550] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37723.1, or modified or unmodified variants thereof.

[00551] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37724.1, or modified or unmodified variants thereof.

[00552] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37725.1, or modified or unmodified variants thereof.

[00553] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37726.1, or modified or unmodified variants thereof.

[00554] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37727.1, or modified or unmodified variants

5 thereof.

[00555] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37728.1, or modified or unmodified variants

10 thereof.

[00556] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37729.1, or modified or unmodified variants

15 thereof.

[00557] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37730.1, or modified or unmodified variants

20 thereof.

[00558] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37731.1, or modified or unmodified variants

25 thereof.

[00559] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37732.1, or modified or unmodified variants

30 thereof.

[00560] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37733.1, or modified or unmodified variants

35 thereof.

[00561] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt

from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37734.1, or modified or unmodified variants thereof.

[00562] The disclosure comprises a RNAi agent comprising a first and a second strand, 5 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37735.1, or modified or unmodified variants thereof.

[00563] The disclosure comprises a RNAi agent comprising a first and a second strand, 10 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37736.1, or modified or unmodified variants thereof.

[00564] The disclosure comprises a RNAi agent comprising a first and a second strand, 15 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37737.1, or modified or unmodified variants thereof.

[00565] The disclosure comprises a RNAi agent comprising a first and a second strand, 20 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37738.1, or modified or unmodified variants thereof.

[00566] The disclosure comprises a RNAi agent comprising a first and a second strand, 25 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37739.1, or modified or unmodified variants thereof.

[00567] The disclosure comprises a RNAi agent comprising a first and a second strand, 30 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37740.1, or modified or unmodified variants thereof.

[00568] The disclosure comprises a RNAi agent comprising a first and a second strand, 35 wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by

0, 1, 2, or 3 nt from the second strand of: AD-37741.1, or modified or unmodified variants thereof.

5 [00569] The disclosure comprises a RNAi agent comprising a first and a second strand, wherein the first strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from a first strand, and the second strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the second strand of: AD-37742.1, or modified or unmodified variants thereof.

[00570] **Additional particular specific embodiments**

10 [00571] In various embodiments, the disclosure comprises a RNAi agent comprising a sense and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the antisense strand of any RNAi agent disclosed herein.

[00572] Thus, in various embodiments:

15 [00573] The disclosure comprises a RNAi agent comprising a sense and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the antisense strand of any one or more of the following duplexes, or modified or unmodified variants thereof: AD-20278, AD-20279, AD-20280, AD-20281, AD-20282, AD-20283, AD-20296, AD-20300, AD-20303, AD-20312, AD-20313, AD-20315, AD-20344, AD-20345, AD-20348, AD-20349, AD-20353, AD-20362, AD-20364, 20 AD-20365, AD-20366, AD-20373, AD-20374, AD-20376, AD-20377, AD-20378, AD-20379, AD-20380, AD-20386, AD-20387, AD-20388, AD-20389, AD-20390, AD-20391, AD-20392, AD-20393, AD-20395, AD-20396, AD-20397, AD-20398, AD-20399, AD-20401 AD-20402, AD-20403, AD-20404, AD-20406, AD-20407, AD-20408, AD-20409, AD-20410, AD-20411, AD-20413, AD-20421, AD-20422, AD-20424, 25 AD-20426, AD-20426, AD-20427, AD-20428, AD-20433, AD-20434, AD-20435, AD-20436, AD-20437, AD-20438, AD-20439, AD-20487, AD-20488, AD-20489, AD-20490, AD-20491, AD-20492, AD-20493, AD-20494, AD-20495, AD-20501, AD-20502, AD-20504, AD-20506, AD-20507, AD-20510, AD-20511, AD-20513, AD-20527, AD-20530 AD-20531, AD-20534, AD-20535, AD-20538, AD-20542, AD-20543, 30 AD-20544, AD-20545, AD-20546, AD-20547, AD-20548, AD-20549, AD-20550, AD-20552, AD-20554, AD-20555, AD-20556, AD-20557, AD-20558, AD-20559, AD-20560, AD-20561, AD-20562, AD-20563, AD-20564, AD-20565, AD-20566, AD-20567, AD-20570, AD-20572, AD-20574, AD-20575, AD-20576, AD-20577, AD-20578, AD-20579, AD-20580, AD-20581, AD-20582, AD-20625, AD-20626, AD-20627, 35 AD-20628, AD-20629, AD-20630, AD-20631, AD-20632, AD-20633, AD-20635, AD-20638, AD-20639, AD-20640, AD-20642, AD-20643, AD-20644, AD-20646, AD-20647, AD-20648, AD-20650, AD-20652, AD-20653, AD-20656, AD-20658, AD-20659, AD-20660, AD-20661,

AD-20662, AD-20670, AD-20671, AD-20672, AD-20676, AD-20678, AD-20693, AD-20694, AD-20695, AD-20700, AD-20701, AD-20702, AD-20703, AD-20705, AD-20706, AD-20707, AD-20708, AD-20709, AD-20710, AD-20711, AD-20713, AD-20714, AD-20715, AD-20716, AD-20718, AD-20720, AD-20728, AD-20730, AD-20731, AD-20741, AD-20742, AD-20743, 5 AD-20744, AD-20748, AD-20751, AD-20752, AD-20754, AD-20764, AD-20765, AD-20766, AD-20783, AD-20784, AD-20785, AD-20786, AD-20790, AD-20801, or modified or unmodified variants thereof.

[00574] Additional particular embodiments

10 **[00575]** In various embodiments, the disclosure comprises a RNAi agent comprising a sense and an antisense strand, wherein the antisense strand comprises or consists of the antisense strand of any RNAi agent disclosed herein.

[00576] Thus, the following are provided as examples of the various embodiments.

[00577] The disclosure comprises a RNAi agent comprising a sense and an antisense strand, 15 wherein the antisense strand comprises or consists of the antisense strand of: AD-20278, AD-20279, AD-20280, AD-20281, AD-20282, AD-20283, AD-20296, AD-20300, AD-20303, AD-20312, AD-20313, AD-20315, AD-20344, AD-20345, AD-20348, AD-20349, AD-20353, AD-20362, AD-20364, AD-20365, AD-20366, AD-20373, AD-20374, AD-20376, AD-20377, AD-20378, AD-20379, AD-20380, AD-20386, 20 AD-20387, AD-20388, AD-20389, AD-20390, AD-20391, AD-20392, AD-20393, AD-20395, AD-20396, AD-20397, AD-20398, AD-20399, AD-20401 AD-20402, AD-20403, AD-20404, AD-20406, AD-20407, AD-20408, AD-20409, AD-20410, AD-20411, AD-20413, AD-20421, AD-20422, AD-20424, AD-20426, AD-20426, AD-20427, AD-20428, AD-20433, AD-20434, AD-20435, AD-20436, AD-20437, AD-20438, 25 AD-20439, AD-20487, AD-20488, AD-20489, AD-20490, AD-20491, AD-20492, AD-20493, AD-20494, AD-20495, AD-20501, AD-20502, AD-20504, AD-20506, AD-20507, AD-20510, AD-20511, AD-20513, AD-20527, AD-20530 AD-20531, AD-20534, AD-20535, AD-20538, AD-20542, AD-20543, AD-20544, AD-20545, AD-20546, AD-20547, AD-20548, AD-20549, AD-20550, AD-20552, AD-20554, AD-20555, 30 AD-20556, AD-20557, AD-20558, AD-20559, AD-20560, AD-20561, AD-20562, AD-20563, AD-20564, AD-20565, AD-20566, AD-20567, AD-20570, AD-20572, AD-20574, AD-20575, AD-20576, AD-20577, AD-20578, AD-20579, AD-20580, AD-20581, AD-20582, AD-20625, AD-20626, AD-20627, AD-20628, AD-20629, AD-20630, AD-20631, AD-20632, AD-20633, AD-20635, AD-20638, AD-20639, AD-20640, AD-20642, 35 AD-20643, AD-20644, AD-20646, AD-20647, AD-20648, AD-20650, AD-20652, AD-20653, AD-20656, AD-20658, AD-20659, AD-20660, AD-20661, AD-20662, AD-20670, AD-20671, AD-20672, AD-20676, AD-20678, AD-20693, AD-20694, AD-20695, AD-20700, AD-20701,

AD-20702, AD-20703, AD-20705, AD-20706, AD-20707, AD-20708, AD-20709, AD-20710, AD-20711, AD-20713, AD-20714, AD-20715, AD-20716, AD-20718, AD-20720, AD-20728, AD-20730, AD-20731, AD-20741, AD-20742, AD-20743, AD-20744, AD-20748, AD-20751, AD-20752, AD-20754, AD-20764, AD-20765, AD-20766, AD-20783, AD-20784, AD-20785,

5 AD-20786, AD-20790, AD-20801, or modified or unmodified variants thereof.

[00578] In various embodiments, the disclosure comprises a RNAi agent comprising a sense and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the antisense strand of any RNAi agent disclosed herein, or

10 modified or unmodified variants thereof, wherein the antisense strand optionally further comprises 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 or more nt (or any range thereof, e.g., 0-1, 1-2, 1-3, 1-4 nt, etc.).

[00579] Thus, in various embodiments, the disclosure comprises a RNAi agent comprising a sense and an antisense strand, wherein the antisense strand comprises at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 nt from the antisense strand of:

15 AD-20278, AD-20279, AD-20280, AD-20281, AD-20282, AD-20283, AD-20303, AD-20313, AD-20315, AD-20348, AD-20362, AD-20364, AD-20365, AD-20366, AD-20373, AD-20376, AD-20377, AD-20378, AD-20386, AD-20389, AD-20391, AD-20392, AD-20397, AD-20398, AD-20399, AD-20401, AD-20402, AD-20403, AD-20404, AD-20406, AD-20407, AD-20408, AD-20409, AD-20410,

20 AD-20411, AD-20413, AD-20422, AD-20428, AD-20434, AD-20435, AD-20437, AD-20437, AD-20438, AD-20439, AD-20487, AD-20487, AD-20488, AD-20489, AD-20489, AD-20490, AD-20491, AD-20493, AD-20495, AD-20502, AD-20507, AD-20513, AD-20527, AD-20535, AD-20544, AD-20545, AD-20546, AD-20547, AD-20548, AD-20549, AD-20552, AD-20555, AD-20556, AD-20557, AD-20558, AD-20560, AD-20560, AD-20561, AD-20562, AD-20563,

25 AD-20564, AD-20565, AD-20566, AD-20570, AD-20572, AD-20574, AD-20575, AD-20577, AD-20578, AD-20579, AD-20580, AD-20597, AD-20598, AD-20625, AD-20626, AD-20627, AD-20633, AD-20634, AD-20640, AD-20644, AD-20646, AD-20648, AD-20650, AD-20652, AD-20653, AD-20660, AD-20661, AD-20671, AD-20693, AD-20694, AD-20700, AD-20702, AD-20707, AD-20709, AD-20710, AD-20714, AD-20716, AD-20728, AD-20730, AD-20741,

30 AD-20764, AD-20783, AD-30071, AD-36969, AD-36970, AD-37718, AD-37719, AD-37720, AD-37721, AD-37722, AD-37723, AD-37724, AD-37725, AD-37726, AD-37727, AD-37728, AD-37729, AD-37730, AD-37731, AD-37732, AD-37733, AD-37734, AD-37735, AD-37736, AD-37737, AD-37738, AD-37739, AD-37740, AD-37741, AD-37742, or modified or unmodified variants thereof, wherein the antisense strand optionally further comprises 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10 or more nt (or any range thereof, e.g., 0-1, 1-2, 1-3, 1-4 nt, etc.).

[00580] In one embodiment, the disclosure comprises any one or more RNAi agent listed herein.

[00581] Additional particular specific embodiments

[00582] Certain RNAi agents to HSF1 are disclosed in the scientific literature, e.g., in Rossi et al. 2006 *Cancer Res.* 66:7678-85; Dokladny et al. 2008 *Am. J. Pathology* 72:659-70; Jacobs et al. 2007 *J. Biol. Chem.* 282: 33412-20; Page et al. 2006 *Mol. Biosystems* 2:627-39; Zhao et al. 2007 *Diabetes* 56: 1436-1444; and Du et al. 2009 *J. Cell. Phys.* 218:631-637. The compositions of this invention do not cover these RNAi agents to the extent that they are identical in both sequence and modifications.

[00583] Other particular specific embodiments include compositions comprising 1, 2, 3, 4, or 10 more of these RNAi agents. Another embodiment is a composition comprising any single RNAi agent, along with any other RNAi agents which overlap it. Another embodiment comprises two, three, four or more HSF1 RNAi agents which do not overlap and thus target different parts of the RNA molecule. When two or more RNAi agents are used, they can be administered simultaneously or sequentially.

[00584] Another particular specific embodiment comprises an RNAi agent, wherein the RNAi agent comprises a sense strand comprising at least 15 contiguous nucleotides (identical in sequence) to the sense strand of any of the listed RNAi agents, and an antisense strand comprising at least 15 contiguous nucleotides (identical in sequence) to the antisense strand of the same RNAi agent. In another embodiment, the composition comprises one, two, three, four, or more such 20 RNAi agents.

[00585] In one embodiment, the composition comprises an RNAi agent which comprises an antisense strand comprising at least 15 contiguous nucleotides differing by 0, 1, 2 or 3 mismatches from the antisense strand of a RNAi agent described herein.

[00586] In one embodiment, the composition comprises an RNAi agent which comprises an 25 antisense strand comprising at least 15 contiguous nucleotides differing by 0, 1, 2 or 3 mismatches from the antisense strand of a RNAi agent described herein.

[00587] In another embodiment, the composition comprises an RNAi agent which comprises a sense strand comprising at least 15 contiguous nucleotides differing by 0, 1, 2, or 3 mismatches from the sense strand of one of the listed RNAi agents, and an antisense strand comprising at least 30 15 contiguous nucleotides differing by 0, 1, 2 or 3 mismatches from the antisense strand of the same RNAi agent.

[00588] A “mismatch” is defined herein as a difference between the base sequence or length when two sequences are maximally aligned and compared. As a non-limiting example, a mismatch is counted if a difference exists between the base at a particular location in one 35 sequence and the base at the corresponding position in another sequence (e.g., between the sequence of a given RNAi agent and an RNAi agent listed herein). Thus, a mismatch is counted, for example, if a position in one sequence has a particular base (e.g., A), and the corresponding

position on the other sequence has a different base (e.g., G, C or U). A mismatch is also counted, e.g., if a position in one sequence has a base (e.g., A), and the corresponding position on the other sequence has no base (e.g., that position is an abasic nucleotide which comprises a phosphate-sugar backbone but no base). A single-stranded nick in either sequence (or in the sense or

5 antisense strand) is not counted as mismatch. Thus, as a non-limiting example, no mismatch would be counted if one sequence comprises the sequence A-G, but the other sequence comprises the sequence A-G with a single-stranded nick between the A and the G. A base modification is also not considered a mismatch. If one sequence comprises a C, and the other sequence comprises a modified C (e.g., with a 2'-modification) at the same position, no mismatch would be counted.

10 Thus, modifications of a nucleotide other than replacement or alteration of the base would not constitute a mismatch. For example, no mismatch would occur between a nucleotide which is A, and a nucleotide which is A with a 5' modification (e.g., those illustrated in Figure 1) and/or a 2'-modification. The key feature of a mismatch (base replacement) is that it would not be able to base-pair with the corresponding base on the opposite strand. In addition, terminal overhangs

15 such as "UU" or "dTdT" are not counted when counting the number of mismatches; the terminal "UU" and "dTdT" overhangs are also not included when calculating "15 contiguous nucleotides."

[00589] In these embodiments, a mismatch is defined as a position wherein the base of one sequence does not match the base of the other sequence.

20 [00590] In another embodiment, the composition comprises 1, 2, 3, 4, or more such RNAi agents.

[00591] In another embodiment, the composition comprises an RNAi agent which comprises a sense strand comprising at least 15 contiguous nucleotides differing by 0, 1, 2 or 3 mismatches from the sense strand of one of the listed RNAi agents, and an antisense strand comprising at least 15 contiguous nucleotides differing by 0, 1, 2 or 3 mismatches from the antisense strand of the

25 same RNAi agent

[00592] Overlapping groups of HSF1 siRNAs

[00593] In various embodiments, the disclosure relates to groups of RNAi agents with overlapping sequences. Thus, the disclosure encompasses groups of RNAi agents wherein each 30 RNAi agent in the group overlaps with each other RNAi agent in the same group by at least 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 or more nucleotides. Particularly, in one embodiment, the overlap is at least 12 nt. Groups of sequences that overlap are shown in Table 3A.

[00594] Table 3A shows, for example, that AD-20594 and AD-20596 share the common technical feature of the sequence of ACGUCCCGGCCU in the sense strand, and the sequence of 35 AGGCCGGGACGU in the antisense strand. Note of course that only a 12-nt portion of the overlap is shown; many groups of RNAi agents will overlap by more than 12 nt. The position within the gene is also indicated.

[00595] The disclosure thus encompasses various embodiments comprising groups of overlapping RNAi agents, for example (1) RNAi agents comprising the sequences of AD-20594 and AD-20596; (2) RNAi agents consisting of the sequences of AD-20594 and AD-20596; (3) RNAi agents comprising the sequences of AD-20594 and AD-20596; (4) RNAi agents comprising a sense strand and/or a antisense strand comprising a sequence of AD-20594 and AD-20596; (5) RNAi agents comprising a sense strand and/or a antisense strand comprising 15 contiguous nt with 0 to 3 mismatches from a sequence of AD-20594 and AD-20596; (6) RNAi agents comprising a sense strand comprising 15 contiguous nt with 0 to 3 mismatches from a sequence of AD-20594 and AD-20596; (7) RNAi agents comprising an antisense strand comprising 15 contiguous nt with 0 to 3 mismatches from a sequence of AD-20594 and AD-20596; etc. The disclosure also encompasses similar embodiments reflecting all the overlapping groups of RNAi agents as described in Table 3A.

[00596] Variants of RNAi agents (e.g., comprising different modifications, caps, etc.) are disclosed herein, e.g., in Tables 2, 3, 9A and 9B. In these texts and tables, for example, AD-20437 shares the same sequence as AD-20437.4, though the RNAi agents differ in their modifications, caps (e.g., 5' and/or 3' caps), etc. However, any overlapping group comprising a RNAi agent of a given sequence also comprises any other RNAi agent which has the same sequence, but different variations in modifications, caps, etc. Thus, any group of overlapping RNAi agents that includes AD-20437 also includes AD-20437.4 and other variants of the same sequence (e.g., with different modifications, caps, etc.). More embodiments are provided herein, and are included in the scope of each RNAi agents of the disclosure.

EXAMPLES

25 [00597] **EXAMPLE 1. Bioinformatics**

[00598] **Transcripts**

[00599] Oligonucleotide design was carried out to identify siRNAs targeting the gene “heat shock transcription factor 1 (HSF1)” from human (NCBI symbol HSF1), the orthologous sequences from rhesus monkey (*Macaca mulatta*), cynomolgus monkey (*Macaca fascicularis*), 30 and orangutan (*Pongo pygmaeus*). The design process used the HSF1 transcripts NM_005526.2 from human (NCBI GeneId 3297), ENSMMUT00000020648 from rhesus (from Ensembl), internally cloned and sequenced cyno HSF1 sequences (e.g., SEQ ID NO: 2051), and ENSPPYT00000022122 from orangutan (from Ensembl). The design strategy was as follows: Begin with all perfect 19-mer human/cyno HSF1 matches. Next, expand this set with all perfect 35 19-mer human/orangutan/rhesus matches. Any 19-mers with mismatches to the partial cyno sequence available at the time of design were then excluded. Last, seven sequences were selected based on homology with the Novartis shRNA library. The resulting set of 512 19-mer sequences,

all perfect matches to the human HSF1 gene, were then further sampled for synthesis and screening. These sequences are listed in Table 1. These sequences have not been modified.

[00600] The phrase “Position” denotes the starting position of the oligonucleotide (e.g., the 19-mer) on the transcript. This is measured in nucleotide coordinates, relative to beginning of the transcript.

TABLE 1. HSF1 19-mers

Duplex Name	Position	SEQ ID NO	Sense 5'-3' unmodified	SEQ ID NO	Antisense 5'-3' unmodified
R0001	201	1	GGGCCAGCAACGUCCCGG	513	CCGGGACGUUGCUGGGCCC
R0002	202	2	GGCCCAGCAACGUCCCGGC	514	GCCGGGACGUUGCUGGGCC
R0003	203	3	GCCCAGCAACGUCCCGGCC	515	GGCCGGGACGUUGCUGGGC
R0004	204	4	CCCAGCAACGUCCCGGCCU	516	AGGCCGGGACGUUGCUGGG
R0005	205	5	CCAGCAACGUCCCGGCCUU	517	AAGGCCGGGACGUUGCUGG
R0006	206	6	CAGCAACGUCCCGGCCUUUC	518	GAAGGCCGGGACGUUGCUG
R0007	207	7	AGCAACGUCCCGGCCUUCC	519	GGAAAGGCCGGGACGUUGC
R0008	208	8	GCAACGUCCCGGCCUUCCU	520	AGGAAGGCCGGGACGUUGC
AD-20594	209	9	CAACGUCCCGGCCUUCCUG	521	CAGGAAGGCCGGGACGUUG
AD-20595	210	10	AACGUCCCGGCCUUCCUGA	522	UCAGGAAGGCCGGGACGUU
AD-20596	211	11	ACGUCCCGGCCUUCCUGAC	523	GUCAGGAAGGCCGGGACGU
AD-20285	212	12	CGUCCCGGCCUUCCUGACC	524	GGUCAGGAAGGCCGGGACG
AD-20286	213	13	GUCCCGGCCUUCCUGACCA	525	UGGUCCAGGAAGGCCGGGAC
AD-20287	216	14	CCGGCCUUCCUGACCAAGC	526	GCUUCCUGAGGAAGGCCGG
AD-20288	217	15	CGGCCUUCCUGACCAAGCU	527	AGCUUCCUGAGGAAGGCCG
AD-20289	218	16	GGCCUUCCUGACCAAGCUG	528	CAGCUUCCUGAGGAAGGCC
AD-20290	219	17	GCCUUCCUGACCAAGCUGU	529	ACAGCUUCCUGAGGAAGGC
AD-20291	220	18	CCUUCCUGACCAAGCUGUG	530	CACAGCUUCCUGAGGAAGG
AD-20292	221	19	CUUCCUGACCAAGCUGUGG	531	CCACAGCUUCCUGAGGAAG
AD-20293	222	20	UUCCUGACCAAGCUGUGGA	532	UCCACAGCUUCCUGAGGAAG
AD-20294	223	21	UCCUGACCAAGCUGUGGAC	533	GUCCACAGCUUCCUGAGGA
AD-20295	224	22	CCUGACCAAGCUGUGGACC	534	GGUCCACAGCUUCCUGAGG
AD-20296	225	23	CUGACCAAGCUGUGGACCC	535	GGGUCCACAGCUUCCUGAG
AD-20297	226	24	UGACCAAGCUGUGGACCCU	536	AGGUCCACAGCUUCCUGA
AD-20298	227	25	GACCAAGCUGUGGACCCUC	537	GAGGGUCCACAGCUUCCUG
AD-20299	228	26	ACCAAGCUGUGGACCCUCG	538	CGAGGGUCCACAGCUUCCU
AD-20300	229	27	CCAAGCUGUGGACCCUCGU	539	ACGAGGGUCCACAGCUUCC
AD-20301	230	28	CAAGCUGUGGACCCUCUGU	540	CACGAGGGUCCACAGCUUCC
AD-20302	231	29	AAGCUGUGGACCCUCGUGA	541	UCACGAGGGUCCACAGCUU
AD-20303	232	30	ACGUGGACCCUCGUGAGG	542	CUCACGAGGGUCCACAGCU
AD-20304	233	31	GCUGUGGACCCUCGUGAGC	543	GCUCACGAGGGUCCACAGC
AD-20305	234	32	CUGUGGACCCUCGUGAGCG	544	CGCUCACGAGGGUCCACAG
AD-20306	235	33	UGUGGACCCUCGUGAGCGA	545	UCGCUCACGAGGGUCCACA

AD-20307	236	34	GUGGACCCUCGUGAGCGAC	546	GUCGCUCACGAGGGUCCAC
AD-20308	237	35	UGGACCCUCGUGAGCGACC	547	GGUCGCUCACGAGGGUCCA
AD-20309	238	36	GGACCCUCGUGAGCGACCC	548	GGGUCGCUCACGAGGGUCC
AD-20310	239	37	GACCCUCGUGAGCGACCCG	549	CGGGUCGCUCACGAGGGUC
AD-20311	240	38	ACCCUCGUGAGCGACCCGG	550	CCGGGUCGCUCACGAGGGU
AD-20312	241	39	CCUCGUGAGCGACCCGGGA	551	UCCGGGUCGCUCACGAGGG
AD-20313	242	40	CCUCGUGAGCGACCCGGAC	552	GUCCGGGUCGCUCACGAGG
AD-20314	243	41	CUCGUGAGCGACCCGGACA	553	UGUCCGGGUCGCUCACGAG
AD-20315	244	42	UCGUGAGCGACCCGGACAC	554	GUGUCCGGGUCGCUCACGA
AD-20316	245	43	CGUGAGCGACCCGGACACC	555	GGUGUCCGGGUCGCUCACG
AD-20317	246	44	GUGAGCGACCCGGACACCG	556	CGGUJGUCCGGGUCGCUCAC
AD-20318	247	45	UGAGCGACCCGGACACCGA	557	UCGGGUGUCCGGGUCGCUC
R0009	248	46	GAGCGACCCGGACACCGAC	558	GUCGGUGUCCGGGUCGCUC
R0010	249	47	AGCGACCCGGACACCGACG	559	CGUCCGGUGUCCGGGUCGC
R0011	250	48	GCGACCCGGACACCGACGC	560	GCGUCGGUGUCCGGGUCGC
AD-20319	270	49	CUCAUCUGCUGGAGCCCGA	561	UCGGGCUCCAGCAGAUGAG
AD-20320	271	50	UCAUCUGCUGGAGCCCGAG	562	CUCGGGCUCCAGCAGAUGA
AD-20344	306	51	GUGUUCGACCAGGGCCAGU	563	ACUGGCCUUGGUCGAACAC
AD-20345	307	52	UGUUCGACCAGGGCCAGUU	564	AAUCUGGCCUUGGUCGAACA
R0103	308	53	GUUCGACCAGGGCCAGUUU	565	AAACUGGCCUUGGUCGAAC
AD-20346	309	54	UUCGACCAGGGCCAGUUUG	566	AAACUGGCCUUGGUCGAAC
AD-20347	310	55	UCGACCAGGGCCAGUUUJGC	567	GCAAACUGGCCUUGGUCGA
AD-20348	311	56	CGACCAGGGCCAGUUUGCC	568	GGCAAACUGGCCUUGGUCG
AD-20349	312	57	GACCAGGGCCAGUUUJGCA	569	UGGCAAACUGGCCUUGGUC
AD-20350	313	58	ACCAGGGCCAGUUUJGCAA	570	UJGGCAAACUGGCCUUGGU
AD-20351	314	59	CCAGGGCCAGUUUJGCAAG	571	CUUJGGCAAACUGGCCUUGG
AD-20352	315	60	CAGGGCCAGUUUJGCAAGG	572	CCUJGGCAAACUGGCCUUG
AD-20353	316	61	AGGGCCAGUUUJGCAAGGA	573	UCCUJGGCAAACUGGCCU
AD-20354	317	62	GGGCCAGUUUJGCAAGGAG	574	CUCCUJGGCAAACUGGCC
AD-20355	318	63	GGCCAGUUUJGCAAGGAGG	575	CCUCCUJGGCAAACUGGCC
AD-20356	319	64	GCCAGUUUJGCAAGGAGGU	576	ACCUCCUJGGCAAACUGGC
AD-20357	320	65	CCAGUUUJGCAAGGAGGUG	577	CACCUCCUJGGCAAACUGG
AD-20358	321	66	CAGUUUJGCAAGGAGGUGC	578	GCACCUCCUJGGCAAACUG
AD-20359	322	67	AGUUUJGCAAGGAGGUGC	579	AGCACCUCCUJGGCAAACU
AD-20360	323	68	GUUJGCAAGGAGGAGGUGC	580	CAGCACCUCCUJGGCAAAC
AD-20361	324	69	UJUGGCAAGGAGGUGJUGC	581	GCAGCACCUCCUJGGCAA
AD-20362	325	70	UUGGCAAGGAGGUGJUGCC	582	GGCACACCUCCUJGGCAA
AD-20363	326	71	UGGCAAGGAGGUGJUGCCC	583	GGGCAGCACCUCCUJGGCA
AD-20364	327	72	GCCAGGAGGUGJUGCCCA	584	UGGGCAGCACCUCCUJGGC
AD-20365	328	73	CCAAGGAGGUGJUGCCCAA	585	UUGGGCAGCACCUCCUJGG
AD-20366	329	74	CAAGGAGGUGJUGCCCAAG	586	CUUGGGCAGCACCUCCUJUG
AD-20367	330	75	AAGGAGGUGJUGCCCAAGUA	587	ACUUGGGCAGCACCUCCUJ
AD-20368	331	76	AGGAGGUGJUGCCCAAGUA	588	UACUUGGGCAGCACCUCCU

AD-20369	351	77	UUCAAGCACAACAACAUGG	589	CCAUGUUGUUGUGCUUGAA
AD-20370	352	78	UCAAGCACAACAACAUGGC	590	GCCAUGUUGUUGUGCUUGA
AD-20371	353	79	CAAGCACAACAACAUGGCC	591	GGCCAUGUUGUUGUGCUUG
AD-20372	354	80	AAGCACAACAACAUGGCCA	592	UGGCCAUGUUGUUGUGCUU
AD-20373	355	81	AGCACAACAACAUGGCCAG	593	CUGGCCAUGUUGUUGUGCU
AD-20374	356	82	GCACAACAACAUGGCCAGC	594	GCUGGCCAUGUUGUUGUGC
AD-20375	357	83	CACAACAACAUGGCCAGCU	595	AGCUGGCCAUGUUGUUGUG
AD-20376	358	84	ACAACAACAUGGCCAGCUU	596	AAGCUGGCCAUGUUGUUGU
AD-20378	360	85	AACAACAUGGCCAGCUUCG	597	CGAAGCUGGCCAUGUUGUU
AD-20379	361	86	ACAACAUGGCCAGCUUCGU	598	ACGAAGCUGGCCAUGUUGU
AD-20380	362	87	CAACAUGGCCAGCUUCGUG	599	CACGAAGCUGGCCAUGUUG
AD-20381	363	88	AAACAUGGCCAGCUUCGUGC	600	GCACGAAGCUGGCCAUGUU
AD-20382	364	89	ACAUGGCCAGCUUCGUGCG	601	CGCACGAAGCUGGCCAUGU
AD-20383	365	90	CAUGGCCAGCUUCGUGCGG	602	CCGCACGAAGCUGGCCAUG
AD-20384	366	91	AUGGCCAGCUUCGUGCGGC	603	GCGCACGAAGCUGGCCAU
AD-20385	367	92	UGGCCAGCUUCGUGCGGA	604	UGCCGCACGAAGCUGGCCA
AD-20386	436	93	UGGUCAAGCCAGAGAGAGA	605	UCUCUCUCUGGCCUUGACCA
R0012	437	94	GGUCAAGCCAGAGAGAGAC	606	GUCUCUCUCUGGCCUUGACC
R0013	438	95	GUCAAGCCAGAGAGAGACG	607	CGUCUCUCUCUGGCCUUGAC
R0014	439	96	UCAAGCCAGAGAGAGACGA	608	UCGUCUCUCUCUGGCCUUGA
R0015	440	97	CAAGCCAGAGAGAGACGAC	609	GUCGUCUCUCUCUGGCCUUG
R0016	441	98	AAGCCAGAGAGAGACGACA	610	UGUCGUCUCUCUCUGGCCUU
R0017	442	99	AGCCAGAGAGAGACGACAC	611	GUGUCGUCUCUCUCUGGCCU
R0018	443	100	GCCAGAGAGAGACGACACG	612	CGUGUCGUCUCUCUCUGGCC
R0019	444	101	CCAGAGAGAGACGACACGG	613	CCGUGUCGUCUCUCUCUGGG
R0020	445	102	CAGAGAGAGACGACACCGA	614	UCCGUGUCGUCUCUCUCUG
R0021	446	103	AGAGAGAGACGACACGGAG	615	CUCCGUGUCGUCUCUCUCU
R0022	447	104	GAGAGAGACGACACGGAGU	616	ACUCCGUGUCGUCUCUCUC
R0023	448	105	AGAGAGACGACACGGAGUU	617	AACUCCGUGUCGUCUCUCU
R0024	449	106	GAGAGACGACACGGAGUUC	618	GAACUCCGUGUCGUCUCUC
R0025	450	107	AGAGACGACACGGAGUUCC	619	GGAACUCCGUGUCGUCUCU
R0026	451	108	GAGACGACACGGAGUUCCA	620	UGGAACUCCGUGUCGUCUC
R0027	452	109	AGACGACACGGAGUUCCAG	621	CUGGAACUCCGUGUCGUCU
R0028	453	110	GACGACACGGAGUUCCAGC	622	GCUGGAACUCCGUGUCGUC
R0029	454	111	ACGACACGGAGUUCCAGCA	623	UGCUGGAACUCCGUGUCGUC
R0030	455	112	CGACACGGAGUUCCAGCAC	624	GUGCUGGAACUCCGUGUCG
R0031	456	113	GACACGGAGUUCCAGCAC	625	GGUGCUGGAACUCCGUGUC
R0032	457	114	ACACGGAGUUCCAGCACCC	626	GGGUGCUGGAACUCCGUGU
AD-20387	489	115	GGCCAGGAGCAGCUCCUUG	627	CAAGGAGCUGCUCCUGGCC
AD-20388	490	116	GCCAGGAGCAGCUCCUUGA	628	UCAAGGAGCUGCUCCUGGC
AD-20389	491	117	CCAGGAGCAGCUCCUUGAG	629	CUCAAGGAGCUGCUCCUGG
AD-20390	492	118	CAGGAGCAGCUCCUUGAGA	630	UCUCAAGGAGCUGCUCCUG
AD-20391	493	119	AGGAGCAGCUCCUUGAGAA	631	UUCUCAAGGAGCUGCUCCU

AD-20392	494	120	GGAGCAGCUCCUUGAGAAC	632	GUUCUCAAGGAGCUGCUCC
AD-20393	495	121	GAGCAGCUCCUUGAGAAC	633	UGUUCUCAAGGAGCUGCUC
AD-20394	496	122	AGCAGCUCCUUGAGAACAU	634	AUGUUCUCAAGGAGCUGCU
AD-20395	497	123	GCAGCUCCUUGAGAACAUCA	635	GAUGUUCUCAAGGAGCUGC
AD-20396	498	124	CAGCUCCUUGAGAACAUCA	636	UGAUGUUCUCAAGGAGCUG
AD-20397	499	125	AGCUCCUUGAGAACAUCAA	637	UUGAUGUUCUCAAGGAGCU
AD-20398	500	126	GCUCCUUGAGAACAUCAAG	638	CUUGAUGUUCUCAAGGAGC
AD-20399	501	127	CUCCUUGAGAACAUCAAGA	639	UCUUGAUGUUCUCAAGGAG
AD-20400	502	128	UCCUUGAGAACAUCAAGAG	640	CUCUUGAUGUUCUCAAGGA
AD-20401	503	129	CCUUGAGAACAUCAAGAGG	641	CCUCUUGAUGUUCUCAAGG
AD-20402	504	130	CUUGAGAACAUCAAGAGGA	642	UCCUCUUGAUGUUCUCAAG
AD-20403	505	131	UUGAGAACAUCAAGAGGAA	643	UUCCUCUUGAUGUUCUCAA
AD-20404	506	132	UGAGAACAUCAAGAGGAA	644	UUCCUCUUGAUGUUCUCA
R0033	507	133	GAGAACAUCAAGAGGAAAG	645	CUUCCUCUUGAUGUUCUC
R0034	508	134	AGAACAUCAAGAGGAAAGU	646	ACUUUCCUCUUGAUGUUCU
AD-20405	509	135	GAACAUCAAGAGGAAAGUG	647	CACUUUCCUCUUGAUGUUC
AD-20406	510	136	AAACAUCAAGAGGAAAGUGA	648	UCACUUUCCUCUUGAUGU
AD-20407	511	137	ACAUCAAGAGGAAAGUGAC	649	GUCACUUUCCUCUUGAUGU
AD-20408	512	138	CAUCAAGAGGAAAGUGACC	650	GGUCACUUUCCUCUUGAUG
AD-20409	513	139	AUCAAGAGGAAAGUGACCA	651	UGGUCACUUUCCUCUUGAU
AD-20410	514	140	UCAAGAGGAAAGUGACCA	652	CUGGUCACUUUCCUCUUGA
AD-20411	515	141	CAAGAGGAAAGUGACCAGU	653	ACUGGUCACUUUCCUCUUG
AD-20412	516	142	AAGAGGAAAGUGACCAGUG	654	CACUGGUCACUUUCCUCUU
AD-20413	517	2042	AGAGGAAAGUGACCAGUGU	2043	ACACUGGUCACUUUCCUCU
AD-20414	518	143	GAGGAAAGUGACCAGUGUG	655	CACACUGGUCACUUUCCUC
AD-20415	519	144	AGGAAAGUGACCAGUGUGU	656	ACACACUGGUCACUUUCCU
AD-20416	520	145	GGAAAGUGACCAGUGUGUC	657	GACACACUGGUCACUUUCC
AD-20417	521	146	GAAAGUGACCAGUGUGUCC	658	GGACACACUGGUCACUUUCC
AD-20418	522	147	AAAGUGACCAGUGUGUCC	659	UGGACACACUGGUCACUUU
AD-20419	523	148	AAAGUGACCAGUGUGUCCAC	660	GUGGACACACUGGUCACUU
AD-20420	524	149	AGUGACCAGUGUGUCCACC	661	GGUGGACACACUGGUCACU
AD-20421	525	150	GUGACCAGUGUGUCCACCC	662	GGGUGGACACACUGGUCAC
AD-20422	526	151	UGACCAGUGUGUCCACCCU	663	AGGGUGGACACACUGGUC
AD-20423	527	152	GACCAGUGUGUCCACCCUG	664	CAGGGUGGACACACUGGUC
AD-20424	528	153	ACCAGUGUGUCCACCCUGA	665	UCAGGGUGGACACACUGGU
AD-20425	529	154	CCAGUGUGUCCACCCUGAA	666	UUCAGGGUGGACACACUGG
AD-20426	530	155	CAGUGUGUCCACCCUGAAG	667	CUUCAGGGUGGACACACUG
AD-20427	531	156	AGUGUGUCCACCCUGAAGA	668	UCUUCAGGGUGGACACACU
AD-20428	532	157	GUGUGUCCACCCUGAAGAG	669	CUCUCAGGGUGGACACAC
AD-20429	533	158	UGUGUCCACCCUGAAGAGU	670	ACUCUUCAGGGUGGACACA
AD-20430	534	159	GUGUCCACCCUGAAGAGUG	671	CACUCUUCAGGGUGGACAC
AD-20431	535	160	UGUCCACCCUGAAGAGUGA	672	UCACUCUUCAGGGUGGACA
AD-20432	536	161	GUCCACCCUGAAGAGUGAA	673	UUCACUCUUCAGGGUGGAC

AD-20433	537	162	UCCACCCUGAAGAGUGAAG	674	CUUCACUCUUCAGGGUGGA
AD-20434	538	163	CCACCCUGAAGAGUGAAGA	675	UCUUCACUCUUCAGGGUGG
AD-20435	539	164	CACCCUGAAGAGUGAAGAC	676	GUCUUCACUCUUCAGGGUG
AD-20436	540	165	ACCCUGAAGAGUGAAGACA	677	UGUCUUCACUCUUCAGGGU
AD-20437	541	166	CCCUGAAGAGUGAAGACAU	678	AUGUCUUCACUCUUCAGGG
AD-20438	542	167	CCUGAAGAGUGAAGACAU	679	UAUGUCUUCACUCUUCAGG
AD-20439	543	168	CUGAAGAGUGAAGACAUAA	680	UUAUGUCUUCACUCUUCAG
AD-20487	544	169	UGAAGAGUGAAGACAUAAA	681	UUUAUGUCUUCACUCUUC
AD-20488	545	170	GAAGAGUGAAGACAUAAAG	682	CUUUAUGUCUUCACUCUUC
AD-20489	546	171	AAGAGUGAAGACAUAAAAGA	683	UCUUUAUGUCUUCACUCUU
AD-20490	547	172	AGAGUGAAGACAUAAAAGAU	684	AUCUUUAUGUCUUCACUCU
AD-20491	548	173	GAGUGAAGACAUAAAAGAUC	685	GAUCUUUAUGUCUUCACUC
AD-20492	549	174	AGUGAAGACAUAAAAGAUCC	686	GGAUUUUAUGUCUUCACU
AD-20493	550	175	GUGAAGACAUAAAAGAUCCG	687	CGGAUCUUUAUGUCUUCAC
AD-20494	579	176	GUCACCAAGCUGCUGACCGG	688	CCGUCAGCAGCUUGGUGAC
AD-20495	580	177	UCACCAAGCUGCUGACCGGA	689	UCCGUCAGCAGCUUGGUGA
AD-20496	581	178	CACCAAGCUGCUGACGGAC	690	GUCCGUCAGCAGCUUGGUG
AD-20497	582	179	ACCAAGCUGCUGACGGACGG	691	CGUCCGUCAGCAGCUUGGU
AD-20498	583	180	CCAAGCUGCUGACGGACGU	692	ACGUCCGUCAGCAGCUUGG
AD-20499	584	181	CAAGCUGCUGACGGACGUG	693	CACGUCCGUCAGCAGCUUG
AD-20500	585	182	AAGCUGCUGACGGACGUGC	694	GCACGUCCGUCAGCAGCUU
AD-20501	586	183	AGCUGCUGACGGACGUGCA	695	UGCACGUCCGUCAGCAGCU
AD-20502	587	184	GCUGCUGACGGACGUGGAG	696	CUGCACGUCCGUCAGCAGC
AD-20503	588	185	CUGCUGACGGACGUGCGAG	697	GCUGCACGUCCGUCAGCAG
AD-20504	589	186	UGCUGACGGACGUGGAGCU	698	AGCUGCACGUCCGUCAGCA
AD-20505	590	187	GCUGACGGACGUGCAGCUG	699	CAGCUGCACGUCCGUCAGC
AD-20506	591	188	CUGACGGACGUGCAGCUGA	700	UCAGCUGCACGUCCGUCAG
AD-20507	592	189	UGACGGACGUGCAGCUGAU	701	AUCAGCUGCACGUCCGUC
AD-20508	593	190	GACGGACGUGCAGCUGAUG	702	CAUCAGCUGCACGUCCGUC
AD-20509	594	191	ACGGACGUGCAGCUGAUGA	703	UCAUCAGCUGCACGUCCG
AD-20510	595	192	CGGACGUGCAGCUGAUGAA	704	UUCAUCAGCUGCACGUCCG
AD-20511	596	193	GGACGUGCAGCUGAUGAAG	705	CUUCAUCAGCUGCACGUCC
AD-20512	597	194	GACGUGCAGCUGAUGAAGG	706	CCUUCAUCAGCUGCACGU
AD-20513	598	195	ACGUGCAGCUGAUGAAGGG	707	CCCUUCAUCAGCUGCACGU
AD-20514	660	196	GAGAAUGAGGCUCUGUGGCG	708	GCCACAGAGCCUCAUUCUC
AD-20515	661	197	AGAAUGAGGCUCUGUGGCG	709	CGCCACAGAGCCUCAUUCU
AD-20516	662	198	GAAUGAGGCUCUGUGGCGG	710	CCGCCACAGAGCCUCAUUC
AD-20517	663	199	AAUGAGGCUCUGUGGCGGG	711	CCCGCCACAGAGCCUCAUU
AD-20518	664	200	AUGAGGCUCUGUGGCGGG	712	UCCCCGCCACAGAGCCUCAU
AD-20519	665	201	UGAGGGCUCUGUGGCGGGAG	713	CUCCCGCCACAGAGCCUCA
AD-20520	666	202	GAGGCUCUGUGGCGGGAGG	714	CCUCCCGCCACAGAGCCUC
AD-20521	667	203	AGGCUCUGUGGCGGGAGGU	715	ACCUCCCGCCACAGAGGCC
AD-20522	668	204	GGCUCUGUGGCGGGAGGUG	716	CACCUCCCGCCACAGAGGCC

AD-20523	669	205	GCUCUGUGGCAGGGAGGUGG	717	CCACCUCCGCCACAGAGC
AD-20524	670	206	CUCUGUGGCAGGGAGGUGGC	718	GCCACCUCCGCCACAGAG
AD-20525	671	207	UCUGUGGCAGGGAGGUGGCC	719	GGCCACCUCCGCCACAGA
AD-20526	672	208	CUGUGGCAGGGAGGUGGCCA	720	UGGCCACCUCCGCCACAG
AD-20527	673	209	UGUGGCAGGGAGGUGGCCAG	721	CUGGCCACCUCCGCCACA
AD-20528	674	210	GUGGCAGGGAGGUGGCCAGC	722	GCUGGCCACCUCCGCCAC
AD-20529	675	211	UGGCAGGGAGGUGGCCAGCC	723	GGCUGGCCACCUCCGCCA
AD-20530	676	212	GGCGGGAGGUGGCCAGCCU	724	AGGCUGGCCACCUCCGCC
AD-20531	677	213	GCGGGAGGUGGCCAGCCUU	725	AAGGCUGGCCACCUCCGC
AD-20532	678	214	CGGGAGGUGGCCAGCCUUC	726	GAAGGCUGGCCACCUCCCG
AD-20533	679	215	GGGAGGUGGCCAGCCUUC	727	CGAAGGCUGGCCACCUCCC
AD-20534	680	216	GGAGGUGGCCAGCCUUCGG	728	CCGAAGGCUGGCCACCUCC
AD-20535	681	217	GAGGUGGCCAGCCUUCGGC	729	GCCGAAGGCUGGCCACCUUC
AD-20536	682	218	AGGUGGCCAGCCUUCGGCA	730	UGCCGAAGGCUGGCCACCU
AD-20537	683	219	GGUGGCCAGCCUUCGGCAG	731	CUGCCGAAGGCUGGCCAC
AD-20538	684	220	GUGGCCAGCCUUCGGCAGA	732	UCUGCCGAAGGCUGGCCAC
AD-20539	685	221	UGGCCAGCCUUCGGCAGAA	733	UUCUGCCGAAGGCUGGCCA
R0035	686	222	GGCCAGCCUUCGGCAGAAG	734	CUUCUGCCGAAGGCUGGCC
R0036	687	223	GCCAGCCUUCGGCAGAAGC	735	GUUCUCUGCCGAAGGCUGGC
R0037	688	224	CCAGCCUUCGGCAGAAGCA	736	UGCUUCUGCCGAAGGCUGG
R0038	689	225	CAGCCUUCGGCAGAAGCAU	737	AUGCUUCUGCCGAAGGCUG
AD-20540	690	226	AGCCUUCGGCAGAAGCAUG	738	CAUGCUUCUGCCGAAGGC
AD-20541	691	227	GCCUUCGGCAGAAGCAUGC	739	GCAUGCUUCUGCCGAAGGC
AD-20542	692	228	CCUUCGGCAGAAGCAUGCC	740	GGCAUGCUUCUGCCGAAGG
AD-20543	693	229	CUUCGGCAGAAGCAUGCCC	741	GGGCAUGCUUCUGCCGAAG
AD-20544	694	230	UUCGGCAGAAGCAUGCCCA	742	UGGGCAUGCUUCUGCCGAA
AD-20545	695	231	UCGGCAGAAGCAUGCCCAG	743	CUGGGCAUGCUUCUGCCGA
AD-20546	696	232	CGGCAGAAGCAUGCCCAGC	744	GCUGGGCAUGCUUCUGCCG
AD-20547	697	233	GGCAGAAGCAUGCCCAGCA	745	UGCUGGGCAUGCUUCUGCC
AD-20548	698	234	GCAGAAGCAUGCCCAGCAA	746	UUGCUGGGCAUGCUUCUGC
AD-20549	699	235	CAGAAGCAUGCCCAGCAAC	747	GUUGCUGGGCAUGCUUCUG
AD-20550	700	236	AGAAGCAUGCCCAGCAACA	748	UGUUGCUGGGCAUGCUUCU
AD-20551	701	237	GAAGCAUGCCCAGCAACAG	749	CUGUUGCUGGGCAUGCUUC
AD-20552	702	238	AAGCAUGCCCAGCAACAGA	750	UCUGUUGCUGGGCAUGCUU
AD-20553	703	239	AGCAUGCCCAGCAACAGAA	751	UUCUGUUGCUGGGCAUGCU
AD-20554	704	240	GCAUGCCCAGCAACAGAAA	752	UUUCUGUUGCUGGGCAUGC
AD-20555	705	241	CAUGCCCAGCAACAGAAAG	753	CUUUCUGUUGCUGGGCAUG
AD-20556	706	242	AUGCCCAGCAACAGAAAGU	754	ACUUUCUGUUGCUGGGCAU
AD-20557	707	243	UGCCCAGCAACAGAAAGUC	755	GACUUUCUGUUGCUGGGCA
R0039	708	244	GCCCAGCAACAGAAAGUCG	756	CGACUUUCUGUUGCUGGGC
R0040	709	245	CCCAGCAACAGAAAGUCGU	757	ACGACUUUCUGUJUGCUGGG
R0041	710	246	CCAGCAACAGAAAGUCGUC	758	GACGACUUUCUGUUGCUGG
R0042	711	247	CAGCAACAGAAAGUCGUCA	759	UGACGACUUUCUGUJUGCUG

R0043	712	248	AGCAACAGAAAGUCGUCAA	760	UUGACGACUUUCUGUUGC
R0044	713	249	GCAACAGAAAGUCGUCAAC	761	GUUGACGACUUUCUGUUGC
R0045	714	250	CAACAGAAAGUCGUCAACA	762	UGUUGACGACUUUCUGUUG
R0046	715	251	AACAGAAAGUCGUCAACAA	763	UUGUUGACGACUUUCUGUU
R0047	716	252	ACAGAAAGUCGUCAACAAG	764	CUUGUUGACGACUUUCUGU
R0048	717	253	CAGAAAGUCGUCAACAAGC	765	GUUUGUUGACGACUUUCUG
R0049	718	254	AGAAAGUCGUCAACAAGCU	766	AGCUUGUUGACGACUUUCU
R0050	719	255	GAAAGUCGUCAACAAGCUC	767	GAGCUUGUUGACGACUUUC
R0051	720	256	AAAGUCGUCAACAAGCUA	768	UGAGCUUGUUGACGACUUU
R0052	721	257	AAGUCGUCAACAAGCUAU	769	AUGAGCUUGUUGACGACUU
R0053	722	258	AGUCGUCAACAAGCUAUJ	770	AAUGAGCUUGUUGACGACU
R0054	723	259	GUCGUCAACAAGCUAUUC	771	GAAUGAGCUUGUUGACGAC
R0055	724	260	UCGUCAACAAGCUAUCA	772	UGAAUAGAGCUUGUUGACGA
R0056	725	261	CGUCAACAAGCUAUUCAG	773	CUGAAUGAGCUUGUUGACG
R0057	726	262	GUCAACAAGCUAUUCAGU	774	ACUGAAUAGAGCUUGUUGAC
R0058	727	263	UCAACAAGCUAUUCAGUU	775	AACUGAAUAGAGCUUGUUGA
R0059	728	264	CAACAAGCUAUUCAGUUC	776	GAACUGAAUAGAGCUUGUUG
R0060	729	265	AAACAGCUAUUCAGUUCC	777	GGAACUGAAUAGAGCUUGU
R0061	730	266	ACAAGCUAUUCAGUUCCU	778	AGGAACUGAAUAGAGCUUGU
AD-20558	731	267	CAAGCUAUUCAGUUCCUG	779	CAGGAACUGAAUAGAGCUUG
AD-20559	732	268	AAGCUAUUCAGUUCCUGA	780	UCAGGAACUGAAUAGAGCUU
AD-20560	733	269	AGCUAUUCAGUUCCUGAU	781	AUCAGGAACUGAAUAGAGCU
AD-20561	734	270	GCUAUUCAGUUCCUGAUC	782	GAUCAGGAACUGAAUAGAGC
AD-20562	735	271	CUAUUCAGUUCCUGAUCU	783	AGAUCAGGAACUGAAUAGAG
AD-20563	736	272	UCAAUUCAGUUCCUGAUC	784	GAGAUCAGGAACUGAAUAGA
AD-20564	737	273	CAUUCAGUUCCUGAUCUCA	785	UGAGAUCAGGAACUGAAUAG
AD-20565	738	274	AUUCAGUUCCUGAUCUCAC	786	GUGAGAUCAGGAACUGAAU
AD-20566	739	275	UUCAGUUCCUGAUCUCACU	787	AGUGAGAUCAGGAACUGAA
AD-20567	740	276	UCAGUUCCUGAUCUCACUG	788	CAGUGAGAUCAGGAACUGA
AD-20568	741	277	CAGUUCCUGAUCUCACUGG	789	CCAGUGAGAUCAGGAACUG
AD-20569	742	278	AGUUCCUGAUCUCACUGGU	790	ACCAGUGAGAUCAGGAACU
AD-20571	744	279	UUCCUGAUCUCACUGGUGC	791	GCACCAGUGAGAUCAGGAA
AD-20572	745	280	UCCUGAUCUCACUGGUGCA	792	UGCACCAGUGAGAUCAGGA
AD-20573	746	281	CCUGAUCUCACUGGUGGAG	793	CUGCACAGUGAGAUCAGG
AD-20574	747	2044	CUGAUCUCACUGGUGGAG	2045	ACUGCACCAGUGAGAUCAG
AD-20575	748	282	UGAUCUCACUGGUGGAGUC	794	GACUGCACCAGUGAGAUC
AD-20576	749	283	GAUCUCACUGGUGGAGUC	795	UGACUGCACCAGUGAGAUC
AD-20577	750	284	AUCUCACUGGUGGAGUCAA	796	UUGACUGCACCAGUGAGAU
AD-20578	751	285	UCUCACUGGUGGAGUCAAA	797	UUUGACUGCACCAGUGAGA
AD-20579	752	286	CUCACUGGUGGAGUCAAAC	798	GUUUGACUGCACCAGUGAG
AD-20581	754	287	CACUGGUGGAGUCAAACCG	799	CGGUUUGACUGCACCAGUG
AD-20582	755	288	ACUGGUGGAGUCAAACCGG	800	CCGGUUUGACUGCACCAGU
AD-20625	756	289	CUGGUGGAGUCAAACCGGA	801	UCCGGUUUGACUGCACCAG

AD-20626	757	290	UGGUGCAGUCAAACCGGAU	802	AUCCGGUUUGACUGCACCA
AD-20627	758	291	GGUGCAGUCAAACCGGAUC	803	GAUCCGGUUUGACUGCAC
AD-20628	759	292	GUGCAGUCAAACCGGAUCC	804	GGAUCCGGUUUGACUGCAC
AD-20629	760	293	UGCAGUCAAACCGGAUCCU	805	AGGAUCCGGUUUGACUGCA
AD-20630	761	294	GCAGUCAAACCGGAUCCUG	806	CAGGAUCCGGUUUGACUGC
AD-20631	762	295	CAGUCAAACCGGAUCCUGG	807	CCAGGAUCCGGUUUGACUG
AD-20632	763	296	AGUCAAACCGGAUCCUGGG	808	CCCAGGAUCCGGUUUGACU
AD-20633	781	297	GGGUGAAGAGAAAAGAUCC	809	GGGAUCUUUCUCUUUCACCC
AD-20634	799	298	CCCUGAUGCUGAACGACAG	810	CUGUCGUUCAGCAUCAGGG
AD-20635	800	299	CCUGAUGCUGAACGACAGU	811	ACUGUCGUUCAGCAUCAGG
AD-20636	801	300	CUGAUGCUGAACGACAGUG	812	CACUGUCGUUCAGCAUCAG
AD-20637	802	301	UGAUGCUGAACGACAGUGG	813	CCACUGUCGUUCAGCAUCA
AD-20638	803	302	GAUGCUGAACGACAGUGGC	814	GCCACUGUCGUUCAGCAUC
AD-20639	804	303	AUGCUGAACGACAGUGGC	815	AGCCACUGUCGUUCAGCAU
AD-20640	805	304	UGCUGAACGACAGUGGCUC	816	GAGCCACUGUCGUUCAGCA
AD-20641	806	305	GCUGAACGACAGUGGCUCA	817	UGAGCCACUGUCGUUCAGC
AD-20642	807	306	CUGAACGACAGUGGCUCAG	818	CUGAGCCACUGUCGUUCAG
AD-20643	808	307	UGAACGACAGUGGCUCAGC	819	GCUGAGCCACUGUCGUUCA
AD-20644	809	308	GAACGACAGUGGCUCAGCA	820	UGCUGAGCCACUGUCGUUC
AD-20645	810	309	AAACGACAGUGGCUCAGCAC	821	GUGCUGAGCCACUGUCGUU
AD-20646	811	310	ACGACAGUGGCUCAGCAC	822	UGUGCUGAGCCACUGUCGU
AD-20647	812	311	CGACAGUGGCUCAGCACAU	823	AUGUGCUGAGCCACUGUCG
AD-20648	813	312	GACAGUGGCUCAGCACAUU	824	AAUGUGCUGAGCCACUGUC
AD-20649	814	313	ACAGUGGCUCAGCACAUUC	825	GAAUGUGCUGAGCCACUGU
AD-20650	815	314	CAGUGGCUCAGCACAUUCC	826	GGAAUGUGCUGAGCCACUG
AD-20651	816	315	AGUGGCUCAGCACAUUCCA	827	UGGAAUGUGCUGAGCCACU
AD-20652	817	316	GUGGCUCAGCACAUUCCAU	828	AUGGAAUGUGCUGAGCCAC
AD-20653	818	317	UGGCUCAGCACAUUCCAU	829	CAUGGAAUGUGCUGAGCCA
AD-20654	819	318	GGCUCAGCACAUUCCAU	830	GCAUGGAAUGUGCUGAGCC
AD-20655	820	319	GCUCAGCACAUUCCAU	831	GGCAUGGAAUGUGCUGAGC
AD-20656	821	320	CUCAGCACAUUCCAU	832	GGGCAUGGAAUGUGCUGAG
AD-20657	822	321	UCAGCACAUUCCAU	833	UGGGCAUGGAAUGUGCUGA
AD-20658	823	322	CAGCACAUUCCAU	834	UUGGGCAUGGAAUGUGCUG
AD-20659	824	323	AGCACAUUCCAU	835	CUUGGGCAUGGAAUGUGC
AD-20660	825	324	GCACAUUCCAU	836	ACUUGGGCAUGGAAUGUGC
AD-20661	826	325	CACAUUCCAU	837	UACUUGGGCAUGGAAUGUG
AD-20284	827	326	ACAUUCCAU	838	AUACUUGGGCAUGGAAUGUG
AD-20662	847	327	GCCGGCAGUUCUCCCUGGA	839	UCCAGGGAGAACUGCCGG
AD-20868	848	328	CCGGCAGUUCUCCCUGGAG	840	CUCCAGGGAGAACUGCCGG
AD-20663	849	329	CCGCAGUUCUCCCUGGAGC	841	GCUCAGGGAGAACUGCCCG
AD-20664	850	330	GGCAGUUCUCCCUGGAGCA	842	UGCUCAGGGAGAACUGGCC
AD-20665	851	331	GCAGUUCUCCCUGGAGCAC	843	GUGCUCCAGGGAGAACUGC
AD-20666	852	332	CAGUUCUCCCUGGAGCACG	844	CGUGCUCCAGGGAGAACUG

AD-20667	853	333	AGUUCUCCCUGGAGCACGU	845	ACGUGCUCCAGGGAGAACU
AD-20668	854	334	GUUCUCCCUGGAGCACGUC	846	GACGUGCUCCAGGGAGAAC
AD-20669	855	335	UUCUCCCUGGAGCACGUCC	847	GGACGUGCUCCAGGGAGAA
AD-20670	856	336	UCUCCCUGGAGCACGUCCA	848	UGGACGUGCUCCAGGGAGA
AD-20671	857	337	CUCCCUGGAGCACGUCCAC	849	GUGGACGUGCUCCAGGGAG
AD-20672	858	338	UCCCUGGAGCACGUCCACG	850	CGUGGACGUGCUCCAGGG
AD-20673	859	339	CCCUGGAGCACGUCCACGG	851	CCGUGGACGUGCUCCAGGG
AD-20674	860	340	CCUGGAGCACGUCCACGGC	852	GCCGUGGACGUGCUCCAGG
AD-20675	861	341	CUGGAGCACGUCCACGGCU	853	AGCCGUGGACGUGCUCCAG
AD-20676	862	342	UGGAGCACGUCCACGGCUC	854	GAGCCGUGGACGUGCUCCA
R0062	863	343	GGAGCACGUCCACGGCUCG	855	CGAGCCGUGGACGUGCUCC
R0063	864	344	GAGCACGUCCACGGCUCGG	856	CCGAGCCGUGGACGUGCUC
R0064	865	345	AGCACGUCCACGGCUCGGG	857	CCCGAGCCGUGGACGUGCU
R0065	866	346	GCACGUCCACGGCUCGGG	858	GCCCCAGCCGUGGACGUGC
R0066	867	347	CACGUCCACGGCUCGGG	859	GCCCCGAGCCGUGGACGUG
R0067	868	348	ACGUCCACGGCUCGGG	860	GGGCCCAGCCGUGGACGU
AD-20677	915	349	AGCUCCAGCCUCUACGCC	861	GGGCUAGAGGCUGGAGACU
R0068	954	350	GGACCAUCAUCUCCGACA	862	UGUCGGAGAUGAUGGGUCC
R0069	955	351	GACCCAUCAUCUCCGACA	863	AUGUCGGAGAUGAUGGGU
R0070	956	352	ACCCAUCAUCUCCGACAUC	864	GAUGUCGGAGAUGAUGGGU
R0071	957	353	CCCAUCAUCUCCGACAUC	865	UGAUGUCGGAGAUGAUGGG
R0072	958	354	CCAUCAUCUCCGACAUCAC	866	GUGAUGUCGGAGAUGAUGG
R0073	959	355	CAUCAUCUCCGACAUCACC	867	GGUGAUGUCGGAGAUGAUG
R0074	960	356	AUCAUCUCCGACAUCACCG	868	CGGUGAUGUCGGAGAUGAU
R0075	961	357	UCAUCUCCGACAUCACCG	869	UCGGUGAUGUCGGAGAUGA
R0076	962	358	CAUCUCCGACAUCACCGAG	870	CUCGGUGAUGUCGGAGAUG
R0077	963	359	AUCUCCGACAUCACCGAGC	871	GCUCGGUGAUGUCGGAGAU
R0078	964	360	UCUCCGACAUCACCGAGCU	872	AGCUCGGUGAUGUCGGAGA
AD-20678	965	361	CUCCGACAUCACCGAGCUG	873	CAGCUCGGUGAUGUCGGAG
AD-20679	966	362	UCCGACAUCACCGAGCUGG	874	CCAGCUCGGUGAUGUCGG
AD-20680	967	363	CCGACAUCACCGAGCUGG	875	GCCAGCUCGGUGAUGUCGG
AD-20681	968	364	CGACAUCACCGAGCUGG	876	AGCCAGCUCGGUGAUGUCG
AD-20682	969	365	GACAUCACCGAGCUGG	877	GAGCCAGCUCGGUGAUGUC
AD-20683	970	366	ACAUCACCGAGCUGG	878	GGAGCCAGCUCGGUGAUGU
AD-20684	971	367	CAUCACCGAGCUGG	879	AGGAGCCAGCUCGGUGAUG
AD-20685	972	368	AUCACCGAGCUGG	880	CAGGAGCCAGCUCGGUGAU
AD-20686	973	369	UCACCGAGCUGG	881	GCAGGAGCCAGCUCGGUGA
AD-20687	974	370	CACCGAGCUGG	882	GGCAGGAGCCAGCUCGGUG
AD-20688	975	371	ACCGAGCUGG	883	UGGCAGGAGCCAGCUCGGU
AD-20689	976	372	CCGAGCUGG	884	CUGGCAGGAGCCAGCUCGG
AD-20690	977	373	CGAGCUGG	885	GCUGGCAGGAGCCAGCUC
AD-20691	978	374	GAGCUGG	886	GGCUGGCAGGAGCCAGCUC
AD-20692	979	375	AGCUGG	887	GGGCUGGCAGGAGCCAGCU

AD-20693	1011	376	GGCGGGAGCAUAGACGAGA	888	UCUCGUCUAUGCUCCCGCC
AD-20694	1012	377	GCGGGAGCAUAGACGAGAG	889	CUCUCGUCUAUGCUCCCGCG
AD-20695	1013	378	CGGGAGCAUAGACGAGAGG	890	CCUCUCGUCUAUGCUCCCG
AD-20696	1014	379	GGGAGCAUAGACGAGAGGC	891	GCCUCUCGUCUAUGCUCCC
AD-20697	1015	380	GGAGCAUAGACGAGAGGCC	892	GGCCUCUCGUCUAUGCUCCC
AD-20698	1016	381	GAGCAUAGACGAGAGGCC	893	GGGCCUCUCGUCUAUGCUC
AD-20699	1048	382	CCCUGGUGCGUGUCAAGGA	894	UCCUUGACACGCACCAGGG
AD-20700	1049	383	CCUGGUGCGUGUCAAGGAG	895	CUCCUUGACACGCACCAGG
AD-20701	1050	384	CUGGUGCGUGUCAAGGAGG	896	CCUCCUUGACACGCACCAG
AD-20702	1051	385	UGGUGCGUGUCAAGGAGGA	897	UCCUCCUUGACACGCACCA
AD-20869	1052	386	GGUGCGUGUCAAGGAGGAG	898	CUCCUCCUUGACACGCACC
AD-20703	1053	387	GUGCGUGUCAAGGAGGAGC	899	GCUCUCCUUGACACGCAC
AD-20704	1054	388	UGCGUGUCAAGGAGGAGCC	900	GGCUCCUCCUUGACACGCAC
AD-20705	1055	389	GCGUGUCAAGGAGGAGCC	901	GGGCUCCUCCUUGACACGCC
R0079	1074	390	CCCAGCCCGCCUCAGAGCC	902	GGCUCUGAGGCAGGGCUGGG
R0080	1075	391	CCAGCCCGCCUCAGAGCC	903	GGGCUCUGAGGCAGGGCUGG
AD-20706	1329	392	CACUUGGAUGCUAUGGACU	904	AGUCCAUAGCAUCCAAGUG
AD-20707	1330	393	ACUUGGAUGCUAUGGACUC	905	GAGUCCAUAGCAUCCAAGU
AD-20709	1332	394	UUGGAUGCUAUGGACUCCA	906	UGGAGUCCAUAGCAUCCAA
AD-20710	1333	395	UGGAUGCUAUGGACUCCAA	907	UUGGAGUCCAUAGCAUCCAA
AD-20711	1334	396	GGAUGCUAUGGACUCCAAC	908	GUUGGAGUCCAUAGCAUCC
AD-20712	1335	397	GAUGCUAUGGACUCCAACC	909	GGUUGGAGUCCAUAGCAUC
AD-20713	1336	398	AUGCUAUGGACUCCAACCU	910	AGGUUGGAGUCCAUAGCAU
AD-20714	1337	399	UGCUAUGGACUCCAACCUG	911	CAGGUUGGAGUCCAUAGCA
AD-20715	1338	400	GCUAUGGACUCCAACCUGG	912	CCAGGUUGGAGUCCAUAGC
AD-20716	1339	401	CUAUGGACUCCAACCUGGA	913	UCCAGGUUGGAGUCCAUAG
AD-20717	1359	402	AACCUGCAGACCAUGCUGA	914	UCAGCAUGGUCUGCAGGU
AD-20718	1360	403	ACCUGCAGACCAUGCUGAG	915	CUCAGCAUGGUCUGCAGGU
AD-20719	1361	404	CCUGCAGACCAUGCUGAGC	916	GCUCAGCAUGGUCUGCAGG
AD-20720	1362	405	CUGCAGACCAUGCUGAGCA	917	UGCUCAGCAUGGUCUGCAG
AD-20721	1363	406	UGCAGACCAUGCUGAGCAG	918	CUGCUCAGCAUGGUCUGCA
AD-20722	1364	407	GCAGACCAUGCUGAGCAGC	919	GCUGCUCAGCAUGGUCUGC
AD-20723	1365	408	CAGACCAUGCUGAGCAGCC	920	GGCUGCUCAGCAUGGUCUG
AD-20724	1366	409	AGACCAUGCUGAGCAGCC	921	UGGCUGCUCAGCAUGGUCU
AD-20725	1367	410	GACCAUGCUGAGCAGCCAC	922	GUGGCUGCUCAGCAUGGUC
AD-20726	1368	411	ACCAUGCUGAGCAGCCACG	923	CGUGGCUGCUCAGCAUGGU
AD-20727	1369	412	CCAUGCUGAGCAGCCACGG	924	CCGUGGCUGCUCAGCAUGG
AD-20728	1370	413	CAUGCUGAGCAGCCACGGC	925	GCCGUGGCUGCUCAGCAUG
AD-20729	1371	414	AUGCUGAGCAGCCACGGCU	926	AGCCGUGGCUGCUCAGCAU
AD-20730	1372	415	UGCUGAGCAGCCACGGCUU	927	AAGCCGUGGCUGCUCAGCA
AD-20731	1373	416	GCUGAGCAGCCACGGCUUC	928	GAAGCCGUGGCUGCUCAGC
AD-20732	1374	417	CUGAGCAGCCACGGCUUC	929	UGAAGCCGUGGCUGCUCAG
AD-20733	1375	418	UGAGCAGCCACGGCUUCAG	930	CUGAAGCCGUGGCUGCUC

R0081	1376	419	GAGCAGCCACGGCUUCAGC	931	GCUGAAGCCGUGGCUGCUC
R0082	1377	420	AGCAGCCACGGCUUCAGCG	932	CGCUGAAGCCGUGGCUGCU
R0083	1378	421	GCAGCCACGGCUUCAGCGU	933	ACGCUGAAGCCGUGGCUGC
AD-20734	1379	422	CAGCCACGGCUUCAGCGUG	934	CACGCUGAAGCCGUGGCUG
AD-20735	1380	423	AGCCACGGCUUCAGCGUGG	935	CCACGCUGAAGCCGUGGCU
AD-20736	1381	424	GCCACGGCUUCAGCGUGGA	936	UCCACGCUGAAGCCGUGGC
AD-20737	1382	425	CCACGGCUUCAGCGUGGAC	937	GUCCACGCUGAAGCCGUGG
AD-20738	1383	426	CACGGCUUCAGCGUGGACA	938	UGUCCACGCUGAAGCCGUG
AD-20739	1384	427	ACGGCUUCAGCGUGGACAC	939	GUGUCCACGCUGAAGCCGU
AD-20740	1385	428	CGGCUUCAGCGUGGACACC	940	GGUGUCCACGCUGAAGCCG
AD-20741	1386	429	GGCUUCAGCGUGGACACCA	941	UGGUGUCCACGCUGAAGCC
AD-20742	1387	430	GCUUCAGCGUGGACACCAG	942	CUGGUGUCCACGCUGAAGC
AD-20743	1407	431	GCCCUGCUGGACCUGUJCA	943	UGAACAGGUCCAGCAGGGC
AD-20744	1408	432	CCCUGCUGGACCUGUUCAG	944	CUGAACAGGUCCAGCAGGG
AD-20745	1409	433	CCUGCUGGACCUGUUCAGC	945	GCUGAACAGGUCCAGCAGGG
AD-20746	1410	434	CUGCUGGACCUGUUCAGCC	946	GGCUGAACAGGUCCAGCAG
AD-20747	1411	435	UGCUGGACCUGUUCAGCCC	947	GGGCUGAACAGGUCCAGCA
AD-20748	1428	436	CCCUCGGUGACCGUGCCCG	948	CGGGCACGGUCACCGAGGG
AD-20749	1429	437	CCUCGGUGACCGUGCCCGA	949	UCGGGCACGGUCACCGAGG
AD-20750	1430	438	CUCGGUGACCGUGCCCGAC	950	GUCGGGCACGGUCACCGAG
AD-20751	1431	439	UCGGUGACCGUGCCCGACA	951	UGUCGGGCACGGUCACCGA
AD-20752	1432	440	CGGUGACCGUGCCCGACAU	952	AUGUCGGGCACGGUCACCG
AD-20753	1433	441	GGUGACCGUGCCCGACAUG	953	CAUGUCGGGCACGGUCACC
AD-20754	1434	442	GUGACCGUGCCCGACAUGA	954	UCAUGUCGGGCACGGUCAC
AD-20755	1435	443	UGACCGUGCCCGACAUGAG	955	CUCAUGUCGGGCACGGUCA
AD-20756	1436	444	GACCGUGCCCGACAUGAGC	956	GCUCAUGUCGGGCACGGUC
AD-20757	1437	445	ACCGUGCCCGACAUGAGCC	957	GGCUCAUGUCGGGCACGGU
AD-20758	1438	446	CCGUGCCCGACAUGAGCCU	958	AGGCUCAUGUCGGGCACGG
AD-20759	1439	447	CGUGCCCGACAUGAGCCUG	959	CAGGCUCAUGUCGGGCACG
AD-20760	1440	448	GUGCCCGACAUGAGCCUGC	960	GCAGGCUCAUGUCGGGCAC
AD-20761	1441	449	UGCCCGACAUGAGCCUGCC	961	GGCAGGCUCAUGUCGGGCA
AD-20762	1442	450	GCCCGACAUGAGCCUGCCU	962	AGGCAGGCUCAUGUCGGGC
AD-20763	1443	451	CCCGACAUGAGCCUGCCUG	963	CAGGCAGGCUCAUGUCGGG
AD-20764	1444	452	CCGACAUGAGCCUGCCUGA	964	UCAGGCAGGCUCAUGUCGG
AD-20765	1445	453	CGACAUGAGCCUGCCUGAC	965	GUCAGGCAGGCUCAUGUCG
AD-20766	1446	454	GACAUGAGCCUGCCUGACC	966	GGUCAGGCAGGCUCAUGUC
AD-20767	1447	455	ACAUGAGCCUGCCUGACCU	967	AGGUCAAGGCAGGCUCAUGU
AD-20768	1448	456	CAUGAGCCUGCCUGACCUU	968	AAGGUCAAGGCAGGCUCAUG
AD-20769	1449	457	AUGAGCCUGCCUGACCUUG	969	CAAGGUCAAGGCAGGCUCAU
AD-20770	1450	458	UGAGCCUGCCUGACCUUGA	970	UCAAGGUCAAGGCAGGCUCA
AD-20771	1451	459	GAGCCUGCCUGACCUUUGAC	971	GUCAAGGUCAAGGCAGGCUC
AD-20772	1452	460	AGCCUGCCUGACCUUUGAC	972	UGUCAAGGUCAAGGCAGGC
AD-20773	1453	461	GCCUGCCUGACCUUUGACAG	973	CUGUCAAGGUCAAGGCAGGC

AD-20774	1454	462	CCUGCCUGACCUUUGACAGC	974	GCUGUCAAGGUCAAGGCAGG
AD-20775	1455	463	CUGCCUGACCUUUGACAGCA	975	UGCUGUCAAGGUCAAGGCAG
AD-20776	1456	464	UGCCUGACCUUUGACAGCAG	976	CUGCUGUCAAGGUCAAGGCAG
AD-20777	1457	465	GCCUGACCUUUGACAGCAGC	977	GCUGCUGUCAAGGUCAAGGC
AD-20778	1458	466	CCUGACCUUUGACAGCAGCC	978	GGCUGCUGUCAAGGUCAAGG
AD-20779	1459	467	CUGACCUUUGACAGCAGCCU	979	AGGCUGCUGUCAAGGUCAAGG
AD-20780	1460	468	UGACCUUUGACAGCAGCCUG	980	CAGGCUGCUGUCAAGGUCAAGG
AD-20781	1461	469	GACCUUUGACAGCAGCCUGG	981	CCAGGCUGCUGUCAAGGUCAAGG
AD-20782	1462	470	ACCUUUGACAGCAGCCUGGC	982	GCCAGGCUGCUGUCAAGGUCAAGG
AD-20783	1482	471	AGUAUCCAAGAGCUCCUGU	983	ACAGGAGCUCUUGGAUACU
AD-20784	1483	472	GUAUCCAAGAGCUCCUGUC	984	GACAGGAGCUCUUGGAUAC
AD-20785	1484	473	UAUCCAAGAGCUCCUGUCU	985	AGACAGGAGCUCUUGGAUAC
AD-20786	1485	474	AUCCAAGAGCUCCUGUCUC	986	GAGACAGGAGCUCUUGGAUAC
AD-20787	1486	475	UCCAAGAGCUCCUGUCUCC	987	GGAGACAGGAGCUCUUGGAUAC
AD-20788	1487	476	CCAAGAGCUCCUGUCUCC	988	GGGAGACAGGAGCUCUUGGAUAC
R0084	1533	477	GAGAACAGCAGCCCGGAUU	989	AAUCCGGGCUGCUGUUCUC
R0085	1534	478	AGAACACAGCAGCCCGGAUUC	990	GAAUCCGGGCUGCUGUUCUC
R0086	1535	479	GAACAGCAGCCCGGAUUC	991	UGAAUCCGGGCUGCUGUUC
R0087	1536	480	AAACAGCAGCCCGGAUUCAG	992	CUGAAUCCGGGCUGCUGUUC
R0088	1537	481	ACAGCAGCCCGGAUUCAGGG	993	CCUGAAUCCGGGCUGCUGUUC
R0089	1538	482	CAGCAGCCCGGAUUCAGGG	994	CCCUGAAUCCGGGCUGCUGUUC
R0090	1539	483	AGCAGCCCGGAUUCAGGG	995	UCCCUGAAUCCGGGCUGCUGUUC
R0091	1540	484	GCAGCCCGGAUUCAGGGAA	996	UUCCCUGAAUCCGGGCUGCUGUUC
R0092	1541	485	CAGCCCGGAUUCAGGGAAAG	997	CUUCCCUGAAUCCGGGCUGCUGUUC
R0093	1542	486	AGCCCGGAUUCAGGGAAAG	998	GCUUCCCUGAAUCCGGGCUGCUGUUC
R0094	1543	487	GCCCCGGAUUCAGGGAAAGCA	999	UGCUUCCCUGAAUCCGGGCUGCUGUUC
R0095	1544	488	CCCCGGAUUCAGGGAAAGCAG	1000	CUGCUUCCCUGAAUCCGGGCUGCUGUUC
R0096	1545	489	CCGGAUUCAGGGAAAGCAGC	1001	GCUGCUUCCCUGAAUCCGGGCUGCUGUUC
R0097	1546	490	CGGAUUCAGGGAAAGCAGCU	1002	AGCUGCUUCCCUGAAUCCGGGCUGCUGUUC
AD-20789	1547	491	GGAUUCAGGGAAAGCAGCUG	1003	CAGCUGCUUCCCUGAAUCCGGGCUGCUGUUC
AD-20790	1548	492	GAUUCAGGGAAAGCAGCUGG	1004	CCAGCUGCUUCCCUGAAUCCGGGCUGCUGUUC
AD-20791	1549	493	AUUCAGGGAAAGCAGCUGGU	1005	ACCAGCUGCUUCCCUGAAUCCGGGCUGCUGUUC
AD-20792	1602	494	CCCGGCUCCGUGGACACCG	1006	CGGUGUCCACGGAGCCGG
AD-20793	1603	495	CCGGCUCCGUGGACACCGG	1007	CCGGUGUCCACGGAGCCGG
AD-20794	1604	496	CCGGCUCCGUGGACACCGGG	1008	CCCGGUGUCCACGGAGCCGG
AD-20795	1605	497	GGCUCCGUGGACACCGGG	1009	UCCCGGUGUCCACGGAGCCGG
AD-20796	1606	498	GCUCCGUGGACACCGGGAG	1010	CUCCCGGUGUCCACGGAGCCGG
AD-20870	1607	499	CUCCGUGGACACCGGGAGC	1011	GCUCCCGGUGUCCACGGAGCCGG
AD-20871	1608	500	UCCGUGGACACCGGGAGCA	1012	UGCUCCCGGUGUCCACGGAGCCGG
AD-20872	1633	501	UGCCGGUGCUGUUUGAGCU	1013	AGCUAAACAGCACCAGGCA
AD-20797	1634	502	GCCGGUGCUGUUUGAGCUG	1014	CAGCUAAACAGCACCAGGCA
AD-20798	1635	503	CCGGUGCUGUUUGAGCUGGG	1015	CCAGCUAAACAGCACCAGGCA
AD-20799	1636	504	CGGUGCUGUUUGAGCUGGG	1016	CCCAGCUAAACAGCACCAGGCA

AD-20873	1698	505	CCCACCAUCUCCCUGCUGA	1017	UCAGCAGGGAGAUGGUGGG
AD-20800	1699	506	CCACCAUCUCCCUGCUGAC	1018	GUCAGCAGGGAGAUGGUGG
AD-20801	1700	507	CACCAUCUCCCUGCUGACA	1019	UGUCAGCAGGGAGAUGGUG
R0098	1725	508	GAGCCUCCCCAAAGCCAAGG	1020	CCUUGGCUUUGGGAGGCUC
R0099	1726	509	AGCCUCCCCAAAGCCAAGGA	1021	UCCUUGGCUUUGGGAGGCU
R0100	1727	510	GCCUCCCCAAAGCCAAGGAC	1022	GUCCUUGGCUUUGGGAGGC
R0101	1728	511	CCUCCCCAAAGCCAAGGACC	1023	GGUCCUUGGCUUUGGGAGG
R0102	1729	512	CUCCCAAAGCCAAGGACCC	1024	GGGUCCUUGGCUUUGGGAG
AD-20278		2053	GCAGGUUGUUCAUAGUCAG	2064	CUGACUAUGAACAAACCUGC
AD-20279		2054	CAGGUUGUUCAUAGUCAGA	2065	UCUGACUAUGAACAAACCUG
AD-20280		2055	AGGUUGUUCAUAGUCAGAA	2066	UUCUGACUAUGAACAAACCU
AD-20281		2056	GCCCAAGUACUUCAAGCAC	2067	GUGCUUGAAGUACUUGGGC
AD-20282		2057	CCCAAGUACUUCAAGCACA	2068	UGUGCUUGAAGUACUUGGG
AD-20283		2058	CCAAGUACUUCAAGCACAA	2069	UUGUGCUUGAAGUACUJUGG
AD-20377		2059	CAACAACAUGGCCAGCUUC	2070	GAAGCUGGCCAUGUJUGU
AD-20570		2060	GUUCCUGAUCUCACUGGUG	2071	CACCAGUGAGAACAGGAAC
AD-20580		2061	UCACUGGUGCAGUCAAACC	2072	GGUJUGACUGCACCAAGUGA
AD-20597		2062	UUGGUCAGGAAGGCCGGGA	2073	UCCCGGCCUUCCUGACCAA
AD-20598		2063	CCCGGCCUUCCUGACCAAG	2074	CUUGGUCAGGAAGGCCGGG

[00601] Modifications of the sequences in Table 1 are easily conceived by one of skill in the art. Example and non-limiting modifications of these sequences were conceived. These are listed in Tables 2 and 3. Additional modifications are contemplated.

5 **[00602]** For the modified sequences listed in Tables 2 and 3, some modifications were placed at sites predicted to be sensitive to endonucleases. Some modifications were designed to eliminate an immune response to the siRNA while preserving activity. In general, the sense strand was heavily modified, and the antisense strand lightly modified. Some modifications serve more than one purpose. Table 2 lists RNAi agents prepared with these modified sequences.

10 **[00603]** Subsequent to screening, a full-length HSF1 gene sequence from cynomolgus monkey was produced (see above), and used to assess identity of human/cyno 19-mer sequences. Of 406 19-mers screened for single dose efficacy in WI38 and Hela cells, 375 are perfect matches between human and cyno (e.g., zero mismatches).

15 **TABLE 2. HSF1 RNAi agents (with modified sequences)**

Duplex Name	Posi- tion	SEQ ID NO	Sense 5'-3' modified	SEQ ID NO	Antisense 5'-3' modified
AD-20594	209	1033	cAAcGucccGGccuuccuGdTdT	1545	cAGGAAGGCCGGACGUUGdTdT
AD-20595	210	1034	UcAGGAAGGCCGGACGUUdTdT	1546	AAcGucccGGccuuccuGAdTdT
AD-20596	211	1035	AcGucccGGccuuccuGAcdTdT	1547	GUcAGGAAGGCCGGACGUdTdT
AD-20285	212	1036	cGucccGGccuuccuGAccdTdT	1548	GGUcAGGAAGGCCGGACdTdT
AD-20286	213	1037	GucccGGccuuccuGAccAdTdT	1549	UGGUcAGGAAGGCCGGACdTdT

AD-20287	216	1038	ccGGccuuuccuGAccAAGcdTdT	1550	GCUUGGUcAGGAAGGCCGGdTdT
AD-20288	217	1039	cGGccuuuccuGAccAAGcudTdT	1551	AGCUUGGUcAGGAAGGCCGdTdT
AD-20289	218	1040	GGccuuuccuGAccAAGcuGdTdT	1552	cAGCUUGGUcAGGAAGGCCdTdT
AD-20290	219	1041	GccuuuccuGAccAAGcuGuGdTdT	1553	ACAGCUUGGUcAGGAAGGCdTdT
AD-20291	220	1042	ccuuuccuGAccAAGcuGuGdTdT	1554	cAcAGCUUGGUcAGGAAGGdTdT
AD-20292	221	1043	cuuccuGAccAAGcuGuGGdTdT	1555	CcAcAGCUUGGUcAGGAAGdTdT
AD-20293	222	1044	uuccuGAccAAGcuGuGGAdTdT	1556	UCcAcAGCUUGGUcAGGAAdTdT
AD-20294	223	1045	uccuGAccAAGcuGuGGAcdTdT	1557	GUcAcAGCUUGGUcAGGAAdTdT
AD-20295	224	1046	ccuGAccAAGcuGuGGAccdTdT	1558	GGUcAcAGCUUGGUcAGGdTdT
AD-20296	225	1047	cuGAccAAGcuGuGGAccdTdT	1559	GGGUcAcAGCUUGGUcAGdTdT
AD-20297	226	1048	uGAccAAGcuGuGGAccudTdT	1560	AGGGUcAcAGCUUGGUcAdTdT
AD-20298	227	1049	GAccAAGcuGuGGAcccucdTdT	1561	GAGGGUcAcAGCUUGGUcdTdT
AD-20299	228	1050	AccAAGcuGuGGAcccucGdTdT	1562	CGAGGGUcAcAGCUUGGUdTdT
AD-20300	229	1051	ccAAGcuGuGGAcccucGuGdTdT	1563	ACGAGGGUcAcAGCUUGGdTdT
AD-20301	230	1052	cAAGcuGuGGAcccucGuGdTdT	1564	cACGAGGGUcAcAGCUUGdTdT
AD-20302	231	1053	AAGcuGuGGAcccucGuGAdTdT	1565	UcACGAGGGUcAcAGCUUDdTdT
AD-20303	232	1054	AGcuGuGGAcccucGuGAGdTdT	1566	CUcACGAGGGUcAcAGCUDdTdT
AD-20304	233	1055	GcuGuGGAcccucGuGAGcdTdT	1567	GUcAcAGGAGGGUcAcAGCdTdT
AD-20305	234	1056	cuGuGGAcccucGuGAGcGdTdT	1568	CGGUcACGAGGGUcAcAGdTdT
AD-20306	235	1057	uGuGGAcccucGuGAGcGAdTdT	1569	UCGUcACGAGGGUcAcAdTdT
AD-20307	236	1058	GuGGAcccucGuGAGcGAcdTdT	1570	GUCGUcACGAGGGUcACdTdT
AD-20308	237	1059	uGGAcccucGuGAGcGAcdTdT	1571	GGUCGUcACGAGGGUcAdTdT
AD-20309	238	1060	GGAcccucGuGAGcGAcddTdT	1572	GGGUcGGGUcACGAGGGUCCdTdT
AD-20310	239	1061	GAcccucGuGAGcGAcccGdTdT	1573	CGGGUCGUcACGAGGGUCdTdT
AD-20311	240	1062	AcccucGuGAGcGAcccGGdTdT	1574	CCGGGUcGGGUcACGAGGGdTdT
AD-20312	241	1063	cccucGuGAGcGAcccGGAdTdT	1575	UCCGGGUcGGGUcACGAGGGdTdT
AD-20313	242	1064	ccucGuGAGcGAcccGGAcdTdT	1576	GUCCGGGUcGGGUcACGAGGGdTdT
AD-20314	243	1065	cucGuGAGcGAcccGGAcAdTdT	1577	UGUCCGGGUcGGGUcACGAGdTdT
AD-20315	244	1066	ucGuGAGcGAcccGGAcAcdTdT	1578	GUGUCCGGGUcGGGUcACGAdTdT
AD-20316	245	1067	cGuGAGcGAcccGGAcAccdTdT	1579	GGUGUCCGGGUcGGGUcACGdTdT
AD-20317	246	1068	GuGAGcGAcccGGAcAccGdTdT	1580	CGGUcGGGUcGGGUcACCdTdT
AD-20318	247	1069	uGAGcGAcccGGAcAccGAdTdT	1581	UCGGUGUCCGGGUcGGGUcACdTdT
AD-20319	270	1073	cucAucuGcuGGAGcccGAdTdT	1585	UCGGGUcAGcAGAUGAGdTdT
AD-20320	271	1074	ucAucuGcuGGAGcccGAGdTdT	1586	CUCGGGUcAGcAGAUGAdTdT
AD-20344	306	1075	GuGuucGAccAGGGccAGudTdT	1587	ACUGGCCUcGGGUcGGGUcACdTdT
AD-20345	307	1076	uGuucGAccAGGGccAGuudTdT	1588	AACUGGCCUcGGGUcGGGUcACdTdT
AD-20346	309	1078	uucGAccAGGGccAGuuuGdTdT	1590	cAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20347	310	1079	ucGAccAGGGccAGuuuGcdTdT	1591	GcAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20348	311	1080	cGAccAGGGccAGuuuGccdTdT	1592	GGcAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20349	312	1081	GAccAGGGccAGuuuGccAdTdT	1593	UGGcAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20350	313	1082	AccAGGGccAGuuuGccAAdTdT	1594	UUGGcAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20351	314	1083	ccAGGGccAGuuuGccAAGdTdT	1595	CUUUGGcAACACUGGCCUcGGGUcGGGUcAdTdT
AD-20352	315	1084	cAGGGccAGuuuGccAAGGdTdT	1596	CCUUGGcAACACUGGCCUcGGGUcGGGUcAdTdT

AD-20353	316	1085	AGGGccAGuuuGccAAGGAdTdT	1597	UCCUUGGcAACUGGCCCAdTdT
AD-20354	317	1086	GGGccAGuuuGccAAGGAGdTdT	1598	CUCCUUGGcAACUGGCCCdTdT
AD-20355	318	1087	GGccAGuuuGccAAGGAGGdTdT	1599	CCUCCUUGGcAACUGGCCdTdT
AD-20356	319	1088	GccAGuuuGccAAGGAGGGuGdTdT	1600	ACCUCCUUGGcAACUGGCdTdT
AD-20357	320	1089	ccAGuuuGccAAGGAGGGuGdTdT	1601	cACCUCCUUGGcAACUGGdTdT
AD-20358	321	1090	cAGuuuGccAAGGAGGGuGcdTdT	1602	GcACCUCCUUGGcAACUGDdTdT
AD-20359	322	1091	AGuuuGccAAGGAGGGuGcuGdTdT	1603	AGcACCUCCUUGGcAACUdTdT
AD-20360	323	1092	GuuuGccAAGGAGGGuGcuGdTdT	1604	cAGcACCUCCUUGGcAACCdTdT
AD-20361	324	1093	uuuGccAAGGAGGGuGcuGcdTdT	1605	GcAGcACCUCCUUGGcAAAdTdT
AD-20362	325	1094	uuGccAAGGAGGGuGcuGccdTdT	1606	GGcAGcACCUCCUUGGcAAdTdT
AD-20363	326	1095	uGccAAGGAGGGuGcuGcccdTdT	1607	GGGcAGcACCUCCUUGGcAdTdT
AD-20364	327	1096	GccAAGGAGGGuGcuGcccAdTdT	1608	UGGGcAGcACCUCCUUGGdTdT
AD-20365	328	1097	ccAAGGAGGGuGcuGcccAAdTdT	1609	UUGGGcAGcACCUCCUUGGdTdT
AD-20366	329	1098	cAAGGAGGGuGcuGcccAAGdTdT	1610	CUUGGGcAGcACCUCCUUGdTdT
AD-20367	330	1099	AAGGAGGGuGcuGcccAAGuGdTdT	1611	ACUUGGGcAGcACCUCCUdTdT
AD-20368	331	1100	AGGAGGGuGcuGcccAAGuAdTdT	1612	uACUUGGGcAGcACCUCCdTdT
AD-20369	351	1101	uucAAGcAcAAcAACAuGGdTdT	1613	CcAUGUJUGUUGUGCUUGAAdTdT
AD-20370	352	1102	ucAAGcAcAAcAACAuGGcdTdT	1614	GCcAUGUJUGUUGUGCUUGAdTdT
AD-20371	353	1103	cAAGcAcAAcAACAuGGccdTdT	1615	GGCcAUGUJUGUUGUGCUUGdTdT
AD-20372	354	1104	AAGcAcAAcAACAuGGccAdTdT	1616	UGGGcAUGUJUGUUGUGCUUDdTdT
AD-20373	355	1105	AGcAcAAcAACAuGGccAGdTdT	1617	CUGGGcAUGUJUGUUGUGCUdTdT
AD-20374	356	1106	GcAcAAcAACAuGGccAGcdTdT	1618	GCUGGGcAUGUJUGUUGUGCdTdT
AD-20375	357	1107	cAcAAcAACAuGGccAGcudTdT	1619	AGCUGGGcAUGUJUGUUGUGdTdT
AD-20376	358	1108	AcAAcAACAuGGccAGcuudTdT	1620	AAGCUGGGcAUGUJUGUUGUdTdT
AD-20378	360	1109	AAcAAcAuGGccAGcuucGdTdT	1621	CGAAGCUGGGcAUGUJUGUUdTdT
AD-20379	361	1110	AcAAcAuGGccAGcuucGuGdTdT	1622	ACGAAGCUGGGcAUGUUGUdTdT
AD-20380	362	1111	cAAcAuGGccAGcuucGuGdTdT	1623	cACGAAGCUGGGcAUGUUGdTdT
AD-20381	363	1112	AAcAuGGccAGcuucGuGcdTdT	1624	GcACGAAGCUGGGcAUGUUdTdT
AD-20382	364	1113	AcAuGGccAGcuucGuGcGdTdT	1625	CGcACGAAGCUGGGcAUGUdTdT
AD-20383	365	1114	cAuGGccAGcuucGuGcGGdTdT	1626	CCGcACGAAGCUGGGcAUGdTdT
AD-20384	366	1115	AuGGccAGcuucGuGcGGcdTdT	1627	GCCGcACGAAGCUGGGcAUdTdT
AD-20385	367	1116	uGGccAGcuucGuGcGGcAdTdT	1628	UGCCGcACGAAGCUGGGcAdTdT
AD-20386	436	1117	uGGucAAGccAGAGAGAGAdTdT	1629	UCUCUCUCUGGCUUGACcAdTdT
AD-20387	489	1139	GGccAGGAGcAGcuuuGdTdT	1651	cAAGGAGCUGCUCUCCUGGcdTdT
AD-20388	490	1140	GccAGGAGcAGcuuuGAdTdT	1652	UcAAGGAGCUGCUCUCCUGGdTdT
AD-20389	491	1141	ccAGGAGcAGcuuuGAGdTdT	1653	UcAAGGAGCUGCUCUCCUGGdTdT
AD-20390	492	1142	cAGGAGcAGcuuuGAGAdTdT	1654	UCUcAAGGAGCUGCUCUCCUGdTdT
AD-20391	493	1143	AGGAGcAGcuuuGAGAAdTdT	1655	UUCUcAAGGAGCUGCUCUCCdTdT
AD-20392	494	1144	GGAGcAGcuuuGAGAAcdTdT	1656	GUUCUcAAGGAGCUGCUCCdTdT
AD-20393	495	1145	GAGcAGcuuuGAGAAcAdTdT	1657	UGUUCUcAAGGAGCUGCUCdTdT
AD-20394	496	1146	AGcAGcuuuGAGAAcAudsTdT	1658	AUGUUCUcAAGGAGCUGCUDdTdT
AD-20395	497	1147	GcAGcuuuGAGAAcAucdTdT	1659	GAUGUUCUcAAGGAGCUGCdTdT
AD-20396	498	1148	cAGcuuuGAGAAcAucAdTdT	1660	UGAUGUUCUcAAGGAGCUGdTdT

AD-20397	499	1149	AGcuccuuGAGAACAcAucAAAdTdT	1661	UUGAUGUUCUcAAGGAGCUDdTdT
AD-20398	500	1150	GcuccuuGAGAACAcAucAAGdTdT	1662	CUUGAUGUUCUcAAGGAGCdTdT
AD-20399	501	1151	cuccuuGAGAACAcAucAAGAdTdT	1663	UCUUGAUGUUCUcAAGGAGdTdT
AD-20400	502	1152	uccuuGAGAACAcAucAAGAGdTdT	1664	CUCUUGAUGUUCUcAAGGAdTdT
AD-20401	503	1153	ccuuGAGAACAcAucAAGAGGdTdT	1665	CCUCUUGAUGUUCUcAAGGdTdT
AD-20402	504	1154	cuuGAGAACAcAucAAGAGGAdTdT	1666	UCCUCUUGAUGUUCUcAAGdTdT
AD-20403	505	1155	uuGAGAACAcAucAAGAGGAAdTdT	1667	UUCCUCUUGAUGUUCUcAAdTdT
AD-20404	506	1156	uGAGAACAcAucAAGAGGAAAdTdT	1668	UUUCCUCUUGAUGUUCUcAdTdT
AD-20405	509	1159	GAACAcAucAAGAGGAAAGuGdTdT	1671	cACUUUCCUCUUGAUGUUCdTdT
AD-20406	510	1160	AAcAcAucAAGAGGAAAGuGAdTdT	1672	UcACUUUCCUCUUGAUGUUDdTdT
AD-20407	511	1161	AcAcAucAAGAGGAAAGuGAcdTdT	1673	GUcACUUUCCUCUUGAUGUdTdT
AD-20408	512	1162	cAucAAGAGGAAAGuGAccdTdT	1674	GGUcACUUUCCUCUUGAUGdTdT
AD-20409	513	1163	AucAAGAGGAAAGuGAccAdTdT	1675	UGGUCACUUUCCUCUUGAUDdTdT
AD-20410	514	1164	ucAAGAGGAAAGuGAccAGdTdT	1676	CUGGUcACUUUCCUCUUGAdTdT
AD-20411	515	1165	cAAGAGGAAAGuGAccAGuGdTdT	1677	ACUGGUcACUUUCCUCUUGdTdT
AD-20412	516	1166	AAGAGGAAAGuGAccAGuGdTdT	1678	cACUGGUcACUUUCCUCUUDdTdT
AD-20413	517	2046	AGAGGAAAGuGAccAGuGuGdTdT	2047	AcACUGGUcACUUUCCUCUDdTdT
AD-20414	518	1167	GAGGAAAGuGAccAGuGuGdTdT	1679	cAcACUGGUcACUUUCCUCdTdT
AD-20415	519	1168	AGGAAAGuGAccAGuGuGuGdTdT	1680	AcAcACUGGUcACUUUCCUDdTdT
AD-20416	520	1169	GGAAAGuGAccAGuGuGuGucdTdT	1681	GAcAcACUGGUcACUUUCCdTdT
AD-20417	521	1170	GAAAGuGAccAGuGuGuGuccdTdT	1682	GGAcAcACUGGUcACUUUCdTdT
AD-20418	522	1171	AAAGuGAccAGuGuGuGuccAdTdT	1683	UGGAcAcACUGGUcACUUUDdTdT
AD-20419	523	1172	AAGuGAccAGuGuGuGuccAcdTdT	1684	GUGGAcAcACUGGUcACUUdTdT
AD-20420	524	1173	AGuGAccAGuGuGuGuccAccdTdT	1685	GGUGGAcAcACUGGUcACUDdTdT
AD-20421	525	1174	GuGAccAGuGuGuGuccAcccdTdT	1686	GGGUGGAcAcACUGGUcACdTdT
AD-20422	526	1175	uGAccAGuGuGuGuccAcccdTdT	1687	AGGGUGGAcAcACUGGUcAdTdT
AD-20423	527	1176	GAccAGuGuGuGuccAcccuGdTdT	1688	cAGGGUGGAcAcACUGGUcDdTdT
AD-20424	528	1177	AccAGuGuGuGuccAcccuGAdTdT	1689	UcAGGGUGGAcAcACUGGUdTdT
AD-20425	529	1178	ccAGuGuGuGuccAcccuGAAdTdT	1690	UUcAGGGUGGAcAcACUGGdTdT
AD-20426	530	1179	cAGuGuGuGuccAcccuGAAGdTdT	1691	CUUcAGGGUGGAcAcACUGdTdT
AD-20427	531	1180	AGuGuGuGuccAcccuGAAGAdTdT	1692	UCUUcAGGGUGGAcAcACUDdTdT
AD-20428	532	1181	GuGuGuGuccAcccuGAAGAGdTdT	1693	CUCUUcAGGGUGGAcAcACdTdT
AD-20429	533	1182	uGuGuGuccAcccuGAAGAGuGdTdT	1694	ACUCUUcAGGGUGGAcAcAdTdT
AD-20430	534	1183	GuGuccAcccuGAAGAGuGdTdT	1695	cACUCUUcAGGGUGGAcACdTdT
AD-20431	535	1184	uGuccAcccuGAAGAGuGAAdTdT	1696	UcACUCUUcAGGGUGGAcAdTdT
AD-20432	536	1185	GuccAcccuGAAGAGuGAAdTdT	1697	UUcACUCUUcAGGGUGGACdTdT
AD-20433	537	1186	uccAcccuGAAGAGuGAAGdTdT	1698	CUUcACUCUUcAGGGUGGAdTdT
AD-20434	538	1187	ccAcccuGAAGAGuGAAGAdTdT	1699	CUUUcACUCUUcAGGGUGGdTdT
AD-20435	539	1188	cAcccuGAAGAGuGAAGAcdTdT	1700	GUCUUcACUCUUcAGGGUGdTdT
AD-20436	540	1189	AcccuGAAGAGuGAAGAcAdTdT	1701	UGUCUUcACUCUUcAGGGUDdTdT
AD-20437	541	1190	cccuGAAGAGuGAAGAcAcdTdT	1702	AUGUCUUcACUCUUcAGGGdTdT
AD-20438	542	1191	ccuGAAGAGuGAAGAcAuAdTdT	1703	uAUGUCUUcACUCUUcAGGdTdT
AD-20439	543	1192	cuGAAGAGuGAAGAcAuAAdTdT	1704	UuAUGUCUUcACUCUUcAGdTdT

AD-20487	544	1193	uGAAGAGuGAAGAcAuAAAAdTdT	1705	UUuAUGUCUUcACUCUUcAdTdT
AD-20488	545	1194	GAAGAGuGAAGAcAuAAAGdTdT	1706	CUUuAUGUCUUcACUCUUcCdTdT
AD-20489	546	1195	AAGAGuGAAGAcAuAAAGdTdT	1707	UCUUuAUGUCUUcACUCUUdTdT
AD-20490	547	1196	AGAGuGAAGAcAuAAAGAudTdT	1708	AUCUUuAUGUCUUcACUCUdTdT
AD-20491	548	1197	GAGuGAAGAcAuAAAGAuCdTdT	1709	GAUCUUuAUGUCUUcACUCdTdT
AD-20492	549	1198	AGuGAAGAcAuAAAGAuCcCdTdT	1710	GGAUCUUuAUGUCUUcACUdTdT
AD-20493	550	1199	GuGAAGAcAuAAAGAuCcGdTdT	1711	CGGAUCUUuAUGUCUUcACdTdT
AD-20494	579	1200	GucAccAAGcuGcuGAcGGdTdT	1712	CCGUcAGcAGCUUJGGUGACdTdT
AD-20495	580	1201	ucAccAAGcuGcuGAcGGAdTdT	1713	UCCGUcAGcAGCUUJGGUGAdTdT
AD-20496	581	1202	cAccAAGcuGcuGAcGGAcCdTdT	1714	GUCCGUcAGcAGCUUJGGUGdTdT
AD-20497	582	1203	AccAAGcuGcuGAcGGAcGdTdT	1715	CGUCCGUcAGcAGCUUJGGUdTdT
AD-20498	583	1204	ccAAGcuGcuGAcGGAcGuGdTdT	1716	ACGUCCGUcAGcAGCUUJGGdTdT
AD-20499	584	1205	cAAGcuGcuGAcGGAcGuGdTdT	1717	cACGUCCGUcAGcAGCUUGdTdT
AD-20500	585	1206	AAGcuGcuGAcGGAcGuGcdTdT	1718	GcACGUCCGUcAGcAGCUUdTdT
AD-20501	586	1207	AGcuGcuGAcGGAcGuGcAdTdT	1719	UGcACGUCCGUcAGcAGCUdTdT
AD-20502	587	1208	GcuGcuGAcGGAcGuGcAGdTdT	1720	CUGcACGUCCGUcAGcAGCdTdT
AD-20503	588	1209	cuGcuGAcGGAcGuGcAGcdTdT	1721	GCUGcACGUCCGUcAGcAGdTdT
AD-20504	589	1210	uGcuGAcGGAcGuGcAGcudTdT	1722	AGCUGcACGUCCGUcAGcAdTdT
AD-20505	590	1211	GcuGAcGGAcGuGcAGcuGdTdT	1723	cAGCUGcACGUCCGUcAGCdTdT
AD-20506	591	1212	cuGAcGGAcGuGcAGcuGAdTdT	1724	UcAGCUGcACGUCCGUcAGdTdT
AD-20507	592	1213	uGAcGGAcGuGcAGcuGAudTdT	1725	AUcAGCUGcACGUCCGUcAdTdT
AD-20508	593	1214	GAcGGAcGuGcAGcuGAuGdTdT	1726	cAUcAGCUGcACGUCCGUcCdTdT
AD-20509	594	1215	AcGGAcGuGcAGcuGAuGAdTdT	1727	UcAUcAGCUGcACGUCCGUdTdT
AD-20510	595	1216	cGGAcGuGcAGcuGAuGAAdTdT	1728	UUcAUcAGCUGcACGUCCGdTdT
AD-20511	596	1217	GGAcGuGcAGcuGAuGAAGdTdT	1729	CUUcAUcAGCUGcACGUCCdTdT
AD-20512	597	1218	GAcGuGcAGcuGAuGAAGGdTdT	1730	CCUUcAUcAGCUGcACGUCdTdT
AD-20513	598	1219	AcGuGcAGcuGAuGAAGGGdTdT	1731	CCCUUcAUcAGCUGcACGUdTdT
AD-20514	660	1220	GAGAAuGAGGcucuGuGGcdTdT	1732	GCCAcAGAGCCUcAUUCUdTdT
AD-20515	661	1221	AGAAuGAGGcucuGuGGcGdTdT	1733	CGCcAcAGAGCCUcAUUdTdT
AD-20516	662	1222	GAuGAGGcucuGuGGcGGdTdT	1734	CCGCCAcAGAGCCUcAUUCdTdT
AD-20517	663	1223	AAuGAGGcucuGuGGcGGGdTdT	1735	CCCGCcAcAGAGCCUcAUUdTdT
AD-20518	664	1224	AuGAGGcucuGuGGcGGAdTdT	1736	UCCCGCcAcAGAGCCUcAUdTdT
AD-20519	665	1225	uGAGGcucuGuGGcGGGAGdTdT	1737	CUCCCCCcAcAGAGCCUcAdTdT
AD-20520	666	1226	GAGGcucuGuGGcGGGAGGdTdT	1738	CCUCCCGCcAcAGAGCCUcCdTdT
AD-20521	667	1227	AGGcucuGuGGcGGGAGGudTdT	1739	ACCUCCCGCcAcAGAGCCUdTdT
AD-20522	668	1228	GGcucuGuGGcGGGAGGuGdTdT	1740	cACCUCCCGCcAcAGAGCCdTdT
AD-20523	669	1229	GcucuGuGGcGGGAGGuGGdTdT	1741	CcACCUCCCGCcAcAGAGCdTdT
AD-20524	670	1230	cucuGuGGcGGGAGGuGGcdTdT	1742	GCCACCUCCCGCcAcAGAGdTdT
AD-20525	671	1231	ucuGuGGcGGGAGGuGGcdTdT	1743	GGCcACCUCCCGCcAcAGAdTdT
AD-20526	672	1232	cuGuGGcGGGAGGuGGccAdTdT	1744	UGGCcACCUCCCGCcAcAGdTdT
AD-20527	673	1233	uGuGGcGGGAGGuGGccAGdTdT	1745	CUGGCcACCUCCCGCcAcAdTdT
AD-20528	674	1234	GuGGcGGGAGGuGGccAGcdTdT	1746	GCUGGCcACCUCCCGCcACdTdT
AD-20529	675	1235	uGGcGGGAGGuGGccAGccdTdT	1747	GGCUGGCcACCUCCCGCcAdTdT

AD-20530	676	1236	GGcGGGAGGuGGccAGccudTdT	1748	AGGCUGGCcACCUCGGCCdTdT
AD-20531	677	1237	GcGGGAGGuGGccAGccuudTdT	1749	AAGGCUGGCcACCUCGGCCdTdT
AD-20532	678	1238	cGGGAGGuGGccAGccuucdTdT	1750	GAAGGCUGGCcACCUCGGdTdT
AD-20533	679	1239	GGGAGGuGGccAGccuucGdTdT	1751	CGAAGGCUGGCcACCUCGGdTdT
AD-20534	680	1240	GGAGGuGGccAGccuucGGdTdT	1752	CCGAAGGCUGGCcACCUCGGdTdT
AD-20535	681	1241	GAGGuGGccAGccuucGGcdTdT	1753	GCCGAAGGCUGGCcACCUCdTdT
AD-20536	682	1242	AGGuGGccAGccuucGGcAdTdT	1754	UGCCGAAGGCUGGCcACCUDdTdT
AD-20537	683	1243	GGuGGccAGccuucGGcAGdTdT	1755	CUGCCGAAGGCUGGCcACCdTdT
AD-20538	684	1244	GuGGccAGccuucGGcAGAdTdT	1756	UCUGCCGAAGGCUGGCcACdTdT
AD-20539	685	1245	uGGccAGccuucGGcAGAAdTdT	1757	UUCUGCCGAAGGCUGGCcAdTdT
AD-20540	690	1250	AGccuucGGcAGAACcAuGdTdT	1762	cAUGCUUCUGCCGAAGGCUDdTdT
AD-20541	691	1251	GccuucGGcAGAACcAuGcdTdT	1763	GcAUGCUUCUGCCGAAGGCdTdT
AD-20542	692	1252	ccuucGGcAGAACcAuGccdTdT	1764	GGcAUGCUUCUGCCGAAGGdTdT
AD-20543	693	1253	cuucGGcAGAACcAuGcccdTdT	1765	GGGcAUGCUUCUGCCGAAGdTdT
AD-20544	694	1254	uucGGcAGAACcAuGcccAdTdT	1766	UGGGcAUGCUUCUGCCGAAdTdT
AD-20545	695	1255	ucGGcAGAACcAuGcccAGdTdT	1767	CUGGGcAUGCUUCUGCCGAAdTdT
AD-20546	696	1256	cGGcAGAACcAuGcccAGcdTdT	1768	GCUGGGcAUGCUUCUGCCGdTdT
AD-20547	697	1257	GGcAGAACcAuGcccAGcAdTdT	1769	UGCUGGGcAUGCUUCUGCCdTdT
AD-20548	698	1258	GcAGAACcAuGcccAGcAAdTdT	1770	UUGCUGGGcAUGCUUCUGCdTdT
AD-20549	699	1259	cAGAACcAuGcccAGcAAcdTdT	1771	GUUGCUGGGcAUGCUUCUGdTdT
AD-20550	700	1260	AGAACcAuGcccAGcAAcAdTdT	1772	UGUUGCUGGGcAUGCUUCUDdTdT
AD-20551	701	1261	GAAGcAuGcccAGcAAcAGdTdT	1773	CUGUUGCUGGGcAUGCUUCdTdT
AD-20552	702	1262	AAGcAuGcccAGcAAcAGAdTdT	1774	UCUGUUGCUGGGcAUGCUUDdTdT
AD-20553	703	1263	AGcAuGcccAGcAAcAGAAdTdT	1775	UUCUGUUGCUGGGcAUGCUdTdT
AD-20554	704	1264	GcAuGcccAGcAAcAGAAAdTdT	1776	UUUCUGUUGCUGGGcAUGCdTdT
AD-20555	705	1265	cAuGcccAGcAAcAGAAAGdTdT	1777	CUUCUGUUGCUGGGcAUGdTdT
AD-20556	706	1266	AuGcccAGcAAcAGAAAGudTdT	1778	ACUUUCUGUUGCUGGGcAUdTdT
AD-20557	707	1267	uGcccAGcAAcAGAAAGucdTdT	1779	GACUUUCUGUUGCUGGGcAdTdT
AD-20558	731	1291	cAAAGcucAuucAGuuccuGdTdT	1803	cAGGAACUGAAUGAGCUUGdTdT
AD-20559	732	1292	AAGcucAuucAGuuccuGAdTdT	1804	UcAGGAACUGAAUGAGCUUDdTdT
AD-20560	733	1293	AGcucAuucAGuuccuGAudTdT	1805	AUcAGGAACUGAAUGAGCUdTdT
AD-20561	734	1294	GcucAuucAGuuccuGAucdTdT	1806	GAUcAGGAACUGAAUGAGCdTdT
AD-20562	735	1295	cucAuucAGuuccuGAucudTdT	1807	AGAUcAGGAACUGAAUGAGdTdT
AD-20563	736	1296	ucAuucAGuuccuGAucudTdT	1808	GAGAUcAGGAACUGAAUGAdTdT
AD-20564	737	1297	cAuucAGuuccuGAucucAdTdT	1809	UGAGAUcAGGAACUGAAUGdTdT
AD-20565	738	1298	AuucAGuuccuGAucucAcdTdT	1810	GUGAGAUcAGGAACUGAAUDdTdT
AD-20566	739	1299	uucAGuuccuGAucucAcudTdT	1811	AGUGAGAUcAGGAACUGAAdTdT
AD-20567	740	1300	ucAGuuccuGAucucAcuGdTdT	1812	cAGUGAGAUcAGGAACUGAdTdT
AD-20568	741	1301	cAGuuccuGAucucAcuGGdTdT	1813	CcAGUGAGAUcAGGAACUGdTdT
AD-20569	742	1302	AGuuccuGAucucAcuGGudTdT	1814	ACcAGUGAGAUcAGGAACUDdTdT
AD-20571	744	1303	uuccuGAucucAcuGGuGcdTdT	1815	GcACcAGUGAGAUcAGGAAdTdT
AD-20572	745	1304	uccuGAucucAcuGGuGcAdTdT	1816	UGcACcAGUGAGAUcAGGAAdTdT
AD-20573	746	1305	ccuGAucucAcuGGuGcAGdTdT	1817	CUGcACcAGUGAGAUcAGGdTdT

AD-20574	747	2048	cuGAucucAcuGGuGcAGudTdT	2049	ACUGcACCAGUGAGAUcAGdTdT
AD-20575	748	1306	uGAucucAcuGGuGcAGucdTdT	1818	GACUGcACCAGUGAGAUcAdTdT
AD-20576	749	1307	GAucucAcuGGuGcAGucAdTdT	1819	UGACUGcACCAGUGAGAUcCdTdT
AD-20577	750	1308	AucucAcuGGuGcAGucAAAdTdT	1820	UUGACUGcACCAGUGAGAUdTdT
AD-20578	751	1309	ucucAcuGGuGcAGucAAAAdTdT	1821	UUUGACUGcACCAGUGAGAdTdT
AD-20579	752	1310	cucAcuGGuGcAGucAAAcdTdT	1822	GUUUGACUGcACCAGUGAGdTdT
AD-20581	754	1311	cAcuGGuGcAGucAAAccGdTdT	1823	CGGUUUGACUGcACCAGUGdTdT
AD-20582	755	1312	AcuGGuGcAGucAAAccGGdTdT	1824	CCGGUUUGACUGcACCAGUDdTdT
AD-20625	756	1313	cuGGuGcAGucAAAccGGAdTdT	1825	UCCGGUUUGACUGcACCAGdTdT
AD-20626	757	1314	uGGuGcAGucAAAccGGAudTdT	1826	AUCCGGUUUGACUGcACCAdTdT
AD-20627	758	1315	GGuGcAGucAAAccGGAucdTdT	1827	GAUCCGGUUUGACUGcACCdTdT
AD-20628	759	1316	GuGcAGucAAAccGGAuccdTdT	1828	GAUCCGGUUUGACUGcACdTdT
AD-20629	760	1317	uGcAGucAAAccGGAuccdTdT	1829	AGGAUCCGGUUUGACUGcAdTdT
AD-20630	761	1318	GcAGucAAAccGGAuccuGdTdT	1830	cAGGAUCCGGUUUGACUGCdTdT
AD-20631	762	1319	cAGucAAAccGGAuccuGGdTdT	1831	CcAGGAUCCGGUUUGACUGdTdT
AD-20632	763	1320	AGucAAAccGGAuccuGGGdTdT	1832	CCcAGGAUCCGGUUUGACUDdTdT
AD-20633	781	1321	GGGuGAAGAGAAAGAucccdTdT	1833	GGGAUCUUUCUUcACCCdTdT
AD-20634	799	1322	ccuGAuGcuGAACGAcAGdTdT	1834	CUGUCGUUcAGcAUcAGGGdTdT
AD-20635	800	1323	ccuGAuGcuGAACGAcAGudTdT	1835	ACUGUCGUUcAGcAUcAGGdTdT
AD-20636	801	1324	cuGAuGcuGAACGAcAGuGdTdT	1836	cACUGUCGUUcAGcAUcAGdTdT
AD-20637	802	1325	uGAuGcuGAACGAcAGuGGdTdT	1837	CcACUGUCGUUcAGcAUcAdTdT
AD-20638	803	1326	GAuGcuGAACGAcAGuGGcdTdT	1838	GCcACUGUCGUUcAGcAUCdTdT
AD-20639	804	1327	AuGcuGAACGAcAGuGGcudTdT	1839	AGCcACUGUCGUUcAGcAUdTdT
AD-20640	805	1328	uGcuGAACGAcAGuGGcudTdT	1840	GAGCcACUGUCGUUcAGcAdTdT
AD-20641	806	1329	GcuGAACGAcAGuGGcucAdTdT	1841	UGAGCcACUGUCGUUcAGCdTdT
AD-20642	807	1330	cuGAACGAcAGuGGcucAGdTdT	1842	CUGAGCcACUGUCGUUcAGdTdT
AD-20643	808	1331	uGAACGAcAGuGGcucAGdTdT	1843	GCUGAGCcACUGUCGUUcAdTdT
AD-20644	809	1332	GAACGAcAGuGGcucAGcAdTdT	1844	UGCUGAGCcACUGUCGUUCdTdT
AD-20645	810	1333	AAcGAcAGuGGcucAGcAcdTdT	1845	GUGCUGAGCcACUGUCGUUDdTdT
AD-20646	811	1334	AcGAcAGuGGcucAGcAcAdTdT	1846	UGUGCUGAGCcACUGUCGUdTdT
AD-20647	812	1335	cGAcAGuGGcucAGcAcAuddTdT	1847	AUGUGCUGAGCcACUGUCGdTdT
AD-20648	813	1336	GAcAGuGGcucAGcAcAuudTdT	1848	AAUGUGCUGAGCcACUGUCdTdT
AD-20649	814	1337	AcAGuGGcucAGcAcAuucdTdT	1849	GAAUGUGCUGAGCcACUGUDdTdT
AD-20650	815	1338	cAGuGGcucAGcAcAuuccdTdT	1850	GGAAUGUGCUGAGCcACUGdTdT
AD-20651	816	1339	AGuGGcucAGcAcAuuccAdTdT	1851	UGGAAUGUGCUGAGCcACUDdTdT
AD-20652	817	1340	GuGGcucAGcAcAuuuccAdTdT	1852	AUGGAAUGUGCUGAGCcACdTdT
AD-20653	818	1341	uGGcucAGcAcAuuuccAuGdTdT	1853	cAUGGAAUGUGCUGAGCcAdTdT
AD-20654	819	1342	GGcucAGcAcAuuuccAuGcdTdT	1854	GcAUGGAAUGUGCUGAGCCdTdT
AD-20655	820	1343	GcucAGcAcAuuuccAuGccdTdT	1855	GGcAUGGAAUGUGCUGAGCdTdT
AD-20656	821	1344	cucAGcAcAuuuccAuGcccAdTdT	1856	GGGcAUGGAAUGUGCUGAGdTdT
AD-20657	822	1345	ucAGcAcAuuuccAuGcccAdTdT	1857	UGGGcAUGGAAUGUGCUGAdTdT
AD-20658	823	1346	cAGcAcAuuuccAuGcccAAGdTdT	1858	UUGGGcAUGGAAUGUGCUGdTdT
AD-20659	824	1347	AGcAcAuuuccAuGcccAAGdTdT	1859	CUUGGGcAUGGAAUGUGCUDdTdT

AD-20660	825	1348	GcAcAuuccAuGcccAAGudTdT	1860	ACUUGGGcAUGGAAUGUGCdTdT
AD-20661	826	1349	cAcAuuccAuGcccAAGuAdTdT	1861	uACUUGGGcAUGGAAUGUGdTdT
AD-20284	827	1350	AcAuuccAuGcccAAGuAudTdT	1862	AuACUUGGGcAUGGAAUGUDdTdT
AD-20662	847	1351	GccGGcAGuucuccuGGAdTdT	1863	UCcAGGGAGAACUGCCGGCdTdT
AD-20868	848	1352	ccGGcAGuucuccuGGAGdTdT	1864	CUCcAGGGAGAACUGCCGGdTdT
AD-20663	849	1353	cGGcAGuucuccuGGAGCdTdT	1865	GCUCcAGGGAGAACUGCCGGdTdT
AD-20664	850	1354	GGcAGuucuccuGGAGcAdTdT	1866	UGCUCcAGGGAGAACUGCCdTdT
AD-20665	851	1355	GcAGuucuccuGGAGcAcdTdT	1867	GUGCUCcAGGGAGAACUGCdTdT
AD-20666	852	1356	cAGuucuccuGGAGcAcGdTdT	1868	CGUGCUCcAGGGAGAACUGdTdT
AD-20667	853	1357	AGuucuccuGGAGcAcGudTdT	1869	ACGUGCUCcAGGGAGAACUDdTdT
AD-20668	854	1358	GuucuccuGGAGcAcGucdTdT	1870	GACGUGCUCCAGGGAGAACdTdT
AD-20669	855	1359	uucuccuGGAGcAcGuccdTdT	1871	GGACGUGCUCCAGGGAGAddTdT
AD-20670	856	1360	ucuccuGGAGcAcGuccAdTdT	1872	UGGACGUGCUCCAGGGAGAddTdT
AD-20671	857	1361	cucccuGGAGcAcGuccAcdTdT	1873	GUGGACGUGCUCCAGGGAGdTdT
AD-20672	858	1362	ucccuGGAGcAcGuccAcGdTdT	1874	CGUGGACGUGCUCCAGGGAddTdT
AD-20673	859	1363	cccuGGAGcAcGuccAcGGdTdT	1875	CCGUGGACGUGCUCCAGGGdTdT
AD-20674	860	1364	ccuGGAGcAcGuccAcGGdTdT	1876	GCCGUGGACGUGCUCCAGGdTdT
AD-20675	861	1365	cuGGAGcAcGuccAcGGudTdT	1877	AGCCGUGGACGUGCUCCAGdTdT
AD-20676	862	1366	uGGAGcAcGuccAcGGcudTdT	1878	GAGCCGUGGACGUGCUCCAdTdT
AD-20677	915	1373	AGcuccAGccucuAcGcccdTdT	1885	GGGCGuAGAGGCUGGAGCudTdT
AD-20678	965	1385	cuccGAcAucAccGAGcuGdTdT	1897	cAGCUCGGUGAUGUCGGAGdTdT
AD-20679	966	1386	uccGAcAucAccGAGcuGGdTdT	1898	CcAGCUCGGUGAUGUCGGAdTdT
AD-20680	967	1387	ccGAcAucAccGAGcuGGcdTdT	1899	GCCAGCUCGGUGAUGUCGGdTdT
AD-20681	968	1388	cGAcAucAccGAGcuGGcudTdT	1900	AGCcAGCUCGGUGAUGUCGdTdT
AD-20682	969	1389	GAcAucAccGAGcuGGcudTdT	1901	GAGCcAGCUCGGUGAUGUCdTdT
AD-20683	970	1390	AcAucAccGAGcuGGcuccdTdT	1902	GGAGCcAGCUCGGUGAUGUDdTdT
AD-20684	971	1391	cAucAccGAGcuGGcuccudTdT	1903	AGGAGCcAGCUCGGUGAUGdTdT
AD-20685	972	1392	AucAccGAGcuGGcuccuGdTdT	1904	cAGGAGCcAGCUCGGUGAUDdTdT
AD-20686	973	1393	ucAccGAGcuGGcuccuGcdTdT	1905	GcAGGAGCcAGCUCGGUGAdTdT
AD-20687	974	1394	cAccGAGcuGGcuccuGccdTdT	1906	GGcAGGAGCcAGCUCGGUGdTdT
AD-20688	975	1395	AccGAGcuGGcuccuGccAdTdT	1907	UGGcAGGAGCcAGCUCGGudTdT
AD-20689	976	1396	ccGAGcuGGcuccuGccAGdTdT	1908	CUGGcAGGAGCcAGCUCGGdTdT
AD-20690	977	1397	cGAGcuGGcuccuGccAGcdTdT	1909	GCUGGcAGGAGCcAGCUCGdTdT
AD-20691	978	1398	GAGcuGGcuccuGccAGcdTdT	1910	GGCUGGcAGGAGCcAGCUCdTdT
AD-20692	979	1399	AGcuGGcuccuGccAGcccdTdT	1911	GGGCUGGcAGGAGCcAGCUDdTdT
AD-20693	1011	1400	GGcGGGAGcAuAGAcGAGAdTdT	1912	UCUCGUCuAUGCUCCCGCCdTdT
AD-20694	1012	1401	GcGGGAGcAuAGAcGAGAGdTdT	1913	CUCUCGUCuAUGCUCCCGdTdT
AD-20695	1013	1402	cGGGAGcAuAGAcGAGAGGdTdT	1914	CCUCUCGUCuAUGCUCCCGdTdT
AD-20696	1014	1403	GGGAGcAuAGAcGAGAGGcdTdT	1915	GCCUCUCGUCuAUGCUCCCdTdT
AD-20697	1015	1404	GGAGcAuAGAcGAGAGGcdTdT	1916	GGCCUCUCGUCuAUGCUCCDdTdT
AD-20698	1016	1405	GAGcAuAGAcGAGAGGcccdTdT	1917	GGGCCUCUCGUCuAUGCUCdTdT
AD-20699	1048	1406	cccuGGuGcGuGucAAGGAdTdT	1918	UCCUUGAcACGcAccAGGGdTdT
AD-20700	1049	1407	ccuGGuGcGuGucAAGGAGdTdT	1919	CUCCUUGAcACGcAccAGGdTdT

AD-20701	1050	1408	cuGGuGcGuGucAAGGAGGdTdT	1920	CCUCCUUGAcACGcACcAGdTdT
AD-20702	1051	1409	uGGuGcGuGucAAGGAGGdTdT	1921	UCCUCCUUGAcACGcACcAdTdT
AD-20869	1052	1410	GGuGcGuGucAAGGAGGAGdTdT	1922	CUCCUCCUUGAcACGcACCdTdT
AD-20703	1053	1411	GuGcGuGucAAGGAGGAGcdTdT	1923	GCUCUCCUUGAcACGcACdTdT
AD-20704	1054	1412	uGcGuGucAAGGAGGAGcdTdT	1924	GGCUCCUCCUUGAcACGcAdTdT
AD-20705	1055	1413	GcGuGucAAGGAGGAGccdTdT	1925	GGGCUCCUCCUUGAcACGcdTdT
AD-20706	1329	1416	cAcuuGGAuGcuAuGGAcudTdT	1928	AGUCcAuAGcAUcAACGUGdTdT
AD-20707	1330	1417	AcuuGGAuGcuAuGGAcuddTdT	1929	GAGUCcAuAGcAUcAACGUDdTdT
AD-20709	1332	1418	uuGGAuGcuAuGGAcuccAdTdT	1930	UGGAGUCcAuAGcAUcAACdTdT
AD-20710	1333	1419	uGGAuGcuAuGGAcuccAAdTdT	1931	UUGGAGUCcAuAGcAUcAACdTdT
AD-20711	1334	1420	GGAuGcuAuGGAcuccAAcdTdT	1932	GUUGGAGUCcAuAGcAUCCdTdT
AD-20712	1335	1421	GAuGcuAuGGAcuccAAccdTdT	1933	GGUUGGAGUCcAuAGcAUCdTdT
AD-20713	1336	1422	AuGcuAuGGAcuccAAccudTdT	1934	ACGUUGGAGUCcAuAGcAUdTdT
AD-20714	1337	1423	uGcuAuGGAcuccAAccuGdTdT	1935	cAGGUUGGAGUCcAuAGcAdTdT
AD-20715	1338	1424	GcuAuGGAcuccAAccuGGdTdT	1936	CcAGGUUGGAGUCcAuAGcAUCdTdT
AD-20716	1339	1425	cuAuGGAcuccAAccuGGAdTdT	1937	UccAGGUUGGAGUCcAuAGdTdT
AD-20717	1359	1426	AAccuGcAGAccAuGcuGAdTdT	1938	UcAGcAUGGUCUGcAGGUUDdTdT
AD-20718	1360	1427	AccuGcAGAccAuGcuGAGdTdT	1939	CuAGcAUGGUCUGcAGGUdTdT
AD-20719	1361	1428	ccuGcAGAccAuGcuGAGcdTdT	1940	GCUcAGcAUGGUCUGcAGGdTdT
AD-20720	1362	1429	cuGcAGAccAuGcuGAGcAdTdT	1941	UGCUCAGcAUGGUCUGcAGdTdT
AD-20721	1363	1430	uGcAGAccAuGcuGAGcAGdTdT	1942	CUGCUCAGcAUGGUCUGcAdTdT
AD-20722	1364	1431	GcAGAccAuGcuGAGcAGcdTdT	1943	GCUGCUCAGcAUGGUCUGCdTdT
AD-20723	1365	1432	cAGAccAuGcuGAGcAGccdTdT	1944	GGCUGCUcAGcAUGGUCUGdTdT
AD-20724	1366	1433	AGAccAuGcuGAGcAGccAdTdT	1945	UGGCUGCUcAGcAUGGUCUDdTdT
AD-20725	1367	1434	GAccAuGcuGAGcAGccAcdTdT	1946	GUGGCUGCUcAGcAUGGUCdTdT
AD-20726	1368	1435	AccAuGcuGAGcAGccAcGdTdT	1947	CGUGGCUGCUcAGcAUGGUdTdT
AD-20727	1369	1436	ccAuGcuGAGcAGccAcGGdTdT	1948	CCGUGGCUGCUcAGcAUGGdTdT
AD-20728	1370	1437	cAuGcuGAGcAGccAcGGcdTdT	1949	GCCGUGGCUGCUcAGcAUGdTdT
AD-20729	1371	1438	AuGcuGAGcAGccAcGGcudTdT	1950	AGCCGUGGCUGCUcAGcAUdTdT
AD-20730	1372	1439	uGcuGAGcAGccAcGGcuudTdT	1951	AAGCCGUGGCUGCUcAGcAdTdT
AD-20731	1373	1440	GcuGAGcAGccAcGGcuucdTdT	1952	GAAGCCGUGGCUGCUcAGCdTdT
AD-20732	1374	1441	cuGAGcAGccAcGGcuucAdTdT	1953	UGAAGCCGUGGCUGCUcAGdTdT
AD-20733	1375	1442	uGAGcAGccAcGGcuucAGdTdT	1954	CUGAAGCCGUGGCUGCUcAdTdT
AD-20734	1379	1446	cAGccAcGGcuucAGcGuGdTdT	1958	cACGCUGAAGCCGUGGCUGdTdT
AD-20735	1380	1447	AGccAcGGcuucAGcGuGGdTdT	1959	CcACGCUGAAGCCGUGGCUDdTdT
AD-20736	1381	1448	GccAcGGcuucAGcGuGGAdTdT	1960	UCCACGCUGAAGCCGUGGCdTdT
AD-20737	1382	1449	ccAcGGcuucAGcGuGGAccdTdT	1961	GUCCACGCUGAAGCCGUGGdTdT
AD-20738	1383	1450	cAcGGcuucAGcGuGGAcAdTdT	1962	UGUCcACGCUGAAGCCGUGdTdT
AD-20739	1384	1451	AcGGcuucAGcGuGGAcAcdTdT	1963	GUGUCcACGCUGAAGCCGUDdTdT
AD-20740	1385	1452	cGGcuucAGcGuGGAcAccdTdT	1964	GGUGUCcACGCUGAAGCCGdTdT
AD-20741	1386	1453	GGcuucAGcGuGGAcAccAdTdT	1965	UGGUGUCcACGCUGAAGCCdTdT
AD-20742	1387	1454	GcuucAGcGuGGAcAccAGdTdT	1966	CUGGUGUCcACGCUGAAGCCdTdT
AD-20743	1407	1455	GcccuGcuGGAccuGuucAdTdT	1967	UGAACAGGUCCAGcAGGGCdTdT

AD-20744	1408	1456	cccuGcuGGAccuGuucAGdTdT	1968	CUGAACAGGUCCAGcAGGGdTdT
AD-20745	1409	1457	ccuGcuGGAccuGuucAGcdTdT	1969	GCUGAACAGGUCCAGcAGGdTdT
AD-20746	1410	1458	cuGcuGGAccuGuucAGccdTdT	1970	GGCUGAACAGGUCCAGcAGdTdT
AD-20747	1411	1459	uGcuGGAccuGuucAGcccdTdT	1971	GGGCUGAACAGGUCCAGcAdTdT
AD-20748	1428	1460	cccuGGuGAccGuGcccGdTdT	1972	CGGGcACGGUcACCGAGGGdTdT
AD-20749	1429	1461	ccucGGuGAccGuGcccGAdTdT	1973	UCGGGcACGGUcACCGAGGGdTdT
AD-20750	1430	1462	cucGGuGAccGuGcccGAcdTdT	1974	GUCGGGcACGGUcACCGAGGdTdT
AD-20751	1431	1463	ucGGuGAccGuGcccGAcAdTdT	1975	UGUCGGGcACGGUcACCGAdTdT
AD-20752	1432	1464	cGGuGAccGuGcccGAcAudTdT	1976	AUGUCGGGcACGGUcACCGdTdT
AD-20753	1433	1465	GGuGAccGuGcccGAcAuGdTdT	1977	cAUGUCGGGcACGGUcACCdTdT
AD-20754	1434	1466	GuGAccGuGcccGAcAuGAdTdT	1978	UCAUGUCGGGcACGGUcACdTdT
AD-20755	1435	1467	uGAccGuGcccGAcAuGAGdTdT	1979	CUcAUGUCGGGcACGGUcAdTdT
AD-20756	1436	1468	GAccGuGcccGAcAuGAGcdTdT	1980	GCUcAUGUCGGGcACGGUcAdTdT
AD-20757	1437	1469	AccGuGcccGAcAuGAGccdTdT	1981	GGCUcAUGUCGGGcACGGUdTdT
AD-20758	1438	1470	ccGuGcccGAcAuGAGccudTdT	1982	AGGCUcAUGUCGGGcACGGdTdT
AD-20759	1439	1471	cGuGcccGAcAuGAGccuGdTdT	1983	cAGGCUcAUGUCGGGcACGdTdT
AD-20760	1440	1472	GuGcccGAcAuGAGccuGcdTdT	1984	GcAGGCUcAUGUCGGGcACdTdT
AD-20761	1441	1473	uGcccGAcAuGAGccuGccdTdT	1985	GGcAGGCUcAUGUCGGGcAdTdT
AD-20762	1442	1474	GcccGAcAuGAGccuGccudTdT	1986	AGGcAGGCUcAUGUCGGGdTdT
AD-20763	1443	1475	cccGAcAuGAGccuGccuGdTdT	1987	cAGGcAGGCUcAUGUCGGdTdT
AD-20764	1444	1476	ccGAcAuGAGccuGccuGAdTdT	1988	UcAGGcAGGCUcAUGUCGGdTdT
AD-20765	1445	1477	cGAcAuGAGccuGccuGAcdTdT	1989	GUcAGGcAGGCUcAUGUCGdTdT
AD-20766	1446	1478	GAcAuGAGccuGccuGAccdTdT	1990	GGUcAGGcAGGCUcAUGUCdTdT
AD-20767	1447	1479	AcAuGAGccuGccuGAccudTdT	1991	AGGUcAGGcAGGCUcAUGUdTdT
AD-20768	1448	1480	cAuGAGccuGccuGAccuudTdT	1992	AAGGUcAGGcAGGCUcAUGdTdT
AD-20769	1449	1481	AuGAGccuGccuGAccuuGdTdT	1993	cAAGGUcAGGcAGGCUcAUdTdT
AD-20770	1450	1482	uGAGccuGccuGAccuuGAdTdT	1994	UcAAGGUcAGGcAGGCUcAdTdT
AD-20771	1451	1483	GAGccuGccuGAccuuGAcdTdT	1995	GUcAAGGUcAGGcAGGCUCdTdT
AD-20772	1452	1484	AGccuGccuGAccuuGAcAdTdT	1996	UGUcAAGGUcAGGcAGGCUDdT
AD-20773	1453	1485	GccuGccuGAccuuGAcAGdTdT	1997	CUGUcAAGGUcAGGcAGGCdTdT
AD-20774	1454	1486	ccuGccuGAccuuGAcAGcdTdT	1998	GCUGUcAAGGUcAGGcAGGdTdT
AD-20775	1455	1487	cuGccuGAccuuGAcAGcAdTdT	1999	UGCUGUcAAGGUcAGGcAGdTdT
AD-20776	1456	1488	uGccuGAccuuGAcAGcAGdTdT	2000	CUGCUGUcAAGGUcAGGcAdTdT
AD-20777	1457	1489	GccuGAccuuGAcAGcAGcdTdT	2001	GCUGCUGUcAAGGUcAGGCdTdT
AD-20778	1458	1490	ccuGAccuuGAcAGcAGccdTdT	2002	GGCUGCUGUcAAGGUcAGGdTdT
AD-20779	1459	1491	cuGAccuuGAcAGcAGccudTdT	2003	AGGCUGCUGUcAAGGUcAGdTdT
AD-20780	1460	1492	uGAccuuGAcAGcAGccuGdTdT	2004	cAGGCUGCUGUcAAGGUcAdTdT
AD-20781	1461	1493	GAccuuGAcAGcAGccuGGdTdT	2005	CcAGGCUGCUGUcAAGGUcAdTdT
AD-20782	1462	1494	AccuuGAcAGcAGccuGGcdTdT	2006	GCcAGGCUGCUGUcAAGGUdTdT
AD-20783	1482	1495	AGuAuccAAGAGccuuGudTdT	2007	AcAGGAGCUCUUGGAuACUdTdT
AD-20784	1483	1496	GuAuccAAGAGccuuGucdTdT	2008	GAcAGGAGCUCUUGGAuACdTdT
AD-20785	1484	1497	uAuccAAGAGccuuGucudTdT	2009	AGAcAGGAGCUCUUGGAuAdTdT
AD-20786	1485	1498	AuccAAGAGccuuGucudTdT	2010	GAGAcAGGAGCUCUUGGAudTdT

AD-20787	1486	1499	uccAAGAGcuccuGucuccdTdT	2011	GGAGAcAGGAGCUCUJUGGdTdT
AD-20788	1487	1500	ccAAGAGcuccuGucuccdTdT	2012	GGGAGAcAGGAGCUCUUGGdTdT
AD-20789	1547	1515	GGAuucAGGGAAAGcAGcuGdTdT	2027	cAGCUGCUUCCCUGAAUCCdTdT
AD-20790	1548	1516	GAuucAGGGAAAGcAGcuGGdTdT	2028	CcAGCUGCUUCCCUGAAUCdTdT
AD-20791	1549	1517	AuucAGGGAAAGcAGcuGGdTdT	2029	ACcAGCUGCUUCCCUGAAUdTdT
AD-20792	1602	1518	cccGGcuccGuGGAcAccGdTdT	2030	CGGUGUCcACGGAGCCGGdTdT
AD-20793	1603	1519	ccGGcuccGuGGAcAccGGdTdT	2031	CGGUGUCcACGGAGCCGGdTdT
AD-20794	1604	1520	cGGcuccGuGGAcAccGGGdTdT	2032	CCCGGUGUCcACGGAGCCGGdTdT
AD-20795	1605	1521	GGcuccGuGGAcAccGGGAdTdT	2033	UCCC GGUGUCcACGGAGCCdTdT
AD-20796	1606	1522	GcuccGuGGAcAccGGGAGdTdT	2034	CUCCC GGUGUCcACGGAGCdTdT
AD-20870	1607	1523	cuccGuGGAcAccGGGAGdTdT	2035	GUCCCCGGUGUCcACGGAGdTdT
AD-20871	1608	1524	uccGuGGAcAccGGGAGcAdTdT	2036	UGCUCCCGGUGUCcACGGAdTdT
AD-20872	1633	1525	uGccGGuGcuGuuuGAGcuGdTdT	2037	AGCUcAAAcAGcACCGGcAdTdT
AD-20797	1634	1526	GccGGuGcuGuuuGAGcuGdTdT	2038	cAGCUcAAAcAGcACCGGcdTdT
AD-20798	1635	1527	ccGGuGcuGuuuGAGcuGGdTdT	2039	CcAGCUcAAAcAGcACCGGdTdT
AD-20799	1636	1528	cGGuGcuGuuuGAGcuGGGdTdT	2040	CCcAGCUcAAAcAGcACCGdTdT
AD-20873	1698	1529	cccAccAucuccuGcuGAdTdT	2041	UcAGcAGGGAGAUGGUGGGdTdT
AD-20800	1699	1530	ccAccAucuccuGcuGAcdTdT	3282	GUcAGcAGGGAGAUGGUGGdTdT
AD-20801	1700	1531	cACCAucuccuGcuGAcdTdT	3283	UGUcAGcAGGGAGAUGGUGGdTdT
AD-20278		2075	GcAGGuuGuucAuAGucAGdTdT	2086	CUGAcuAUGAAcAACCUUGCdTdT
AD-20279		2076	cAGGuuGuucAuAGucAGAdTdT	2087	UCUGACuAUGAAcAACUGdTdT
AD-20280		2077	AGGuuGuucAuAGucAGAAdTdT	2088	UUCUGACuAUGAAcAACCUdTdT
AD-20281		2078	GcccAAGuAcuuuAAGcAcdTdT	2089	GUGCUUGAAGuACUUGGGdTdT
AD-20282		2079	cccAAGuAcuuuAAGcAcAdTdT	2090	UGUGCUUGAAGuACUUGGGdTdT
AD-20283		2080	ccAAGuAcuuuAAGcAcAAdTdT	2091	UUGUGC UUGAAGuACUUGGdTdT
AD-20377		2081	cAAcAAcAuGGccAGcuucdTdT	2092	GAAGCUGGCcAUGUUGUUGdTdT
AD-20570		2082	GuuccuGAucucAcuGGuGdTdT	2093	cACcAGUGAGAUcAGGAACdTdT
AD-20580		2083	ucAcuGGuGcAGucAAAccdTdT	2094	GGUUUGACUGcAccAGUGAdTdT
AD-20597		2084	UUGGUcAGGAAGGCCGGAdTdT	2095	ucccGGccuuccuGAccAAdTdT
AD-20598		2085	cccGGccuuccuGAccAAGdTdT	2096	CUUGGUcAGGAAGGCCGGdTdT

[00604] Abbreviations in the nucleotide sequences herein are as depicted in Table 2A.

TABLE 2A. ABBREVIATIONS

Abbreviation	Nucleotide(s)
A	adenosine-5'-phosphate
C	cytidine-5'-phosphate
G	guanosine-5'-phosphate
dT	2'-deoxy-thymidine-5'-phosphate
U	uridine-5'-phosphate
c	2'-O-methylcytidine-5'-phosphate
u	2'-O-methyluridine-5'-phosphate
Ts	2'-deoxy-thymidine -5'-phosphorothioate
Q128	5'-(6-hydroxy hexyl) phosphate
idT	inverted 2'-deoxythymidine-3'-phosphate
Ab	beta-L-adenosine-3'-phosphate

Abbreviation	Nucleotide(s)
Ub	beta-L-uridine-3'-phosphate
Cb	beta-L-cytidine-3'-phosphate

[00605] The RNAi agents listed in Table 2 were prepared, as described in Example 2.

[00606] Modified sequences were conceived for other 19-mers listed in Table 1. These modified sequences are listed in Table 3. As with Table 2, the modified sequences in Table 3 are 5 examples and non-limiting; alternative modifications are easily conceived by one of ordinary skill in the art, and additional or alternative base modifications are described elsewhere herein.

TABLE 3. MODIFIED SEQUENCES FOR ADDITIONAL 19-MERS

Position	SEQ ID NO	Sense 5'-3' modified	SEQ ID NO	Antisense 5'-3' modified
201	1025	GGGcccAGcAAcGucccGGdTdT	1537	CCGGGACGUUGCUGGGCCdTdT
202	1026	GGcccAGcAAcGucccGGcdTdT	1538	GCCGGGACGUUGCUGGGCCdTdT
203	1027	GcccAGcAAcGucccGGccdTdT	1539	GGCCGGGACGUUGCUGGGcdTdT
204	1028	cccAGcAAcGucccGGccudTdT	1540	AGGCCGGGACGUUGCUGGGdTdT
205	1029	ccAGcAAcGucccGGccuudTdT	1541	AAGGCCGGGACGUUGCUGGdTdT
206	1030	cAGcAAcGucccGGccuuudTdT	1542	GAAGGCCGGGACGUUGCUGdTdT
207	1031	AGcAAcGucccGGccuuuccdTdT	1543	GGAAAGGCCGGGACGUUGCUDdTdT
208	1032	GcAAcGucccGGccuuuccdTdT	1544	AGGAAGGCCGGGACGUUGCdTdT
248	1070	GAGcGAcGGAcAccGAcdTdT	1582	GUCGGUGUCCGGGUCGCUDdTdT
249	1071	AGcGAcGGAcAccGAcGdTdT	1583	CGUCGGUGUCCGGGUCGCUDdTdT
250	1072	GcGAcGGAcAccGAcGcdTdT	1584	GCGUCGGUGUCCGGGUCGCdTdT
308	1077	GuucGAccAGGGccAGuuudTdT	1589	AAACUGGCCUGGUCGAACdTdT
437	1118	GGucaAGccAGAGAGAGAcdTdT	1630	GUCUCUCUGGCUUGACcdTdT
438	1119	GucAAGccAGAGAGAGAcGdTdT	1631	CGUCUCUCUGGCUUGACdTdT
439	1120	ucAAGccAGAGAGAGAcGAdTdT	1632	UCGUCUCUCUGGCUUGAdTdT
440	1121	cAAGccAGAGAGAGAcGAdTdT	1633	GUCGUCUCUCUGGCUUGdTdT
441	1122	AAGccAGAGAGAGAcGAcAdTdT	1634	UGUCGUCUCUCUGGCUUDdTdT
442	1123	AGccAGAGAGAGAcGAcAdTdT	1635	GUGUCGUCUCUCUGGCUdTdT
443	1124	GccAGAGAGAGAcGAcAcGdTdT	1636	CGUGUCGUCUCUCUGGcdTdT
444	1125	ccAGAGAGAGAcGAcAcGGdTdT	1637	CCGUGUGUCUCUCUGGdTdT
445	1126	cAGAGAGAGAcGAcAcGGAdTdT	1638	UCCGUGUGUCUCUCUCUGdTdT
446	1127	AGAGAGAGAcGAcAcGGAGdTdT	1639	CUCCGUGUGUCUCUCUCUDdTdT
447	1128	GAGAGAGAcGAcAcGGAGudTdT	1640	ACUCCGUGUGUCUCUCUDdTdT
448	1129	AGAGAGAGAcGAcAcGGAGuudTdT	1641	AACUCCGUGUGUCUCUCUDdTdT
449	1130	GAGAGAGAcACGGAGuucdTdT	1642	GAACUCCGUGUGUCUCUDdTdT
450	1131	AGAGAGAcACGGAGuuccdTdT	1643	GGAACUCCGUGUGUCUCUDdTdT
451	1132	GAGAcGAcAcGGAGuuccAdTdT	1644	UGGAACUCCGUGUGUCUCUDdTdT
452	1133	AGAcGAcAcGGAGuuccAGdTdT	1645	CUGGAACUCCGUGUGUCUDdTdT
453	1134	GAcGAcAcGGAGuuccAGcdTdT	1646	GCUGGAACUCCGUGUGUCUDdTdT
454	1135	AcGAcAcGGAGuuccAGcAdTdT	1647	UGCUGGAACUCCGUGUGUCUDdTdT

455	1136	cGAcAcGGAGuuccAGcAcdTdT	1648	GUGCUGGAACUCCGUGUCGdTdT
456	1137	GAcAcGGAGuuccAGcAccdTdT	1649	GGUGCUGGAACUCCGUGUCdTdT
457	1138	AcACGGAGuuccAGcAccdTdT	1650	GGGUGCUGGAACUCCGUGUDdTdT
507	1157	GAGAAcAucAAGAGGAAAGdTdT	1669	CUUUCUCUUGAUGUUUCUdTdT
508	1158	AGAACAcAucAAGAGGAAAGuddTdT	1670	ACUUUCCUCUUGAUGUUUCUdTdT
686	1246	GGccAGccuucGGcAGAAGdTdT	1758	CUUCUGCCGAAGGCUGGCCdTdT
687	1247	GccAGccuucGGcAGAAGcdTdT	1759	GCUUUCUGCCGAAGGCUGGCCdTdT
688	1248	ccAGccuucGGcAGAAGcAdTdT	1760	UGCUUCUGCCGAAGGCUGGCCdTdT
689	1249	cAGccuucGGcAGAAGcAudTdT	1761	AUGCUUCUGCCGAAGGCUGdTdT
708	1268	GcccAGcAAcAGAAAGucGdTdT	1780	CGACUUUCUGUJUGCUGGGCdTdT
709	1269	cccAGcAAcAGAAAGucGudTdT	1781	ACGACUUUCUGUJUGCUGGGdTdT
710	1270	ccAGCAAcAGAAAGucGucdTdT	1782	GACGACUUUCUGUJUGCUGGGdTdT
711	1271	cAGCAAcAGAAAGucGucAdTdT	1783	UGACGACUUUCUGUJUGCUGdTdT
712	1272	AGcAAcAGAAAGucGucAAdTdT	1784	UUGACGACUUUCUGUJUGCUGdTdT
713	1273	GcAAcAGAAAGucGucAAcdTdT	1785	GUUGACGACUUUCUGUJUGCdTdT
714	1274	cAAcAGAAAGucGucAAcAdTdT	1786	UGUUGACGACUUUCUGUJUGdTdT
715	1275	AAcAGAAAGucGucAAcAAdTdT	1787	UUGUJUGACGACUUUCUGUJUDdTdT
716	1276	AcAGAAAGucGucAAcAAGdTdT	1788	CUUGUJUGACGACUUUCUGUdTdT
717	1277	cAGAAAGucGucAAcAAAGcdTdT	1789	GCUUUGUJUGACGACUUUCUGdTdT
718	1278	AGAAAGucGucAAcAAGcudTdT	1790	AGCUJUGUJUGACGACUUUCUDdTdT
719	1279	GAAAGucGucAAcAAGcucdTdT	1791	GAGCUJUGUJUGACGACUUUCUDdTdT
720	1280	AAAGucGucAAcAAGcucAdTdT	1792	UGAGCUJUGUJUGACGACUUUDdTdT
721	1281	AAGucGucAAcAAGcucAudTdT	1793	AUGAGCUJUGUJUGACGACUUUDdTdT
722	1282	AGucGucAAcAAGcucAuudTdT	1794	AAUGAGCUJUGUJUGACGACUDdTdT
723	1283	GucGucAAcAAGcucAuucdTdT	1795	GAAUGAGCUJUGUJUGACGACdTdT
724	1284	ucGucAAcAAGcucAuucAdTdT	1796	UGAAUGAGCUJUGUJUGACGAdTdT
725	1285	cGucAAcAAGcucAuucAGdTdT	1797	CUGAAUGAGCUJUGUJUGACGdTdT
726	1286	GucAAcAAGcucAuucAGudTdT	1798	ACUGAAUGAGCUJUGUJUGACdTdT
727	1287	ucAAcAAGcucAuucAGuudTdT	1799	AACUGAAUGAGCUJUGUJUGAdTdT
728	1288	CAAAcAAGcucAuucAGuucdTdT	1800	GAACUGAAUGAGCUJUGUJUGdTdT
729	1289	AAcAAGcucAuucAGuuccdTdT	1801	GGAACUGAAUGAGCUJUGUJUDdTdT
730	1290	AcAAGcucAuucAGuuccudTdT	1802	AGGAACUGAAUGAGCUJUGUJUDdTdT
863	1367	GGAGcAcGuccAcGGcucGdTdT	1879	CGAGCCGUGGAGCUGCUCCdTdT
864	1368	GAGcAcGuccAcGGcucGGdTdT	1880	CCGAGCCGUGGAGCUGCUcdTdT
865	1369	AGcAcGuccAcGGcucGGGdTdT	1881	CCCGAGCCGUGGAGCUGCUcdTdT
866	1370	GcAcGuccAcGGcucGGGcdTdT	1882	CCCCGAGCCGUGGAGCUGCDdTdT
867	1371	cAcGuccAcGGcucGGGcdTdT	1883	GGCCCGAGCCGUGGAGCUGCDdTdT
868	1372	AcGuccAcGGcucGGGcccdTdT	1884	GGGCCCCGAGCCGUGGAGCUGUDdTdT
954	1374	GGAcccAucAucuccGAcAdTdT	1886	UGUCGGAGAUGAUGGGUCdTdT
955	1375	GAcccAucAucuccGAcAudTdT	1887	AUGUCGGAGAUGAUGGGUCdTdT
956	1376	AcccAucAucuccGAcAucdTdT	1888	GAUGUCGGAGAUGAUGGGUDdTdT
957	1377	cccAucAucuccGAcAucAdTdT	1889	UGAUGUCGGAGAUGAUGGGdTdT
958	1378	ccAucAucuccGAcAucAcdTdT	1890	GUGAUGUCGGAGAUGAUGGdTdT

959	1379	cAucAucuccGAcAucAccdTdT	1891	GGUGAUGUCGGAGAUGAUGdTdT
960	1380	AucAucuccGAcAucAccGdTdT	1892	CGGUGAUGUCGGAGAUGAUGdTdT
961	1381	ucAucuccGAcAucAccGAddTdT	1893	UCGGUGAUGUCGGAGAUGAddTdT
962	1382	cAucuccGAcAucAccGAGdTdT	1894	CUCGGUGAUGUCGGAGAUGdTdT
963	1383	AucuccGAcAucAccGAGcdTdT	1895	GCUCGGUGAUGUCGGAGAUGdTdT
964	1384	ucuccGAcAucAccGAGcdTdT	1896	AGCUCGGUGAUGUCGGAGAddTdT
1074	1414	cccAGccGccucAGAGccdTdT	1926	GGCUCUGAGGCGGGCUGGdTdT
1075	1415	ccAGccGccucAGAGcccdTdT	1927	GGGCUCUGAGGCGGGCUGGdTdT
1376	1443	GAGcAGccAcGGcuucAGcdTdT	1955	GCUGAAGCCGUGGCUGCUCdTdT
1377	1444	AGcAGccAcGGcuucAGcGdTdT	1956	CGCUGAAGCCGUGGCUGCUDdTdT
1378	1445	GcAGccAcGGcuucAGcGuddTdT	1957	ACGCUGAAGCCGUGGCUGCdtdt
1533	1501	GAGAAcAGcAGcccGGAuuddTdT	2013	AAUCCGGGUGCUGUUCUDdTdT
1534	1502	AGAACAGcAGcccGGAuucdTdT	2014	GAAUCCGGGUGCUGUUUCUDdTdT
1535	1503	GAACAGcAGcccGGAuucAddTdT	2015	UGAAUCCGGGUGCUGUUCdtdt
1536	1504	AAcAGcAGcccGGAuucAGdTdT	2016	CUGAAUCCGGGUGCUGUUDdTdT
1537	1505	AcAGcAGcccGGAuucAGGdTdT	2017	CCUGAAUCCGGGUGCUGUdtdt
1538	1506	cAGcAGcccGGAuucAGGGdTdT	2018	CCCUGAAUCCGGGUGCUGdtdt
1539	1507	AGcAGcccGGAuucAGGGAddTdT	2019	UCCCUGAAUCCGGGUGCUDdTdT
1540	1508	GcAGccGGAuucAGGGAddTdT	2020	UUCCCUGAAUCCGGGUGCUDdTdT
1541	1509	cAGcccGGAuucAGGGAGdTdT	2021	CUUCCCUGAAUCCGGGUGdtdt
1542	1510	AGcccGGAuucAGGGAGcdTdT	2022	GCUUCCCUGAAUCCGGGUDdTdT
1543	1511	GcccGGAuucAGGGAGcAddTdT	2023	UGCUUCCCUGAAUCCGGGdtdt
1544	1512	cccGGAuucAGGGAGcAGdTdT	2024	CUGCUUCCCUGAAUCCGGdTdT
1545	1513	ccGGAuucAGGGAGcAGcdTdT	2025	GCUGCUUCCCUGAAUCCGGdTdT
1546	1514	cGGAuucAGGGAGcAGcdTdT	2026	AGCUGCUUCCCUGAAUCCGdTdT
1725	1532	GAGccucccAAAGccAAGGdTdT	3284	CCUUGGCUUUGGGAGGCUDdTdT
1726	1533	AGccucccAAAGccAAGGAddTdT	3285	UCCUUGGCUUUGGGAGGCUDdTdT
1727	1534	GccucccAAAGccAAGGAddTdT	3286	GUCCUUGGCUUUGGGAGGdTdT
1728	1535	ccucccAAAGccAAGGAccdTdT	3287	GGUCCUUGGCUUUGGGAGGdTdT
1729	1536	cucccAAAGccAAGGAccdTdT	3288	GGGUCCUUGGCUUUGGGAGdTdT

[00607] EXAMPLE 1A. Overlapping siRNAs

[00608] Some of the siRNAs listed above overlap each other in sequence. The following table presents a compilation of groups of RNAi agents, wherein each member of a group overlaps 5 with each other member of the same group by at least 12 nt. A 12-nt portion of the overlap of the sense strands and a 12-nt portion of the overlap of the antisense strand are presented. Thus, for example, AD-20296 and AD-20300 share the common technical feature of the sequence of CCAAGCUGUGGA in the sense strand, and the sequence of UCCACAGCUUGG in the antisense strand. Note of course that only a 12-nt portion of the overlap is shown; many groups of 10 RNAi agents will overlap by more than 12 nt. The position within the gene is also indicated.

TABLE 3A. OVERLAPPING siRNAs

Position	Sense overlap	SEQ ID NO:	Antisense overlap	SEQ ID NO:	RNAi Agents that overlap by at least 12 nt with each other
210	ACGUCCCGGCCU	2097	AGGCCGGGACGU	2646	AD-20594, AD-20596
211	CGUCCCGGCCUU	2098	AAGGCCGGGACG	2647	AD-20594, AD-20285
212	GUCCCGGCCUUC	2099	GAAGGCCGGGAC	2648	AD-20594, AD-20285
213	UCCCGGCCUUCC	2100	GGAAGGCCGGGA	2649	AD-20594, AD-20285
214	CCCGGCCUUCU	2101	AGGAAGGCCGGG	2650	AD-20594, AD-20598
215	CCGGCCUUCCUG	2102	CAGGAAGGCCGG	2651	AD-20594, AD-20598
216	CGGCCUUCCUGA	2103	UCAGGAAGGCCG	2652	AD-20598, AD-20288
217	GGCCUUCCUGAC	2104	GUCAGGAAGGCC	2653	AD-20289, AD-20598
218	GCCUUCCUGACC	2105	GGUCAGGAAGGC	2654	AD-20290, AD-20598
219	CCUUCCUGACCA	2106	UGGUCAAGGAAGG	2655	AD-20290, AD-20598
220	CUUCCUGACCAA	2107	UUGGUCAAGGAAG	2656	AD-20290, AD-20598
221	UUCCUGACCAAG	2108	CUUGGUCAAGGAA	2657	AD-20290, AD-20598
222	UCCUGACCAAGC	2109	GCUUGGUCAAGGA	2658	AD-20290, AD-20294
223	CCUGACCAAGCU	2110	AGCUUGGUCAAGG	2659	AD-20290, AD-20295
224	CUGACCAAGCUG	2111	CAGCUUGGUCAAG	2660	AD-20290, AD-20296
225	UGACCAAGCUGU	2112	ACAGCUUGGUCA	2661	AD-20290, AD-20296
226	GACCAAGCUGUG	2113	CACAGCUUGGUCA	2662	AD-20297, AD-20296
227	ACCAAGCUGUGG	2114	CCACAGCUUGGU	2663	AD-20296, AD-20299
228	CCAAGCUGUGGA	2115	UCCACAGCUUGG	2664	AD-20300, AD-20296
229	CAAGCUGUGGAC	2116	GUCCACAGCUUG	2665	AD-20300, AD-20296
230	AAGCUGUGGACC	2117	GGUCCACAGCUU	2666	AD-20300, AD-20296
231	AGCUGUGGACCC	2118	GGGUCCACAGCU	2667	AD-20303, AD-20300, AD-20296
232	GCUGUGGACCCU	2119	AGGGUCCACAGC	2668	AD-20303, AD-20300
233	CUGUGGACCCUC	2120	GAGGGUCCACAG	2669	AD-20303, AD-20300
234	UGUGGACCCUCG	2121	CGAGGGUCCACA	2670	AD-20303, AD-20300
235	GUGGACCCUCGU	2122	ACGAGGGUCCAC	2671	AD-20303, AD-20300
236	UGGACCCUCGUG	2123	CACGAGGGUCCA	2672	AD-20303, AD-20308
237	GGACCCUCGUGA	2124	UCACGAGGGUCC	2673	AD-20303, AD-20308
238	GACCCUCGUGAG	2125	CUCACGAGGGUC	2674	AD-20303, AD-20310
239	ACCCUCGUGAGC	2126	GCUCACGAGGGU	2675	AD-20310, AD-20311
240	CCCUCGUGAGCG	2127	CGCUCACGAGGG	2676	AD-20310, AD-20312
241	CCUCGUGAGCGA	2128	UCGCUCACGAGG	2677	AD-20313, AD-20312
242	CUCGUGAGCGAC	2129	GUCGCUCACGAG	2678	AD-20313, AD-20312
243	UCGUGAGCGACC	2130	GGUCGCUCACGA	2679	AD-20315, AD-20313, AD-20312
244	CGUGAGCGACCC	2131	GGGUCCGCUCACG	2680	AD-20315, AD-20313, AD-20312
245	GUGAGCGACCCG	2132	CGGGUCCGCUCAC	2681	AD-20315, AD-20313, AD-20312
246	UGAGCGACCCGG	2133	CCGGGUCCGCUC	2682	AD-20315, AD-20313, AD-20312
247	GAGCGACCCGGA	2134	UCCGGGUCCGCUC	2683	AD-20315, AD-20313, AD-20312
248	AGCGACCCGGAC	2135	GUCCGGGUCCGC	2684	AD-20315, AD-20313
249	GCGACCCGGACAC	2136	UGUCCGGGUCCGC	2685	AD-20315, AD-20318
250	CGACCCGGACAC	2137	GUGUCCGGGUCCG	2686	AD-20315, AD-20318
251	GACCCGGACACC	2138	GGUGUCCGGGUCC	2687	AD-20318, AD-20317
252	ACCCGGACACCG	2139	CGGUGUCCGGGU	2688	AD-20318, AD-20317

270	UCAUCUGCUGGA	2140	UCCAGCAGAUGA	2689	AD-20319, AD-20320
271	CAUCUGCUGGAG	2141	CUCCAGCAGAUG	2690	AD-20319, AD-20320
272	AUCUGCUGGAGC	2142	GCUCCAGCAGAU	2691	AD-20319, AD-20320
273	UCUGCUGGAGCC	2143	GGCUCCAGCAGA	2692	AD-20319, AD-20320
274	CUGCUGGAGCCC	2144	GGGCUCCAGCAG	2693	AD-20319, AD-20320
275	UGCUGGAGCCCG	2145	CGGGCUCCAGCA	2694	AD-20319, AD-20320
276	GCUGGAGCCGA	2146	UCGGGCUCCAGC	2695	AD-20319, AD-20320
306	UGUUCGACCAGG	2147	CCUGGUCGAACA	2696	AD-20345, AD-20344
307	GUUCGACCAGGG	2148	CCCUGGUCGAAC	2697	AD-20345, AD-20344
308	UUCGACCAGGGC	2149	GCCCUGGUCGAA	2698	AD-20345, AD-20344
309	UCGACCAGGGCC	2150	GGCCCUGGUCGAA	2699	AD-20345, AD-20344
310	CGACCAGGGCCA	2151	UGGCCCUUGGUCG	2700	AD-20345, AD-20348, AD-20344
311	GACCAGGGCCAG	2152	CUGGCCCUUGGUC	2701	AD-20349, AD-20345, AD-20348, AD-20344
312	ACCAGGGCCAGU	2153	ACUGGCCCUUGGU	2702	AD-20349, AD-20345, AD-20348, AD-20344
313	CCAGGGCCAGUU	2154	AACUGGCCCUUGG	2703	AD-20349, AD-20345, AD-20348
314	CAGGGCCAGUUU	2155	AAACUGGCCCUUG	2704	AD-20349, AD-20348
315	AGGGCCAGUUUG	2156	CAAACUGGCCCU	2705	AD-20349, AD-20353, AD-20348
316	GGGCCAGUUUGC	2157	GCAAACUGGCC	2706	AD-20349, AD-20353, AD-20348
317	GGCCAGUUUGCC	2158	GGCAAACUGGCC	2707	AD-20349, AD-20353, AD-20348
318	GCCAGUUUGCCA	2159	UGGCAAACUGGC	2708	AD-20349, AD-20353
319	CCAGUUUGCCAA	2160	UUGGCAAACUGG	2709	AD-20353, AD-20356
320	CAGUUUGCCAAG	2161	CUUGGCAAACUG	2710	AD-20353, AD-20358
321	AGUUUGCCAAGG	2162	CCUUGGCAAACU	2711	AD-20353, AD-20359
322	GUUUGCCAAGGA	2163	UCCUUGGCAAAC	2712	AD-20353, AD-20360
323	UUUGCCAAGGAG	2164	CUCCUUGGCAA	2713	AD-20361, AD-20360
324	UUGCCAAGGAGG	2165	CCUCCUUGGCAA	2714	AD-20362, AD-20360
325	UGCCAAGGAGGU	2166	ACCUCCUUGGCA	2715	AD-20362, AD-20360
326	GCCAAGGAGGUG	2167	CACCUCCUUGGC	2716	AD-20364, AD-20362
327	CCAAGGAGGUGC	2168	GCACCUCCUUGG	2717	AD-20365, AD-20364, AD-20362
328	CAAGGAGGUGC	2169	AGCACCUCCUUG	2718	AD-20365, AD-20366, AD-20364, AD-20362
329	AAGGAGGUGCUG	2170	CAGCACCUCCU	2719	AD-20365, AD-20366, AD-20364, AD-20362
330	AGGAGGUGCUGC	2171	GCAGCACCUCCU	2720	AD-20365, AD-20366, AD-20364, AD-20362
331	GGAGGUGCUGCC	2172	GGCAGCACCUCC	2721	AD-20365, AD-20366, AD-20364, AD-20362
332	GAGGUGCUGCCC	2173	GGGCAGCACCUCC	2722	AD-20365, AD-20366, AD-20364
333	AGGUGCUGCCCA	2174	UGGGCAGCACCU	2723	AD-20365, AD-20366, AD-20364
334	GGUGCUGCCCAA	2175	UUGGGCAGCACCC	2724	AD-20365, AD-20366
335	GUGCUGCCCAAG	2176	CUUGGGCAGCAC	2725	AD-20366, AD-20367
336	UGCUGCCCAAGU	2177	ACUUGGGCAGCA	2726	AD-20368, AD-20367
341	CCCAAGUACUUC	2178	GAAGUACUUGGG	2727	AD-20282, AD-20281

342	CCAAGUACUUCA	2179	UGAAGUACUUGG	2728	AD-20282, AD-20281
343	CAAGUACUCAA	2180	UUGAAGUACUUG	2729	AD-20282, AD-20281
344	AAGUACUUCAG	2181	CUUGAAGUACUU	2730	AD-20282, AD-20281
345	AGUACUUCAGC	2182	GCUUGAAGUACU	2731	AD-20282, AD-20281
346	GUACUUCAGCA	2183	UGCUUGAAGUAC	2732	AD-20282, AD-20281
347	UACUUCAGCAC	2184	GUGCUUGAAGUA	2733	AD-20282, AD-20281
348	ACUUCAAGCACA	2185	UGUGCUUGAAGU	2734	AD-20282, AD-20283
351	UCAAGCACAACA	2186	UGUUGUGCUUGA	2735	AD-20369, AD-20370
352	CAAGCACAACAA	2187	UUGUUGUGCUUG	2736	AD-20369, AD-20370
353	AAGCACAACAAAC	2188	GUUGUUGUGCUU	2737	AD-20369, AD-20370
354	AGCACAACAAACA	2189	UGUUGUUGUGCU	2738	AD-20373, AD-20369
355	GCACAACAACAU	2190	AUGUUGUUGUGC	2739	AD-20373, AD-20374
356	CACAACAACAU	2191	CAUGUUGUUGUG	2740	AD-20373, AD-20374
357	ACAACAACAU	2192	CCAUGUUGUUGU	2741	AD-20373, AD-20374, AD-20376
358	CAACAACAUGGC	2193	GCCAUGUUGUUG	2742	AD-20373, AD-20376
359	AACAACAUGGCC	2194	GGCCAUGUUGUU	2743	AD-20373, AD-20374, AD-20376, AD-20378
360	ACAACAUGGCCA	2195	UGGCCAUGUUGU	2744	AD-20373, AD-20374, AD-20376, AD-20378
361	CAACAUGGCCAG	2196	CUGGCCAUGUUG	2745	AD-20373, AD-20374, AD-20376, AD-20378, AD-20380
362	AACAUGGCCAGC	2197	GCUGGCCAUGUU	2746	AD-20374, AD-20376, AD-20378, AD-20380
363	ACAUGGCCAGCU	2198	AGCUGGCCAUGU	2747	AD-20376, AD-20378, AD-20380
364	CAUGGCCAGCUU	2199	AAGCUGGCCAUG	2748	AD-20376, AD-20378, AD-20380
365	AUGGCCAGCUUC	2200	GAAGCUGGCCAU	2749	AD-20378, AD-20380
366	UGGCCAGCUUCG	2201	CGAAGCUGGCCA	2750	AD-20378, AD-20380
367	GGCCAGCUUCGU	2202	ACGAAGCUGGCC	2751	AD-20380, AD-20385
368	GCCAGCUUCGUG	2203	CACGAAGCUGGC	2752	AD-20380, AD-20385
369	CCAGCUUCGUGC	2204	GCACGAAGCUGG	2753	AD-20382, AD-20385
370	CAGCUUCGUGCG	2205	CGCACGAAGCUG	2754	AD-20382, AD-20385
371	AGCUUCGUGCGG	2206	CCGCACGAAGCU	2755	AD-20384, AD-20385
372	GCUUCGUGCGGC	2207	GCCGCACGAAGC	2756	AD-20384, AD-20385
489	GCCAGGAGCAGC	2208	GCUGCUCCUGGC	2757	AD-20388, AD-20387
490	CCAGGAGCAGCU	2209	AGCUGCUCCUGG	2758	AD-20388, AD-20387, AD-20389
491	CAGGAGCAGCUC	2210	GAGCUGCUCCUG	2759	AD-20390, AD-20388, AD-20387, AD-20389
492	AGGAGCAGCUCC	2211	GGAGCUGCUCCU	2760	AD-20390, AD-20391, AD-20388, AD-20387, AD-20389
493	GGAGCAGCUCCU	2212	AGGAGCUGCUCC	2761	AD-20390, AD-20391, AD-20388, AD-20392, AD-20387, AD-20389
494	GAGCAGCUCCUU	2213	AAGGAGCUGCUC	2762	AD-20390, AD-20391, AD-20388, AD-20393, AD-20392, AD-20387, AD-20389

495	AGCAGCUCCUUG	2214	CAAGGAGCUGCU	2763	AD-20390, AD-20391, AD-20388, AD-20393, AD-20392, AD-20387, AD-20389
496	GCAGCUCCUUGA	2215	UCAAGGAGCUGC	2764	AD-20390, AD-20395, AD-20391, AD-20388, AD-20393, AD-20392, AD-20389
497	CAGCUCCUUGAG	2216	CUCAAGGAGCUG	2765	AD-20390, AD-20395, AD-20396, AD-20391, AD-20393, AD-20392, AD-20389
498	AGCUCCUUGAGA	2217	UCUCAAGGAGCU	2766	AD-20390, AD-20395, AD-20396, AD-20397, AD-20391, AD-20393, AD-20392
499	GCUCCUUGAGAA	2218	UUCUCAAGGAGC	2767	AD-20395, AD-20396, AD-20398, AD-20397, AD-20391, AD-20393, AD-20392
500	CUCCUUGAGAAC	2219	GUUCUCAAGGAG	2768	AD-20395, AD-20396, AD-20398, AD-20397, AD-20393, AD-20399, AD-20392
501	UCCUUGAGAACCA	2220	UGUUCUCAAGGA	2769	AD-20395, AD-20396, AD-20398, AD-20397, AD-20393, AD-20399
502	CCUUGAGAACAU	2221	AUGUUCUCAAGG	2770	AD-20395, AD-20396, AD-20398, AD-20397, AD-20399, AD-20401
503	CUUGAGAACACU	2222	GAUGUUCUCAAG	2771	AD-20395, AD-20396, AD-20402, AD-20398, AD-20397, AD-20399, AD-20401
504	UUGAGAACAUCA	2223	UGAUGUUCUCAA	2772	AD-20403, AD-20396, AD-20402, AD-20398, AD-20397, AD-20399, AD-20401
505	UGAGAACAUCAA	2224	UUGAUGUUCUCA	2773	AD-20403, AD-20404, AD-20402, AD-20398, AD-20397, AD-20399, AD-20401
506	GAGAACAUCAAG	2225	CUUGAUGUUCUC	2774	AD-20403, AD-20404, AD-20402, AD-20398, AD-20399, AD-20401
507	AGAACAUCAAGA	2226	UCUUGAUGUUCU	2775	AD-20403, AD-20404, AD-20402, AD-20399, AD-20401
508	GAACAUCAAGAG	2227	CUCUUGAUGUUC	2776	AD-20403, AD-20404, AD-20402, AD-20401
509	AACAUCAAGAGG	2228	CCUCUUGAUGUU	2777	AD-20403, AD-20404, AD-20402, AD-20406, AD-20401

510	ACAUCAAGAGGA	2229	UCCUCUUGAUGU	2778	AD-20403, AD-20404, AD-20402, AD-20406, AD-20407
511	CAUCAAGAGGAA	2230	UUCCUCUUGAUG	2779	AD-20403, AD-20404, AD-20406, AD-20407, AD-20408
512	AUCAAGAGGAAA	2231	UUUCCUCUUGAU	2780	AD-20409, AD-20404, AD-20406, AD-20407, AD-20408
513	UCAAGAGGAAAG	2232	CUUUCCUCUUGA	2781	AD-20409, AD-20406, AD-20410, AD-20407, AD-20408
514	CAAGAGGAAAGU	2233	ACUUUCCUCUUG	2782	AD-20409, AD-20406, AD-20410, AD-20407, AD-20408, AD-20411
515	AAGAGGAAAGUG	2234	CACUUUCCUCUU	2783	AD-20409, AD-20406, AD-20410, AD-20407, AD-20408, AD-20411
516	AGAGGAAAGUGA	2235	UCACUUUCCUCU	2784	AD-20409, AD-20406, AD-20410, AD-20407, AD-20408, AD-20413, AD-20411
517	GAGGAAAGUGAC	2236	GUCACUUUCCUC	2785	AD-20409, AD-20410, AD-20407, AD-20408, AD-20413, AD-20411
518	AGGAAAGUGACC	2237	GGUCACUUUCCU	2786	AD-20409, AD-20410, AD-20408, AD-20413, AD-20411
519	GGAAAGUGACCA	2238	UGGUCACUUUCC	2787	AD-20409, AD-20410, AD-20413, AD-20411
520	GAAAGUGACCAG	2239	CUGGUACACUUUC	2788	AD-20410, AD-20413, AD-20411
521	AAAGUGACCAGU	2240	ACUGGUACACUUU	2789	AD-20413, AD-20411
522	AAGUGACCAGUG	2241	CACUGGUACACUU	2790	AD-20413, AD-20412
523	AGUGACCAGUGU	2242	ACACUGGUACACU	2791	AD-20420, AD-20413
524	GUGACCAGUGUG	2243	CACACUGGUACAC	2792	AD-20420, AD-20421
525	UGACCAGUGUGU	2244	ACACACUGGUCA	2793	AD-20421, AD-20422
526	GACCAGUGUGUC	2245	GACACACUGGUAC	2794	AD-20421, AD-20422
527	ACCAAGUGUGUCC	2246	GGACACACUGGU	2795	AD-20421, AD-20422
528	CCAGUGUGUCCA	2247	UGGACACACUGGU	2796	AD-20421, AD-20422
529	CAGUGUGUCCAC	2248	GUGGACACACUG	2797	AD-20426, AD-20421, AD-20422,
530	AGUGUGUCCACC	2249	GGUGGACACACU	2798	AD-20427, AD-20426, AD-20421, AD-20422
531	GUGUGUCCACCC	2250	GGGUGGACACAC	2799	AD-20427, AD-20426, AD-20421, AD-20422, AD-20428
532	UGUGUCCACCCU	2251	AGGGUGGACACAC	2800	AD-20427, AD-20426, AD-20422, AD-20428
533	GUGUCCACCCUG	2252	CAGGGUGGACAC	2801	AD-20427, AD-20426, AD-20428
534	UGUCCACCCUGA	2253	UCAGGGUGGACA	2802	AD-20427, AD-20426, AD-20428

535	GUCCACCCUGAA	2254	UUCAGGGUGGAC	2803	AD-20427, AD-20426, AD-20428
536	UCCACCCUGAAG	2255	CUUCAGGGUGGA	2804	AD-20427, AD-20426, AD-20433, AD-20428
537	CCACCCUGAAGA	2256	UCUUCAGGGUGG	2805	AD-20434, AD-20427, AD-20433, AD-20428
538	CACCCUGAAGAG	2257	CUCUUCAGGGUG	2806	AD-20434, AD-20433, AD-20428, AD-20435
539	ACCCUGAAGAGU	2258	ACUCUUCAGGGU	2807	AD-20434, AD-20433, AD-20436, AD-20435
540	CCCUGAAGAGUG	2259	CACUCUUCAGGG	2808	AD-20434, AD-20433, AD-20436, AD-20437, AD-20435
541	CCUGAAGAGUGA	2260	UCACUCUUCAGG	2809	AD-20434, AD-20438, AD-20433, AD-20436, AD-20437, AD-20435
542	CUGAAGAGUGAA	2261	UUCACUCUUCAG	2810	AD-20439, AD-20434, AD-20438, AD-20433, AD-20436, AD-20437, AD-20435
543	UGAAGAGUGAAG	2262	CUUCACUCUCA	2811	AD-20439, AD-20434, AD-20487, AD-20438, AD-20433, AD-20436, AD-20437, AD-20435
544	GAAGAGUGAAGA	2263	UCUUCACUCUUC	2812	AD-20439, AD-20434, AD-20487, AD-20488, AD-20438, AD-20436, AD-20437, AD-20435
545	AAGAGUGAAGAC	2264	GUCUUCACUCUU	2813	AD-20439, AD-20487, AD-20488, AD-20489, AD-20438, AD-20436, AD-20437, AD-20435
546	AGAGUGAAGACA	2265	UGUCUUCACUCU	2814	AD-20439, AD-20487, AD-20488, AD-20489, AD-20438, AD-20436, AD-20437, AD-20490
547	GAGUGAAGACAU	2266	AUGUCUUCACUC	2815	AD-20439, AD-20491, AD-20487, AD-20488, AD-20489, AD-20438, AD-20437, AD-20490
548	AGUGAAGACAU	2267	UAUGUCUUCACU	2816	AD-20439, AD-20491, AD-20487, AD-20488, AD-20489, AD-20438, AD-20490
549	GUGAAGACAUAA	2268	UUAUGUCUUCAC	2817	AD-20439, AD-20491, AD-20487, AD-20488, AD-20489, AD-20493, AD-20490
550	UGAAGACAUAAA	2269	UUUAUGUCUUC	2818	AD-20491, AD-20487, AD-20488, AD-20489, AD-20493, AD-20490
551	GAAGACAUAAAG	2270	CUUUAUGUCUUC	2819	AD-20491, AD-20488, AD-20489, AD-20493, AD-20490

552	AAGACAUAAAAGA	2271	UCUUUAUGUCUU	2820	AD-20491, AD-20489, AD-20493, AD-20490
553	AGACAUAAAAGAU	2272	AUCUUUAUGUCU	2821	AD-20491, AD-20493, AD-20490
554	GACAUAAAAGAUC	2273	GAUCUUUAUGUC	2822	AD-20491, AD-20493
555	ACAUAAAAGAUCC	2274	GGAUCUUUAUGU	2823	AD-20492, AD-20493
579	UCACCAAGCUGC	2275	GCAGCUUGGUGA	2824	AD-20494, AD-20495
580	CACCAAGCUGCU	2276	AGCAGCUUGGUG	2825	AD-20494, AD-20495
581	ACCAAGCUGCUG	2277	CAGCAGCUUGGU	2826	AD-20494, AD-20495
582	CCAAGCUGCUGA	2278	UCAGCAGCUUGG	2827	AD-20494, AD-20495
583	CAAGCUGCUGAC	2279	GUCAGCAGCUUG	2828	AD-20494, AD-20495
584	AAGCUGCUGACG	2280	CGUCAGCAGCUU	2829	AD-20494, AD-20495
585	AGCUGCUGACGG	2281	CCGUCAGCAGCU	2830	AD-20494, AD-20495, AD-20501
586	GCUGCUGACGGA	2282	UCCGUCAGCAGC	2831	AD-20495, AD-20502, AD-20501
587	CUGCUGACGGAC	2283	GUCCGUCAGCAG	2832	AD-20502, AD-20501
588	UGCUGACGGACG	2284	CGUCCGUCAGCA	2833	AD-20504, AD-20502, AD-20501
589	GCUGACGGACGU	2285	ACGUCCGUCAGC	2834	AD-20504, AD-20502, AD-20501
590	CUGACGGACGUG	2286	CACGUCCGUCAG	2835	AD-20504, AD-20506, AD-20502, AD-20501
591	UGACGGACGUGC	2287	GCACGUCCGUCA	2836	AD-20504, AD-20506, AD-20507, AD-20502, AD-20501
592	GACGGACGUGCA	2288	UGCACGUCCGUC	2837	AD-20504, AD-20506, AD-20507, AD-20502, AD-20501
593	ACGGACGUGCAG	2289	CUGCACGUCCGU	2838	AD-20504, AD-20506, AD-20507, AD-20502
594	CGGACGUGCAGC	2290	GCUGCACGUCCG	2839	AD-20504, AD-20506, AD-20507, AD-20510
595	GGACGUGCAGCU	2291	AGCUGCACGUCC	2840	AD-20511, AD-20504, AD-20506, AD-20507, AD-20501
596	GACGUGCAGCUG	2292	CAGCUGCACGUC	2841	AD-20511, AD-20506, AD-20507, AD-20510
597	ACGUGCAGCUGA	2293	UCAGCUGCACGU	2842	AD-20511, AD-20506, AD-20507, AD-20510, AD-20513
598	CGUGCAGCUGAU	2294	AUCAGCUGCACG	2843	AD-20511, AD-20507, AD-20510, AD-20513
599	GUGCAGCUGAUG	2295	CAUCAGCUGCAC	2844	AD-20511, AD-20510, AD-20513
600	UGCAGCUGAUGA	2296	UCAUCAGCUGCA	2845	AD-20511, AD-20510, AD-20513
601	GCAGCUGAUGAA	2297	UUCAUCAGCUGC	2846	AD-20511, AD-20510, AD-20513
602	CAGCUGAUGAAG	2298	CUUCAUCAGCUG	2847	AD-20511, AD-20513
603	AGCUGAUGAAGG	2299	CCUUCAUCAGCU	2848	AD-20512, AD-20513
660	AGAAUGAGGCUC	2300	GAGCCUCAUUCU	2849	AD-20514, AD-20515
661	GAAUGAGGCUCU	2301	AGAGCCUCAUUC	2850	AD-20516, AD-20515
662	AAUAGAGGCUCUG	2302	CAGAGCCUCAUU	2851	AD-20517, AD-20515

663	AUGAGGCUCUGU	2303	ACAGAGCCUCAU	2852	AD-20518, AD-20515
664	UGAGGCUCUGUG	2304	CACAGAGCCUCA	2853	AD-20519, AD-20515
665	GAGGCUCUGUGG	2305	CCACAGAGCCUC	2854	AD-20520, AD-20515
666	AGGCUCUGUGGC	2306	GCCACAGAGCCU	2855	AD-20521, AD-20515
667	GGCUCUGUGGCG	2307	CGCCACAGAGCC	2856	AD-20521, AD-20522
668	GCUCUGUGGCCG	2308	CCGCCACAGAGC	2857	AD-20523, AD-20522
669	CUCUGUGGCCGG	2309	CCCGCCACAGAG	2858	AD-20524, AD-20523,
670	UCUGUGGCCGGA	2310	UCCCGCCACAGA	2859	AD-20524, AD-20525,
671	CUGUGGCAGGAG	2311	CUCCCGCCACAG	2860	AD-20524, AD-20525
672	UGUUGGCAGGAGG	2312	CCUCCCGCCACA	2861	AD-20527, AD-20524
673	GUGGCGGGAGGU	2313	ACCUCCCGCCAC	2862	AD-20527, AD-20524
674	UGGCAGGGAGGUG	2314	CACCUCCCGCCA	2863	AD-20527, AD-20524
675	GGCGGGAGGUGG	2315	CCACCUCCCGCC	2864	AD-20530, AD-20527
676	GCGGGAGGUGGC	2316	GCCACCUCCCGC	2865	AD-20530, AD-20527
677	CGGGAGGUGGCC	2317	GGCCACCUCCCG	2866	AD-20530, AD-20527
678	GGGAGGUGGCCA	2318	UGGCCACCUCCC	2867	AD-20530, AD-20527
679	GGAGGUGGCCAG	2319	CUGGCCACCUCC	2868	AD-20530, AD-20527
680	GAGGUGGCCAGC	2320	GCUGGCCACCUC	2869	AD-20530, AD-20535
681	AGGUGGCCAGCC	2321	GGCUGGCCACCU	2870	AD-20530, AD-20535
682	GGUGGCCAGCCU	2322	AGGCUGGCCACC	2871	AD-20530, AD-20535
683	GUGGCCAGCCUU	2323	AAGGCUGGCCAC	2872	AD-20532, AD-20535
684	UGGCCAGCCUUC	2324	GAAGGCUGGCCA	2873	AD-20539, AD-20535
685	GGCCAGCCUUCG	2325	CGAAGGCUGGCC	2874	AD-20539, AD-20535
686	GCCAGCCUUCGG	2326	CCGAAGGCUGGC	2875	AD-20539, AD-20535
687	CCAGCCUUCGGC	2327	GGCGAAGGCUGG	2876	AD-20539, AD-20535
688	CAGCCUUCGGCA	2328	UGCCGAAGGCUG	2877	AD-20539, AD-20538
689	AGCCUUCGGCAG	2329	CUGCCGAAGGCU	2878	AD-20539, AD-20540
690	GCCUUCGGCAGA	2330	UCUGCCGAAGGC	2879	AD-20539, AD-20540
691	CCUUCGGCAGAA	2331	UUCUGCCGAAGG	2880	AD-20539, AD-20540
692	CUUCGGCAGAAG	2332	CUUCUGCCGAAG	2881	AD-20541, AD-20540
693	UUCGGCAGAAGC	2333	GUUCUGCCGAA	2882	AD-20544, AD-20540
694	UCGGCAGAAGCA	2334	UGCUUCUGCCGA	2883	AD-20544, AD-20545
695	CGGCAGAAGCAU	2335	AUGCUUCUGCCG	2884	AD-20546, AD-20544, AD-20545
696	GGCAGAAGCAUG	2336	CAUGCUUCUGCC	2885	AD-20546, AD-20544, AD-20545, AD-20547
697	GCAGAAGCAUGC	2337	GCAUGCUUCUGC	2886	AD-20546, AD-20544, AD-20545, AD-20548, AD-20547
698	CAGAAGCAUGCC	2338	GGCAUGCUUCUG	2887	AD-20546, AD-20544, AD-20545, AD-20549, AD-20548, AD-20547
699	AGAAGCAUGCCC	2339	GGGCAUGCUUCU	2888	AD-20546, AD-20544, AD-20545, AD-20549, AD-20548, AD-20547
700	GAAGCAUGCCCA	2340	UGGGCAUGCUUC	2889	AD-20546, AD-20544, AD-20545, AD-20549, AD-20548, AD-20547
701	AAGCAUGCCAG	2341	CUGGGCAUGCUU	2890	AD-20546, AD-20552, AD-20545, AD-20549, AD-20548, AD-20547

702	AGCAUGCCCAGC	2342	GCUGGGCAUGCU	2891	AD-20546, AD-20552, AD-20549, AD-20548, AD-20547
703	GCAUGCCCAGCA	2343	UGCUGGGCAUGC	2892	AD-20552, AD-20549, AD-20548, AD-20547
704	CAUGCCCAGCAA	2344	UUGCUGGGCAUG	2893	AD-20552, AD-20555, AD-20549, AD-20548
705	AUGCCCAGCAAC	2345	GUUGCUGGGCAU	2894	AD-20556, AD-20552, AD-20555, AD-20549
706	UGCCCAGCAACA	2346	UGUUGCUGGGCA	2895	AD-20557, AD-20556, AD-20552, AD-20555
707	GCCCAGCAACAG	2347	CUGUUGCUGGGC	2896	AD-20557, AD-20556, AD-20552, AD-20555
708	CCCAGCAACAGA	2348	UCUGUUGCUGGG	2897	AD-20557, AD-20556, AD-20552, AD-20555
709	CCAGCAACAGAA	2349	UUCUGUUGCUGG	2898	AD-20557, AD-20556, AD-20555
710	CAGAACAGAAA	2350	UUUCUGUUGCUG	2899	AD-20557, AD-20556, AD-20555
711	AGAACACAGAAAG	2351	CUUUCUGUUGCU	2900	AD-20557, AD-20556, AD-20555
712	GCAACAGAAAGU	2352	ACUUUCUGUUGC	2901	AD-20557, AD-20556
731	AAGCUCAUUCAG	2353	CUGAAUGAGCUU	2902	AD-20559, AD-20558
732	AGCUCAUUCAGU	2354	ACUGAAUGAGCU	2903	AD-20559, AD-20558, AD-20560
733	GCUCAUUCAGUU	2355	AACUGAAUGAGC	2904	AD-20559, AD-20558, AD-20560, AD-20561
734	CUCAUUCAGUUC	2356	GAACUGAAUGAG	2905	AD-20562, AD-20559, AD-20558, AD-20560, AD-20561
735	UCAUUCAGUUCC	2357	GGAACUGAAUGA	2906	AD-20562, AD-20559, AD-20563, AD-20558, AD-20560, AD-20561
736	CAUUCAGUUCCU	2358	AGGAACUGAAUG	2907	AD-20562, AD-20559, AD-20563, AD-20558, AD-20560, AD-20564, AD-20561
737	AUUCAGUUCCUG	2359	CAGGAACUGAAU	2908	AD-20562, AD-20559, AD-20563, AD-20558, AD-20560, AD-20564, AD-20565, AD-20561
738	UUCAGUUCCUGA	2360	UCAGGAACUGAA	2909	AD-20566, AD-20562, AD-20559, AD-20563, AD-20560, AD-20564, AD-20565, AD-20561
739	UCAGUUCCUGAU	2361	AUCAGGAACUGA	2910	AD-20566, AD-20562, AD-20563, AD-20560, AD-20564, AD-20565, AD-20561
740	CAGUUCCUGAUC	2362	GAUCAGGAACUG	2911	AD-20566, AD-20562, AD-20563, AD-20564, AD-20565, AD-20561

741	AGUUCCUGAUCU	2363	AGAUCAGGAACU	2912	AD-20569, AD-20566, AD-20562, AD-20563, AD-20564, AD-20565
742	GUUCCUGAUCUC	2364	GAGAUCAGGAAC	2913	AD-20569, AD-20566, AD-20563, AD-20570, AD-20564, AD-20565
743	UUCCUGAUCUCA	2365	UGAGAUCAGGAA	2914	AD-20569, AD-20566, AD-20570, AD-20564, AD-20565
744	UCCUGAUCUCAC	2366	GUGAGAUCAGGA	2915	AD-20569, AD-20566, AD-20572, AD-20570, AD-20565
745	CCUGAUCUCACU	2367	AGUGAGAUCAGG	2916	AD-20569, AD-20566, AD-20572, AD-20570
746	CUGAUCUCACUG	2368	CAGUGAGAUCAG	2917	AD-20569, AD-20572, AD-20570, AD-20574
747	UGAUCUCACUGG	2369	CCAGUGAGAUC	2918	AD-20569, AD-20572, AD-20570, AD-20574, AD-20575
748	GAUCUCACUGGU	2370	ACCAGUGAGAUC	2919	AD-20569, AD-20576, AD-20572, AD-20570, AD-20574, AD-20575
749	AUCUCACUGGUG	2371	CACCAGUGAGAU	2920	AD-20576, AD-20577, AD-20572, AD-20570, AD-20574, AD-20575
750	UCUCACUGGUGC	2372	GCACCAGUGAGA	2921	AD-20578, AD-20576, AD-20577, AD-20572, AD-20574, AD-20575
751	CUCACUGGUGCA	2373	UGCACCAGUGAG	2922	AD-20578, AD-20576, AD-20579, AD-20577, AD-20572, AD-20574, AD-20575
752	UCACUGGUGCAG	2374	CUGCACCAGUGA	2923	AD-20580, AD-20578, AD-20576, AD-20579, AD-20577, AD-20574, AD-20575
753	CACUGGUGCAGU	2375	ACUGCACCAAGU	2924	AD-20580, AD-20578, AD-20576, AD-20579, AD-20577, AD-20574, AD-20575
754	ACUGGUGCAGUC	2376	GACUGCACCAAGU	2925	AD-20580, AD-20578, AD-20576, AD-20579, AD-20577, AD-20582, AD-20575
755	CUGGUGCAGUCA	2377	UGACUGCACCAAG	2926	AD-20580, AD-20578, AD-20576, AD-20579, AD-20577, AD-20582, AD-20625
756	UGGUGCAGUCAA	2378	UUGACUGGCACCA	2927	AD-20580, AD-20626, AD-20578, AD-20579, AD-20577, AD-20582, AD-20625

757	GGUGCAGUCAAA	2379	UUUGACUGGCACC	2928	AD-20580, AD-20627, AD-20626, AD-20578, AD-20579, AD-20582, AD-20625
758	GUGCAGUCAAAC	2380	GUUUGACUGCAC	2929	AD-20580, AD-20627, AD-20626, AD-20579, AD-20582, AD-20625
759	UGCAGUCAAACC	2381	GGUUUGACUGCA	2930	AD-20580, AD-20627, AD-20626, AD-20582, AD-20629, AD-20625
760	GCAGUCAAACCG	2382	CGGUUUGACUGC	2931	AD-20627, AD-20626, AD-20582, AD-20629, AD-20625
761	CAGUCAAACCGG	2383	CCGGUUUGACUG	2932	AD-20627, AD-20626, AD-20582, AD-20629, AD-20625
762	AGUCAAACCGGA	2384	UCCGGUUUGACU	2933	AD-20627, AD-20626, AD-20629, AD-20625
763	GUCAAACCGGAU	2385	AUCCGGUUUGAC	2934	AD-20627, AD-20626, AD-20629
764	UCAAACCGGAUC	2386	GAUCCGGUUUGA	2935	AD-20627, AD-20629
765	CAAACCGGAUCC	2387	GAUCCGGUUUG	2936	AD-20628, AD-20629
766	AAACCGGAUCCU	2388	AGGAUCCGGUUU	2937	AD-20630, AD-20629
767	AACCGGAUCCUG	2389	CAGGAUCCGGUU	2938	AD-20630, AD-20632
768	ACCGGAUCCUGG	2390	CCAGGAUCCGGU	2939	AD-20632, AD-20631
799	CCUGAUGCUGAA	2391	UUCAGCAUCAGG	2940	AD-20634, AD-20635
800	CUGAUGCUGAAC	2392	GUUCAGCAUCAG	2941	AD-20634, AD-20636
801	UGAUGCUGAACG	2393	CGUUCAGCAUCA	2942	AD-20637, AD-20634
802	GAUGCUGAACGA	2394	UCGUUCAGCAUC	2943	AD-20634, AD-20638
803	AUGCUGAACGAC	2395	GUCGUUCAGCAU	2944	AD-20639, AD-20634, AD-20638
804	UGCUGAACGACA	2396	UGUCGUUCAGCA	2945	AD-20640, AD-20639, AD-20634, AD-20638
805	GCUGAACGACAG	2397	CUGUCGUUCAGC	2946	AD-20641, AD-20640, AD-20639, AD-20634, AD-20638
806	CUGAACGACAGU	2398	ACUGUCGUUCAG	2947	AD-20641, AD-20640, AD-20639, AD-20638
807	UGAACGACAGUG	2399	CACUGUCGUUCA	2948	AD-20641, AD-20643, AD-20640, AD-20639, AD-20638
808	GAACGACAGUGG	2400	CCACUGUCGUUC	2949	AD-20641, AD-20643, AD-20640, AD-20639, AD-20638, AD-20644
809	AACGACAGUGGC	2401	GCCACUGUCGUU	2950	AD-20641, AD-20643, AD-20640, AD-20639, AD-20638, AD-20644
810	ACGACAGUGGCU	2402	AGCCACUGUCGU	2951	AD-20646, AD-20643, AD-20640, AD-20639, AD-20644
811	CGACAGUGGCUC	2403	GAGCCACUGUCG	2952	AD-20646, AD-20643, AD-20640, AD-20644
812	GACAGUGGCUCA	2404	UGAGCCACUGUC	2953	AD-20646, AD-20643, AD-20648, AD-20644

813	ACAGUGGCUCAG	2405	CUGAGCCACUGU	2954	AD-20646, AD-20643, AD-20648, AD-20644
814	CAGUGGCUCAGC	2406	GCUGAGCCACUG	2955	AD-20646, AD-20643, AD-20650, AD-20648, AD-20644
815	AGUGGCUCAGCA	2407	UGCUGAGCCACU	2956	AD-20651, AD-20646, AD-20650, AD-20648, AD-20644
816	GUGGCUCAGCAC	2408	GUGCUGAGCCAC	2957	AD-20651, AD-20646, AD-20650, AD-20652, AD-20648
817	UGGCUCAGCACA	2409	UGUGCUGAGCCA	2958	AD-20651, AD-20646, AD-20653, AD-20650, AD-20652, AD-20648
818	GGCUCAGCACAU	2410	AUGUGCUGAGCC	2959	AD-20653, AD-20650, AD-20652, AD-20648
819	GCUCAGCACAUU	2411	AAUGUGCUGAGC	2960	AD-20653, AD-20650, AD-20652, AD-20648
820	CUCAGCACAUUC	2412	GAAUGUGCUGAG	2961	AD-20653, AD-20650, AD-20652
821	UCAGCACAUUCC	2413	GGAAUGUGCUGA	2962	AD-20653, AD-20650, AD-20652
822	CAGCACAUUCCA	2414	UGGAAUGUGCUG	2963	AD-20653, AD-20652, AD-20658
823	AGCACAUUCCAU	2415	AUGGAAUGUGCU	2964	AD-20659, AD-20653, AD-20652, AD-20658
824	GCACAUUCCAUG	2416	CAUGGAAUGUGC	2965	AD-20659, AD-20660, AD-20653, AD-20658
825	CACAUUCCAUGC	2417	GCAUGGAAUGUG	2966	AD-20659, AD-20660, AD-20661, AD-20658
826	ACAUUCCAUGCC	2418	GGCAUGGAAUGU	2967	AD-20659, AD-20660, AD-20284, AD-20661, AD-20658
827	CAUCCAUGCCC	2419	GGGCAUGGAAUG	2968	AD-20659, AD-20660, AD-20284, AD-20661, AD-20658
828	AUCCAUGCCCA	2420	UGGGCAUGGAAU	2969	AD-20659, AD-20660, AD-20284, AD-20661, AD-20658
829	UCCAUGCCCCAA	2421	UUGGGCAUGGAA	2970	AD-20659, AD-20660, AD-20284, AD-20661, AD-20658
830	UCCAUGCCCCAAG	2422	CUUGGGCAUGGA	2971	AD-20659, AD-20660, AD-20284, AD-20661
831	CCAUGCCCCAAGU	2423	ACUUGGGCAUGG	2972	AD-20660, AD-20284, AD-20661
832	CAUGCCCCAAGUA	2424	UACUUGGGCAUG	2973	AD-20284, AD-20661
847	CCGGCAGUUCUC	2425	GAGAACUGCCGG	2974	AD-20662, AD-20868
848	CGGCAGUUCUCC	2426	GGAGAACUGCCG	2975	AD-20663, AD-20868
849	GGCAGUUCUCCC	2427	GGGAGAACUGCC	2976	AD-20664, AD-20868
850	GCAGUUCUCCCU	2428	AGGGAGAACUGC	2977	AD-20665, AD-20868
851	CAGUUCUCCUG	2429	CAGGGAGAACUG	2978	AD-20666, AD-20868
852	AGUUCUCCUGG	2430	CCAGGGAGAACU	2979	AD-20666, AD-20868
853	GUUCUCCUGGA	2431	UCCAGGGAGAAC	2980	AD-20666, AD-20868

854	UUCUCCCUGGAG	2432	CUCCAGGGAGAA	2981	AD-20666, AD-20868
855	UCUCCCUGGAGC	2433	GCUCCAGGGAGA	2982	AD-20666, AD-20664
856	CUCCCUGGAGCA	2434	UGCUCCGAGGAG	2983	AD-20666, AD-20671
857	UCCCUGGAGCAC	2435	GUGCUCCAGGGAG	2984	AD-20672, AD-20671
858	CCCUGGAGCACG	2436	CGUGCUCCAGGG	2985	AD-20672, AD-20671
859	CCUGGAGCACGU	2437	ACGUGCUCCAGG	2986	AD-20672, AD-20671
860	CUGGAGCACGUC	2438	GACGUGCUCCAG	2987	AD-20672, AD-20671
861	UGGAGCACGUCC	2439	GGACGUGCUCCA	2988	AD-20672, AD-20671, AD-20676
862	GGAGCACGUCCA	2440	UGGACGUGCUCC	2989	AD-20672, AD-20671, AD-20676
863	GAGCACGUCCAC	2441	GUGGACGUGCUC	2990	AD-20672, AD-20671, AD-20676
864	AGCACGUCCACG	2442	CGUGGACGUGCU	2991	AD-20672, AD-20676
865	GCACGUCCACGG	2443	CCGUGGACGUGC	2992	AD-20675, AD-20676
866	CACGUCCACGGC	2444	GCCGUGGACGUG	2993	AD-20675, AD-20676
867	ACGUCCACGGCU	2445	AGCCGUGGACGU	2994	AD-20675, AD-20676
965	UCCGACAUCAACC	2446	GGUGAUGUCGGA	2995	AD-20679, AD-20678
966	CCGACAUCAACCG	2447	CGGUGAUGUCGG	2996	AD-20680, AD-20678
967	CGACAUCAACCGA	2448	UCGGUGAUGUCG	2997	AD-20681, AD-20678
968	GACAUCACCGAG	2449	CUCGGUGAUGUC	2998	AD-20678, AD-20682
969	ACAUCACCGAGC	2450	GCUCGGUGAUGU	2999	AD-20678, AD-20682
970	CAUCACCGAGCU	2451	AGCUCGGUGAUG	3000	AD-20678, AD-20682
971	AUCACCGAGCUG	2452	CAGCUCGGUGAU	3001	AD-20678, AD-20682
972	UCACCGAGCUGG	2453	CCAGCUCGGUGA	3002	AD-20686, AD-20682
973	CACCGAGCUGGC	2454	GCCAGCUCGGUG	3003	AD-20686, AD-20687
974	ACCGAGCUGGCU	2455	AGCCAGCUCGGU	3004	AD-20686, AD-20687
975	CCGAGCUGGCUC	2456	GAGCCAGCUCGG	3005	AD-20686, AD-20689
976	CGAGCUGGCUCC	2457	GGAGCCAGCUCG	3006	AD-20686, AD-20689
977	GAGCUGGCUCCU	2458	AGGAGCCAGCUC	3007	AD-20686, AD-20689
978	AGCUGGCUCCUG	2459	CAGGAGCCAGCU	3008	AD-20686, AD-20689
979	GCUGGCUCCUGC	2460	GCAGGAGCCAGC	3009	AD-20686, AD-20689
980	CUGGCUCCUGCC	2461	GGCAGGAGCCAG	3010	AD-20691, AD-20689
981	UGGCUCCUGCCA	2462	UGGCAGGAGCCA	3011	AD-20691, AD-20689
982	GGCUCCUGCCAG	2463	CUGGCAGGAGGCC	3012	AD-20691, AD-20689
983	GCUCCUGCCAGC	2464	GCUGGCAGGAGC	3013	AD-20692, AD-20691
984	CUCCUGCCAGCC	2465	GGCUGGCAGGAG	3014	AD-20692, AD-20691
1011	GCGGGAGCAUAG	2466	CUAUGCUCCCGC	3015	AD-20693, AD-20694
1012	CGGGAGCAUAGA	2467	UCUAUGCUCCCG	3016	AD-20693, AD-20694
1013	GGGAGCAUAGAC	2468	GUCUAUGCUCCC	3017	AD-20693, AD-20694
1014	GGAGCAUAGACG	2469	CGUCUAUGCUC	3018	AD-20693, AD-20694
1015	GAGCAUAGACGA	2470	UCGUCUAUGCUC	3019	AD-20693, AD-20694
1016	AGCAUAGACGAG	2471	CUCGUCUAUGC	3020	AD-20693, AD-20694
1017	GCAUAGACGGAGA	2472	UCUCGUCUAUGC	3021	AD-20693, AD-20694
1018	CAUAGACGAGAG	2473	CUCUCGUCUAUG	3022	AD-20698, AD-20694
1019	AUAGACGAGAGG	2474	CCUCUCGUCUAU	3023	AD-20697, AD-20698
1020	UAGACGAGAGGC	2475	GCCUCUCGUCUA	3024	AD-20697, AD-20698
1021	AGACGAGAGGCC	2476	GGCCUCUCGUCU	3025	AD-20697, AD-20698
1048	CCUGGUGCGUGU	2477	ACACGCACCAGG	3026	AD-20700, AD-20699
1049	CUGGUGCGUGUC	2478	GACACGCACCAG	3027	AD-20700, AD-20699
1050	UGGUGCGUGUCA	2479	UGACACGCACCA	3028	AD-20700, AD-20702
1051	GGUGCGUGUCAA	2480	UUGACACGCACC	3029	AD-20700, AD-20702

1052	GUGCGUGUCAAG	2481	CUUGACACGCAC	3030	AD-20700, AD-20703, AD-20702
1053	UGCGUGUCAAGG	2482	CCUUGACACGCA	3031	AD-20700, AD-20703, AD-20702
1054	GCGUGUCAAGGA	2483	UCCUUGACACGC	3032	AD-20700, AD-20703, AD-20702
1055	CGUGUCAAGGAG	2484	CUCCUUGACACG	3033	AD-20700, AD-20703, AD-20702
1056	GUGUCAAGGAGG	2485	CCUCCUUGACAC	3034	AD-20703, AD-20702
1057	UGUCAAGGAGGA	2486	UCCUCCUUGACA	3035	AD-20703, AD-20702
1058	GUCAAGGAGGGAG	2487	CUCCUCCUUGAC	3036	AD-20705, AD-20703
1059	UCAAGGAGGGAGC	2488	GCUCCUCCUUGA	3037	AD-20705, AD-20703
1060	CAAGGAGGAGCC	2489	GGCUCCUCCUUG	3038	AD-20705, AD-20704
1329	ACUUGGAUGCUA	2490	UAGCAUCCAAGU	3039	AD-20707, AD-20706
1330	CUUGGAUGCUAU	2491	AUAGCAUCCAAG	3040	AD-20707, AD-20708
1331	UUGGAUGCUAUG	2492	CAUAGCAUCAA	3041	AD-20707, AD-20709
1332	UGGAUGCUAUAGG	2493	CCAUAGCAUCCA	3042	AD-20707, AD-20710, AD-20709
1333	GGAUGCUAUGGA	2494	UCCAUAGCAUCC	3043	AD-20707, AD-20710, AD-20709
1334	GAUGCUAUGGAC	2495	GUCCAUAGCAUC	3044	AD-20707, AD-20710, AD-20709
1335	AUGCUAUGGACU	2496	AGUCCAUAGCAU	3045	AD-20713, AD-20707, AD-20710, AD-20709
1336	UGCUAUGGACUC	2497	GAGUCCAUAGCA	3046	AD-20713, AD-20714, AD-20707, AD-20710, AD-20709
1337	GCUAUGGACUCC	2498	GGAGUCCAUAGC	3047	AD-20713, AD-20714, AD-20710, AD-20709
1338	CUAUGGACUCCA	2499	UGGAGUCCAUAG	3048	AD-20713, AD-20714, AD-20710, AD-20709, AD-20716
1339	UAUGGACUCAA	2500	UUGGAGUCCAU	3049	AD-20713, AD-20714, AD-20710
1340	AUGGACUCCAAC	2501	GUUGGAGUCCAU	3050	AD-20713, AD-20714
1341	UGGACUCCAACC	2502	GGUUGGAGUCCA	3051	AD-20713, AD-20714
1342	GGACUCCAACCU	2503	AGGUUGGAGUCC	3052	AD-20713, AD-20714
1343	GACUCCAACCUUG	2504	CAGGUUGGAGUC	3053	AD-20714, AD-20716
1344	ACUCCAACCUUG	2505	CCAGGUUGGAGU	3054	AD-20716, AD-20715
1359	ACCUGCAGACCA	2506	UGGUCUGCAGGU	3055	AD-20717, AD-20718
1360	CCUGCAGACCAU	2507	AUGGUCUGCAGG	3056	AD-20717, AD-20718
1361	CUGCAGACCAUG	2508	CAUGGUCUGCAG	3057	AD-20720, AD-20718
1362	UGCAGACCAUGC	2509	GCAUGGUCUGCA	3058	AD-20718, AD-20721
1363	GCAGACCAUGCU	2510	AGCAUGGUCUGC	3059	AD-20718, AD-20722
1364	CAGACCAUGCUG	2511	CAGCAUGGUCUG	3060	AD-20718, AD-20722
1365	AGACCAUGCUGA	2512	UCAGCAUGGUCU	3061	AD-20718, AD-20722
1366	GACCAUGCUGAG	2513	CUCAGCAUGGUC	3062	AD-20718, AD-20722
1367	ACCAUGCUGAGC	2514	GCUCAGCAUGGU	3063	AD-20726, AD-20722
1368	CCAUGCUGAGCA	2515	UGCUCAGCAUGG	3064	AD-20727, AD-20722
1369	CAUGCUGAGCAG	2516	CUGCUCAGCAUG	3065	AD-20728, AD-20722
1370	AUGCUGAGCAGC	2517	GCUGCUCAGCAU	3066	AD-20728, AD-20722
1371	UGCUGAGCAGCC	2518	GGCUGCUCAGCA	3067	AD-20728, AD-20730
1372	GCUGAGCAGCCA	2519	UGGCUGCUCAGC	3068	AD-20728, AD-20730

1373	CUGAGCAGGCCAC	2520	GUGGCUGGCUCAG	3069	AD-20728, AD-20730
1374	UGAGCAGGCCACG	2521	CGUGGCUGCUCA	3070	AD-20728, AD-20730
1375	GAGCAGGCCACGG	2522	CCGUGGCUGCUC	3071	AD-20728, AD-20730
1376	AGCAGGCCACGGC	2523	GCCGUGGCUGCU	3072	AD-20728, AD-20730
1377	GCAGGCCACGGCU	2524	AGCCGUGGCUGC	3073	AD-20733, AD-20730
1378	CAGCCACGGCUU	2525	AAGCCGUGGCUG	3074	AD-20733, AD-20730
1379	AGCCACGGCUUC	2526	GAAGCCGUGGCU	3075	AD-20733, AD-20735
1380	GCCACGGCUUCA	2527	UGAAGCCGUGGC	3076	AD-20733, AD-20736
1381	CCACGGCUUCAG	2528	CUGAAGCCGUGG	3077	AD-20733, AD-20736
1382	CACGGCUUCAGC	2529	GCUGAAGCCGUG	3078	AD-20738, AD-20736
1383	ACGGCUUCAGCG	2530	CGCUGAAGCCGU	3079	AD-20739, AD-20736
1384	CGGCUUCAGCGU	2531	ACGCUGAAGCCG	3080	AD-20739, AD-20740
1385	GGCUUCAGCGUG	2532	CACGCUGAAGCC	3081	AD-20741, AD-20740
1386	GCUUCAGCGUGG	2533	CCACGCUGAAGC	3082	AD-20742, AD-20741
1387	CUUCAGCGUGGA	2534	UCCACGCUGAAG	3083	AD-20742, AD-20741
1388	UUCAGCGUGGAC	2535	GUCCACGCUGAA	3084	AD-20742, AD-20741
1389	UCAGCGUGGACAA	2536	UGUCCACGCUGA	3085	AD-20742, AD-20741
1390	CAGCGUGGACAC	2537	GUGUCCACGCUG	3086	AD-20742, AD-20741
1391	AGCGUGGACACC	2538	GGUGUCCACGCU	3087	AD-20742, AD-20741
1392	GCGUGGACACCA	2539	UGGUGUCCACGC	3088	AD-20742, AD-20741
1407	CCCUGCUGGACC	2540	GGUCCAGCAGGG	3089	AD-20744, AD-20743
1408	CCUGCUGGACCU	2541	AGGUCCAGCAGG	3090	AD-20744, AD-20743
1409	CUGCUGGACCU	2542	CAGGUCCAGCAG	3091	AD-20746, AD-20743
1410	UGCUGGACCU	2543	ACAGGUCCAGCA	3092	AD-20746, AD-20743
1411	GCUGGACCUUU	2544	AAACAGGUCCAGC	3093	AD-20746, AD-20743
1412	CUGGACCUUUC	2545	GAACAGGUCCAG	3094	AD-20746, AD-20743
1413	UGGACCUUCA	2546	UGAACAGGUCCA	3095	AD-20746, AD-20743
1414	GGACCUGUUCAG	2547	CUGAACAGGUCC	3096	AD-20746, AD-20747
1415	GACCUGUUCAGC	2548	GCUGAACAGGUC	3097	AD-20746, AD-20747
1416	ACCUGUUCAGCC	2549	GGCUGAACAGGU	3098	AD-20746, AD-20747
1428	CCUCGGUGACCG	2550	CGGUCACCGAGG	3099	AD-20749, AD-20748
1429	CUCGGUGACCGU	2551	ACGGUCACCGAG	3100	AD-20749, AD-20750
1430	UCGGUGACCGUG	2552	CACGGUCACCGA	3101	AD-20751, AD-20750
1431	CGGUGACCGUGC	2553	GCACGGUCACCG	3102	AD-20751, AD-20752
1432	GGUGACCGUGCC	2554	GGCACGGUCACC	3103	AD-20751, AD-20753
1433	GUGACCGUGCCC	2555	GGGCACGGUCAC	3104	AD-20751, AD-20754
1434	UGACCGUGCCCG	2556	CGGGCACGGUCA	3105	AD-20751, AD-20755
1435	GACCGUGCCCGA	2557	UCGGGCACGGUC	3106	AD-20751, AD-20756
1436	ACCGUGCCCGAC	2558	GUCGGGCACGGU	3107	AD-20751, AD-20757
1437	CCGUGCCCGACA	2559	UGUCGGGCACGG	3108	AD-20751, AD-20758
1438	CGUGCCCGACAU	2560	AUGUCGGGCACG	3109	AD-20759, AD-20758
1439	GUGCCCGACAUG	2561	CAUGUCGGGCAC	3110	AD-20760, AD-20759
1440	UGCCCGACAUGA	2562	UCAUGUCGGGCA	3111	AD-20760, AD-20761
1441	GCCCCACAUGAG	2563	CUCAUGUCGGGC	3112	AD-20760, AD-20762
1442	CCCGACAUGAGC	2564	GCUCAUGUCGGG	3113	AD-20763, AD-20762
1443	CCGACAUGAGCC	2565	GGCUCAUGUCGG	3114	AD-20763, AD-20764
1444	CGACAUGAGCCU	2566	AGGCUCAUAGUCG	3115	AD-20763, AD-20764
1445	GACAUGAGCCUG	2567	CAGGCUCAUAGUC	3116	AD-20763, AD-20764
1446	ACAUGAGCCUGC	2568	GCAGGCUCAU	3117	AD-20763, AD-20764
1447	CAUGAGCCUGCC	2569	GGCAGGGCUAUG	3118	AD-20768, AD-20764
1448	AUGAGCCUGCCU	2570	AGGCAGGGCUAU	3119	AD-20768, AD-20764
1449	UGAGCCUGCCUG	2571	CAGGCAGGGCUA	3120	AD-20768, AD-20764
1450	GAGCCUGCCUGA	2572	UCAGGCAGGGCUC	3121	AD-20771, AD-20764

1451	AGCCUGCCUGAC	2573	GUCAGGCAGGCU	3122	AD-20771, AD-20772
1452	GCCUGCCUGACC	2574	GGUCAGGCAGGC	3123	AD-20771, AD-20773
1453	CCUGCCUGACCU	2575	AGGUCAAGGCAGG	3124	AD-20771, AD-20774
1454	CUGCCUGACCUU	2576	AAGGUCAAGGCAG	3125	AD-20771, AD-20775
1455	UGCCUGACCUUG	2577	CAAGGUCAAGGCA	3126	AD-20771, AD-20776
1456	GCCUGACCUUGA	2578	UCAAGGUCAAGGC	3127	AD-20771, AD-20777
1457	CCUGACCUUGAC	2579	GUCAAGGUCAAGG	3128	AD-20771, AD-20778
1458	CUGACCUUGACAA	2580	UGUCAAGGUCAAG	3129	AD-20779, AD-20778
1459	UGACCUUGACAG	2581	CUGUCAAGGUCA	3130	AD-20779, AD-20780
1460	GACCUUGACAGC	2582	GCUGUCAAGGUC	3131	AD-20779, AD-20780
1461	ACCUUGACAGCA	2583	UGCUGUCAAGGU	3132	AD-20779, AD-20780
1462	CCUUGACAGCAG	2584	CUGCUGUCAAGG	3133	AD-20779, AD-20780
1463	CUUGACAGCAGC	2585	GCUGCUGUCAAG	3134	AD-20779, AD-20780
1464	UUGACAGCAGCC	2586	GGCUGCUGUCAA	3135	AD-20779, AD-20780
1465	UGACAGCAGCCU	2587	AGGCUGCUGUCA	3136	AD-20779, AD-20780
1466	GACAGCAGCCUG	2588	CAGGCUGCUGUC	3137	AD-20781, AD-20780
1467	ACAGCAGCCUGG	2589	CCAGGCUGCUGU	3138	AD-20781, AD-20782
1482	GUAUCCAAGAGC	2590	GCUCUUGGUAAC	3139	AD-20783, AD-20784
1483	UAUCCAAGAGCU	2591	AGCUCUUGGAUA	3140	AD-20783, AD-20785, AD-20784
1484	AUCCAAGAGCUC	2592	GAGCUCUUGGAU	3141	AD-20783, AD-20785, AD-20784
1485	UCCAAGAGCUCC	2593	GGAGCUCUUGGA	3142	AD-20783, AD-20785, AD-20784
1486	CCAAGAGCUCCU	2594	AGGAGCUCUUGG	3143	AD-20783, AD-20785, AD-20784
1487	CAAGAGCUCCUG	2595	CAGGAGCUCUUG	3144	AD-20783, AD-20785, AD-20784
1488	AAGAGCUCCUGU	2596	ACAGGAGCUCUU	3145	AD-20783, AD-20785, AD-20784
1489	AGAGCUCCUGUC	2597	GACAGGAGCUCU	3146	AD-20785, AD-20784
1490	GAGCUCCUGUCU	2598	AGACAGGAGCUC	3147	AD-20786, AD-20785
1491	AGCUCCUGUCUC	2599	GAGACAGGAGCU	3148	AD-20786, AD-20788
1492	GUCCUGUCUCC	2600	GGAGACAGGAGC	3149	AD-20788, AD-20787
1547	GAUUCAGGGAAG	2601	CUUCCCUGAAUC	3150	AD-20789, AD-20790
1548	AUUCAGGGAAGC	2602	GUUCCCUGAAU	3151	AD-20789, AD-20791
1549	UUCAGGGAAGCA	2603	UGCUUCCCUGAA	3152	AD-20789, AD-20791
1550	UCAGGGAAGCAG	2604	CUGCUUCCCUGA	3153	AD-20789, AD-20791
1551	CAGGGAAGCAGC	2605	GCUGCUUCCCUG	3154	AD-20789, AD-20791
1552	AGGGAAAGCAGCU	2606	AGCUGCUUCCCU	3155	AD-20789, AD-20791
1553	GGGAAGCAGCUG	2607	CAGCUGCUUCCC	3156	AD-20789, AD-20791
1554	GGAAGCAGCUGG	2608	CCAGCUGCUUCC	3157	AD-20790, AD-20791
1602	CCGGCUCCGUGG	2609	CCACGGAGCCGG	3158	AD-20793, AD-20792
1603	CGGCUCCGUGGA	2610	UCCACGGAGCCG	3159	AD-20793, AD-20792
1604	GGCUCCGUGGAC	2611	GUCCACGGAGCC	3160	AD-20795, AD-20792
1605	GUCCCGUGGACAA	2612	UGUCCACGGAGC	3161	AD-20795, AD-20792
1606	CUCCGUGGACAC	2613	GUGUCCACGGAG	3162	AD-20795, AD-20870
1607	UCCGUGGACACC	2614	GGUGUCCACCGA	3163	AD-20871, AD-20870
1608	CCGUGGACACCG	2615	CGGUGUCCACGG	3164	AD-20871, AD-20870
1609	CGUGGACACCGG	2616	CCGGUGUCCACG	3165	AD-20871, AD-20870
1610	GUGGACACCGGG	2617	CCCGGUGUCCAC	3166	AD-20871, AD-20870
1611	UGGACACCGGG	2618	UCCCGGUGUCCA	3167	AD-20871, AD-20870
1612	GGACACCGGGAG	2619	CUCCCGGUGUCC	3168	AD-20871, AD-20870

1613	GACACCGGGAGC	2620	GCUCCCGGUGUC	3169	AD-20871, AD-20870
1633	GCCGGUGCUGUU	2621	AACAGCACCAGC	3170	AD-20797, AD-20872
1634	CCGGUGCUGUUU	2622	AAACAGCACCGG	3171	AD-20872, AD-20798
1635	CGGUGCUGUUUG	2623	AAACACAGCACCG	3172	AD-20872, AD-20799
1636	GGUGCUGUUUGA	2624	UCAAACAGCACC	3173	AD-20872, AD-20799
1637	GUGCUGUUUGAG	2625	CUAAACACAGCAC	3174	AD-20872, AD-20799
1638	UGCUGUUUGAGC	2626	GCUAAACAGCA	3175	AD-20872, AD-20799
1639	GCUGUUUGAGCU	2627	AGCUAAACAGC	3176	AD-20872, AD-20799
1640	CUGUUUGAGCUG	2628	CAGCUAAACAG	3177	AD-20798, AD-20799
1641	UGUUUGAGCUGG	2629	CCAGCUAAACAA	3178	AD-20798, AD-20799
1698	CCACCAUCUCCC	2630	GGGAGAUGGUGG	3179	AD-20873, AD-20800
1699	CACCAUCUCCU	2631	AGGGAGAUGGUG	3180	AD-20801, AD-20800
1700	ACCAUCUCCCUG	2632	CAGGGAGAUGGU	3181	AD-20801, AD-20800
1701	CCAUCUCCCUGC	2633	GCAGGGAGAUGG	3182	AD-20801, AD-20800
1702	CAUCUCCCUGCU	2634	AGCAGGGAGAUG	3183	AD-20801, AD-20800
1703	AUCUCCCUGCUG	2635	CAGCAGGGAGAU	3184	AD-20801, AD-20800
1704	UCUCCCUGCUGA	2636	UCAGCAGGGAGA	3185	AD-20801, AD-20800
1705	CUCCCUGCUGAC	2637	GUCAGCAGGGAG	3186	AD-20801, AD-20800
2009	CAGGUUGUCAU	2638	AUGAACAAACCUG	3187	AD-20279, AD-20278
2010	AGGUUGUUCAU	2639	UAUGAACAAACCU	3188	AD-20279, AD-20280
2011	GGUUGUUCAUAG	2640	CUAUGAACAAACC	3189	AD-20279, AD-20278
2012	GUUGUUCAUAGU	2641	ACUAUGAACAAAC	3190	AD-20279, AD-20280
2013	UUGUUCAUAGUC	2642	GACUAUGAACAA	3191	AD-20279, AD-20278
2014	UGUUCAUAGUCA	2643	UGACUAUGAACAA	3192	AD-20279, AD-20280
2015	GUUCAUAGUCAG	2644	CUGACUAUGAAC	3193	AD-20279, AD-20278
2016	UUCAUAGUCAGA	2645	UCUGACUAUGAA	3194	AD-20279, AD-20280

[00609] EXAMPLE 2. Preparation of siRNAs

[00610] Small scale synthesis is used to prepare HSF1 siRNAs; medium and large scale syntheses can also be used to prepare these siRNAs in larger quantities.

5

[00611] **Small scale synthesis and purification methods for the initial screens (1 μ mole scale).**

[00612] Small scale synthesis is used to generate siRNAs.

10 [00613] HSF1 sequences are synthesized on MerMade 192 synthesizer (BioAutomation, Plano, Tex.) at 1 μ mol scale.

[00614] For all the sequences in the list, 'endolight' chemistry is applied as detailed below:

[00615] All pyrimidines (cytosine and uridine) in the sense strand contain 2'-O-Methyl bases (2' O-Methyl C and 2'-O-Methyl U).

15 [00616] In the antisense strand, pyrimidines adjacent to (towards 5' position) ribo A nucleoside are replaced with their corresponding 2-O-Methyl nucleosides.

[00617] A two base dTdT extension at 3' end of both sense and antisense sequences is introduced.

[00618] The sequence file is converted to a text file to make it compatible for loading in the MerMade 192 synthesis software.

[00619] Synthesis, Cleavage and deprotection:

[00620] The synthesis of HSF1 sequences can use solid supported oligonucleotide synthesis using phosphoramidite chemistry.

[00621] The synthesis of the above sequences is performed at 1 um scale in 96 well plates.

5 The ribo and 2-O-Methyl phosphoramidite solutions are prepared at 0.1M concentration and ethyl thio tetrazole (0.6M in Acetonitrile) is used as activator. Deblock solution, oxidizer solution and capping solution are prepared according to standard processes.

[00622] The synthesized sequences are cleaved and deprotected in 96 well plates, using methylamine solution (a 3:1 mixture of aqueous and ethanolic solutions) in the first step and

10 fluoride reagent in the second step. The crude sequences are precipitated using acetone: ethanol (80:20) mix and the pellet are re-suspended in 0.02M sodium acetate buffer. Samples from each sequence are analyzed by LC-MS to confirm the identity, UV for quantification and a selected set of samples by IEX chromatography to determine purity.

[00623] Purification and desalting:

15 [00624] HSF1 tiled sequences are purified on AKTATM explorer purification system using Source 15Q column. A column temperature of 65C is maintained during purification. Sample injection and collection are performed in 96 well (1.8mL -deep well) plates. A single peak corresponding to the full length sequence is collected in the eluent. The purified sequences are desalted on a SephadexTM G25 column using AKTATM purifier. The concentration of desalted HSF1

20 sequences are calculated using absorbance at 260nm wavelength and purity was measured by ion exchange chromatography.

[00625] Annealing:

[00626] Purified desalted sense and antisense single strands are mixed in equimolar amounts and annealed to form HSF1 duplexes. The duplexes are prepared at 10uM concentration in 1X

25 PBS buffer and tested by capillary gel electrophoresis for purity.

[00627] Medium scale synthesis and purification (1-50 μ mol)

[00628] Medium scale synthesis can also be used to generate siRNAs.

30 [00629] Single-stranded RNAs in scales between 1 and 50 μ mol are prepared by solid phase synthesis using an ABITM DNA/RNA Synthesizer 394 (Applied Biosystems) and controlled pore glass (CPG, 500 \AA , loading 80-100 μ mol/g) purchased from Prime Synthesis (Aston, PA) as the solid support. For larger scales, empty synthesis columns (10 μ mol) from Glen Research Corp. and large amidite (80 mL) and reagent bottles (450 mL) are used. RNA and RNA containing 2'-O-methyl nucleotides are generated by solid phase synthesis employing the corresponding phosphoramidites and 2'-O-methyl phosphoramidites, respectively (ChemGenes, Wilmington, MA). These building blocks are incorporated at selected sites within the sequence of the oligoribonucleotide chain using standard nucleoside phosphoramidite chemistry such as described

in Current Protocols in Nucleic Acid Chemistry, Beaucage, S.L. et al. (Edrs.), John Wiley & Sons, Inc., New York, NY, USA. Phosphorothioate linkages are introduced using a solution of the 0.1 M DDTT (AM Chemicals, Oceanside, CA) in pyridine. Further ancillary reagents are obtained from Glen Research Corp. (Sterling, VA).

5 [00630] Deprotection and purification of the crude oligoribonucleotides by anion exchange HPLC are carried out according to established procedures. Yields and concentrations are determined spectrophotometrically at a wavelength of 260 nm. Double stranded RNA is generated by mixing an equimolar solution of complementary strands in annealing buffer (typically phosphate buffered solution, PBS, Ambion, Applied Biosystems, Austin, TX) at the desired 10 concentration. The mixture is then heated in a water bath at 85 - 90°C for 5 minutes and cooled to room temperature over a period of 3 - 4 hours. The RNA duplex is stored at -20 °C until use.

[00631] **EXAMPLE 3. HSF1 RNAi agents.**

15 [00632] HSF1 siRNAs are provided in Table 2, and prepared as described in Example 2. The activity of these RNAi agents is listed in Table 4.

[00633] Table 4 indicates the residual level of HSF1 expression in approximately 20,000 W138 or HeLa cells treated with 10 nM of the indicated siRNA. Expression measurements are done 24 hours after transfection. Expression is measured using RT-qRT [real-time quantitative reverse transcription]. The residual activity is normalized to HSF1 expression in Luc siRNA 20 transfected cells, and 1.000000 = 100% gene expression relative to the control, or no or 0% gene knockdown; and 0.000000 = 0% gene expression, or complete or 100% gene knockdown in W138 or HeLa cells. A low number (closer to zero) indicates a more potent siRNA. For example, the "WI38" column for siRNA AD-20303 indicates "0.056232" meaning that the residual gene activity is 5.6%, or 94.4% gene knock-down at 10 nM. In the HeLa column, "0.098871432" indicates approximately 25 9.9% residual activity, or 90.1% gene knockdown at 10 nM.

[00634] A serial dilution of the siRNAs was performed and the data curve fit to calculate the dose (concentration) required to knock down gene expression by 50% ("EC50," or effective concentration estimated to reduce gene expression by 50%). The "EC50 Average" indicates the amount of siRNA in nM in which 50% gene knockdown is expected to be achieved; the given 30 number is an average of two experiments. A lower number indicates a more potent siRNA. A blank cell indicates that no siRNA with that sequence was tested in that particular test, or that such data is not included herein.

[00635] In Table 4, the suffixes "-b1", "-b2", etc., indicate batch numbers. Thus "b1" is from batch 1, "b2" is from batch 2, etc. Thus, for example, "AD-20489-b1", "AD-20489-b2" and "AD-35 20489" all have the same sequence and are chemically identical.

TABLE 4. ACTIVITY OF HSF1 RNAi AGENTS

Duplex Name	Position	Sense 5'-3' modified SEQ ID NO	Antisense 5'-3' modified SEQ ID NO	WI38 (10 nM)	HELA (10 nM)	EC50 average (nM) *
AD-20284	827	1350	1862	0.543633	1.057018041	
AD-20285	212	1036	1548	0.914447	1.641966293	
AD-20286	213	1037	1549	0.813034	1.375673997	
AD-20287	216	1038	1550	0.696869	1.375574862	
AD-20288	217	1039	1551	0.662908	1.198888545	
AD-20289	218	1040	1552	0.862919	1.474587971	
AD-20290	219	1041	1553	0.853455	1.202220643	
AD-20291	220	1042	1554	0.747856	1.168784268	
AD-20292	221	1043	1555	0.898657	0.972865247	
AD-20293	222	1044	1556	0.824067	1.228130423	
AD-20294	223	1045	1557	0.521985	0.592834658	
AD-20295	224	1046	1558	0.987656	1.414757168	
AD-20296	225	1047	1559	0.195372	0.369849098	
AD-20297	226	1048	1560	0.635752	0.861551334	
AD-20298	227	1049	1561	0.615987	1.094714334	
AD-20299	228	1050	1562	0.730146	1.266851398	
AD-20300	229	1051	1563	0.385889	0.479920139	
AD-20301	230	1052	1564	0.553587	0.629050308	
AD-20302	231	1053	1565	0.763571	1.310519322	
AD-20303	232	1054	1566	0.056232	0.098871432	0.03675
AD-20304	233	1055	1567	0.631087	1.049741901	
AD-20305	234	1056	1568	0.963295	1.205807828	
AD-20306	235	1057	1569	0.727406	0.806719271	
AD-20307	236	1058	1570	0.959911	0.796014304	
AD-20308	237	1059	1571	0.895564	1.676467495	
AD-20309	238	1060	1572	0.921272	1.144712192	
AD-20310	239	1061	1573	0.88654	1.038915255	
AD-20311	240	1062	1574	0.722451	0.963062743	
AD-20312	241	1063	1575	0.256473	0.406750757	
AD-20313	242	1064	1576	0.090404	0.127185725	0.1542
AD-20314	243	1065	1577	0.707532	0.912250883	
AD-20315	244	1066	1578	0.188305	0.220760574	0.00639
AD-20316	245	1067	1579	0.413665	0.74538006	
AD-20317	246	1068	1580	0.860383	1.079643078	
AD-20318	247	1069	1581	0.740659	1.017485803	
AD-20319	270	1073	1585	0.725242	1.109809374	
AD-20320	271	1074	1586	0.656347	0.829339468	
AD-20344-b1	306	1075	1587	0.370436	0.484671104	

AD-20345- b1	307	1076	1588	0.337813	0.314374139	
AD-20346- b1	309	1078	1590	0.908065	1.342645071	
AD-20347- b1	310	1079	1591	0.785716	1.315013835	
AD-20348- b1	311	1080	1592	0.110617	0.173142843	0.78766
AD-20349- b1	312	1081	1593	0.330099	0.600908235	
AD-20350- b1	313	1082	1594	0.601169	0.966029148	
AD-20351- b1	314	1083	1595	0.859247	1.015933117	
AD-20352- b1	315	1084	1596	0.755786	0.724475428	
AD-20353- b1	316	1085	1597	0.321073	0.349284689	
AD-20354- b1	317	1086	1598	0.441617	0.790060291	
AD-20355- b1	318	1087	1599	0.504071	1.043091893	
AD-20356- b1	319	1088	1600	0.487357	0.867585579	
AD-20357- b1	320	1089	1601	0.865058	1.366171522	
AD-20358- b1	321	1090	1602	1.033327	1.291294086	
AD-20359- b1	322	1091	1603	1.021823	1.235485413	
AD-20360- b1	323	1092	1604	0.890403	1.404984726	
AD-20361- b1	324	1093	1605	0.946695	1.257013375	
AD-20362- b1	325	1094	1606	0.201283	0.252614379	0.8636
AD-20363- b1	326	1095	1607	0.727406	1.284936927	
AD-20364- b1	327	1096	1608	0.16427	0.23101335	0.07445
AD-20365- b1	328	1097	1609	0.155749	0.128088832	0.0134
AD-20366- b1	329	1098	1610	0.20747	0.172548995	0.26565
AD-20367- b1	330	1099	1611	0.633259	0.801146854	
AD-20368- b1	331	1100	1612	0.622818	1.054126591	
AD-20369- b1	351	1101	1613	0.753131	1.069508982	
AD-20370- b1	352	1102	1614	0.774695	0.952729539	
AD-20371- b1	353	1103	1615	0.48181	0.942790198	

AD-20372- b1	354	1104	1616	0.674589	1.028113827	
AD-20373- b1	355	1105	1617	0.097819	0.104764119	0.02475
AD-20374- b1	356	1106	1618	0.347849	0.543484914	
AD-20375- b1	357	1107	1619	0.638399	0.66208024	
AD-20376- b1	358	1108	1620	0.050815	0.067088855	0.00507
AD-20378- b1	360	1109	1621	1.035963	0.966029148	0.61274
AD-20379- b1	361	1110	1622	0.454065	0.572640533	
AD-20380- b1	362	1111	1623	0.25276	0.543419645	
AD-20381- b1	363	1112	1624	1.149473	1.660591875	
AD-20382- b1	364	1113	1625	0.950581	1.296847343	
AD-20383- b1	365	1114	1626	0.847743	1.278993262	
AD-20384- b1	366	1115	1627	0.862049	1.144731035	
AD-20385- b1	367	1116	1628	0.605641	0.829638325	
AD-20386- b1	436	1117	1629	0.030203	0.061237298	0.00049
AD-20387- b1	489	1139	1651	0.285437	0.325718495	
AD-20388- b1	490	1140	1652	0.391351	0.505908575	
AD-20389- b1	491	1141	1653	0.067492	0.082477169	0.07576
AD-20390- b1	492	1142	1654	0.29646	0.485136885	
AD-20391- b1	493	1143	1655	0.032161	0.06448988	0.00463
AD-20392- b1	494	1144	1656	0.031801	0.093150137	0.04397
AD-20393- b1	495	1145	1657	0.234886	0.390040961	
AD-20394- b1	496	1146	1658	0.904297	1.574701063	
AD-20395- b1	497	1147	1659	0.17985	0.44820074	
AD-20396- b1	498	1148	1660	0.322909	0.648454825	
AD-20397- b1	499	1149	1661	0.109957	0.16678346	0.2323
AD-20398- b1	500	1150	1662	0.139138	0.229318478	0.4807
AD-20399- b1	501	1151	1663	0.067419	0.070581041	0.01757

AD-20400-b1	502	1152	1664	0.487807	0.67402138	
AD-20401-b1	503	1153	1665	0.072005	0.078942641	0.08459
AD-20402-b1	504	1154	1666	0.04683	0.067222033	0.00705
AD-20403-b1	505	1155	1667	0.033648	0.040950778	0.00178
AD-20404-b1	506	1156	1668	0.059783	0.094532132	0.00881
AD-20405-b1	509	1159	1671	1.097465	1.526589204	
AD-20406-b1	510	1160	1672	0.104731	0.262088429	0.00878
AD-20407-b1	511	1161	1673	0.046705	0.122859215	0.00183
AD-20408-b1	512	1162	1674	0.042965	0.099681042	0.00315
AD-20409-b1	513	1163	1675	0.094698	0.183015108	0.00307
AD-20410-b1	514	1164	1676	0.073099	0.092506702	0.015
AD-20411-b1	515	1165	1677	0.081383	0.138821902	0.00193
AD-20412-b1	516	1166	1678	0.801088	1.025055268	
AD-20413-b1	517	2046	2047	0.1237	0.1888102	
AD-20414-b1	518	1167	1679	0.888671	0.939545319	
AD-20415-b1	519	1168	1680	0.776025	1.010748814	
AD-20416-b1	520	1169	1681	0.901076	1.64781519	
AD-20417-b1	521	1170	1682	0.906995	1.439357047	
AD-20418-b1	522	1171	1683	0.650295	1.400603047	
AD-20419-b1	523	1172	1684	0.922855	1.598754699	
AD-20420-b1	524	1173	1685	0.91692	1.531567195	
AD-20421-b1	525	1174	1686	0.31653	0.557463247	
AD-20422-b1	526	1175	1687	0.059576	0.093484193	0.00157
AD-20423-b1	527	1176	1688	0.657285	0.921602755	
AD-20424-b1	528	1177	1689	0.711614	0.570505181	
AD-20425-b1	529	1178	1690	1.020643	0.990138123	
AD-20426-b1	530	1179	1691	0.200208	0.311228942	

AD-20427-b1	531	1180	1692	0.364599	0.453759578	
AD-20428-b1	532	1181	1693	0.131633	0.289178993	1.4762
AD-20429-b1	533	1182	1694	0.481253	0.633425699	
AD-20430-b1	534	1183	1695	0.8211	1.641493076	
AD-20431-b1	535	1184	1696	0.404548	1.049716684	
AD-20432-b1	536	1185	1697	0.494569	0.752912672	
AD-20433-b1	537	1186	1698	0.308767	0.465128645	
AD-20434-b1	538	1187	1699	0.076144	0.129485841	0.00334
AD-20435-b1	539	1188	1700	0.039875	0.072404187	0.00036
AD-20436-b1	540	1189	1701	0.167895	0.377674844	
AD-20437-b1	541	1190	1702	0.031574	0.064053646	
AD-20438-b1	542	1191	1703	0.026509	0.059755553	0.00007
AD-20439-b1	543	1192	1704	0.085946	0.113834413	0.0002
AD-20487-b1	544	1193	1705	0.024337	0.060353389	
AD-20488-b1	545	1194	1706	0.035714	0.070358389	0.00016
AD-20489-b1	546	1195	1707	0.030331	0.057370933	<1E-05
AD-20490-b1	547	1196	1708	0.0329	0.08714602	0.00021
AD-20491-b1	548	1197	1709	0.034581	0.076846617	0.00004
AD-20492-b1	549	1198	1710	0.407597	0.338288586	
AD-20493-b1	550	1199	1711	0.036567	0.094916679	0.00196
AD-20494-b1	579	1200	1712	0.251648	0.336937859	
AD-20495-b1	580	1201	1713	0.073028	0.095448495	0.0207
AD-20496-b1	581	1202	1714	0.619868	0.676154345	
AD-20497-b1	582	1203	1715	0.870069	0.843820864	
AD-20498-b1	583	1204	1716	0.711631	1.244198436	
AD-20499-b1	584	1205	1717	0.864557	1.565852803	
AD-20500-b1	585	1206	1718	0.590666	1.156715971	

AD-20501- b1	586	1207	1719	0.321833	0.63913362	
AD-20502- b1	587	1208	1720	0.085336	0.255995345	0.01974
AD-20503- b1	588	1209	1721	0.699393	1.425281914	
AD-20504- b1	589	1210	1722	0.375606	0.858565436	
AD-20505- b1	590	1211	1723	0.811959	1.357125789	
AD-20506- b1	591	1212	1724	0.372207	0.80389444	
AD-20507- b1	592	1213	1725	0.032835	0.069589269	0.22784
AD-20508- b1	593	1214	1726	0.617356	1.083293756	
AD-20509- b1	594	1215	1727	1.067763	1.559741673	
AD-20510- b1	595	1216	1728	0.229914	0.368671667	
AD-20511- b1	596	1217	1729	0.254225	0.637831523	
AD-20512- b1	597	1218	1730	0.410688	0.672742156	
AD-20513- b1	598	1219	1731	0.074327	0.152299691	0.09514
AD-20514- b1	660	1220	1732	0.814998	1.553693251	
AD-20515- b1	661	1221	1733	0.754914	1.032432979	
AD-20516- b1	662	1222	1734	0.757584	1.275663046	
AD-20517- b1	663	1223	1735	0.907344	0.937222684	
AD-20518- b1	664	1224	1736	0.606761	0.859343664	
AD-20519- b1	665	1225	1737	0.958802	1.352308689	
AD-20520- b1	666	1226	1738	1.027619	1.548903545	
AD-20521- b1	667	1227	1739	1.041889	1.298156014	
AD-20522- b1	668	1228	1740	1.263989	1.229374539	
AD-20523- b1	669	1229	1741	0.975755	1.708883973	
AD-20524- b1	670	1230	1742	0.910412	1.363879889	
AD-20525- b1	671	1231	1743	0.992543	1.746803026	
AD-20526- b1	672	1232	1744	0.956605	0.951954008	
AD-20527- b1	673	1233	1745	0.188065	0.228063688	0.06117

AD-20528-b1	674	1234	1746	0.817921	0.925922775	
AD-20529-b1	675	1235	1747	0.926409	1.446572494	
AD-20530-b1	676	1236	1748	0.373532	0.18718473	
AD-20531-b1	677	1237	1749	0.471349	0.223370205	
AD-20532-b1	678	1238	1750	1.404848	1.377927517	
AD-20533-b1	679	1239	1751	1.285181	1.422003002	
AD-20534-b1	680	1240	1752	0.634896	0.56546462	
AD-20535-b1	681	1241	1753	0.174661	0.148940901	0.29242
AD-20536-b1	682	1242	1754	0.803392	0.89969547	
AD-20537-b1	683	1243	1755	0.855147	1.158722144	
AD-20538-b1	684	1244	1756	0.444431	0.500867185	
AD-20539-b1	685	1245	1757	0.879273	1.162891581	
AD-20540-b1	690	1250	1762	0.989234	1.313170683	
AD-20541-b1	691	1251	1763	0.897878	1.030119632	
AD-20542-b1	692	1252	1764	0.481253	0.434545147	
AD-20543-b1	693	1253	1765	0.864557	0.511391469	
AD-20544-b1	694	1254	1766	0.174857	0.052921675	0.00594
AD-20545-b1	695	1255	1767	0.071577	0.047121676	0.00711
AD-20546-b1	696	1256	1768	0.16775	0.147475595	0.2047
AD-20547-b1	697	1257	1769	0.192017	0.135189447	0.03551
AD-20548-b2	698	1258	1770	0.181681	0.217307804	0.00061
AD-20549-b1	699	1259	1771	0.198941	0.143891617	0.1391
AD-20550-b1	700	1260	1772	0.566237	0.542455982	
AD-20551-b1	701	1261	1773	0.82361	1.446572494	
AD-20552-b1	702	1262	1774	0.138619	0.128764954	0.08771
AD-20553-b1	703	1263	1775	0.734694	0.767332896	
AD-20554-b1	704	1264	1776	0.596327	0.451450159	

AD-20555- b1	705	1265	1777	0.121969	0.126599989	0.02063
AD-20556- b1	706	1266	1778	0.159416	0.071195236	0.00754
AD-20557- b1	707	1267	1779	0.077337	0.04632467	0.00082
AD-20558- b1	731	1291	1803	0.156539	0.093590117	0.07236
AD-20559- b1	732	1292	1804	0.30349	0.280860279	
AD-20560- b2	733	1293	1805	0.323181	0.206972165	<1E-05
AD-20561- b1	734	1294	1806	0.099423	0.07673151	0.02383
AD-20562- b1	735	1295	1807	0.039811	0.042199399	0.00048
AD-20563- b2	736	1296	1808	0.123696	0.188810207	0.00004
AD-20564- b2	737	1297	1809	0.448939	0.206972165	<1E-05
AD-20565- b1	738	1298	1810	0.060827	0.055264621	0.01163
AD-20566- b2	739	1299	1811	0.228259	0.203420172	0.00268
AD-20567- b1	740	1300	1812	0.852163	0.397272737	
AD-20568- b1	741	1301	1813	0.975474	1.06284006	
AD-20569- b1	742	1302	1814	1.038248	1.70257293	
AD-20571- b1	744	1303	1815	0.914379	0.887564894	
AD-20572- b1	745	1304	1816	0.07702	0.047860345	0.06155
AD-20573- b1	746	1305	1817	0.630783	0.659280255	
AD-20574- b1	747	2048	2049	0.22826	0.2034202	1.37204
AD-20575- b1	748	1306	1818	0.124712	0.101746738	0.13506
AD-20576- b1	749	1307	1819	0.329885	0.232889354	
AD-20577- b1	750	1308	1820	0.223627	0.133103976	0.08248
AD-20578- b1	751	1309	1821	0.061816	0.066873479	0.00043
AD-20579- b1	752	1310	1822	0.264159	0.12924691	0.10334
AD-20581- b1	754	1311	1823	0.513809	0.48572165	
AD-20582- b1	755	1312	1824	0.389395	0.399959136	
AD-20625- b1	756	1313	1825	0.256936	0.116433489	0.01077

AD-20626- b1	757	1314	1826	0.087123	0.081492545	0.00028
AD-20627- b1	758	1315	1827	0.055328	0.055650353	
AD-20628- b1	759	1316	1828	0.447781	0.303068664	
AD-20629- b1	760	1317	1829	0.234948	0.307299345	
AD-20630- b1	761	1318	1830	0.489721	0.223370205	
AD-20631- b1	762	1319	1831	0.653686	0.400035988	
AD-20632- b1	763	1320	1832	0.770776	0.563518413	
AD-20633- b1	781	1321	1833	0.19814	0.117243348	0.04183
AD-20634- b1	799	1322	1834	0.112208	0.080929635	0.0041
AD-20635- b1	800	1323	1835	0.415981	0.277900171	
AD-20636- b1	801	1324	1836	0.935782	0.977777409	
AD-20637- b1	802	1325	1837	0.867293	0.869090293	
AD-20638- b1	803	1326	1838	0.26502	0.374396441	
AD-20639- b1	804	1327	1839	0.283056	0.375662409	
AD-20640- b1	805	1328	1840	0.057288	0.069780308	0.00527
AD-20641- b1	806	1329	1841	0.533881	0.623267984	
AD-20642- b1	807	1330	1842	0.460005	0.389433419	
AD-20643- b1	808	1331	1843	0.315391	0.221106278	
AD-20644- b1	809	1332	1844	0.109044	0.131007072	0.00111
AD-20645- b1	810	1333	1845	1.128482	0.998274628	
AD-20646- b1	811	1334	1846	0.095785	0.066873479	0.00008
AD-20647- b1	812	1335	1847	1.156048	0.143850149	
AD-20648- b1	813	1336	1848	0.106528	0.109039633	0.00115
AD-20649- b1	814	1337	1849	0.706715	1.084879386	
AD-20650- b1	815	1338	1850	0.171848	0.255734126	0.02769
AD-20651- b1	816	1339	1851	0.611334	0.869126829	
AD-20652- b2	817	1340	1852	0.143195	0.207349809	0.00003

AD-20653- b1	818	1341	1853	0.193334	0.079856194	0.00532
AD-20654- b1	819	1342	1854	0.75582	1.143572737	
AD-20655- b1	820	1343	1855	0.858399	1.313052418	
AD-20656- b1	821	1344	1856	0.541334	0.428549767	
AD-20657- b1	822	1345	1857	0.741904	0.863123331	
AD-20658- b1	823	1346	1858	0.198178	0.475597123	
AD-20659- b1	824	1347	1859	0.388124	0.491623427	
AD-20660- b1	825	1348	1860	0.077439	0.077627767	0.00955
AD-20661- b1	826	1349	1861	0.156255	0.137512877	0.28191
AD-20662- b1	847	1351	1863	0.476044	0.505032662	
AD-20663- b1	849	1353	1865	0.600475	0.625882515	
AD-20664- b1	850	1354	1866	0.652588	1.119554306	
AD-20665- b1	851	1355	1867	0.714432	1.029952624	
AD-20666- b1	852	1356	1868	0.864059	1.029903142	
AD-20667- b1	853	1357	1869	0.913326	1.426528593	
AD-20668- b1	854	1358	1870	1.060234	1.57734692	
AD-20669- b1	855	1359	1871	1.067968	1.588470861	
AD-20670- b1	856	1360	1872	0.534446	0.427490356	
AD-20671- b1	857	1361	1873	0.134052	0.089804062	0.02226
AD-20672- b1	858	1362	1874	0.256251	0.37063074	
AD-20673- b1	859	1363	1875	0.768658	1.062935788	
AD-20674- b1	860	1364	1876	0.619496	0.691770914	
AD-20675- b1	861	1365	1877	1.067506	1.213141054	
AD-20676- b1	862	1366	1878	0.359737	0.305314129	
AD-20677- b1	915	1373	1885	0.870382	1.317223358	
AD-20678- b1	965	1385	1897	0.326325	0.270354544	
AD-20679- b1	966	1386	1898	0.962322	1.769753135	

AD-20680-b1	967	1387	1899	0.948845	1.697660683	
AD-20681-b1	968	1388	1900	0.798916	0.875277199	
AD-20682-b1	969	1389	1901	1.087386	1.561791318	
AD-20683-b1	970	1390	1902	1.110234	1.477899464	
AD-20684-b1	971	1391	1903	0.882193	1.207906399	
AD-20685-b1	972	1392	1904	0.8211	1.143298164	
AD-20686-b1	973	1393	1905	0.789661	1.092425319	
AD-20687-b1	974	1394	1906	0.768455	1.089410843	
AD-20688-b1	975	1395	1907	0.770702	1.022838222	
AD-20689-b1	976	1396	1908	0.771035	1.378134406	
AD-20690-b1	977	1397	1909	0.823135	1.037066685	
AD-20691-b1	978	1398	1910	0.831763	1.326512826	
AD-20692-b1	979	1399	1911	0.972934	1.15075282	
AD-20693-b1	1011	1400	1912	0.072624	0.091035811	0.00046
AD-20694-b1	1012	1401	1913	0.066949	0.06070901	0.00114
AD-20695-b1	1013	1402	1914	0.749807	0.933655977	
AD-20696-b1	1014	1403	1915	1.000287	1.346484427	
AD-20697-b1	1015	1404	1916	0.809563	1.359618312	
AD-20698-b1	1016	1405	1917	0.592378	0.887325083	
AD-20699-b1	1048	1406	1918	0.554944	0.857161303	
AD-20700-b1	1049	1407	1919	0.105695	0.123924613	0.04345
AD-20701-b1	1050	1408	1920	0.650858	0.845462044	
AD-20702-b1	1051	1409	1921	0.046369	0.069008817	0.0001
AD-20703-b1	1053	1411	1923	0.396451	0.459473782	
AD-20704-b1	1054	1412	1924	0.812095	0.881195881	
AD-20705-b1	1055	1413	1925	0.798647	0.971064227	
AD-20706-b1	1329	1416	1928	0.405034	0.323806017	

AD-20707- b1	1330	1417	1929	0.04357	0.060698804	<1E-05
AD-20709- b1	1332	1418	1930	0.13188	0.120544575	0.66004
AD-20710- b1	1333	1419	1931	0.401696	0.366834618	0.00717
AD-20711- b1	1334	1420	1932	0.43653	0.442183347	
AD-20712- b1	1335	1421	1933	0.584644	0.928468269	
AD-20713- b1	1336	1422	1934	0.289461	0.287688205	
AD-20714- b1	1337	1423	1935	0.088346	0.060267944	0.01035
AD-20715- b1	1338	1424	1936	0.741225	0.630689818	
AD-20716- b1	1339	1425	1937	0.07355	0.074476264	0.00203
AD-20717- b1	1359	1426	1938	0.873116	0.931417569	
AD-20718- b1	1360	1427	1939	0.399209	0.291704183	
AD-20719- b1	1361	1428	1940	0.887602	0.831002378	
AD-20720- b1	1362	1429	1941	0.636085	0.563508261	
AD-20721- b1	1363	1430	1942	0.844185	0.872317061	
AD-20722- b1	1364	1431	1943	0.862113	1.431782046	
AD-20723- b1	1365	1432	1944	0.842047	0.991468351	
AD-20724- b1	1366	1433	1945	0.715633	0.884239241	
AD-20725- b1	1367	1434	1946	0.8211	1.13103112	
AD-20726- b1	1368	1435	1947	0.870382	0.99848447	
AD-20727- b1	1369	1436	1948	0.839722	0.869231218	
AD-20728- b1	1370	1437	1949	0.146011	0.171134401	0.20951
AD-20729- b1	1371	1438	1950	0.842855	0.720731925	
AD-20730- b1	1372	1439	1951	0.052245	0.060685683	0.00339
AD-20731- b1	1373	1440	1952	0.719574	0.38625851	
AD-20732- b1	1374	1441	1953	1.386744	1.054026625	
AD-20733- b1	1375	1442	1954	1.396389	1.27991671	
AD-20734- b1	1379	1446	1958	1.294624	1.275419601	

AD-20735- b1	1380	1447	1959	1.209551	1.219180143	
AD-20736- b1	1381	1448	1960	1.238102	1.297970725	
AD-20737- b1	1382	1449	1961	1.294966	1.241884392	
AD-20738- b1	1383	1450	1962	1.130819	1.018122609	
AD-20739- b1	1384	1451	1963	1.166108	1.181930519	
AD-20740- b1	1385	1452	1964	1.178614	0.940155929	
AD-20741- b1	1386	1453	1965	0.079687	0.065054016	0.00064
AD-20742- b1	1387	1454	1966	1.391533	1.415064673	
AD-20743- b1	1407	1455	1967	0.29152	0.304315297	
AD-20744- b1	1408	1456	1968	0.908655	0.79362811	
AD-20745- b1	1409	1457	1969	1.446467	1.335038609	
AD-20746- b1	1410	1458	1970	1.170192	0.719886814	
AD-20747- b1	1411	1459	1971	1.432098	1.21912157	
AD-20748- b1	1428	1460	1972	0.772113	0.538061131	
AD-20749- b1	1429	1461	1973	1.102275	0.893650074	
AD-20750- b1	1430	1462	1974	1.194895	0.711852844	
AD-20751- b1	1431	1463	1975	0.667424	0.418146571	
AD-20752- b1	1432	1464	1976	1.391533	1.266609634	
AD-20753- b1	1433	1465	1977	1.417073	0.853311991	
AD-20754- b1	1434	1466	1978	0.844918	0.57890069	
AD-20755- b1	1435	1467	1979	1.416154	1.696464074	
AD-20756- b1	1436	1468	1980	1.836139	1.028732572	
AD-20757- b1	1437	1469	1981	1.38232	1.06207192	
AD-20758- b1	1438	1470	1982	1.330733	1.266974756	
AD-20759- b1	1439	1471	1983	1.451044	1.325816823	
AD-20760- b1	1440	1472	1984	1.130602	0.940268849	
AD-20761- b1	1441	1473	1985	1.095795	0.976601567	

AD-20762- b1	1442	1474	1986	1.203379	1.068688943	
AD-20763- b1	1443	1475	1987	1.001156	1.036261261	
AD-20764- b1	1444	1476	1988	0.118576	0.069158478	0.01035
AD-20765- b1	1445	1477	1989	1.280472	0.649176427	
AD-20766- b1	1446	1478	1990	0.859888	0.413525996	
AD-20767- b1	1447	1479	1991	0.915437	0.874208876	
AD-20768- b1	1448	1480	1992	1.491623	1.033674481	
AD-20769- b1	1449	1481	1993	1.14688	0.779689688	
AD-20770- b1	1450	1482	1994	1.026043	0.755677199	
AD-20771- b1	1451	1483	1995	1.220002	1.129786315	
AD-20772- b1	1452	1484	1996	1.055092	1.018073695	
AD-20773- b1	1453	1485	1997	1.170473	1.035863089	
AD-20774- b1	1454	1486	1998	0.848429	0.63553784	
AD-20775- b1	1455	1487	1999	1.025895	0.62466094	
AD-20776- b1	1456	1488	2000	1.114715	0.89556372	
AD-20777- b1	1457	1489	2001	1.107175	0.712453613	
AD-20778- b1	1458	1490	2002	1.138466	1.114392802	
AD-20779- b1	1459	1491	2003	1.377165	0.815548171	
AD-20780- b1	1460	1492	2004	1.595425	1.004202298	
AD-20781- b1	1461	1493	2005	1.249894	1.014642825	
AD-20782- b1	1462	1494	2006	1.130439	0.697841818	
AD-20783- b1	1482	1495	2007	0.313756	0.140716947	0.07259
AD-20784- b1	1483	1496	2008	0.372852	0.269030566	
AD-20785- b1	1484	1497	2009	0.343143	0.300598832	
AD-20786- b1	1485	1498	2010	0.921805	0.835570424	
AD-20787- b1	1486	1499	2011	1.091775	0.749006565	
AD-20788- b1	1487	1500	2012	1.080502	1.028732572	

AD-20789-b1	1547	1515	2027	0.824563	0.771592653	
AD-20790-b1	1548	1516	2028	0.497168	0.351347846	
AD-20791-b1	1549	1517	2029	1.37743	1.386042945	
AD-20792-b1	1602	1518	2030	1.812166	0.920719325	
AD-20793-b1	1603	1519	2031	1.643864	1.253455962	
AD-20794-b1	1604	1520	2032	1.406609	1.102568271	
AD-20795-b1	1605	1521	2033	1.25418	0.893349812	
AD-20796-b1	1606	1522	2034	1.208246	1.054279832	
AD-20797-b1	1634	1526	2038	1.182812	1.134873015	
AD-20798-b1	1635	1527	2039	0.816019	0.877112215	
AD-20799-b1	1636	1528	2040	1.637852	0.777034161	
AD-20800-b1	1699	1530	3282	1.26722	1.137480645	
AD-20801-b1	1700	1531	3283	0.690961	0.517931545	
AD-20868-b1	848	1352	1864	1.043896	0.644316747	
AD-20869-b1	1052	1410	1922	0.759026	0.601255433	
AD-20870-b1	1607	1523	2035	0.963852	0.693770729	
AD-20871-b1	1608	1524	2036	1.440675	1.47009696	
AD-20872-b1	1633	1525	2037	0.988535	0.618366913	
AD-20873-b1	1698	1529	2041	1.506987	0.994836178	

* wherein <1E-05 means less than 1×10^{-5}

[00636] EXAMPLE 3A. Methodology for in vitro screening

5 **[00637] Cell culture and transfections**

[00638] WI-38 or HeLa (ATCC, Manassas, VA) cells are grown to near confluence at 37°C in an atmosphere of 5% CO₂ in RPMI or EMEM (ATCC) supplemented with 10% FBS, streptomycin, and glutamine (ATCC) before being released from the plate by trypsinization.

Reverse transfection is carried out by adding 5 μ l of Opti-MEMTM to 5 μ l of siRNA duplexes per 10 well into a 96-well plate along with 10 μ l of Opti-MEMTM plus 0.2 μ l of Lipofectamine RNAiMaxTM per well (Invitrogen, Carlsbad CA. cat # 13778-150) and incubated at room temperature for 15 minutes. 80 μ l of complete growth media without antibiotic containing 2×10^4 WI-38 cells or 2.0

$\times 10^4$ Hela cells are then added. Cells are incubated for 24 hours prior to RNA purification. Experiments are performed 10nM final duplex concentration for WI-38 cells and at 10nM and 0.1nM final duplex concentration for HeLa cells for each of the HSF1 siRNAs. A subset of siRNAs that showed robust silencing in the 10nM and 0.1nM screens are assayed over a range of 5 concentrations from 10nM to 0.00005M to determine their IC50.

[00639] Total RNA isolation using MagMAX-96TM Total RNA Isolation Kit (Applied Biosystem, Foster City CA, part #: AM1830).

[00640] Cells are harvested and lysed in 140 μ l of Lysis/Binding Solution then mixed for 1 minute at 850 rpm using an Eppendorf Thermomixer (the mixing speed is the same throughout the 10 process). Twenty microliters of magnetic beads and Lysis/Binding Enhancer mixture are added into cell-lysate and mixed for 5 minutes. Magnetic beads are captured using magnetic stand and the supernatant is removed without disturbing the beads. After removal of the supernatant, magnetic beads are washed with Wash Solution 1 (isopropanol added) and mixed for 1 minute. Beads are captured again and supernatant removed. Beads are then washed with 150 μ l Wash 15 Solution 2 (Ethanol added), captured and supernatant is removed. 50 μ l of DNase mixture (MagMax turbo DNase Buffer and Turbo DNase) is then added to the beads and they are mixed for 10 to 15 minutes. After mixing, 100 μ l of RNA Rebinding Solution is added and mixed for 3 minutes. Supernatant is removed and magnetic beads are washed again with 150 μ l Wash Solution 2 and mixed for 1 minute and supernatant is removed completely. The magnetic beads are mixed 20 for 2 minutes to dry before RNA is eluted with 50 μ l of water.

[00641] cDNA synthesis is performed using ABITM High capacity cDNA reverse transcription kit (Applied Biosystems, Cat #4368813) as follows: A master mix of 2 μ l 10X Buffer, 0.8 μ l 25X dNTPs, 2 μ l Random primers, 1 μ l Reverse Transcriptase, 1 μ l RNase inhibitor and 3.2 μ l of H₂O per reaction are added into 10 μ l total RNA. cDNA is generated using a Bio-RadTM C-1000 or S-25 1000 thermal cycler (Hercules, CA) through the following steps: 25°C 10 min, 37°C 120 min, 85°C 5 sec, 4°C hold.

[00642] Real time PCR is performed as follows: 2 μ l of cDNA are added to a master mix containing 0.5 μ l GAPDH TaqManTM Probe (Applied Biosystems Cat # 4326317E) or 18S TaqManTM Probe (Applied Biosystems Cat #4319413E), 0.5 μ l HSF1 TaqManTM probe (Applied Biosystems cat 30 # HS00232134 M1) and 5 μ l Roche ProbesTM Master Mix (Roche Cat # 04887301001) in a total of 10 μ l per well in a LightCycler 480 384 well plate (Roche cat # 0472974001). Real time PCR is done in a LightCycler 480 Real Time PCR machine (Roche). Each duplex is tested in at least two independent transfections. Each transfection is assayed in duplicate.

[00643] Real time data are analyzed using the $\Delta\Delta Ct$ method (Livak et al 2001). Each sample 35 is normalized to GAPDH expression and knockdown is assessed relative to cells transfected with

the non-targeting duplex AD-1955. IC50s are defined using a 4 parameter fit model in XLfit. See e.g., Kenneth and Schmittge. Methods 25:4, December 2001, 402-408.

[00644] EXAMPLE 4. HSF1 siRNAs

5 **[00645]** As shown in Table 5, a subset of 101 HSF1 RNAi agents is presented.

[00646] Many of the 101 selected duplexes had >80% gene knockdown (KD) in both HeLa and WI-38 cell lines at 10nM. Also included in the 101 are duplexes that had >80% KD in a single cell line, provided that the average KD of the two lines is >75% KD. This set also includes all duplexes that have >50% KD in WI-38 in the 0.1nM screen. These 101 HSF1 siRNAs of 10 particular interest are shown in Table 2. This table also presents the knockdown (KD) in HeLa and WI-38 cells when 10nM or 0.1 nM of siRNA was used. 1.000 = 100% gene expression, or no or 0% gene knockdown; and 0.000 = 0% gene expression, or complete or 100% gene knockdown. For example, for AD-20303, the “HeLa 10nM” column indicates “0.099”, meaning that at this concentration in these cells, the RNAi agent reduced gene expression to 9.9%, or exhibited 90.1% 15 gene knockdown. In WI-38 cells at a concentration of 10nM, this RNAi agent exhibited 5.6% residual gene activity, or 94.4% gene knockdown.

TABLE 5. HSF1 RNAi agents – Knock Down Data.

Duplex	HeLa 10nM	WI-38 10nM	Average (10nM)	WI-38 0.1nM
1 AD-20303	0.099	0.056	0.078	0.529
2 AD-20313	0.127	0.090	0.109	0.884
3 AD-20315	0.221	0.188	0.205	0.759
4 AD-20348-b1	0.173	0.111	0.142	0.805
5 AD-20362-b1	0.253	0.201	0.227	0.759
6 AD-20364-b1	0.231	0.164	0.198	0.903
7 AD-20365-b1	0.128	0.156	0.142	0.738
8 AD-20366-b1	0.173	0.207	0.190	0.802
9 AD-20373-b1	0.105	0.098	0.101	0.825
10 AD-20376-b1	0.067	0.051	0.059	0.656
11 AD-20377-b1	0.207	0.143	0.175	0.848
12 AD-20386-b1	0.061	0.030	0.046	0.379
13 AD-20389-b1	0.082	0.067	0.075	0.802
14 AD-20391-b1	0.064	0.032	0.048	0.415
15 AD-20392-b1	0.093	0.032	0.062	0.448
16 AD-20397-b1	0.167	0.110	0.138	0.862
17 AD-20398-b1	0.229	0.139	0.184	0.998
18 AD-20399-b1	0.071	0.067	0.069	0.658
19 AD-20401-b1	0.079	0.072	0.075	0.883
20 AD-20402-b1	0.067	0.047	0.057	0.476
21 AD-20403-b1	0.041	0.034	0.037	0.462
22 AD-20404-b1	0.095	0.060	0.077	0.695
23 AD-20406-b1	0.262	0.105	0.183	0.655
24 AD-20407-b1	0.123	0.047	0.085	0.589
25 AD-20408-b1	0.100	0.043	0.071	0.540
26 AD-20409-b1	0.183	0.095	0.139	0.653

27	AD-20410-b1	0.093	0.073	0.083	0.748
28	AD-20411-b1	0.139	0.081	0.110	0.669
29	AD-20413-b1	0.189	0.124	0.156	0.687
30	AD-20422-b1	0.093	0.060	0.077	0.392
31	AD-20428-b1	0.289	0.132	0.210	0.865
32	AD-20434-b1	0.129	0.076	0.103	0.547
33	AD-20435-b1	0.072	0.040	0.056	0.375
34	AD-20437-b1	0.064	0.032	0.048	0.245
35	AD-20438-b1	0.060	0.027	0.043	0.477
36	AD-20439-b1	0.114	0.086	0.100	0.387
37	AD-20487-b1	0.060	0.024	0.042	0.122
38	AD-20488-b1	0.070	0.036	0.053	0.480
39	AD-20489-b1	0.057	0.030	0.044	0.205
40	AD-20490-b1	0.087	0.033	0.060	0.308
41	AD-20491-b1	0.077	0.035	0.056	0.259
42	AD-20493-b1	0.095	0.037	0.066	0.512
43	AD-20495-b1	0.095	0.073	0.084	0.690
44	AD-20502-b1	0.256	0.085	0.171	0.753
45	AD-20507-b1	0.070	0.033	0.051	0.250
46	AD-20513-b1	0.152	0.074	0.113	0.804
47	AD-20527-b1	0.228	0.188	0.208	0.861
48	AD-20535-b1	0.149	0.175	0.162	1.034
49	AD-20544-b1	0.053	0.175	0.114	0.955
50	AD-20545-b1	0.047	0.072	0.059	0.667
51	AD-20546-b1	0.147	0.168	0.158	0.840
52	AD-20547-b1	0.135	0.192	0.164	0.886
53	AD-20548-b1	0.040	0.041	0.040	0.383
54	AD-20549-b1	0.144	0.199	0.171	0.864
55	AD-20552-b1	0.129	0.139	0.134	0.790
56	AD-20555-b1	0.127	0.122	0.124	0.709
57	AD-20556-b1	0.071	0.159	0.115	0.786
58	AD-20557-b1	0.046	0.077	0.062	0.678
59	AD-20558-b1	0.094	0.157	0.125	0.840
60	AD-20560-b1	0.036	0.035	0.036	0.295
61	AD-20561-b1	0.077	0.099	0.088	0.752
62	AD-20562-b1	0.042	0.040	0.041	0.556
63	AD-20563-b1	0.027	0.028	0.027	0.471
64	AD-20564-b1	0.029	0.028	0.028	0.222
65	AD-20565-b1	0.055	0.061	0.058	0.547
66	AD-20566-b1	0.027	0.043	0.035	0.598
67	AD-20572-b1	0.048	0.077	0.062	0.855
68	AD-20574-b1	0.203	0.228	0.216	0.926
69	AD-20575-b1	0.102	0.125	0.113	0.907
70	AD-20577-b1	0.133	0.224	0.178	0.837
71	AD-20578-b1	0.067	0.062	0.064	0.371
72	AD-20579-b1	0.129	0.264	0.197	0.826
73	AD-20625-b1	0.116	0.257	0.187	0.942
74	AD-20626-b1	0.081	0.087	0.084	0.929
75	AD-20627-b1	0.056	0.055	0.055	0.698
76	AD-20633-b1	0.117	0.198	0.158	0.882
77	AD-20634-b1	0.081	0.112	0.097	0.955
78	AD-20640-b1	0.070	0.057	0.064	0.972

79	AD-20644-b1	0.131	0.109	0.120	0.590
80	AD-20646-b1	0.067	0.096	0.081	0.739
81	AD-20648-b1	0.109	0.107	0.108	0.906
82	AD-20650-b1	0.256	0.172	0.214	1.204
83	AD-20652-b1	0.037	0.029	0.033	0.371
84	AD-20653-b1	0.080	0.193	0.137	1.286
85	AD-20660-b1	0.078	0.077	0.078	1.097
86	AD-20661-b1	0.138	0.156	0.147	1.368
87	AD-20671-b1	0.090	0.134	0.112	1.127
88	AD-20693-b1	0.091	0.073	0.082	0.515
89	AD-20694-b1	0.061	0.067	0.064	0.633
90	AD-20700-b1	0.124	0.106	0.115	0.890
91	AD-20702-b1	0.069	0.046	0.058	0.864
92	AD-20707-b1	0.061	0.044	0.052	0.519
93	AD-20708-b1	0.217	0.182	0.199	1.529
94	AD-20709-b1	0.121	0.132	0.126	0.736
95	AD-20714-b1	0.060	0.088	0.074	1.221
96	AD-20716-b1	0.074	0.074	0.074	0.697
97	AD-20728-b1	0.171	0.146	0.159	0.794
98	AD-20730-b1	0.061	0.052	0.056	0.484
99	AD-20741-b1	0.065	0.056	0.061	0.367
100	AD-20764-b1	0.069	0.083	0.076	0.510
101	AD-20783-b1	0.141	0.221	0.181	0.603

[00647] EXAMPLE 5. HeLa cell screen of HSF1 RNAi AGENTS

[00648] The 101 duplexes in Table 2 were screened in HeLa cells in a dose response screen.

The purpose of this screen was to determine the EC50 (minimum dosage of RNAi agent capable 5 of reducing gene expression by 50%).

[00649] A serial dilution was used, comprising 12 concentrations between 10nM and 1X10⁵nM. The siRNA duplexes were transfected into cells using Lipofectamine RNAiMaxTM (Zhao et al. 2008 Mol. Biotech. 40: 19-26). After 24 hours total RNA is isolated and used for cDNA synthesis using random primers. 10-20ng of total cDNA is used for TaqManTM assays (Applied 10 Biosystems, Foster City, California). Each duplex was assayed in duplicate. Data are expressed as the average-fold change compared to the non-targeting control AD-1955, which does not bind to HSF1. AD1955 is a siRNA targeting firefly luciferase and is used as a negative control siRNA in screening assays. The results are shown in Table 6.

15 TABLE 6 – EC50 data*

Duplex ID	EC50 (nM)	EC50 (nM)	EC50 (nM)	Average EC50 (nM)
AD-20303-b1	0.06064	0.01286		0.03675
AD-20313-b1	0.22911	0.07929		0.15420
AD-20315-b1	0.00920	0.00358		0.00639
AD-20348-b1	1.12593	0.44938		0.78766
AD-20362-b1	0.88761	0.83959		0.86360
AD-20364-b1	0.05833	0.09057		0.07445
AD-20365-b1	0.01115	0.01565		0.01340

AD-20366-b1	0.25818	0.27311		0.26565
AD-20373-b1	0.01657	0.03293		0.02475
AD-20376-b1	0.00400	0.00614		0.00507
AD-20377-b1	0.46977	0.75572		0.61274
AD-20386-b1	0.00054	0.00045		0.00049
AD-20389-b1	0.08152	0.07000		0.07576
AD-20391-b1	0.00569	0.00357		0.00463
AD-20392-b1	0.02855	0.05939		0.04397
AD-20397-b1	0.17323	0.29137		0.23230
AD-20398-b1	0.54902	0.41237		0.48070
AD-20399-b1	0.02232	0.01281		0.01757
AD-20401-b1	0.08227	0.08691		0.08459
AD-20402-b1	0.00902	0.00508		0.00705
AD-20403-b1	0.00110	0.00246		0.00178
AD-20404-b1	0.00850	0.00912		0.00881
AD-20406-b1	0.00842	0.00914		0.00878
AD-20407-b1	0.00236	0.00130		0.00183
AD-20408-b1	0.00341	0.00289		0.00315
AD-20409-b1	0.00396	0.00219		0.00307
AD-20410-b1	0.01225	0.01775		0.01500
AD-20411-b1	0.00283	0.00104		0.00193
AD-20413-b1	No EC50	No EC50		
AD-20422-b1	0.00160	0.00155		0.00157
AD-20428-b1	1.37427	1.57813		1.47620
AD-20434-b1	0.00212	0.00456		0.00334
AD-20435-b1	0.00040	0.00032		0.00036
AD-20437-b1	<1E-05	<1E-05		
AD-20438-b1	0.00006	0.00007		0.00007
AD-20439-b1	0.00029	0.00010		0.00020
AD-20487-b1	<1E-05	<1E-05		
AD-20488-b1	0.00020	0.00013		0.00016
AD-20489-b1	<1E-05	<1E-05		
AD-20490-b1	0.00026	0.00015		0.00021
AD-20491-b1	0.00004	<1E-05		0.00004
AD-20493-b1	0.00218	0.00173		0.00196
AD-20495-b1	0.03348	0.00792	0.0168299	0.01941
AD-20502-b1	0.03910	0.00037	0.0125045	0.01732
AD-20507-b1	>10	0.22784	>10	0.22784
AD-20513-b1	0.09514	<1E-05	0.0329948	0.06407
AD-20527-b1	0.08362	0.03872	0.0415847	0.05464
AD-20535-b1	0.58303	0.00181	0.1768769	0.25390
AD-20544-b1	0.01126	0.00062	0.1768769	0.06292
AD-20545-b1	0.01193	0.00229		0.00711
AD-20546-b1	0.36163	0.04777		0.20470
AD-20547-b1	0.05830	0.01273		0.03551
AD-20548-b1	0.00108	0.00013		0.00061
AD-20549-b1	0.25058	0.02762		0.13910
AD-20552-b1	0.13845	0.03697		0.08771
AD-20555-b1	0.02863	0.01263		0.02063
AD-20556-b1	0.01001	0.00508	0.0463849	0.02049

AD-20557-b1	0.00091	0.00073	0.0085311	0.00339
AD-20558-b1	0.07906	0.06566	0.2598412	0.13485
AD-20560-b1	<1E-05	<1E-05	<1E-05	
AD-20561-b1	0.02092	0.02674	0.0519951	0.03322
AD-20562-b1	0.00051	0.00046	0.0022001	0.00105
AD-20563-b1	0.00004	0.00003	0.0006466	0.00024
AD-20564-b1	<1E-05	<1E-05	<1E-05	
AD-20565-b1	0.01335	0.00991	0.0159182	0.01306
AD-20566-b1	0.00296	0.00239	0.0030765	0.00281
AD-20572-b1	0.06851	0.05459	0.2656989	0.12960
AD-20574-b1	0.86331	0.70143	2.5513791	1.37204
AD-20575-b1	0.13577	0.13435	0.2985167	0.18954
AD-20577-b1	0.07983	0.08513	0.1931093	0.11936
AD-20578-b1	0.00050	0.00035		0.00043
AD-20579-b1	0.12105	0.08562		0.10334
AD-20625-b1	0.01117	0.01037		0.01077
AD-20626-b1	0.00030	0.00027		0.00028
AD-20627-b1	<1E-05	<1E-05		
AD-20633-b1	0.04183	0.04183		0.04183
AD-20634-b1	0.00371	0.00450		0.00410
AD-20640-b1	0.00760	0.00294		0.00527
AD-20644-b1	0.00098	0.00123		0.00111
AD-20646-b1	0.00007	0.00008		0.00008
AD-20648-b1	0.00104	0.00126		0.00115
AD-20650-b1	0.00059	0.05479		0.02769
AD-20652-b1	0.00003	<1E-05		0.00003
AD-20653-b1	0.00887	0.00177		0.00532
AD-20660-b1	0.01515	0.00394		0.00955
AD-20661-b1	0.45059	0.11322		0.28191
AD-20671-b1	0.02504	0.01948		0.02226
AD-20693-b1	0.00080	0.00013		0.00046
AD-20694-b1	0.00105	0.00123		0.00114
AD-20700-b1	0.04602	0.04089		0.04345
AD-20702-b1	0.00015	0.00006		0.00010
AD-20707-b1	<1E-05	<1E-05		
AD-20708-b1	0.99910	0.32099		0.66004
AD-20709-b1	0.01314	0.00120		0.00717
AD-20714-b1	0.00599	0.01470		0.01035
AD-20716-b1	0.00303	0.00103		0.00203
AD-20728-b1	0.26241	0.15661		0.20951
AD-20730-b1	0.00331	0.00346		0.00339
AD-20741-b1	0.00094	0.00033		0.00064
AD-20764-b1	0.01432	0.00638		0.01035
AD-20783-b1	0.08658	0.05859		0.07259

* wherein "<1E-05" means less than 1×10^{-5} .

[00650] EXAMPLE 6. ADDITIONAL SCREENING OF HSF1 RNAi AGENTS

[00651] After making the determinations reported in Tables 4 and 5, it was determined that
5 certain of the oligonucleotides were subject to concentration artifacts now thought to arise from

incomplete thawing of plates containing the oligonucleotides. Subsequent analysis of two large datasets (unrelated to Target) indicated that any such concentration artifacts would not alter the assay results more than that which can be accounted for by normal experimental variability.

Moreover, these concentration artifacts are unlikely to substantially affect our conclusions about 5 lead selection.

[00652] Additional screening data of the HSF1 siRNAs described above is presented in Table 7, below.

HSF1 rescreen

10 **[00653]** HSF1 siRNAs are rescreened to address discrepancies that are found in duplex concentrations when the single strands for these duplexes are originally annealed. 414 siRNAs are reannealed and screened at two siRNA concentrations, 10nM and 0.1nM. All duplexes are screened at both doses in two independent experiments.

[00654] **In vitro screening:**

15 **[00655]** **Cell culture and transfections.**

[00656] HeLa (ATCC, Manassas, VA) cells are grown to near confluence at 37°C in an atmosphere of 5% CO₂ in EMEM (ATCC) supplemented with 10% FBS, streptomycin, and glutamine (ATCC) before being released from the plate by trypsinization. Reverse transfection is carried out by adding to 5µl of 200nM or 2nM siRNA duplex per well into a 96-well plate along 20 with 15µl of Opti-MEM™ plus 0.2µl of Lipofectamine RNAiMax™ per well (Invitrogen, Carlsbad CA. cat # 13778-150) and incubated at room temperature for 15 minutes. 80µl of complete growth media without antibiotic containing 2x10⁴ Hela cells are then added resulting in a final duplex concentration of 10nM or 0.1nM. Cells are incubated for 24 hours prior to RNA purification.

25 **[00657]** **mRNA isolation using Dynobeads (Invitrogen, Carlsbad CA. cat # 610-12):**

[00658] Cells are harvested and lysed in 150µl of lysis buffer then mixed for 5 minutes at 850rpm using and platform shaker (the mixing speed is the same throughout the process). Ten micro liters of magnetic beads that had previously been washed in 70ul of lysis buffer are added into cell-lysate and mixed for 5 minutes. Magnetic beads are captured using magnetic stand and 30 the supernatant is removed without disturbing the beads. Magnetic beads/RNA are washed twice with wash buffer A by adding 150ul of buffer, shaking for 1 minute and discarding supernatant following capture of beads on magnetic stand. Beads are then washed with 150µl wash buffer B, agitated for 1 minute, captured a magnetic bead stand and supernatant is removed. The Dynobead/mRNA mixture is then washed with 150ul of elution buffer by shaking for 1 minute, 35 capturing on a magnetic ring stand and discarding the elution buffer. mRNA is eluted by adding 50ul of elution buffer and shaking for 4 minutes at 70°C. After mixing plates are placed on the

magnetic bead stand for 2 minutes to recapture the beads before the supernatant containing the eluted RNA is removed to a new plate.

[00659] **cDNA synthesis using ABI™ High capacity cDNA reverse transcription kit**

[00660] A master mix of 1µl 10X Buffer, 0.4µl 25X dNTPs, 1µl Random primers, 0.5µl

5 Reverse Transcriptase, 0.5µl RNase inhibitor and 1.6µl of H₂O per reaction are added into 5µl total RNA. cDNA is generated using a Bio-Rad™ C-1000 or S-1000 thermal cycler (Hercules, CA) through the following steps: 25°C 10 min, 37°C 120 min, 85°C 5 sec, 4°C hold.

[00661] Real time PCR: 2µl of cDNA are added to a master mix containing 0.5µl GAPDH

TaqMan™ Probe (Applied Biosystems Cat # 4326317E) or 18S TaqMan™ Probe (Applied Biosystems

10 Cat #4319413E), 0.5µl HSF1 TaqMan™ probe (Applied Biosystems cat # HS00232134 M1) and 5µl Roche Probes™ Master Mix (Roche Cat # 04887301001) in a total of 10µl per well in a LightCycler 480 384 well plate (Roche cat # 0472974001). Real time PCR is done in a LightCycler 480 Real Time PCR machine (Roche). Each duplex is tested in at two independent transfections (Called Screen 1 and Screen 2). Each transfection is assayed in duplicate. For Screen 1 and Screen 2, 15 qPCR is performed using GAPDH for normalization. For Screen 1, qPCR is repeated a second time using 18S for normalization.

[00662] Real time data are analyzed using the $\Delta\Delta Ct$ method (Livak et al 2001). Each sample is normalized to GAPDH or 18S expression and knockdown is assessed relative to cells transfected with the non-targeting duplex AD-1955. Higher values represent less knockdown.

20 Reference: Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2- $\Delta\Delta Ct$ Method. Kenneth J. Livak, Thomas D. Schmittge. Methods 25:4, December 2001, 402-408.

[00663] As shown in Table 7, below, certain HSF1 siRNAs are re-screened twice (Screens 1 and 2), using GAPDH and 18s as controls. This table also includes screening data for several

25 HSF1 siRNAs without data presented above. Numbers represent residual HSF1 gene activity, with GAPDH or 18s as control reference genes. Thus, for example, for AD-20278-b2, "0.08" at "10 nM Screen 1 (GAPDH)" indicates 8% residual HSF1 gene activity, or 92% gene knockdown.

TABLE 7. ADDITIONAL SCREENING OF HSF1 siRNAs (10 nM and 0.1 nM)

Duplex ID	10 nM Screen 1 (GAPDH)	10 nM Screen 1 (18s)	10 nM Screen 2 (GAPDH)	0.1 nM Screen 1 (GAPDH)	0.1 nM Screen 1 (18s)	0.1 nM Screen 2 (GAPDH)
AD-20278-b2	0.08	0.07	0.05	0.49	0.15	0.39
AD-20279-b2	0.06	0.06	0.05	0.26	0.20	0.27
AD-20280-b2	0.19	0.21	0.15	0.71	0.57	0.70
AD-20281-b2	0.11	0.07	0.08	0.56	0.48	0.54
AD-20282-b2	0.10	0.08	0.05	1.13	0.89	1.13
AD-20283-b2	0.11	0.10	0.08	1.10	1.05	1.06
AD-20284-b2	0.78	0.94	0.71	1.86	0.92	1.12

AD-20285-b2	0.83	1.18	1.11	1.19	0.96	1.08
AD-20286-b2	1.04	1.20	0.97	1.20	0.96	1.08
AD-20287-b2	1.06	1.30	1.06	1.03	1.04	1.05
AD-20288-b2	0.89	0.70	0.95	0.98	1.01	1.07
AD-20289-b2	1.42	1.43	1.38	1.24	1.07	1.02
AD-20290-b2	1.05	0.95	1.09	1.03	0.92	1.05
AD-20291-b2	0.98	0.86	0.91	1.29	0.92	1.12
AD-20292-b2	1.04	0.93	1.06	1.16	1.05	1.18
AD-20293-b2	0.90	0.81	0.95	1.11	0.82	1.16
AD-20294-b2	0.81	0.71	0.77	1.22	0.95	1.21
AD-20295-b2	0.85	0.90	0.86	0.97	0.85	1.00
AD-20296-b2	0.34	0.27	0.30	1.02	0.80	1.09
AD-20297-b2	0.78	0.73	0.86	0.99	0.82	1.01
AD-20298-b2	1.65	0.77	0.89	1.24	1.03	1.05
AD-20299-b2	0.88	0.81	0.91	1.12	0.95	1.05
AD-20300-b2	0.83	0.52	0.75	1.12	0.83	1.07
AD-20301-b2	0.99	0.42	0.81	0.88	0.99	0.85
AD-20302-b2	0.97	1.14	1.04	0.96	0.90	1.02
AD-20303-b2	0.11	0.07	0.07	0.76	0.64	0.72
AD-20304-b2	0.86	0.85	0.81	1.03	0.81	1.07
AD-20305-b2	1.03	1.04	1.04	1.08	0.91	1.06
AD-20306-b2	0.96	0.85	0.89	1.08	0.85	0.99
AD-20307-b2	1.11	1.02	1.00	1.23	0.84	1.07
AD-20308-b2	1.03	1.16	1.06	1.15	0.80	1.18
AD-20309-b2	1.06	0.92	1.05	1.00	0.95	1.16
AD-20310-b2	1.12	0.93	1.12	0.99	0.87	1.17
AD-20311-b2	1.06	0.81	0.87	1.13	0.83	1.10
AD-20312-b2	0.36	0.33	0.35	0.86	0.83	0.81
AD-20313-b2	0.30	0.09	0.23	0.77	1.23	0.69
AD-20314-b2	0.80	0.65	0.78	1.08	0.83	1.17
AD-20315-b2	0.21	0.14	0.16	0.86	0.79	0.85
AD-20316-b2	0.57	0.50	0.54	1.09	0.79	1.15
AD-20317-b2	0.89	0.95	0.88	1.27	1.10	1.06
AD-20318-b2	0.89	0.93	0.84	1.04	1.10	1.15
AD-20319-b2	0.87	0.63	0.97	1.13	1.06	1.22
AD-20320-b2	0.85	0.56	0.81	1.05	0.96	1.19
AD-20344-b2	0.67	0.54	0.50	1.05	1.05	1.03
AD-20345-b2	0.77	0.35	0.76	1.01	1.03	1.07
AD-20346-b2	1.13	0.96	0.86	1.17	1.08	1.04
AD-20347-b2	0.78	0.94	0.75	0.95	0.91	1.07
AD-20348-b2	0.90	0.19	0.74	0.77	0.63	0.80
AD-20349-b2	0.57	0.47	0.57	0.92	0.73	0.82
AD-20350-b2	0.85	0.72	0.88	1.11	0.72	0.92

AD-20351-b2	1.04	0.84	1.12	1.16	1.09	1.08
AD-20352-b2	1.12	0.88	0.93	0.99	1.13	1.27
AD-20353-b2	0.77	0.53	0.62	1.01	0.81	1.10
AD-20354-b2	0.78	0.49	0.77	0.99	0.85	1.10
AD-20355-b2	1.13	0.53	0.85	0.97	0.91	1.06
AD-20356-b2	0.72	0.63	0.77	0.95	0.81	1.05
AD-20357-b2	1.31	0.98	0.97	0.96	0.89	1.25
AD-20358-b2	1.09	0.76	1.03	0.92	0.81	1.16
AD-20359-b2	1.08	1.06	1.17	1.23	0.95	1.03
AD-20360-b2	1.04	1.10	1.04	1.28	1.00	0.90
AD-20361-b2	0.93	0.84	0.95	1.03	0.88	1.04
AD-20362-b2	0.40	0.21	0.33	1.23	0.64	1.05
AD-20363-b2	1.16	0.79	0.98	1.05	0.63	1.25
AD-20364-b2	0.40	0.21	0.25	0.96	0.42	0.91
AD-20365-b2	0.22	0.12	0.17	0.62	0.57	0.50
AD-20366-b2	0.46	0.20	0.31	0.95	0.93	0.84
AD-20367-b2	1.00	0.59	0.83	1.00	0.71	0.99
AD-20368-b2	1.20	0.50	1.12	1.15	0.87	0.97
AD-20369-b2	1.02	0.82	0.90	0.88	0.88	0.85
AD-20370-b2	1.04	0.78	0.83	1.03	0.88	0.96
AD-20371-b2	1.19	0.71	1.09	1.08	0.83	0.98
AD-20372-b2	1.15	0.73	0.97	1.07	0.97	0.85
AD-20373-b2	0.20	0.15	0.16	0.74	0.54	0.78
AD-20374-b2	0.70	0.43	0.58	1.10	0.67	1.04
AD-20375-b2	0.85	0.65	0.72	1.21	0.81	1.06
AD-20376-b2	0.13	0.07	0.09	0.48	0.25	0.37
AD-20377-b2	0.35	0.19	0.21	0.88	0.71	0.78
AD-20378-b2	1.17	0.94	1.19	1.03	0.84	0.98
AD-20379-b2	0.68	0.43	0.60	0.98	0.77	0.95
AD-20380-b2	0.64	0.43	0.67	1.01	0.81	0.97
AD-20381-b2	1.40	1.15	1.49	1.19	0.89	1.13
AD-20382-b2	1.06	0.73	0.97	1.00	0.94	0.91
AD-20383-b2	1.00	0.95	1.02	1.02	0.94	1.00
AD-20384-b2	1.05	0.81	0.86	0.99	1.07	0.91
AD-20385-b2	1.15	0.79	0.97	1.19	0.78	1.10
AD-20386-b2	0.17	0.04	0.12	0.37	0.32	0.31
AD-20387-b2	0.69	0.38	0.45	1.06	0.81	0.93
AD-20388-b2	0.66	0.59	0.45	0.98	0.80	0.89
AD-20389-b2	0.11	0.07	0.08	0.76	0.56	0.67
AD-20390-b2	0.47	0.46	0.41	1.11	0.96	1.12
AD-20391-b2	0.07	0.07	0.05	0.53	0.41	0.42
AD-20392-b2	0.15	0.06	0.05	0.74	0.59	0.72
AD-20393-b2	0.75	0.45	0.73	1.11	0.86	0.96

AD-20394-b2	1.20	0.93	1.02	1.25	0.91	0.99
AD-20395-b2	0.65	0.38	0.60	1.35	0.92	0.99
AD-20396-b2	0.78	0.57	0.65	1.09	0.90	1.03
AD-20397-b2	0.26	0.22	0.21	0.98	0.92	0.92
AD-20398-b2	0.60	0.39	0.61	1.08	1.04	1.03
AD-20399-b2	0.12	0.07	0.08	0.71	0.72	0.73
AD-20400-b2	0.52	0.46	0.48	1.08	1.12	1.03
AD-20401-b2	0.16	0.07	0.06	0.71	0.82	0.70
AD-20402-b2	0.06	0.05	0.04	0.45	0.37	0.38
AD-20403-b2	0.09	0.05	0.04	0.62	0.45	0.63
AD-20404-b2	0.14	0.06	0.06	0.69	0.51	0.67
AD-20405-b2	1.26	0.87	1.01	1.18	0.93	1.10
AD-20406-b2	0.32	0.11	0.21	0.82	0.57	0.82
AD-20407-b2	0.16	0.06	0.07	0.66	0.50	0.67
AD-20408-b2	0.15	0.06	0.06	0.73	0.57	0.66
AD-20409-b2	0.20	0.09	0.11	0.67	0.55	0.62
AD-20410-b2	0.19	0.08	0.09	0.70	0.66	0.62
AD-20411-b2	0.12	0.09	0.09	0.58	0.54	0.58
AD-20412-b2	0.84	0.80	0.83	1.12	0.92	0.94
AD-20413-b2	0.16	0.14	0.18	0.71	0.71	0.69
AD-20414-b2	0.74	0.91	0.72	1.05	1.08	0.98
AD-20415-b2	0.64	0.80	0.66	0.87	1.62	0.84
AD-20416-b2	1.30	0.74	1.22	1.24	0.90	1.09
AD-20417-b2	1.27	0.75	0.93	1.12	0.87	1.04
AD-20418-b2	1.25	0.68	1.14	1.12	0.83	0.99
AD-20419-b2	1.19	0.76	1.07	1.17	0.92	0.91
AD-20420-b2	0.95	0.81	0.89	1.19	0.93	1.04
AD-20421-b2	0.80	0.32	0.67	1.29	0.84	0.97
AD-20422-b2	0.20	0.04	0.08	0.41	0.32	0.37
AD-20423-b2	1.23	0.79	1.11	1.06	0.99	1.03
AD-20424-b2	0.87	0.60	0.78	0.96	0.95	0.98
AD-20425-b2	1.02	0.75	1.13	0.98	1.08	0.98
AD-20426-b2	0.53	0.30	0.31	0.94	0.93	0.99
AD-20427-b2	0.47	0.45	0.47	0.93	1.12	0.91
AD-20428-b2	0.29	0.23	0.28	1.04	0.76	0.96
AD-20429-b2	1.10	0.50	1.15	1.12	0.85	0.96
AD-20430-b2	1.00	0.77	0.88	1.14	0.78	1.03
AD-20431-b2	1.17	0.59	1.06	1.13	0.85	0.95
AD-20432-b2	1.04	0.55	1.09	1.11	0.82	0.94
AD-20433-b2	0.82	0.28	0.74	1.20	1.05	1.00
AD-20434-b2	0.19	0.08	0.09	0.60	0.54	0.51
AD-20435-b2	0.41	0.04	0.33	0.37	0.26	0.27
AD-20436-b2	0.40	0.22	0.35	1.13	1.12	1.11

AD-20437-b2	0.08	0.04	0.03	0.16	0.16	0.12
AD-20438-b2	0.06	0.04	0.03	0.35	0.20	0.22
AD-20439-b2	0.09	0.07	0.07	0.47	0.30	0.39
AD-20487-b2	0.10	0.03	0.06	0.15	0.11	0.10
AD-20488-b2	0.13	0.03	0.08	0.44	0.30	0.34
AD-20489-b2	0.09	0.03	0.05	0.21	0.16	0.18
AD-20490-b2	0.13	0.03	0.08	0.46	0.26	0.41
AD-20491-b2	0.26	0.03	0.16	0.33	0.22	0.20
AD-20492-b2	1.12	0.62	1.11	1.07	0.78	0.93
AD-20493-b2	0.18	0.04	0.10	0.51	0.35	0.40
AD-20494-b2	0.54	0.31	0.42	1.26	0.79	0.96
AD-20495-b2	0.26	0.28	0.15	0.77	0.68	0.71
AD-20496-b2	0.97	0.69	0.87	1.08	1.09	1.24
AD-20497-b2	1.21	0.86	1.19	1.31	0.86	0.98
AD-20498-b2	1.14	0.82	0.81	1.28	0.84	1.07
AD-20499-b2	1.25	0.80	0.91	1.13	0.71	0.95
AD-20500-b2	0.96	0.57	0.98	1.26	0.79	0.97
AD-20501-b2	0.69	0.37	0.47	0.89	0.68	0.84
AD-20502-b2	0.28	0.12	0.16	0.88	0.54	0.88
AD-20503-b2	1.12	0.76	1.04	1.10	0.96	1.10
AD-20504-b2	1.00	0.52	0.89	1.09	0.95	0.98
AD-20505-b2	1.11	0.64	0.92	1.22	1.03	1.20
AD-20506-b2	0.86	0.40	0.78	1.25	1.14	1.01
AD-20507-b2	0.11	0.04	0.09	0.34	0.27	0.32
AD-20508-b2	1.07	0.67	1.14	1.16	0.96	1.09
AD-20509-b2	1.03	0.79	0.90	1.25	1.04	0.99
AD-20510-b2	0.37	0.27	0.31	1.35	1.21	1.33
AD-20511-b2	0.54	0.39	0.44	1.13	1.02	1.05
AD-20512-b2	0.66	0.42	0.55	0.98	0.99	1.09
AD-20513-b2	0.20	0.09	0.12	1.06	0.93	1.05
AD-20514-b2	1.26	0.83	1.15	0.97	1.00	0.98
AD-20515-b2	1.02	0.64	1.13	1.13	1.01	1.01
AD-20516-b2	1.11	0.45	0.94	1.09	0.94	1.11
AD-20517-b2	0.92	0.64	0.83	1.03	0.97	0.95
AD-20518-b2	1.08	0.66	1.08	1.15	0.96	0.96
AD-20519-b2	1.27	0.80	0.94	1.11	0.94	0.99
AD-20520-b2	1.06	0.83	1.06	1.17	0.84	0.98
AD-20521-b2	1.28	0.82	1.14	1.02	1.08	1.00
AD-20522-b2	1.11	0.94	0.93	1.12	1.04	1.05
AD-20523-b2	0.92	0.95	1.11	1.19	0.86	1.21
AD-20524-b2	1.13	1.04	1.03	1.09	0.89	1.16
AD-20525-b2	1.06	0.97	1.18	1.27	0.96	1.18
AD-20526-b2	1.08	0.83	0.94	1.11	0.93	1.11

AD-20527-b2	0.47	0.19	0.42	0.70	0.68	0.63
AD-20528-b2	1.22	0.74	1.09	1.41	0.83	1.00
AD-20529-b2	1.09	0.98	0.99	1.16	0.85	1.01
AD-20530-b2	0.67	0.23	0.50	1.03	0.99	1.08
AD-20531-b2	0.43	0.41	0.47	0.92	0.92	1.02
AD-20532-b2	1.16	1.01	0.98	1.12	0.86	1.05
AD-20533-b2	0.86	0.97	0.83	1.14	1.05	1.12
AD-20534-b2	0.52	0.61	0.56	1.04	0.97	1.03
AD-20535-b2	0.47	0.18	0.32	1.01	0.79	0.96
AD-20536-b2	1.43	1.06	0.82	1.11	0.89	1.19
AD-20537-b2	1.24	1.11	0.93	1.02	0.86	1.17
AD-20538-b2	0.92	0.66	0.90	0.96	0.75	0.96
AD-20539-b2	1.12	1.06	1.02	1.14	0.86	1.02
AD-20540-b2	0.97	1.19	1.06	1.04	0.94	1.02
AD-20541-b2	1.06	1.22	0.91	1.27	0.84	1.07
AD-20542-b2	0.97	0.77	0.85	1.08	0.88	1.03
AD-20543-b2	0.69	0.88	0.63	1.12	0.89	1.07
AD-20544-b2	0.15	0.11	0.11	0.64	0.63	0.64
AD-20545-b2	0.11	0.08	0.08	0.69	0.65	0.65
AD-20546-b2	0.17	0.21	0.14	0.98	0.85	0.94
AD-20547-b2	0.36	0.21	0.22	0.90	0.66	0.80
AD-20548-b2	0.12	0.04	0.18	0.39	0.32	0.32
AD-20549-b2	0.44	0.20	0.33	0.90	0.93	0.91
AD-20550-b2	0.65	0.43	0.53	0.87	0.64	0.78
AD-20551-b2	1.23	1.09	1.12	1.20	0.91	1.02
AD-20552-b2	0.29	0.19	0.20	0.97	0.71	0.84
AD-20553-b2	0.96	0.89	0.87	1.14	0.96	1.12
AD-20554-b2	0.57	0.55	0.57	1.18	0.82	0.90
AD-20555-b2	0.26	0.14	0.17	1.00	0.92	0.97
AD-20556-b2	0.15	0.12	0.10	0.98	0.77	0.87
AD-20557-b2	0.09	0.08	0.05	0.74	0.59	0.71
AD-20558-b2	0.10	0.12	0.08	0.91	0.89	0.93
AD-20559-b2	0.58	0.41	0.42	1.13	1.01	1.09
AD-20560-b2	0.09	0.03	0.03	0.25	0.18	0.23
AD-20561-b2	0.31	0.09	0.26	0.93	0.86	0.92
AD-20562-b2	0.21	0.04	0.12	0.55	0.42	0.56
AD-20563-b2	0.15	0.04	0.17	0.50	0.38	0.46
AD-20564-b2	0.06	0.03	0.03	0.15	0.11	0.15
AD-20565-b2	0.17	0.09	0.09	0.79	0.55	0.69
AD-20566-b2	0.07	0.04	0.03	0.55	0.34	0.47
AD-20567-b2	0.78	0.84	0.71	1.27	0.92	1.01
AD-20568-b2	1.07	1.21	1.03	1.49	0.90	0.98
AD-20569-b2	0.87	1.21	0.90	0.94	0.97	0.98

AD-20570-b2	0.35	0.37	0.29	1.13	0.94	1.03
AD-20571-b2	0.99	1.08	0.91	1.03	0.88	1.02
AD-20572-b2	0.52	0.09	0.34	1.06	0.88	1.02
AD-20573-b2	1.28	0.79	1.22	1.11	1.01	1.15
AD-20574-b2	0.34	0.29	0.22	1.00	0.95	1.06
AD-20575-b2	0.32	0.23	0.21	0.96	0.95	1.01
AD-20576-b2	0.52	0.44	0.49	0.94	0.91	0.98
AD-20577-b2	0.59	0.36	0.55	0.95	0.70	0.90
AD-20578-b2	0.08	0.06	0.06	0.27	0.20	0.24
AD-20579-b2	0.35	0.15	0.23	1.17	1.05	1.12
AD-20580-b2	0.31	0.37	0.25	1.21	0.93	1.07
AD-20581-b2	0.65	1.21	0.75	1.08	0.85	0.97
AD-20582-b2	0.30	0.53	0.36	1.00	1.02	1.10
AD-20594-b2	1.17	0.92	1.11	1.08	0.86	1.04
AD-20595-b2	1.23	0.89	1.37	1.17	0.84	1.01
AD-20596-b2	1.11	0.94	1.11	1.13	0.81	1.15
AD-20597-b2	1.03	1.14	1.07	0.59	0.99	0.52
AD-20598-b2	1.05	0.93	1.07	1.27	0.89	1.23
AD-20625-b2	0.23	0.13	0.23	0.73	0.70	0.71
AD-20626-b2	0.21	0.21	0.24	0.43	0.41	0.39
AD-20627-b2	0.22	0.07	0.21	0.62	0.48	0.60
AD-20628-b2	1.14	0.38	0.97	1.23	1.08	1.06
AD-20629-b2	0.62	0.29	0.53	0.96	0.90	1.02
AD-20630-b2	0.50	0.25	0.40	1.16	0.98	0.94
AD-20631-b2	0.78	0.30	0.58	1.04	1.07	0.93
AD-20632-b2	0.76	0.90	0.70	1.06	0.97	0.97
AD-20633-b2	0.28	0.23	0.17	0.97	0.98	0.94
AD-20634-b2	0.21	0.16	0.19	0.74	0.86	0.74
AD-20635-b2	0.48	0.41	0.50	0.88	1.07	0.88
AD-20636-b2	1.37	0.99	1.01	1.10	1.19	1.00
AD-20637-b2	1.05	0.66	1.05	1.09	0.94	1.11
AD-20638-b2	0.82	0.39	0.72	0.97	0.94	0.95
AD-20639-b2	0.60	0.39	0.57	0.82	0.81	0.80
AD-20640-b2	0.20	0.08	0.19	0.77	0.78	0.76
AD-20641-b2	0.93	0.66	1.10	0.96	1.00	0.96
AD-20642-b2	1.17	0.49	1.02	0.95	0.95	0.99
AD-20643-b2	0.48	0.23	0.45	1.04	0.92	0.97
AD-20644-b2	0.32	0.16	0.31	0.82	0.71	0.78
AD-20645-b2	1.26	0.83	1.13	1.00	1.09	0.96
AD-20646-b2	0.21	0.17	0.22	0.44	0.57	0.42
AD-20647-b2	0.52	0.17	0.42	0.80	0.74	0.75
AD-20648-b2	0.16	0.19	0.08	0.65	0.68	0.64
AD-20649-b2	1.11	0.74	1.08	1.16	1.00	1.17

AD-20650-b2	0.90	0.39	0.88	1.15	0.97	1.02
AD-20651-b2	1.28	0.75	1.22	1.06	1.03	0.96
AD-20652-b2	0.15	0.06	0.17	0.33	0.31	0.34
AD-20653-b2	0.48	0.17	0.43	1.14	0.97	1.00
AD-20654-b2	1.33	0.90	1.19	1.12	1.08	1.06
AD-20655-b2	1.20	1.13	1.14	1.20	1.07	1.04
AD-20656-b2	0.96	0.63	0.92	1.18	1.09	0.98
AD-20657-b2	1.13	0.75	1.28	1.00	1.09	0.94
AD-20658-b2	0.62	0.40	0.52	0.67	0.67	0.65
AD-20659-b2	0.98	0.74	0.82	1.05	1.01	0.94
AD-20660-b2	0.24	0.16	0.12	0.83	0.85	0.83
AD-20661-b2	0.44	0.19	0.41	0.95	0.93	0.93
AD-20662-b2	0.95	0.42	0.84	0.83	0.90	0.85
AD-20663-b2	1.35	1.11	1.29	0.96	1.20	1.02
AD-20664-b2	1.15	1.24	0.92	0.97	0.94	0.98
AD-20665-b2	1.23	1.06	1.03	1.02	1.02	1.09
AD-20666-b2	1.29	1.09	0.94	0.97	1.07	1.11
AD-20667-b2	1.24	1.04	1.28	1.02	0.96	1.05
AD-20668-b2	1.19	0.99	1.22	0.98	1.04	0.99
AD-20669-b2	1.49	1.13	1.19	0.95	1.08	0.94
AD-20670-b2	0.90	0.68	0.92	0.83	1.07	0.82
AD-20671-b2	0.19	0.11	0.12	0.72	0.72	0.73
AD-20672-b2	0.67	0.56	0.54	0.92	1.11	0.92
AD-20673-b2	0.97	0.72	0.84	1.20	0.92	1.04
AD-20674-b2	0.58	0.66	0.63	1.16	0.93	1.10
AD-20675-b2	1.48	0.90	0.92	1.08	0.98	1.07
AD-20676-b2	0.80	0.44	0.80	0.94	0.99	0.95
AD-20677-b2	1.31	0.96	1.13	1.24	0.93	1.03
AD-20678-b2	1.00	0.44	1.11	1.18	0.99	1.15
AD-20679-b2	1.14	1.15	1.04	1.20	1.04	1.03
AD-20680-b2	1.06	0.85	0.81	1.11	1.07	0.99
AD-20681-b2	1.37	0.93	0.99	1.10	1.11	1.03
AD-20682-b2	1.17	0.80	1.04	0.96	1.09	1.06
AD-20683-b2	1.37	0.63	0.95	0.51	0.51	0.50
AD-20684-b2	1.19	0.66	1.00	1.07	1.19	1.00
AD-20685-b2	1.18	0.81	0.97	1.19	0.90	1.02
AD-20686-b2	1.22	0.72	1.09	1.27	0.98	0.90
AD-20687-b2	1.33	0.71	1.02	1.11	0.94	0.94
AD-20688-b2	1.37	0.77	1.15	1.04	0.99	1.10
AD-20689-b2	1.05	1.00	1.21	1.12	0.98	0.92
AD-20690-b2	0.95	1.11	0.81	1.18	0.95	0.99
AD-20691-b2	1.44	0.85	1.11	1.14	1.01	0.93
AD-20692-b2	1.22	1.85	1.31	1.02	1.05	1.46

AD-20693-b2	1.27	0.32	1.08	1.06	1.01	1.05
AD-20694-b2	0.46	0.12	0.42	0.68	0.45	0.70
AD-20695-b2	0.41	0.14	0.36	0.74	0.75	0.73
AD-20696-b2	0.84	1.09	0.82	1.08	1.06	1.11
AD-20697-b2	1.34	0.67	1.15	1.25	1.02	1.02
AD-20698-b2	1.25	0.74	0.99	1.11	0.92	1.09
AD-20699-b2	0.97	0.50	1.08	1.16	0.91	1.04
AD-20700-b2	0.45	0.21	0.24	1.10	0.81	0.91
AD-20701-b2	0.87	0.30	0.82	1.14	1.01	1.06
AD-20702-b2	0.36	0.08	0.26	0.53	0.42	0.54
AD-20703-b2	1.02	0.44	0.92	1.17	0.92	1.01
AD-20704-b2	1.38	0.82	1.14	1.09	1.02	1.11
AD-20705-b2	0.78	0.35	0.65	1.05	0.99	1.10
AD-20706-b2	0.70	0.33	0.64	0.87	0.83	0.80
AD-20707-b2	0.13	0.07	0.14	0.54	0.43	0.55
AD-20708-b2	0.30	0.12	0.22	1.08	1.08	1.08
AD-20709-b2	0.38	0.19	0.25	0.90	0.92	0.91
AD-20710-b2	1.00	0.47	1.07	1.15	1.01	1.12
AD-20711-b2	0.71	0.44	0.68	1.16	0.99	1.13
AD-20712-b2	1.01	0.71	1.06	0.67	0.47	0.62
AD-20713-b2	0.61	0.22	0.44	1.17	0.79	0.92
AD-20714-b2	0.49	0.07	0.39	0.56	0.71	0.68
AD-20715-b2	0.37	0.08	0.19	1.12	0.94	1.00
AD-20716-b2	0.20	0.07	0.12	0.87	0.58	0.74
AD-20717-b2	0.81	0.62	0.71	1.18	0.86	0.92
AD-20718-b2	0.30	0.16	0.19	1.21	0.65	0.75
AD-20719-b2	0.57	0.53	0.58	0.90	0.91	0.91
AD-20720-b2	0.57	0.51	0.49	0.85	0.92	0.83
AD-20721-b2	0.67	0.49	0.56	0.85	0.91	0.86
AD-20722-b2	0.70	0.51	0.66	0.92	0.93	0.89
AD-20723-b2	0.63	0.48	0.66	0.96	1.03	1.01
AD-20725-b2	0.68	0.66	0.75	0.90	0.99	1.02
AD-20726-b2	0.71	0.65	0.64	1.00	0.95	1.07
AD-20727-b2	0.79	0.76	0.76	0.94	0.99	0.96
AD-20728-b2	0.25	0.26	0.26	0.91	1.03	0.90
AD-20729-b2	0.72	0.67	0.69	1.15	1.05	0.86
AD-20731-b2	0.58	0.48	0.44	1.11	1.16	1.09
AD-20732-b2	0.55	0.51	0.45	0.83	1.33	0.80
AD-20733-b2	0.62	0.71	0.64	1.07	0.98	1.00
AD-20734-b2	0.79	0.66	0.79	0.95	0.91	1.06
AD-20735-b2	0.76	0.70	0.69	1.05	1.06	1.04
AD-20736-b2	0.73	0.71	0.77	1.01	0.91	1.07
AD-20737-b2	0.98	0.93	1.09	1.17	0.92	1.04

AD-20738-b2	0.94	0.93	0.96	1.00	1.02	1.09
AD-20739-b2	1.15	0.87	1.19	1.04	0.95	1.00
AD-20740-b2	0.69	0.65	0.66	1.09	1.00	1.03
AD-20741-b2	1.14	0.87	1.04	1.06	1.08	1.00
AD-20742-b2	0.05	0.06	0.06	0.61	0.47	0.52
AD-20743-b2	0.73	1.02	0.74	0.94	1.09	0.93
AD-20744-b2	0.34	0.27	0.34	1.05	1.08	1.04
AD-20745-b2	0.41	0.56	0.57	1.00	0.94	1.04
AD-20746-b2	0.69	0.90	0.79	0.89	0.93	0.89
AD-20747-b2	0.82	0.81	0.88	1.05	1.01	1.04
AD-20748-b2	0.89	0.89	0.80	0.87	1.11	1.02
AD-20749-b2	0.44	0.46	0.47	1.03	0.96	0.95
AD-20750-b2	0.65	0.65	0.68	1.03	0.95	1.02
AD-20751-b2	0.79	0.79	0.82	1.03	0.94	0.98
AD-20752-b2	0.42	0.33	0.45	0.86	0.77	0.87
AD-20753-b2	0.95	1.03	1.09	1.00	1.13	0.97
AD-20755-b2	0.64	0.51	0.54	1.19	1.02	1.13
AD-20756-b2	0.71	0.61	0.61	1.03	1.10	1.04
AD-20757-b2	0.82	0.78	0.80	1.12	1.15	0.99
AD-20758-b2	0.71	0.67	0.72	0.85	0.97	1.05
AD-20759-b2	0.66	0.63	0.67	0.92	0.94	1.06
AD-20761-b2	0.66	0.65	0.66	0.85	0.87	0.86
AD-20762-b2	0.78	0.84	0.77	0.89	0.80	0.88
AD-20763-b2	1.06	0.80	1.07	0.91	1.04	0.90
AD-20764-b2	0.93	0.88	0.98	0.89	0.83	0.84
AD-20765-b2	0.11	0.07	0.10	0.54	0.47	0.46
AD-20767-b2	0.45	0.56	0.51	0.82	0.87	0.84
AD-20768-b2	0.67	0.62	0.66	0.94	1.04	0.95
AD-20769-b2	1.16	1.05	0.99	1.15	1.14	0.98
AD-20770-b2	0.64	0.47	0.66	1.01	1.16	1.02
AD-20771-b2	0.92	0.86	0.92	0.91	0.87	0.90
AD-20772-b2	0.68	0.58	0.66	1.09	1.08	0.97
AD-20774-b2	0.89	0.86	0.80	1.21	0.95	0.94
AD-20775-b2	0.68	0.54	0.65	1.07	1.01	1.10
AD-20776-b2	0.92	0.85	0.91	1.13	1.08	1.03
AD-20777-b2	0.84	0.71	0.88	1.08	0.92	1.05
AD-20778-b2	0.92	0.90	0.88	1.14	0.96	0.97
AD-20780-b2	1.06	0.96	1.04	1.02	1.04	1.13
AD-20781-b2	1.06	1.10	1.09	1.11	0.99	1.12
AD-20782-b2	0.98	1.01	1.12	1.19	1.14	1.02
AD-20783-b2	1.16	0.93	1.12	1.10	1.00	1.04
AD-20784-b2	0.38	0.23	0.26	1.08	1.02	0.98
AD-20786-b2	0.56	0.32	0.43	1.02	0.97	0.91

AD-20787-b2	0.81	0.86	0.72	1.04	0.93	1.00
AD-20788-b2	1.07	0.84	1.09	0.94	1.02	1.03
AD-20789-b2	1.01	0.73	1.06	1.07	0.97	1.06
AD-20790-b2	0.85	0.61	0.89	0.82	0.99	0.91
AD-20792-b2	1.03	0.99	1.04	1.07	1.09	1.05
AD-20793-b2	1.24	0.93	1.02	1.00	1.05	0.99
AD-20794-b2	1.05	0.94	1.20	1.02	1.02	1.00
AD-20795-b2	1.01	0.93	1.08	1.01	1.04	0.98
AD-20796-b2	1.25	1.04	1.08	0.96	1.09	0.94
AD-20797-b2	1.01	1.01	0.83	1.03	1.09	1.00
AD-20798-b2	0.91	0.96	1.00	1.01	1.11	0.96
AD-20799-b2	0.87	0.77	0.85	1.01	1.21	1.02
AD-20800-b2	1.01	0.99	1.04	1.07	1.08	0.90
AD-20801-b2	0.90	0.80	0.88	0.98	0.78	0.80
AD-20868-b2	0.88	0.71	0.85	1.20	0.82	0.81
AD-20869-b2	0.59	0.50	0.52	1.16	1.02	0.92
AD-20870-b2	0.66	0.62	0.63	1.29	0.80	0.88
AD-20871-b2	1.03	0.97	1.04	1.16	0.90	0.97
AD-20872-b2	0.86	0.66	0.80	1.23	0.99	0.93
AD-20873-b2	0.91	0.98	0.90	1.23	0.85	0.86

[00664] EXAMPLE 7. In vivo and PBMC analysis of RNAi agents

[00665] Selected RNAi agents to HSF1 are analyzed in a PBMC (peripheral blood

5 mononuclear cell) assay to estimate immunogenicity; and in vivo in Hep3B (primary liver xenograft) subcutaneous tumors in nude mice. RNAi agents are delivered in vivo in a lipid nanoparticle. Single dosages of 5 mg/kg or 3 mg/kg were delivered, and animals sacrificed and tissues collected 72 hours after dosage. The results are shown below in Table 8.

[00666] The Duplex ID indicates the various names for the RNAi agent; AD-XXXXX/AD-
10 XXXXX = dTdT/uu modified version of the same siRNA core sequence indicated. (XXXXX) indicates the duplex ID for the uu sequence. The Target Seq (sequence) and position in the human and cyno (cynomolgus) HSF1 genes are given; “na” indicates that the given sequence is not in the cynomolgus gene. PBMC Result (IFN- α , TNF- α) indicates whether or not a given RNAi elicited an immune response, as indicated by a measured induction of TNF- α or IFN- α .
15 “quiet” indicates that a given RNAi agent did not illicit an immune response. In the columns labeled “In vivo Hep3B,” the numbers indicate the per cent knockdown of HSF1 expression.

TABLE 8. In vivo and PBMC analysis of RNAi agents

Duplex ID	Target Seq (=SS 19-mer)	SEQ ID NO:	Pos Hu-man	Pos Cyno	PBMC Result (IFN- α ,)	In vivo Hep-3B	In vivo Hep-3 mg /

					TNF- α	5 mg / kg, 72 h	kg, 72 h
AD-20403/ AD-30070 (505)	UUGAGAACAUCAAGAGGAA	3195	505	na	Quiet	50% & 70%	52%
AD-20437/ AD-36969	CCUGAAGAGUGAAGACAU	3196	541	532	Quiet	50%	40%
AD-20438	CCUGAAGAGUGAAGACAU	3197	542	533	Quiet	50%	62%
AD-20439	CUGAAGAGUGAAGACAUAA	3198	543	534	Quiet	47%	46%
AD-20487/ AD-30071 (544)	UGAAGAGUGAAGACAUAAA	3199	544	535	Quiet	60-70%	70%
AD-20489/ AD-36970	AAGAGUGAAGACAUAAAAGA	3200	546	537	Mild TNF- α induction	39%	
AD-20490	AGAGUGAAGACAUAAAAGAU	3201	547	538	Quiet	42%	
AD-20491	GAGUGAAGACAUAAAAGAUC	3202	548	539	Quiet	40%	
AD-20548	GCAGAACGCAUGCCCAGCAA	3203	698	689	Quiet	40%	
AD-20560/ AD-37739 (733)	AGCUAUUCAGUUCCUGAU	3204	733	724	Quiet	60%	50%
AD-20562 (735)	CUCAUUCAGUUCCUGAUCU	3205	735	726	Quiet	50%	50%
AD-20563/ AD-36973	UCAUUCAGUUCCUGAUCUC	3206	736	727	Quiet	34%	
AD-20564/ AD-36971	CAUUCAGUUCCUGAUCUCA	3207	737	728	Quiet	57%	65%
AD-20578	UCUCACUGGUGCAGUAAA	3208	751	742	Quiet	32%	
AD-20626	UGGUGGCAGUAAACCGGAU	3209	757	748	Quiet	36%	
AD-20627 (758)	GGUGCAGUAAACCGGAUC	3210	758	749	Quiet	50%	40%
AD-20644	GAACGACAGUGGCUCAGCA	3211	809	800	Quiet	17%	
AD-20648	GACAGUGGCUCAGCACAUU	3212	813	804	Quiet	27%	
AD-20652/ AD-36972	GUGGCUCAGCACAUUCCAU	3213	817	808	Quiet	28%	
AD-20660 (825)	GCACAUUCCAUGCCCAAGU	3214	825	816	Quiet	50%	40%
AD-20694	GCGGGAGCAUAGACGAGAG	3215	1012	1003	Quiet	24%	
AD-20707 (1330)	ACUUGGAUGCUAUGGACUC	3216	1330	1321	Quiet	50%	
AD-20730 (1372)	UGCUGAGCAGCCACGGCUU	3217	1372	1363	TNF- α induction	50%	47%

[00667] Thus, as shown in the table above, several RNAi agents do not elicit an immune response in the PBMC assay (indicated by “quiet”). Several RNAi agents also elicited at least a 40% HSF1 expression knock-down. AD-20403/30070, AD-20437/AD-36969, AD-20438, AD-20439, AD-20487/AD-30071 (544), AD-20548, AD-20560/AD-37739 (733), AD-20562 (735), 5 AD-20564/AD-36971, AD-20627 (758), AD-20660 (825), AD-20707 (1330), and AD-20730 (1372) are chosen for lead optimization.

[00668] **EXAMPLE 8. 5'-END MODIFICATIONS**

[00669] This example describes screening multiple chemistries to identify siRNAs that retain 10 or improve activity relative to parent and that are potentially more stable.

[00670] A two-phase approach is used. The first phase involves identifying an optimal 5' end cap for S (sense) strand inactivation. End-caps used are: Inverted dT, L-sugar, and C-6-alkyl. These are illustrated in Figure 1. Each cap is tested for its ability to block siRNA activity when on the 5'-end of antisense (AS) but maintain activity when on the 5'-end of the sense strand using 15 4 potent HSF1 siRNAs for evaluation. IC50 (EC50) in HeLa cells is determined.

[00671] In the second phase, multiple chemical motifs are tested on a larger set of HSF1 siRNAs in context of the best 5'-end cap found in the first phase.

[00672] S (sense) modifications include the following:

Endolight, wherein all pyrimidines are modified to 2'-OMe with 2'-OMe uu overhang, and 20 All ribonucleotides are used with 2'-OMe uu overhang.

[00673] AS modifications include:

All pyrimidines are modified with to 2'-OMe, with a 2'-OMe uu overhang,

Endolight + 2'-OMe on 5 3'-terminal bases with 2'-OMe uu overhang

Endolight + 2'-OMe at only pyrimidines of 5 3' terminal bases, with 2'-OMe uu overhang.

[00674] Table 9A and Table 9B provide examples of 5'-end modifications contemplated 25 within the scope of the invention. As depicted in the tables, IC50 I and IC50 II indicate the results of two determinations of IC50 (EC50). The results indicate nM concentrations.

30 **TABLE 9A. Antisense modifications**

	Duplex ID	Sequence	SEQ ID NO:	IC50 I	IC50 II
dTdT/uu	AD-20437.4	cccuGAAGAGuGAAGAcAudTdT	3218	0.014	0.016
		AUGUCUUcACUCUUcAGGGdTdT	3219		
	AD-20487.7	uGAAGAGuGAAGAcAuAAAdTdT	3220	0.003	0.004
		UUuAUGUCUUcACUCUUcAdTdT	3221		
	AD-20489.2	AAGAGuGAAGAcAuAAAGAdTdT	3222	0.005	0.005
		UCUUuAUGUCUUcACUCUUdTdT	3223		
	AD-20560.4	AGcucAuucAGuuccuGAudTdT	3224	0.013	0.012
		AUcAGGAACUGAAUGAGCudTdT	3225		
Inverted	AD-37718.1	cccuGAAGAGuGAAGAcAuuu	3226	0.126	0.220

dT		(dT)AUGUCUUcACUCUUcAGGGuu	3227			
	AD-37721.1	uGAAGAGuGAAGAcAuAAAuu	3228	1.800	>10	
		(dT)UUuAUGUCUUcACUCUUcAuu	3229			
	AD-37724.1	AAGAGuGAAGAcAuAAAGAuu	3230	0.473	0.737	
		(dT)UCUUuAUGUCUUcACUCUUuu	3231			
	AD-37727.1	AGcucAuucAGuuccuGAuuu	3232	>10	3.202	
		(dT)AUcAGGAACUGAAUGAGCUuu	3233			
L-sugar	AD-37730.1	cccuGAAGAGuGAAGAcAuuu	3234	0.240	0.326	
		AbUGUCUUcACUCUUcAGGGuu	3235			
	AD-37733.1	uGAAGAGuGAAGAcAuAAAuu	3236	>10	5.649	
		UbUuAUGUCUUcACUCUUcAuu	3237			
	AD-37736.1	AAGAGuGAAGAcAuAAAGAuu	3238	0.157	0.254	
		UbCUUuAUGUCUUcACUCUUuu	3239			
	AD-37740.1	AGcucAuucAGuuccuGAuuu	3240	0.028	0.064	
C-6-alkyl		AbUcAGGAACUGAAUGAGCUuu	3241			
	AD-37719.1	cccuGAAGAGuGAAGAcAuuu	3242	0.471	0.451	
		Q128AUGUCUUcACUCUUcAGGGuu	3243			
	AD-37722.1	uGAAGAGuGAAGAcAuAAAuu	3244	0.087	0.031	
		Q128UUuAUGUCUUcACUCUUcAuu	3245			
	AD-37725.1	AAGAGuGAAGAcAuAAAGAuu	3246	0.013	0.017	
		Q128UCUUuAUGUCUUcACUCUUuu	3247			
	AD-37728.1	AGcucAuucAGuuccuGAuuu	3248	0.006	0.005	
		Q128AUcAGGAACUGAAUGAGCUuu	3249			

TABLE 9B. Sense modifications

	Duplex ID	Sequence	SEQ ID NO:	IC50 I	IC50 II
dTdT/uu	AD-36969.2	cccuGAAGAGuGAAGAcAuuu	3250	0.014	0.006
		AUGUCUUcACUCUUcAGGGuu	3251		
	AD-30071.2	uGAAGAGuGAAGAcAuAAAuu	3252	0.003	0.006
		UUuAUGUCUUcACUCUUcAuu	3253		
	AD-36970.2	AAGAGuGAAGAcAuAAAGAuu	3254	0.015	0.011
		UCUUuAUGUCUUcACUCUUuu	3255		
	AD-37739.1	AGcucAuucAGuuccuGAuuu	3256	0.804	0.644
Inverted dT		AUcAGGAACUGAAUGAGCUuu	3257		
	AD-37731.1	(dT)cccuGAAGAGuGAAGAcAuuu	3258	0.012	0.008
		AUGUCUUcACUCUUcAGGGuu	3259		
	AD-37734.1	(dT)uGAAGAGuGAAGAcAuAAAuu	3260	0.009	0.009
		UUuAUGUCUUcACUCUUcAuu	3261		
	AD-37737.1	(dT)AAGAGuGAAGAcAuAAAGAuu	3262	0.003	0.005
		UCUUuAUGUCUUcACUCUUuu	3263		
L-sugar	AD-37741.1	(dT)AGcucAuucAGuuccuGAuuu	3264	0.005	0.008
		AUcAGGAACUGAAUGAGCUuu	3265		
	AD-37720.1	CbccuGAAGAGuGAAGAcAuuu	3266	0.004	0.004
		AUGUCUUcACUCUUcAGGGuu	3267		
	AD-37723.1	UbGAAGAGuGAAGAcAuAAAuu	3268	0.010	0.010
		UUuAUGUCUUcACUCUUcAuu	3269		
	AD-37726.1	AbAGAGuGAAGAcAuAAAGAuu	3270	0.003	0.003
		UCUUuAUGUCUUcACUCUUuu	3271		
	AD-37729.1	AbGcucAuucAGuuccuGAuuu	3272	0.006	0.010

		AUcAGGAACUGAAUGAGCUuu	3273		
C-6-alkyl	AD-37732.1	Q128CccuGAAGAGuGAAGAcAuuu	3274	0.014	0.005
		AUGUCUUCACUCUUCAGGGuu	3275		
	AD-37735.1	Q128UGAAGAGuGAAGAcAuAAuu	3276		0.144
		UUuAUGUCUUCACUCUUCuu	3277		
	AD-37738.1	Q128AAGAGuGAAGAcAuAAAGAuu	3278	0.008	0.087
		UCUUuAUGUCUUCACUCUUuu	3279		
	AD-37742.1	Q128AGcucAuucAGuuccuGAuuu	3280	0.010	0.020
		AUcAGGAACUGAAUGAGCUuu	3281		

[00675] Note that in the above tables, a suffix such as .1, .2, .3, .4, etc. indicates a variant of a given RNAi agent. Thus, AD-20437.4 and AD-20437, for example, have the same sequence,

5 though they may vary in modifications, caps, etc. Thus, any references to (including descriptions of various embodiments related to) AD-20437.4; AD-20487.7; AD-20489.2; AD-20560.4; AD-37718.1; AD-37721.1; AD-37724.1; AD-37727.1; AD-37730.1; AD-37733.1; AD-37736.1; AD-37740.1; AD-37719.1; AD-37722.1; AD-37725.1; AD-37728.1; AD-30071.2; AD-36969.2; AD-36970.2; AD-37718.1; AD-37719.1; AD-37720.1; AD-37721.1; AD-37722.1; AD-37723.1; AD-10 37724.1; AD-37725.1; AD-37726.1; AD-37727.1; AD-37728.1; AD-37729.1; AD-37730.1; AD-37731.1; AD-37732.1; AD-37733.1; AD-37734.1; AD-37735.1; AD-37736.1; AD-37737.1; AD-15 37738.1; AD-37739.1; AD-37740.1; AD-37741.1; AD-37742.1; also refer, respectively, to: AD-20437; AD-20487; AD-20489.2; AD-20560; AD-37718; AD-37721; AD-37724; AD-37727; AD-37730; AD-37733; AD-37736; AD-37740; AD-37719; AD-37722; AD-37725; AD-37728; AD-15 30071; AD-36969; AD-36970; AD-37718; AD-37719; AD-37720; AD-37721; AD-37722; AD-37723; AD-37724; AD-37725; AD-37726; AD-37727; AD-37728; AD-37729; AD-37730; AD-37731; AD-37732; AD-37733; AD-37734; AD-37735; AD-37736; AD-37737; AD-37738; AD-37739; AD-37740; AD-37741; and AD-37742. Thus, any grouping of siRNAs of overlapping sequences comprising AD-20437 also comprises AD-20437.4. This is true of other groupings comprising any variant sequence; thus, any grouping of overlapping siRNAs of a given sequence also comprises siRNAs comprising a variant of that sequence, e.g., with modifications and/or caps.

[00676] The inverted dT (dT) and L-sugar are found to reduce activity approximately 10- to 100-fold when the antisense strand is modified; there is minimal impact when these modifications are placed on the 5'-end of the sense strand.

[00677] Unless defined otherwise, the technical and scientific terms used herein have the same meaning as that usually understood by a specialist familiar with the field to which the disclosure belongs.

30 **[00678]** Unless indicated otherwise, all methods, steps, techniques and manipulations that are not specifically described in detail can be performed and have been performed in a manner known

per se, as will be clear to the skilled person. Reference is for example again made to the standard handbooks and the general background art mentioned herein and to the further references cited therein.

5 [00679] Claims to the invention are non-limiting and are provided below.

[00680] Although particular embodiments and claims have been disclosed herein in detail, this has been done by way of example for purposes of illustration only, and is not intended to be limiting with respect to the scope of the appended claims, or the scope of subject matter of claims of any corresponding future application. In particular, it is contemplated by the inventors that

10 various substitutions, alterations, and modifications may be made to the disclosure without departing from the spirit and scope of the disclosure as defined by the claims. The choice of nucleic acid starting material, clone of interest, or library type is believed to be a matter of routine for a person of ordinary skill in the art with knowledge of the embodiments described herein. Other aspects, advantages, and modifications considered to be within the scope of the following

15 claims. Those skilled in the art will recognize or be able to ascertain, using no more than routine experimentation, many equivalents of the specific embodiments of the invention described herein. Such equivalents are intended to be encompassed by the following claims. Redrafting of claim scope in later filed corresponding applications may be due to limitations by the patent laws of various countries and should not be interpreted as giving up subject matter of the claims.

20

SEQUENCE LISTING IN ELECTRONIC FORM

In accordance with Section 111(1) of the Patent Rules, this description contains a sequence listing in electronic form in ASCII text format (file: 31535-10 Seq 18-MAY-12 v1.txt).

A copy of the sequence listing in electronic form is available from the Canadian Intellectual Property Office.

CLAIMS:

1. A composition comprising a pharmaceutically acceptable excipient and an RNAi agent to HSF1 comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOs:631, 632, 642-643, 663, or 675-685, wherein the antisense strand comprises at least one modified nucleotide, and wherein the antisense strand and the sense strand are each 19 to about 49 nucleotides in length, and wherein the sense strand is at least substantially complementary to the antisense strand.
5
2. The composition of claim 1, wherein the composition further comprises a second RNAi agent to HSF1.
10
3. The composition of claim 1, wherein the sense strand and the antisense strand form a duplex region about 15 to about 30 nucleotide pairs in length.
4. The composition of claim 1, wherein the antisense strand is 19 to about 26 nucleotides in length.
15
5. The composition of claim 1, wherein the RNAi agent sense strand or antisense strand comprises a modified sugar backbone, a phosphorothioate linkage, or a 2'-modified nucleotide.
6. The composition of claim 1, wherein the RNAi agent sense strand or antisense strand comprises at least one 5'- 3' dinucleotide.
20
7. The composition of claim 5, wherein the RNAi agent comprises a 2'-modification selected from the group consisting of: 2'-deoxy, 2'-deoxy-2'-fluoro, 2'-O-methyl, 2'-O-methoxyethyl (2'-O-MOE), 2'-O-aminopropyl (2'-O-AP), 2'-O-dimethylaminoethyl (2'-O-DMAOE), 2'-O-dimethylaminopropyl (2'-O-DMAP), 2'-O-dimethylaminoethoxyethyl (2'-O-DMAEOE), and 2'-O-N-methylacetamido (2'-O-NMA).
25
8. The composition of claim 5, wherein the RNAi agent comprises a blunt end.

9. The composition of claim 1, wherein the RNAi agent comprises an overhang having 1 to 4 unpaired nucleotides.

10. The composition of claim 1, wherein the RNAi agent is ligated to one or more diagnostic compound, reporter group, cross-linking agent, nuclease-resistance conferring moiety, natural or unusual nucleobase, lipophilic molecule, cholesterol, lipid, lectin, steroid, 5 uvaol, hecogenin, diosgenin, terpene, triterpene, sarsasapogenin, Friedelin, epifriedelanol-derivatized lithocholic acid, vitamin, carbohydrate, dextran, pullulan, chitin, chitosan, synthetic carbohydrate, oligo lactate 15-mer, natural polymer, low- or medium-molecular weight polymer, inulin, cyclodextrin, hyaluronic acid, protein, protein-binding agent, integrin-10 targeting molecule, peptide, polyamine, peptide mimic, and/or transferrin.

11. The composition of claim 10, wherein the RNAi agent is ligated to one or more carbohydrates or synthetic carbohydrates.

12. The composition of claim 1, wherein the RNAi agent is capable of inhibiting expression of HSF1 by at least 60% in WI-38 and/or HeLa cells *in vitro*.

15 13. The composition of claim 1, wherein the RNAi agent is capable of inhibiting expression of HSF1 by at least 70% in WI-38 and/or HeLa cells *in vitro*.

14. The composition of claim 1, wherein the RNAi agent is capable of inhibiting expression of HSF1 by at least 80% in WI-38 and/or HeLa cells *in vitro*.

15. The composition of claim 1, wherein the RNAi agent is capable of inhibiting 20 expression of HSF1 by at least 90% in WI-38 and/or HeLa cells *in vitro*.

16. The composition of claim 1, wherein the sense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the sense strand of any one of SEQ ID NOS:119, 120, 130, 131, 151, or 163-173, and wherein the sense strand comprises at least one modified nucleotide.

25 17. The composition of claim 16, wherein the antisense strand and the sense strand are both 19 to 26 nucleotides in length.

18. The composition of claim 16, wherein the RNAi agent comprises a modified sugar backbone, a phosphorothioate linkage, or a 2'-modified nucleotide.

19. The composition of claim 18, wherein the RNAi agent comprises a 2'-modification selected from the group consisting of: 2'-deoxy, 2'-deoxy-2'-fluoro, 2'-O-methyl,
5 2'-O-methoxyethyl (2'-O-MOE), 2'-O-aminopropyl (2'-O-AP), 2'-O-dimethylaminoethyl (2'-O-DMAOE), 2'-O-dimethylaminopropyl (2'-O-DMAP), 2'-O-dimethylaminoethoxyethyl (2'-O-DMAEOE), and 2'-O-N-methylacetamido (2'-O-NMA).

20. The composition of claim 19, wherein the RNAi agent is ligated to one or more diagnostic compound, reporter group, cross-linking agent, nuclease-resistance conferring
10 moiety, natural or unusual nucleobase, lipophilic molecule, cholesterol, lipid, lectin, steroid, uvaol, hecogenin, diosgenin, terpene, triterpene, sarsasapogenin, Friedelin, epifriedelanol-derivatized lithocholic acid, vitamin, carbohydrate, dextran, pullulan, chitin, chitosan, synthetic carbohydrate, oligo lactate 15-mer, natural polymer, low- or medium-molecular weight polymer, inulin, cyclodextrin, hyaluronic acid, protein, protein-binding agent, integrin-
15 targeting molecule, peptide, polyamine, peptide mimic, and/or transferrin.

21. The composition of claim 20, wherein the RNAi agent is ligated to one or more carbohydrates or synthetic carbohydrates.

22. Use of a composition for treating a proliferative, viral or autoimmune disease in an individual, wherein the composition comprises an RNAi agent comprising a sense strand and
20 an antisense strand that are at least substantially complementary to each other, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOs: 643, or 678-681, wherein the antisense strand comprises at least one modified nucleotide, and wherein the antisense strand is 19 to about 49 nucleotides in length.

25 23. The use of claim 22, wherein the disease is cancer or a viral disease.

24. The use of claim 22, wherein the disease is an autoimmune disease.

25. The use of claim 22, wherein the composition comprises a second RNAi agent to HSF1.

26. The use of claim 22, wherein the sense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the sense strand of any of SEQ ID NOs:131, 5 or 166-169, the sense strand comprises at least one modified nucleotide, and wherein the sense strand is 19 to about 49 nucleotides in length.

27. The use of claim 26, wherein the disease is cancer or a viral disease.

28. The use of claim 26, wherein the disease is a viral disease.

29. The use of claim 26, wherein the disease is an autoimmune disease.

10 30. The use of claim 26, wherein the composition further comprises a second RNAi agent to HSF1.

31. The composition according to claim 1 or 16, for use in the inhibition of the expression of HSF1 in an individual.

15 32. Use of the composition according to claim 1 or 16, in the manufacture of a medicament for treatment of a proliferative, viral or autoimmune disease.

33. The use of claim 32, wherein the disease is a cancer.

34. The composition of claim 1 or 16, for use in the treatment of a proliferative, viral or autoimmune disease.

35. The composition of claim 34, wherein the disease is a cancer.


20 36. Use of a composition for inhibiting the expression of HSF1 in an cell, wherein the composition comprises an RNAi agent to HSF1 comprising a sense strand and an antisense strand, wherein the antisense strand comprises at least 19 contiguous nucleotides differing by 0 or 1 nucleotides from the antisense strand of any one of SEQ ID NOs:631, 632, 642-643, 663, or 675-685, wherein the antisense strand comprises at least one modified nucleotide, and

wherein the antisense strand and the sense strand are each 19 to about 49 nucleotides in length, and wherein the sense strand is at least substantially complementary to the antisense strand.

37. The composition of claim 1, wherein all pyrimidines are 2' O-methyl-modified
5 nucleosides.

38. The composition of claim 16, wherein all pyrimidines are 2' O-methyl-modified nucleosides.

39. Use of the composition according to claim 1 or 16, for treatment of a proliferative, viral or autoimmune disease.

**FIG. 1**