

(No Model.)


2 Sheets—Sheet 1.

I. A. MARGESSON.
HANGING POCKET OR BAG.

No. 508,893.

Patented Nov. 14, 1893.

Fig. 1.



WITNESSES.

E. M. Davis
L. C. Hiles

INVENTOR.

I. A. Margesson
by Howard Bailey
ATTORNEY

(No Model.)


2 Sheets—Sheet 2.

I. A. MARGESSON.
HANGING POCKET OR BAG.

No. 508,893.

Patented Nov. 14, 1893.

Fig. 2.



WITNESSES.

Wm. H. Dyer
L. C. Hills

INVENTOR.

I. A. Margesson
My Marshall Bailey

ATTORNEY

UNITED STATES PATENT OFFICE.

ISABEL AUGUSTA MARGESSON, OF LONDON, ENGLAND.

HANGING POCKET OR BAG.

SPECIFICATION forming part of Letters Patent No. 508,893, dated November 14, 1893.

Application filed July 5, 1893. Serial No. 479,637. (No model.)

To all whom it may concern:

Be it known that I, ISABEL AUGUSTA MARGESSON, a subject of the Queen of Great Britain, residing at 63 St. George's Road, South Belgravia, London, in the county of Middlesex, England, have invented a new and useful Hanging Pocket or Bag, of which the following is a specification.

This invention relates to a new or improved hanging pocket or bag for the watch, purse, visiting cards, and other articles carried by ladies.

In carrying my invention into practical effect I construct a bag, pouch, or like receptacle of rectangular or other suitable form having its ends and bottom provided with accordion plaits or folds so that they may expand and the bag adapt itself to the bulk of the articles placed therein. The front and back of said bag or pouch I extend upward for a suitable distance above the mouth of said bag and such extensions I inclose in $\cap$ -shaped metal frames provided with a catch at their upper parts so that they may be locked together. A second catch is provided immediately above the mouth of the bag proper so that said bag may be closed independently of the extensions thereof.

On the inner face of the extension of the back of the bag I form receptacles, one for a watch, and a second for small coins, or other articles. A chain with one end secured to the $\cap$ -shaped metal frame is provided for securing the watch to the bag.

On the outside of the back of the bag and the extension thereof a pencil sheath and a receptacle for visiting cards, letters, or the like are provided.

The upper part of the metal frame on the extension of the back of the bag is connected to a chatelaine hook, or other device, by means of which the bag may be attached to the waist belt of the wearer by means of suitable chains, cords, or attachments. And in order that my invention may be more fully understood and carried into practice, I will now proceed to describe the same with reference to the accompanying drawings, of which—

Figure 1 is a front elevation of an open bag, and Fig 2 a back elevation of a closed bag, constructed according to this invention.

The bag *a*, the ends and bottom of which are provided with accordion plaits *b*, has its back and front provided with extensions *c c'* inclosed in $\cap$ shaped metal frames *d d'* the

upper parts of which may be locked together by means of a suitable catch *e*. A second catch *e'* is provided immediately above the mouth of the bag *a* so that said bag may be closed independently of the extensions *c c'*.

On the inner face of the extension *c'* are formed receptacles *f f'*—*f* for the reception of a watch, and *f'* for the reception of small coins, or other articles.

A chain *g* with one end secured to the upper part of the frame *d'* is provided, to the other end of which the watch may be secured.

On the outside of the back of the bag *a* and extension *c'*, are formed a pencil sheath *h* and a receptacle *h'* for visiting cards, card case, or the like.

The upper part of the frame *d'* is connected to a chatelaine hook, or other device *i* by means of which the bag may be secured to the waist belt of the wearer by suitable chains, cords, or attachments *j*.

What I claim is—

1. A bag or pocket having its sides extended beyond the mouth of the bag, a lock or catch for uniting the extended portions of the sides and a second lock or catch at the mouth of the bag, substantially as described.

2. A bag or pocket having its sides extended beyond the mouth of the bag, and one of the said extended sides being provided with receptacles, a catch for uniting the said extended sides, and a second catch or lock at the mouth of the bag, substantially as described.

3. A pocket or bag having the accordion plaits *b* and its sides formed with the extensions *c, c'*, beyond the mouth of the bag, the receptacles carried by one of such extensions, the catch *e* for uniting the said extensions, and the catch *e'* at the mouth of the bag, substantially as described.

4. A bag having its sides formed with extensions *c, c'* beyond the mouth of the bag, the edges of the said extensions being inclosed in the $\cap$ -shaped metal frames *d, d'*, whereby the said extensions are adapted to fold at the mouth of the bag, and means for holding the said extensions together, substantially as described.

ISABEL AUGUSTA MARGESSON.

Witnesses:

WM. THOS. MARSHALL,

E. CAMMEO,

Both of 2 Pope's Head Alley, Cornhill, London, Gentl.