



US0D1037795S

(12) **United States Design Patent**
Bullock et al.

(10) **Patent No.:** **US D1,037,795 S**

(45) **Date of Patent:** **** Aug. 6, 2024**

(54) **SCOOP**

1,273,642 A 7/1918 Margetts

D55,215 S 5/1920 Talbot

1,353,307 A 9/1920 Berger

2,010,074 A 8/1935 Fuerst

(Continued)

(71) Applicant: **YETI Coolers, LLC**, Austin, TX (US)

(72) Inventors: **Dustin R. Bullock**, Austin, TX (US);
Casey Lee, Austin, TX (US); **Colin Darling**, Austin, TX (US)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **YETI Coolers, LLC**, Austin, TX (US)

CA 14669 A 6/1946

CA 145374 A 11/2012

(Continued)

(**) Term: **15 Years**

(21) Appl. No.: **29/929,856**

OTHER PUBLICATIONS

(22) Filed: **Feb. 26, 2024**

Amazon.com. Ice Scoops with Holes, E-Far 6 oz SS Scoops with Drain Holes to Reduce Unwanted Dilution. ASIN: B09PTJ4KT9. Date first available Jan. 6, 2022 (Year: 2022).*

(Continued)

Related U.S. Application Data

(63) Continuation of application No. 29/834,620, filed on Apr. 13, 2022, now Pat. No. Des. 1,022,630.

Primary Examiner — Terry A Wallace

(51) **LOC (14) Cl.** **07-04**

(74) *Attorney, Agent, or Firm* — Banner & Witcoff, Ltd.

(52) **U.S. Cl.**

USPC **D7/692**

(58) **Field of Classification Search**

USPC D7/368, 669, 393, 395, 680–696, 648,
D7/647

CPC A37F 13/08; A47J 43/28; A47J 43/284;
A47J 43/24; A47J 19/00; A47J 47/20;
F25C 5/02; A47G 21/04

See application file for complete search history.

(57) **CLAIM**

The ornamental design for a scoop, as shown and described.

DESCRIPTION

FIG. 1 is a front, right perspective view of a scoop showing our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.


The uneven-length broken lines immediately adjacent to the shaded areas define the bounds of the claimed design and form no part thereof. The even-length broken lines depicting the remainder of the scoop form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

316,623 A 4/1885 Hooper
527,115 A 10/1894 Kimball
D30,292 S 2/1899 Seble
D31,459 S 8/1899 Rayment
D34,690 S 6/1901 Browne
790,191 A 5/1905 Cowart
D37,707 S 12/1905 Bennett
D43,208 S 10/1912 Stuver
D45,031 S 12/1913 Taylor

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D132,441 S 5/1942 Graves
 2,338,980 A 1/1944 Stratton
 D161,359 S 12/1950 Milne
 2,570,521 A 10/1951 Chester
 D168,021 S 10/1952 Hymel
 2,942,342 A 6/1960 Warren et al.
 D191,406 S * 9/1961 Newmark D7/657
 3,354,575 A 11/1967 Darrow
 3,358,619 A 12/1967 Pareira
 3,976,564 A * 8/1976 Holder B03C 1/08
 294/59
 D255,951 S 7/1980 Halls et al.
 D256,173 S 7/1980 Rigney
 4,275,646 A 6/1981 Barna
 D282,708 S 2/1986 Schaeffer
 D292,663 S 11/1987 Johnson
 D298,792 S 12/1988 Tucker et al.
 D299,303 S 1/1989 Strobel et al.
 D307,694 S * 5/1990 Billie D7/647
 D318,401 S 7/1991 Beaumont
 D339,991 S 10/1993 Mulry et al.
 D343,940 S 2/1994 Glass
 5,373,643 A 12/1994 Warren
 D371,283 S 7/1996 Cooper
 5,613,660 A 3/1997 Wyatt
 D387,514 S * 12/1997 Savicki 294/1.3
 D407,606 S 4/1999 Carrere
 D416,359 S * 11/1999 Schlueter D30/162
 D422,462 S 4/2000 Rivkin
 D439,478 S 3/2001 McLaughlin
 D439,799 S 4/2001 Kwok
 D447,016 S 8/2001 Landstrom
 D460,328 S 7/2002 de Groote et al.
 D468,596 S 1/2003 Bluemond
 D483,626 S 12/2003 Jeffries
 D486,290 S 2/2004 Moncman
 D507,203 S 7/2005 Claude
 D513,946 S 1/2006 Lion et al.
 7,077,054 B1 7/2006 Hurlock
 D533,975 S 12/2006 Kelly et al.
 D536,934 S 2/2007 Huber
 D551,522 S 9/2007 Taylor
 D567,600 S 4/2008 Matsumura et al.
 D601,863 S 10/2009 Gallucci et al.
 D604,915 S 11/2009 Teper et al.
 D609,983 S 2/2010 Claypool et al.
 D617,155 S 6/2010 Frank
 D620,769 S 8/2010 Mangin et al.
 8,356,845 B2 1/2013 Bernard et al.
 D678,735 S * 3/2013 Chapman D7/681
 8,967,693 B2 3/2015 Young et al.
 D734,104 S 7/2015 Lee et al.
 D736,043 S 8/2015 Lee et al.
 9,161,643 B2 10/2015 Prokop, III et al.
 D749,278 S 2/2016 Garvey
 D754,493 S 4/2016 Feeley et al.
 D755,307 S 5/2016 Kino
 D763,634 S 8/2016 Nauta
 D798,002 S 9/2017 Miura et al.
 D804,746 S 12/2017 Frye
 D805,859 S 12/2017 Zhang
 D811,667 S 2/2018 Renforth
 D840,627 S 2/2019 Libman et al.

D841,904 S 2/2019 Wirth et al.
 D851,469 S 6/2019 Holding et al.
 D854,883 S 7/2019 Josefsson et al.
 D874,887 S 2/2020 Hartman, Sr.
 D876,910 S 3/2020 Kokubo
 D880,961 S 4/2020 Kern
 D892,417 S 8/2020 Davids
 D895,910 S 9/2020 Wendling
 D898,305 S 10/2020 Winekoff et al.
 D911,128 S 2/2021 Xie
 D921,455 S 6/2021 Salazar
 2005/0194307 A1 9/2005 Fenyes
 2007/0267333 A1 11/2007 Delman
 2009/0058115 A1 3/2009 Freedman et al.
 2010/0326848 A1 12/2010 Mangin et al.

FOREIGN PATENT DOCUMENTS

CH 250036 A 8/1947
 CN 2665627 Y 12/2004
 CN 303504161 12/2015
 CN 304078869 3/2017
 CN 304205413 7/2017
 CN 305044282 2/2019
 CN 305857638 6/2020
 CN 305917958 7/2020
 CN 305917959 7/2020
 CN 306379213 3/2021
 CN 306800538 9/2021
 CN 306829919 9/2021
 CN 306836973 9/2021
 CN 306876096 10/2021
 CN 306952721 11/2021
 EM 000286612-0040 3/2005
 GB 1059372 A 11/1989
 GB 6012497 5/2017
 GB 6142261 6/2021
 IN 316505-001-0001 12/2019
 JP D1128038 12/2001
 JP D1221397 11/2004
 JP D1547800 4/2016
 JP D1584032 8/2017
 JP D1694537 9/2021
 WO D049123-001 11/1999
 WO D075806-009 4/2011
 WO D078276-007 5/2012
 WO 2018147843 A1 8/2018
 WO 2019235066 A1 12/2019

OTHER PUBLICATIONS

Ice Scoop, 20-24 oz, with drain holes, dishwasher safe, 18-8, stainless steel (1 each minimum).
 BarConic 8oz Slotted Ice Scoop.
 Crate & Barrel—Ice Scoop.
 JBSCOOP Ice Scoop with Holes, Stainless Steel Ice Scoop with Drain Holes to Reduce Unwanted Dilution, Heavy Duty and Dishwasher Safe, Six Ounce Capacity.
 Amazon.com, E-Far Store, Ice Scoop with Holes, 6oz SS Scoops with Drain Holes to Reduce Unwanted Dilution, Metal Scoop for Ice Maker/Freezer/Bar, Rust Free and Dishwasher Safe, 2 pack. ASIN: B09PTJ4KT9, 10 pages, date first available Jan. 6, 2022 (Year: 2022).

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7