



(12) **DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION**

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2018/08/17
(87) Date publication PCT/PCT Publication Date: 2019/02/21
(85) Entrée phase nationale/National Entry: 2020/02/14
(86) N° demande PCT/PCT Application No.: US 2018/000319
(87) N° publication PCT/PCT Publication No.: 2019/036032
(30) Priorité/Priority: 2017/08/18 (US62/547,676)

(51) Cl.Int./Int.Cl. *G01N 33/68* (2006.01),
C07K 7/06 (2006.01), *C07K 7/08* (2006.01),
C12Q 1/68 (2018.01), *G01N 33/483* (2006.01),
G01N 33/53 (2006.01), *G01N 33/543* (2006.01),
C40B 30/04 (2006.01), *C40B 40/10* (2006.01)

(71) Demandeur/Applicant:
SERA PROGNOSTICS, INC, US

(72) Inventeurs/Inventors:
BONIFACE, JOHN JAY, US;
KEARNEY, PAUL EDWARD, US;
BURCHARD, JULJIA, US;
CRITCHFIELD, GREGORY CHARLES, US;
HICKOK, DURLIN EDWARD, US;

(54) Titre : PROTEINES D'HORLOGE DE GROSSESSE POUR PREVOIR LA DATE ET LE MOMENT PREVUS DE LA
NAISSANCE

(54) Title: PREGNANCY CLOCK PROTEINS FOR PREDICTING DUE DATE AND TIME TO BIRTH




FIG. 1

(57) **Abrégé/Abstract:**

The present invention provides compositions and methods for due date and time to birth prediction for a pregnancy with significantly higher accuracy than current clinical methods. The compositions and methods for due date and time to birth prediction for a pregnancy can also identify those pregnancies that will deliver earlier than the due date derived from LMP and/or US dating.

(72) **Inventeurs(suite)/Inventors(continued):** FLEISCHER, TRACEY CRISTINE, US; POLPITIYA, ASHOKA, US

(74) **Agent:** OSLER, HOSKIN & HARCOURT LLP

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau

(43) International Publication Date
21 February 2019 (21.02.2019)



(10) International Publication Number
WO 2019/036032 A1

(51) International Patent Classification:

C12Q 1/68 (2018.01) *G01N 33/68* (2006.01)

(21) International Application Number:

PCT/US2018/000319

(22) International Filing Date:

17 August 2018 (17.08.2018)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/547,676 18 August 2017 (18.08.2017) US

(71) Applicant: SERA PROGNOSTICS, INC [US/US]; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US).

(72) Inventors: BONIFACE, John, Jay; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). KEARNEY, Paul, Edward; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). BURCHARD, Julia; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). CRITCHFIELD, Gregory, Charles; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). HICKOK,

Durlin, Edward; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). FLEISCHER, Tracey, Cristine; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US). POLPITIYA, Ashoka; 2749 E. Parleys Way, Suite 200, Salt Lake City, UT 84109 (US).

(74) Agent: SPAIN, Astrid, R. et al.; Jones Day, 250 Vesey Street, New York, NY 10281-1047 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,

(54) Title: PREGNANCY CLOCK PROTEINS FOR PREDICTING DUE DATE AND TIME TO BIRTH




FIG. 1

(57) Abstract: The present invention provides compositions and methods for due date and time to birth prediction for a pregnancy with significantly higher accuracy than current clinical methods. The compositions and methods for due date and time to birth prediction for a pregnancy can also identify those pregnancies that will deliver earlier than the due date derived from LMP and/or US dating.

[Continued on next page]



WO 2019/036032 A1

WO 2019/036032 A1

UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *with sequence listing part of description (Rule 5.2(a))*

PREGNANCY CLOCK PROTEINS FOR PREDICTING DUE DATE AND TIME TO BIRTH

[0001] This application claims the benefit of U.S. Provisional Application No. 62/547,676, filed August 18, 2017, the entire contents of which is incorporated by reference.

BACKGROUND

[0002] Accurately assigning Estimated Due Date (EDD) and/or Time To Birth (TTB) early in prenatal care is among the most important results of evaluation and history taking. This information is vital for timing of appropriate obstetric care; scheduling and interpretation of certain antepartum tests; determining the appropriateness of fetal growth; and designing interventions to prevent preterm births, postterm births, and related morbidities. A consistent and exacting approach to accurate dating is also a research and public health imperative because of the influence of dating on investigational protocols and vital statistics.

[0003] Traditionally, determining the first day of the Last Menstrual Period (LMP) is the first step in establishing the EDD. By convention, the EDD is 280 days after the first day of the LMP. Because this practice assumes a regular menstrual cycle of 28 days, with ovulation occurring on the 14th day after the beginning of the menstrual cycle, its accuracy is affected by factors that include inaccurate recall of the LMP, irregularities in cycle length, or variability in the timing of ovulation. Obstetric ultrasonography (US) is routinely used to determine fetal gestational age and aid in assigning EDD. If the patient is unsure of her LMP, dating of EDD based on first trimester US considered more reliable than second trimester or third semester US.

[0004] Both LMP and/or ultrasound are population-based estimates for a normal pregnancy and the accuracy of these methods varies significantly. Current clinical practice utilizing these methods is accurate in making a due date prediction that falls within plus or minus five days of the actual due date for term deliveries only about 35% of the time. In addition, 15% of predictions made under current clinical practice fall on or outside of 14 days before or after the actual due date for term deliveries. More accurate dating of pregnancy is needed to improve outcomes and is a research and public health imperative. The present invention addresses this need by providing an Estimated Due Date (EDD) molecular predictor (EDDmp) and/or Time To Birth (TTB) molecular predictor (TTBmp) that incorporates

molecular information from proteins listed in Tables 1-27 into the estimation of pregnancy due date and/or time to birth with much higher accuracy than methods utilized as part of current clinical practice. Related advantages are provided as well.

SUMMARY

[0005] The present invention provides compositions and methods for due date and time to birth prediction for a pregnancy with significantly higher accuracy than current clinical methods. The compositions and methods for due date and time to birth prediction for a pregnancy can also identify those pregnancies, with high accuracy, that will deliver earlier than the official EDD as derived from LMP and/or US dating. Accordingly, the present invention provides an improved process that applies the discoveries described herein to enable, *inter alia*, a new and useful process for estimating the due date of a pregnant female, subsequently referred to as the Estimated Due Date (EDD) and/or estimating time to birth (TTB) with much higher accuracy than currently practiced clinical methods.

[0006] Each of the proteins, peptides and clinical variables disclosed herein as components of pairs, ratios and/or reversal pairs serve as biomarkers for determining the EDD, predicting gestational age at birth (GAB), predicting time to birth (TTB), either individually, in ratios, reversal pairs or in panels of biomarkers/reversal pairs.

[0007] The utility of the biomarker pairs, ratios and/or reversal pairs as “clock proteins” to accurately date a pregnancy, *i.e.* accurately estimate gestational age (GA), is essential to the quality of obstetric care and maternal-fetal health. The utility of the clock proteins of the invention to date a pregnancy with significantly higher accuracy than can be achieved with current clinical extends to every prognostic, diagnostic or other clinical assessment of the pregnant female and fetus that relies on accurately estimating GA for its own accuracy.

[0008] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSALPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and

TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[0009] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTS AISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[0010] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTS AISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28

6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0011] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0012] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0013] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the TTB for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0014] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0015] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0016] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[0017] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the

biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[0018] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0019] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0020] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0021] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological

sample obtained from said pregnant female a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0022] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0023] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[0024] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and

CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0025] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0026] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0027] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological

sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0028] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0029] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD)

from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0030] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0031] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0032] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0033] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7

weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0034] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0035] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0036] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0037] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In additional embodiments, the biological sample is blood and the gestational age at blood draw (GABD) is from 23 0/7 weeks and 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0038] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0039] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0040] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0041] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0042] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0043] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of B2MG_VEHSDFSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDFSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0044] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0045] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0046] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0047] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a

biological sample obtained from said pregnant female a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0048] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0049] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0050] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks.

In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0051] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0052] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition comprises AACT_EIGELYLPK.

[0053] In one embodiment, the present invention provides a composition comprising two or more pairs of isolated biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pairs of biomarkers exhibit a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition comprises AACT_EIGELYLPK.

[0054] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a biomarker pair selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[0055] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for two or more biomarker pairs selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[0056] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of a biomarker pair selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0057] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of two or more biomarker pairs selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibit a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0058] In one embodiment, the present invention further provides a method for prediction of gestational age at birth (GAB).

[0059] In a further embodiment, the present invention provides a method for estimating gestational age (GA).

[0060] In one embodiment, the present invention further provides a method for prediction of time to birth (TTB).

[0061] In some of the embodiments, the methods have an accuracy of 60% or more for predicting the EDD within plus or minus 5 days of the actual due date (DD).

[0062] In additional embodiments, the methods comprise measuring AACT_EIGELYLPK.

[0063] In additional embodiments, the methods comprise calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[0064] In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks.

[0065] In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks.

[0066] In some embodiments, the measuring comprises mass spectrometry (MS). In one embodiment, the measuring further comprises measuring surrogate peptides of said biomarkers in the biological sample obtained from said pregnant female. In one embodiment, the

measuring of surrogate peptides of said biomarkers further comprises measuring stable isotope labeled standard peptides (SIS peptides) for each of the surrogate peptides.

[0067] In some embodiments, the biological sample is selected from the group consisting of whole blood, plasma, and serum. In one embodiment, the biological sample is serum.

[0068] In some embodiments, the measuring comprises an assay that utilizes a capture agent. In one embodiment, the measuring comprises an assay that utilizes a capture agent selected from the group consisting of and antibody, antibody fragment, nucleic acid-based protein binding reagent, small molecule or variant thereof. In one embodiment, the measuring comprises an assay selected from the group consisting of enzyme immunoassay (EIA), enzyme-linked immunosorbent assay (ELISA), and radioimmunoassay (RIA).

[0069] Other features and advantages of the invention will be apparent from the detailed description, and from the claims.

BRIEF DESCRIPTION OF THE DRAWINGS

[0070] Figure 1. Kinetic plot of the protein ratio of CATD/TENX over the a Gestational Age at Blood Draw (GABD) window of 140 to 153 shows an AUC of 82% in separating those subjects that gave birth significantly earlier (i.e. before 270 days) than the population average of 280 days.

[0071] Figure 2 depicts a conditional inference tree for the prediction of a subject TTB's difference from the median TTB.

DETAILED DESCRIPTION

[0072] The present disclosure is based, generally, on the discovery that certain proteins and peptides in biological samples obtained from a pregnant female are differentially expressed in pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. The present disclosure is further based, generally, on the discovery that certain proteins and peptides in biological samples obtained from a pregnant female are differentially expressed in pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0073] The present disclosure is further specifically based, in part, on the unexpected discovery that pairs of biomarkers disclosed herein can be utilized in methods of estimating the due date of a pregnant female, subsequently referred to as the Estimated Due Date (EDD)

and/or estimating time to birth (TTB). The present disclosure is further specifically based, in part, on the unexpected discovery that pairs of biomarkers disclosed herein can be utilized in methods of estimating the due date of a pregnant female, subsequently referred to as the EDD. Furthermore, each of the proteins, peptides and clinical variables disclosed herein as components of pairs, ratios and/or reversal pairs serve as biomarkers for determining the EDD, predicting gestational age at birth (GAB), predicting time to birth (TTB), estimating gestational age (GA) either individually, in ratios, reversal pairs or in panels of biomarkers/reversal pairs. Furthermore, the compositions and methods described herein comprise each of the proteins corresponding to the peptide biomarkers disclosed herein can serve as a component of pairs, ratios and/or reversal pairs for determining the EDD, predicting gestational age at birth (GAB), predicting time to birth (TTB), estimating gestational age (GA) either individually, in ratios, reversal pairs or in panels of biomarkers/reversal pairs. In addition, the compositions and methods described herein comprise surrogate peptides for each of the proteins corresponding to the peptide biomarkers disclosed herein can serve as a component of pairs, ratios and/or reversal pairs for determining the EDD, predicting gestational age at birth (GAB), predicting time to birth (TTB), estimating gestational age (GA), either individually, in ratios, reversal pairs or in panels of biomarkers/reversal pairs.

[0074] The present disclosure is further specifically based, in part, on the unexpected discovery that pairs of biomarkers disclosed herein can be utilized in methods of estimating the time to birth of a pregnant female, subsequently referred to as the Time To Birth (TTB). The present disclosure is further specifically based, in part, on the unexpected discovery that reversal values of pairs of biomarkers disclosed herein can be utilized in methods of estimating the due date of a pregnant female, subsequently referred to as TTB.

[0075] The present invention provides an improved process that applies the aforementioned discoveries to enable a new and useful process for estimating the due date of a pregnant female, subsequently referred to as the Estimated Due Date (EDD) and/or estimating time to birth (TTB) with much higher accuracy than currently practiced clinical methods.

[0076] The concepts of EDD and TTB are directly related and a skilled person can adjust the methods used to determine EDD to determine TTB and vice versa. Accordingly, the terms estimated due date (EDD) and time to birth (TTB) are used interchangeably in the context of predictors for DD. The EDD can be used to predict TTB and vice-versa. Explicitly, if the

estimated gestational age of a pregnancy is X at the time of blood draw then TTB can be estimated from EDD as follows: $TTB = EDD - X$. And DD can be estimated from a TTB predictor as follows: $EDD = X + TTB$, where the units used are days.

[0077] The proteins and peptides disclosed herein as components of pairs, ratios and/or reversal pairs serve as biomarkers for determining the EDD, predicting gestational age at birth (GAB), predicting time to birth (TTB), either individually, in ratios, reversal pairs or in panels of biomarkers/reversal pairs.

[0078] A reversal value is the ratio of the relative peak area of an up regulated biomarker over the relative peak area of a down regulated biomarker and serves to both normalize variability and amplify diagnostic signal. The invention lies, in part, in the selection of particular biomarkers that, when paired together, can accurately determine the EDD and/or TTB based on pairs of biomarkers. Accordingly, it is human ingenuity in selecting the specific biomarkers that are informative upon being paired, for example, in novel reversals that underlies the present invention.

[0079] The disclosure provides biomarker reversal pairs and associated panels of reversal pairs, methods and kits for determining the EDD and/or TTB in a pregnant female.

[0080] In addition to the specific biomarkers identified in this disclosure, for example, by name, sequence, or reference, the invention also contemplates use of biomarker variants that are at least 90% or at least 95% or at least 97% identical to the exemplified sequences and that are now known or later discovered and that have utility for the methods of the invention. These variants may represent polymorphisms, splice variants, mutations, and the like. In this regard, the instant specification discloses multiple art-known proteins in the context of the invention and provides exemplary peptide sequences that can be used to identify these proteins.

However, those skilled in the art appreciate that additional sequences or other information can easily be identified that can provide additional characteristics of the disclosed biomarkers and that the exemplified references are in no way limiting with regard to the disclosed biomarkers.

[0081] As described herein, various techniques and reagents find use in the methods of the present invention. Suitable samples in the context of the present invention include, for example, blood, plasma, serum, amniotic fluid, vaginal secretions, saliva, and urine. In some embodiments, the biological sample is selected from the group consisting of whole blood, plasma, and serum. In a particular embodiment, the biological sample is serum. As described

herein, biomarkers can be detected through a variety of assays and techniques known in the art. As further described herein, such assays include, without limitation, mass spectrometry (MS)-based assays, antibody-based assays as well as assays that combine aspects of the two.

[0082] Protein biomarkers that are components of reversal pairs described herein include, for example, Cathepsin D (CATD) and Tenascin X (TENX).

[0083] In some embodiments, the invention provides a method of determining the EDD for a pregnant female, the method comprising measuring in a biological sample obtained from the pregnant female a reversal value for the biomarkers CATD and TENX.

[0084] In some embodiments, the invention provides a method of determining the EDD for a pregnant female, the method comprising measuring in a biological sample obtained from the pregnant female a reversal value for one pair of biomarkers consisting of CATD/TENX to determine the the EDD for said pregnant female.

[0085] The invention methods also contemplate measuring surrogate peptides of the biomarkers CATD and TENX. The biomarkers of the invention, their surrogate peptides and the corresponding stable isotope labeled standard peptides (SIS peptides) can be used in methods of determining the EDD for a pregnant female. In some embodiments, the SIS peptides correspond to surrogate peptides of the isolated biomarkers selected from the group consisting of CATD and TENX.

[0086] In some embodiments, the invention provides a pair of isolated biomarkers CATD/TENX, wherein the pair of biomarkers exhibits a higher ratio in pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0087] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of the biomarker pairs listed in Table 1, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0088] In one embodiment, the present invention provides a pair of surrogate peptides of a pair of biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280

days. In one embodiment, the present invention further provides stable isotope labeled standard peptides (SIS peptides) corresponding to each of the surrogate peptides.

[0089] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[0090] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for two or more biomarker pairs selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[0091] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value for a pair of biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0092] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of two or more biomarker pairs selected from the group consisting of biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[0093] In some embodiments, the sample is obtained between 18 and 21 weeks of GABD. In further embodiments, the sample is obtained between 23 and 28 weeks of GABD. In some embodiments, the sample is obtained between 18 and 28 weeks of GABD. In some embodiments, the sample is obtained between 18 and 36 weeks of GABD. In further embodiments the sample is obtained between 19 and 21 weeks of GABD. In some embodiments, the sample is obtained between 20 and 22 weeks of GABD. In some embodiments, the sample is obtained between 21 and 23 weeks of GABD. In further

embodiments, the sample is obtained between 22 and 24 weeks of GABD. In additional embodiments, the sample is obtained between 23 and 25 weeks of GABD. In some embodiments, the sample is obtained between 24 and 26 weeks of GABD. In further embodiments, the sample is obtained between 25 and 27 weeks of GABD. In additional embodiments, the sample is obtained between 26 and 28 weeks of GABD. In some embodiments, the sample is obtained between 27 and 29 weeks of GABD. In further embodiments, the sample is obtained between 28 and 30 weeks of GABD. In additional embodiments, the sample is obtained between 29 and 31 weeks of GABD. In some embodiments, the sample is obtained between 30 and 32 weeks of GABD. In further embodiments, the sample is obtained between 31 and 33 weeks of GABD. In additional embodiments, the sample is obtained between 32 and 34 weeks of GABD. In some embodiments, the sample is obtained between 33 and 35 weeks of GABD. In further embodiments, the sample is obtained between 34 and 36 weeks of GABD. In additional embodiments, the sample is obtained between 18 and 21 weeks of GABD.

[0094] In addition to the specific biomarkers, the disclosure further includes biomarker variants that are about 90%, about 95%, or about 97% identical to the exemplified sequences. Variants, as used herein, include polymorphisms, splice variants, mutations, and the like. Although described with reference to protein biomarkers, changes in reversal value can be identified in protein or gene expression levels for pairs of biomarkers.

[0095] The compositions and methods of the invention also can include clinical variables, including but not limited to, maternal characteristics, medical history, past pregnancy history, and obstetrical history. Such additional clinical variables can include, for example, previous low birth weight or preterm delivery, multiple 2nd trimester spontaneous abortions, prior first trimester induced abortion, familial and intergenerational factors, history of infertility, parity, nulliparity, placental abnormalities, cervical and uterine anomalies, short cervical length measurements, gestational bleeding, intrauterine growth restriction, in utero diethylstilbestrol exposure, multiple gestations, infant sex, short stature, low prepregnancy weight, low or high body mass index, diabetes, diabetes mellitus, chronic diabetes, chronic diabetes mellitus, chronic hypertension, urogenital infections (i.e. urinary tract infection), asthma, anxiety and depression, asthma, hypertension, hypothyroidism, high body mass index (BMI), low BMI, BMI. Demographic risk indicia for preterm birth can include, for example,

maternal age, race/ethnicity, single marital status, low socioeconomic status, maternal age, employment-related physical activity, occupational exposures and environment exposures and stress. Further clinical variables can include, inadequate prenatal care, cigarette smoking, use of marijuana and other illicit drugs, cocaine use, alcohol consumption, caffeine intake, maternal weight gain, dietary intake, sexual activity during late pregnancy and leisure-time physical activities. (Preterm Birth: Causes, Consequences, and Prevention, Institute of Medicine (US) Committee on Understanding Premature Birth and Assuring Healthy Outcomes; Behrman RE, Butler AS, editors. Washington (DC): National Academies Press (US); 2007). Additional clinical variables useful for as markers can be identified using learning algorithms known in the art, such as linear discriminant analysis, support vector machine classification, recursive feature elimination, prediction analysis of microarray, logistic regression, CART, FlexTree, LART, random forest, MART, and/or survival analysis regression, which are known to those of skill in the art and are further described herein.

[0096] The present disclosure describes and exemplifies various models and corresponding biomarkers that perform at high levels of accuracy and precision in predicting the actual due date. It will be understood by those of skill in the art, that other models are known in the art that can be used to practice the claimed inventions and that the performance of a model can be evaluated in a variety of ways, including, but not limited to accuracy, precision, recall/sensitivity, weighted average of precision and recall. Models known in the art include, without limitation, linear discriminant analysis, support vector machine classification, recursive feature elimination, prediction analysis of microarray, logistic regression, CART, FlexTree, LART, random forest, MART, and/or survival analysis regression.

[0097] In some embodiments, performance of a model can be evaluated based on accuracy, which can be described as the difference between the EDD and the actual due date. For example, accuracy can be expressed as the percentage of time, for example, 50%, 51%, 52%, 53%, 54%, 55%, 56%, 57%, 58%, 59%, 60%, 61%, 62%, 63%, 64%, 65%, 70%, 71%, 72%, 73%, 74%, 75%, 76%, 77%, 80% or more that a model provides an EDD that falls within a certain range of days, for example, +/-10 days, +/-9 days, +/-8 days, +/-7 days, +/-6 days, +/-5 days, +/-4 days, +/-3 days +/-2 days, +/- 1 day of the actual due date. In one embodiment, accuracy can be described by noting that the EDD or TTB predictor is accurate to within +/-5 days of the actual DD or TTB for a term pregnancy at least 60% of the time.

[0098] The present disclosure is based in part on the surprising discovery that the selection of certain biomarkers and/or clinical variables enables determining EDD and/or TTB at a significantly higher level of accuracy and precision compared to current clinical practice, which is accurate in making a due date prediction that falls within +/-5 days of the actual due date only about 35% of the time. In contrast, the present invention provides and exemplifies compositions and methods that enable a prediction time to birth or due date that falls within plus or minus five days of the actual time to birth or due date about 60% of the time.

[0099] It must be noted that, as used in this specification and the appended claims, the singular forms “a”, “an” and “the” include plural referents unless the content clearly dictates otherwise. Thus, for example, reference to “a biomarker” includes a mixture of two or more biomarkers, and the like.

[00100] The term “about,” particularly in reference to a given quantity, is meant to encompass deviations of plus or minus five percent.

[00101] As used in this application, including the appended claims, the singular forms “a,” “an,” and “the” include plural references, unless the content clearly dictates otherwise, and are used interchangeably with “at least one” and “one or more.”

[00102] As used herein, the terms “comprises,” “comprising,” “includes,” “including,” “contains,” “containing,” and any variations thereof, are intended to cover a non-exclusive inclusion, such that a process, method, product-by-process, or composition of matter that comprises, includes, or contains an element or list of elements does not include only those elements but can include other elements not expressly listed or inherent to such process, method, product-by-process, or composition of matter.

[00103] As used herein, the term “panel” refers to a composition, such as an array or a collection, comprising one or more biomarkers. The term can also refer to a profile or index of expression patterns of one or more biomarkers described herein. The number of biomarkers useful for a biomarker panel is based on the sensitivity and specificity value for the particular combination of biomarker values.

[00104] As used herein, and unless otherwise specified, the terms “isolated” and “purified” generally describes a composition of matter that has been removed from its native environment (*e.g.*, the natural environment if it is naturally occurring), and thus is altered by the hand of man from its natural state so as to possess markedly different characteristics with

regard to at least one of structure, function and properties. An isolated protein or nucleic acid is distinct from the way it exists in nature and includes synthetic peptides and proteins.

[00105] The term “biomarker” refers to a biological molecule, a fragment of a biological molecule, or a clinical variable the change and/or the detection of which can be correlated with a particular physical condition or state. The terms “marker” and “biomarker” are used interchangeably throughout the disclosure. For example, the biomarkers of the present invention are associated with a discrimination power between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. Such biomarkers include any suitable analyte, but are not limited to, biological molecules comprising nucleotides, nucleic acids, nucleosides, amino acids, sugars, fatty acids, steroids, metabolites, peptides, polypeptides, proteins, carbohydrates, lipids, hormones, antibodies, regions of interest that serve as surrogates for biological macromolecules and combinations thereof (*e.g.*, glycoproteins, ribonucleoproteins, lipoproteins). The term also encompasses portions or fragments of a biological molecule, for example, peptide fragment of a protein or polypeptide that comprises at least 5 consecutive amino acid residues, at least 6 consecutive amino acid residues, at least 7 consecutive amino acid residues, at least 8 consecutive amino acid residues, at least 9 consecutive amino acid residues, at least 10 consecutive amino acid residues, at least 11 consecutive amino acid residues, at least 12 consecutive amino acid residues, at least 13 consecutive amino acid residues, at least 14 consecutive amino acid residues, at least 15 consecutive amino acid residues, at least 16 consecutive amino acid residues, at least 17 consecutive amino acid residues, at least 18 consecutive amino acid residues, at least 19 consecutive amino acid residues, at least 20 consecutive amino acid residues, at least 21 consecutive amino acid residues, at least 22 consecutive amino acid residues, at least 23 consecutive amino acid residues, at least 24 consecutive amino acid residues, at least 25 consecutive amino acid residues, or more consecutive amino acid residues.

[00106] As used herein, the term “surrogate peptide” refers to a peptide that is selected to serve as a surrogate for quantification of a biomarker of interest in an MRM assay configuration. Quantification of surrogate peptides is best achieved using stable isotope labeled standard surrogate peptides (“SIS surrogate peptides” or “SIS peptides”) in conjunction with the MRM detection technique. A surrogate peptide can be synthetic. An SIS

surrogate peptide can be synthesized with heavy labeled for example, with an Arginine or Lysine, or any other amino acid at the C-terminus of the peptide to serve as an internal standard in the MRM assay. An SIS surrogate peptide is not a naturally occurring peptide and has markedly different structure and properties compared to its naturally occurring counterpart. For any of the embodiments described herein, the biomarkers can be quantified by measuring surrogate peptides.

[00107] In some embodiments, the invention provides a method of separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring in a biological sample obtained from the pregnant female a ratio for at least a pair of biomarkers consisting of CATD/TENX to determine the EDD for said pregnant female, wherein a higher ratio indicates a greater likelihood of delivery before 270 days.

[00108] In some embodiments, the invention provides a method of separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring in a biological sample obtained from the pregnant female a ratio for at least a pair of biomarkers consisting of CATD/TENX to determine the EDD for said pregnant female, wherein a lower ratio indicates a greater likelihood of delivery on or after 280 days.

[00109] The term “clock protein” as used herein, refers to biomarkers that provide information on the due date of a pregnant subject, the state of development and/or age of a fetus or the progress through pregnancy. There are a number of important ways that these biomarkers can be advantageously used in assessing development including, for example, (1) for the prediction of gestational age at birth or time to birth (TTB) from the moment the blood is drawn to deliver and (2) for prediction of the gestational age at the time blood is drawn. In addition, clock proteins can serve to normalize component peptides in signatures to improve predictive performance or to select appropriate biomarkers and/or classifiers.

[00110] As used herein, the term “reversal” refers to the ratio of the measured value of an upregulated analyte over that of a down-regulated analyte. In some embodiments, the analyte value is itself a ratio of the peak area of the endogenous analyte over that of the peak area of the corresponding stable isotopic standard analyte, referred to herein as: response ratio or relative ratio.

[00111] As used herein, the term “reversal pair” refers to biomarkers in pairs that exhibit a change in value between the classes being compared. The detection of reversals in protein

concentrations or gene expression levels eliminates the need for data normalization or the establishment of population-wide thresholds. Encompassed within the definition of any reversal pair is the corresponding reversal pair wherein individual biomarkers are switched between the numerator and denominator. One skilled in the art will appreciate that such a corresponding reversal pair is equally informative with regard to its predictive power.

[00112] The term “reversal value” refers to the ratio of the relative peak areas corresponding to the abundance of two analytes and serves to both normalize variability and amplify diagnostic signal. In some embodiments, a reversal value refers to the ratio of the relative peak area of an up-regulated (interchangeably referred to as “over-abundant,” up-regulation as used herein simply refers to an observation of relative abundance) analyte over the relative peak area of a down-regulated analyte (interchangeably referred to as “under-abundant,” down-regulation as used herein simply refers to an observation of relative abundance). In some embodiments, a reversal value refers to the ratio of the relative peak area of an up-regulated analyte over the relative peak area of a down-regulated analyte, where one analyte differs in the degree of up-regulation relative the other analyte. In some embodiments, a reversal value refers to the ratio of the relative peak area of a down-regulated analyte over the relative peak area of a down-regulated analyte, where one analyte differs in the degree of down-regulation relative the other analyte.

[00113] One advantageous aspect of a reversal is the presence of complementary information in the two analytes, so that the combination of the two is more diagnostic of the condition of interest than either one alone. Preferably the combination of the two analytes increases signal-to-noise ratio by compensating for biomedical conditions not of interest, pre-analytic variability and/or analytic variability. Out of all the possible reversals within a narrow window, a subset can be selected based on individual univariate performance. Additionally, a subset can be selected based on bivariate or multivariate performance in a training set, with testing on held-out data or on bootstrap iterations. For example, logistic or linear regression models can be trained, optionally with parameter shrinkage by L1 or L2 or other penalties, and tested in leave-one-out, leave-pair-out or leave-fold-out cross-validation, or in bootstrap sampling with replacement, or in a held-out data set. In some embodiments, the analyte value is itself a ratio of the peak area of the endogenous analyte over that of the peak area of the corresponding stable isotopic standard analyte, referred to herein as: response ratio or relative

ratio. As disclosed herein, the ratio of the relative peak areas corresponding to the abundance of two analytes, for example, the ratio of the relative peak area of an up-regulated biomarker over the relative peak area of a down-regulated biomarker, referred herein as a reversal value, can be used to identify robust and accurate classifiers and predict EDD, GAB, and/or predicting time to birth (TTB). Use of a ratio of biomarkers in the methods disclosed herein corrects for variability that is the result of human manipulation after the removal of the biological sample from the pregnant female. Such variability can be introduced, for example, during sample collection, processing, depletion, digestion or any other step of the methods used to measure the biomarkers present in a sample and is independent of how the biomarkers behave in nature. Accordingly, the invention generally encompasses the use of a reversal pair in a method of diagnosis or prognosis to reduce variability and/or amplify, normalize or clarify diagnostic signal.

[00114] While the term reversal value refers to the ratio of the relative peak area of an up regulated analyte over the relative peak area of a down regulated analyte and serves to both normalize variability and amplify diagnostic signal, it is also contemplated that a pair of biomarkers of the invention could be measured by any other means, for example, by subtraction, addition or multiplication of relative peak areas. The methods disclosed herein encompass the measurement of biomarker pairs by such other means.

[00115] This method is advantageous because it provides the simplest possible classifier that is independent of data normalization, helps to avoid overfitting, and results in a very simple experimental test that is easy to implement in the clinic. The use of marker pairs based on changes in reversal values that are independent of data normalization enabled the development of the clinically relevant biomarkers disclosed herein. Because quantification of any single protein is subject to uncertainties caused by measurement variability, normal fluctuations, and individual related variation in baseline expression, identification of pairs of markers that may be under coordinated, systematic regulation enables robust methods for individualized diagnosis and prognosis.

[00116] While the specification discloses embodiments directed to measuring the particular pairs of biomarkers disclosed in Tables 1-27, the invention is not restricted to the particular pairs recited in Tables 1-27 and individual biomarkers disclosed herein as well as

any pair or panel of the individual biomarkers is also encompassed by the present invention, as are methods comprising one or more pairs of biomarkers.

[00117] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of cathepsin D (CATD) and tenascin X (TENX), wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00118] In one embodiment, the present invention provides a pair of surrogate peptides of a pair of biomarkers selected from the group consisting of CATD and TENX, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In one embodiment, the present invention further provides stable isotope labeled standard peptides (SIS peptides) corresponding to each of the surrogate peptides.

[00119] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of CATD and TENX to determine the EDD for said pregnant female.

[00120] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of a biomarker pair consisting of CATD and TENX, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00121] In one embodiment, the present invention further provides a method for prediction of gestational age at birth (GAB).

[00122] In a further embodiment, the present invention further provides a method for prediction of time to birth (TTB).

[00123] The present invention further contemplates that the methods and compositions can encompass changes in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver, for example, on or after 280 days; before 260 days relative to pregnant females that deliver on or after 270 days; before 250 days relative to pregnant females that deliver on or after 260 days; before 240 days relative to pregnant

females that deliver on or after 250 days; before 230 days relative to pregnant females that deliver on or after 240 days. One skilled in the art will be able to select additional time windows, time windows with different cut-offs as well as time windows with different gaps, for example, 5 days, 15 days or 20 days. All of these variations are contemplated by the invention disclosed herein.

[00124] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[00125] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and

CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[00126] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00127] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00128] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine

the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00129] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, to determine the TTB for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00130] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00131] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, and FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that

deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00132] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[00133] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition further comprises AACT_EIGELYLPK.

[00134] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00135] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to

determine the EDD for said pregnant female. In some embodiments the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00136] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTS AISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00137] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTS AISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00138] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTS AISLPNIR or KNG1_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00139] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of FETUA_HTLNQIDEVK, PRG4_GLPNVVTSAISLPNIR or KNGI_DIPTNSPELEETLTHITK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the pregnant female is nulliparous. In additional embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises measuring AACT_EIGELYLPK.

[00140] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00141] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD)

from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00142] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00143] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00144] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK,

wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00145] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, and CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00146] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00147] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00148] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a

biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00149] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00150] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00151] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments,

the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00152] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00153] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR or CRIS3_YEDLYSNCK and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In additional embodiments, the biological sample is blood and the gestational age at blood draw (GABD) is from 23 0/7 weeks and 28 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00154] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a

gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00155] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00156] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00157] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7

weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00158] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00159] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair selected from the group consisting of B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00160] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00161] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK

or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00162] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00163] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00164] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00165] In one embodiment, the present invention provides a method of determining the time to birth (TTB) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a pair of biomarkers consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of

the biomarkers listed in Tables 1-27, to determine the TTB for said pregnant female. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the determination further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00166] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a reversal value of a biomarker pair consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in a reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, the method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00167] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in a biomarker pair consisting of CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, wherein said pair of biomarkers exhibits a change between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks. In some embodiments, method further comprises calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00168] In one embodiment, the present invention provides a composition comprising a pair of isolated biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition comprises AACT_EIGELYLPK.

[00169] In one embodiment, the present invention provides a composition comprising two or more pairs of isolated biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pairs of biomarkers exhibit a change in reversal value

between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. In some embodiments, the composition comprises AACT_EIGELYLPK.

[00170] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a biomarker pair selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[00171] In one embodiment, the present invention provides a method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for two or more biomarker pairs selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

[00172] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of a biomarker pair selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00173] In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of two or more biomarker pairs selected from the group consisting of the biomarker pairs listed in Tables 1-27, wherein said pair of biomarkers exhibit a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.

[00174] In one embodiment, the present invention further provides a method for prediction of gestational age at birth (GAB).

[00175] In a further embodiment, the present invention provides a method for estimating gestational age (GA) comprising measuring a change in reversal value of a biomarker pair selected from the group consisting of the biomarker pairs listed in Tables 1-27 and correlating said measurement to GA.

[00176] In one embodiment, the present invention further provides a method for prediction of time to birth (TTB).

[00177] In some of the embodiments, the methods have an accuracy of 60% or more for predicting the FDD within plus or minus 5 days of the actual due date (DD).

[00178] In additional embodiments, the methods comprise measuring AACT_EIGELYLPK.

[00179] In additional embodiments, the methods comprise calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.

[00180] In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks.

[00181] In some embodiments, the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks.

[00182] In one embodiment, the measuring comprises mass spectrometry (MS). In one embodiment, the measuring further comprises measuring surrogate peptides of said biomarkers in the biological sample obtained from said pregnant female. In one embodiment, the measuring of surrogate peptides of said biomarkers further comprises measuring stable isotope labeled standard peptides (SIS peptides) for each of the surrogate peptides.

[00183] In one embodiment, the biological sample is selected from the group consisting of whole blood, plasma, and serum. In one embodiment, the biological sample is serum. In one embodiment, the sample is obtained between 18 and 21 weeks of gestational age. In an additional embodiment, the sample is obtained between 23 and 28 weeks of gestational age. In a further embodiment, the sample is obtained between 18 and 28 weeks of gestational age.

[00184] In one embodiment, the measuring comprises an assay that utilizes a capture agent. In one embodiment, the measuring comprises an assay that utilizes a capture agent selected from the group consisting of and antibody, antibody fragment, nucleic acid-based protein binding reagent, small molecule or variant thereof. In one embodiment, the measuring comprises an assay selected from the group consisting of enzyme immunoassay (EIA), enzyme-linked immunosorbent assay (ELISA), and radioimmunoassay (RIA)

[00185] Cathepsin D (NCBI GenBank: AAA51922.1) is a member of the A1 family of peptidases. The encoded preproprotein is proteolytically processed to generate multiple protein products. These products include the cathepsin D light and heavy chains, which heterodimerize

to form the mature enzyme. This enzyme exhibits pepsin-like activity and plays a role in protein turnover and in the proteolytic activation of hormones and growth factors.

[00186] Tenascin X (NCBI GenBank: AAB47488.1) is a member of the tenascin family, a highly conserved group of four large extracellular glycoproteins denoted as tenascin-C, -X, -R, and -W. In most cells, the tenascin family interferes with the integrin-dependent spreading and affects cell motility and proliferation. Tenascin-X is the largest, over 400 kDa, member and is widely expressed during development. In adult tissue most of the expression of tenascin-X is seen in the connective tissue of the heart and skeletal muscle, as well as in the dermis. Tenascin-X is composed of a cysteine-rich segment at the N-terminus, epidermal growth factor- (EGF-) like repeats, fibronectin III-like repeats, and a fibrinogen-like domain at the C-terminus.

[00187] In one embodiment, the invention provides a composition comprising a pair of surrogate peptides corresponding to a pair of biomarkers selected from the group consisting of CATD/TENX, wherein the pair of biomarkers exhibits a change in reversal value between pregnant females at risk for pre-term birth and term controls.

[00188] For methods directed to predicating time to birth, it is understood that “birth” means birth following spontaneous onset of labor, with or without rupture of membranes.

[00189] Although described and exemplified with reference to methods of determining EDD in a pregnant female, the present disclosure is similarly applicable to related methods of predicting gestational age at birth (GAB), related methods for predicting term birth, methods for determining time to birth (TTB), methods of estimating gestational age (GA), methods of estimating gestational age at blood draw (GABD) in a pregnant female. Gestational age (GA), and gestational age at blood draw (GABD) are directly related in that estimation of GABD can be used to calculate GA post-blood draw. It will be apparent to one skilled in the art that each of the aforementioned methods has specific and substantial utilities and benefits with regard maternal-fetal health considerations.

[00190] In some embodiments, the present disclosure provides biomarkers, biomarker pairs and/or reversals, exemplified here by using CATD/TENX, that are strong predictors of time to birth (TTB). TTB is defined as the difference between the GABD and the gestational age at birth (GAB). This discovery enables prediction, either individually or in mathematical combination of such analytes of TTB or GAB. Analytes that lack a case versus control

difference, but demonstrate changes in analyte intensity across pregnancy, are useful in a pregnancy clock according to the methods of the invention. Calibration of multiple analytes can be used to date pregnancy. Such a pregnancy clock is of value to confirm dating by another measure (*e.g.* date of last menstrual period and/or ultrasound dating), or useful alone to subsequently and more accurately predict GAB or TTB, for example. These analytes, also referred to herein as “clock proteins”, can be used to date a pregnancy in the absence of or in conjunction with other dating methods. All of the embodiments described herein can therefore be used to accurately predict GA and GABD based on measurement of clock proteins.

[00191] In additional embodiments, the methods of determining the estimated due date (EDD) or time to birth (TTB) for a pregnant female further encompass detecting a measurable feature for one or more clinical variables. In additional embodiments, the clinical variables include without limitation previous low birth weight or preterm delivery, multiple 2nd trimester spontaneous abortions, prior first trimester induced abortion, familial and intergenerational factors, history of infertility, nulliparity, gravidity, primigravida, multigravida, placental abnormalities, cervical and uterine anomalies, gestational bleeding, intrauterine growth restriction, in utero diethylstilbestrol exposure, multiple gestations, infant sex, short stature, low prepregnancy weight, low or high body mass index, diabetes, diabetes mellitus, chronic hypertension, urogenital infections as well as any other clinical variable disclosed in the accompanying examples and tables.

[00192] A “measurable feature” is any property, characteristic or aspect that can be determined and correlated in connection with a prediction of EDD, a prediction of GAB, a prediction of term birth, or a prediction of TTB in a pregnant female. For a biomarker, such a measurable feature can include, for example, the presence, absence, or concentration of the biomarker, or a fragment thereof, in the biological sample, an altered structure, such as, for example, the presence or amount of a post-translational modification, such as oxidation at one or more positions on the amino acid sequence of the biomarker or, for example, the presence of an altered conformation in comparison to the conformation of the biomarker in term control subjects, and/or the presence, amount, or altered structure of the biomarker as a part of a profile of more than one biomarker.

[00193] In addition to biomarkers, measurable features can further include clinical variables including, for example, maternal characteristics, age, race, ethnicity, medical history,

past pregnancy history, obstetrical history. For a risk indicium, a measurable feature can include, for example, previous low birth weight or preterm delivery, multiple 2nd trimester spontaneous abortions, prior first trimester induced abortion, familial and intergenerational factors, history of infertility, nulliparity, placental abnormalities, cervical and uterine anomalies, short cervical length measurements, gestational bleeding, intrauterine growth restriction, in utero diethylstilbestrol exposure, multiple gestations, infant sex, short stature, low prepregnancy weight/low body mass index, diabetes, hypertension, urogenital infections, hypothyroidism, asthma, low educational attainment, cigarette smoking, drug use and alcohol consumption.

[00194] In some embodiments, the methods of the invention comprise calculation of body mass index (BMI).

[00195] In some embodiments, the disclosed methods for determining the estimated due date (EDD) encompass detecting and/or quantifying one or more biomarkers using mass spectrometry, a capture agent or a combination thereof.

[00196] In additional embodiments, the disclosed methods methods for determining the estimated due date (EDD) encompass an initial step of providing a biological sample from the pregnant female.

[00197] In some embodiments, the disclosed methods of determining methods for determining the estimated due date (EDD) for a pregnant female encompass communicating the results to a health care provider. The disclosed methods of predicting GAB, the methods for predicting term birth, methods for determining the probability of term birth in a pregnant female as well methods of predicating time to birth in a pregnant female similarly encompass communicating the probability to a health care provider. As stated above, although described and exemplified with reference to determining methods for determining the estimated due date (EDD) for a pregnant female, all embodiments described throughout this disclosure are similarly applicable to methods of predicting GAB, methods for predicting term birth, methods for determining the probability of term birth in a pregnant female as well methods of predicating time to birth in a pregnant female. Specifically, the biomarkers and panels recited throughout this application with express reference to determining the estimated due date (EDD) can also be used in methods for predicting GAB, the methods for predicting term birth, methods for determining the probability of term birth in a pregnant female as well methods of

predicating time to birth in a pregnant female. It will be apparent to one skilled in the art that each of the aforementioned methods has specific and substantial utilities and benefits with regard maternal-fetal health considerations.

[00198] In additional embodiments, the communication informs a subsequent treatment decision for the pregnant female. In some embodiments, the method of determining the estimated due date (EDD) for a pregnant female encompasses the initial or subsequent step of administering an additional test for predicting the probability of pre-term birth in said pregnant female, for example, the PreTRM™ test described in publication US2017/0022565A1, the entire contents of which are incorporated herein by reference.

[00199] In some embodiments, each of the proteins, peptides and clinical variables disclosed herein as components of pairs, ratios and/or reversal pairs can serve as clock proteins to normalize component peptides in signatures to improve predictive performance or to select appropriate biomarkers and/or classifiers. Accordingly, the present invention comprises methods for estimating gestational age (GABD) comprising measuring one or more clock proteins and correlating said measurement to GABD.

[00200] The utility of the biomarker pairs, ratios and/or reversal pairs as “clock proteins” to accurately date a pregnancy, *i.e.* accurately estimate gestational age (GA), is essential to the quality of obstetric care and maternal-fetal health. The utility of the clock proteins of the invention to date a pregnancy with significantly higher accuracy than can be achieved with current clinical extends to every prognostic, diagnostic or other clinical assessment of the pregnant female and fetus that relies on accurately estimating GA for its own accuracy. For example, acceptable ultrasonographic fetal measurements and algorithms for their use vary by gestational age at ultrasound. As a further example, the sensitivity of non-invasive prenatal testing (NIPT), which is increasingly used detection for aneuploidies and other conditions, relies on accurately estimating GA in defining an acceptable window for testing. Similarly, prenatal tests such as the Alpha-fetoprotein (AFP) test and the quadruple marker test (quad screen), which also measures human chorionic gonadotropin (HCG) estriol, and inhibin A in addition to AFP, interpret analyte abundances in view of estimated GA. When a pregnant female’s EDD is changed based on new information, such as a new ultrasound, tests run earlier in pregnancy are re-assessed and may give medically different results, for example changing an AFP result from normal to abnormal, or vice versa. More generally, biomarkers associated

with pregnancy are known to change continuously across pregnancy with individual kinetics. As a result, accurate GA estimation is crucial to the assessment of maternal and fetal health, and to obstetric care decisions. The biomarker pairs, ratios and/or reversal pairs can serve as “clock proteins” to improve the performance of every clinical assessment relating to maternal and fetal health that takes into account GA by enabling a new and useful process for estimating GA with much higher accuracy than currently practiced clinical methods.

[00201] Methods for assessment of GA with the clock proteins disclosed herein can serve to date prenatal tests for proper interpretation. As well, GA assessment can guide medical decisions related to fetal maturity. For example, a decision to induce labor or perform a C-section based on maternal health takes into account the estimated maturity of the fetus. Inaccurate assessment of GA can result in induction/C-sections that deliver: an early preterm baby when the fetus was thought to be at term; or a stillborn or ill baby and/or a mother with disseminated intravascular coagulation when the baby was thought to be full term. Further, the ARRIVE trial (Grobman, American Journal of Obstetrics & Gynecology, Volume 218, Issue 1, S601) suggests that most nulliparous women will show benefit to fetal health without increasing risk of C-section if labor is induced in the 39th week of gestation. Reducing the trial findings to practice crucially requires differentiation between 38 and 39 weeks' GA, and between 39 and 40 weeks' GA. Further, current guidelines on proper management of late-term (41 0/7 weeks through 41 6/7 weeks) and postterm (42 0/7 weeks and beyond) require GA dating accurate to within a week. The critical importance for accurately dating a pregnancy to proper maternal and fetal health care is well documented in the literature and appreciated by those of skill in the art. (see, for example, Grobman et al., N Engl J Med 2018;379,6:513-23; Greene, N Engl J Med 2018; 379;6:580-581; Ananth et al., JAMA Pediatr 2018;172: 627-34; McDorman et al., Natl Vital Stat Rep 2015; 64: 1-24; Middleton et al., Cochrane Database Syst Rev 2018; 5: CD004945; Walker et al., N Engl J Med 2016; 374: 813-22; Martin et al., Natl Vital Stat Rep 2018; 67: 1-55).

[00202] The clock proteins and related methods provided by the invention address the crucial need for accurate, precise gestational age dating by estimating GABD and by predicting GAB, including specific prediction of preterm or late-term and postterm pregnancy with significantly higher accuracy than is achieved under current medical practice. Accordingly, in some embodiments of the invention, the clock protein compositions and

corresponding methods can be used in tandem with an assessment of maternal and fetal health that depends on accurate GA estimation.

[00203] In some embodiments, the methods for determining the estimated due date (EDD) for a pregnant female encompasses the initial step of administering a test for predicting the probability of pre-term birth in said pregnant female, for example, the PreTRM™ test.

[00204] In the methods disclosed herein, determining the estimated due date (EDD) for a pregnant female encompasses an initial step that includes formation of a probability/risk index by measuring the ratio of isolated biomarkers selected from the group in a cohort of pregnancies that includes deliveries before 270 days and deliveries on or after 280 days. pregnancies with known gestational age at birth. For an individual pregnancy, determining the estimated due date (EDD) for a pregnant female encompasses measuring the ratio of the isolated biomarker using the same measurement method as used in the initial step of creating the probability/risk index, and comparing the measured ratio to the risk index to derive the personalized EDD for the individual pregnancy. In one embodiment, a probability/risk index is formed by measuring the ratio of CATD/TENX in a cohort of of pregnancies that includes deliveries before 270 days and deliveries on or after 280 days where the gestational age at birth is recorded. Then, in clinical practice the measured ratio of CATD/TENX in an individual pregnancy is compared in the index to derive the EDD using the same isolation and measurement technologies to derive CATD/TENX as in the index group.

[00205] As used herein, the term “risk score” refers to a score that can be assigned based on comparing the amount of one or more biomarkers or reversal values in a biological sample obtained from a pregnant female to a standard or reference score that represents an average amount of the one or more biomarkers calculated from biological samples obtained from a random pool of pregnant females. In some embodiments, the risk score is expressed as the log of the reversal value, *i.e.* the ratio of the relative intensities of the individual biomarkers. One skilled in the art will appreciate that a risk score can be expressed based on a various data transformations as well as being expressed as the ratio itself. Furthermore, with particular regard to reversal pairs, one skilled in the art will appreciate the any ratio is equally informative if the biomarkers in the numerator and denominator are switched or that related data transformations (*e.g.* subtraction) are applied. Because the level of a biomarker may not be static throughout pregnancy, a standard or reference score has to have been obtained for the

gestational time point that corresponds to that of the pregnant female at the time the sample was taken. The standard or reference score can be predetermined and built into a predictor model such that the comparison is indirect rather than actually performed every time the probability is determined for a subject. A risk score can be a standard (*e.g.*, a number) or a threshold (*e.g.*, a line on a graph). The value of the risk score correlates to the deviation, upwards or downwards, from the average amount of the one or more biomarkers calculated from biological samples obtained from a random pool of pregnant females.

[00206] As exemplified herein, the predictive performance of the claimed methods can be improved with a BMI stratification of greater than 22 and equal or less than 37 kg/m².

Accordingly, in some embodiments, the methods of the invention can be practiced with samples obtained from pregnant females with a specified BMI. Briefly, BMI is an individual's weight in kilograms divided by the square of height in meters. BMI does not measure body fat directly, but research has shown that BMI is correlated with more direct measures of body fat obtained from skinfold thickness measurements, bioelectrical impedance, densitometry (underwater weighing), dual energy x-ray absorptiometry (DXA) and other methods.

Furthermore, BMI appears to be as strongly correlated with various metabolic and disease outcome as are these more direct measures of body fatness. Generally, an individual with a BMI below 18.5 is considered underweight, an individual with a BMI of equal or greater than 18.5 to 24.9 normal weight, while an individual with a BMI of equal or greater than 25.0 to 29.9 is considered overweight and an individual with a BMI of equal or greater than 30.0 is considered obese. In some embodiments, the predictive performance of the claimed methods can be improved with a BMI stratification of equal or greater than 18, equal or greater than 19, equal or greater than 20, equal or greater than 21, equal or greater than 22, equal or greater than 23, equal or greater than 24, equal or greater than 25, equal or greater than 26, equal or greater than 27, equal or greater than 28, equal or greater than 29 or equal or greater than 30. In other embodiments, the predictive performance of the claimed methods can be improved with a BMI stratification of equal or less than 18, equal or less than 19, equal or less than 20, equal or less than 21, equal or less than 22, equal or less than 23, equal or less than 24, equal or less than 25, equal or less than 26, equal or less than 27, equal or less than 28, equal or less than 29 or equal or less than 30.

[00207] In the context of the present invention, the term “biological sample,” encompasses any sample that is taken from pregnant female and contains one or more of the biomarkers disclosed herein. Suitable samples in the context of the present invention include, for example, blood, plasma, serum, amniotic fluid, vaginal secretions, saliva, and urine. In some embodiments, the biological sample is selected from the group consisting of whole blood, plasma, and serum. In a particular embodiment, the biological sample is serum. As will be appreciated by those skilled in the art, a biological sample can include any fraction or component of blood, without limitation, T cells, monocytes, neutrophils, erythrocytes, platelets and microvesicles such as exosomes and exosome-like vesicles. In a particular embodiment, the biological sample is serum.

[00208] Gestational age is a proxy for the extent of fetal development and the fetus’s readiness for birth. Gestational age has typically been defined as the length of time from the date of the last normal menses to the date of birth. However, obstetric measures and ultrasound estimates also can aid in estimating gestational age. In some embodiments, the methods disclosed herein are directed to predicting gestational age at birth.

[00209] As used herein, the term “estimated gestational age” or “estimated GA” refers to the GA determined based on the date of the last normal menses and additional obstetric measures, ultrasound estimates or other clinical parameters including, without limitation, those described in the preceding paragraph. In contrast the term “predicted gestational age at birth” or “predicted GAB” refers to the GAB determined based on the methods of the invention as disclosed herein. As used herein, “term birth” refers to birth at a gestational age equal or more than 37 completed weeks.

[00210] In some embodiments, the pregnant female is between 17 and 28 weeks of gestation at the time the biological sample is collected, also referred to as GABD (Gestational Age at Blood Draw). In other embodiments, the pregnant female is between 16 and 29 weeks, between 17 and 28 weeks, between 18 and 27 weeks, between 19 and 26 weeks, between 20 and 25 weeks, between 21 and 24 weeks, or between 22 and 23 weeks of gestation at the time the biological sample is collected. In further embodiments, the pregnant female is between about 17 and 22 weeks, between about 16 and 22 weeks between about 22 and 25 weeks, between about 13 and 25 weeks, between about 26 and 28, or between about 26 and 29 weeks of gestation at the time the biological sample is collected. Accordingly, the gestational age of a

pregnant female at the time the biological sample is collected can be 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35 weeks or older. In particular embodiments, the sample is obtained between 18 and 21 weeks of GABD. In further embodiments, the sample is obtained between 23 and 28 weeks of GABD. In some embodiments, the sample is obtained between 18 and 28 weeks of GABD. In some embodiments, the sample is obtained between 18 and 36 weeks of GABD. In further embodiments the sample is obtained between 19 and 21 weeks of GABD. In some embodiments, the sample is obtained between 20 and 22 weeks of GABD. In some embodiments, the sample is obtained between 21 and 23 weeks of GABD. In further embodiments, the sample is obtained between 22 and 24 weeks of GABD. In additional embodiments, the sample is obtained between 23 and 25 weeks of GABD. In some embodiments, the sample is obtained between 24 and 26 weeks of GABD. In further embodiments, the sample is obtained between 25 and 27 weeks of GABD. In additional embodiments, the sample is obtained between 26 and 28 weeks of GABD. In some embodiments, the sample is obtained between 27 and 29 weeks of GABD. In further embodiments, the sample is obtained between 28 and 30 weeks of GABD. In additional embodiments, the sample is obtained between 29 and 31 weeks of GABD. In some embodiments, the sample is obtained between 30 and 32 weeks of GABD. In further embodiments, the sample is obtained between 31 and 33 weeks of GABD. In additional embodiments, the sample is obtained between 32 and 34 weeks of GABD. In some embodiments, the sample is obtained between 33 and 35 weeks of GABD. In further embodiments, the sample is obtained between 34 and 36 weeks of GABD. In additional embodiments, the sample is obtained between 18 and 21 weeks of GABD.

[00211] The term “amount” or “level” as used herein refers to a quantity of a biomarker that is detectable or measurable in a biological sample and/or control. The quantity of a biomarker can be, for example, a quantity of polypeptide, the quantity of nucleic acid, or the quantity of a fragment or surrogate. The term can alternatively include combinations thereof. The term “amount” or “level” of a biomarker is a measurable feature of that biomarker.

[00212] The invention also provides a method of detecting a pair of isolated biomarkers consisting of CATD and TENX, said method comprising the steps of a. obtaining a biological sample from the pregnant female; b. detecting whether the pair of isolated biomarkers is present in the biological sample by contacting the biological sample with a first capture agent

that specifically binds a first member of said pair and a second capture agent that specifically binds a second member of said pair; and detecting binding between the first biomarker of said pair and the first capture agent and between the second member of said pair and the second capture agent.

[00213] The invention also provides a method of detecting a pair of isolated biomarkers consisting of CATD/TENX in a pregnant female, said method comprising the steps of a. obtaining a biological sample from the pregnant female; b. detecting whether the pair of isolated biomarkers is present in the biological sample by contacting the biological sample with a first capture agent that specifically binds a first member of said pair and a second capture agent that specifically binds a second member of said pair; and detecting binding between the first biomarker of said pair and the first capture agent and between the second member of said pair and the second capture agent. In one embodiment the invention provides a method of detecting CATD and TENX in a pregnant female, said method comprising the steps of a. obtaining a biological sample from the pregnant female; b. detecting whether CATD and TENX are present in the biological sample by contacting the biological sample with a capture agent that specifically binds CATD and a capture agent that specifically binds TENX; and c. detecting binding between CATD and the capture agent and between TENX and the capture agent. In a further embodiment, the capture agent is selected from the group consisting of and antibody, antibody fragment, nucleic acid-based protein binding reagent, small molecule or variant thereof. In an additional embodiment, the method is performed by an assay selected from the group consisting of enzyme immunoassay (EIA), enzyme-linked immunosorbent assay (ELISA), and radioimmunoassay (RIA).

[00214] The invention also provides a method of detecting a pair of isolated biomarkers consisting of CATD/TENX in a pregnant female, said method comprising the steps of a. obtaining a biological sample from the pregnant female; and b. detecting whether the pair of isolated biomarkers is present in the biological sample comprising subjecting the sample to a proteomics work-flow comprised of mass spectrometry quantification.

[00215] In one embodiment the invention provides a method of detecting CATD and TENX in a pregnant female, said method comprising the steps of a. obtaining a biological sample from the pregnant female; and b. detecting whether the pair of isolated biomarkers is

present in the biological sample comprising subjecting the sample to a proteomics work-flow comprised of mass spectrometry quantification.

[00216] A “proteomics work-flow” generally encompasses one or more of the following steps: Serum samples are thawed and depleted of the 14 highest abundance proteins by immune-affinity chromatography. Depleted serum is digested with a protease, for example, trypsin, to yield peptides. The digest is subsequently fortified with a mixture of SIS peptides and then desalted and subjected to LC-MS/MS with a triple quadrupole instrument operated in MRM mode. Response ratios are formed from the area ratios of endogenous peptide peaks and the corresponding SIS peptide counterpart peaks. Those skilled in the art appreciate that other types of MS such as, for example, MALDI-TOF, or ESI-TOF, can be used in the methods of the invention. In addition, one skilled in the art can modify a proteomics work-flow, for example, by selecting particular reagents (such as proteases) or omitting or changing the order of certain steps, for example, it may not be necessary to immunodeplete, the SIS peptide could be added earlier or later and stable isotope labeled proteins could be used as standards instead of peptides.

[00217] Any existing, available or conventional separation, detection and quantification methods can be used herein to measure the presence or absence (*e.g.*, readout being present vs. absent; or detectable amount vs. undetectable amount) and/or quantity (*e.g.*, readout being an absolute or relative quantity, such as, for example, absolute or relative concentration) of biomarkers, peptides, polypeptides, proteins and/or fragments thereof and optionally of the one or more other biomarkers or fragments thereof in samples. In some embodiments, detection and/or quantification of one or more biomarkers comprises an assay that utilizes a capture agent. In further embodiments, the capture agent is an antibody, antibody fragment, nucleic acid-based protein binding reagent, small molecule or variant thereof. In additional embodiments, the assay is an enzyme immunoassay (EIA), enzyme-linked immunosorbent assay (ELISA), and radioimmunoassay (RIA). In some embodiments, detection and/or quantification of one or more biomarkers further comprises mass spectrometry (MS). In yet further embodiments, the mass spectrometry is co-immunoprecipitation-mass spectrometry (co-IP MS), where coimmunoprecipitation, a technique suitable for the isolation of whole protein complexes is followed by mass spectrometric analysis.

[00218] As used herein, the term “mass spectrometer” refers to a device able to volatilize/ionize analytes to form gas-phase ions and determine their absolute or relative molecular masses. Suitable methods of volatilization/ionization are matrix-assisted laser desorption ionization (MALDI), electrospray, laser/light, thermal, electrical, atomized/sprayed and the like, or combinations thereof. Suitable forms of mass spectrometry include, but are not limited to, ion trap instruments, quadrupole instruments, electrostatic and magnetic sector instruments, time of flight instruments, time of flight tandem mass spectrometer (TOF MS/MS), Fourier-transform mass spectrometers, Orbitraps and hybrid instruments composed of various combinations of these types of mass analyzers. These instruments can, in turn, be interfaced with a variety of other instruments that fractionate the samples (for example, liquid chromatography or solid-phase adsorption techniques based on chemical, or biological properties) and that ionize the samples for introduction into the mass spectrometer, including matrix-assisted laser desorption (MALDI), electrospray, or nanospray ionization (ESI) or combinations thereof.

[00219] Generally, any mass spectrometric (MS) technique that can provide precise information on the mass of peptides, and preferably also on fragmentation and/or (partial) amino acid sequence of selected peptides (*e.g.*, in tandem mass spectrometry, MS/MS; or in post source decay, TOF MS), can be used in the methods disclosed herein. Suitable peptide MS and MS/MS techniques and systems are well-known *per se* (see, *e.g.*, Methods in Molecular Biology, vol. 146: “Mass Spectrometry of Proteins and Peptides”, by Chapman, *ed.*, Humana Press 2000; Biemann 1990. Methods Enzymol 193: 455-79; or Methods in Enzymology, vol. 402: “Biological Mass Spectrometry”, by Burlingame, *ed.*, Academic Press 2005) and can be used in practicing the methods disclosed herein. Accordingly, in some embodiments, the disclosed methods comprise performing quantitative MS to measure one or more biomarkers. Such quantitative methods can be performed in an automated (Villanueva, *et al.*, Nature Protocols (2006) 1(2):880-891) or semi-automated format. In particular embodiments, MS can be operably linked to a liquid chromatography device (LC-MS/MS or LC-MS) or gas chromatography device (GC-MS or GC-MS/MS). Other methods useful in this context include isotope-coded affinity tag (ICAT), tandem mass tags (TMT), or stable isotope labeling by amino acids in cell culture (SILAC), followed by chromatography and MS/MS.

[00220] As used herein, the terms “multiple reaction monitoring (MRM)” or “selected reaction monitoring (SRM)” refer to an MS-based quantification method that is particularly useful for quantifying analytes that are in low abundance. In an SRM experiment, a predefined precursor ion and one or more of its fragments are selected by the two mass filters of a triple quadrupole instrument and monitored over time for precise quantification. Multiple SRM precursor and fragment ion pairs can be measured within the same experiment on the chromatographic time scale by rapidly toggling between the different precursor/fragment pairs to perform an MRM experiment. A series of transitions (precursor/fragment ion pairs) in combination with the retention time of the targeted analyte (*e.g.*, peptide or small molecule such as chemical entity, steroid, hormone) can constitute a definitive assay. A large number of analytes can be quantified during a single LC-MS experiment. The term “scheduled,” or “dynamic” in reference to MRM or SRM, refers to a variation of the assay wherein the transitions for a particular analyte are only acquired in a time window around the expected retention time, significantly increasing the number of analytes that can be detected and quantified in a single LC-MS experiment and contributing to the selectivity of the test, as retention time is a property dependent on the physical nature of the analyte. A single analyte can also be monitored with more than one transition. Finally, included in the assay can be standards that correspond to the analytes of interest (*e.g.*, same amino acid sequence), but differ by the inclusion of stable isotopes. Stable isotopic standards (SIS) can be incorporated into the assay at precise levels and used to quantify the corresponding unknown analyte. An additional level of specificity is contributed by the co-elution of the unknown analyte and its corresponding SIS and properties of their transitions (*e.g.*, the similarity in the ratio of the level of two transitions of the unknown and the ratio of the two transitions of its corresponding SIS).

[00221] Mass spectrometry assays, instruments and systems suitable for biomarker peptide analysis can include, without limitation, matrix-assisted laser desorption/ionisation time-of-flight (MALDI-TOF) MS; MALDI-TOF post-source-decay (PSD); MALDI-TOF/TOF; surface-enhanced laser desorption/ionization time-of-flight mass spectrometry (SELDI-TOF) MS; electrospray ionization mass spectrometry (ESI-MS); ESI-MS/MS; ESI-MS/(MS)_n (*n* is an integer greater than zero); ESI 3D or linear (2D) ion trap MS; ESI triple quadrupole MS; ESI quadrupole orthogonal TOF (Q-TOF); ESI Fourier transform MS systems; desorption/ionization on silicon (DIOS); secondary ion mass spectrometry (SIMS);

atmospheric pressure chemical ionization mass spectrometry (APCI-MS); APCI-MS/MS; APCI- (MS)_n; ion mobility spectrometry (IMS); inductively coupled plasma mass spectrometry (ICP-MS)atmospheric pressure photoionization mass spectrometry (APPI-MS); APPI-MS/MS; and APPI- (MS)_n. Peptide ion fragmentation in tandem MS (MS/MS) arrangements can be achieved using manners established in the art, such as, e.g., collision induced dissociation (CID). As described herein, detection and quantification of biomarkers by mass spectrometry can involve multiple reaction monitoring (MRM), such as described among others by Kuhn *et al.* Proteomics 4: 1175-86 (2004). Scheduled multiple-reaction-monitoring (Scheduled MRM) mode acquisition during LC-MS/MS analysis enhances the sensitivity and accuracy of peptide quantitation. Anderson and Hunter, Molecular and Cellular Proteomics 5(4):573 (2006). As described herein, mass spectrometry-based assays can be advantageously combined with upstream peptide or protein separation or fractionation methods, such as for example with the chromatographic and other methods described herein below. As further described herein, shotgun quantitative proteomics can be combined with SRM/MRM-based assays for high-throughput identification and verification of biomarkers useful for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days.

[00222] A person skilled in the art will appreciate that a number of methods can be used to determine the amount of a biomarker, including mass spectrometry approaches, such as MS/MS, LC-MS/MS, multiple reaction monitoring (MRM) or SRM and product-ion monitoring (PIM) and also including antibody based methods such as immunoassays such as Western blots, enzyme-linked immunosorbant assay (ELISA), immunoprecipitation, immunohistochemistry, immunofluorescence, radioimmunoassay, dot blotting, and FACS. Accordingly, in some embodiments, determining the level of the at least one biomarker comprises using an immunoassay and/or mass spectrometric methods. In additional embodiments, the mass spectrometric methods are selected from MS, MS/MS, LC-MS/MS, SRM, PIM, and other such methods that are known in the art. In other embodiments, LC-MS/MS further comprises 1D LC-MS/MS, 2D LC-MS/MS or 3D LC-MS/MS. Immunoassay techniques and protocols are generally known to those skilled in the art (Price and Newman, Principles and Practice of Immunoassay, 2nd Edition, Grove's Dictionaries, 1997; and Gosling, Immunoassays: A Practical Approach, Oxford University Press, 2000.) A variety of

immunoassay techniques, including competitive and non-competitive immunoassays, can be used (Self *et al.*, Curr. Opin. Biotechnol., 7:60-65 (1996).

[00223] In further embodiments, the immunoassay is selected from Western blot, ELISA, immunoprecipitation, immunohistochemistry, immunofluorescence, radioimmunoassay (RIA), dot blotting, and FACS. In certain embodiments, the immunoassay is an ELISA. In yet a further embodiment, the ELISA is direct ELISA (enzyme-linked immunosorbent assay), indirect ELISA, sandwich ELISA, competitive ELISA, multiplex ELISA, ELISPOT technologies, and other similar techniques known in the art. Principles of these immunoassay methods are known in the art, for example John R. Crowther, The ELISA Guidebook, 1st ed., Humana Press 2000, ISBN 0896037282. Typically ELISAs are performed with antibodies but they can be performed with any capture agents that bind specifically to one or more biomarkers of the invention and that can be detected. Multiplex ELISA allows simultaneous detection of two or more analytes within a single compartment (*e.g.*, microplate well) usually at a plurality of array addresses (Nielsen and Geierstanger 2004. J Immunol Methods 290: 107-20 (2004) and Ling *et al.* 2007. Expert Rev Mol Diagn 7: 87-98 (2007)).

[00224] In some embodiments, Radioimmunoassay (RIA) can be used to detect one or more biomarkers in the methods of the invention. RIA is a competition-based assay that is well known in the art and involves mixing known quantities of radioactively-labelled (*e.g.*, ^{125}I or ^{131}I -labelled) target analyte with antibody specific for the analyte, then adding non-labeled analyte from a sample and measuring the amount of labeled analyte that is displaced (see, *e.g.*, An Introduction to Radioimmunoassay and Related Techniques, by Chard T, ed., Elsevier Science 1995, ISBN 0444821198 for guidance).

[00225] A detectable label can be used in the assays described herein for direct or indirect detection of the biomarkers in the methods of the invention. A wide variety of detectable labels can be used, with the choice of label depending on the sensitivity required, ease of conjugation with the antibody, stability requirements, and available instrumentation and disposal provisions. Those skilled in the art are familiar with selection of a suitable detectable label based on the assay detection of the biomarkers in the methods of the invention. Suitable detectable labels include, but are not limited to, fluorescent dyes (*e.g.*, fluorescein, fluorescein isothiocyanate (FITC), Oregon Green™, rhodamine, Texas red, tetra-rhodamine isothiocyanate (TRITC), Cy3, Cy5, etc.), fluorescent markers (*e.g.*, green fluorescent protein (GFP),

phycoerythrin, etc.), enzymes (*e.g.*, luciferase, horseradish peroxidase, alkaline phosphatase, etc.), nanoparticles, biotin, digoxigenin, metals, and the like.

[00226] For mass-spectrometry based analysis, differential tagging with isotopic reagents, *e.g.*, isotope-coded affinity tags (ICAT) or the more recent variation that uses isobaric tagging reagents, iTRAQ (Applied Biosystems, Foster City, Calif.), or tandem mass tags, TMT, (Thermo Scientific, Rockford, IL), followed by multidimensional liquid chromatography (LC) and tandem mass spectrometry (MS/MS) analysis can provide a further methodology in practicing the methods of the invention.

[00227] A chemiluminescence assay using a chemiluminescent antibody can be used for sensitive, non-radioactive detection of protein levels. An antibody labeled with fluorochrome also can be suitable. Examples of fluorochromes include, without limitation, DAPI, fluorescein, Hoechst 33258, R-phycoerythrin, B-phycoerythrin, R-phycoerythrin, rhodamine, Texas red, and lissamine. Indirect labels include various enzymes well known in the art, such as horseradish peroxidase (HRP), alkaline phosphatase (AP), beta-galactosidase, urease, and the like. Detection systems using suitable substrates for horseradish-peroxidase, alkaline phosphatase, and beta-galactosidase are well known in the art.

[00228] A signal from the direct or indirect label can be analyzed, for example, using a spectrophotometer to detect color from a chromogenic substrate; a radiation counter to detect radiation such as a gamma counter for detection of ^{125}I ; or a fluorometer to detect fluorescence in the presence of light of a certain wavelength. For detection of enzyme-linked antibodies, a quantitative analysis can be made using a spectrophotometer such as an EMAX Microplate Reader (Molecular Devices; Menlo Park, Calif.) in accordance with the manufacturer's instructions. If desired, assays used to practice the invention can be automated or performed robotically, and the signal from multiple samples can be detected simultaneously.

[00229] In some embodiments, the methods described herein encompass quantification of the biomarkers using mass spectrometry (MS). In further embodiments, the mass spectrometry can be liquid chromatography-mass spectrometry (LC-MS), multiple reaction monitoring (MRM) or selected reaction monitoring (SRM). In additional embodiments, the MRM or SRM can further encompass scheduled MRM or scheduled SRM.

[00230] As described above, chromatography can also be used in practicing the methods of the invention. Chromatography encompasses methods for separating chemical substances

and generally involves a process in which a mixture of analytes is carried by a moving stream of liquid or gas (“mobile phase”) and separated into components as a result of differential distribution of the analytes as they flow around or over a stationary liquid or solid phase (“stationary phase”), between the mobile phase and said stationary phase. The stationary phase can be usually a finely divided solid, a sheet of filter material, or a thin film of a liquid on the surface of a solid, or the like. Chromatography is well understood by those skilled in the art as a technique applicable for the separation of chemical compounds of biological origin, such as, *e.g.*, amino acids, proteins, fragments of proteins or peptides, *etc.*

[00231] Chromatography can be columnar (*i.e.*, wherein the stationary phase is deposited or packed in a column), preferably liquid chromatography, and yet more preferably high-performance liquid chromatography (HPLC), or ultra high performance/pressure liquid chromatography (UHPLC). Particulars of chromatography are well known in the art (Bidlingmeyer, Practical HPLC Methodology and Applications, John Wiley & Sons Inc., 1993). Exemplary types of chromatography include, without limitation, high-performance liquid chromatography (HPLC), UHPLC, normal phase HPLC (NP-HPLC), reversed phase HPLC (RP-HPLC), ion exchange chromatography (IEC), such as cation or anion exchange chromatography, hydrophilic interaction chromatography (HILIC), hydrophobic interaction chromatography (HIC), size exclusion chromatography (SEC) including gel filtration chromatography or gel permeation chromatography, chromatofocusing, affinity chromatography such as immuno-affinity, immobilized metal affinity chromatography, and the like. Chromatography, including single-, two- or more-dimensional chromatography, can be used as a peptide fractionation method in conjunction with a further peptide analysis method, such as for example, with a downstream mass spectrometry analysis as described elsewhere in this specification.

[00232] Further peptide or polypeptide separation, identification or quantification methods can be used, optionally in conjunction with any of the above described analysis methods, for measuring biomarkers in the present disclosure. Such methods include, without limitation, chemical extraction partitioning, isoelectric focusing (IEF) including capillary isoelectric focusing (CIEF), capillary isotachopheresis (CITP), capillary electrochromatography (CEC), and the like, one-dimensional polyacrylamide gel electrophoresis (PAGE), two-dimensional polyacrylamide gel electrophoresis (2D-PAGE), capillary gel electrophoresis (CGE), capillary

zone electrophoresis (CZE), micellar electrokinetic chromatography (MEKC), free flow electrophoresis (FFE), etc.

[00233] In the context of the invention, the term “capture agent” refers to a compound that can specifically bind to a target, in particular a biomarker. The term includes antibodies, antibody fragments, nucleic acid-based protein binding reagents (*e.g.* aptamers, Slow Off-rate Modified Aptamers (SOMAmer™)), protein-capture agents, natural ligands (*i.e.* a hormone for its receptor or vice versa), small molecules or variants thereof.

[00234] Capture agents can be configured to specifically bind to a target, in particular a biomarker. Capture agents can include but are not limited to organic molecules, such as polypeptides, polynucleotides and other non polymeric molecules that are identifiable to a skilled person. In the embodiments disclosed herein, capture agents include any agent that can be used to detect, purify, isolate, or enrich a target, in particular a biomarker. Any art-known affinity capture technologies can be used to selectively isolate and enrich/concentrate biomarkers that are components of complex mixtures of biological media for use in the disclosed methods.

[00235] Antibody capture agents that specifically bind to a biomarker can be prepared using any suitable methods known in the art. *See, e.g.*, Coligan, Current Protocols in Immunology (1991); Harlow & Lane, Antibodies: A Laboratory Manual (1988); Goding, Monoclonal Antibodies: Principles and Practice (2d ed. 1986). Antibody capture agents can be any immunoglobulin or derivative thereof, whether natural or wholly or partially synthetically produced. All derivatives thereof which maintain specific binding ability are also included in the term. Antibody capture agents have a binding domain that is homologous or largely homologous to an immunoglobulin binding domain and can be derived from natural sources, or partly or wholly synthetically produced. Antibody capture agents can be monoclonal or polyclonal antibodies. In some embodiments, an antibody is a single chain antibody. Those of ordinary skill in the art will appreciate that antibodies can be provided in any of a variety of forms including, for example, humanized, partially humanized, chimeric, chimeric humanized, *etc.* Antibody capture agents can be antibody fragments including, but not limited to, Fab, Fab', F(ab')₂, scFv, Fv, dsFv diabody, and Fd fragments. An antibody capture agent can be produced by any means. For example, an antibody capture agent can be enzymatically or chemically produced by fragmentation of an intact antibody and/or it can be recombinantly

produced from a gene encoding the partial antibody sequence. An antibody capture agent can comprise a single chain antibody fragment. Alternatively or additionally, antibody capture agent can comprise multiple chains which are linked together, for example, by disulfide linkages.; and, any functional fragments obtained from such molecules, wherein such fragments retain specific-binding properties of the parent antibody molecule. Because of their smaller size as functional components of the whole molecule, antibody fragments can offer advantages over intact antibodies for use in certain immunochemical techniques and experimental applications.

[00236] Suitable capture agents useful for practicing the invention also include aptamers. Aptamers are oligonucleotide sequences that can bind to their targets specifically via unique three dimensional (3-D) structures. An aptamer can include any suitable number of nucleotides and different aptamers can have either the same or different numbers of nucleotides. Aptamers can be DNA or RNA or chemically modified nucleic acids and can be single stranded, double stranded, or contain double stranded regions, and can include higher ordered structures. An aptamer can also be a photoaptamer, where a photoreactive or chemically reactive functional group is included in the aptamer to allow it to be covalently linked to its corresponding target. Use of an aptamer capture agent can include the use of two or more aptamers that specifically bind the same biomarker. An aptamer can include a tag. An aptamer can be identified using any known method, including the SELEX (systematic evolution of ligands by exponential enrichment), process. Once identified, an aptamer can be prepared or synthesized in accordance with any known method, including chemical synthetic methods and enzymatic synthetic methods and used in a variety of applications for biomarker detection. Liu *et al.*, Curr Med Chem. 18(27):4117-25 (2011). Capture agents useful in practicing the methods of the invention also include SOMAmers (Slow Off-Rate Modified Aptamers) known in the art to have improved off-rate characteristics. Brody *et al.*, J Mol Biol. 422(5):595-606 (2012). SOMAmers can be generated using any known method, including the SELEX method.

[00237] It is understood by those skilled in the art that biomarkers can be modified prior to analysis to improve their resolution or to determine their identity. For example, the biomarkers can be subject to proteolytic digestion before analysis. Any protease can be used. Proteases, such as trypsin, that are likely to cleave the biomarkers into a discrete number of fragments are particularly useful. The fragments that result from digestion function as a fingerprint for the

biomarkers, thereby enabling their detection indirectly. This is particularly useful where there are biomarkers with similar molecular masses that might be confused for the biomarker in question. Also, proteolytic fragmentation is useful for high molecular weight biomarkers because smaller biomarkers are more easily resolved by mass spectrometry. In another example, biomarkers can be modified to improve detection resolution. For instance, neuraminidase can be used to remove terminal sialic acid residues from glycoproteins to improve binding to an anionic adsorbent and to improve detection resolution. In another example, the biomarkers can be modified by the attachment of a tag of particular molecular weight that specifically binds to molecular biomarkers, further distinguishing them. Optionally, after detecting such modified biomarkers, the identity of the biomarkers can be further determined by matching the physical and chemical characteristics of the modified biomarkers in a protein database (*e.g.*, SwissProt).

[00238] It is further appreciated in the art that biomarkers in a sample can be captured on a substrate for detection. Traditional substrates include antibody-coated 96-well plates or nitrocellulose membranes that are subsequently probed for the presence of the proteins. Alternatively, protein-binding molecules attached to microspheres, microparticles, microbeads, beads, or other particles can be used for capture and detection of biomarkers. The protein-binding molecules can be antibodies, peptides, peptoids, aptamers, small molecule ligands or other protein-binding capture agents attached to the surface of particles. Each protein-binding molecule can include unique detectable label that is coded such that it can be distinguished from other detectable labels attached to other protein-binding molecules to allow detection of biomarkers in multiplex assays. Examples include, but are not limited to, color-coded microspheres with known fluorescent light intensities (see *e.g.*, microspheres with xMAP technology produced by Luminex (Austin, Tex.); microspheres containing quantum dot nanocrystals, for example, having different ratios and combinations of quantum dot colors (*e.g.*, Qdot nanocrystals produced by Life Technologies (Carlsbad, Calif.); glass coated metal nanoparticles (see *e.g.*, SERS nanotags produced by Nanoplex Technologies, Inc. (Mountain View, Calif.); barcode materials (see *e.g.*, sub-micron sized striped metallic rods such as Nanobarcodes produced by Nanoplex Technologies, Inc.), encoded microparticles with colored bar codes (see *e.g.*, CellCard produced by Vitra Bioscience, vitrabio.com), glass microparticles with digital holographic code images (see *e.g.*, CyVera microbeads produced by

Illumina (San Diego, Calif.); chemiluminescent dyes, combinations of dye compounds; and beads of detectably different sizes.

[00239] In another aspect, biochips can be used for capture and detection of the biomarkers of the invention. Many protein biochips are known in the art. These include, for example, protein biochips produced by Packard BioScience Company (Meriden Conn.), Zyomyx (Hayward, Calif.) and Phylos (Lexington, Mass.). In general, protein biochips comprise a substrate having a surface. A capture reagent or adsorbent is attached to the surface of the substrate. Frequently, the surface comprises a plurality of addressable locations, each of which location has the capture agent bound there. The capture agent can be a biological molecule, such as a polypeptide or a nucleic acid, which captures other biomarkers in a specific manner. Alternatively, the capture agent can be a chromatographic material, such as an anion exchange material or a hydrophilic material. Examples of protein biochips are well known in the art.

[00240] The present disclosure also provides methods for separating pregnancies that deliver before 270 days and deliveries from pregnancies that deliver on or after 280 days comprising measuring a change in reversal value of a biomarker pair. In one embodiment, the present invention provides a method for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days comprising measuring a change in reversal value of a biomarker pair consisting of CATD and TENX, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days. For example, a biological sample can be contacted with a panel comprising one or more polynucleotide binding agents. The expression of one or more of the biomarkers detected can then be evaluated according to the methods disclosed below, *e.g.*, with or without the use of nucleic acid amplification methods. Skilled practitioners appreciate that in the methods described herein, a measurement of gene expression can be automated. For example, a system that can carry out multiplexed measurement of gene expression can be used, *e.g.*, providing digital readouts of the relative abundance of hundreds of mRNA species simultaneously.

[00241] In some embodiments, nucleic acid amplification methods can be used to detect a polynucleotide biomarker. For example, the oligonucleotide primers and probes of the present invention can be used in amplification and detection methods that use nucleic acid substrates

isolated by any of a variety of well-known and established methodologies (e.g., Sambrook *et al.*, Molecular Cloning, A laboratory Manual, pp. 7.37-7.57 (2nd ed., 1989); Lin *et al.*, in Diagnostic Molecular Microbiology, Principles and Applications, pp. 605-16 (Persing *et al.*, eds. (1993); Ausubel *et al.*, Current Protocols in Molecular Biology (2001 and subsequent updates)). Methods for amplifying nucleic acids include, but are not limited to, for example the polymerase chain reaction (PCR) and reverse transcription PCR (RT-PCR) (see e.g., U.S. Pat. Nos. 4,683,195; 4,683,202; 4,800,159; 4,965,188), ligase chain reaction (LCR) (see, e.g., Weiss, Science 254:1292-93 (1991)), strand displacement amplification (SDA) (see e.g., Walker *et al.*, Proc. Natl. Acad. Sci. USA 89:392-396 (1992); U.S. Pat. Nos. 5,270,184 and 5,455,166), Thermophilic SDA (tSDA) (see e.g., European Pat. No. 0 684 315) and methods described in U.S. Pat. No. 5,130,238; Lizardi *et al.*, BioTechnol. 6:1197-1202 (1988); Kwoh *et al.*, Proc. Natl. Acad. Sci. USA 86:1173-77 (1989); Guatelli *et al.*, Proc. Natl. Acad. Sci. USA 87:1874-78 (1990); U.S. Pat. Nos. 5,480,784; 5,399,491; US Publication No. 2006/46265.

[00242] In some embodiments, measuring mRNA in a biological sample can be used as a surrogate for detection of the level of the corresponding protein biomarker in a biological sample. Thus, any of the biomarkers, biomarker pairs or biomarker reversal panels described herein can also be detected by detecting the appropriate RNA. Levels of mRNA can be measured by reverse transcription quantitative polymerase chain reaction (RT-PCR followed with qPCR). RT-PCR is used to create a cDNA from the mRNA. The cDNA can be used in a qPCR assay to produce fluorescence as the DNA amplification process progresses. By comparison to a standard curve, qPCR can produce an absolute measurement such as number of copies of mRNA per cell. Northern blots, microarrays, Invader assays, and RT-PCR combined with capillary electrophoresis have all been used to measure expression levels of mRNA in a sample. See Gene Expression Profiling: Methods and Protocols, Richard A. Shimkets, editor, Humana Press, 2004.

[00243] Some embodiments disclosed herein relate to methods of determining the method of determining the estimated due date (EDD) for a pregnant female. The detection of the level of expression of one or more biomarkers and/or the determination of a ratio of biomarkers can be used to determine the estimated due date (EDD) for a pregnant female. Such detection methods can be used, for example, for early diagnosis of a pregnancy-related condition, to determine whether a subject is predisposed to preterm birth, to monitor the progress of preterm

birth or the progress of treatment protocols, to assess the severity of preterm birth, to forecast the outcome of preterm birth and/or prospects of recovery or birth at full term, or to aid in the determination of a suitable treatment for preterm birth.

[00244] The quantitation of biomarkers in a biological sample can be determined, without limitation, by the methods described above as well as any other method known in the art. The quantitative data thus obtained is then subjected to an analytic classification process. In such a process, the raw data is manipulated according to an algorithm, where the algorithm has been pre-defined by a training set of data, for example as described in the examples provided herein. An algorithm can utilize the training set of data provided herein, or can utilize the guidelines provided herein to generate an algorithm with a different set of data.

[00245] In some embodiments, analyzing a measurable feature to determine the estimated due date (EDD) for a pregnant female encompasses the use of a predictive model. In further embodiments, analyzing a measurable feature to determine the estimated due date (EDD) for a pregnant female encompasses comparing said measurable feature with a reference feature. As those skilled in the art can appreciate, such comparison can be a direct comparison to the reference feature or an indirect comparison where the reference feature has been incorporated into the predictive model. In further embodiments, analyzing a measurable feature to determine the estimated due date (EDD) for a pregnant female encompasses one or more of a linear discriminant analysis model, a support vector machine classification algorithm, a recursive feature elimination model, a prediction analysis of microarray model, a logistic regression model, a CART algorithm, a flex tree algorithm, a LART algorithm, a random forest algorithm, a MART algorithm, a machine learning algorithm, a penalized regression method, or a combination thereof. In particular embodiments, the analysis comprises logistic regression.

[00246] An analytic classification process can use any one of a variety of statistical analytic methods to manipulate the quantitative data and provide for classification of the sample. Examples of useful methods include linear discriminant analysis, recursive feature elimination, a prediction analysis of microarray, a logistic regression, a CART algorithm, a FlexTree algorithm, a LART algorithm, a random forest algorithm, a MART algorithm, machine learning algorithms; etc.

[00247] For creation of a random forest for prediction of GAB one skilled in the art can consider a set of k subjects (pregnant women) for whom the gestational age at birth (GAB) is known, and for whom N analytes (transitions) have been measured in a blood specimen taken several weeks prior to birth. A regression tree begins with a root node that contains all the subjects. The average GAB for all subjects can be calculated in the root node. The variance of the GAB within the root node will be high, because there is a mixture of women with different GAB's. The root node is then divided (partitioned) into two branches, so that each branch contains women with a similar GAB. The average GAB for subjects in each branch is again calculated. The variance of the GAB within each branch will be lower than in the root node, because the subset of women within each branch has relatively more similar GAB's than those in the root node. The two branches are created by selecting an analyte and a threshold value for the analyte that creates branches with similar GAB. The analyte and threshold value are chosen from among the set of all analytes and threshold values, usually with a random subset of the analytes at each node. The procedure continues recursively producing branches to create leaves (terminal nodes) in which the subjects have very similar GAB's. The predicted GAB in each terminal node is the average GAB for subjects in that terminal node. This procedure creates a single regression tree. A random forest can consist of several hundred or several thousand such trees.

[00248] Classification can be made according to predictive modeling methods that set a threshold for determining the probability that a sample belongs to a given class. The probability preferably is at least 50%, or at least 60%, or at least 70%, or at least 80% or higher. Classifications also can be made by determining whether a comparison between an obtained dataset and a reference dataset yields a statistically significant difference. If so, then the sample from which the dataset was obtained is classified as not belonging to the reference dataset class. Conversely, if such a comparison is not statistically significantly different from the reference dataset, then the sample from which the dataset was obtained is classified as belonging to the reference dataset class.

[00249] The predictive ability of a model can be evaluated according to its ability to provide a quality metric, *e.g.* AUROC (area under the ROC curve) or accuracy, of a particular value, or range of values. Area under the curve measures are useful for comparing the accuracy of a classifier across the complete data range. Classifiers with a greater AUC have a greater

capacity to classify unknowns correctly between two groups of interest. In some embodiments, a desired quality threshold is a predictive model that will classify a sample with an accuracy of at least about 0.5, at least about 0.55, at least about 0.6, at least about 0.7, at least about 0.75, at least about 0.8, at least about 0.85, at least about 0.9, at least about 0.95, or higher. As an alternative measure, a desired quality threshold can refer to a predictive model that will classify a sample with an AUC of at least about 0.7, at least about 0.75, at least about 0.8, at least about 0.85, at least about 0.9, or higher.

[00250] As is known in the art, the relative sensitivity and specificity of a predictive model can be adjusted to favor either the selectivity metric or the sensitivity metric, where the two metrics have an inverse relationship. The limits in a model as described above can be adjusted to provide a selected sensitivity or specificity level, depending on the particular requirements of the test being performed. One or both of sensitivity and specificity can be at least about 0.7, at least about 0.75, at least about 0.8, at least about 0.85, at least about 0.9, or higher.

[00251] The raw data can be initially analyzed by measuring the values for each biomarker, usually in triplicate or in multiple triplicates. The data can be manipulated, for example, raw data can be transformed using standard curves, and the average of triplicate measurements used to calculate the average and standard deviation for each patient. These values can be transformed before being used in the models, *e.g.* log-transformed, Box-Cox transformed (Box and Cox, Royal Stat. Soc., Series B, 26:211-246(1964)). The data are then input into a predictive model, which will classify the sample according to the state. The resulting information can be communicated to a patient or health care provider.

[00252] To generate a predictive model for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days, a robust data set, comprising known control samples and samples corresponding to the birth classification of interest is used in a training set. A sample size can be selected using generally accepted criteria. As discussed above, different statistical methods can be used to obtain a highly accurate predictive model.

[00253] In one embodiment, hierarchical clustering is performed in the derivation of a predictive model, where the Pearson correlation is employed as the clustering metric. One approach is to consider a given birth dataset as a “learning sample” in a problem of “supervised learning.” CART is a standard in applications to medicine (Singer, Recursive

Partitioning in the Health Sciences, Springer(1999)) and can be modified by transforming any qualitative features to quantitative features; sorting them by attained significance levels, evaluated by sample reuse methods for Hotelling's T^2 statistic; and suitable application of the lasso method. Problems in prediction are turned into problems in regression without losing sight of prediction, indeed by making suitable use of the Gini criterion for classification in evaluating the quality of regressions.

[00254] This approach led to what is termed FlexTree (Huang, Proc. Nat. Acad. Sci. U.S.A 101:10529-10534(2004)). FlexTree performs very well in simulations and when applied to multiple forms of data and is useful for practicing the claimed methods. Software automating FlexTree has been developed. Alternatively, LARTree or LART can be used (Turnbull (2005) Classification Trees with Subset Analysis Selection by the Lasso, Stanford University). The name reflects binary trees, as in CART and FlexTree; the lasso, as has been noted; and the implementation of the lasso through what is termed LARS by Efron *et al.* (2004) Annals of Statistics 32:407-451 (2004). See, also, Huang *et al.*, Proc. Natl. Acad. Sci. USA. 101(29):10529-34 (2004). Other methods of analysis that can be used include logic regression. One method of logic regression Ruczinski, Journal of Computational and Graphical Statistics 12:475-512 (2003). Logic regression resembles CART in that its classifier can be displayed as a binary tree. It is different in that each node has Boolean statements about features that are more general than the simple "and" statements produced by CART.

[00255] Another approach is that of nearest shrunken centroids (Tibshirani, Proc. Natl. Acad. Sci. U.S.A 99:6567-72(2002)). The technology is k-means-like, but has the advantage that by shrinking cluster centers, one automatically selects features, as is the case in the lasso, to focus attention on small numbers of those that are informative. The approach is available as PAM software and is widely used. Two further sets of algorithms that can be used are random forests (Breiman, Machine Learning 45:5-32 (2001)) and MART (Hastie, The Elements of Statistical Learning, Springer (2001)). These two methods are known in the art as "committee methods," that involve predictors that "vote" on outcome.

[00256] To provide significance ordering, the false discovery rate (FDR) can be determined. First, a set of null distributions of dissimilarity values is generated. In one embodiment, the values of observed profiles are permuted to create a sequence of distributions of correlation coefficients obtained out of chance, thereby creating an appropriate set of null

distributions of correlation coefficients (Tusher *et al.*, Proc. Natl. Acad. Sci. U.S.A 98, 5116-21 (2001)). The set of null distribution is obtained by: permuting the values of each profile for all available profiles; calculating the pair-wise correlation coefficients for all profile; calculating the probability density function of the correlation coefficients for this permutation; and repeating the procedure for N times, where N is a large number, usually 300. Using the N distributions, one calculates an appropriate measure (mean, median, *etc.*) of the count of correlation coefficient values that their values exceed the value (of similarity) that is obtained from the distribution of experimentally observed similarity values at given significance level.

[00257] The FDR is the ratio of the number of the expected falsely significant correlations (estimated from the correlations greater than this selected Pearson correlation in the set of randomized data) to the number of correlations greater than this selected Pearson correlation in the empirical data (significant correlations). This cut-off correlation value can be applied to the correlations between experimental profiles. Using the aforementioned distribution, a level of confidence is chosen for significance. This is used to determine the lowest value of the correlation coefficient that exceeds the result that would have obtained by chance. Using this method, one obtains thresholds for positive correlation, negative correlation or both. Using this threshold(s), the user can filter the observed values of the pair wise correlation coefficients and eliminate those that do not exceed the threshold(s). Furthermore, an estimate of the false positive rate can be obtained for a given threshold. For each of the individual “random correlation” distributions, one can find how many observations fall outside the threshold range. This procedure provides a sequence of counts. The mean and the standard deviation of the sequence provide the average number of potential false positives and its standard deviation.

[00258] In an alternative analytical approach, variables chosen in the cross-sectional analysis are separately employed as predictors in a time-to-event analysis (survival analysis), where the event is the occurrence of preterm birth, and subjects with no event are considered censored at the time of giving birth. Given the specific pregnancy outcome (preterm birth event or no event), the random lengths of time each patient will be observed, and selection of proteomic and other features, a parametric approach to analyzing survival can be better than the widely applied semi-parametric Cox model. A Weibull parametric fit of survival permits the hazard rate to be monotonically increasing, decreasing, or constant, and also has a proportional hazards representation (as does the Cox model) and an accelerated failure-time

representation. All the standard tools available in obtaining approximate maximum likelihood estimators of regression coefficients and corresponding functions are available with this model.

[00259] In addition the Cox models can be used, especially since reductions of numbers of covariates to manageable size with the lasso will significantly simplify the analysis, allowing the possibility of a nonparametric or semi-parametric approach to prediction of time to preterm birth. These statistical tools are known in the art and applicable to all manner of proteomic data. A set of biomarker, clinical and genetic data that can be easily determined, and that is highly informative regarding the probability for preterm birth and predicted time to a preterm birth event in said pregnant female is provided. Also, algorithms provide information regarding the probability for preterm birth in the pregnant female.

[00260] Survival analyses are commonly used to understand time to occurrence of an event of interest such as birth or death. Commonly, the Kaplan-Meier estimator is used to estimate the survival function, while Cox proportional hazards models are used to estimate the effects of covariates on the hazard of event occurrence. These models conventionally assume that survival time is based on risk of exactly one type of event. However a competing risk for a different event may be present that either hinders the observation of an event of interest or modifies the chance that this event occurs. Conventional methods may be inappropriate in the presence of competing risks. Alternative methods appropriate for analysis of competing risks either assess competing hazards in subdistribution hazards models or cause-specific modified Cox proportional hazards models; or estimate cumulative incidence over competing events (Jason P. Fine & Robert J. Gray. Journal of the American Statistical Association Vol. 94 , Issue 446, 1999. A Proportional Hazards Model for the Subdistribution of a Competing Risk).

[00261] In the development of a predictive model, it can be desirable to select a subset of markers, *i.e.* at least 3, at least 4, at least 5, at least 6, up to the complete set of markers. Usually a subset of markers will be chosen that provides for the needs of the quantitative sample analysis, e.g. availability of reagents, convenience of quantitation, etc., while maintaining a highly accurate predictive model. The selection of a number of informative markers for building classification models requires the definition of a performance metric and a user-defined threshold for producing a model with useful predictive ability based on this

metric. For example, the performance metric can be the AUC, the sensitivity and/or specificity of the prediction as well as the overall accuracy of the prediction model.

[00262] As will be understood by those skilled in the art, an analytic classification process can use any one of a variety of statistical analytic methods to manipulate the quantitative data and provide for classification of the sample. Examples of useful methods include, without limitation, linear discriminant analysis, recursive feature elimination, a prediction analysis of microarray, a logistic regression, a CART algorithm, a FlexTree algorithm, a LART algorithm, a random forest algorithm, a MART algorithm, and machine learning algorithms. Various methods are used in a training model. The selection of a subset of markers can be for a forward selection or a backward selection of a marker subset. The number of markers can be selected that will optimize the performance of a model without the use of all the markers. One way to define the optimum number of terms is to choose the number of terms that produce a model with desired predictive ability (*e.g.* an $AUC > 0.75$, or equivalent measures of sensitivity/specificity) that lies no more than one standard error from the maximum value obtained for this metric using any combination and number of terms used for the given algorithm.

[00263] In yet another aspect, the invention provides kits for determining the EDD for a pregnant female. The kit can include one or more agents for detection of biomarkers, a container for holding a biological sample isolated from a pregnant female; and printed instructions for reacting agents with the biological sample or a portion of the biological sample to detect the presence or amount of the isolated biomarkers in the biological sample. The agents can be packaged in separate containers. The kit can further comprise one or more control reference samples and reagents for performing an immunoassay.

[00264] The kit can comprise one or more containers for compositions or reagents contained in the kit. Compositions can be in liquid form or can be lyophilized. Suitable containers for the compositions include, for example, bottles, vials, syringes, and test tubes. Containers can be formed from a variety of materials, including glass or plastic. The kit can also comprise a package insert containing written instructions for methods for separating a pregnancy that delivers before 270 days from a pregnancy that delivers on or after 280 days.

[00265] From the foregoing description, it will be apparent that variations and modifications can be made to the invention described herein to adopt it to various usages and conditions. Such embodiments are also within the scope of the following claims.

[00266] The recitation of a listing of elements in any definition of a variable herein includes definitions of that variable as any single element or combination (or subcombination) of listed elements. The recitation of an embodiment herein includes that embodiment as any single embodiment or in combination with any other embodiments or portions thereof.

[00267] All patents and publications mentioned in this specification are herein incorporated by reference to the same extent as if each independent patent and publication was specifically and individually indicated to be incorporated by reference. 5

[00268] Table 1. Reversals with AUC $\geq$ 0.65 , comprising blood draw windows starting from day 137 to 150 of gestation.

P1	P2	p.value	AUC
CATD_VGFAEAAR	TENX_LSQSVTDVTTSSLR	2.4E-06	0.839
CATD_VGFAEAAR	TENX_LNWEAPPGAFFDSFLLR	1.7E-05	0.838
CATD_VSTLPATLK	TENX_LNWEAPPGAFFDSFLLR	7.5E-06	0.821
CATD_VSTLPATLK	TENX_LSQSVTDVTTSSLR	1.7E-06	0.813
CATD_VGFAEAAR	SPRL1_VLTHSELAPLR	3.0E-04	0.800
APOC3_GWVTDGFSSLK	TENX_LSQSVTDVTTSSLR	1.9E-05	0.797
APOC3_GWVTDGFSSLK	TENX_LNWEAPPGAFFDSFLLR	1.4E-05	0.792
APOC3_GWVTDGFSSLK	IBP3_FLNVLSPR	3.0E-05	0.790
APOC3_GWVTDGFSSLK	IBP3_YGQPLPGYTTK	4.6E-05	0.789
APOC3_GWVTDGFSSLK	LYAM1_SYYWIGIR	6.1E-05	0.788
APOC3_GWVTDGFSSLK	SPRL1_VLTHSELAPLR	1.6E-05	0.782
CATD_VGFAEAAR	IBP3_YGQPLPGYTTK	9.0E-04	0.782
CATD_VGFAEAAR	CHL1_VIAVNEVGR	4.1E-04	0.781
APOC3_GWVTDGFSSLK	ALS_IRPHTFTGLSGLR	4.7E-05	0.777
CATD_VSTLPATLK	IBP3_YGQPLPGYTTK	4.9E-04	0.777
APOC3_GWVTDGFSSLK	IGF2_GIVECCFR	7.1E-05	0.773
IBP4_QCHPALDGQR	TENX_LNWEAPPGAFFDSFLLR	4.0E-06	0.773
APOC3_GWVTDGFSSLK	PGRP2_AGLLRPDYALLGHR	1.8E-04	0.773
CATD_VGFAEAAR	IGF2_GIVECCFR	1.8E-03	0.773
VTNC_VDTVDPYPR	TENX_LNWEAPPGAFFDSFLLR	4.8E-06	0.773
APOC3_GWVTDGFSSLK	CRIS3_YEDLYSNCK	7.4E-05	0.771
APOC3_GWVTDGFSSLK	TIE1_VSWSLPLVPGPLVGDGFLLR	2.2E-05	0.770
CATD_VGFAEAAR	LYAM1_SYYWIGIR	8.4E-04	0.770
IBP4_QCHPALDGQR	TENX_LSQSVTDVTTSSLR	7.1E-06	0.770
CATD_VGFAEAAR	TIE1_VSWSLPLVPGPLVGDGFLLR	4.7E-04	0.769

APOC3_GWVTDGFSSLK	CRIS3_AVSPPAR	1.0E-04	0.767
CATD_VSTLPAILK	SPRL1_VLTHSELAPLR	3.0E-04	0.766
APOC3_GWVTDGFSSLK	VTDB_ELPEHTVK	2.2E-05	0.766
CATD_VGFAEAAR	PGRP2_AGLRPDYALLGHR	2.7E-03	0.764
B2MG_VNHVTLSPK	TENX_LSQSVTDVTTSSLR	1.5E-05	0.763
CATD_VGFAEAAR	IBP3_FLNVLSR	1.2E-03	0.763
VTNC_GQYCYELDEK	TENX_LNWEAPPGAFDSFLLR	1.8E-05	0.762
APOC3_GWVTDGFSSLK	HEMO_NFPSPVDAAFR	3.0E-05	0.761
CATD_VSTLPAILK	CHL1_VIAVNEVGR	3.6E-04	0.761
VTNC_VDTVDPYPR	TENX_LSQSVTDVTTSSLR	2.1E-05	0.761
APOC3_GWVTDGFSSLK	HABP2_FLNWK	1.4E-01	0.760
CD14_SWLAELQQWLKPKL	TENX_LNWEAPPGAFDSFLLR	1.5E-05	0.760
INHBC_LDFHFSSDR	TENX_LNWEAPPGAFDSFLLR	8.6E-06	0.760
APOC3_GWVTDGFSSLK	FETUA_FSVVYAK	3.6E-05	0.759
APOC3_GWVTDGFSSLK	PEDF_TVQAVLTPK	6.5E-05	0.759
CO5_VFQFLEK	TENX_LNWEAPPGAFDSFLLR	1.1E-05	0.758
APOC3_GWVTDGFSSLK	FETUA_IITLNQIDEVK	2.3E-05	0.758
INHBC_LDFHFSSDR	TENX_LSQSVTDVTTSSLR	2.0E-05	0.757
APOC3_GWVTDGFSSLK	CHL1_VIAVNEVGR	6.8E-05	0.756
B2MG_VNHVTLSPK	TENX_LNWEAPPGAFDSFLLR	8.4E-06	0.756
CATD_VGFAEAAR	CRIS3_YEDLYSNCK	2.1E-03	0.756
CATD_VSTLPAILK	IGF2_GIVECCFR	1.2E-03	0.755
APOC3_GWVTDGFSSLK	CO6_ALNHLPLEYNSALYSR	2.4E-05	0.755
CATD_VSTLPAILK	IBP3_FLNVLSR	7.0E-04	0.753
CATD_VGFAEAAR	CRIS3_AVSPPAR	7.7E-03	0.752
IBP4_QCHPALDGQR	SPRL1_VLTHSELAPLR	1.3E-04	0.752
APOC3_GWVTDGFSSLK	CBPN_EALIQFLEQVHQGIK	2.0E-04	0.751
KNG1_QVVAGLNFR	TENX_LNWEAPPGAFDSFLLR	2.4E-05	0.751
CD14_SWLAELQQWLKPKL	TENX_LSQSVTDVTTSSLR	8.0E-05	0.750
APOC3_GWVTDGFSSLK	KNG1_DIPTNSPELEETLHTITK	2.4E-05	0.749
CATD_VGFAEAAR	ALS_IRPHTFTGLSGLR	2.9E-03	0.747
KNG1_QVVAGLNFR	TENX_LSQSVTDVTTSSLR	4.1E-05	0.747
APOC3_GWVTDGFSSLK	ANGT_DPTFIPAPIQAK	6.4E-05	0.746
CATD_VGFAEAAR	FETUA_HTLNQIDEVK	2.3E-02	0.746
APOC3_GWVTDGFSSLK	NCAM1_GLGEISAASEFK	1.6E-04	0.745
B2MG_VNHVTLSPK	LYAM1_SYYWIGIR	9.1E-05	0.745
VTNC_VDTVDPYPR	IBP3_YGQPLPGYTTK	1.2E-04	0.745
APOC3_GWVTDGFSSLK	BGH3_LTLLAPLNSVFK	4.5E-05	0.744
APOC3_GWVTDGFSSLK	PTGDS_GPGEDFR	2.4E-03	0.744
APOC3_GWVTDGFSSLK	AFAM_DADPDIFFAK	1.0E-04	0.744
B2MG_VNHVTLSPK	CRIS3_AVSPPAR	5.3E-04	0.743
APOC3_GWVTDGFSSLK	APOH_ATVVYQGER	7.0E-04	0.742
CATD_VSTLPAILK	TIE1_VSWSLPLVPGPLVGDGFLR	5.3E-04	0.742

B2MG_VNHVTLSQLK	SPRL1_VLTHSELAPLR	2.1E-04	0.741
LBP_ITGFLKPGK	TENX_LNWEAPPGAFDSFLLR	9.1E-05	0.741
B2MG_VNHVTLSQLK	IBP3_YGQPLPGYTTK	1.8E-04	0.741
CATD_VGFAEAAR	NCAM1_GLGEISAASEFK	6.8E-04	0.741
CO5_VFQFLEK	TENX_LSQSVTDVTTSSLR	4.6E-05	0.741
CD14_LTVGAAQVPAQLLVGALR	TENX_LNWEAPPGAFDSFLLR	4.1E-05	0.740
APOC3_GWVTDGFSSLK	AFAM_HFQNLGK	1.6E-04	0.740
APOC3_GWVTDGFSSLK	SOM2.CSH_NYGLLYCFR	3.6E-04	0.740
B2MG_VNHVTLSQLK	CHL1_VIAVNEVGR	1.3E-03	0.739
CATD_VSTLPAILK	LYAM1_SYYWIGIR	8.1E-04	0.739
APOC3_GWVTDGFSSLK	CO8A_SLLQPNK	1.4E-04	0.739
APOC3_GWVTDGFSSLK	SHBG_IALGGLFPASNLR	5.1E-04	0.739
CATD_VGFAEAAR	PEDF_TVQAVLTVPK	5.9E-03	0.739
CO5_VFQFLEK	SPRL1_VLTHSELAPLR	3.7E-04	0.739
APOC3_GWVTDGFSSLK	CSH_AHQLAIDTYQFEETYIPK	3.9E-04	0.738
APOC3_GWVTDGFSSLK	KNG1_QVVAGLNFR	1.7E-04	0.738
B2MG_VEHSDLSFSK	TENX_LSQSVTDVTTSSLR	6.1E-05	0.738
CO5_VFQFLEK	IBP3_YGQPLPGYTTK	4.0E-04	0.738
CO5_VFQFLEK	LYAM1_SYYWIGIR	1.2E-04	0.737
IBP6_HLDSVLQQLQTEVYR	TENX_LNWEAPPGAFDSFLLR	6.4E-05	0.737
ITIH3_ALDLSLK	LYAM1_SYYWIGIR	9.4E-04	0.737
APOC3_GWVTDGFSSLK	C163A_INPASLDK	1.0E-04	0.737
B2MG_VEHSDLSFSK	TENX_LNWEAPPGAFDSFLLR	4.6E-05	0.737
CATD_VGFAEAAR	PTGDS_GPGEDFR	1.1E-03	0.736
VTNC_GQCYELDEK	TENX_LSQSVTDVTTSSLR	7.7E-05	0.736
CATD_VGFAEAAR	FETUA_FSVVYAK	3.2E-02	0.736
CATD_VSTLPAILK	PGRP2_AGLLRPDYALLGHR	2.3E-03	0.736
APOC3_GWVTDGFSSLK	F13B_GDTPAELYITGSILR	2.0E-04	0.735
CATD_VGFAEAAR	AFAM_DADPDFFAK	1.1E-02	0.735
APOC3_GWVTDGFSSLK	PEDF_LQSLFDSPDFSK	4.9E-04	0.735
B2MG_VNHVTLSQLK	IGF2_GIVECCFR	4.7E-04	0.735
APOC3_GWVTDGFSSLK	CDPN_NNANGVDLNR	4.8E-04	0.734
APOC3_GWVTDGFSSLK	THBG_AVLHIGEK	7.8E-05	0.734
CATD_VSTLPAILK	CRIS3_YEDLYSNCK	1.8E-03	0.734
CO5_TLLPVSKPEIR	TENX_LNWEAPPGAFDSFLLR	6.0E-05	0.734
APOC3_GWVTDGFSSLK	PSG3_VSAPSGTGHLPLNPL	4.1E-04	0.734
ENPP2_TYLHTYESEI	TENX_LNWEAPPGAFDSFLLR	8.7E-04	0.734
LBP_ITGFLKPGK	LYAM1_SYYWIGIR	1.7E-03	0.733
CATD_VGFAEAAR	AFAM_HFQNLGK	8.4E-03	0.733
CATD_VGFAEAAR	CBPN_EALIQFLEQVHQGIK	5.6E-03	0.733
SOM2.CSH_SVEGSCGF	TENX_LNWEAPPGAFDSFLLR	3.8E-04	0.733
ANGT_DPTFIPAPIQAK	TENX_LNWEAPPGAFDSFLLR	1.6E-04	0.732
B2MG_VNHVTLSQLK	CRIS3_YEDLYSNCK	2.5E-04	0.732

CATD_VGFAEAAR	HEMO_NFPSPVDAAFR	4.5E-03	0.732
CD14_LTVGAAQVPAQLLVGALR	TENX_LSQSVTDVTTSSLR	2.1E-04	0.732
LBP_ITLPDFTGDLR	LYAM1_SYYWIGIR	1.1E-03	0.732
LBP_ITLPDFTGDLR	TENX_LNWEAPPGAFDSFLLR	8.9E-05	0.732
APOC3_GWVTDGFSSLK	CLUS_LFSDSPITVTVPVEVSR	1.6E-04	0.732
APOC3_GWVTDGFSSLK	CO8B_QALEEFQK	3.5E-04	0.731
CATD_VGFAEAAR	CO6_ALNHLPLEYNSALYSR	3.7E-03	0.731
CATD_VGFAEAAR	F13B_GDTYPAELYITGSILR	2.6E-03	0.731
IBP6_HLDSVLQQQLQTEVYR	TENX_LSQSVTDVTTSSLR	8.9E-05	0.731
APOH_ATVVYQGER	TENX_LNWEAPPGAFDSFLLR	1.9E-04	0.730
ENPP2_TYLHTYESEI	TENX_LSQSVTDVTTSSLR	9.9E-04	0.730
VTNC_GQYCYELDEK	IBP3_YGQPLPGYTTK	6.7E-04	0.730
APOC3_GWVTDGFSSLK	CLUS_ASSIIDELFQDR	2.6E-04	0.730
APOC3_GWVTDGFSSLK	IBP6_GAQTLYVPNCDHR	3.9E-04	0.730
APOC3_GWVTDGFSSLK	ITIH4_ILDDLSPR	3.2E-04	0.730
CATD_VSTLPATLK	ALS_IRPHTFTGLSGLR	2.1E-03	0.730
CFAB_YGLVTYATYPK	TENX_LNWEAPPGAFDSFLLR	1.2E-04	0.730
PEDF_LQSLFDSPDFSK	TENX_LNWEAPPGAFDSFLLR	2.8E-04	0.730
ENPP2_TEFLSNYLTNVDDITLVP GTLGR	TENX_LSQSVTDVTTSSLR	1.2E-03	0.729
APOC3_GWVTDGFSSLK	CO5_TLLPVSKPEIR	4.3E-04	0.728
ENPP2_TEFLSNYLTNVDDITLVP GTLGR	TENX_LNWEAPPGAFDSFLLR	9.2E-04	0.728
HEMO_NFPSPVDAAFR	TENX_LNWEAPPGAFDSFLLR	1.5E-04	0.727
IBP4_QCHPALDGQR	CRIS3_YEDLYSNCK	1.6E-04	0.727
KNG1_DIPTNSPELEETLHTITK	TENX_LNWEAPPGAFDSFLLR	9.0E-05	0.727
LBP_ITGFLKPGK	TENX_LSQSVTDVTTSSLR	1.4E-04	0.727
IBP4_QCHPALDGQR	CRIS3_AVSPPAR	2.3E-04	0.727
CATD_VGFAEAAR	VTDB_ELPEHTVK	5.4E-03	0.727
CO8B_QALEEFQK	TENX_LNWEAPPGAFDSFLLR	7.6E-05	0.727
LBP_ITGFLKPGK	CHL1_VIAVNEVGR	2.2E-03	0.727
VTNC_VDTVDPYPR	IBP3_FLNVLSR	3.2E-04	0.726
CATD_VGFAEAAR	SHBG_IALGGLFPASNLR	7.7E-03	0.726
APOC3_GWVTDGFSSLK	CD14_LTVGAAQVPAQLLVGALR	3.5E-04	0.726
CATD_VGFAEAAR	THBG_AVLHIGEK	1.0E-02	0.726
CO5_TLLPVSKPEIR	TENX_LSQSVTDVTTSSLR	1.5E-04	0.725
IBP4_QCHPALDGQR	IBP3_YGQPLPGYTTK	2.4E-04	0.725
B2MG_VNHVTL SQPK	IBP3_FLNVLSR	2.9E-04	0.724
CO5_VFQFLEK	IBP3_FLNVLSR	9.6E-04	0.724
APOC3_GWVTDGFSSLK	CD14_SWLAELQQWLKPKLK	8.2E-04	0.724
IBP4_QCHPALDGQR	CHL1_VIAVNEVGR	5.6E-04	0.723
ITIH3_ALDLSLK	TENX_LNWEAPPGAFDSFLLR	1.1E-04	0.723
LBP_ITLPDFTGDLR	CRIS3_YEDLYSNCK	2.4E-04	0.723
IBP4_QCHPALDGQR	LYAM1_SYYWIGIR	2.6E-04	0.722
PEDF_LQSLFDSPDFSK	TENX_LSQSVTDVTTSSLR	3.8E-04	0.722

LBP_ITGFLKPGK	CRIS3_YEDLYSNCK	2.2E-04	0.722
APOC3_GWVTDGFSSLK	CSH_ISLLIESWLEPVR	1.4E-03	0.722
CATD_VGFAEAAR	HABP2_FLNWIK	4.0E-01	0.722
ENPP2_TYLHTYESEI	CRIS3_YEDLYSNCK	1.0E-02	0.722
ENPP2_TYLHTYESEI	LYAM1_SYYWIGIR	1.1E-02	0.722
A2GL_DLLLPQPDLR	TENX_LSQSVTDVTTSSLR	8.5E-04	0.721
KNG1_QVVAGLNFR	CHL1_VIAVNEVGR	1.1E-03	0.721
LBP_ITGFLKPGK	IBP3_YGQPLPGYTTK	9.0E-04	0.721
CATD_VSTLPAILTK	CRIS3_AVSPPAR	5.6E-03	0.721
KNG1_QVVAGLNFR	SPRL1_VLTHSELAPLR	9.0E-04	0.721
LBP_ITLPDFTGDLR	CHL1_VIAVNEVGR	1.8E-03	0.721
A2GL_DLLLPQPDLR	TENX_LNWEAPPGAFFDSFLLR	2.1E-04	0.720
LBP_ITLPDFTGDLR	TENX_LSQSVTDVTTSSLR	1.4E-04	0.720
APOC3_GWVTDGFSSLK	IBP6_HLDSVLQQLQTEVYR	4.1E-04	0.720
APOC3_GWVTDGFSSLK	PAPP1_DIPHWLNPTR	1.1E-03	0.720
ITIH3_ALDLSLK	TENX_LSQSVTDVTTSSLR	1.8E-04	0.720
KNG1_DIPTNSPELEETLHTITK	TENX_LSQSVTDVTTSSLR	1.8E-04	0.720
APOC3_GWVTDGFSSLK	PRG2_WNFAYWAAHQPSR	1.2E-03	0.719
CO5_VFQFLEK	CHL1_VIAVNEVGR	4.6E-04	0.719
INHBC_LDFHFSSDR	IBP3_YGQPLPGYTTK	7.5E-04	0.719
ITIH4_ILDDLSPR	TENX_LNWEAPPGAFFDSFLLR	1.3E-04	0.719
LBP_ITLPDFTGDLR	IBP3_YGQPLPGYTTK	1.3E-03	0.719
CATD_VSTLPAILTK	FETUA_HTLNQIDEVK	1.6E-02	0.718
CATD_VSTLPAILTK	PTGDS_GPGEDFR	1.6E-03	0.718
CO8B_QALEEFQK	TENX_LSQSVTDVTTSSLR	2.7E-04	0.718
VTNC_VDTVDPYPR	ALS_IRPHTFTGLSGLR	1.3E-03	0.718
KNG1_QVVAGLNFR	IBP3_YGQPLPGYTTK	1.0E-03	0.717
VTNC_VDTVDPYPR	CRIS3_YEDLYSNCK	4.6E-04	0.717
CATD_VGFAEAAR	PAPP1_DIPHWLNPTR	3.5E-03	0.717
APOC3_GWVTDGFSSLK	VTNC_GQCYELDEK	3.6E-04	0.716
VTNC_GQCYELDEK	IBP3_FLNVLSR	1.6E-03	0.716
CO8A_SLLQPNK	TENX_LNWEAPPGAFFDSFLLR	4.1E-04	0.716
ENPP2_TEFLSNYLTNVDDITLVPGLGR	CRIS3_YEDLYSNCK	7.9E-03	0.716
LBP_ITLPDFTGDLR	CRIS3_AVSPPAR	4.1E-04	0.716
APOC3_GWVTDGFSSLK	CO5_VFQFLEK	1.0E-03	0.716
LBP_ITGFLKPGK	CRIS3_AVSPPAR	6.2E-04	0.716
VTNC_GQCYELDEK	LYAM1_SYYWIGIR	8.7E-04	0.716
CATD_VGFAEAAR	IBP6_GAQTLYVPNCDDR	3.8E-03	0.715
APOH_ATVVYQGER	TENX_LSQSVTDVTTSSLR	3.4E-04	0.715
VTNC_VDTVDPYPR	SPRL1_VLTHSELAPLR	6.0E-04	0.715
ENPP2_TYLHTYESEI	CRIS3_AVSPPAR	1.5E-02	0.714
CATD_VGFAEAAR	CBPN_NNANGVDLNR	1.5E-02	0.714
ENPP2_TEFLSNYLTNVDDITLVPGLGR	LYAM1_SYYWIGIR	1.1E-02	0.714

APOC3_GWVTDGFSSLK	ITIH4_NPLVWVHASPEHVVVTR		0.713
B2MG_VEHSDLSFSK	LYAM1_SYYWIGIR	6.3E-04	0.713
VTNC_VDTVDPYPYPR	LYAM1_SYYWIGIR	1.3E-03	0.713
CATD_VGFAEAAR	PRG2_WNFAYWAAHQPSR	2.4E-03	0.713
CD14_SWLAELQQWLKPK	IBP3_YGQPLPGYTTK	5.4E-04	0.713
ENPP2_TEFLSNYLTNVDDITLVPGLGR	CRIS3_AVSPPAR	1.2E-02	0.713
IBP4_QCHPALDGQR	IBP3_FLNVLSR	3.7E-04	0.712
ITIH4_ILDDLSPR	TENX_LSQSVTDVTTSSLR	3.0E-04	0.712
CATD_VGFAEAAR	ITIH4_ILDDLSPR	1.0E-02	0.711
VTNC_VDTVDPYPYPR	CHL1_VIAVNEVGR	6.2E-04	0.711
B2MG_VEHSDLSFSK	CHL1_VIAVNEVGR	3.5E-03	0.711
B2MG_VEHSDLSFSK	SPRL1_VLTHSELAPLR	1.4E-03	0.711
CFAB_YGLVTYATYPK	TENX_LSQSVTDVTTSSLR	5.4E-04	0.711
HEMO_NFPSPVDAAFR	TENX_LSQSVTDVTTSSLR	6.7E-04	0.711
C1QB_VPGLYYFTYHASSR	TENX_LNWEAPPGAFFDSFLLR	2.7E-03	0.710
CSH_AHQLAIDTYQFEETYIPK	TENX_LNWEAPPGAFFDSFLLR	9.6E-04	0.710
CATD_VGFAEAAR	KNG1_DIPTNSPELEETLTHTITK	1.3E-02	0.710
ITIH3_ALDLSLK	CHL1_VIAVNEVGR	3.8E-03	0.710
VTNC_VDTVDPYPYPR	IGF2_GIVECCFR	8.6E-04	0.710
APOC3_GWVTDGFSSLK	VTNC_VDTVDPYPYPR	5.6E-04	0.709
VTNC_GQYCYELDEK	IGF2_GIVECCFR	3.7E-03	0.709
INHBC_LDFHFSSDR	IBP3_FLNVLSR	8.8E-04	0.709
ITIH3_ALDLSLK	CRIS3_AVSPPAR	1.7E-03	0.708
KNG1_QVVAGLNFR	LYAM1_SYYWIGIR	9.7E-04	0.708
ITIH3_ALDLSLK	CRIS3_YEDLYSNCK	1.5E-03	0.707
SOM2.CSH_SVEGSCGF	TENX_LSQSVTDVTTSSLR	7.0E-04	0.707
CLUS_ASSIIDELFQDR	TENX_LSQSVTDVTTSSLR	5.1E-04	0.706
CATD_VGFAEAAR	C163A_INPASLDK	1.3E-02	0.705
ITIH4_ILDDLSPR	CHL1_VIAVNEVGR	2.6E-03	0.705
VTNC_VDTVDPYPYPR	CRIS3_AVSPPAR	7.1E-04	0.705
CLUS_ASSIIDELFQDR	TENX_LNWEAPPGAFFDSFLLR	2.2E-04	0.705
CO5_VFQFLEK	CRIS3_YEDLYSNCK	6.7E-04	0.705
ITIH3_ALDLSLK	SPRL1_VLTHSELAPLR	3.5E-03	0.705
INHBC_LDFHFSSDR	SPRL1_VLTHSELAPLR	1.5E-03	0.705
B2MG_VNHVTLSQLPK	TIE1_VSWSLPLVPGPLVGDGFLR	3.8E-03	0.703
CATD_VGFAEAAR	IBP6_HLDSVLQQLQTEVYR	5.5E-03	0.703
VTNC_GQYCYELDEK	ALS_IRPHTFTGLSGLR	3.5E-03	0.703
VTNC_GQYCYELDEK	CHL1_VIAVNEVGR	1.7E-03	0.703
LBP_ITLPDFTGDLR	SPRL1_VLTHSELAPLR	6.9E-04	0.703
B2MG_VEHSDLSFSK	CRIS3_YEDLYSNCK	8.6E-04	0.702
CO5_VFQFLEK	CRIS3_AVSPPAR	6.2E-04	0.702
CO5_VFQFLEK	IGF2_GIVECCFR	1.3E-03	0.702
ANGT_DPTFIPAPIQAK	TENX_LSQSVTDVTTSSLR	3.6E-04	0.702

B2MG_VNHVTL SQPK	ALS_IRPHTFTGLSGLR	1.4E-03	0.702
CATD_VGFAEAAAR	ANGT_DPTFIPAPIQAK	1.2E-02	0.702
CATD_VGFAEAAAR	SOM2.CSH_NYGLLYCFR	2.5E-03	0.702
IBP2_LIQGAPTIR	TENX_LNWEAPPGA FDSFLLR	5.3E-03	0.702
VTDB_ELPEHTVK	TENX_LNWEAPPGA FDSFLLR	3.8E-04	0.702
CATD_VGFAEAAAR	PEDF_LQSLFDSPDFSK	8.2E-03	0.701
APOC3_GWVTDGFSSLK	IBP4_QCHPALDGQR	1.3E-03	0.701
C1QB_VPGLYYFTYHASSR	TENX_LSQLSVTDVTTSSLR	2.8E-03	0.701
CATD_VGFAEAAAR	APOH_ATVVYQGER	1.4E-02	0.701
CD14_SWLAELQQWLKPGLK	IBP3_FLNVLSPR	1.2E-03	0.701
CO5_TLLPVSKPEIR	IBP3_YGQPLPGYTTK	1.3E-03	0.701
CO5_VFQFLEK	ALS_IRPHTFTGLSGLR	3.7E-03	0.701
INHBC_LDFHFSSDR	CHL1_VIAVNEVGR	9.3E-04	0.701
ITI4_ILDDLSPR	LYAM1_SYYWIGIR	3.7E-03	0.700
B2MG_VEHSDLSFSK	CRIS3_AVSPPAR	2.1E-03	0.700
B2MG_VEHSDLSFSK	IBP3_YGQPLPGYTTK	7.1E-04	0.700
INHBC_LDFHFSSDR	IGF2_GIVEECCFR	1.3E-03	0.700
LBP_ITGFLKPGK	IBP3_FLNVLSPR	1.2E-03	0.700
APOC3_GWVTDGFSSLK	FBLN1_TGYYFDGISR	2.3E-02	0.699
CO5_VFQFLEK	TIE1_VSWSLPLVPGPLVGDGFLLR	3.3E-03	0.699
INHBC_LDFHFSSDR	LYAM1_SYYWIGIR	1.1E-03	0.699
CFAB_YGLVTYATYPK	IBP3_FLNVLSPR	5.3E-03	0.699
CO5_TLLPVSKPEIR	SPRL1_VLTHSELAPLR	6.5E-03	0.699
CO6_ALNHLPLEYNSALYSR	TENX_LNWEAPPGA FDSFLLR	1.1E-03	0.699
IBP4_QCHPALDGQR	PGRP2_AGLLRPDYALLGHR	2.4E-03	0.699
KNG1_QVVAGLNFR	CRIS3_YEDLYSNCK	8.5E-04	0.699
LBP_ITGFLKPGK	SPRL1_VLTHSELAPLR	9.0E-04	0.699
CATD_VSTLPAILTK	CO6_ALNHLPLEYNSALYSR	3.3E-03	0.698
LBP_ITGFLKPGK	PGRP2_AGLLRPDYALLGHR	2.5E-03	0.698
VTNC_GQYCYELDEK	CRIS3_AVSPPAR	1.2E-03	0.698
B2MG_VEHSDLSFSK	IGF2_GIVEECCFR	1.4E-03	0.698
CATD_VSTLPAILTK	IICMO_NFPSVDAAFR	4.9E-03	0.698
CATD_VSTLPAILTK	PEDF_TVQAVLTVPK	5.6E-03	0.698
CFAB_YGLVTYATYPK	IBP3_YGQPLPGYTTK	2.6E-03	0.698
CO8B_QALEEFQK	IBP3_YGQPLPGYTTK	1.2E-03	0.698
IBP4_QCHPALDGQR	IGF2_GIVEECCFR	7.1E-04	0.698
INHBC_LDFHFSSDR	TIE1_VSWSLPLVPGPLVGDGFLLR	3.3E-03	0.698
LBP_ITLPDFTGDLR	IBP3_FLNVLSPR	1.3E-03	0.698
SOM2.CSH_NYGLLYCFR	TENX_LNWEAPPGA FDSFLLR	1.4E-03	0.698
A2GL_DLLLPQPDLR	LYAM1_SYYWIGIR	2.8E-03	0.697
AFAM_HFQNLGK	TENX_LNWEAPPGA FDSFLLR	9.2E-04	0.697
CATD_VGFAEAAAR	PSG3_VSAPSGTGHLPLNPL	1.2E-02	0.697
CFAB_YGLVTYATYPK	LYAM1_SYYWIGIR	1.1E-03	0.697

IBP6_GAQTLYVPNCDHR	TENX_LNWEAPPGAFDSFLLR	9.3E-04	0.697
A2GL_DLLLQPDLR	SPRL1_VLTHSELAPLR	9.2E-03	0.697
INHBC_LDFHFSSDR	CRIS3_AVSPPAR	1.5E-03	0.697
VTNC_GQYCYELDEK	SPRL1_VLTHSELAPLR	2.9E-03	0.697
CATD_VGFAEAAR	BGH3_LTLLAPLNSVFK	1.5E-02	0.696
CSH_AHQLAIDTYQFEETYIPK	TENX_LSQLSVTDVTTSSLR	2.2E-03	0.696
ENPP2_TYLHTYESEI	IBP3_YGQPLPGYTTK	4.4E-03	0.696
AFAM_DADPDTFFAK	TENX_LNWEAPPGAFDSFLLR	7.6E-04	0.695
CATD_VSTLPAITLK	NCAM1_GLGEISAASEFK	1.4E-03	0.695
CATD_VSTLPAITLK	FETUA_FSVVYAK	2.3E-02	0.695
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	CHL1_VIAVNEVGR	3.4E-03	0.695
B2MG_VEHSDLSFSK	IBP3_FLNVLSR	1.1E-03	0.694
CO5_TLLPVSKPEIR	LYAM1_SYYWIGIR	1.2E-03	0.694
LBP_ITGFLKPGK	IGF2_GIVEECCFR	1.7E-03	0.694
APOC3_GWVTDGFSSLK	B2MG_VNHVTLSQLPK	3.3E-03	0.694
CO8B_QALEEFQK	IBP3_FLNVLSR	2.1E-03	0.694
ENPP2_TYLHTYESEI	CHL1_VIAVNEVGR	3.3E-03	0.694
CATD_VSTLPAITLK	PAPP1_DIPHWLNPTR	3.2E-03	0.693
CATD_VSTLPAITLK	PRG2_WNFAYWAAHQPSR	2.5E-03	0.693
CD14_SWLAELQQWLKPLK	ALS_IRPHTFTGLSGLR	1.9E-03	0.693
CFAB_YGLVTYATYPK	CHL1_VIAVNEVGR	5.6E-03	0.693
VTNC_VDTVDPYPYR	VTDB_ELPEHTVK	2.5E-03	0.693
CATD_VSTLPAITLK	VTDB_ELPEHTVK	4.9E-03	0.693
CBPN_NNANGVDLNR	TENX_LNWEAPPGAFDSFLLR	1.9E-03	0.693
CD14_SWLAELQQWLKPLK	LYAM1_SYYWIGIR	1.8E-03	0.693
CSH_ISLLIESWLEPVR	TENX_LNWEAPPGAFDSFLLR	1.4E-03	0.693
LBP_ITGFLKPGK	ALS_IRPHTFTGLSGLR	5.5E-03	0.693
ENPP2_TYLHTYESEI	IGF2_GIVEECCFR	1.4E-02	0.693
LBP_ITGFLKPGK	TIE1_VSWSLPLVPGPLVGDGFLR	2.0E-03	0.693
LBP_ITLPDFTGDLR	PGRP2_AGLLRPDYALLGHR	2.3E-03	0.693
A2GL_DLLLQPDLR	IBP3_YGQPLPGYTTK	1.6E-03	0.692
CATD_VGFAEAAR	CO5_TLLPVSKPEIR	1.4E-02	0.692
VTNC_GQYCYELDEK	CRIS3_YEDLYSNCK	1.3E-03	0.692
AFAM_HFQNLGK	TENX_LSQLSVTDVTTSSLR	1.6E-03	0.692
ENPP2_TYLHTYESEI	IBP3_FLNVLSR	5.5E-03	0.692
INHBC_LDFHFSSDR	CRIS3_YEDLYSNCK	1.2E-03	0.692
LBP_ITLPDFTGDLR	ALS_IRPHTFTGLSGLR	4.4E-03	0.692
CATD_VSTLPAITLK	F13B_GDTYPAELYITGSILR	3.6E-03	0.691
CO5_TLLPVSKPEIR	IBP3_FLNVLSR	2.9E-03	0.691
INHBC_LDFHFSSDR	PEDF_TVQAVLTVPK	1.2E-03	0.691
KNG1_QVVAGLNFR	IBP3_FLNVLSR	1.4E-03	0.691
PEDF_TVQAVLTVPK	TENX_LNWEAPPGAFDSFLLR	1.1E-03	0.691
PEDF_TVQAVLTVPK	TENX_LSQLSVTDVTTSSLR	2.0E-03	0.691

CATD_VSTLPAITLK	AFAM_DADPDFTFAK	1.0E-02	0.691
AFAM_DADPDFTFAK	TENX_LSQSVTDVTTSSLR	1.1E-03	0.690
CFAB_YGLVTYATYPK	ALS_IRPHTFTGLSGLR	1.2E-02	0.690
ITIH4_ILDDLSPR	SPRL1_VLTHSELAPLR	1.2E-02	0.690
CATD_VSTLPAITLK	AFAM_HFQNLGK	7.4E-03	0.690
CATD_VSTLPAITLK	HABP2_FLNWIK	3.9E-01	0.690
APOC3_GWVTDGFSSLK	A2GL_DLLLPQPDLR	5.4E-03	0.689
ITIH3_ALDLSLK	IBP3_YGQPLPGYTTK	2.0E-03	0.689
VTNC_VDTVDPYPYR	TIE1_VSWSLPLVPGPLVGDGFLLR	1.1E-03	0.689
A2GL_DLLLPQPDLR	CRIS3_YEDLYSNCK	1.4E-03	0.689
C1QB_VPGLYYFTYHASSR	IBP3_YGQPLPGYTTK	3.5E-03	0.689
CATD_VGFAEAAR	CLUS_ASSIIDELFQDR	1.7E-02	0.689
ENPP2_TYLHTYESEI	ALS_IRPHTFTGLSGLR	1.9E-02	0.689
ENPP2_TYLHTYESEI	SPRL1_VLTHSELAPLR	6.8E-03	0.689
IBP4_QCHPALDGQR	ALS_IRPHTFTGLSGLR	3.8E-03	0.689
INHBC_LDFHFSSDR	ALS_IRPHTFTGLSGLR	2.3E-03	0.689
CATD_VSTLPAITLK	SHBG_IALGGLFPASNLR	8.6E-03	0.688
CD14_SWLAELQQWLKPLK	SPRL1_VLTHSELAPLR	1.5E-03	0.688
C1QB_VPGLYYFTYHASSR	LYAM1_SYYWIGIR	5.8E-03	0.688
CATD_VGFAEAAR	CLUS_LFSDPITVTVPEVSR	1.6E-02	0.688
CO8A_SLLQPNK	TENX_LSQSVTDVTTSSLR	1.5E-03	0.688
IBP6_GAQTLYVPNCDHR	TENX_LSQSVTDVTTSSLR	7.5E-04	0.688
ITIH3_ALDLSLK	PGRP2_AGLLRPDYALLGHR	1.8E-03	0.688
CLUS_ASSIIDELFQDR	IBP3_YGQPLPGYTTK	3.0E-03	0.688
ENPP2_TFELSNYLTNVDDITLVPGLGR	IBP3_YGQPLPGYTTK	3.3E-03	0.688
LBP_ITGFLKPGK	CO6_ALNHLPLEYSALYSR	5.2E-03	0.688
LBP_ITGFLKPGK	FETUA_HTLNQIDEVK	2.0E-03	0.688
LBP_ITLPDFTGDLR	TIE1_VSWSLPLVPGPLVGDGFLLR	2.4E-03	0.688
CBPN_NNANGVDLNR	TENX_LSQSVTDVTTSSLR	4.2E-03	0.687
IBP2_LIQGAPTIR	TENX_LSQSVTDVTTSSLR	3.0E-03	0.687
SOM2.CSH_NYGLLYCFR	TENX_LSQSVTDVTTSSLR	3.4E-03	0.687
ENPP2_TYLHTYESEI	BGI13_LTLAPLNSVFK	1.1E-02	0.687
ITIH4_NPLVWVHASPEHVVVTR	TENX_LNWEAPPGAFDSFLLR	1.5E-03	0.687
LBP_ITGFLKPGK	PEDF_TVQAVLTVPK	3.6E-03	0.687
VTDB_ELPEHTVK	TENX_LSQSVTDVTTSSLR	1.5E-03	0.687
ENPP2_TFELSNYLTNVDDITLVPGLGR	SPRL1_VLTHSELAPLR	6.4E-03	0.686
APOC3_GWVTDGFSSLK	B2MG_VEHSDLSFSK	3.1E-03	0.686
CATD_VGFAEAAR	KNG1_QVVAGLNFR	1.4E-02	0.686
ITIH4_NPLVWVHASPEHVVVTR	TENX_LSQSVTDVTTSSLR	2.2E-03	0.685
LBP_ITGFLKPGK	CO8A_SLLQPNK	9.9E-03	0.685
LBP_ITLPDFTGDLR	IGF2_GIVECCFR	1.8E-03	0.685
F13B_GDTYPAELYITGSILR	TENX_LNWEAPPGAFDSFLLR	8.1E-04	0.685
FBLN3_IPSNPSHR	TENX_LNWEAPPGAFDSFLLR	4.7E-03	0.685

LBP_ITLPDFTGDLR	FETUA_HTLNQIDEVK	1.7E-03	0.685
ENPP2_TYLHTYESEI	PGRP2_AGLRPDYALLGHR	3.4E-02	0.684
F13B_GDTYPAELYITGSILR	TENX_LSQLSVTDVTTSSLR	1.7E-03	0.684
LBP_ITLPDFTGDLR	BGH3_LTLLAPLNSVFK	3.0E-03	0.684
IBP4_QCHPALDGQR	TIE1_VSWSLPLVPGPLVGDGFLLR	5.3E-03	0.684
A2GL_DLLLQPQDLR	CRIS3_AVSPPAR	3.3E-03	0.684
CATD_VSTLPAILTK	CBPN_EALIQFLEQVHQGIK	9.6E-03	0.684
CFAB_YGLVTYATYPK	CRIS3_AVSPPAR	3.3E-03	0.684
ITIH4_NPLVWVHASPEHVVVTR	CHL1_VIAVNEVGR	6.5E-03	0.684
LBP_ITGFLKPGK	BGH3_LTLLAPLNSVFK	3.6E-03	0.684
CATD_VGFAEAAR	CO8A_SLLQPNK	1.0E-02	0.683
KNG1_QVVAGLNFR	CRIS3_AVSPPAR	2.7E-03	0.683
HABP2_FLNWIK	TENX_LSQLSVTDVTTSSLR	4.0E-03	0.683
THBG_AVLHIGEK	TENX_LNWEAPPGAFFDSFLLR	7.7E-04	0.683
INHBC_LDFHFSSDR	FETUA_HTLNQIDEVK	1.6E-03	0.683
CATD_VGFAEAAR	CSH_AHQLAIDTYQFEETYIPK	5.1E-03	0.682
CO5_TLLPVSKPEIR	CRIS3_AVSPPAR	3.5E-03	0.682
APOC3_GWVTDGFSSLK	SOM2.CSH_SVEGSCGF		0.682
CATD_VSTLPAILTK	IBP6_GAQTLYVPNCDDR	4.4E-03	0.682
FETUA_FSVVYAK	TENX_LNWEAPPGAFFDSFLLR	2.4E-03	0.682
IBP4_QCHPALDGQR	FETUA_HTLNQIDEVK	6.1E-03	0.682
B2MG_VNHVTLSPK	PEDF_TVQAVLTPVK	8.3E-03	0.682
CFAB_YGLVTYATYPK	SPRL1_VLTHSELAPLR	3.8E-03	0.682
ENPP2_TYLHTYESEI	TIE1_VSWSLPLVPGPLVGDGFLLR	2.4E-02	0.682
HABP2_FLNWIK	TENX_LNWEAPPGAFFDSFLLR	3.2E-03	0.682
FETUA_FSVVYAK	TENX_LSQLSVTDVTTSSLR	3.7E-03	0.681
CATD_VSTLPAILTK	CBPN_NNANGVDLNR	2.5E-02	0.680
CO5_TLLPVSKPEIR	CHL1_VIAVNEVGR	4.3E-03	0.680
KNG1_QVVAGLNFR	IGF2_GIVECCFR	3.2E-03	0.680
LBP_ITLPDFTGDLR	SHBG_IALGGLFPASNLR	7.7E-03	0.680
CD14_SWLAELQQWLKPKLK	CRIS3_YEDLYSNCK	1.1E-03	0.680
CLUS_ASSIIDELFQDR	CIIL1_VIAVNEVGR	9.8E-03	0.680
B2MG_VNHVTLSPK	FETUA_HTLNQIDEVK	1.2E-02	0.679
C1QB_VPGLYYFTYHASSR	CRIS3_YEDLYSNCK	7.5E-03	0.679
CD14_LTVGAAQVPAQLLVGALR	IBP3_YGQPLPGYTTK	1.7E-03	0.679
ENPP2_TEFLSNYLTNVDDITLVPGLGR	TIE1_VSWSLPLVPGPLVGDGFLLR	1.6E-02	0.679
FETUA_HTLNQIDEVK	TENX_LNWEAPPGAFFDSFLLR	1.0E-02	0.679
VTNC_VDTVDPYPR	HEMO_NFPSPVDAFR	3.2E-03	0.679
APOC3_GWVTDGFSSLK	CFAB_YGLVTYATYPK	1.6E-03	0.679
CD14_SWLAELQQWLKPKLK	CRIS3_AVSPPAR	2.6E-03	0.679
CD14_SWLAELQQWLKPKLK	IGF2_GIVECCFR	3.7E-03	0.679
KNG1_DIPTNSPELEETLHTITK	LYAM1_SYYWIGIR	5.1E-03	0.679
B2MG_VNHVTLSPK	PTGDS_GPGEDFR	6.8E-03	0.678

ENPP2_TEFLSNYLTNVDDITLVP GTLGR	CBPN_EALIQFLEQVHQGIK	2.2E-02	0.678
LBP_ITGFLKPGK	SHBG_IALGGLFPASNLR	9.1E-03	0.678
VTDB_ELPEHTVK	CHL1_VIAVNEVGR	1.5E-02	0.678
CATD_VGFAEAAR	FBLN1_TGYFDFGISR	1.3E-02	0.678
APOH_ATVVYQGER	IBP3_YGQPLPGYTTK	3.7E-03	0.677
CATD_VSTLPAILK	PSG3_VSAPSGTGHLPLNPL	1.3E-02	0.677
ENPP2_TEFLSNYLTNVDDITLVP GTLGR	PGRP2_AGLRPDYALLGHR	3.9E-02	0.677
LBP_ITLPDFTGDLR	CO8A_SLLQPNK	6.5E-03	0.677
ANGT_DPTFIPAIQAK	IBP3_YGQPLPGYTTK	2.2E-03	0.677
C1QB_VPGLYYFTYHASSR	CRIS3_AVSPPAR	9.1E-03	0.677
CD14_SWLAELQQWLKPLK	CHL1_VIAVNEVGR	4.1E-03	0.677
CFAB_YGLVTYATYPK	IGF2_GIVEECCFR	4.8E-03	0.677
CSH_ISLLIESWLEPVR	TENX_LSQSVTDVTTSSLR	2.7E-03	0.677
ENPP2_TYLHTYESEI	FETUA_HTLNQIDEVK	2.4E-02	0.677
KNG1_DIPTNSPELEETLTHTITK	CRIS3_YEDLYSNCK	4.5E-03	0.677
LBP_ITGFLKPGK	C163A_INPASLDK	4.3E-03	0.677
CFAB_YGLVTYATYPK	CRIS3_YEDLYSNCK	3.5E-03	0.676
ITIH4_ILDDLSPR	IBP3_YGQPLPGYTTK	3.0E-03	0.676
CO8B_QALEEFQK	LYAM1_SYYWIGIR	3.2E-03	0.676
A2GL_DLLLQPDLR	CHL1_VIAVNEVGR	4.4E-03	0.676
ENPP2_TEFLSNYLTNVDDITLVP GTLGR	IGF2_GIVEECCFR	6.6E-03	0.676
KNG1_QVVAGLNFR	ALS_IRPHTFTGLSGLR	4.1E-03	0.676
CD14_LTVGAAQVPAQLLVGALR	SPRL1_VLTHSELAPLR	4.8E-03	0.675
CO5_VFQFLEK	CO6_ALNHLPLEYNSALYSR	2.9E-02	0.675
FBLN3_IPSNPSHR	TENX_LSQSVTDVTTSSLR	3.6E-03	0.675
KNG1_DIPTNSPELEETLTHTITK	SPRL1_VLTHSELAPLR	1.4E-02	0.675
LBP_ITGFLKPGK	FETUA_FSVVYAK	4.0E-03	0.675
LBP_ITGFLKPGK	THBG_AVLHIGEK	1.3E-02	0.675
LBP_ITLPDFTGDLR	CO6_ALNHLPLEYNSALYSR	4.0E-03	0.675
LBP_ITLPDFTGDLR	PEDF_TVQAVLTVPK	3.0E-03	0.675
THBG_AVLHIGEK	TENX_LSQSVTDVTTSSLR	1.5E-03	0.675
VTNC_VDTVDPYPYR	FCTUA_IITLNQIDEVK	2.1E-03	0.675
ENPP2_TEFLSNYLTNVDDITLVP GTLGR	BGH3_LTLLAPLNSVFK	1.1E-02	0.675
ITIH3_ALDLSLK	SHBG_IALGGLFPASNLR	6.8E-03	0.675
LBP_ITLPDFTGDLR	VTDB_ELPEHTVK	5.3E-03	0.675
C1QB_VPGLYYFTYHASSR	SPRL1_VLTHSELAPLR	2.3E-02	0.674
ENPP2_TYLHTYESEI	PEDF_TVQAVLTVPK	3.8E-02	0.674
INHBC_LDFHFSSDR	HEMO_NFPSPVDAAFR	1.3E-02	0.674
KNG1_DIPTNSPELEETLTHTITK	CHL1_VIAVNEVGR	6.3E-03	0.674
B2MG_VEHSDLSFSK	TIE1_VSWSLPLVPGPLVGDGFLR	1.3E-02	0.674
CATD_VGFAEAAR	CSH_ISLLIESWLEPVR	4.3E-03	0.674
CATD_VSTLPAILK	C163A_INPASLDK	1.2E-02	0.674
CO6_ALNHLPLEYNSALYSR	TENX_LSQSVTDVTTSSLR	3.0E-03	0.674

CO8B_QALEEFQK	SPRL1_VLTHSELAPLR	2.7E-03	0.674
ENPP2_TYLHTYESEI	FETUA_FSVVYAK	3.0E-02	0.674
LBP_ITGFLKPGK	VTDB_ELPEHTVK	4.2E-03	0.674
PSG2_IHPSYTNYS	TENX_LNWEAPPGAFDSFLLR	2.1E-02	0.674
PTGDS_GPGEDFR	TENX_LSQSVTDVTTSSLR	5.5E-03	0.674
THBG_AVLHIGEK	CHL1_VIAVNEVGR	2.1E-02	0.674
CATD_VSTLPATLK	IBP6_HLDSVLQQLQTEVYR	6.8E-03	0.673
KNG1_DIPTNSPELEETLHTITK	IBP3_YGQPLPGYTTK	4.0E-03	0.673
VTNC_VDTVDPYPR	PGRP2_AGLRPDYALLGHR	5.3E-03	0.673
C1QB_VPGLYYFTYHASSR	IBP3_FLNVLSR	7.3E-03	0.673
CATD_VSTLPATLK	APOH_ATVVYQGER	1.8E-02	0.673
CD14_LTVGAAQVPAQLLVGALR	CRIS3_YEDLYSNCK	2.3E-03	0.673
IBP2_LIQGAPTIR	CRIS3_YEDLYSNCK	1.2E-02	0.673
IBP6_HLDSVLQQLQTEVYR	IBP3_YGQPLPGYTTK	3.0E-03	0.673
ITI3_ALDLSLK	IBP3_FLNVLSR	4.1E-03	0.673
KNG1_DIPTNSPELEETLHTITK	IBP3_FLNVLSR	4.2E-03	0.673
LBP_ITGFLKPGK	HEMO_NFPSPVDAAFR	4.1E-03	0.673
LBP_ITLPDFTGDLR	FETUA_FSVVYAK	3.2E-03	0.673
APOC3_GWVTDGFSSLK	PSG1_FQLPGQK	4.3E-01	0.672
C1QB_VPGLYYFTYHASSR	IGF2_GIVEECCFR	7.0E-03	0.672
CATD_VGFAEAAR	CO5_VFQFLEK	1.7E-02	0.672
CO8B_QALEEFQK	IGF2_GIVEECCFR	5.0E-03	0.672
ENPP2_TEFLSNYLTNVDDITLVPGLGR	ALS_IRPHTFTGLSGLR	9.1E-03	0.672
B2MG_VNHVTLSPK	PGRP2_AGLRPDYALLGHR	3.0E-03	0.672
INHBC_LDFHFSSDR	PGRP2_AGLRPDYALLGHR	3.5E-03	0.672
INHBC_LDFHFSSDR	PTGDS_GPGEDFR	4.3E-03	0.672
ITI3_ALDLSLK	TIE1_VSWSLPLVPGPLVGDGFLR	2.2E-02	0.672
LBP_ITLPDFTGDLR	C163A_INPASLDK	5.5E-03	0.672
VTNC_VDTVDPYPR	NCAM1_GLGEISAASEFK	7.4E-03	0.672
AFAM_HFQNLGK	IBP3_YGQPLPGYTTK	6.0E-03	0.671
CATD_VGFAEAAR	CD14_LTVGAAQVPAQLLVGALR	6.9E-03	0.671
ENPP2_TEFLSNYLTNVDDITLVPGLGR	IDP3_FLNVLSR	3.7E-03	0.671
INHBC_LDFHFSSDR	FETUA_FSVVYAK	3.3E-03	0.671
CO5_TLLPVSKPEIR	CRIS3_YEDLYSNCK	3.3E-03	0.671
KNG1_QVVAGLNFR	TIE1_VSWSLPLVPGPLVGDGFLR	3.7E-03	0.671
IBP2_LIQGAPTIR	LYAM1_SYYWIGIR	2.1E-02	0.670
APOH_ATVVYQGER	IBP3_FLNVLSR	6.6E-03	0.670
ENPP2_TYLHTYESEI	HABP2_FLNWK	2.2E-01	0.670
IBP6_HLDSVLQQLQTEVYR	CHL1_VIAVNEVGR	1.6E-02	0.670
IBP6_HLDSVLQQLQTEVYR	SPRL1_VLTHSELAPLR	9.2E-03	0.670
PSG2_IHPSYTNYS	TENX_LSQSVTDVTTSSLR	2.5E-02	0.670
CO8B_QALEEFQK	ALS_IRPHTFTGLSGLR	1.5E-02	0.670
ENPP2_TEFLSNYLTNVDDITLVPGLGR	PAPP1_DIPHWLNPR	1.7E-02	0.670

ITIH3_ALDLSLK	IGF2_GIVECCFR	3.3E-03	0.670
A2GL_DLLLQPDLR	IBP3_FLNVLSPR	4.0E-03	0.669
APOC3_GWVTDGFSSLK	IBP2_LIQGAPTIR	8.2E-03	0.669
C1QB_VPGLYYFTYHASSR	CHL1_VIAVNEVGR	2.1E-02	0.669
CATD_VGFAEAAR	CO8B_QALEEFQK	1.6E-02	0.669
CATD_VSTLPAILTK	THBG_AVLHIGEK	1.2E-02	0.669
CD14_LTVGAAQVPAQLLVGALR	IBP3_FLNVLSPR	3.4E-03	0.669
PTGDS_GPGEDFR	TENX_LNWEAPPGAFDSFLLR	3.0E-03	0.669
VTDB_ELPEHTVK	LYAM1_SYYWIGIR	8.7E-03	0.669
B2MG_VNHVTLISQPK	FETUA_FSVVYAK	2.2E-02	0.669
ENPP2_TYLHTYESEI	CBPN_EALIQFLEQVHQGIK	3.9E-02	0.669
KNG1_DIPTNSPELEETLTHTITK	CRIS3_AVSPPAR	7.9E-03	0.669
VTNC_VDTVDPYPR	CBPN_EALIQFLEQVHQGIK	1.0E-02	0.669
PEDF_LQSLFDSPDFSK	CHL1_VIAVNEVGR	7.2E-03	0.668
SOM2.CSH_SVEGSCGF	LYAM1_SYYWIGIR	1.5E-02	0.668
CATD_VGFAEAAR	VTNC_GQCYELDEK	2.8E-02	0.668
ENPP2_TEFLSNYLTNVDDITLVPGLGR	FETUA_HTLNQIDEVK	1.7E-02	0.668
INHBC_LDFHFSSDR	CO6_ALNHLPLEYNSALYSR	1.1E-02	0.668
ITIH4_NPLVWVHASPEHVVVTR	LYAM1_SYYWIGIR	6.9E-03	0.668
CATD_VSTLPAILTK	ITIH4_ILDDLSPR	1.3E-02	0.667
CFAB_YGLVTYATYPK	TIE1_VSWSLPLVPGPLVGDGFLLR	3.0E-02	0.667
CLUS_ASSIIDELFQDR	IBP3_FLNVLSPR	5.3E-03	0.667
CO5_VFQFLEK	PGRP2_AGLLRPDYALLGHR	5.4E-03	0.667
LBP_ITLPDFTGDLR	HEMO_NFPSPVDAAFR	3.3E-03	0.667
CATD_VSTLPAILTK	BGH3_LTLLAPLNSVFK	1.1E-02	0.667
ENPP2_TYLHTYESEI	HEMO_NFPSPVDAAFR	4.4E-02	0.667
IBP6_HLDSVLQQLQTEVYR	CRIS3_YEDLYSNCK	4.8E-03	0.667
INHBC_LDFHFSSDR	AFAM_DADPDTEFFAK	8.9E-03	0.667
THBG_AVLHIGEK	LYAM1_SYYWIGIR	4.3E-03	0.667
VTNC_GQCYELDEK	TIE1_VSWSLPLVPGPLVGDGFLLR	5.4E-03	0.667
A2GL_DLLLQPDLR	IGF2_GIVECCFR	6.2E-03	0.666
ENPP2_TYLHTYESEI	CO6_ALNHLPLEYNSALYSR	2.6E-02	0.666
IBP2_LIQGAPTIR	CHL1_VIAVNEVGR	3.4E-02	0.666
IBP2_LIQGAPTIR	CRIS3_AVSPPAR	2.8E-02	0.666
INHBC_LDFHFSSDR	CBPN_EALIQFLEQVHQGIK	4.4E-03	0.666
SOM2.CSH_SVEGSCGF	CHL1_VIAVNEVGR	1.1E-02	0.666
A2GL_DLLLQPDLR	TIE1_VSWSLPLVPGPLVGDGFLLR	9.9E-03	0.666
ANGT_DPTFIPAPIQAK	CRIS3_YEDLYSNCK	3.3E-03	0.666
ANGT_DPTFIPAPIQAK	LYAM1_SYYWIGIR	7.6E-03	0.666
ANGT_DPTFIPAPIQAK	SPRL1_VLTHSELAPLR	4.7E-03	0.666
B2MG_VNHVTLISQPK	SHBG_IALGGLLPASNLR	1.7E-02	0.666
CATD_VSTLPAILTK	KNG1_DIPTNSPELEETLTHTITK	1.4E-02	0.666
CD14_LTVGAAQVPAQLLVGALR	LYAM1_SYYWIGIR	3.9E-03	0.666

ENPP2_TEFLSNYLTNVDDITLVPRTLGR	SHBG_IALGGLFPASNLR	4.4E-02	0.665
FETUA_HTLNQIDEVK	TENX_LSQSVTDVTTSSLR	1.5E-02	0.665
AFAM_DADPDFFAK	IBP3_YGQPLPGYTTK	7.5E-03	0.665
LBP_ITLPDFTGDLR	THBG_AVLHIGEK	1.3E-02	0.665
PEDF_LQSLFDSPDFSK	IBP3_YGQPLPGYTTK	6.1E-03	0.665
VTNC_VDTVDPYPYR	F13B_GDTYPAELYITGSILR	7.2E-02	0.665
CO8B_QALEEFQK	CHL1_VIAVNEVGR	8.9E-03	0.665
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	FETUA_FSVVYAK	2.5E-02	0.665
CLUS_ASSIIDELFQDR	CRIS3_YEDLYSNCK	2.7E-03	0.664
HEMO_NFPSPVDAAFR	IBP3_YGQPLPGYTTK	4.1E-03	0.664
LBP_ITGFLKPGK	NCAM1_GLGEISAASEFK	1.1E-02	0.664
NCAM1_GLGEISAASEFK	TENX_LNWEAPPGAFFDSFLLR	4.5E-03	0.664
C1QB_VPGLYYFTYHASSR	SHBG_IALGGLFPASNLR	4.3E-02	0.664
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	HABP2_FLNWIK	1.7E-01	0.664
SOM2.CSH_SVEGSCGF	CRIS3_YEDLYSNCK	9.3E-03	0.664
VTDB_ELPEHTVK	IBP3_YGQPLPGYTTK	4.7E-03	0.664
ANGT_DPTFIPAPIQAK	CHL1_VIAVNEVGR	1.1E-02	0.663
B2MG_VEHSDLSFSK	ALS_IRPHTFTGLSGLR	3.6E-03	0.663
CATD_VSTLPATLK	SOM2.CSH_NYGLLYCFR	3.6E-03	0.663
CBPN_EALIQFLEQVHQGIK	TENX_LSQSVTDVTTSSLR	2.1E-02	0.663
CLUS_ASSIIDELFQDR	ALS_IRPHTFTGLSGLR	1.7E-02	0.663
IBP6_HLDSVLQQLQTEVYR	LYAM1_SYYWIGIR	1.9E-02	0.663
LBP_ITLPDFTGDLR	PRG2_WNFAYWAAHQPSR	1.3E-02	0.663
SOM2.CSH_SVEGSCGF	IGF2_GIVECCFR	1.3E-02	0.663
HEMO_NFPSPVDAAFR	SPRL1_VLTHSELAPLR	1.5E-02	0.663
IBP6_GAQTLYVPNCDHR	IBP3_YGQPLPGYTTK	6.7E-03	0.663
KNG1_DIPTNSPELEETLHTITK	IGF2_GIVECCFR	1.1E-02	0.663
CD14_LTVGAAQVPAQLLVGALR	CHL1_VIAVNEVGR	1.1E-02	0.662
CO5_TLLPVSKPEIR	IGF2_GIVECCFR	4.9E-03	0.662
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	PRG2_WNFAYWAAHQPSR	1.9E-02	0.662
ITIH4_ILDDLSPR	CRIS3_YEDLYSNCK	5.7E-03	0.662
VTNC_VDTVDPYPYR	HABP2_FLNWIK	3.6E-01	0.662
ANGT_DPTFIPAPIQAK	CRIS3_AVSPPAR	4.2E-03	0.662
CD14_SWLAELQQWLKPGLK	TIE1_VSWSLPLVPGPLVGDGFLLR	5.5E-03	0.662
CLUS_LFSDPITVTVPEVSR	TENX_LNWEAPPGAFFDSFLLR	6.7E-03	0.662
CO8B_QALEEFQK	CRIS3_AVSPPAR	6.0E-03	0.662
FBLN3_IPSNPSHR	CHL1_VIAVNEVGR	6.0E-02	0.662
B2MG_VNHVTLSPK	NCAM1_GLGEISAASEFK	2.0E-02	0.661
CLUS_ASSIIDELFQDR	LYAM1_SYYWIGIR	5.9E-03	0.661
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	CLUS_LFSDPITVTVPEVSR	2.4E-02	0.661
SOM2.CSH_SVEGSCGF	IBP3_YGQPLPGYTTK	6.9E-03	0.661
SOM2.CSH_SVEGSCGF	SPRL1_VLTHSELAPLR	1.2E-02	0.661
APOC3_GWVTDGFSSLK	IBP1_VVESLAK	1.7E-02	0.660

CATD_VGFAEAAR	PSG1_FQLPGQK	2.8E-01	0.660
CO5_TLLPVSKPEIR	TIE1_VSWSLPLVPGPLVGDGFLLR	2.2E-02	0.660
CO8B_QALEEFQK	CRIS3_YEDLYSNCK	6.1E-03	0.660
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	VTDB_ELPEHTVK	3.0E-02	0.660
ENPP2_TYLHTYESEI	PAPP1_DIPHWLNPTTR	3.2E-02	0.660
ENPP2_TYLHTYESEI	SHBG_IALGGLLPASNLR	3.4E-02	0.660
ENPP2_TYLHTYESEI	VTDB_ELPEHTVK	4.7E-02	0.660
IBP4_QCHPALDGQR	SHBG_IALGGLLPASNLR	1.8E-02	0.660
LBP_ITGFLKPGK	CO8B_QALEEFQK	2.3E-02	0.660
PSG11_LFIPQITPK	TENX_LNWEAPPGAFDSFLLR	4.5E-03	0.660
B2MG_VNHVTLSPK	CO6_ALNHLPLEYNALYSR	2.9E-02	0.660
B2MG_VNHVTLSPK	HEMO_NFPSPVDAAFR	1.3E-02	0.660
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	C163A_INPASLDK	7.7E-03	0.660
IBP6_HLDSVLQQLQTEVYR	IBP3_FLNVLSPR	5.3E-03	0.660
IBP6_HLDSVLQQLQTEVYR	IGF2_GIVEECCFR	8.7E-03	0.660
ITIH3_ALDLSLK	PAPP1_DIPHWLNPTTR	6.3E-03	0.660
ITIH4_ILDDLSPR	IBP3_FLNVLSPR	5.7E-03	0.660
KNG1_QVVAGLNFR	NCAM1_GLGEISAASEFK	1.2E-02	0.660
LBP_ITGFLKPGK	PRG2_WNFAYWAAHQPSR	1.2E-02	0.660
VTNC_VDTVDPYPR	CO6_ALNHLPLEYNALYSR	1.0E-02	0.660
ANGT_DPTFIPAPIQAK	IBP3_FLNVLSPR	3.9E-03	0.659
APOC3_GWVTDGFSSLK	ITIH4_QLGLPGPPDVPDHAAYHPF		0.659
CO8A_SLLQPNK	IBP3_YGQPLPGYTTK	6.9E-03	0.659
PSG9_LFIPQITR	TENX_LNWEAPPGAFDSFLLR	1.5E-02	0.659
CATD_VSTLPAITLK	PEDF_LQSLFDSPDFSK	1.0E-02	0.659
CFAB_YGLVTYATYPK	PGRP2_AGLLRPDYALLGHR	2.0E-02	0.659
HEMO_NFPSPVDAAFR	CHL1_VIAVNEVGR	1.6E-02	0.659
INHBC_LDFHFSSDR	HABP2_FLNWK	3.0E-01	0.659
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	CO6_ALNHLPLEYNALYSR	1.6E-02	0.659
INHBC_LDFHFSSDR	BGH3_LTLLAPLNSVFK	1.0E-02	0.659
VTDB_ELPEHTVK	SPRL1_VLTHSELAPLR	1.8E-02	0.659
CLUS_ASSIIDELFQDR	CRIS3_AVSPPAR	4.8E-03	0.658
SOM2.CSH_SVEGSCGF	CRIS3_AVSPPAR	5.9E-03	0.658
ENPP2_TYLHTYESEI	THBG_AVLHIGEK	6.2E-02	0.658
ITIH3_ALDLSLK	PRG2_WNFAYWAAHQPSR	6.2E-03	0.658
LBP_ITGFLKPGK	IBP6_GAQTLYVPNCDDR	1.3E-02	0.658
ENPP2_TEFLSNYLTNVDDITLVPRTLGR	PEDF_TVQAVLTPK	2.7E-02	0.657
APOC3_GWVTDGFSSLK	ITIH3_ALDLSLK	3.3E-02	0.657
CATD_VSTLPAITLK	FBLN1_TGYYFDGISR	1.8E-02	0.657
PEDF_LQSLFDSPDFSK	LYAM1_SYYWIGIR	8.4E-03	0.657
SOM2.CSH_SVEGSCGF	IBP3_FLNVLSPR	9.6E-03	0.657
VTNC_VDTVDPYPR	PAPP1_DIPHWLNPTTR	7.8E-03	0.657
INHBC_LDFHFSSDR	APOH_ATVVYQGER	5.0E-02	0.657

CATD_VGFAEAAR	CD14_SWLAELQQWLKPGLK	1.0E-02	0.656
CBPN_EALIQFLEQVHQGIK	TENX_LNWEAPPGAFFDSFLLR	1.1E-02	0.656
VTNC_VDTVDPYPYR	FETUA_FSVVYAK	9.4E-03	0.656
CATD_VSTLPAITLK	CLUS_LFSDSPITVTVPEVSR	1.5E-02	0.656
ITIH4_ILDDLSPR	CRIS3_AVSPPAR	8.2E-03	0.656
ITIH4_NPLVWVHASPEHVVVTR	IBP3_YGQPLPGYTTK	7.9E-03	0.656
LBP_ITGFLKPGK	CO5_TLLPVSKPEIR	2.1E-02	0.656
THBG_AVLHIGEK	SPRL1_VLTHSELAPLR	2.6E-02	0.656
CD14_LTVGAAQVPAQLLVGALR	ALS_IRPHTFTGLSGLR	6.1E-03	0.655
CFAB_YGLVTYATYPK	FETUA_FSVVYAK	5.5E-02	0.655
ENPP2_TYLHTYESEI	KNG1_DIPTNSPELEETLTHTITK	6.5E-02	0.655
PEDF_LQSLFDSPDFSK	SPRL1_VLTHSELAPLR	1.7E-02	0.655
PSG9_LFIPQITR	TENX_LSQSVTDVTTSSLR	2.1E-02	0.655
APOH_ATVVYQGER	CHL1_VIAVNEVGR	1.7E-02	0.655
KNG1_QVVAGLNFR	FETUA_HTLNQIDEVK	1.6E-02	0.655
AFAM_HFQNLGK	IBP3_FLNVLSR	1.4E-02	0.654
LBP_ITLPDFTGDLR	HABP2_FLNWIK	2.6E-01	0.654
CATD_VGFAEAAR	B2MG_VEHSDFSFSK	1.9E-02	0.654
ENPP2_TYLHTYESEI	PRG2_WNFAYWAAHQPSR	3.2E-02	0.654
INHBC_LDFHFSSDR	F13B_GDTPAELYITGSILR	1.2E-02	0.654
LBP_ITLPDFTGDLR	F13B_GDTPAELYITGSILR	9.9E-03	0.654
PSG11_LFIPQITPK	TENX_LSQSVTDVTTSSLR	8.1E-03	0.654
VTNC_GQCYELDEK	PGRP2_AGLLRPDYALLGHR	6.5E-03	0.654
VTNC_VDTVDPYPYR	AFAM_DADPDITFAK	1.0E-02	0.654
ENPP2_TYLHTYESEI	CO8A_SLLQPNK	6.0E-02	0.653
IBP6_HLDSVLQQLQTEVYR	CRIS3_AVSPPAR	8.4E-03	0.653
LBP_ITGFLKPGK	HABP2_FLNWIK	2.3E-01	0.653
PEDF_LQSLFDSPDFSK	CRIS3_AVSPPAR	3.8E-03	0.653
PSG9_DVLLLHNLPQNLPGYFWYK	TENX_LNWEAPPGAFFDSFLLR	9.9E-03	0.653
AFAM_DADPDITFAK	IBP3_FLNVLSR	1.5E-02	0.653
CATD_VSTLPAITLK	CSH_AHQLAIDTYQFEETYIPK	6.2E-03	0.653
ENPP2_TEFLSNYLTNVDDITLVPGLGR	HEMO_NFPSPVDAFR	2.9E-02	0.653
ENPP2_TEFLSNYLTNVDDITLVPGLGR	THBG_AVLHIGEK	3.7E-02	0.653
ENPP2_TYLHTYESEI	AFAM_HFQNLGK	6.4E-02	0.653
IBP2_LIQGAPTIR	SPRL1_VLTHSELAPLR	6.2E-02	0.653
KNG1_QVVAGLNFR	PGRP2_AGLLRPDYALLGHR	1.1E-02	0.653
LBP_ITLPDFTGDLR	CBPN_EALIQFLEQVHQGIK	6.5E-03	0.653
LBP_ITLPDFTGDLR	CO5_TLLPVSKPEIR	2.0E-02	0.653
VTNC_GQCYELDEK	VTDB_ELPEHTVK	1.4E-02	0.653
APOC3_GWVTDGFSSLK	HLACI_WAAVVVPSGEEQR	3.2E-02	0.653
B2MG_VNHVTLSPK	PRG2_WNFAYWAAHQPSR	2.0E-02	0.653
CBPN_NNANGVDLNR	IBP3_YGQPLPGYTTK	1.8E-02	0.653
CD14_LTVGAAQVPAQLLVGALR	CRIS3_AVSPPAR	5.3E-03	0.653

CD14_LTVGAAQVPAQLLVGALR	IGF2_GIVEECCFR	1.1E-02	0.653
CO8A_SLLQPNK	IBP3_FLNVLSPR	1.2E-02	0.653
ENPP2_TYLHTYESEI	PTGDS_GPGEDFR	5.1E-02	0.653
ENPP2_TYLHTYESEI	SOM2.CSH_NYGLLYCFR	4.3E-02	0.653
IBP6_GAQTLYVPNCDHR	IBP3_FLNVLSPR	1.0E-02	0.653
LBP_ITLPDFTGDLR	NCAM1_GLGEISAASEFK	1.2E-02	0.653
VTNC_GQYCYELDEK	FETUA_FSVVYAK	1.4E-02	0.653
APOH_ATVVYQGER	LYAM1_SYYWIGIR	1.1E-02	0.652
CO5_VFQFLEK	NCAM1_GLGEISAASEFK	2.2E-02	0.652
LBP_ITGFLKPGK	CFAB_YGLVTYATYPK	5.7E-02	0.652
LBP_ITGFLKPGK	PSG3_VSAPSGTGHLPLNPL	6.4E-02	0.652
PSG9_DVLLLVHNLPGYFWYK	TENX_LSQSVTDVTTSSLR	1.0E-02	0.652
APOC3_GWVTDGFSSLK	INHBC_LDFHFSSDR	9.4E-03	0.652
CBPN_NNANGVDLNR	CHL1_VIAVNEVGR	4.2E-02	0.652
HEMO_NFPSPVDAAFR	CRIS3_YEDLYSNCK	6.8E-03	0.652
INHBC_LDFHFSSDR	AFAM_HFQNLGK	1.1E-02	0.652
VTNC_GQYCYELDEK	FETUA_HTLNQIDEVK	8.6E-03	0.652
VTNC_VDTVDPYPR	AFAM_HFQNLGK	1.1E-02	0.652
A2GL_DLLLPQPDLR	ALS_IRPHTFTGLSGLR	1.6E-02	0.651
CO5_VFQFLEK	VTDB_ELPEHTVK	1.1E-02	0.651
LBP_ITGFLKPGK	PTGDS_GPGEDFR	1.5E-02	0.651
PEDF_LQSLFDSPDFSK	IBP3_FLNVLSPR	9.4E-03	0.651
VTNC_VDTVDPYPR	SHBG_IALGGLFPASNLR	3.2E-02	0.651
CATD_VGFAEAAR	CATD_VSTLPAITLK	2.3E-02	0.651
CLUS_ASSIIDELFQDR	SPRL1_VLTHSELAPLR	1.1E-02	0.651
ENPP2_TYLHTYESEI	AFAM_DADPDTEFFAK	5.6E-02	0.651
ENPP2_TYLHTYESEI	C163A_INPASLDK	1.5E-02	0.651
LBP_ITGFLKPGK	CBPN_EALIQFLEQVHQGIK	7.2E-03	0.651
LBP_ITGFLKPGK	PAPP1_DIPHWLNPTR	1.6E-02	0.651
LBP_ITLPDFTGDLR	IBP6_GAQTLYVPNCDHR	1.1E-02	0.651
APOH_ATVVYQGER	CRIS3_AVSPPAR	9.3E-03	0.650
INHBC_LDFHFSSDR	CLUS_LFSDSPITVTVPVEVSR	3.2E-02	0.650
INHBC_LDFHFSSDR	PEDF_LQSLFDSPDFSK	1.4E-02	0.650
VTDB_ELPEHTVK	CRIS3_AVSPPAR	9.7E-03	0.650
VTDB_ELPEHTVK	IBP3_FLNVLSPR	1.1E-02	0.650
CO5_TLLPVSKPEIR	PGRP2_AGLLRPDYALLGHR	1.9E-02	0.650
HEMO_NFPSPVDAAFR	LYAM1_SYYWIGIR	8.7E-03	0.650
IBP4_QCHPALDGQR	FETUA_FSVVYAK	7.6E-03	0.650
NCAM1_GLGEISAASEFK	TENX_LSQSVTDVTTSSLR	7.9E-03	0.650
PEDF_LQSLFDSPDFSK	CRIS3_YEDLYSNCK	3.0E-03	0.650

[00269] The following examples are provided by way of illustration, not limitation.

EXAMPLES

[00270] Example 1. Development of an Estimated Due Date (EDD) predictor (EDDp)

[00271] This example provides a new due date and time to birth prediction for a pregnancy. It identifies those pregnancies, with high accuracy, that will deliver earlier than the official EDD and/or TTB as derived from LMP and/or US dating.

[00272] Blood was drawn in blood draw window 140 to 153 days. Blood was subsequently processed including depletion, digestion into peptides, inclusion of synthetic peptides, analyzed by MRM-MS with protein transitions (fragments) of CATD and TENX measured relative to the synthetic peptide analogues of CATD and TENX. If CATD/TENX was larger than threshold $T = 0.50$ then new_EDD was set to the official_EDD. If CATD/TENX was equal to or less than threshold $T = 0.50$ then new_EDD was set to the official_EDD – 16 days. The 16 day decrement was derived from studies of actual pregnancies. Other decrements may be selected depending on the optimization criteria. Additionally, the threshold $T=0.50$ can be adjusted depending on the optimization criteria and/or subpopulation.

[00273] Performance of the EDDmp can be measured in multiple ways. Presented below are some key metrics of performance. Performance of the test has been assessed on a dataset of 357 subjects with known outcomes and official EDDs.

[00274] The protein ratio CATD/TENX measured within blood draw window 140 to 153 days had an AUC of 82% in separating those subjects that gave birth significantly earlier (i.e. before 270 days) than the population average of 280 days. The kinetic plot of this ratio over the blood draw day (GABD) is shown in Figure 1.

[00275] From Figure 1, a threshold of $T = 0.5$ for separating group A (<270 days) and group B (≥ 280 days) is a reasonable choice. This could be optimized by making T a function of GABD. With these parameters, performance of this molecular test (CATD, TENX, T) was evaluated and a Due Date Prediction (DDP) was developed where 10 days are added to those subjects the test identifies as being early (group A). Additional observations about the sensitivity and specificity are as follows:

[00276] Sensitivity 280|280: 63%. The majority of pregnancies delivering earlier than expected are detected by the test.

[00277] **Sensitivity 270|280:** 86%. The large majority of pregnancies delivering much earlier than expected are detected by the test.

[00278] **Specificity 280|280:** 68%. The majority of pregnancies delivering as expected are not identified as early by the test.

[00279] **PPV 280|280:** 84%. When the test is positive, it is very likely the pregnancy will be earlier than predicted.

[00280] **Average error of official EDD estimate:** 12.1 days.

[00281] **Average error of EDDmp estimate:** 9.6 days (This is a 21% improvement).

Here, error is calculated as follows:

$$\text{error} = \frac{\sum (\text{Actual Delivery}_i - \text{EDD}_i)}{n}$$

[00282] **Example 2. Further Models for Development of an Estimated Due Date (EDD) molecular predictor (EDDmp)**

[00283] This example illustrates three additional methods for due date prediction for a pregnancy (TTB or EDD).

[00284] Prediction

[00285] The terms estimated due date (EDD) and time to birth (TTB) are used interchangeably in the context of predictors for DD. The EDD can be used to predict TTB and vice-versa. Explicitly, if the estimated gestational age of a pregnancy is X at the time of blood draw then TTB can be estimated from EDD as follows: $\text{TTB} = \text{EDD} - X$. And DD can be estimated from a TTB predictor as follows: $\text{EDD} = X + \text{TTB}$, where the units used are days.

[00286] Furthermore, the time of blood draw can be estimated using standard clinical practice such as Last Menstrual Period (LMP), Ultrasound Dating (US) and/or a combination of LMP and US. Formulae for these estimates are readily available in the literature and practice guidelines [<https://www.acog.org/Clinical-Guidance-and-Publications/Committee-Opinions/Committee-on-Obstetric-Practice/Methods-for-Estimating-the-Due-Date> and references therein].

[00287] Performance of Prediction

[00288] The performance of a TTB (or EDD) predictor can be measured in numerous ways. One approach is accuracy and precision. Accuracy being how far from the actual TTB (or EDD) the estimated TTB (or EDD) actually is. Precision is the variability around this

estimate. Standard metrics for precision are the standard deviation or variation. Alternatively, performance statements can indicate accuracy as the percentage of time the TTB predictor is correct within a specified number of days before or after the actual TTB (or EDD). Such statements provide insight into both the accuracy and precision of the estimation.

[00289] Performance in Clinical Practice

[00290] In the Proteomic Assessment of Preterm_Risk (PAPR) study (Saade *et al.* Development and validation of a spontaneous preterm delivery predictor in asymptomatic women. *Am J Obstet Gynecol* 2016; 214:633.e1-24.), the TTB estimates, based on standard clinical dating, were accurate to within +/- 5 days of the actual TTB about 35% of the time for deliveries that were term (i.e. delivered 37 weeks or later in gestation). This establishes a baseline to compare models for predicting TTB (or EDD).

[00291] Model 1: Linear Regression Model

[00292] Generalized linear regression models were built using the estimated due date from clinical practice (*i.e.* based on LMP and/or US dating) and the ratio of two peptide measurements. To illustrate, using the following two peptide measurement ratio:

$$\text{CRIS3_YEDLYSNCK} / \text{ADA12_FGFGGSTDSGPIR}$$

[00293] The model details are as follows:

Generalized Linear regression model $y \sim 1 + x1 + x2$

Distribution = Normal

	Estimate	SE	tStat	pValue
(Intercept)	3.5404	6.8273	0.51856	0.60526
x1	0.92355	0.069505	13.288	1.7723e-23
x2	6.2221	1.4261	4.3629	3.2316e-05

[00294] For term deliveries without complications (such as preeclampsia) and for multiparous pregnancies, this model correctly predicted the TTB within +/-5 days, 61% of the time whereas standard clinical practice was correct about 38% of the time. All pairs of such peptides with performance above 60% appear in Table 2. Similarly, for all term deliveries for nulliparous pregnancies, all pairs of such peptides with performance above 60% appear in Table 3.

[00295] **Table 2. Best Reversals, Term, Multiparous**

Numerator	Denominator	Percentage within 5 days
-----------	-------------	--------------------------

'ALS_IRPHTFTGLSGLR'	'CO8B_QALEEFQK'	0.61
'APOH_ATVVYQGER'	'ITIH3_ALDLSLK'	0.62
'APOH_ATVVYQGER'	'C1QA_SLGFCDTTNK'	0.64
'APOH_ATVVYQGER'	'C1QC_TNQVNSGGVLLR'	0.61
'APOH_ATVVYQGER'	'PCD12_AHDADLGINGK'	0.61
'CBPN_NNANGVDLNR'	'DPEP2_LTLEQIDLIR'	0.62
'CO8A_SLLQPNK'	'PCD12_AHDADLGINGK'	0.62
'CO8B_QALEEFQK'	'ANT3_TSDQIHFFFAK'	0.61
'CO8B_QALEEFQK'	'C1QB_LEQGENVFLQATDK'	0.61
'CO8B_QALEEFQK'	'C1QC_FNAVLTNPQGDYDTSTGK'	0.61
'CO8B_QALEEFQK'	'CADH5_YEIVVEAR'	0.61
'CO8B_QALEEFQK'	'CADH5_YTFVVPEDTR'	0.61
'CO8B_QALEEFQK'	'CNTN1_FIPLIPIPER'	0.61
'CRIS3_YEDLYSNCK'	'SHBG_IALGGLFPASNLR'	0.61
'CRIS3_YEDLYSNCK'	'SHBG_IALGGLFPASNLR.2'	0.61
'CRIS3_YEDLYSNCK'	'ADA12_FGFGGSTDSGPIR'	0.61
'CRIS3_YEDLYSNCK'	'SHBG_IALGGLFPASNLR'	0.61
'CRIS3_YEDLYSNCK'	'PCD12_AHDADLGINGK'	0.61
'ITIH4_ILDDLSPR'	'DPEP2_ALEVSQAPVIFSHSAAR'	0.61
'ITIH4_NPLVWVHIASPEIIVVTR'	'GELS_TASDFITK'	0.61
'ITIH4_NPLVWVHASPEHVVTR'	'CNTN1_FIPLIPIPER'	0.61
'KNG1_QVVAGLNFR'	'C1QA_DQPRPAFSAIR'	0.61
'PTGDS_GPGEDFR'	'ECM1_LLPAQLPAEK'	0.61
'IBP4_QCHPALDGQR.2'	'CNTN1_FIPLIPIPER'	0.61
'C1QA_DQPRPAFSAIR'	'PROS_FSAEFDFR'	0.61
'C1QA_SLGFCDTTNK'	'PROS_FSAEFDFR'	0.62
'C1QB_LEQGENVFLQATDK'	'PROS_FSAEFDFR'	0.61
'C1QC_FNAVLTNPQGDYDTSTGK'	'PROS_FSAEFDFR'	0.61
'C1QC_TNQVNSGGVLLR'	'PROS_FSAEFDFR'	0.62
'LEP_DLLHVLAFSK'	'DPEP2_ALEVSQAPVIFSHSAAR'	0.61
'PTGDS_AQGFTEDTIVFLPQTDK'	'CNTN1_FIPLIPIPER'	0.61
'CAMP_AIDGINQR'	'SVEP1_LLSDFPVVPTATR'	0.61

[00296] Table 3. Best Reversals, Term, Nulliparous

Numerator	Denominator	Percentage within 5 days
'IBP4_QCHPALDGQR'	'TETN_LDTLAQEVALLK'	0.62962963
'IBP4_QCHPALDGQR.2'	'TETN_LDTLAQEVALLK'	0.61111111
'ADA12_FGFGGSTDSGPIR'	'GELS_AQPVQVAEGSEPDGFWALGGK'	0.61111111
'ADA12_FGFGGSTDSGPIR'	'PROS_FSAEFDFR'	0.61111111

[00297] Consequently, depending on the parity of the pregnancy, the corresponding predictive model for TTB (or EDD) can be used.

[00298] Model 2: Tree Models

[00299] This section describes a conditional inference tree and its development.

Conditional inference trees embed tree-structured regression models into a well-defined theory of conditional inference procedures. This non-parametric class of regression trees is applicable to categorical and numeric regression analyses, including multivariate models and arbitrary measurement scales of the covariates.

[00300] *Step 1) Boosted ElasticNet to select predictive variables.*

[00301] 523 Term subjects and clinical numeric variables were repeatedly sampled to generate partial data sets, then used to train ElasticNet models predicting GAB or TTB. The penalty mixture parameter was varied between 0 (full lasso) and 1 (full ridge). Analytes and clinical numeric variables were ranked by the number of times they were present in models. The intersection of high-ranking variables for GAB and TTB prediction resulted in the selection of the following 75 of 197 available variables:

1. APOH_ATVVYQGER
2. CD14_LTVGAAQVPAQLLVGALR
3. CD14_SWLAELQQWLKPGLK
4. CHL1_VIAVNEVGR
5. CLUS_ASSIIDELFQDR
6. CLUS_LFDSDPITVTVPVEVSR
7. CO6_ALNHLPLEYNSALYSR
8. CO8B_QALEEFQK
9. CRIS3_AVSPPAR
10. CRIS3_YEDLYSNCK
11. CSH_AHQLAIDTYQEFEETYIPK
12. CSH_ISLLIESWLEPVR
13. ENPP2_TEFLSNYLTNVDDITLVPGTLGR
14. ENPP2_TYIHTYESEI
15. F13B_GDTYPAELYITGSILR

16. FBLN1_TGYYFDGISR
17. HABP2_FLNWIK
18. HEMO_NFPSPVDAAFR
19. IBP1_VVESLAK
20. KNG1_DIPTNSPELEETLTHTITK
21. KNG1_QVVAGLNFR
22. LYAM1_SYYWIGIR
23. PAPP1_DIPHWLNPTR
24. PGRP2_AGLLRPDYALLGHR
25. PRG2_WNFAYWAAHQPSR
26. PSG1_FQLPGQK
27. PSG2_IHPSYTNIR
28. PSG9_LFIPQITR
29. PTGDS_GPGEDFR
30. SOM2_CSH_NYGLLYCFR
31. SOM2_CSH_SVEGSCGF
32. SPRL1_VLTHSELAPLR
33. TENX_LNWEAPPGAFDSFLLR
34. TENX_LSQLSVTDVTSSLR
35. GPX3_QEPGENSEILPTLK
36. IBP4_Q.CHPALDGQR
37. ADA12_FGFGGSTDSGPIR
38. FA9_FGSGYVSGWGR
39. FA9_SALVLQYLR
40. ANT3_TSDQIHFFFAK
41. TIMP1_HLACLPR
42. IGF1_GFYFNKPTGYGSSSR
43. GELS_AQPVQVAEGSEPDGFWEALGGK
44. GELS_TASDFITK
45. PAEP_HLWYLLDLK
46. PAEP_VHITSLLPEDNLEIVLHR

47. EGLN_GPITSAAELNDPQSILLR
48. VGFR1_YLAVPTSK
49. AOC1_AVHSFLWSK
50. AOC1_DNGPNYVQR
51. MUC18_EVTVPVFYPTEK
52. SEPP1_LVYHLGLPFSFLTFPYVEEAIK
53. CNTN1_FIPLIPIPER
54. MFAP5_LYSVHRPVK
55. SVEP1_LLSDFPVVPTATR
56. ISM2_TRPCGYGCTATETR
57. NOTUM_GLADSGWFLDNK
58. PAPP2_LLLRPEVLAEIPR
59. PCD12_AIIDADLGINGK
60. PCD12_YQVSEEVPSGTVIGK
61. MDHTC
62. LABPGAW
63. LABGAD
64. GABD
65. IPMLOS
66. GABD.
67. NpregComp
68. NdelComp
69. PriorPTBvTerm
70. cDM (chronic diabetes mellitus)
71. cHTN (chronic hypertension)
72. Bleeding
73. Cervix
74. PriorSPTB
75. InvParity

[00302] *Step 2) Build whole-data-set ElasticNet models predicting TTB difference from the median TTB to further down-select predictive variables.*

[00303] Beginning with the 75 variables selected by boosting in step 1 and adding subsets of non-selected variables, ElasticNet was repeatedly used to select models predicting the difference between 532 Term subjects' TTB and the median TTB across all Term subjects. Cross-validation was used to select the degree of shrinkage of each ElasticNet model, with the penalty mixture fixed at 50:50 ridge & lasso regression. Models were selected wherein cross-validation selected a significant model with SD of TTB difference from the median TTB ≤ 7 days. A significant model is defined as one that retains features (is not the null model) and shows performance within 1 SD (in cross validation) of the maximum performance observed. Models were ranked by the SD of the TTB difference from the median TTB. 42 of the previously selected variables remained in the top performing model, which showed an SD of 6.56 days (Table 2). 28 of these 42 variables were also selected in step 1.

[00304] **Table 4.** 42 variables and their coefficients in best-performing ElasticNet model reducing SD of predicted TTB – median TTB, selected by Step 2.

Variable	Coefficient
AFAM_HFQNLGK	0.837750667
APOC3_GWVTDGFSSLK	0.321658826
CATD_VSTLPAITLK	-0.168168895
CHL1_VIAVNEVGR	-0.275132675
CRIS3_AVSPPAR	-0.322009195
CRIS3_YEDLYSNCK	-1.461737374
ENPP2_TEFLSNYLTNVDDITLVPGLGR	0.359267642
ENPP2_TYLHTYESEI	0.992405023
KNG1_DIPTNSPELEETLTHTITK	0.348982569
PSG1_FQLPGQK	0.175481153
PTGDS_GPGEDFR	-1.428859538
SPRL1_VLTHSELAPLR	-0.269526267
TENX_LNWEAPPGAFDSFLLR	-1.619671074
THBG_AVLHIGEK	3.115902267
AACT_EIGELYLPK	0.059616842
IBP4_Q.CHPALDGQR	0.574729040
ADA12_FGFGGSTDSGPIR	3.016398873
FA9_SALVLQYLR	0.413311773
AMBP_ETLLQDFR	0.841283058
TETN_CFLAFTQTK	-0.324854826
GELS_AQPVQVAEGSEPDGFWEALGGK	-0.018002056
PAEP_HLWYLLDLK	-0.012537300
EGLN_GPITSAAELNDPQSILLR	0.035853781
VGFR1_YLAVPTSK	-0.252293075
CADH5_YTFVVPEDTR	-0.071423172
PTGDS_AQGFTEDTIVFLPQTDK	-0.377531783

MUC18_EVTPPVFYPTK	-0.241983821
SEPP1_VSLATVDK	0.262838312
SVEP1_LLSDFPVVPTATR	0.558871111
PRG4_ITEVWGIPSPIDTVFTR	0.481197951
MDHT	0.005398994
LABPGAW	1.314846931
GABD	0.346278498
IPMLOS	-0.279300039
GABD.	0.343634891
NpregComp	0.838803565
InvParity.	-0.557343349
InvCSecParity	-0.432671923
cDM	0.338073730
cHTN	0.595655360
PriorSPTB	1.897198024
PEspec	0.977028773

[00305] *Step 3) Build conditional inference trees*

[00306] Conditional inference trees were built using the party package in R, on all 532 Term subjects, restricting the analysis to variables selected in step 2. Trees predicted the difference between a subject's TTB and the median TTB. Trees were restricted to 4 levels of branching and were grown by selecting new variables at each node via the best single-test significance of improved prediction. These trees use variables more efficiently than ElasticNet – there are fewer than a dozen variables per model used in decisions. Trees were observed to split the subjects by GABD week, then use 2-6 analytes + clinical variables to predict TTB-median TTB. An example inference tree appears in Figure 2.

[00307] Model 3: Rolling Window Models

[00308] The regression results in Model 1 and tree results in Model 2 suggest that a model can also use distinct analytes and clinical variables to predict TTB in different GABD windows.

[00309] These models demonstrate that a combination of GABD, parity and analytes aligned with GABD and parity provides robust accuracy in estimating TTB. This analysis confirms and extends the findings of Model 1 linear regression analysis and Model 2 conditional inference tree analysis, and provides motivation to survey models that split subjects by GABD, parity or both, to identify the best analytes and analyte pairs for each subset of the population.

[00310] **Table 5.** Performance of models containing 2 analytes and/or clinical variables plus GABD in subjects of all parities and without regard to pregnancy complications, with GABD between 23(0/7) and 28(6/7).

Variable 1	Variable 2	% in 5 days	95% CI
ADA12_FGFGGSTD SGPIR	CRIS3_AVSPPAR	0.5363	0.4450:0.6275
ADA12_FGFGGSTD SGPIR	CRIS3_YEDLYSNCK	0.5308	0.4475:0.6140
AMBP_ETLLQDFR	ENPP2_TEFLSNYLTNVDDITL VPGTLGR	0.5317	0.4511:0.6122
AMBP_ETLLQDFR	GELS_AQPVQVAEGSEPDGF WEALGGK	0.5354	0.4392:0.6317
InvParity.	TENX_LNWEAPPGAFDSFLLR	0.5312	0.4512:0.6112
InvParity.	FA9_SALVLQYLR	0.532	0.4501:0.6140
InvParity.	SVEP1_LLSDFPVVPTATR	0.5307	0.4396:0.6218
InvParity.	ADA12_FGFGGSTD SGPIR	0.543	0.4582:0.6279
NpregComp	ADA12_FGFGGSTD SGPIR	0.5301	0.4357:0.6244

[00311] **Example 3. Further Models for Development of an Estimated Due Date (EDD) molecular predictor (EDDmp)**

[00312] This example shows the utility of discovering optimal analyte pairs for subjects with limited, prespecified ranges of GABD and Parity. It is an aspect of this invention to discover that 1) predictors of TTB vary with GABD; 2) predictors of TTB vary with Parity; and 3) prediction of TTB for nulliparous women, but not for multiparous women, improves with increasing GABD. To reduce these discoveries to practice, we surveyed all possible predictor pairs within the contexts of 3 model types described below, and discovered highly accurate predictors for each model type.

[00313] Performance of predictor pairs was evaluated by comparing models containing predictor pairs to null models containing prespecified covariates (GABD, InvParity. and/or AACT) but no predictor pairs. Null model accuracies were estimated by bootstrapping, using subjects in GA weeks 23-28. Table 6 shows null model performance for the various subject splits and model types described in Example 3. As specified below, Example 3 models explored all possible analyte, but a subset with highest performance is reported in Tables 2-27. The 2-analyte model thresholds correspond to null models for Example 3 Model 1 and Example 3 Model 2. A 3-analyte threshold corresponds to the null model for Example 3 Model 3. Example 3 model 3 was explored only for Parity 0; this is the subset of subjects with

most apparent effect of inclusion of AACT. In building Tables 2-27, For cases where the null model threshold returned more than 10% of all possible analyte pairs, the accuracy threshold was incremented by 0.25% iteratively until 10% or fewer of the pairs were returned. Therefore, all reported analyte combinations exceeded the accuracy reported by the corresponding null model.

[00314] **Table 6.** Accuracy thresholds specified for reporting of analyte pairs.

Parity restriction on subjects	2-analyte models (Include GABD; and InvParity if Parity is not restricted)	3-analyte models (include AACT, GABD; and InvParity if Parity is not restricted)
All	0.5157	0.5188
0	0.4322	0.4784
1	0.5568	0.5579
2+	0.5769	0.6019

[00315] For each subject subset and model type described in this Example, 2 columns representing analyte pairs are reported in the tables below. Each table comprises 2 columns: (1) Analyte1 (abbreviated) and, for each analyte in column 1, (2) column 2 provides abbreviated names for all other analytes participating in models with Analyte1 whose accuracy exceeded a specified threshold as a comma-separated list. Table 28 below lists the full names corresponding to each of the abbreviated analytes. In the models described in this example, accuracy is defined as the percentage of subjects whose absolute value (actual TTB - predicted TTB) is less than or equal to ($\leq$) 5 days.

[00316] Time to birth (TTB), in days, was calculated from date and time of blood draw, and date and time of delivery. Estimated time to birth (ETTB) = 280 – GA at blood draw. Here 280 as a constant was not required but was left for clarity, based on the US method of TTB estimation: 280 days – gestational age (GA) at assessment. Parity is defined by ACOG as the number of pregnancies progressing to '20^{0/7} weeks' GA or beyond. It was estimated here as the maximum of the number of living children or the total of previous full-term births, spontaneous preterm births and stillbirths, not counting the current pregnancy. InvParity: Inverse Parity as used herein is calculated as $1/(\text{Parity} - 0.5)$. This transform emphasizes Parity differences at low Parities. Analyte1 as used in this example is the log Response Ratio of the first analyte. Analyte2 as used in this example is the log Response Ratio of the second analyte.

[00317] Model 1: Two Analyte Models for Different Parity Subsets

[00318] Model 1 (TTB ~ ETB + Analyte1 + Analyte2) was run for 171 analytes in all possible pairs, in 3 subsets of subjects by estimated Parity. All TERM samples were used (975 subjects were TERM). Analytes were included not as a ratio (*i.e.* a reversal) to allow for different coefficients for each. The model was applied to subjects with all GAs at blood draw split by Parity: 0, 1 or 2+. The performance metric was accuracy.

[00319] **Table 7.** Parity subsets, the number of samples in each and the minimum, median and maximum accuracy in each window.

Parity	nTERM	min	med	max
0	365	39.2	43.0	48.2
1	282	49.6	54.3	59.6
2+	328	52.7	55.8	60.4

[00320] **Table 8.** Two analyte models for Parity 0

Analyte1	Analyte2
A2GL_1	FETUA_2, SVEP1_1, TENX_1
AACT_1	ADA12_1, C1QC_1, C1QC_2, CAMP_1, CAMP_2, CNTN1_1, CRAC1_1, CRAC1_2, CRAC1_3, DPEP2_1, DPEP2_2, FGFR1_1, GELS_2, IBP4_1, IBP4_3, KIT_1, KIT_2, MUC18_1, MUC18_2, NOTUM_2, PRG4_1, PRG4_2, PRL_2, SHBG_2, SHBG_3, TETN_1, TETN_2
ADA12_1	TETN_1
AFAM_1	FETUA_2, GELS_2
AFAM_2	GELS_2, TENX_2, TETN_1
ALS_1	AACT_1, GELS_2
AMBP_1	GELS_2, PRG4_1
ANGT_1	AACT_1, GELS_2
APOC3_1	AACT_1, ITIH3_1
APOH_1	FETUA_2
B2MG_1	AACT_1, FETUA_2, GELS_2, TENX_1
B2MG_2	AACT_1, FETUA_2, GELS_2
C163A_1	GELS_2
C1QA_2	PRG4_1
C1QB_1	PRG4_1
C1QB_2	GELS_2
C1QB_3	FBLN1_1, FETUA_2
C1QC_1	TETN_1
C1QC_2	PRG4_1
CAH1_1	AACT_1, FETUA_2, GELS_2
CAMP_1	PRG4_1
CBPN_1	AACT_1
CD14_1	AACT_1, FETUA_1, FETUA_2, GELS_2, IBP2_1, ITIH3_1, PRG4_2, PSG11_1

CFAB_1	FETUA_2
CGB1_2	GELS_2
CHL1_1	FETUA_2, GELS_2, PSG1_1, TENX_1
CLUS_1	AACT_1, FA9_2, TETN_2
CLUS_2	TETN_1, TETN_2
CNTN1_2	SVEP1_1
CO5_1	FETUA_1, FETUA_2, PRG4_1
CO5_2	AACT_1
CO6_1	PSG11_1
CO8A_1	FA9_2, FETUA_2, PSG1_1, TENX_1, TETN_1
CO8B_1	FA9_2, FETUA_2, KNG1_2, TENX_1, TETN_1
CRIS3_1	FETUA_2, GELS_2
CRIS3_2	AACT_1, FETUA_1, FETUA_2, GELS_2
CSH_1	CNTN1_2, GELS_2, PRG4_1, TENX_2, TETN_1, TETN_2
CSH_2	FETUA_2
ENPP2_1	AACT_1, FA9_2, FETUA_2
ENPP2_2	AACT_1, FA9_1, TETN_1
F13B_1	FETUA_2
FA11_1	GELS_2
FA11_2	GELS_2
FA9_1	DPEP2_2, PROS_2
FA9_2	CRAC1_2, CRAC1_3, ISM2_2, KIT_2, MUC18_1, TETN_1, TETN_2
FBLN1_1	AACT_1, FETUA_1, PRG4_2, TENX_1, TETN_2, THBG_1
FBLN3_1	AACT_1, FA9_2, FETUA_2, GELS_2, TETN_1
FETUA_1	AACT_1, C1QA_2, CNTN1_2, FA9_1, FA9_2, GELS_2, IBP4_2, IBP4_3, ISM2_1, ISM2_2, LEP_1, MUC18_1, NOTUM_1, PRG4_1, PRG4_2, PSG11_1, TENX_1, TENX_2, TETN_2, THRB_1, VTNC_1, VTNC_2
FETUA_2	AACT_1, AMBP_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QC_1, C1QC_2, CNTN1_2, CRAC1_2, DEF1_1, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_2, FA9_1, FA9_2, FGFR1_1, FGFR1_2, GELS_1, GPX3_1, HABP2_1, HLACI_1, IBP1_1, IBP3_1, IBP6_1, IGF1_1, INHBC_1, IPSP_1, LEP_1, LIRB5_1, LYAM1_1, MUC18_2, PAEP_1, PAEP_2, PAPP1_1, PRDX2_1, PRG2_1, PRG4_1, PROS_2, PSG3_1, PSG9_2, SEPP1_2, SHBG_1, SHBG_2, SHBG_3, SPRL1_1, TENX_1, TETN_2, THRB_1, TIE1_1, TIMP1_1, VGFR1_1, VTDB_1, VTNC_2
FGFR1_1	PRG4_2
GELS_2	ATS13_1, CADH5_1, CNTN1_1, CNTN1_2, CRAC1_2, DEF1_1, DEF1_2, DPEP2_2, FGFR1_1, IL1R1_1, ISM2_1, KIT_1, MFAP5_1, MUC18_1, MUC18_2, PAEP_1, PCD12_1, PROS_1, PROS_2, PTGDS_1
HABP2_1	AACT_1
HLACI_1	GELS_2
IBP1_1	TENX_1
IBP2_1	GELS_2
IBP3_1	GELS_2, TENX_1
IDP4_2	FGFR1_1, PROS_1, TETN_1

IBP4_3	C1QC_1, DPEP2_1, DPEP2_2, PRG4_2, SVEP1_1
IBP6_2	AACT_1
IGF2_1	FA9_2
IL1R1_1	PRG4_1, PRG4_2
ITIH3_1	AACT_1, PSG1_1, PSG11_1, TENX_1, TENX_2
ITIH4_1	PRG4_1
ITIH4_2	GELS_2, TETN_2
ITIH4_3	GELS_2
KNG1_1	AACT_1, KIT_1, PAPP2_1, PRG4_1, PSG1_1
KNG1_2	AACT_1, DEF1_2, IL1R1_1, ISM2_2, PRG4_1, PRL_1, PSG11_1, TETN_2
LBP_2	TETN_2
LYAM1_1	FGFR1_1, PRG4_1
PEDF_2	AACT_1
PGRP2_1	AACT_1
PRG2_1	GELS_2
PRG4_1	CRAC1_1, CRAC1_2, CRAC1_3, DPEP2_1
PRL_1	GELS_2, PRG4_1, PRG4_2, TETN_1
PRL_2	TETN_1
PROS_2	PRG4_1
PSG1_1	AACT_1, FA9_1, PRG4_1, PRG4_2, THBG_1, VTNC_2
PSG11_1	AACT_1, PRG4_1, PRG4_2, TETN_1, THBG_1, VTNC_1, VTNC_2
PSG2_1	AACT_1, PRG4_1, TETN_1, VTNC_2
PSG3_1	AACT_1, GELS_2
PSG9_1	SVEP1_1
PSG9_2	GELS_2
RET4_1	GELS_2, PRG4_1
SHBG_1	AACT_1, GELS_2, TENX_1
SHBG_2	GELS_2
SHBG_3	GELS_2
SOM2_1	TETN_2
SPRL1_1	GELS_2, TENX_1
SVEP1_1	PRG4_1
TENX_1	AACT_1, ADA12_1, ATS13_1, C1QB_1, C1QB_2, C1QC_2, CNTN1_2, EGLN_1, EGLN_2, FGFR1_1, GELS_1, GELS_2, GPX3_1, ISM2_2, KIT_2, MFAP5_1, NOTUM_1, NOTUM_2, PAEP_1, SEPP1_2, TETN_1, VTNC_1
TENX_2	AACT_1, ADA12_1, FGFR1_1, LEP_1, PRL_1
TETN_1	ATS13_1, CNTN1_1, CRAC1_3, FA5_2, FGFR1_1, GELS_2, IL1R1_1, KIT_2, LEP_1, MFAP5_1, PRG4_1, PRG4_2, PROS_1, SEPP1_2
TETN_2	FGFR1_1, GELS_2, LEP_2, PRG4_1, PRG4_2
THBG_1	AACT_1, ADA12_1, DPEP2_2
TIE1_1	GELS_2
TIMP1_1	GELS_2
VTNC_1	FA9_2, GELS_2, TETN_1
VTNC_2	CRAC1_1, FGFR1_1, GELS_2, KIT_1, PRG4_1, TETN_1

[00321] Table 9. Two analyte models for Parity 1

Analyte1	Analyte2
A2GL_1	FA9_1, FA9_2, HEMO_1, PCD12_1
AACT_1	FA9_1, FA9_2, PCD12_1
ADA12_1	FA9_1, FA9_2, PCD12_1, PRG4_2
AFAM_1	C1QA_1
AFAM_2	FA9_2
ALS_1	FA9_1, FA9_2, PCD12_1
ANGT_1	BGH3_1, CLUS_1, CLUS_2, FA9_1, FA9_2, ITIH4_1, NOTUM_1, PCD12_1, SEPP1_2, TETN_2
ANT3_1	PCD12_1, TETN_2
AOC1_1	PCD12_1
AOC1_2	PCD12_1
APOC3_1	CHL1_1, FA9_1, FA9_2, PCD12_1
APOH_1	FA9_1, FA9_2, PCD12_1
ATL4_1	PCD12_1
ATS13_2	PCD12_1
B2MG_1	CLUS_1, EGLN_1, FA9_1, FA9_2, FGFR1_1, ITIH4_1, LIRB5_1, NOTUM_1, PCD12_1, PGRP2_1, PRG2_1, SEPP1_1
B2MG_2	EGLN_1, FA9_1, FGFR1_1, FGFR1_2, HEMO_1, ITIH4_1, KIT_2, PCD12_1, SEPP1_1
BGH3_1	FA9_1, FA9_2, PCD12_1, PCD12_2
C163A_1	CHL1_1, CLUS_1, FA9_1, FA9_2, FGFR1_2
C1QA_1	PCD12_1, PRG4_1
C1QA_2	PCD12_1
C1QB_1	PCD12_1
C1QB_2	PCD12_1
C1QB_3	CLUS_2, EGLN_1, FA9_1, FA9_2, HEMO_1, ITIH4_1, PCD12_1, PTGDS_1, SVEP1_1
C1QC_1	AMBP_1, ISM2_2, MUC18_1, PCD12_1
C1QC_2	PCD12_1
CADH5_1	CAMP_1, CAMP_2, PCD12_1
CADH5_2	PCD12_1, SVEP1_1
CAH1_1	CHL1_1, CNTN1_2, FA9_1, FA9_2, HEMO_1, PCD12_1
CAMP_1	PCD12_1
CAMP_2	PCD12_1
CATD_1	FA9_1, FA9_2, PCD12_1
CATD_2	FA9_1, FA9_2, PCD12_1
CBPN_1	FA9_2, PCD12_1
CBPN_2	FA9_1, FA9_2, INHBC_1, PCD12_1
CD14_1	FA9_1, FA9_2, HEMO_1, ITIH4_1, PCD12_1
CD14_2	FA9_1, FA9_2, PCD12_1
CFAB_1	PCD12_1

CHL1_1	ADA12_1, ANT3_1, AOC1_1, CLUS_1, CO6_1, CO8B_1, DPEP2_2, EGLN_1, FA5_1, FA5_2, FA9_1, FA9_2, HEMO_1, IBP3_2, IBP6_2, IGF2_1, IPSP_1, IPSP_2, ITIH4_1, ITIH4_3, LYAM1_1, PAPP2_1, PCD12_1, PRL_2, PTGDS_1, SEPP1_2, SVEP1_1, TENX_1, TETN_2, VGFR1_1
CLUS_1	AOC1_1, AOC1_2, ATL4_1, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CO8B_1, CRIS3_1, DEF1_1, EGLN_1, F13B_1, FA5_1, FA9_1, FA9_2, FGFR1_1, FGFR1_2, HEMO_1, IL1R1_1, IPSP_1, KNG1_1, NOTUM_1, PCD12_1, PGRP2_1, PROS_2, PSG9_2, PTGDS_2, SVEP1_1, TIE1_1
CLUS_2	CRIS3_2, FA9_1, FA9_2, FGFR1_1, PCD12_1
CNTN1_1	PCD12_1
CO5_1	FA9_2, NOTUM_1, PCD12_1
CO5_2	FA9_1, FA9_2, ITIH4_1, PCD12_1
CO6_1	FA9_1, FA9_2, PCD12_1
CO8A_1	FA9_1, FA9_2, PCD12_1, TETN_2
CO8B_1	FA9_1, FA9_2, PCD12_1, PRG4_1, PTGDS_1
CRIS3_1	ATS13_2, EGLN_1, FA9_1, FA9_2, FETUA_2, IBP3_1, IGF2_1, SEPP1_2
CRIS3_2	ATS13_2, C1QC_1, CADH5_1, DPEP2_2, FA5_1, FA9_1, FA9_2, FETUA_2, FGFR1_2, HABP2_1, IGF2_1, PCD12_1, SEPP1_2, SVEP1_1, THBG_1
CSH_1	FA9_1, PCD12_1
DEF1_1	PCD12_1
DEF1_2	PCD12_1
DPEP2_1	PCD12_1
DPEP2_2	PCD12_1
ECM1_1	PCD12_1
ECM1_2	PCD12_1
EGLN_1	EGLN_2, LEP_1, PCD12_1, PRG4_2
EGLN_2	PCD12_1
ENPP2_1	PCD12_1
F13B_1	FA9_1, FA9_2, PCD12_1
FA11_1	PCD12_1
FA11_2	PCD12_1
FA5_1	PCD12_1, SVEP1_1
FA5_2	PCD12_1
FA9_1	ANT3_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QB_1, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_1, FA5_2, FA9_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, IGF1_1, IL1R1_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KIT_1, KIT_2, LEP_1, LEP_2, MFAP5_1, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PRL_1, PRL_2, PROS_1, PROS_2, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, THRB_1, TIMP1_1, VGFR1_1
FA9_2	ANT3_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CRAC1_1, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, FA11_1, FA11_2, FA5_1, FA5_2, FGFR1_1, FGFR1_2, GELS_2, IGF1_1, IL1R1_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KIT_1, LEP_2, MFAP5_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2,

	PAPP2_1, PCD12_1, PRL_1, PRL_2, PROS_1, PROS_2, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, THRB_1, TIMP1_1, VGFR1_1
FBLN1_1	FA9_1, FA9_2, PCD12_1
FBLN3_1	FA9_1, FA9_2, IBP4_1, PCD12_1
FETUA_1	FA9_1, PCD12_1, PTGDS_1
FETUA_2	PCD12_1, PRG4_1
FGFR1_1	PCD12_1
FGFR1_2	CNTN1_2, PCD12_1
GELS_2	PCD12_1
GPX3_1	FA9_1, FA9_2, PCD12_1
GPX3_2	FA9_1, FA9_2, PCD12_1
HABP2_1	FA9_1, PSG11_1
HEMO_1	AOC1_1, AOC1_2, DPEP2_1, FA5_1, FA9_1, FA9_2, FGFR1_2, IBP4_2, ISM2_1, KIT_1, LBP_2, LYAM1_1, NOTUM_1, NOTUM_2, PAEP_2, PCD12_1, PGRP2_1, PSG9_2, SEPP1_1, TETN_2, VTDB_1, VTNC_2
HLACI_1	FA9_1, FA9_2, PCD12_1, PCD12_2
IBP1_1	FA9_1, PCD12_1
IBP2_1	PCD12_1
IBP3_1	FA9_1, FA9_2, PCD12_1, PCD12_2
IBP3_2	FA9_1, FA9_2, PCD12_1
IBP4_1	FA9_1, FA9_2, PCD12_1, SEPP1_1
IBP4_2	FA9_1, FA9_2, PCD12_1
IBP4_3	FA9_1, FA9_2, PCD12_1
IBP6_1	PCD12_1
IBP6_2	FA9_1, FA9_2, PCD12_1
IGF1_1	IPSP_1, PCD12_1, SEPP1_2
IGF2_1	FA9_1, FA9_2, PCD12_1
IL1R1_1	PCD12_1
INHBC_1	DPEP2_2, ITIH4_1, KIT_1, LBP_1, PTGDS_2, SVEP1_1, TENX_1
IPSP_1	CADH5_1, NOTUM_1, PCD12_1, SVEP1_1
IPSP_2	ATL4_1, PCD12_1
ISM2_1	PCD12_1
ISM2_2	PCD12_1
ITIH3_1	FA9_1, FA9_2, LBP_2, PCD12_1, IHBG_1
ITIH4_1	FA9_1, FGFR1_2, IBP4_1, KNG1_1, KNG1_2, LIRB5_1, PAPP1_1, PCD12_1, PGRP2_1, SVEP1_1, TENX_2
ITIH4_2	FA9_1, FA9_2, PCD12_1
ITIH4_3	FA9_1, PCD12_1, PCD12_2
KIT_1	PCD12_1
KIT_2	PCD12_1
KNG1_1	FA9_1, FA9_2, PCD12_1, PCD12_2, PTGDS_1
KNG1_2	FA9_1, FA9_2, PCD12_1
LBP_1	FA9_1, FA9_2, PCD12_1, PTGDS_1, TETN_2

LBP_2	ADA12_1, CRAC1_1, DPEP2_2, EGLN_1, FGFR1_1, IGF1_1, PTGDS_1
LEP_1	PCD12_1, PCD12_2
LEP_2	PCD12_1
LIRB5_1	CNTN1_2, FA9_1, FA9_2, PCD12_1
LYAM1_1	FA9_1, FA9_2, PCD12_1
MFAP5_1	PCD12_1
MUC18_1	PCD12_1
MUC18_2	SVEP1_1
NOTUM_1	PCD12_1
NOTUM_2	PCD12_1
PAEP_1	PCD12_1
PAEP_2	PCD12_1
PAPP1_1	FA9_1, FA9_2, PCD12_1
PAPP2_1	PCD12_1
PCD12_1	CRAC1_1, CRAC1_2, THRB_1
PEDF_2	FA9_1
PGRP2_1	C1QC_1, FA9_1, FA9_2, IPSP_2, PAEP_2, PCD12_1, PCD12_2, PTGDS_2, SEPP1_2, THBG_1
PRDX2_1	FA9_1, FA9_2, PCD12_1
PRG2_1	ATL4_1, CADH5_2, FA9_1, FA9_2, IPSP_1, PCD12_1
PRG4_1	PCD12_1
PRL_1	PCD12_1
PRL_2	PCD12_1
PROS_1	PCD12_1
PROS_2	PCD12_1
PSG1_1	FA9_1, FA9_2, PCD12_1, TETN_2
PSG11_1	FA9_1, PCD12_1
PSG2_1	FA9_1, PCD12_1, SEPP1_2
PSG3_1	FA9_1, FA9_2, PCD12_1
PSG9_1	FA9_1, FA9_2, LIRB5_1, PCD12_1
PSG9_2	FA9_1, FA9_2, PCD12_1, TENX_2, TETN_2
PTGDS_1	PCD12_1, SVEP1_1
PTGDS_2	FA9_1, FA9_2, FGFR1_2, PCD12_1
RET4_1	IPSP_1, PCD12_1
SEPP1_1	NOTUM_2, PCD12_1
SEPP1_2	NOTUM_1, PCD12_1
SHBG_1	FA9_1, FA9_2, PCD12_1, PCD12_2
SHBG_2	PCD12_1
SHBG_3	FA9_1, FA9_2, PCD12_1
SOM2_1	PCD12_1, SVEP1_1
SOM2_2	FA9_1, PCD12_1
SPRL1_1	FA9_1, FA9_2, PCD12_1, PCD12_2
SVEP1_1	NOTUM_2, PCD12_1, PCD12_2, PRG4_1, PRG4_2
TENX_1	FA9_1, FA9_2, PCD12_1, TETN_2

TENX_2	FA9_1, FA9_2, IPSP_1, PCD12_1
TETN_1	PCD12_1, PTGDS_1
TETN_2	FGFR1_2, GELS_2, NOTUM_1, PCD12_1
THBG_1	KIT_1, PCD12_1, PTGDS_1
TIE1_1	FA9_1, FA9_2, PCD12_1, PCD12_2
TIMP1_1	IPSP_1, PCD12_1
VGFR1_1	PCD12_1
VTDB_1	FA9_1, FA9_2, PCD12_1
VTNC_1	FA9_2
VTNC_2	FA9_1, PCD12_1, PTGDS_1, SVEP1_1

[00322] **Table 10.** Two analyte models for Parity 2+

Analyte1	Analyte2
A2GL_1	ADA12_1, AFAM_2, CD14_1, CD14_2, CNTN1_1, CRAC1_1, FBLN3_1, TETN_1
AACT_1	CNTN1_1, GELS_2, PRL_1
ADA12_1	ATL4_1, ATS13_1, C1QA_2, C1QB_1, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_3, DPEP2_1, DPEP2_2, FA9_2, FGFR1_2, GELS_1, GELS_2, KIT_1, KIT_2, LEP_1, MFAP5_1, PAEP_1, PAEP_2, PCD12_1, PRL_1, SHBG_2, TETN_1
AFAM_1	CD14_1, CRAC1_3, IBP4_1, TETN_1
AFAM_2	ATL4_1, CRAC1_2, CSH_1, PRL_1, TETN_1
ALS_1	CD14_1, CD14_2, CNTN1_1, TETN_1
AMBP_1	ATL4_1, CNTN1_1, GELS_1, MUC18_1, TETN_1
ANGT_1	CD14_1, CD14_2, CNTN1_1, TETN_1
ANT3_1	ATL4_1, CRAC1_3, KIT_1, PAEP_1, TETN_1, TETN_2
AOC1_1	CNTN1_1, CRAC1_3
AOC1_2	CNTN1_1
APOC3_1	ADA12_1
APOH_1	CD14_1, CD14_2, CNTN1_1
B2MG_1	ADA12_1, CD14_1, CD14_2, CNTN1_1, CRAC1_1, FA9_1, PEDF_1, TETN_1, TETN_2
B2MG_2	CD14_2
BGH3_1	CD14_1, CD14_2, CNTN1_1, TETN_1
C163A_1	ADA12_1, CD14_1, CD14_2, CNTN1_1, CSH_1, TETN_1
C1QA_1	CNTN1_1, TETN_1
C1QA_2	CNTN1_1, TETN_1
C1QB_1	TETN_1
C1QB_2	AMBP_1, TETN_1
C1QB_3	CD14_1, CD14_2, CNTN1_1, TETN_1, TETN_2

C1QC_1	CNTN1_1
C1QC_2	CNTN1_1, TETN_1
CADH5_1	CNTN1_1
CADH5_2	CNTN1_1
CAH1_1	CD14_1, CD14_2, CNTN1_1, TETN_1
CAMP_1	CNTN1_1
CAMP_2	CNTN1_1
CATD_1	CD14_1, CNTN1_1, TETN_1
CATD_2	ADA12_1, CD14_1, CD14_2, CNTN1_1, CRAC1_1, CRAC1_3, CSH_1, FBLN3_1, TETN_1
CBPN_1	CD14_2, CNTN1_1, TETN_1
CBPN_2	CD14_1, CD14_2
CD14_1	AACT_1, ADA12_1, AMBP_1, ANT3_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CD14_2, CGB1_1, CGB1_2, CHL1_1, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8A_1, CO8B_1, CRAC1_1, CRIS3_1, CRIS3_2, CSH_1, CSH_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA11_2, FA5_1, FA5_2, FA9_1, FA9_2, FBLN1_1, FBLN3_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, GPX3_1, HABP2_1, HEMO_1, HLACI_1, IBP1_1, IBP2_1, IBP3_1, IBP4_1, IBP4_2, IBP6_1, IBP6_2, IGF1_1, IGF2_1, IL1R1_1, INHBC_1, IPSP_1, ISM2_1, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, LIRB5_1, LYAM1_1, MFAP5_1, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PEDF_1, PGRP2_1, PRDX2_1, PRG4_1, PRG4_2, PROS_1, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, THBG_1, THRB_1, TIE1_1, TIMP1_1, VTDB_1, VTNC_1
CD14_2	AACT_1, ADA12_1, AMBP_1, ANT3_1, ATL4_1, ATS13_1, ATS13_2, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CFAB_1, CGB1_1, CGB1_2, CHL1_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, CSH_2, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, F13B_1, FA11_1, FA11_2, FA5_1, FA9_1, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, GPX3_1, GPX3_2, HABP2_1, HEMO_1, IBP1_1, IBP2_1, IBP3_1, IBP3_2, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, IGF2_1, IL1R1_1, IPSP_1, IPSP_2, ISM2_1, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, LIRB5_1, MFAP5_1, MUC18_2, NOTUM_1, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PRL_1, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, THRB_1, TIMP1_1, VTDB_1, VTNC_1, VTNC_2
CFAB_1	ADA12_1, CNTN1_1, TETN_1
CGB1_1	CNTN1_1, CRAC1_1, TETN_1

CGB1_2	ATL4_1, CNTN1_1, CRAC1_1, TETN_1
CHL1_1	ADA12_1, CNTN1_1, CO5_1, CO5_2, CO8A_1, CSH_1, FA5_1, IBP4_2, PSG11_1, PSG2_1, TETN_1, TETN_2, THBG_1, VTNC_2
CLUS_1	CNTN1_1
CLUS_2	ADA12_1, CRAC1_3, CSH_1, FBLN3_1
CNTN1_1	ATS13_1, ATS13_2, CRAC1_1, CRAC1_2, DPEP2_1, DPEP2_2, MFAP5_1, NOTUM_1, PCD12_1, PCD12_2, PRG4_1, SVEP1_1
CNTN1_2	CRAC1_1
CO5_1	ATL4_1, CNTN1_1, CRAC1_1, CRAC1_3, FBLN1_1, FBLN3_1, GELS_2, KIT_2, SHBG_1, SHBG_2, TETN_1
CO5_2	ADA12_1, CRAC1_1, FBLN3_1, TETN_1
CO8A_1	ADA12_1, CNTN1_1, CRAC1_3, CSH_1, FBLN1_1, PRL_1, TETN_1, TETN_2
CO8B_1	ADA12_1, ATL4_1, CNTN1_1, FBLN1_1, TETN_1, TETN_2
CRIS3_1	CNTN1_1
CRIS3_2	CNTN1_1, CSH_1
CSH_1	AACT_1, ADA12_1, AMBP_1, ANT3_1, ATL4_1, ATS13_1, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DPEP2_1, DPEP2_2, ENPP2_2, FA11_2, FA5_2, FA9_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_2, IBP1_1, IBP4_2, ITIH3_1, KIT_1, LIRB5_1, PEDF_1, PRG2_1, PRL_1, PSG1_1, SHBG_1, SHBG_2, SHBG_3, SPRL1_1, TENX_1, TETN_1, TETN_2, THBG_1, TIE1_1, TIMP1_1, VTDB_1, VTNC_2
CSH_2	CNTN1_1, TETN_1
EGLN_2	CNTN1_1
ENPP2_1	CRAC1_3
F13B_1	CNTN1_1, TETN_1
FA11_1	CNTN1_1, TETN_1
FA11_2	CNTN1_1, TETN_1
FA5_1	ATL4_1, CNTN1_1
FA5_2	ATL4_1, CNTN1_1, CNTN1_2
FA9_1	CNTN1_1, FGFR1_2, GELS_2, MUC18_1, TETN_1
FA9_2	ATL4_1, CNTN1_1, CNTN1_2, CRAC1_3, FGFR1_2, GELS_1, TETN_1, TETN_2
FBLN1_1	ADA12_1, AMBP_1, GELS_2, TETN_1
FBLN3_1	AACT_1, CNTN1_1, CRAC1_1, FA5_2, IBP4_2, PRL_1, PSG11_1, TETN_1
FETUA_1	CNTN1_1, TETN_1
FETUA_2	CNTN1_1, TETN_1
FGFR1_1	CNTN1_1
FGFR1_2	CNTN1_1
GELS_1	CNTN1_1, EGLN_1, PROS_1
GELS_2	EGLN_1, PROS_1
GPX3_1	ADA12_1, TETN_1
GPX3_2	CNTN1_1
HEMO_1	CNTN1_1
HLACI_1	CNTN1_1
IBP2_1	TETN_1
IBP3_1	CNTN1_1, TETN_2

IBP3_2	CNTN1_1, TETN_1
IBP4_1	CNTN1_1, PAEP_1, TETN_1
IBP4_2	CNTN1_1, CNTN1_2, SHBG_2, TETN_1
IBP4_3	CNTN1_1, TETN_1
IBP6_1	CNTN1_1, TETN_1
IBP6_2	ADA12_1, CNTN1_1, TETN_2
IGF1_1	CNTN1_1
IGF2_1	CNTN1_1, TETN_1
INHBC_1	CRAC1_3, TETN_1
IPSP_1	CNTN1_1, TETN_1
IPSP_2	CNTN1_1
ITIH3_1	CNTN1_1, TETN_1
ITIH4_1	ADA12_1, CNTN1_1, TETN_1
ITIH4_2	CNTN1_1
ITIH4_3	TETN_1
KIT_1	CNTN1_1
KIT_2	CNTN1_1
KNG1_1	ATL4_1, CNTN1_1
KNG1_2	CNTN1_1
LBP_1	CNTN1_1, TETN_1
LDP_2	CNTN1_1, TETN_1
LEP_1	CNTN1_1
LEP_2	CNTN1_1
LIRB5_1	CNTN1_1, TETN_1
LYAM1_1	TETN_1
PAEP_1	CRAC1_3, FA5_2
PAPP1_1	CNTN1_1, TETN_1
PEDF_1	AACT_1, ADA12_1, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_3, GELS_1, TETN_1, TETN_2
PEDF_2	TETN_1
PGRP2_1	TETN_1
PRDX2_1	CNTN1_1, TETN_1
PRG2_1	ADA12_1, CNTN1_1, TETN_1
PRL_1	ATL4_1, CNTN1_1, CNTN1_2, GELS_1, GELS_2, PROS_1, TETN_1
PRL_2	ATL4_1, CNTN1_1, CRAC1_1, GELS_2, TETN_1
PROS_1	CNTN1_1, CNTN1_2, CRAC1_3
PSG11_1	AACT_1, ADA12_1, ATL4_1, CNTN1_1, KIT_1, PSG2_1, TETN_1, VTNC_2
PSG2_1	AACT_1, ADA12_1, AMBP_1, ATL4_1, CNTN1_1, CNTN1_2, CRAC1_1, GELS_1, GELS_2, KIT_1, PAEP_1, PSG9_1, TETN_1
PSG3_1	TETN_1
PSG9_1	CNTN1_1, TETN_1
PSG9_2	TETN_1
PTGDS_1	CNTN1_1
PTGDS_2	CNTN1_1, TETN_1

RET4_1	CNTN1_1, TETN_1, TETN_2
SEPP1_2	CNTN1_1
SHBG_1	ADA12_1, CNTN1_1, CRAC1_3, TENX_2, TETN_1, TETN_2
SHBG_2	CNTN1_1, TETN_1, TETN_2
SHBG_3	CNTN1_1, CRAC1_3, TETN_1, TETN_2
SOM2_1	ADA12_1, CNTN1_1, TETN_1
SOM2_2	ADA12_1, CRAC1_1, FA9_2, KIT_1, TETN_1
SPRL1_1	CNTN1_1, TETN_1
SVEP1_1	CRAC1_3
TENX_1	TETN_1
TENX_2	ADA12_1, CNTN1_1, TETN_1
TETN_1	ATL4_1, ATS13_1, ATS13_2, CADH5_1, CADH5_2, CNTN1_1, CRAC1_3, DPEP2_1, DPEP2_2, ECM1_2, EGLN_1, EGLN_2, FA5_1, FA5_2, FGFR1_1, FGFR1_2, GELS_1, KIT_2, LEP_1, LEP_2, MFAP5_1, NOTUM_1, PAEP_1, PCD12_1, PCD12_2, PRG4_1, PROS_2, PTGDS_1, SEPP1_1, SEPP1_2, TETN_2, THRB_1
TETN_2	ATL4_1, CNTN1_1, KIT_1, PCD12_1, PROS_1
THBG_1	CNTN1_1, CRAC1_1, TETN_1
TIE1_1	ADA12_1, ATL4_1, CNTN1_1, CNTN1_2, CRAC1_3, TETN_1, TETN_2
TIMP1_1	CNTN1_1, TETN_1
VTDB_1	CNTN1_1
VTNC_1	CNTN1_1, CRAC1_3, KIT_1
VTNC_2	ADA12_1, CNTN1_1

[00323] Model 2: Two Analyte Models Containing InvParity as a Variable for Overlapping GABD Windows

[00324] Model 2 (TTB ~ ETB + InvParity + Analyte1 + Analyte2) was run for 171 analytes in all possible pairs, in overlapping three-week windows with an overlap of one week. All TERM samples were used (975 subjects were TERM). Analytes were included not as a ratio (*i.e.* a reversal) to allow for different coefficients for each. This model was applied to subjects of all Parities for GA windows: $-18^{0/7}$ to $28^{6/7}$ – and in 3-week GA windows from $18^{0/7}$ to $20^{6/7}$, $19^{0/7}$ to $21^{6/7}$, etc. to $26^{0/7}$ to $28^{6/7}$. The performance metric was accuracy.

[00325] **Table 11.** Overlapping windows of GA at blood draw, the number of samples in each and the minimum, median and maximum accuracy in each window. Nomenclature: for example [126-147) means GA day $126 \leq \text{GA at blood draw day} < \text{GA day 147}$.

Windows	nTERM	min	med	max
[126-147)	262	46.9	50.4	54.2
[133-154)	267	44.9	48.7	53.2
[140-161)	265	45.7	48.7	54.0

[147-168)	265	45.3	48.7	53.2
[154-175)	266	47.4	52.3	56.4
[161-182)	264	45.5	50.4	54.9
[168-189)	271	48.3	51.3	56.8
[175-196)	261	44.8	49.0	54.0
[182-203)	269	47.2	51.3	56.1
[126-203)	975	48.5	50.2	52.6

[00326] Table 12. Analyte pairs in models containing InvParity for GABD 126-147

Analyte1	Analyte2
A2GL_1	AFAM_2, CD14_1, CFAB_1, CHL1_1, FA9_1, FA9_2, FGFR1_1, IBP1_1, ITIH3_1, ITIH4_2, LIRB5_1, PRG4_1, PRG4_2, VTNC_2
AACT_1	CNTN1_2, CRAC1_1, FA9_1, FA9_2, GELS_2, KIT_1, SHBG_3
AFAM_1	AACT_1, AOC1_2, APOH_1, ATL4_1, B2MG_1, C1QA_1, C1QB_3, CAMP_1, CBPN_1, CBPN_2, CD14_1, CFAB_1, CGB1_1, CHL1_1, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8A_1, CRIS3_1, CRIS3_2, DPEP2_2, EGLN_2, FA9_1, FA9_2, FGFR1_1, GELS_2, IBP4_1, IBP4_2, IBP4_3, IBP6_2, IGF2_1, IL1R1_1, INHBC_1, ITIH3_1, KIT_2, KNG1_2, LBP_1, LBP_2, LIRB5_1, MUC18_1, PAEP_2, PEDF_1, PRG4_1, PSG1_1, PSG11_1, PSG3_1, PSG9_2, PTGDS_2, SHBG_2, SHBG_3, SOM2_1, SPRL1_1, THBG_1, TIMP1_1, VGFR1_1, VTNC_2
AFAM_2	AACT_1, ADA12_1, ANT3_1, ATL4_1, C1QA_1, C1QB_3, CADH5_1, CFAB_1, CHL1_1, CLUS_1, CNTN1_2, CO8A_1, CRAC1_1, CRIS3_1, DPEP2_2, EGLN_1, EGLN_2, ENPP2_2, FGFR1_1, IBP1_1, IGF2_1, ITIH3_1, KIT_1, LIRB5_1, LYAM1_1, PAPP1_1, PEDF_1, PRG4_1, PRG4_2, PSG2_1, PSG9_1, RET4_1, SEPP1_1, SHBG_1, SHBG_2, SHBG_3, TETN_1, THBG_1, VTNC_2
AMBP_1	CNTN1_2, LEP_1, PRG4_1, PRG4_2, SHBG_2
ANT3_1	LEP_1, PRG4_2, SHBG_2, TETN_1
AOC1_1	PRG4_1, PRG4_2
AOC1_2	PRG4_2
APOC3_1	CHL1_1, ENPP2_2, FA9_1, FGFR1_1, ITIH3_1, LEP_1, SOM2_2
APOH_1	CHL1_1, FA9_1, PRG4_2, SHBG_2, SHBG_3, VTNC_2
ATL4_1	CRAC1_1, PRG4_2
ATS13_2	PRG4_1, PRG4_2
B2MG_1	B2MG_2, CRIS3_1, FA9_1, IBP4_1, KIT_2, LEP_2
B2MG_2	PRG4_2, THBG_1, VTNC_2
BGH3_1	C1QC_1, CFAB_1, FA9_2, KIT_1, LBP_2, PEDF_1
C163A_1	CFAB_1, CHL1_1, GELS_2
C1QA_1	CRAC1_1, DPEP2_1, ECM1_2, PRG4_1, PRG4_2, SHBG_2, TETN_1
C1QA_2	C1QC_1, PRG4_1, PRG4_2
C1QB_1	C1QC_1, PRG4_1, PRG4_2, SHBG_2
C1QB_2	GELS_2, PRG4_2, SHBG_2, TETN_1
C1QB_3	CATD_1, CFAB_1, CHL1_1, CO8A_1, CRAC1_1, ECM1_2, ENPP2_1, FA9_1, FBLN3_1, IBP1_1, IBP6_2, IGF1_1, IGF2_1, ISM2_1, ITIH3_1, MUC18_1, NOTUM_2, PRG4_1, PRG4_2, PTGDS_1, THBG_1, TIE1_1

C1QC_1	AOC1_2, C1QC_2, CAMP_1, CAMP_2, CNTN1_2, CRAC1_2, CRAC1_3, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, FGFR1_1, FGFR1_2, IGF1_1, IL1R1_1, IPSP_1, KIT_2, LEP_2, NOTUM_1, PAEP_2, PAPP2_1, PCD12_1, PTGDS_1, SEPP1_1, VGFR1_1
C1QC_2	PRG4_1, PRG4_2, SHBG_2
CADH5_1	CNTN1_2, PRG4_1, PRG4_2, PTGDS_1
CADH5_2	PRG4_1, PRG4_2
CAH1_1	C1QC_1, CHL1_1, KIT_1, PRDX2_1, PRG4_1, PRG4_2, TETN_1, THBG_1, VTNC_2
CAMP_1	PRG4_1, PRG4_2
CAMP_2	PRG4_2
CATD_1	CAMP_1, CAMP_2, CHL1_1, CNTN1_2, CRAC1_1, CRAC1_3, CRIS3_1, EGLN_2, ENPP2_1, HLACI_1, IGF2_1, ITIH3_1, KIT_1, KNG1_1, MUC18_1, PAPP1_1, PRG2_1, SOM2_2, TETN_1, TETN_2, THBG_1
CATD_2	KIT_1
CBPN_1	CHL1_1, FA9_1, KIT_1, SHBG_2, SHBG_3, VTNC_2
CBPN_2	C1QC_1, CHL1_1
CD14_1	AACT_1, C1QA_1, C1QA_2, CFAB_1, CHL1_1, CLUS_2, CNTN1_2, CO5_2, CO8A_1, CRIS3_2, ECM1_2, FA9_2, GELS_2, IBP1_1, ITIH3_1, ITIH4_2, KIT_2, LIRB5_1, PRG4_1, PRG4_2, PROS_1, PROS_2, SHBG_2, SHBG_3, TENX_1, THRB_1, VTNC_2
CD14_2	CNTN1_2, FGFR1_1, GELS_2, THRB_1
CFAB_1	AACT_1, ATS13_2, CHL1_1, CLUS_1, CNTN1_2, CO6_1, CRIS3_1, DPEP2_1, DPEP2_2, EGLN_1, ENPP2_2, FA11_2, FA9_2, FGFR1_1, FGFR1_2, IBP4_1, IGF1_1, ISM2_1, ISM2_2, ITIH3_1, ITIH4_3, KIT_1, KIT_2, LEP_1, LIRB5_1, LYAM1_1, MUC18_1, NOTUM_1, PRG4_2, PSG2_1, PTGDS_2, SEPP1_2, TETN_1, THBG_1, THRB_1
CGB1_1	C1QC_1, CRAC1_1, FA9_1, LIRB5_1, PRG4_1, TETN_1
CGB1_2	CRAC1_1, LIRB5_1, PRG4_1
CHL1_1	AACT_1, AMBP_1, ANT3_1, AOC1_1, AOC1_2, ATL4_1, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CGB1_1, CGB1_2, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8A_1, CRAC1_1, DEF1_1, DEF1_2, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, ENPP2_1, ENPP2_2, FA11_1, FA11_2, FA9_1, FBLN1_1, FBLN3_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GPX3_1, GPX3_2, HABP2_1, HLACI_1, IBP1_1, IBP3_2, IBP6_1, IBP6_2, IGF1_1, IGF2_1, IL1R1_1, INHBC_1, IPSP_1, IPSP_2, ISM2_1, ITIH3_1, ITIH4_1, ITIH4_3, KIT_1, KNG1_1, KNG1_2, LEP_1, LEP_2, LIRB5_1, LYAM1_1, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_2, PAPP1_1, PEDF_1, PEDF_2, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, SEPP1_1, SEPP1_2, SHBG_2, SHBG_3, SPRL1_1, TENX_1, TETN_1, THBG_1, THRB_1, TIE1_1, VGFR1_1, VTNC_2
CLUS_1	EGLN_2, FA9_2, INHBC_1, KIT_1, LEP_1, PRG4_1, PRG4_2, TETN_1, VTNC_2
CLUS_2	FA9_1, ITIH3_1, PEDF_1, PRG4_1, PRG4_2, SHBG_1, VTNC_2
CNTN1_1	PRG4_1, PRG4_2
CNTN1_2	ATL4_1, DPEP2_2, NOTUM_1, PRG4_1, THRB_1
CO5_1	C1QC_1, CNTN1_2, CRIS3_1, IBP1_1, PRG4_1, PRG4_2
CO5_2	AACT_1, C1QC_1, CNTN1_2, FA9_1, FGFR1_1, HEMO_1, IGF2_1, ITIH4_2, KIT_1,

	KIT_2, LEP_1, PEDF_1, PRG4_2, SEPP1_1, THBG_1, VTNC_2
CO6_1	GELS_2
CO8A_1	AACT_1, ATL4_1, C1QA_1, C1QA_2, C1QC_1, CADH5_1, CNTN1_1, CNTN1_2, CRAC1_1, DPEP2_2, EGLN_2, ENPP2_1, ENPP2_2, FA9_1, HLACI_1, IBP1_1, IGF2_1, IL1R1_1, ITIH3_1, LIRB5_1, LYAM1_1, MFAP5_1, MUC18_1, MUC18_2, PAPP1_1, PCD12_1, PRG4_1, PRG4_2, PSG2_1, PSG3_1, PSG9_1, PSG9_2, SHBG_2, SHBG_3, SPRL1_1, TETN_1, THBG_1, VTNC_2
CRIS3_1	AACT_1, CRIS3_2, FA9_2, FBLN1_1, FGFR1_1, LIRB5_1, PRG4_1, PTGDS_1, THBG_1, VTNC_2
CRIS3_2	AACT_1, DPEP2_2, ENPP2_2, FGFR1_1, IGF2_1, ITIH4_2, ITIH4_3, KIT_1, LEP_1, PEDF_1, PRG4_1, PRG4_2, PSG2_1, TETN_1, TIMP1_1
CSH_1	ENPP2_2, FA9_1, GELS_2, ITIH3_1, TETN_1, THBG_1
CSH_2	C1QC_1, ENPP2_2, FA9_1, ITIH3_1, TETN_1, VTNC_1, VTNC_2
DEF1_1	PRG4_2
DEF1_2	PRG4_2
ECM1_1	PRG4_1, PRG4_2
ECM1_2	CRAC1_1, PRG4_1, PRG4_2
EGLN_2	CNTN1_2, CRAC1_1, MUC18_2
ENPP2_1	C1QC_1, ITIH3_1, KIT_1, PRG4_1, PRG4_2, SHBG_2, SHBG_3, TETN_1
ENPP2_2	AACT_1, ATS13_2, C1QA_1, CADH5_1, ECM1_1, ECM1_2, EGLN_2, FA9_1, FA9_2, FGFR1_1, GELS_1, ITIH3_1, KIT_1, KIT_2, LBP_2, LIRB5_1, LYAM1_1, PCD12_1, PRG4_2, SHBG_3, TENX_1, TETN_1, THBG_1
F13B_1	FA9_1, PRG4_2
FA11_1	FA11_2, SHBG_2, TETN_1
FA5_2	CNTN1_2, CRAC1_3, PRG4_2
FA9_1	AMBP_1, ANT3_1, ATL4_1, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CNTN1_2, CRAC1_2, CRAC1_3, DPEP2_1, DPEP2_2, ECM1_2, FA11_2, FA9_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, IL1R1_1, KIT_1, LEP_2, MFAP5_1, MUC18_1, MUC18_2, PCD12_2, PRG4_1, PRL_1, PRL_2, PROS_1, PROS_2, SEPP1_1, SHBG_2, TETN_1, THRB_1, TIMP1_1
FA9_2	ANT3_1, C1QA_1, C1QA_2, C1QC_1, CRAC1_1, FGFR1_1, FGFR1_2, MUC18_1, PRG4_2, PROS_1, PROS_2, RET4_1, TETN_1, TETN_2, THRB_1
FBLN1_1	C1QC_1, PRG4_2
FBLN3_1	CNTN1_2, IGF2_1, KIT_1, PRG4_2, SHBG_2, THBG_1, VTNC_2
FCTUA_1	C1QC_1
FETUA_2	AACT_1, C1QC_1, ITIH3_1, PRG4_1, PRG4_2, VTNC_2
FGFR1_1	CNTN1_2, CRAC1_2, LEP_1, MFAP5_1, MUC18_2
FGFR1_2	LEP_1, PRG4_1, PRG4_2
GELS_1	CRAC1_1, FGFR1_1, KIT_1, LEP_1, PRG4_1
GELS_2	DPEP2_2, ECM1_1, FGFR1_1, LEP_2, MUC18_2, PRG4_1, PRG4_2, PTGDS_1
GPX3_1	C1QC_1, ECM1_2, FA9_1
GPX3_2	C1QA_1, CRAC1_1, FA9_1, SHBG_2, TETN_1
HABP2_1	C1QC_1, ITIH3_1, LIRB5_1, PRG4_1, PRG4_2, SHBG_2, SHBG_3, VTNC_2
HEMO_1	ATL4_1, CRAC1_2, IL1R1_1, TETN_1
HLACI_1	CNTN1_2, PRG4_1, PRG4_2, SHBG_3, TETN_1, VTNC_2
IBP1_1	C1QA_1, C1QA_2, C1QC_1, CADH5_1, CRAC1_1, IBP4_1, IGF2_1, KIT_1,

	PRG4_1, PRG4_2, SHBG_2, VTNC_2
IBP2_1	C1QC_1
IBP3_1	C1QC_1, IGF2_1, SHBG_2, VTNC_2
IBP3_2	
IBP4_1	FA9_1, GELS_2, LEP_1
IBP4_2	AACT_1, DPEP2_2, FA9_1, FGFR1_1, KIT_1, PRG4_1, PRG4_2, THBG_1
IBP4_3	FA9_1, FGFR1_1, KIT_1
IBP6_1	LEP_1
IBP6_2	C1QC_1, CRAC1_1, KIT_1, LIRB5_1, PRG4_2
IGF1_1	PRG4_1, PRG4_2, TETN_1
IGF2_1	AACT_1, AOC1_1, ATL4_1, CNTN1_1, CNTN1_2, DEF1_1, EGLN_2, GELS_2, LBP_1, LIRB5_1, LYAM1_1, MUC18_2, PAPP1_1, PRG4_1, PRG4_2, PSG9_1, PSG9_2, SEPP1_1, SHBG_1, SHBG_2, SHBG_3, SPRL1_1, TETN_1, THBG_1, VTNC_2
IL1R1_1	CNTN1_2, CRAC1_1, DEF1_2, LEP_1, PRG4_1
INHBC_1	C1QC_1, CNTN1_2, CRAC1_1, FGFR1_1, LIRB5_1, MFAP5_1, PRG4_1, PRG4_2, SHBG_2, SHBG_3, THBG_1, VTNC_2
IPSP_1	GELS_2, PRG4_1, PRG4_2, TETN_1
IPSP_2	GELS_2, LEP_1, PRG4_2
ITIH3_1	AACT_1, ADA12_1, C1QA_2, CAMP_1, CAMP_2, CRAC1_3, ECM1_1, ECM1_2, FA9_1, FA9_2, FGFR1_1, GELS_2, IBP4_3, IGF1_1, IPSP_2, KIT_1, KIT_2, LBP_1, LBP_2, LYAM1_1, MUC18_1, PEDF_1, PRDX2_1, PRG4_1, PSG11_1, PSG2_1, PTGDS_1, SOM2_1, SOM2_2, THBG_1, TIE1_1, VTNC_1, VTNC_2
ITIH4_1	C1QC_1, PRG4_1, PRG4_2, SHBG_2, SHBG_3, TETN_1, THBG_1
ITIH4_2	ATL4_1, C1QC_1, CNTN1_2, FA9_1, GELS_2, LYAM1_1, MUC18_1, PRG2_1, SHBG_1, SHBG_2, TETN_1, THBG_1
ITIH4_3	AACT_1, C1QC_1, CNTN1_2, CRAC1_1, DEF1_2, FA9_1, GELS_2, KIT_1, LEP_1, SHBG_1, THBG_1, VTNC_2
KIT_1	AOC1_2, ATL4_1, CADH5_1, CNTN1_2, DPEP2_2, FGFR1_1, LEP_1, MUC18_1, NOTUM_1, SEPP1_1, SEPP1_2, VGFR1_1
KIT_2	FGFR1_1, ISM2_2, LEP_1
KNG1_1	C1QC_1, CNTN1_2, LIRB5_1, PRG4_1, PRG4_2, THBG_1, VTNC_2
KNG1_2	C1QC_1, CNTN1_2, PRG4_2, VTNC_2
LBP_1	ATL4_1, CRAC1_1, CRAC1_3, FGFR1_1, KIT_1, LIRB5_1, PSG1_1, PSG11_1, PTGDS_1, VTNC_2
LBP_2	CNTN1_2, CRAC1_1, FA9_1, FGFR1_1, IL1R1_1, PSG1_1, VTNC_2
LEP_1	ATS13_2, CRAC1_1, PCD12_1, PTGDS_1, SEPP1_1, THRB_1
LIRB5_1	C1QA_2, C1QC_1, CRAC1_1, FA9_1, FA9_2, KIT_1, KIT_2, MUC18_1, MUC18_2, PRG4_1, PRG4_2, TETN_1
LYAM1_1	EGLN_2, FA9_2, KIT_1, LIRB5_1, PCD12_1, PRG2_1, PRG4_2, PTGDS_1, TETN_1, THBG_1, TIE1_1
MFAP5_1	PRG4_2
MUC18_2	DPEP2_2, PRG4_1, PRG4_2
PAEP_1	ECM1_2, PRG4_1
PAPP1_1	FA9_1, FGFR1_1, GELS_2
PEDF_1	AACT_1, CADH5_1, CNTN1_2, CRAC1_1, EGLN_2, FA9_1, GELS_1, KIT_2,

	LEP_1, PSG2_1, TETN_1, THBG_1, TIE1_1, VTNC_2
PEDF_2	C1QC_1, PRG4_2, SHBG_2, SHBG_3
PGRP2_1	GELS_2
PRDX2_1	PRG4_1, PRG4_2, TETN_1, THBG_1
PRG2_1	GELS_2, TETN_1
PRG4_1	DPEP2_2, PCD12_1, PRG4_2
PRG4_2	DPEP2_1, DPEP2_2, PCD12_1
PROS_2	EGLN_2
PSG1_1	FA9_2, TETN_1, THBG_1
PSG11_1	C1QC_1, FA9_1, THBG_1
PSG2_1	C1QC_1, FA9_1, FA9_2, GELS_2, IL1R1_1, VTNC_2
PSG3_1	PRG4_1, PRG4_2, SHBG_2, SHBG_3, VTNC_2
PSG9_1	CADH5_1, CNTN1_2, PRG4_1, PRG4_2, SHBG_2, SHBG_3, TETN_1, THBG_1, VTNC_2
PSG9_2	C1QC_1, KIT_1, PRG4_1, PRG4_2, SHBG_2, SHBG_3
PTGDS_1	CRAC1_2, MUC18_2
PTGDS_2	AACT_1, C1QC_1, FA9_2, LIRB5_1, PRG4_2, TETN_1
RET4_1	GELS_2, KIT_1, PRG4_1, PRG4_2, TETN_1
SEPP1_1	CRAC1_1, PRG4_1, PRG4_2
SEPP1_2	PCD12_1
SHBG_1	ATL4_1, CADH5_1, CNTN1_2, CRAC1_1, DPEP2_2, ECM1_2, FA9_1, FGFR1_1, FGFR1_2, GPX3_1, GPX3_2, KIT_1, LIRB5_1, NOTUM_1, PRG4_1, PRG4_2, RET4_1, SHBG_2, SHBG_3, THBG_1, VTNC_2
SHBG_2	AOC1_2, ATL4_1, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_1, DPEP2_2, EGLN_2, FGFR1_1, FGFR1_2, IGF1_1, PRG4_1, PRG4_2, PROS_1, SEPP1_1, VGFR1_1
SHBG_3	AMBP_1, ANT3_1, ATL4_1, C1QA_1, C1QB_2, C1QC_2, CADH5_1, CNTN1_1, CNTN1_2, CRAC1_1, DPEP2_2, EGLN_2, FGFR1_1, FGFR1_2, IPSP_1, LIRB5_1, PCD12_1, PRG4_1, PRG4_2, PROS_1, SEPP1_1, VGFR1_1
SOM2_1	FA9_1, SHBG_2, TETN_1, THBG_1
SOM2_2	FA9_1, GELS_2, PRG4_2
SPRL1_1	PRG4_1, PRG4_2, SHBG_2, SHBG_3, VTNC_2
SVEP1_1	CRAC1_3
TENX_1	CRAC1_1, FA9_1, PRG4_1, PRG4_2
TENX_2	FGFR1_1, KIT_2
TETN_1	AOC1_1, CAMP_1, CNTN1_1, DEF1_1, DEF1_2, ECM1_1, ECM1_2, EGLN_1, FGFR1_1, ISM2_2, LEP_1, LEP_2, MFAP5_1, PROS_2, PTGDS_1, SEPP1_1, SEPP1_2, THRB_1, VGFR1_1
TETN_2	KIT_1
THBG_1	AACT_1, ANT3_1, ATL4_1, ATS13_2, C1QB_1, C1QC_1, CADH5_2, CAMP_1, CNTN1_1, CNTN1_2, CRAC1_1, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_2, EGLN_1, FA9_1, FA9_2, FGFR1_1, FGFR1_2, GPX3_2, IBP4_1, IGF1_1, IL1R1_1, KIT_1, KIT_2, LEP_1, LIRB5_1, MUC18_1, MUC18_2, PAEP_1, PAEP_2, PRG4_2, PTGDS_1, SEPP1_1, SHBG_2, SHBG_3, TETN_1, THRB_1, VTNC_1, VTNC_2
TIE1_1	C1QC_1, CNTN1_2, FA9_1, KIT_2, VTNC_2
TIMP1_1	ATL4_1, CRAC1_1, GELS_2

VGFR1_1	PRG4_1, PRG4_2
VTDB_1	C1QC_1, VTNC_2
VTNC_1	CRAC1_1, FA9_1, FGFR1_1, LIRB5_1, THRB_1, VTNC_2
VTNC_2	AACT_1, AMBP_1, ANT3_1, AOC1_1, C1QB_1, C1QC_2, CADH5_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_1, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA11_2, FA5_2, FA9_1, FA9_2, FGFR1_1, FGFR1_2, GPX3_1, GPX3_2, IPSP_1, KIT_1, KIT_2, LIRB5_1, MFAP5_1, MUC18_1, PAEP_1, PRG4_1, PRG4_2, PROS_1, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SHBG_3, TETN_1, THRB_1, TIMP1_1, VGFR1_1

[00327] Table 13. Analyte pairs in models containing InvParity for GABD 126-203

Analyte1	Analyte2
A2GL_1	FA9_2
AACT_1	ANT3_1, CRAC1_1, CRAC1_3, FA9_1, FA9_2, GELS_2, SVEP1_1
ADA12_1	FA9_1, FA9_2
AFAM_2	AACT_1, FGFR1_1
ALS_1	CD14_1, FA9_1, FA9_2
AMBP_1	SVEP1_1, TETN_1
ANGT_1	AACT_1, FA9_1, FA9_2
ANT3_1	TETN_1
APOC3_1	FA9_2
APOH_1	FA9_1, FA9_2
B2MG_1	FA9_1, FA9_2, SVEP1_1
B2MG_2	FA9_2
C163A_1	FA9_1
C1QA_1	CRAC1_3
C1QB_3	CD14_1, FA9_1, FA9_2
C1QC_1	CRAC1_3, TETN_1
CAH1_1	FA9_1, FA9_2
CATD_1	SVEP1_1
CATD_2	FA9_1
CBPN_1	FA9_1, FA9_2
CBPN_2	FA9_1, FA9_2
CD14_1	ADA12_1, ANT3_1, AOC1_1, C1QA_1, CD14_2, CHL1_1, CNTN1_1, CO5_2, CRIS3_2, ECM1_2, FA5_2, FA9_1, FA9_2, FBLN1_1, FETUA_1, GELS_2, HABP2_1, HLACI_1, IBP4_1, IBP6_2, ISM2_1, ITIH3_1, ITIH4_2, LIRB5_1, NOTUM_1, PAEP_1, PCD12_2, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG9_1, SVEP1_1, TENX_2, TETN_1, TIMP1_1, VTDB_1
CD14_2	FA9_2
CGB1_1	FA9_1
CGB1_2	FA9_1
CHL1_1	FA9_1, FA9_2
CLUS_1	FA9_1, FA9_2
CLUS_2	FA9_1, FA9_2

CO5_1	FA9_1, FA9_2
CO5_2	FA9_1, FA9_2, SVEP1_1
CO6_1	FA9_2
CO8A_1	FA9_1, FA9_2
CO8B_1	FA9_1, FA9_2
CRIS3_1	AACT_1
CRIS3_2	FA9_1, FA9_2, IBP4_1
CSH_1	FA9_1, FA9_2
CSH_2	FA9_2
ENPP2_2	FA9_1
F13B_1	FA9_2
FA5_1	CNTN1_1
FA5_2	CNTN1_1, SVEP1_1
FA9_1	ANT3_1, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_2, CAMP_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_2, CRAC1_3, DEF1_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, FA9_2, FGFR1_2, GELS_2, IL1R1_1, IPSP_1, ISM2_2, KIT_1, KIT_2, LEP_1, MUC18_1, NOTUM_1, PAEP_1, PAEP_2, PCD12_2, PROS_1, PROS_2, PTGDS_1, SEPP1_1, SEPP1_2, SVEP1_1, THRB_1, TIMP1_1
FA9_2	AMBP_1, ANT3_1, AOC1_1, ATS13_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CAMP_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_1, FGFR1_2, GELS_1, GELS_2, IGF1_1, IL1R1_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KIT_1, KIT_2, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PRG4_1, PROS_1, PROS_2, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, TIMP1_1, VGFR1_1
FBLN1_1	FA9_1, FA9_2
FETUA_1	FA9_1, FA9_2
FETUA_2	FA9_1, FA9_2
GELS_1	FGFR1_1
GELS_2	FGFR1_1, PCD12_2
GPX3_1	FA9_2
GPX3_2	FA9_2
HABP2_1	C1QC_1
HLACI_1	FA9_1, FA9_2
IBP1_1	FA9_2
IBP2_1	FA9_2
IBP3_1	FA9_1, FA9_2
IBP3_2	FA9_2
IBP4_1	FA9_1, FA9_2, SVEP1_1, TETN_1
IBP4_2	AACT_1, FA9_1, FA9_2, SVEP1_1
IBP4_3	FA9_1, FA9_2
IBP6_1	FA9_1, FA9_2
IBP6_2	FA9_1, FA9_2

IGF2_1	FA9_2
IPSP_1	TETN_1
ITIH3_1	SVEP1_1
ITIH4_1	FA9_1, FA9_2
ITIH4_3	FA9_1, FA9_2
KNG1_1	FA9_1, PCD12_1
KNG1_2	AACT_1, FA9_1, FA9_2
LIRB5_1	FA9_1, FA9_2
LYAM1_1	THBG_1
PAPP1_1	FA9_2
PEDF_1	GELS_2, SVEP1_1
PEDF_2	FA9_1, FA9_2
PGRP2_1	FA9_2
PRDX2_1	FA9_1, FA9_2
PRG2_1	FA9_1, FA9_2
PRL_1	TETN_1
PRL_2	TETN_1
PSG1_1	AACT_1, FA9_1, FA9_2
PSG11_1	AACT_1, FA9_1, FA9_2
PSG2_1	FA9_2, TETN_1
PSG3_1	FA9_1, FA9_2
PSG9_1	FA9_2
PSG9_2	FA9_1, FA9_2
PTGDS_2	FA9_1
SHBG_3	FA9_2
SOM2_1	FA9_1, FA9_2
SOM2_2	FA9_2
SPRL1_1	FA9_2
SVEP1_1	CRAC1_3, PRG4_1
TENX_1	FA9_1, FA9_2
TENX_2	FA9_1, FA9_2, TETN_1
TETN_1	FA5_1, FA5_2, FGFR1_1, LEP_1
THBG_1	ADA12_1, SVEP1_1, TETN_1
TIE1_1	FA9_2
VTDB_1	FA9_1, FA9_2
VINC_1	FA9_2
VTNC_2	ADA12_1, EGLN_1, SVEP1_1

[00328] **Table 14.** Analyte pairs in models containing InvParity for GABD 133-154

Analyte1	Analyte2
APOH_1	CD14_1
B2MG_1	CHL1_1, CO5_2, FGFR1_1, HEMO_1, KIT_2, RET4_1, THBG_1
B2MG_2	CHL1_1, SEPP1_1

C163A_1	CO5_2
C1QB_3	CHL1_1
C1QC_1	CRAC1_1
CAH1_1	ADA12_1, CHL1_1, FETUA_1, ITIH4_3, KNG1_1, LEP_2, NOTUM_2, PTGDS_1, TIE1_1
CBPN_2	C1QC_1
CD14_1	CNTN1_1, CO5_2, RET4_1, SEPP1_1
CD14_2	CNTN1_1, CO5_2, RET4_1
CFAB_1	CHL1_1, CNTN1_1, CNTN1_2, CO5_2, FGFR1_1, IL1R1_1, THRB_1
CHL1_1	ATL4_1, C1QA_2, C1QB_2, C1QC_1, CLUS_2, CNTN1_2, CO5_2, CSH_2, ECM1_1, ECM1_2, ENPP2_1, ENPP2_2, IBP1_1, IBP4_1, IBP6_2, IL1R1_1, INHBC_1, LEP_1, PRDX2_1, PSG9_2, PTGDS_2, SEPP1_2, SHBG_1, SHBG_2, SHBG_3, THBG_1, VTNC_2
CLUS_2	PRDX2_1
CNTN1_1	ECM1_2
CO5_2	ANT3_1, ENPP2_1, FGFR1_1, HEMO_1, IPSP_2, MUC18_1, PEDF_1, PRG2_1, PTGDS_1, SEPP1_1, THBG_1, THRB_1
CO6_1	PRDX2_1
CO8A_1	MUC18_2
ECM1_2	ATL4_1
ENPP2_2	LIRB5_1, RET4_1
FA5_1	CNTN1_1
FA9_1	CNTN1_2
FA9_2	CNTN1_1
FGFR1_1	MUC18_1
HEMO_1	KIT_2, PRDX2_1
IBP6_2	CNTN1_2
IL1R1_1	SEPP1_1
INHBC_1	CNTN1_1, CNTN1_2
ITIH4_2	PRDX2_1
ITIH4_3	CNTN1_2
PEDF_1	CNTN1_1, CNTN1_2, SEPP1_1
PRDX2_1	C1QC_1, FA9_1, IPSP_2, THBG_1
PTGDS_1	CNTN1_2
RET4_1	MUC18_1
SHBG_1	IL1R1_1, LIRB5_1, RET4_1, SEPP1_1
THBG_1	CNTN1_1, GELS_2, KIT_1, KIT_2, MFAP5_1, RET4_1

[00329] Table 15. Analyte pairs in models containing InvParity for GABD 140-161

Analyte1	Analyte2
ADA12_1	FGFR1_1
AFAM_1	FBLN1_1
ANGT_1	FGFR1_1
B2MG_1	C1QB_1, FBLN1_1, FGFR1_1, FGFR1_2

B2MG_2	AMBP_1, C1QB_1, FGFR1_1, LIRB5_1, PEDF_1, PROS_2, TIE1_1, VTDB_1
C1QB_1	FGFR1_1, TETN_1
C1QB_3	PEDF_1
CATD_1	FBLN1_1
CATD_2	C1QB_1, FA11_2, FA5_2, FBLN1_1, FGFR1_1, THRB_1
CBPN_2	FGFR1_1
CD14_1	C1QB_1, FBLN1_1, FGFR1_1, HEMO_1, TETN_1, TIE1_1, VTDB_1
CD14_2	FGFR1_2
CO5_2	ANT3_1, TETN_1, VTDB_1
CO6_1	FGFR1_1
ENPP2_1	FGFR1_1
ENPP2_2	FGFR1_1
FA9_2	FGFR1_2
FBLN1_1	CADH5_1, CGB1_1, FGFR1_1, GELS_2, HABP2_1, KIT_2, PEDF_1, TETN_1
FGFR1_1	FA5_2, FGFR1_2, MUC18_1, PAPP2_1, PCD12_2, PTGDS_1, SVEP1_1
FGFR1_2	FA5_2, THRB_1
GELS_2	FGFR1_1
GPX3_1	FGFR1_1
GPX3_2	FGFR1_1
HABP2_1	AMBP_1, C1QB_1, FA9_1, FGFR1_2, IBP2_1, PEDF_1, RET4_1, THRB_1, VTDB_1
HEMO_1	IBP4_3
IBP1_1	FGFR1_1
IBP2_1	FGFR1_1, PEDF_1
IBP3_1	FGFR1_1
IBP3_2	FGFR1_1
ITIH4_2	FGFR1_2
LBP_1	FGFR1_1
LIRB5_1	FGFR1_1
LYAM1_1	FGFR1_2
PEDF_1	ANT3_1, C1QB_1, FGFR1_1, FGFR1_2, IL1R1_1, PSG11_1, SPRL1_1, TETN_1
PEDF_2	FGFR1_1
PSG1_1	FGFR1_1
PTGDS_2	FGFR1_1
SPRL1_1	FGFR1_1
TENX_2	FGFR1_1
TETN_1	FA5_1, FGFR1_1
THBG_1	FGFR1_1, VTDB_1
TIMP1_1	FGFR1_1
VTDB_1	IBP4_3, LEP_1
VTNC_2	FGFR1_1

[00330] Table 16. Analyte pairs in models containing InvParity for GABD 147-168

Analyte1	Analyte2
ADA12_1	PAEP_1, TETN_1
ALS_1	HABP2_1
ANT3_1	CAMP_2, ECM1_1, SEPP1_2, SVEP1_1, TETN_1
APOC3_1	TETN_1
APOH_1	ANT3_1
B2MG_1	FBLN1_1, PSG1_1
B2MG_2	FBLN1_1, PSG1_1, TETN_1
C163A_1	ANT3_1
C1QB_3	TETN_1
CATD_2	TETN_1
CBPN_1	TETN_1
CBPN_2	TETN_1
CD14_1	TETN_1
CD14_2	ANT3_1, TETN_1
CGB1_1	ANT3_1
CLUS_2	ANT3_1
CO5_2	ANT3_1
CO6_1	TETN_1
CO8A_1	TETN_1
CO8B_1	TETN_1
CSH_1	ANT3_1, TETN_1
FA11_2	TETN_1
FA9_1	PAEP_1
FA9_2	ANT3_1, TETN_1
FBLN1_1	ANT3_1, ISM2_1, PCD12_2, TENX_2, TETN_1, TETN_2
HABP2_1	PEDF_1, PRL_2, TETN_1
HFMQ_1	TFTN_1
HLACI_1	ANT3_1
IBP1_1	TETN_1
IBP2_1	ANT3_1
IBP3_2	TETN_1
IBP4_1	TETN_1
IBP4_3	ANT3_1, TETN_1
IBP6_1	ANT3_1, TETN_1
IBP6_2	ANT3_1, TETN_1
IGF2_1	TETN_1
ITIH4_1	TETN_1
ITIH4_2	ANT3_1
ITIH4_3	TETN_1
LIRB5_1	TETN_1
PEDF_1	TETN_1
PRL_1	TCTN_1

PRL_2	TETN_1
PSG1_1	TETN_1
PSG11_1	ANT3_1, TETN_1
PSG3_1	TETN_1
PSG9_2	TETN_1
SOM2_2	ANT3_1, TETN_1
SPRL1_1	ANT3_1, TETN_1
TENX_1	TETN_1
TENX_2	PAEP_2, TETN_1
TETN_1	ATL4_1, ATS13_1, CADH5_2, CNTN1_2, DEF1_1, DEF1_2, DPEP2_1, ECM1_1, EGLN_1, EGLN_2, FGFR1_2, GELS_2, KIT_1, KIT_2, MFAP5_1, PAEP_1, PCD12_1, PCD12_2, PROS_2, PTGDS_1, SEPP1_2, SVEP1_1, TETN_2
TIE1_1	TETN_1

[00331] Table 17. Analyte pairs in models containing InvParity for GABD 154-175

Analyte1	Analyte2
A2GL_1	ADA12_1, APOH_1, B2MG_1, B2MG_2, CO5_2, IBP4_3, LYAM1_1, PRDX2_1, PSG11_1, TETN_1, TETN_2
AACT_1	ADA12_1, IBP4_3, SVEP1_1, TETN_1
ADA12_1	AMBP_1, ANT3_1, ATS13_1, ATS13_2, C1QA_1, C1QB_1, C1QB_2, CAMP_1, CNTN1_1, CRAC1_1, CRAC1_2, EGLN_1, FA11_1, FA11_2, FA5_2, FA9_1, FA9_2, FGFR1_2, LIRB5_1, NOTUM_2, PAEP_1, PAEP_2, PRL_1, PRL_2, PROS_1, PROS_2, RET4_1, TETN_2, THRB_1, TIMP1_1
AFAM_2	B2MG_1, CRIS3_2
ALS_1	APOH_1, B2MG_2, IBP4_3
AMBP_1	SVEP1_1, TETN_1, TETN_2
ANCT_1	ADA12_1, B2MG_1, B2MG_2, CNTN1_2, CRAC1_1, CRAC1_3, CRIS3_2, CSH_1, EGLN_2, FA9_1, IBP4_3, PAEP_1, PRL_2, PSG1_1, SOM2_1, SVEP1_1, TENX_2
ANT3_1	EGLN_1
APOC3_1	APOH_1, B2MG_1, B2MG_2, CO5_2, IBP4_3, LYAM1_1, SVEP1_1, TETN_2
APOH_1	AACT_1, AMBP_1, ATL4_1, ATS13_2, B2MG_1, B2MG_2, C1QB_3, CAMP_1, CAMP_2, CATD_2, CD14_2, CFAB_1, CLUS_2, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8B_1, CSH_1, CSH_2, DPEP2_1, DPEP2_2, ECM1_2, EGLN_2, ENPP2_1, FA11_1, FA11_2, FA9_1, FA9_2, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, GPX3_2, HLACI_1, IBP1_1, IBP3_2, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, IPSP_1, IPSP_2, ITIH3_1, ITIH4_1, ITIH4_2, KIT_2, KNG1_2, LBP_1, LBP_2, MFAP5_1, PAEP_1, PAEP_2, PCD12_1, PEDF_1, PEDF_2, PGRP2_1, PRL_1, PRL_2, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, RET4_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, TIMP1_1
B2MG_1	AACT_1, ADA12_1, AMBP_1, ATL4_1, ATS13_1, ATS13_2, B2MG_2, BGH3_1, C1QB_1, C1QB_3, CADH5_1, CAH1_1, CAMP_1, CAMP_2, CATD_1, CBPN_1, CBPN_2, CFAB_1, CGB1_1, CGB1_2, CHL1_1, CLUS_2, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CSH_1, CSH_2, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, EGLN_1, ENPP2_1,

	FA11_1, FA11_2, FA9_1, FA9_2, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, GELS_1, GELS_2, GPX3_1, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP1_1, IBP2_1, IBP3_1, IBP3_2, IBP4_2, IBP4_3, IBP6_1, IGF2_1, ISM2_1, ITIH3_1, ITIH4_2, KIT_1, KIT_2, KNG1_2, LBP_1, LEP_1, LIRB5_1, LYAM1_1, MFAP5_1, NOTUM_1, NOTUM_2, PAEP_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_2, PGRP2_1, PRDX2_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, RET4_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SOM2_2, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, TIMP1_1, VTNC_1
B2MG_2	AACT_1, ADA12_1, AMBP_1, ATL4_1, ATS13_1, ATS13_2, BGH3_1, C1QB_2, C1QB_3, C1QC_1, C1QC_2, CADH5_1, CAH1_1, CAMP_1, CAMP_2, CATD_2, CBPN_1, CBPN_2, CFAB_1, CGB1_1, CGB1_2, CHL1_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CSH_1, CSH_2, DPEP2_1, DPEP2_2, EGLN_1, EGLN_2, ENPP2_1, FA11_1, FA11_2, FA9_1, FA9_2, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, GELS_1, GELS_2, GPX3_1, GPX3_2, HEMO_1, HLACI_1, IBP1_1, IBP2_1, IBP3_1, IBP3_2, IBP4_2, IBP4_3, IBP6_1, IGF2_1, INHBC_1, IPSP_1, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, KIT_1, KIT_2, KNG1_2, LBP_1, LBP_2, LIRB5_1, MFAP5_1, NOTUM_2, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRDX2_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_2, PTGDS_1, RET4_1, SEPP1_2, SHBG_2, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, TIE1_1, TIMP1_1
BGH3_1	IBP4_2, IBP4_3, LEP_1, LYAM1_1
C1G3A_1	ADA12_1, CRIS3_2, IBP4_1
C1QB_1	SVEP1_1
C1QB_2	LEP_1
C1QB_3	ADA12_1, CSH_1, IBP4_2, IBP4_3, LYAM1_1, PAPP1_1, PSG1_1, SVEP1_1, TETN_1, TETN_2
C1QC_1	SVEP1_1
CAH1_1	C1QC_1, FA11_1, FA9_1, IBP4_1, PEDF_2, PRDX2_1, PSG1_1, SVEP1_1
CAMP_2	SVEP1_1
CATD_1	IBP4_3, PEDF_2
CATD_2	ADA12_1, CNTN1_2, FA9_1, IBP4_2, IBP4_3, LYAM1_1
CBPN_1	CRIS3_2, FA9_1, IBP4_2, IBP4_3, LEP_1, PRDX2_1, TETN_1
CBPN_2	ADA12_1, CAMP_2, IBP4_3
CD14_1	FA9_1, FA9_2, IBP4_1, IBP4_2, IBP4_3, LYAM1_1
CD14_2	IBP4_3
CFAB_1	ADA12_1, IBP4_2, IBP4_3, LYAM1_1, PAPP1_1, TETN_1
CGB1_1	TETN_1, TETN_2
CGB1_2	TETN_1, TETN_2
CHL1_1	CRIS3_2, LYAM1_1, PAEP_1, PAEP_2, PRDX2_1, PROS_2, SEPP1_2, SVEP1_1
CLUS_1	TETN_1
CLUS_2	CO5_2, IBP4_3, LYAM1_1, TETN_1
CO5_1	ADA12_1, IBP4_3
CO5_2	AACT_1, ATL4_1, CAMP_1, CAMP_2, CSH_1, FETUA_1, FGFR1_1, GELS_1, HLACI_1, IBP4_1, IBP4_2, IBP4_3, IBP6_2, ISM2_1, KIT_2, KNG1_2, LBP_2,

	PCD12_1, PGRP2_1, PSG11_1, PSG9_1, PSG9_2, SHBG_1, SHBG_2, SHBG_3, SOM2_1
CO6_1	EGLN_1, IBP2_1, PRDX2_1, PSG1_1, SVEP1_1
CO8A_1	ADA12_1, FA9_1, IBP4_3, TETN_1
CO8B_1	IBP4_3, LYAM1_1, TETN_1, TETN_2
CRIS3_1	FA9_1, IBP4_2
CRIS3_2	ADA12_1, FA9_1, IBP4_2, IBP4_3, PEDF_2, PROS_2, SOM2_2, TETN_1
CSH_1	AACT_1, ADA12_1, C1QB_1, C1QB_2, C1QC_2, CAMP_1, CNTN1_2, CRAC1_2, FA5_2, FA9_1, FA9_2, GPX3_1, IBP4_1, IBP4_2, IBP4_3, ITIH4_1, KIT_1, LEP_1, MUC18_2, PAEP_1, PAEP_2, PAPP1_1, PRDX2_1, PROS_2, PSG1_1, PSG11_1, RET4_1, SEPP1_2, SVEP1_1, TENX_2, TETN_1, TETN_2
CSH_2	CRAC1_2, IBP4_2, IBP4_3, LYAM1_1, TETN_1
EGLN_1	CAMP_1, LEP_1, SVEP1_1
EGLN_2	CNTN1_2, CRAC1_3, SVEP1_1
ENPP2_1	FA5_2, IBP4_3
ENPP2_2	FA5_2, IBP4_3, PEDF_2, PRDX2_1
F13B_1	IBP4_3, TETN_1
FA11_1	CAMP_2, DEF1_1, TETN_1, TETN_2
FA11_2	TETN_1, TETN_2
FA5_2	CAMP_2, CRAC1_1, DPEP2_1, SVEP1_1
FA9_1	AMBP_1, ANT3_1, C1QA_1, CAMP_1, CRAC1_1, CRAC1_3, DEF1_2, EGLN_1, EGLN_2, FA11_1, FA11_2, GELS_2, IL1R1_1, ISM2_1, NOTUM_1, PAEP_1, PAEP_2, PRL_1, PRL_2, PROS_1, SEPP1_2, SVEP1_1, TETN_2
FA9_2	FA11_2, GELS_2, PAEP_1, PAEP_2, PRL_1, SVEP1_1, TETN_1, TETN_2
FBLN1_1	ADA12_1, FA9_1, IBP4_3, PRDX2_1, TETN_1
FBLN3_1	FA9_1, IBP4_3, LYAM1_1, PSG1_1
FETUA_1	ADA12_1, FA9_1, FA9_2, IBP4_1, IBP4_3, PRDX2_1, PSG11_1, TETN_1
FETUA_2	IBP4_2, IBP4_3, LYAM1_1, PAPP1_1, TETN_1, TETN_2
GELS_2	FA5_2, SEPP1_2, SVEP1_1
GPX3_1	ADA12_1, FA9_1, FA9_2, IBP4_1, IBP4_3, PRL_1, PRL_2, SVEP1_1
GPX3_2	IBP4_3, SVEP1_1, TETN_1, TETN_2
HABP2_1	SVEP1_1
HEMO_1	FA9_1, IBP4_1, IBP4_2, IBP4_3
HLACI_1	IBP4_3, LYAM1_1, TETN_1, TETN_2
IBP1_1	ADA12_1, CAMP_1, CNTN1_2, DEF1_2, FA9_1, FA9_2, GPX3_1, IBP4_2, IBP4_3, PAEP_2, PAPP1_1, TETN_1, TETN_2
IBP2_1	ADA12_1, CRAC1_1, CRAC1_2, CRAC1_3, IBP4_2, IBP4_3, PRDX2_1, SHBG_1, SHBG_2, TETN_1, TETN_2
IBP3_1	IBP4_3, PRDX2_1
IBP3_2	IBP4_3, TETN_1
IBP4_1	ADA12_1, AMBP_1, ANT3_1, ATS13_1, CRAC1_1, DEF1_1, EGLN_1, EGLN_2, FA11_1, FA11_2, IBP4_3, PAPP2_1, PRL_2, SVEP1_1
IBP4_2	AACT_1, ADA12_1, ATS13_1, ATS13_2, C1QB_2, C1QC_2, CADH5_1, CAMP_1, CGB1_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, DPEP2_1, EGLN_1, FA11_1, FA11_2, FA9_1, GPX3_2, IBP4_3, ITIH3_1, ITIH4_1, ITIH4_2, KIT_1, KIT_2, KNG1_2, LBP_2, LIRB5_1, LYAM1_1, PAEP_1, PAEP_2,

	PRDX2_1, PRL_2, PROS_1, PROS_2, PSG11_1, PSG9_1, PSG9_2, SHBG_1, SHBG_2, SHBG_3, SVEP1_1, TENX_1, TETN_1
IBP4_3	ADA12_1, AMBP_1, ANT3_1, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QB_1, C1QB_2, C1QC_1, CADH5_1, CADH5_2, CGB1_1, CGB1_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, EGLN_2, FA11_1, FA11_2, FA9_1, FA9_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, IGF1_1, IL1R1_1, KIT_1, KIT_2, LEP_1, LIRB5_1, MFAP5_1, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PRL_1, PRL_2, PROS_1, PROS_2, PTGDS_1, SEPP1_1, SEPP1_2, SHBG_2, SHBG_3, SVEP1_1, TETN_1, TETN_2, TIMP1_1
IBP6_1	IBP4_3, LYAM1_1, PRDX2_1
IBP6_2	IBP4_3, LYAM1_1
IGF2_1	IBP4_1, PSG1_1
INHBC_1	ADA12_1, LYAM1_1
ITIH3_1	IBP4_3, LYAM1_1
ITIH4_1	FA9_1, FA9_2, IBP4_3, SOM2_1, TETN_2
ITIH4_2	ADA12_1, CAMP_2, FA9_1, FA9_2, IBP4_3, PEDF_2, PRL_2, SOM2_2, TETN_1, TETN_2, VTNC_2
ITIH4_3	IBP4_3, PRDX2_1
KIT_1	EGLN_2, SVEP1_1
KIT_2	SVEP1_1
KNG1_2	IBP4_3, LYAM1_1, TETN_1, TETN_2
LBP_1	ADA12_1, IBP4_3, LYAM1_1, TETN_2
LBP_2	ADA12_1, IBP4_3, LYAM1_1, PRDX2_1, PRL_2, PSG11_1, SVEP1_1, TETN_1
LIRB5_1	TETN_1, TETN_2
LYAM1_1	AACT_1, ADA12_1, ATS13_2, CADH5_1, CAMP_1, CGB1_1, CGB1_2, CNTN1_1, CRAC1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, FA11_2, FA9_1, GELS_1, GPX3_2, IBP4_1, IPSP_1, KIT_1, MFAP5_1, MUC18_1, MUC18_2, PAEP_1, PCD12_1, PGRP2_1, PROS_1, PROS_2, PSG2_1, PSG9_2, SHBG_1, SHBG_2, SHBG_3, TETN_2, TIMP1_1, VTNC_1
PAEP_1	CAMP_2, KIT_1, SVEP1_1
PAEP_2	KIT_1, KIT_2
PAPP1_1	CGB1_1, CGB1_2, PCD12_1, PEDF_1, PTGDS_1, SHBG_2, SVEP1_1, TENX_1
PEDF_1	IBP4_3
PEDF_2	ADA12_1, CGB1_1, FA9_1, GPX3_1, IBP4_3, PRDX2_1, PRL_1, PRL_2, PSG11_1, PTGDS_2, SOM2_1, SOM2_2, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2
PGRP2_1	IBP4_3
PRDX2_1	ADA12_1, AMBP_1, CADH5_1, CAMP_1, CAMP_2, CRAC1_2, EGLN_1, FA11_1, FA11_2, IBP4_1, NOTUM_2, PRG2_1, PTGDS_1, RET4_1, SOM2_2, SVEP1_1, TENX_1, TENX_2, TIMP1_1
PRG2_1	FA9_1
PRL_1	C1QB_1, TETN_1
PRL_2	AMBP_1, RET4_1, TETN_1
PSG1_1	ADA12_1, C1QB_2, CNTN1_2, EGLN_2, FA9_1, FA9_2, GELS_2, GPX3_1, IBP4_1, NOTUM_2, SHBG_1, SHBG_3, SOM2_2, SVEP1_1
PSG11_1	ADA12_1, ATS13_1, CAMP_2, CNTN1_2, FA9_1, IBP4_3, TETN_1

PSG2_1	IBP4_3, TETN_1, TETN_2
PSG3_1	IBP4_3, LEP_1
PSG9_1	IBP4_1, IBP4_3, TETN_1
PSG9_2	IBP4_1, IBP4_3, TETN_1
PTGDS_2	FA9_1, IBP4_3
RET4_1	CAMP_2, CNTN1_2, TETN_1
SEPP1_2	CAMP_2
SHBG_1	IBP4_3, PAEP_1, PAEP_2, SVEP1_1, TETN_1
SHBG_2	CAMP_2, SVEP1_1
SHBG_3	PAEP_2, TETN_1
SOM2_1	ADA12_1, C1QA_1, C1QB_1, CAMP_1, FA9_1, FA9_2, IBP4_3, LEP_1, SEPP1_1, SVEP1_1, TENX_2, TETN_1
SOM2_2	ADA12_1, C1QB_1, CRAC1_1, CRAC1_2, DPEP2_1, FA9_1, FA9_2, IBP4_3, LEP_1, TETN_1
SPRL1_1	ADA12_1, CAMP_2, IBP4_3, TETN_1
SVEP1_1	ATS13_1, CRAC1_2, CRAC1_3, ISM2_1, ISM2_2, NOTUM_2, PCD12_1
TENX_1	ATS13_1, IBP4_3, SVEP1_1, TETN_1
TENX_2	ADA12_1, FA5_2, FA9_1, IBP4_3, SEPP1_2, SVEP1_1, TETN_1
TETN_1	ATL4_1, ATS13_2, CADH5_1, CAMP_1, CAMP_2, CRAC1_2, CRAC1_3, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA5_2, FGFR1_1, GELS_2, KIT_1, KIT_2, MFAP5_1, MUC18_1, MUC18_2, PAEP_1, PAEP_2, PCD12_2, PROS_1, PROS_2, SEPP1_1, SEPP1_2, SVEP1_1, TETN_2
TETN_2	ATS13_2, FGFR1_1, GELS_2, MFAP5_1, PAEP_1, PROS_1, SVEP1_1
TIE1_1	IBP4_3
TIMP1_1	CAMP_2, TETN_1
VTDB_1	IBP4_3

[00332] Table 18. Analyte pairs in models containing InvParity for GABD 161-182

Analyte1	Analyte2
A2GL_1	IBP4_1
AACT_1	ADA12_1, CNTN1_1
ADA12_1	AMBP_1, AOC1_1, AOC1_2, C1QA_1, C1QA_2, C1QB_1, C1QC_1, C1QC_2, CRAC1_3, DEF1_2, EGLN_1, FA9_1, FA9_2, FGFR1_1, FGFR1_2, IGF1_1, ISM2_1, ISM2_2, KIT_1, LIRB5_1, MFAP5_1, NOTUM_1, NOTUM_2, PCD12_1, PRG4_2, PRL_1, PRL_2, PROS_2, RET4_1, SEPP1_1, SHBG_2, TETN_1, THRB_1, VGFR1_1
AFAM_1	AACT_1, CRIS3_2, ENPP2_1, FA9_2, LBP_2
AFAM_2	ADA12_1, B2MG_1, C1QA_2, C1QB_1, CBPN_1, CFAB_1, CNTN1_2, FA9_1, FA9_2, LBP_2, PRDX2_1, PRL_1, PRL_2, PSG9_2
ALS_1	ADA12_1, ANGT_1, C1QB_1, CD14_2, CHL1_1, CNTN1_2, CRIS3_2, IBP4_1, LBP_2, LEP_2, PEDF_2, PGRP2_1, TETN_2, VTDB_1, VTNC_1
AMBP_1	DEF1_1, ECM1_2, PCD12_1
ANGT_1	B2MG_1, C1QB_1, CD14_2, CRIS3_2, FA9_2, FETUA_1, FETUA_2, IBP2_1, PGRP2_1, PTGDS_1, THBG_1, VTDB_1
ANT3_1	IL1R1_1

APOC3_1	ADA12_1, B2MG_1, B2MG_2, C1QB_1, CRIS3_1, CRIS3_2, IBP4_2, IBP4_3, PRL_1, PRL_2, SOM2_2, SVEP1_1
APOH_1	B2MG_2, CD14_1, CNTN1_1, CO8A_1, CRIS3_2, KIT_2, LYAM1_1, PCD12_1, PGRP2_1, THBG_1
ATL4_1	PCD12_1
B2MG_1	ADA12_1, ATL4_1, C163A_1, C1QB_1, CD14_1, CHL1_1, CNTN1_1, CNTN1_2, CO5_1, CO8A_1, CRAC1_3, CRIS3_1, CRIS3_2, ENPP2_2, FA9_2, KIT_2, LYAM1_1, PCD12_1, SOM2_2, SVEP1_1, THBG_1, VTDB_1
B2MG_2	ATL4_1, BGH3_1, C163A_1, C1QB_2, C1QC_1, CBPN_1, CD14_2, CHL1_1, CLUS_2, CNTN1_1, CNTN1_2, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRIS3_2, DPEP2_2, ENPP2_2, FA11_2, FA9_2, FETUA_1, FETUA_2, GELS_1, HLACI_1, IBP4_1, IBP6_2, IGF2_1, IL1R1_1, ISM2_1, ITIH4_1, ITIH4_2, KIT_1, KIT_2, LBP_1, LIRB5_1, PAEP_2, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRDX2_1, PRG2_1, PSG2_1, PSG9_2, RET4_1, SHBG_2, SHBG_3, SOM2_2, SVEP1_1, TIE1_1, TIMP1_1, VTDB_1
BGH3_1	CD14_1, CD14_2, CO8A_1, ENPP2_1, FA9_1, IBP4_2, IBP4_3, LYAM1_1, VTNC_1
C163A_1	ATL4_1, CD14_1, CHL1_1, CNTN1_1, CO8A_1, CRIS3_1, EGLN_1, FA9_1, FA9_2, KIT_2, LYAM1_1, PCD12_1, PGRP2_1, PRDX2_1
C1QA_1	CNTN1_2, EGLN_1
C1QA_2	CNTN1_2, EGLN_1, TETN_2
C1QB_1	C1QC_1, C1QC_2, CAMP_2, ECM1_2, EGLN_1, FGFR1_1, IL1R1_1, ISM2_2, LEP_1, MFAP5_1, NOTUM_1, NOTUM_2, PCD12_1, PROS_2, PTGDS_1, SEPP1_1, SVEP1_1, TETN_2, VGFR1_1
C1QB_2	PCD12_1
C1QB_3	CD14_1, CNTN1_1, CO8A_1, CRIS3_2, FA9_1, FA9_2, LYAM1_1
CADH5_2	CNTN1_1
CAH1_1	C1QB_1, CRIS3_2, FA9_1, IBP4_3, LYAM1_1, PRDX2_1, TETN_2, VTDB_1, VTNC_2
CATD_1	ATL4_1, CHL1_1, CRIS3_2, FA9_2, GPX3_1, IBP2_1, KIT_2, NOTUM_1, PSG3_1, SVEP1_1, TETN_1, VTDB_1
CATD_2	C1QB_1, CD14_1, CNTN1_1, CO8A_1, FA9_2, LYAM1_1, VTDB_1
CBPN_1	C1QB_1, CRIS3_2, FA9_1, FA9_2
CBPN_2	C1QB_1, CRIS3_2, FA9_2, PCD12_1, PGRP2_1, PRDX2_1, VTDB_1
CD14_1	AMBP_1, ATL4_1, ATS13_2, C1QA_2, C1QB_1, C1QB_2, C1QC_1, CAMP_2, CFAB_1, CGB1_1, CGB1_2, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8A_1, CO8B_1, CRAC1_2, CRAC1_3, CSH_1, DPEP2_2, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, FA11_2, FA9_1, FA9_2, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, GPX3_1, HLACI_1, IBP2_1, IBP4_3, IBP6_1, IBP6_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_3, KIT_1, KNG1_2, LBP_1, LBP_2, LEP_1, LYAM1_1, NOTUM_1, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRDX2_1, PRL_1, PROS_2, PSG11_1, PSG2_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SHBG_3, SOM2_1, SOM2_2, SVEP1_1, TENX_1, TETN_2, TIE1_1, TIMP1_1, VTDB_1, VTNC_1
CD14_2	ADA12_1, ATL4_1, ATS13_2, C1QA_2, C1QB_1, CGB1_1, CGB1_2, CHL1_1, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_2, DPEP2_1, EGLN_2, FA11_2, FA9_1, FA9_2, FBLN3_1, GPX3_1, HLACI_1, IBP2_1, IBP3_2, IBP4_3, IBP6_2,

	IGF2_1, IL1R1_1, KIT_1, LBP_2, LEP_2, LYAM1_1, MFAP5_1, NOTUM_1, PAEP_1, PGRP2_1, PRDX2_1, PSG1_1, SEPP1_2, SOM2_1, SOM2_2, SVEP1_1, TETN_2, VTDB_1, VTNC_1
CFAB_1	ADA12_1, C1QA_2, CHL1_1, CRIS3_1, CRIS3_2, EGLN_1, ENPP2_2, FA9_1, GPX3_1, LYAM1_1, PCD12_1, PGRP2_1, VTNC_1
CGB1_1	ADA12_1, C1QB_1, FA9_2, TETN_1
CGB1_2	ADA12_1, C1QB_1, FA9_1, FA9_2, KIT_2, PCD12_1, PRG4_2, SVEP1_1, TETN_1, TETN_2
CHL1_1	ADA12_1, ANT3_1, AOC1_2, CNTN1_1, CNTN1_2, CO8B_1, CRIS3_1, CRIS3_2, DEF1_1, DEF1_2, ECM1_1, ECM1_2, ENPP2_1, FA11_2, FA9_1, HABP2_1, HLACI_1, IBP4_1, IBP6_1, INHBC_1, IPSP_1, ITIH4_2, LYAM1_1, PCD12_1, PEDF_1, PGRP2_1, PRDX2_1, PSG1_1, SEPP1_2, SOM2_1, SOM2_2, SVEP1_1, TENX_2, TETN_2, THBG_1, TIMP1_1, VTDB_1, VTNC_1
CLUS_1	C1QB_1, CNTN1_1, CRIS3_2, FA9_1, FA9_2, IBP4_3, SOM2_2, VTDB_1
CLUS_2	C1QB_1, CNTN1_1, CO8A_1, CRIS3_2, LYAM1_1, SOM2_1, THBG_1, VTDB_1
CNTN1_1	ATL4_1, CRAC1_1, CRAC1_2, CRAC1_3, DPEP2_1, DPEP2_2, ISM2_1, ISM2_2, MFAP5_1, NOTUM_1, NOTUM_2, PCD12_1, PCD12_2
CNTN1_2	ATL4_1, ECM1_2, PCD12_1, SVEP1_1
CO5_1	ADA12_1, C1QB_1, CNTN1_2, CO8A_1, CRIS3_2, ECM1_1, ECM1_2, EGLN_1, FA9_1, GPX3_1, HLACI_1, INHBC_1, KIT_2, LIRB5_1, LYAM1_1, PCD12_1, PGRP2_1, PRDX2_1, PTGDS_1, SVEP1_1, TENX_1, VTDB_1, VTNC_1
CO5_2	C1QA_2, C1QB_1, CNTN1_2, CO8A_1, CRIS3_1, CRIS3_2, FA9_1, FA9_2, LYAM1_1, PCD12_1, PGRP2_1, PRDX2_1, PSG1_1, SOM2_2, TETN_2
CO6_1	CO8A_1, CRIS3_2, EGLN_1, FA9_1, ITIH3_1, PGRP2_1, VTDB_1
CO8A_1	ADA12_1, AMBP_1, ATL4_1, C1QA_2, C1QB_1, C1QB_2, CGB1_1, CGB1_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRIS3_2, CSH_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, FA11_2, FA9_2, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_2, GELS_1, GPX3_1, HEMO_1, HLACI_1, IBP6_1, IBP6_2, ISM2_1, ISM2_2, ITIH4_1, ITIH4_3, KIT_2, LBP_1, LIRB5_1, LYAM1_1, MFAP5_1, NOTUM_1, PAEP_1, PAEP_2, PAPP1_1, PCD12_1, PCD12_2, PGRP2_1, PRDX2_1, PROS_1, PSG2_1, PSG9_1, PSG9_2, PTGDS_2, RET4_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SOM2_2, TENX_1, TIE1_1, TIMP1_1, VTDB_1
CO8B_1	ADA12_1, AMBP_1, C1QB_1, CNTN1_1, CNTN1_2, CRIS3_1, CRIS3_2, FA9_2, IBP4_1, IBP4_2, LYAM1_1, PGRP2_1, SVEP1_1, TENX_1, TETN_1, VTDB_1, VTNC_1
CRIS3_1	CNTN1_1, CNTN1_2, EGLN_1, FA9_1, FA9_2, HABP2_1, IBP4_2, ITIH4_3, KIT_2, LEP_1, MUC18_2, PRDX2_1, PRG2_1, SOM2_2, SPRL1_1, SVEP1_1, TETN_1, TETN_2, VTNC_1
CRIS3_2	AACT_1, ADA12_1, AMBP_1, ATL4_1, ATS13_1, C1QB_1, C1QC_2, CADH5_1, CADH5_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, CSH_1, DPEP2_1, DPEP2_2, EGLN_1, FA11_2, FA5_1, FA9_1, FA9_2, FBLN1_1, FBLN3_1, FGFR1_1, GELS_1, GPX3_1, HABP2_1, IBP2_1, IBP3_1, IBP3_2, IBP4_2, IBP4_3, IGF2_1, IPSP_1, IPSP_2, ITIH3_1, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LYAM1_1, NOTUM_1, PAEP_1, PAEP_2, PAPP1_1, PCD12_1, PEDF_1, PGRP2_1, PRDX2_1, PROS_1, PROS_2, PSG1_1, PSG2_1, PSG3_1, PTGDS_1, PTGDS_2, RET4_1, SHBG_1, SOM2_1, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TETN_1, TETN_2, THRB_1, VTDB_1,

	VTNC_1, VTNC_2
CSH_1	FA9_1, LYAM1_1
CSH_2	CNTN1_1, LYAM1_1
DPEP2_1	PCD12_1
EGLN_1	CNTN1_1, LEP_1, NOTUM_1, NOTUM_2, PRG4_1
ENPP2_1	C1QA_2, C1QB_1, FGFR1_2, IBP4_2, IBP4_3, INHBC_1, ITIH4_2, LIRB5_1, PCD12_1, VTDB_1, VTNC_1
ENPP2_2	AOC1_1, AOC1_2, C1QA_1, C1QA_2, C1QC_1, C1QC_2, CNTN1_2, FBLN1_1, IBP4_2, INHBC_1, ITIH4_2, LBP_2, LEP_1, NOTUM_1, NOTUM_2, PAPP1_1, PCD12_1, PGRP2_1, PRG2_1, PROS_2, PSG2_1, RET4_1, VGFR1_1, VTNC_1
F13B_1	FA9_1, FA9_2, PRDX2_1
FA11_2	CNTN1_1, TETN_2
FA9_1	AMBP_1, ANT3_1, ATL4_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_2, EGLN_1, FA11_2, FA9_2, FGFR1_2, GELS_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KIT_1, KIT_2, LEP_1, NOTUM_1, NOTUM_2, PCD12_2, PRL_2, PROS_1, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, TIMP1_1
FA9_2	AMBP_1, AOC1_1, AOC1_2, ATL4_1, ATS13_2, C1QA_1, C1QA_2, C1QC_1, C1QC_2, CAMP_1, CNTN1_2, CRAC1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA11_2, FGFR1_2, IL1R1_1, IPSP_1, IPSP_2, ISM2_2, MUC18_1, PAPP2_1, PRL_1, PRL_2, PROS_2, PTGDS_1, RET4_1, SEPP1_1, SVEP1_1, TETN_1
FBLN1_1	CNTN1_1, CNTN1_2, FA9_1, FA9_2, HABP2_1, SOM2_1, VTNC_1
FBLN3_1	C1QB_1, CNTN1_1, IBP4_3
FETUA_1	C1QB_1, CNTN1_1, FA9_1, FA9_2, GELS_2, KIT_1, LYAM1_1, THBG_1, VTDB_1
FETUA_2	C1QB_1, CNTN1_1, FA9_2, GELS_2, LYAM1_1, VTDB_1, VTNC_1
FGFR1_1	CNTN1_1, CRAC1_3
GELS_1	ATL4_1, CNTN1_1, CNTN1_2, KIT_1
GELS_2	CNTN1_1, CNTN1_2
GPX3_1	ADA12_1, CNTN1_1, CNTN1_2, ECM1_2, FA9_1, FA9_2, IBP4_1, IBP4_3, IPSP_2, PCD12_1
GPX3_2	CNTN1_1, FA9_1, FA9_2
IADBP2_1	C1QA_2, FA9_1, GPX3_1, IBP4_1, IBP6_2, ITIH4_2, LYAM1_1, PGRP2_1, PRG2_1, PSG3_1
HEMO_1	ADA12_1, IBP4_3, LBP_2, LYAM1_1
HLACI_1	AMBP_1, C1QB_1, FA9_2, GELS_1, IBP4_2, IBP4_3, LYAM1_1, PCD12_1, PGRP2_1, PRDX2_1, SOM2_2, VTDB_1
IBP1_1	CNTN1_1, CNTN1_2, FA9_1, SOM2_2, VTDB_1
IBP2_1	AMBP_1, C1QB_1, EGLN_1, FA9_1, FA9_2, IBP4_1, IBP4_3, IPSP_2, LBP_2, LEP_2, SOM2_1
IBP3_1	FA9_1, FA9_2, IBP4_1, IBP4_3, LYAM1_1
IBP3_2	FA9_2, LYAM1_1, TENX_1, VTDB_1
IBP4_1	ADA12_1, ANT3_1, AOC1_1, AOC1_2, ATL4_1, C1QB_1, CRAC1_3, EGLN_1, FA9_1, FA9_2, IPSP_1, IPSP_2, NOTUM_1, NOTUM_2, PCD12_1, SVEP1_1,

	VGFR1_1
IBP4_2	AMBP_1, ANT3_1, C1QA_2, CGB1_2, CNTN1_2, EGLN_1, FA5_2, FA9_2, GPX3_1, IBP4_1, ITIH4_2, KIT_1, LYAM1_1, PGRP2_1, PRDX2_1, PSG11_1, TETN_1, TETN_2, THBG_1
IBP4_3	ADA12_1, AOC1_2, ATL4_1, C1QB_1, CADH5_1, CGB1_1, CGB1_2, DEF1_1, FA9_2, FGFR1_1, IPSP_1, IPSP_2, KIT_1, NOTUM_1, PAEP_1, PCD12_1, PRL_2, SEPP1_1, SVEP1_1, TETN_1, TETN_2
IBP6_1	CNTN1_1, FA9_1, FA9_2, IBP4_3, LBP_2, LEP_1, LYAM1_1, TETN_2, VTDB_1
IBP6_2	ADA12_1, C1QB_1, FA9_2, IBP4_3, LBP_2, LYAM1_1, VTDB_1
IGF1_1	CNTN1_2, TETN_1, TETN_2
IGF2_1	CNTN1_1, FA9_2, IBP4_3, LBP_2, LYAM1_1, PRDX2_1, TETN_2, VTDB_1
IL1R1_1	CNTN1_1, EGLN_1, PCD12_1
INHBC_1	ADA12_1, AOC1_1, C1QA_1, C1QB_1, CGB1_1, CNTN1_2, FA9_2, IPSP_2, KIT_2, LYAM1_1, NOTUM_1, NOTUM_2, PGRP2_1, PRDX2_1, PRG2_1, PROS_2, PTGDS_2, SOM2_2, SPRL1_1, SVEP1_1, TETN_1, TETN_2, THRB_1, VTNC_1
IPSP_1	NOTUM_1, TETN_1
IPSP_2	ATL4_1
ITIH3_1	LYAM1_1, VTNC_1
ITIH4_1	ATL4_1, FA9_2, GPX3_1, LYAM1_1, PGRP2_1, SOM2_1, SOM2_2, VTDB_1, VTNC_1
ITIH4_2	CNTN1_1, FA9_2, IBP4_3, LBP_2, LYAM1_1, PGRP2_1, PRDX2_1, TETN_2, VTDB_1
ITIH4_3	C1QB_1, CNTN1_1, LYAM1_1, VTDB_1, VTNC_1
KIT_1	AOC1_2, CNTN1_2, FGFR1_1, PCD12_1, SVEP1_1
KIT_2	CNTN1_1, PCD12_1, SVEP1_1
KNG1_1	C1QB_1, FA9_1, LYAM1_1, PCD12_1, SOM2_2
KNG1_2	FA9_2, LBP_2, PGRP2_1
LBP_1	ADA12_1, CNTN1_1, FA9_1, FA9_2, LBP_2, LYAM1_1, PCD12_1
LBP_2	ADA12_1, AOC1_2, ATL4_1, C1QA_1, C1QB_1, CAMP_1, CGB1_1, CGB1_2, CNTN1_2, DEF1_1, EGLN_1, EGLN_2, FA11_2, FA9_2, FGFR1_1, GELS_2, IBP4_3, KIT_2, LEP_1, LYAM1_1, MUC18_2, PCD12_1, PEDF_1, PGRP2_1, PRDX2_1, PRG2_1, PRL_1, PRL_2, PROS_2, PSG2_1, SEPP1_2, SOM2_2, VTDB_1
LIRB5_1	C1QB_1, FA9_1
LYAM1_1	ADA12_1, ATS13_2, C1QA_1, C1QB_2, C1QC_1, C1QC_2, CGB1_1, CGB1_2, CNTN1_1, CNTN1_2, CRAC1_2, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, FA11_1, FA11_2, FGFR1_2, GELS_1, GPX3_1, IBP4_1, IBP4_3, IL1R1_1, ISM2_1, ISM2_2, KIT_1, LIRB5_1, MFAP5_1, NOTUM_1, PAEP_1, PAEP_2, PAPP1_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRG2_1, PROS_1, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, SEPP1_1, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SOM2_2, TENX_2, TETN_1, TETN_2, THBG_1, TIE1_1, TIMP1_1, VGFR1_1, VTDB_1, VTNC_1
NOTUM_1	PCD12_1
NOTUM_2	PAPP2_1, PCD12_1
PAEP_1	CNTN1_1

PAEP_2	CNTN1_1
PAPP1_1	ADA12_1, ANT3_1, C1QA_2, C1QB_1, CNTN1_1, FA9_1, FA9_2, IBP4_1, IBP4_3, KIT_1, PRDX2_1, TETN_1, TIMP1_1, VTNC_1
PCD12_1	CRAC1_2
PEDF_1	FA9_1, IBP4_1, TENX_1, VTNC_1
PEDF_2	ADA12_1, FA9_1, SVEP1_1, THBG_1, VTDB_1
PGRP2_1	ADA12_1, AMBP_1, C1QA_2, C1QB_1, CADH5_2, CGB1_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, FA5_2, FA9_1, FA9_2, GELS_2, GPX3_1, IBP4_3, IPSP_2, LIRB5_1, PCD12_1, PRDX2_1, PROS_2, PSG1_1, PSG3_1, SEPP1_1, SOM2_1, SOM2_2, SPRL1_1, TETN_2, THBG_1, VTDB_1, VTNC_1
PRDX2_1	ADA12_1, AMBP_1, AOC1_1, C1QA_2, C1QC_2, CNTN1_2, CRAC1_3, DPEP2_2, ECM1_2, FA9_1, FA9_2, GPX3_1, IBP4_3, IL1R1_1, IPSP_1, THBG_1, VGFR1_1, VTDB_1
PRG2_1	ADA12_1, AMBP_1, C1QB_1, CNTN1_1, FA9_2, IBP4_1, KIT_1, PCD12_1, THRB_1, VTNC_1
PRL_2	C1QB_1, TETN_1
PROS_1	CNTN1_1
PSG1_1	ATL4_1, C1QB_1, FA9_1, FA9_2, IBP4_1, KIT_1, KIT_2, PCD12_1, TENX_1, TETN_2, VTDB_1
PSG11_1	ADA12_1, FA9_2, IBP4_3
PSG2_1	CNTN1_1, VTNC_1
PSG3_1	C1QB_1, FA9_1
PSG9_1	ADA12_1, CNTN1_1, FA9_1, THBG_1, VTNC_1
PSG9_2	C1QB_1, CNTN1_1, FA9_1, FA9_2
PTGDS_2	AMBP_1, FA9_1, FA9_2, IBP4_3, VTNC_1
SHBG_1	ADA12_1, FA9_1
SHBG_3	ADA12_1
SOM2_1	AOC1_1, C1QB_1, CRAC1_2, FA9_1, IL1R1_1, KIT_2, LEP_1, MFAP5_1, PCD12_1, SHBG_3, TENX_1, TENX_2, TETN_1, THBG_1, VTDB_1, VTNC_1
SOM2_2	C1QA_2, C1QB_1, CRAC1_2, FA9_1, FA9_2, GPX3_1, IBP4_1, IBP4_3, IL1R1_1, KIT_2, LEP_1, NOTUM_1, NOTUM_2, PCD12_1, SEPP1_2, TENX_1, TENX_2, TETN_1, TETN_2, THBG_1, VGFR1_1, VTDB_1
SPRL1_1	ADA12_1, C1QB_1, IBP4_3, VTNC_1
SVEP1_1	ISM2_1, ISM2_2, NOTUM_2
TENX_1	AOC1_2, C1QC_2, EGLN_1, FA5_2, FA9_1, FA9_2, IL1R1_1, ISM2_1, KIT_1, LIRB5_1, SVEP1_1, VTDB_1
TENX_2	AMBP_1, CNTN1_2, EGLN_1, FA9_1, FA9_2
TETN_2	ATL4_1, CNTN1_1, CNTN1_2, DPEP2_1, EGLN_1, FGFR1_1, NOTUM_1, PCD12_1, SVEP1_1
THBG_1	ADA12_1, C1QB_2, EGLN_1, FA9_1, GPX3_1, IBP4_3, IGF1_1, IL1R1_1, SHBG_2, SHBG_3, SVEP1_1, TETN_1, VTNC_2
TIE1_1	CNTN1_1, FA9_1, FA9_2
TIMP1_1	C1QB_1, CNTN1_2, KIT_1
VGFR1_1	MFAP5_1
VTDB_1	ADA12_1, ATS13_1, ATS13_2, C1QB_1, C1QC_1, C1QC_2, CAMP_2, CNTN1_1, CRAC1_3, EGLN_1, EGLN_2, FA11_2, FA9_1, FA9_2, FGFR1_1,

	FGFR1_2, GPX3_1, GPX3_2, IL1R1_1, IPSP_1, IPSP_2, KIT_1, KIT_2, LIRB5_1, MFAP5_1, PAEP_1, PAEP_2, PCD12_1, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SVEP1_1, TETN_2, TIMP1_1, VGFR1_1, VTNC_1
VTNC_1	ADA12_1, AOC1_1, AOC1_2, C1QB_2, CADH5_1, CNTN1_2, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, EGLN_1, FA11_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, IBP4_1, IL1R1_1, ISM2_1, ISM2_2, MFAP5_1, NOTUM_1, NOTUM_2, PAEP_1, PCD12_1, PROS_1, SVEP1_1, VGFR1_1
VTNC_2	ADA12_1, IGF1_1, PRL_1, SVEP1_1

[00333] Table 19. Analyte pairs in models containing InvParity for GABD 168-189

Analyte1	Analyte2
A2GL_1	F13B_1, PCD12_1
AACT_1	CGB1_1, CGB1_2, CRAC1_2, FA11_1, FA9_1, FA9_2, GELS_2, KIT_2, PCD12_1, PCD12_2
ADA12_1	AMBP_1, C1QA_1, FA11_1, FA11_2, FA5_2, FA9_1, FA9_2, PCD12_1, PCD12_2, PRG4_1, PRG4_2, PROS_1, TETN_1
AFAM_1	CD14_1, CRIS3_2, PCD12_1
AFAM_2	FA9_2, PCD12_1
ALS_1	C1QB_1, CAMP_2, CD14_1, CD14_2, CHL1_1, CO8B_1, CRIS3_2, ECM1_1, ECM1_2, ENPP2_1, ENPP2_2, FA5_2, FA9_2, HABP2_1, IBP4_1, IBP4_2, IBP4_3, LBP_2, PCD12_1, VTDB_1
AMBP_1	EGLN_1, FA5_1, IPSP_1, PCD12_1, TETN_2
ANGT_1	AMBP_1, C1QB_1, CATD_1, CD14_1, CD14_2, CO8A_1, CRAC1_2, CRIS3_2, ECM1_1, FA9_2, GELS_1, HABP2_1, LEP_1, MUC18_1, PCD12_1, PCD12_2, SPRL1_1, TETN_1, VTDB_1
ANT3_1	PCD12_1
AOC1_1	PAPP2_1, PCD12_1
AOC1_2	CNTN1_2, PCD12_1
APOC3_1	AACT_1, ATS13_2, C1QB_1, C1QC_1, CATD_1, CD14_1, CO5_2, CO6_1, CO8B_1, CRAC1_2, CRIS3_1, CRIS3_2, ECM1_1, ECM1_2, ENPP2_2, F13B_1, FA9_1, FA9_2, FGFR1_1, GELS_1, GELS_2, IBP4_3, INHBC_1, IPSP_1, IPSP_2, ISM2_2, ITIH4_1, ITIH4_3, LBP_1, LBP_2, LEP_1, PCD12_1, PEDF_2, PGRP2_1, PRDX2_1, PSG1_1, PSG9_1, PSG9_2, PTGDS_2, SPRL1_1, TETN_1, TIMP1_1, VTDB_1
APOH_1	CD14_1, CO8A_1, ENPP2_2, FA9_1, PCD12_1, PCD12_2
ATL4_1	PCD12_1, PCD12_2
ATS13_1	PCD12_1, PCD12_2
ATS13_2	PCD12_1, PCD12_2
B2MG_1	CD14_1, CD14_2, CO8A_1, CO8B_1, ENPP2_2, FA9_1, FA9_2, IBP6_1, PCD12_1, PCD12_2
B2MG_2	CD14_1, CD14_2, CGB1_2, CHL1_1, ENPP2_2, FA9_1, HABP2_1, PCD12_1
BGH3_1	ATL4_1, F13B_1, FA9_1, PCD12_1
C163A_1	CD14_1, CO8A_1, CO8B_1, FA11_1, FA9_1, FA9_2, PCD12_1, PCD12_2
C1QA_1	PCD12_1, PCD12_2, PRG4_1, TETN_1
C1QA_2	PCD12_1, PCD12_2
C1QB_1	PCD12_1, PCD12_2

C1QB_2	PCD12_1, PCD12_2
C1QB_3	CO8A_1, CO8B_1, ENPP2_2, FA9_1, FA9_2, PCD12_1
C1QC_1	GELS_1, PCD12_1, PCD12_2
C1QC_2	PCD12_1
CADH5_2	PCD12_1
CAH1_1	CD14_1, FA9_1, FA9_2, PCD12_1
CAMP_1	ECM1_2, PCD12_1
CAMP_2	PCD12_1, PCD12_2
CATD_1	AACT_1, AOC1_2, CD14_1, CNTN1_2, CO8A_1, CO8B_1, CRAC1_2, CRIS3_2, ECM1_1, FA11_1, FA9_1, IBP2_1, INHBC_1, LEP_1, LYAM1_1, PCD12_1, PCD12_2, PEDF_2, PRG2_1, SPRL1_1, TETN_2, VGFR1_1, VTDB_1
CATD_2	CD14_1, CRAC1_2, FA9_1, PCD12_1, PCD12_2
CBPN_1	PCD12_1
CBPN_2	CD14_1, PCD12_1
CD14_1	AACT_1, ADA12_1, ANT3_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CFAB_1, CGB1_2, CLUS_2, CNTN1_2, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, CSH_2, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA11_1, FA5_1, FA5_2, FA9_1, FA9_2, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, GPX3_1, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP1_1, IBP2_1, IBP3_1, IBP3_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, IGF2_1, INHBC_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, LIRB5_1, LYAM1_1, MFAP5_1, MUC18_1, NOTUM_2, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRDX2_1, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_2, PTGDS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_2, SOM2_1, SOM2_2, SVEP1_1, TETN_1, THBG_1, THRB_1, TIE1_1, TIMP1_1, VTDB_1, VTNC_1
CD14_2	AACT_1, ADA12_1, ATS13_2, CGB1_2, CHL1_1, CNTN1_1, CNTN1_2, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRIS3_1, CRIS3_2, ENPP2_1, ENPP2_2, FA9_1, FA9_2, FBLN1_1, HEMO_1, HLACI_1, IBP2_1, IBP3_1, IBP6_1, KIT_2, LYAM1_1, PAEP_1, PAPP2_1, PCD12_1, PCD12_2, PRDX2_1, PSG1_1, TETN_2, THBG_1, VTDB_1
CFAB_1	CO8A_1, CO8B_1, FA9_1, FA9_2, PCD12_1, PCD12_2
CGB1_1	AMBP_1, C1QA_1, FA9_1, FA9_2, ISM2_2, NOTUM_2, PCD12_1
CGB1_2	C1QC_1, FA9_2, ISM2_2, PAPP2_1, PCD12_1
CHL1_1	ADA12_1, ENPP2_1, ENPP2_2, F13B_1, FA11_1, FA9_1, FA9_2, FBLN1_1, IBP4_1, IBP4_2, IBP4_3, IBP6_1, INHBC_1, LBP_2, PCD12_1, PSG1_1
CLUS_1	PCD12_1
CLUS_2	CO8A_1, FA9_1, FA9_2, PCD12_1
CNTN1_1	PCD12_1, PCD12_2
CNTN1_2	PCD12_1, PCD12_2
CO5_1	CO8A_1, CRAC1_2, FA9_1, PCD12_1, PCD12_2
CO5_2	CO8B_1, FA11_1, FA9_1, PCD12_1, PCD12_2, RET4_1
CO6_1	CO8B_1, FA5_2, PCD12_1

CO8A_1	ADA12_1, AMBP_1, ANT3_1, ATS13_1, ATS13_2, CGB1_1, CGB1_2, CRAC1_3, CRIS3_1, CRIS3_2, DEF1_1, DEF1_2, EGLN_2, ENPP2_1, ENPP2_2, FA5_1, FA9_1, FA9_2, FETUA_1, FETUA_2, FGFR1_2, GPX3_1, GPX3_2, HLACI_1, IBP2_1, IBP4_1, IBP4_2, IGF2_1, INHBC_1, IPSP_2, ITIH4_1, KNG1_1, LBP_1, LEP_1, LEP_2, LIRB5_1, MFAP5_1, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PEDF_1, PROS_2, PSG11_1, PSG3_1, PTGDS_1, SHBG_1, SHBG_2, SOM2_1, SOM2_2, SVEP1_1, TETN_2, THBG_1, THRB_1, TIE1_1, VTDB_1
CO8B_1	AACT_1, ANT3_1, ATS13_2, C1QA_1, C1QA_2, C1QC_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, EGLN_2, ENPP2_2, F13B_1, FA9_1, FA9_2, FBLN1_1, GELS_2, HLACI_1, IBP2_1, IBP4_1, IL1R1_1, INHBC_1, ISM2_1, ISM2_2, KNG1_1, LBP_1, LBP_2, LEP_1, LIRB5_1, MUC18_1, NOTUM_2, PCD12_1, PCD12_2, PEDF_1, PGRP2_1, PRDX2_1, PSG1_1, PSG3_1, SOM2_2, TENX_2, TETN_1, THBG_1, VTDB_1, VTNC_1
CRIS3_1	AACT_1, ECM1_1, ENPP2_2, FA5_2, FA9_1, GELS_1, HABP2_1, NOTUM_1, PCD12_1, PCD12_2, TENX_1, THBG_1, VTDB_1
CRIS3_2	AACT_1, ADA12_1, ECM1_1, ECM1_2, EGLN_1, F13B_1, FA11_1, FA11_2, FA5_2, FA9_1, FA9_2, HABP2_1, IBP4_1, KNG1_2, PCD12_1, PCD12_2, PROS_2, TETN_2, THBG_1, VTDB_1
CSH_1	FA9_1, PCD12_1, PCD12_2
CSH_2	PCD12_1
DEF1_1	PCD12_1, PCD12_2
DEF1_2	PCD12_1
DPEP2_1	PCD12_1, PCD12_2
DPEP2_2	PCD12_1, PCD12_2
ECM1_1	PAPP2_1, PCD12_1, PCD12_2, PRG4_1
ECM1_2	PCD12_1
EGLN_1	ECM1_1, PCD12_1, PCD12_2
EGLN_2	PCD12_1
ENPP2_1	C1QC_2, ECM1_2, F13B_1, FA5_2, FA9_2, IBP4_1, ITIH3_1, PCD12_1, PCD12_2, PEDF_1, SHBG_3, TETN_2, VGFR1_1
ENPP2_2	AACT_1, C1QA_1, C1QA_2, C1QB_1, CGB1_1, CGB1_2, CNTN1_2, CRAC1_1, CRAC1_2, ECM1_1, ECM1_2, F13B_1, FA11_1, FA11_2, FA5_1, FA5_2, FA9_2, GELS_1, GELS_2, GPX3_1, HABP2_1, IBP1_1, IBP3_1, IBP3_2, IBP4_1, IBP4_3, IBP6_1, IGF1_1, IGF2_1, INHBC_1, ISM2_2, ITIH3_1, ITIH4_1, KIT_2, KNG1_1, KNG1_2, LBP_2, LIRB5_1, MUC18_2, PAEP_1, PAEP_2, PAPP1_1, PCD12_1, PCD12_2, PEDF_1, PROS_2, PSG9_2, PTGDS_2, SEPP1_1, SEPP1_2, SHBG_1, SHBG_2, SHBG_3, TETN_2, VTDB_1, VTNC_2
F13B_1	ATS13_2, CGB1_2, CNTN1_2, CRAC1_2, FA9_1, FBLN1_1, LBP_2, PAPP2_1, PCD12_1, PSG1_1, VTDB_1
FA11_1	CRAC1_2, ECM1_1, EGLN_1, KIT_2, PCD12_1, TETN_2
FA11_2	IL1R1_1, PCD12_1, PCD12_2
FA5_1	PCD12_1
FA5_2	ATS13_2, PCD12_1, PCD12_2, PRG4_2, SVEP1_1
FA9_1	ANT3_1, ATS13_1, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, FA11_1, FA11_2, FA5_1, FA5_2, FA9_2, FGFR1_1,

	FGFR1_2, GELS_2, IGF1_1, ISM2_1, ISM2_2, KIT_1, KIT_2, LEP_1, LEP_2, MFAP5_1, MUC18_1, NOTUM_1, NOTUM_2, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PRL_2, PROS_1, PROS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, THRB_1, TIMP1_1
FA9_2	ANT3_1, AOC1_1, ATS13_1, C1QA_1, C1QA_2, C1QB_1, C1QB_2, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, FA5_2, FGFR1_1, LEP_1, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, SEPP1_2, SVEP1_1, TETN_1, VGFR1_1
FBLN1_1	ADA12_1, CRAC1_1, HABP2_1, KNG1_1, PAPP2_1, PCD12_1, PCD12_2, PSG1_1, PSG3_1, SVEP1_1, VTDB_1
FBLN3_1	IBP4_3, PCD12_1, PCD12_2
FETUA_1	FA9_1, FA9_2, IBP6_1, PCD12_1, PCD12_2
FETUA_2	FA9_1, IBP6_1, PCD12_1, PCD12_2
FGFR1_1	CRAC1_3, PCD12_1, PCD12_2
FGFR1_2	PCD12_1, PCD12_2
GELS_1	PCD12_1, PCD12_2
GELS_2	PCD12_1, PCD12_2
GPX3_1	PCD12_1, PCD12_2
GPX3_2	FA9_1, FA9_2, PCD12_1, PCD12_2
HABP2_1	ADA12_1, AMBP_1, ATL4_1, C1QA_2, CGB1_1, CGB1_2, CNTN1_2, ECM1_1, ECM1_2, EGLN_1, FA5_2, FA9_1, GELS_1, GELS_2, HLACI_1, IBP4_1, IBP4_3, KNG1_2, MFAP5_1, NOTUM_1, PAPP1_1, PCD12_1, PEDF_1, PGRP2_1, PSG11_1, PSG3_1, PTGDS_2, SHBG_2, TETN_1, TETN_2, TIE1_1
HEMO_1	PCD12_1, PCD12_2, PEDF_1
HLACI_1	FA11_1, FA9_2, IBP4_1, IBP4_2, PCD12_1, VTNC_1
IBP1_1	FA9_2, PCD12_1, PCD12_2
IBP2_1	AACT_1, CNTN1_2, FA9_1, FA9_2, PCD12_1, PCD12_2
IBP3_1	FA11_1, FA9_1, IBP4_1, PCD12_1, PCD12_2
IBP3_2	FA9_1, PCD12_1, PCD12_2
IBP4_1	FA11_1, FA11_2, FA5_2, FA9_1, FA9_2, PCD12_1, PCD12_2
IBP4_2	ADA12_1, CRAC1_2, FA9_1, IGF1_1, PCD12_1, PCD12_2, TETN_1
IBP4_3	AOC1_2, CAMP_2, FA11_1, PCD12_1, PCD12_2, PRL_2
IBP6_1	ATS13_1, ATS13_2, CNTN1_2, DEF1_1, EGLN_2, FA9_1, GPX3_1, GPX3_2, KIT_2, LIRB5_1, PAEP_2, PCD12_1, PGRP2_1, PTGDS_1, SHBG_1, SHBG_2
IBP6_2	FA9_1, FA9_2, GELS_2, PCD12_1, PGRP2_1
IGF1_1	ECM1_1, ECM1_2, PCD12_1
IGF2_1	FA9_1, PCD12_1, PCD12_2
IL1R1_1	PAPP2_1, PCD12_1
INHBC_1	ADA12_1, C1QA_2, CNTN1_2, CRAC1_3, ECM1_1, FA11_1, FA9_1, KIT_2, NOTUM_2, PCD12_1, PCD12_2, PGRP2_1, PSG9_2, TETN_1
IPSP_1	CRAC1_3, PCD12_1, PCD12_2, PRG4_2
IPSP_2	ATS13_2, ECM1_1, PCD12_1
ISM2_1	PAPP2_1, PCD12_1
ISM2_2	PAPP2_1, PCD12_1, PCD12_2
ITIH3_1	FA11_2, FA9_1, PCD12_1, PCD12_2, PRG4_1
ITIH4_1	FA11_1, FA11_2, FA9_2, PCD12_1, PCD12_2, PEDF_1, THBG_1, VTDB_1

ITIH4_2	CNTN1_2, PCD12_1, PCD12_2
ITIH4_3	CRAC1_3, FA9_2, ISM2_1, PCD12_1, PCD12_2
KIT_1	ECM1_1, PCD12_1
KIT_2	PAPP2_1, PCD12_1
KNG1_1	FA9_1, FA9_2, LBP_2, PCD12_1, PEDF_1
KNG1_2	FA9_1, FA9_2, PCD12_1
LBP_1	ATS13_2, FA9_1, PCD12_1, PCD12_2
LBP_2	ECM1_1, EGLN_1, FA11_1, VTDB_1
LEP_1	PCD12_1, PCD12_2
LEP_2	PCD12_1
LIRB5_1	FA9_1, FA9_2, PCD12_1, PCD12_2
LYAM1_1	ECM1_2, IBP4_1, PCD12_1, PRG4_1, PRG4_2, VTDB_1
MFAP5_1	PCD12_1
MUC18_2	PCD12_1
NOTUM_1	PCD12_1
NOTUM_2	PAPP2_1, PCD12_1
PAEP_1	PCD12_1
PAEP_2	PCD12_1, PCD12_2
PAPP1_1	FA9_1, PAPP2_1, PCD12_1, VTNC_1
PAPP2_1	PCD12_2
PCD12_1	CRAC1_1, CRAC1_2, CRAC1_3, PCD12_2, THRB_1
PCD12_2	CRAC1_1, CRAC1_2, CRAC1_3, THRB_1
PEDF_1	ADA12_1, ANT3_1, ATL4_1, ATS13_2, C1QB_2, CGB1_2, CNTN1_2, EGLN_1, FA9_1, IPSP_2, PCD12_1, PCD12_2, RET4_1, VTNC_1
PEDF_2	IPSP_2, PCD12_1, TETN_1, VTDB_1
PGRP2_1	CGB1_2, CNTN1_2, FA9_1, FA9_2, ISM2_1, KIT_1, PCD12_1, VTDB_1
PRDX2_1	AMBP_1, FA9_1, FA9_2, PCD12_1
PRG2_1	ADA12_1, FA9_1, PCD12_1
PRG4_1	PCD12_1, PCD12_2
PRG4_2	PCD12_1
PRL_1	PCD12_1
PRL_2	CNTN1_2, CRAC1_3, PCD12_1
PROS_1	PCD12_1
PROS_2	PCD12_1, PCD12_2
PSG1_1	AMBP_1, CRAC1_3, FA11_1, FA9_1, FA9_2, PCD12_1, PRG4_1, PSG9_1
PSG11_1	PCD12_1
PSG2_1	FA9_1, FA9_2, PCD12_1, PCD12_2
PSG3_1	FA11_1, FA9_1, PCD12_1
PSG9_1	ADA12_1, CGB1_1, CGB1_2, IBP4_1, IBP4_3, IGF1_1, KIT_2, PCD12_1, PCD12_2
PSG9_2	CRAC1_2, IBP4_1, PCD12_1, PCD12_2
PTGDS_1	PCD12_1
PTGDS_2	FA9_1, FA9_2, PCD12_1
RET4_1	PCD12_1

SEPP1_1	PCD12_1
SEPP1_2	PCD12_1
SHBG_1	FA9_1, PCD12_1, PCD12_2
SHBG_2	PCD12_1, PCD12_2
SHBG_3	AOC1_1, FA9_1, PCD12_1, PCD12_2
SOM2_1	FA9_1, PCD12_1, PCD12_2
SOM2_2	IPSP_2, PCD12_1
SPRL1_1	PCD12_1
SVEP1_1	CRAC1_2, PCD12_1, PCD12_2
TENX_1	ATL4_1, FA9_1, FA9_2, GELS_2, PCD12_1, PCD12_2
TENX_2	FA11_1, FA11_2, FA9_1, PCD12_1, PCD12_2, RET4_1
TETN_1	FA5_2, PAPP2_1, PCD12_1, PCD12_2
TETN_2	PCD12_1
THBG_1	ECM1_1, GELS_1, KIT_2, PCD12_1, PCD12_2, VTDB_1
TIE1_1	FA9_1, FA9_2, PCD12_1, PCD12_2
TIMP1_1	FA11_1, PCD12_1
VGFR1_1	PAPP2_1, PCD12_1
VTDB_1	AACT_1, ADA12_1, ATL4_1, ATS13_2, ECM1_2, EGLN_1, FA11_1, FA9_1, FA9_2, FGFR1_1, IBP4_3, KIT_1, PCD12_1, PCD12_2, PRL_2
VTNC_1	ADA12_1, ECM1_1, ECM1_2, FA9_1, FA9_2, ISM2_1, PAPP2_1, PCD12_1
VTNC_2	PCD12_1

[00334] **Table 20.** Analyte pairs in models containing InvParity for GABD 175-196

Analyte1	Analyte2
A2GL_1	ADA12_1, CD14_1
AACT_1	ADA12_1, PRG4_1
ADA12_1	AMBP_1, AOC1_2, ATL4_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QC_1, CAMP_1, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, ECM1_1, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_1, FA5_2, GELS_2, IL1R1_1, IPSP_1, IPSP_2, ISM2_2, KIT_1, LEP_1, LEP_2, LIRB5_1, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PRL_1, PRL_2, PROS_1, PROS_2, SEPP1_2, SHBG_2, TETN_1, TETN_2, THRB_1, TIMP1_1
AFAM_1	AACT_1, DEF1_1, DEF1_2, FA5_2
AFAM_2	AMBP_1
ALS_1	CGB1_1, DEF1_1, FA5_1, ITIH3_1, TIE1_1
AMBP_1	FGFR1_1, FGFR1_2, IPSP_2, PAEP_1, SVEP1_1
ANGT_1	AACT_1, ADA12_1, AMBP_1, ANT3_1, ATL4_1, CAH1_1, CGB1_1, CGB1_2, FA5_2, PAPP2_1, PEDF_1, PRDX2_1, SVEP1_1
APOC3_1	ADA12_1
B2MG_1	ADA12_1, AMBP_1
B2MG_2	CD14_1
BGH3_1	ADA12_1
C163A_1	AACT_1, ADA12_1, ATL4_1, ATS13_1

C1QA_2	PAPP2_1
C1QB_3	ADA12_1
CAH1_1	CATD_2
CATD_1	ADA12_1
CATD_2	ADA12_1, FA5_2
CBPN_2	ADA12_1
CD14_1	AACT_1, ADA12_1, C1QA_2, C1QB_1, CGB1_1, DEF1_2, FA5_1, FA9_1, FGFR1_1, GELS_2, HABP2_1, IBP4_1, ITIH3_1, LIRB5_1, LYAM1_1, PAEP_1, PROS_2, SVEP1_1, VTNC_1
CD14_2	AACT_1, ADA12_1
CGB1_1	ADA12_1, ATL4_1, PAPP2_1, SVEP1_1
CGB1_2	ADA12_1, PAPP2_1
CLUS_2	AMBP_1
CO5_1	ADA12_1, ANT3_1, ECM1_2, EGLN_1, FA9_1, ITIH3_1, PAEP_1, PAEP_2, PCD12_1, SVEP1_1
CO5_2	ADA12_1, ATL4_1, FGFR1_1
CO6_1	ADA12_1, AMBP_1, GELS_1
CO8A_1	ADA12_1, CGB1_2, DEF1_1
CO8B_1	ADA12_1
CRIS3_2	ADA12_1
DEF1_1	CRAC1_3
DEF1_2	PAPP2_1
ECM1_1	SVEP1_1
FA5_1	SVEP1_1
FA5_2	ISM2_1, NOTUM_2, PCD12_1, SVEP1_1
FA9_1	KIT_1
FA9_2	KIT_1
FBLN1_1	ADA12_1, AMBP_1
FBLN3_1	ADA12_1, PAPP2_1
GELS_1	FA5_2
HABP2_1	ADA12_1, AMBP_1, FA5_1, IPSP_2
IBP1_1	ADA12_1
IBP3_1	ADA12_1
IBP4_1	ADA12_1, FA5_1
IBP4_2	ADA12_1
IBP4_3	ADA12_1, AMBP_1
IBP6_1	ADA12_1
IBP6_2	ADA12_1, AMBP_1
INHBC_1	PRG2_1
IPSP_1	SVEP1_1
IPSP_2	GELS_2, SVEP1_1
ITIH3_1	ADA12_1, PCD12_1
ITIH4_1	ADA12_1
KNG1_1	ADA12_1, AMBP_1, FA5_2, LIRB5_1, PAEP_2, PCD12_1

LIRB5_1	AMBP_1, FA5_2
PAEP_1	FA5_2, PAPP2_1
PAEP_2	FA5_2
PAPP1_1	ADA12_1
PEDF_1	ADA12_1, CAMP_1, CAMP_2, DEF1_2, SEPP1_2
PEDF_2	ADA12_1
PGRP2_1	ADA12_1, FA5_2, SVEP1_1
PRG2_1	ADA12_1
PSG11_1	ADA12_1
PSG9_1	ADA12_1, AMBP_1, SVEP1_1
PTGDS_2	ADA12_1
SHBG_1	ADA12_1, SVEP1_1
SHBG_3	ADA12_1
SOM2_2	ADA12_1
SPRL1_1	PAPP2_1
SVEP1_1	CRAC1_2, ISM2_1
TENX_1	PCD12_1
TENX_2	AMBP_1
TETN_1	FA5_2
TETN_2	FA5_2
TIE1_1	ADA12_1, CGB1_1
VTDB_1	ADA12_1, FA5_2
VTNC_1	FA9_2
VTNC_2	ADA12_1

[00335] Table 21. Analyte pairs in models containing InvParity for GABD 182-203

Analyte1	Analyte2
A2GL_1	AACT_1, ADA12_1, AFAM_2, ANGT_1, FA5_1, IPSP_2, KNG1_1, LBP_2, MUC18_1, PCD12_1, SOM2_1, SVEP1_1
AACT_1	ADA12_1, AMBP_1, AOC1_1, AOC1_2, ATS13_2, C1QA_1, C1QA_2, C1QB_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CGB1_1, CGB1_2, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_2, EGLN_2, FA11_2, FA5_1, FA5_2, FGFR1_1, GELS_1, GELS_2, GPX3_2, IL1R1_1, ISM2_2, KIT_1, KIT_2, LEP_1, LEP_2, LIRB5_1, MUC18_1, PAEP_1, PAPP2_1, PCD12_2, PRG4_1, PRG4_2, PRL_1, PROS_1, PROS_2, SEPP1_1, SEPP1_2, SHBG_2, SHBG_3, SVEP1_1, TETN_1, THRB_1
ADA12_1	AMBP_1, ANT3_1, AOC1_1, AOC1_2, ATL4_1, ATS13_1, ATS13_2, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_1, FA5_2, FA9_1, FA9_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, IGF1_1, IL1R1_1, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KIT_1, KIT_2, LEP_1, LEP_2, LIRB5_1, MFAP5_1, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PRG4_1, PRG4_2, PRL_1, PRL_2, PROS_1, PROS_2, PTGDS_1,

	RET4_1, SEPP1_1, SEPP1_2, SHBG_2, SVEP1_1, TETN_1, TETN_2, THRB_1, TIMP1_1, VGFR1_1
AFAM_1	AACT_1, ADA12_1, AFAM_2, CO5_1, SVEP1_1, TETN_2, VTNC_2
AFAM_2	AACT_1, ADA12_1, ALS_1, AMBP_1, ANGT_1, ANT3_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, ATS13_1, ATS13_2, B2MG_2, BGH3_1, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QB_3, C1QC_1, C1QC_2, CADH5_1, CADH5_2, CAH1_1, CAMP_1, CAMP_2, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_2, CGB1_1, CGB1_2, CHL1_1, CLUS_1, CNTN1_1, CO5_1, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, CSH_2, DEF1_1, DEF1_2, DPEP2_2, ECM1_1, ECM1_2, ENPP2_2, F13B_1, FA11_1, FA11_2, FA5_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_1, GELS_2, HLACI_1, IBP1_1, IBP3_1, IBP3_2, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, IGF2_1, IL1R1_1, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, LIRB5_1, LYAM1_1, MFAP5_1, MUC18_1, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_1, PEDF_2, PRDX2_1, PRG2_1, PRG4_1, PRL_1, PRL_2, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_2, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_2, THRB_1, TIMP1_1, VGFR1_1, VTDB_1, VTNC_1, VTNC_2
ALS_1	AACT_1, ADA12_1, SVEP1_1
AMBP_1	DEF1_1, DPEP2_1, DPEP2_2, ECM1_2, FA5_2, FGFR1_2, GELS_2, IPSP_1, IPSP_2, LEP_1, MUC18_1, MUC18_2, PAEP_1, PAPP2_1, PCD12_1, PRG4_1, PROS_2, PTGDS_1, SVEP1_1, TETN_1, THRB_1
ANGT_1	AACT_1, ADA12_1, AMBP_1, ANT3_1, C1QB_3, CAMP_1, CAMP_2, CATD_2, CBPN_1, CGB1_1, CO8B_1, CRAC1_1, CRIS3_2, DEF1_1, DPEP2_2, ECM1_2, FA5_1, FA5_2, FA9_1, FETUA_1, GELS_2, IBP1_1, IBP4_3, IPSP_1, IPSP_2, ITIH4_3, KIT_1, KNG1_1, LEP_1, MUC18_1, PAEP_1, PAPP1_1, PAPP2_1, PCD12_1, PRG4_1, PSG1_1, PSG2_1, PTGDS_2, SPRL1_1, SVEP1_1, TENX_1, TETN_1, VTDB_1, VTNC_1
ANT3_1	AMBP_1, FA5_1
AOC1_1	SVEP1_1
APOC3_1	AACT_1, ADA12_1, CD14_1, FA5_1, FA5_2, GELS_1, IBP6_2, IPSP_1, SEPP1_2, SVEP1_1
APOH_1	AACT_1, ADA12_1, SEPP1_2, SVEP1_1
B2MG_1	
B2MG_2	ADA12_1, KNG1_2
BGH3_1	AACT_1, ADA12_1, CD14_1, FA5_1, SEPP1_2
C163A_1	ADA12_1
C1QA_1	FA5_1, GELS_1, SVEP1_1
C1QA_2	FA5_1, SVEP1_1
C1QB_1	FA5_1, SVEP1_1
C1QB_2	FA5_1
C1QB_3	AACT_1, ADA12_1, FA5_1, SVEP1_1
C1QC_1	AMBP_1, FA5_1
C1QC_2	FA5_1
CAH1_1	AACT_1, ADA12_1, FA5_1, SEPP1_2

CAMP_1	SVEP1_1
CAMP_2	DEF1_1, SVEP1_1
CATD_1	AACT_1, ADA12_1, CRAC1_3, FA5_1, IPSP_2, KNG1_2, SVEP1_1
CATD_2	AACT_1, ADA12_1, C1QA_1, CRAC1_3, FA5_1, IBP4_1, IPSP_1, IPSP_2, KNG1_2, PRG4_1, SVEP1_1
CBPN_1	ADA12_1, CD14_1, FA5_1
CBPN_2	AACT_1, ADA12_1, FA5_1
CD14_1	AACT_1, ADA12_1, ANT3_1, ATL4_1, C1QB_1, C1QC_2, CAMP_1, CAMP_2, CRAC1_1, CRAC1_2, DEF1_2, DPEP2_1, DPEP2_2, ECM1_2, EGLN_1, FA5_1, FA5_2, FA9_1, FGFR1_1, GELS_1, GELS_2, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IPSP_1, ISM2_2, ITIH4_3, KIT_1, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_1, LIRB5_1, MUC18_2, NOTUM_1, NOTUM_2, PAPP2_1, PEDF_1, PGRP2_1, PRG2_1, PRL_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PTGDS_2, SEPP1_1, SEPP1_2, SOM2_2, SPRL1_1, SVEP1_1, TENX_2, TETN_1, TETN_2, THRB_1
CD14_2	ADA12_1, FA5_1, KNG1_2, LIRB5_1, SEPP1_2
CFAB_1	GELS_1
CGB1_1	ADA12_1, FA5_1
CGB1_2	ADA12_1, FA5_1
CHL1_1	AACT_1, ADA12_1
CLUS_1	AACT_1, ADA12_1, DEF1_2, FA5_1
CLUS_2	ADA12_1
CO5_1	AACT_1, ADA12_1, CRAC1_1, FA9_1, FGFR1_2, GELS_1, IBP1_1, IBP6_2, MUC18_1, PAPP1_1, SVEP1_1
CO5_2	ADA12_1, FGFR1_2, GELS_1, PAPP2_1, PRG4_1, PRG4_2
CO6_1	AACT_1, ADA12_1, FA5_1
CO8A_1	ADA12_1, SEPP1_2, SVEP1_1
CO8B_1	AACT_1, ADA12_1, GELS_1, KNG1_1, KNG1_2, LIRB5_1, PAEP_1
CRIS3_1	ADA12_1, FA5_1, SEPP1_2
CRIS3_2	ADA12_1, FA5_1, VTNC_2
CSH_1	AACT_1, ADA12_1, FA11_2, FA5_1, LBP_2, TENX_1
CSH_2	ADA12_1, FA5_1
DEF1_1	PRG4_1
EGLN_1	SEPP1_2
EGLN_2	SEPP1_2
ENPP2_1	AACT_1, ADA12_1, FA5_1, FA5_2, GELS_1, KNG1_1, MUC18_2
ENPP2_2	AACT_1, ADA12_1, FA5_1, SVEP1_1
F13B_1	AACT_1, ADA12_1, FA5_1, IPSP_1, IPSP_2, LBP_2, SEPP1_2, SVEP1_1
FA11_1	DPEP2_2, FA5_1, MUC18_1, SVEP1_1
FA11_2	DPEP2_2, FA5_1, MUC18_1, SVEP1_1
FA5_1	AOC1_1, AOC1_2, ATS13_1, CADH5_1, CADH5_2, CRAC1_1, CRAC1_2, CRAC1_3, DEF1_1, DEF1_2, DPEP2_1, ECM1_2, EGLN_2, IL1R1_1, ISM2_1, ISM2_2, LEP_2, MFAP5_1, MUC18_1, MUC18_2, NOTUM_1, NOTUM_2, PAPP2_1, PCD12_1, PCD12_2, PRG4_1, PRG4_2, SEPP1_1, SVEP1_1, THRB_1, VGFR1_1
FA5_2	CRAC1_1, CRAC1_2, SVEP1_1

FA9_1	AMBP_1, FA5_1
FA9_2	GELS_1
FBLN1_1	ADA12_1, AMBP_1, DEF1_1, FA5_1
FBLN3_1	AACT_1, ADA12_1, FA5_1
FETUA_1	AACT_1, ADA12_1, FA5_1
FETUA_2	AACT_1, ADA12_1, FA5_1, SVEP1_1
FGFR1_1	FA5_1
FGFR1_2	CRAC1_3, FA5_1, FA5_2
GELS_1	AOC1_1, DEF1_1, DEF1_2, ECM1_2, FA5_1, FA5_2, LEP_2, PCD12_1, PCD12_2, PRG4_1, PRG4_2, SEPP1_1
GELS_2	DEF1_1, ECM1_2, FA5_1, FA5_2, PRG4_2, SEPP1_2, SVEP1_1
GPX3_1	ADA12_1, FA5_1
GPX3_2	ADA12_1, FA5_1
HABP2_1	AACT_1, ADA12_1, GELS_1, GELS_2, LEP_1, PTGDS_1, SVEP1_1
HEMO_1	ADA12_1, SVEP1_1
HLACI_1	ADA12_1
IBP1_1	ADA12_1, FA5_1
IBP2_1	AACT_1, ADA12_1, FA5_1
IBP3_1	AACT_1, ADA12_1, GELS_2, IBP6_2, IL1R1_1, KNG1_2, LEP_1, PSG1_1, PTGDS_2, SVEP1_1, TETN_1
IBP3_2	AACT_1, ADA12_1, GELS_2, SVEP1_1
IBP4_1	ADA12_1, FA5_1, GELS_1, GELS_2, PRG4_1, SEPP1_2, SVEP1_1
IBP4_2	AACT_1, ADA12_1, FA5_1, KNG1_2, SVEP1_1
IBP4_3	ADA12_1, FA5_1, IPSP_2
IBP6_1	AACT_1, ADA12_1
IBP6_2	ADA12_1, AMBP_1, CRAC1_1, FA5_1, INHBC_1, KNG1_2, PEDF_2, PRG4_1, PRG4_2, VTNC_1
IGF1_1	FA5_1, GELS_1, SVEP1_1
IGF2_1	AACT_1, ADA12_1, FA5_1, SVEP1_1
INHBC_1	AACT_1, ADA12_1, FA5_1, GELS_1
IPSP_1	ATL4_1, CRAC1_1, CRAC1_2, CRAC1_3, FA5_1, GELS_2, PRG4_1, PRG4_2, SEPP1_2
IPSP_2	ATL4_1, CNTN1_1, CNTN1_2, CRAC1_1, CRAC1_3, DEF1_1, DEF1_2, ECM1_1, FA5_1, FA5_2, MUC18_1, PAEP_1, PRG4_1, SEPP1_2
ITIH3_1	ADA12_1, ANT3_1, IPSP_2, SVEP1_1
ITIH4_1	ADA12_1, AMBP_1, FA5_1, SVEP1_1
ITIH4_2	ADA12_1, FA5_1
ITIH4_3	AACT_1, ADA12_1, FA5_1, IPSP_2, KNG1_2, PRG4_1, SEPP1_2
KIT_1	FA5_1, SVEP1_1
KIT_2	FA5_1, PCD12_1, SVEP1_1
KNG1_1	AACT_1, ADA12_1, ANT3_1, C1QA_1, CRAC1_1, CRAC1_2, CRAC1_3, FA5_1, GELS_1, LIRB5_1, PCD12_1, SVEP1_1
KNG1_2	AACT_1, ADA12_1, ATL4_1, CRAC1_1, FA5_1, IL1R1_1, IPSP_1, KIT_2, LEP_1, LIRB5_1, PAPP1_1, PCD12_1, PRG2_1, PRG4_1, PSG1_1, PSG11_1, PSG9_1, SEPP1_1, SHBG_3, SPRL1_1, SVEP1_1, TETN_2

LBP_1	ADA12_1
LBP_2	AACT_1, ADA12_1, CADH5_2, CRAC1_1, FA11_1, FA5_1, FGFR1_2, GELS_1, PSG3_1, SVEP1_1
LEP_1	DEF1_1, PRG4_1, PRG4_2, SEPP1_2
LIRB5_1	AMBP_1, FA5_1, FA5_2, PAPP2_1, PRG4_1, PRL_1
LYAM1_1	AACT_1, ADA12_1, FA5_1
MUC18_1	PAPP2_1, SVEP1_1
NOTUM_1	PRG4_1
PAEP_1	DEF1_1, FA5_1
PAEP_2	FA5_1
PAPP1_1	AACT_1, ADA12_1, AMBP_1, FA5_1, KIT_2, SPRL1_1
PCD12_2	CRAC1_1
PEDF_1	ADA12_1, AMBP_1, FA5_1, SEPP1_2, SVEP1_1
PEDF_2	ADA12_1, GELS_1, SVEP1_1
PGRP2_1	AACT_1, ADA12_1, FA5_1
PRDX2_1	AACT_1, ADA12_1, FA5_1
PRG2_1	ADA12_1, FA5_1, SEPP1_2
PRG4_1	PAPP2_1, PCD12_1
PRL_1	AMBP_1, CRAC1_1, CRAC1_3, FA5_1, GELS_1, IPSP_1, IPSP_2, MUC18_1, PCD12_2, PRL_2, TETN_1
PRL_2	AMBP_1, GELS_1, IPSP_1
PROS_2	FA5_1
PSG1_1	AACT_1, ADA12_1, AMBP_1, FA5_1, SEPP1_2
PSG11_1	ADA12_1, FA5_1, FA5_2, SVEP1_1
PSG2_1	ADA12_1, AMBP_1, SVEP1_1, TENX_1
PSG3_1	ADA12_1
PSG9_1	AACT_1, ADA12_1, FA5_1
PSG9_2	ADA12_1, AMBP_1, VTDB_1
PTGDS_2	ADA12_1, FA5_1, GELS_1, SVEP1_1
RET4_1	FA5_1
SEPP1_1	PRG4_1, SVEP1_1
SEPP1_2	CAMP_1, CAMP_2, ISM2_2, PAPP2_1, SVEP1_1
SHBG_1	AACT_1, ADA12_1, FA5_1, SVEP1_1
SHBG_2	FA5_1, GELS_1
SHBG_3	ADA12_1, FA5_1, GELS_1, IPSP_2
SOM2_1	ADA12_1, FA5_1
SOM2_2	ADA12_1, FA5_1
SPRL1_1	ADA12_1, ANT3_1, GELS_1, SVEP1_1
SVEP1_1	ATL4_1, ATS13_2, CRAC1_3, PRG4_1, PRG4_2
TENX_1	AACT_1, ADA12_1, FA5_1, IBP4_1, IGF1_1, IPSP_2, LIRB5_1, PRG4_1, SEPP1_2, SVEP1_1
TENX_2	AACT_1, ADA12_1, AMBP_1, FA5_1, FA5_2, IBP4_1, PCD12_2, PRL_1, SEPP1_2
TETN_1	FA5_1, PRG4_1

TETN_2	FA5_1, PRG4_1, SVEP1_1
THBG_1	ADA12_1, GELS_1
TIE1_1	ADA12_1, FA5_1, GELS_1
TIMP1_1	FA5_1, SVEP1_1
VTDB_1	ADA12_1, ANT3_1, CRAC1_1, DEF1_2, FA5_1, IPSP_1, LIRB5_1, PAEP_1, PAEP_2, SVEP1_1
VTNC_1	AACT_1, ADA12_1, DEF1_1, GELS_1, IPSP_1, SVEP1_1
VTNC_2	AACT_1, ADA12_1, GELS_1, PCD12_1, SVEP1_1

[00336] Model 3: Overlapping GABD windows, Parity 0, AACT plus analyte pairs

[00337] Model 3 (TTB ~ ETB + AACT_EIGELYLPK + Analyte1 + Analyte2) was run for 171 analytes and 28 log-transformed numeric clinical variables in all possible pairs, in overlapping three-week windows with an overlap of one week. All TERM samples were used (204 nulliparous subjects were TERM). Analytes were included not as a ratio (i.e. a reversal) to allow for different coefficients for each. AACT_EIGELYLPK was chosen as the 3rd analyte in exemplifying trivariate performance based on an initial scan showing strong performance for this analyte in women of Parity 0 with blood drawn in GA weeks 23-28 weeks. In particular, this model was applied to subjects with Parity 0 and late GAs at blood draw, in 3-week GA windows from $23^{0/7}$ to $25^{6/7}$, $24^{0/7}$ to $26^{6/7}$, $25^{0/7}$ to $27^{6/7}$, and $26^{0/7}$ to $28^{6/7}$. The performance metric was accuracy.

[00338] **Table 22.** Overlapping windows of GA at blood draw, the number of samples in each and the minimum, median and maximum accuracy in each window. Nomenclature: for example [161-182) means $161 \leq \text{GA at blood draw} < 182$.

Windows	nTERM	min	med	max
[161-182)	99	38.4	44.4	54.5
[168-189)	108	39.8	46.3	53.7
[175-196)	100	39.0	45.0	55.0
[182-203)	105	41.0	47.6	57.1

[00339] **Table 23.** Numerical clinical variables included in Model 3 assessments

Factor	Definition
Bleeding	Bleeding in the second or third trimesters of the current pregnancy
BMI	Weight in kilograms over height in meters squared
cDM	History of diabetes pre-existing prior to the current pregnancy
Cervix	Cervical abnormalities or transvaginal cervical ultrasound in this pregnancy

cHTN	History of hypertension pre-existing prior to the current pregnancy
DM	Notation of gestational diabetes in the current pregnancy or history of pre-existing diabetes, with each assigned a distinct value
GABD	GA at blood draw as recorded by clinical staff
GABD.	GA at blood draw calculated from the dates of blood draw and estimated delivery
GDM	Notation of gestational diabetes in the current pregnancy
Gravidity.	Number of recorded current and prior pregnancies of any duration, calculated as Parity plus the number of spontaneous and therapeutic abortions and ectopic pregnancies
InvGravidity.	$1 / (\text{Gravidity} + 0.5)$, a transform emphasizing differences between low Gravidities
InvParity.	$1 / (\text{Parity} + 0.5)$, a transform emphasizing differences between low Parities
IPMLOS	Maternal length of stay in hospital for the current delivery
LABGAD	Day of GA week of blood draw as recorded by clinical staff
LABPGAW	GA week of blood draw as recorded by clinical staff
MAGE	Maternal age in years
MDHT	Maternal height in centimeters
MDHTC	Maternal height in inches
MDWT	Maternal weight in kilograms
MDWTC	Maternal weight in pounds
NdelComp	Number of adverse delivery complications recorded for the current delivery
NpregComp	Number of adverse pregnancy complications recorded for the current pregnancy
Parity.	Number of recorded prior pregnancies carried to 20 0/7 weeks' GA
PEspec	Notation of preeclampsia, pregnancy-induced or gestational hypertension in the current pregnancy, with each assigned a distinct value
PriorPTBvTerm	Difference between count of prior spontaneous preterm births and prior full-term births, with absence of obstetric history as a distinct value
PriorSPTB	Count of prior spontaneous preterm births
User	Number of substances used by the subject including tobacco and alcohol; opiates are counted doubly as the fetus also becomes dependent.

[00340] Table 24. Analyte pairs in trianalyte models containing AACT for nulliparous women with gestational age at blood draws days 161-182

Analyte1	Analyte2
A2GL_1	ADA12_1, ALS_1, ANGT_1, ANT3_1, APOH_1, ATS13_1, CATD_1, CD14_1, CLUS_1, CNTN1_1, CO6_1, CRAC1_1, ENPP2_2, FA9_1, FETUA_1, IBP4_1, IBP4_3, IGF1_1, ISM2_1, ITIH4_1, LEP_2, MDHT., MUC18_2, NpregC, PRG2_1, PRG4_2, PRL_1, PRL_2, SEPP1_2, TENX_1, TETN_2, THRB_1, TIMP1_1, VTNC_2
AACT_1	FETUA_2, IBP4_1, MDHT.
ADA12_1	A2GL_1, AFAM_2, ALS_1, AOC1_2, ATS13_2, CADH5_1, CD14_1, CLUS_1, CO5_2, CRAC1_1, FETUA_1, FETUA_2, IBP4_1, IBP4_3, IGF1_1, IGF2_1, IL1R1_1, InvGra, ISM2_1, ITIH4_2, LBP_1, LYAM1_1, MDHT., NOTUM_2, PAPP1_1, PAPP2_1, PRL_2, PSG1_1, SEPP1_1, SHBG_1, VGFR1_1, VTDB_1, VTNC_1, VTNC_2
AFAM_1	cHTN, FETUA_2, MDHT., MDWT., PRL_1
AFAM_2	ADA12_1, BMI, CNTN1_1, FETUA_2, LEP_1, MDWT., PEDF_2, PRL_1, PRL_2, SHBG_1, SHBG_3, SVEP1_1
ALS_1	A2GL_1, ADA12_1, Bleedi, cHTN, FETUA_1, ITIH4_2, MDWT., PRDX2_1
AMBP_1	FETUA_2, IBP4_1, MDHT.
ANGT_1	A2GL_1, FETUA_2
ANT3_1	A2GL_1, cHTN, FETUA_2, IBP4_1, MDHT.
AOC1_1	FETUA_2, MDHT.
AOC1_2	ADA12_1, FETUA_2, IBP4_1
APOC3_1	FETUA_2, IBP4_1, MDHT.
APOH_1	A2GL_1, FETUA_2, IBP4_1, MDHT., MDWT.
ATL4_1	cHTN, FETUA_2, MDHT.
ATS13_1	A2GL_1, FETUA_2, IBP4_1
ATS13_2	ADA12_1, FETUA_1, FETUA_2, IBP4_1, LBP_1, MDHT.
B2MG_1	FETUA_2, ITIH4_2, MDHT., MUC18_1
B2MG_2	cHTN, FETUA_2, IBP4_1, MDHT.
BGH3_1	cHTN, FETUA_2, IBP4_1, MDHT.
Bleedi	ALS_1, FETUA_2, MDHT., PAPP2_1
BMI	AFAM_2, cHTN, CRAC1_1, FETUA_1, FETUA_2, MDHT., MDWT., MUC18_1, SEPP1_1, VTNC_1, VTNC_2
C163A_1	FETUA_2, IBP4_1, MDHT.
C1QA_1	SEPP1_1
C1QA_2	FETUA_2, MDHT.
C1QB_1	FETUA_2, IBP4_1
C1QB_3	FETUA_2
C1QC_1	FETUA_2, MDWT.
C1QC_2	IBP4_1, LEP_1
CADH5_1	ADA12_1, PRG4_1, PRG4_2, VTNC_2
CADH5_2	FBLN1_1, PRL_1, SEPP1_1
CAH1_1	FETUA_2, MDHT.
CAMP_1	cHTN, FETUA_1, FETUA_2
CAMP_2	FETUA_1, FETUA_2, IBP4_1
CATD_1	A2GL_1, FETUA_1, IBP4_1, LBP_1

CATD_2	FETUA_2, IBP4_1, MDHT.
CBPN_1	FETUA_2, IBP4_1, MDHT.
CBPN_2	FETUA_1, FETUA_2, MDHT.
CD14_1	A2GL_1, ADA12_1, FETUA_2, IBP4_1
CD14_2	FETUA_2, IBP4_1, MDHT., PRL_2
cDM	FETUA_2, IBP4_1, MDHT.
Cervix	cHTN, FETUA_2, IBP4_1, MDHT.
CFAB_1	FETUA_2, IBP4_1, IGF1_1, MUC18_1
CGB1_1	FETUA_2
CGB1_2	FETUA_2, MDHT.
CHL1_1	FETUA_2, IBP4_1, MDHT.
cHTN	AFAM_1, ALS_1, ANT3_1, ATL4_1, B2MG_2, BGH3_1, BMI, CAMP_1, Cervix, CNTN1_2, CO8B_1, CRAC1_3, CRIS3_2, ECM1_1, ENPP2_1, F13B_1, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GELS_2, GPX3_1, HABP2_1, HEMO_1, IBP4_1, IBP4_2, IBP6_1, IGF1_1, InvGra, ITIH4_1, KNG1_1, LBP_1, LBP_2, LEP_1, MAGE, MDHT., MDWT., MUC18_1, NOTUM_1, PAEP_1, PAPP2_1, PEspec, PRDX2_1, PRG2_1, PRL_1, PRL_2, PROS_1, PROS_2, PSG2_1, PSG9_1, PSG9_2, SEPP1_1, SHBG_1, SVEP1_1, TENX_1, TIE1_1, VTNC_1
CLUS_1	A2GL_1, ADA12_1, FETUA_2, IBP4_1, MDWT.
CLUS_2	FETUA_2, MDHT., MUC18_1
CNTN1_1	A2GL_1, AFAM_2, CRAC1_1, FETUA_1, FETUA_2, IBP4_1, IGF1_1, MDHT., PAPP2_1, PRL_2
CNTN1_2	cHTN, FETUA_2, IBP4_1, MDHT.
CO5_1	FETUA_2, IBP4_1, MDHT.
CO5_2	ADA12_1, IBP4_1, SEPP1_1
CO6_1	A2GL_1
CO8A_1	FETUA_2, MDHT.
CO8B_1	cHTN, FETUA_2, IBP4_1, MDHT.
CRAC1_1	A2GL_1, ADA12_1, BMI, CNTN1_1, FETUA_2, MDHT., MUC18_1, MUC18_2, SEPP1_1
CRAC1_2	FETUA_1, FETUA_2, ITIH4_2, MDHT., MUC18_1
CRAC1_3	cHTN, FETUA_2, IBP4_1, MDHT.
CRIS3_2	cHTN
CSH_1	FETUA_1, FETUA_2, IBP4_1, MDHT.
CSH_2	FETUA_2, IBP4_1, MDHT.
DEF1_1	FETUA_2, MDHT.
DEF1_2	FETUA_2, IBP4_1, MDHT.
DM	FETUA_2, IBP4_1
DPEP2_1	FETUA_2, MDHT.
DPEP2_2	FETUA_1, FETUA_2, IBP4_1, MDHT., MDWT.
ECM1_1	cHTN, FETUA_2, MDHT.
ECM1_2	FETUA_2, MDHT.
EGLN_1	FETUA_2, IBP4_1, MAGE, MDHT., MUC18_1
EGLN_2	FETUA_2, IBP4_1

ENPP2_1	cHTN, FETUA_2, IBP4_1, MDHT.
ENPP2_2	A2GL_1, FETUA_2, MDHT.
F13B_1	cHTN, FETUA_2, MDHT.
FA11_1	MDHT
FA11_2	FA9_2
FA5_1	FETUA_2, MDHT.
FA5_2	FETUA_1, FETUA_2, IBP4_1, IPMLOS, SHBG_1
FA9_1	A2GL_1, FETUA_1, FETUA_2, IBP4_1, MDWT.
FA9_2	FA11_2, FETUA_1
FBLN1_1	CADH5_2, cHTN, FETUA_2, IBP4_1, IGF1_1, ITIH4_2, LBP_1, LBP_2, MDHT., MDWT., PEspec
FBLN3_1	cHTN, MDHT.
FETUA_1	A2GL_1, ADA12_1, ALS_1, ATS13_2, BMI, CAMP_1, CAMP_2, CATD_1, CBPN_2, cHTN, CNTN1_1, CRAC1_2, CSH_1, DPEP2_2, FA5_2, FA9_1, FA9_2, FETUA_2, IBP3_2, IBP4_1, IBP4_3, IGF1_1, ISM2_1, ITIH4_1, ITIH4_2, KIT_1, KIT_2, LBP_1, LBP_2, LEP_1, LYAM1_1, MAGE, MDHT., MDWT., MUC18_1, MUC18_2, NdelCo, PAPP2_1, PRG4_1, PRG4_2, PRL_1, PRL_2, PROS_2, PSG2_1, PSG9_1, PSG9_2, RET4_1, SEPP1_1, SOM2_2, TENX_1, THRB_1, User
FETUA_2	AACT_1, ADA12_1, AFAM_1, AFAM_2, AMBP_1, ANGT_1, ANT3_1, AOC1_1, AOC1_2, APOC3_1, APOH_1, ATL4_1, ATS13_1, ATS13_2, B2MG_1, B2MG_2, BGH3_1, Bleedi, BMI, C163A_1, C1QA_2, C1QB_1, C1QB_3, C1QC_1, CAH1_1, CAMP_1, CAMP_2, CATD_2, CBPN_1, CBPN_2, CD14_1, CD14_2, cDM, Cervix, CFAB_1, CGB1_1, CGB1_2, CHL1_1, cHTN, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CSH_1, CSH_2, DEF1_1, DEF1_2, DM, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA5_1, FA5_2, FA9_1, FBLN1_1, FETUA_1, GABD., GDM, GELS_1, GELS_2, GPX3_1, HABP2_1, HEMO_1, HLACI_1, IBP1_1, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IGF1_1, IGF2_1, INHBC_1, InvGra, InvPar, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_2, LBP_1, LBP_2, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, MUC18_1, MUC18_2, NdelCo, NOTUM_1, NOTUM_2, NpregC, PAEP_1, PAEP_2, PAPP1_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PGRP2_1, PRG2_1, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PIGUS_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TIE1_1, TIMP1_1, User, VGFR1_1, VTDB_1, VTNC_1, VTNC_2
FGFR1_1	cHTN, MDHT.
FGFR1_2	cHTN
GABD.	FETUA_2, IBP4_1, MDHT.
GDM	FETUA_2, IBP4_1, MDHT.
GELS_1	FETUA_2
GELS_2	cHTN, FETUA_2, HEMO_1
GPX3_1	cHTN, FETUA_2, IBP4_1, MDHT.
GPX3_2	IBP4_1
HABP2_1	cHTN, FETUA_2

HEMO_1	cHTN, FETUA_2, GELS_2, IBP4_1, SEPP1_1
HLACI_1	FETUA_2, MDWT., MUC18_1
IBP1_1	FETUA_2, MDHT.
IBP2_1	IBP4_1
IBP3_1	MDHT., MUC18_1
IBP3_2	FETUA_1, MDHT.
IBP4_1	A2GL_1, AACT_1, ADA12_1, AMBP_1, ANT3_1, AOC1_2, APOC3_1, APOH_1, ATS13_1, ATS13_2, B2MG_2, BGH3_1, C163A_1, C1QB_1, C1QC_2, CAMP_2, CATD_1, CATD_2, CBPN_1, CD14_1, CD14_2, cDM, Cervix, CFAB_1, CHL1_1, cHTN, CLUS_1, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO8B_1, CRAC1_3, CSH_1, CSH_2, DEF1_2, DM, DPEP2_2, EGLN_1, EGLN_2, ENPP2_1, FA5_2, FA9_1, FBLN1_1, FETUA_1, FETUA_2, GABD., GDM, GPX3_1, GPX3_2, HEMO_1, IBP2_1, IBP4_3, IBP6_1, IGF2_1, INHBC_1, InvPar, IPMLOS, ISM2_1, ITIH4_2, KNG1_1, LBP_1, LBP_2, LIRB5_1, LYAM1_1, MDHT., MDWT., NpregC, PAEP_1, PAEP_2, PEDF_1, PEDF_2, PEspec, PGRP2_1, PriorP, PROS_1, PROS_2, PSG3_1, PSG9_1, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_1, TENX_1, TENX_2, TETN_2, THBG_1, TIE1_1, TIMP1_1
IBP4_2	cHTN, FETUA_2, MDHT., PRL_2
IBP4_3	A2GL_1, ADA12_1, FETUA_1, FETUA_2, IBP4_1
IBP6_1	cHTN, FETUA_2, IBP4_1, MUC18_1
IBP6_2	MDHT.
IGF1_1	A2GL_1, ADA12_1, CFAB_1, cHTN, CNTN1_1, FBLN1_1, FETUA_1, FETUA_2, MDHT., MUC18_1, SVEP1_1
IGF2_1	ADA12_1, FETUA_2, IBP4_1, MDHT.
IL1R1_1	ADA12_1, MDHT., MDWT., PRL_1, SHBG_1, SVEP1_1
INHBC_1	FETUA_2, IBP4_1, MDHT.
InvGra	ADA12_1, cHTN, FETUA_2
InvPar	FETUA_2, IBP4_1, MDHT.
IPMLOS	FA5_2, IBP4_1, ITIH4_2
IPSP_1	FETUA_2
IPSP_2	FETUA_2, MDHT.
ISM2_1	A2GL_1, ADA12_1, FETUA_1, FETUA_2, IBP4_1, MDHT., PRL_1, PRL_2
ISM2_2	FETUA_2, MDHT., PRL_1
ITIH3_1	FETUA_2, MDHT., PRL_2
ITIH4_1	A2GL_1, cHTN, FETUA_1, FETUA_2, MDHT., MDWT.
ITIH4_2	ADA12_1, ALS_1, B2MG_1, CRAC1_2, FBLN1_1, FETUA_1, FETUA_2, IBP4_1, IPMLOS, MDHT., MUC18_1, PRG4_2, PRL_1, SEPP1_2, TENX_1
ITIH4_3	FETUA_2
KIT_1	FETUA_1, FETUA_2, MDHT.
KIT_2	FETUA_1, FETUA_2, MDHT.
KNG1_1	cHTN, IBP4_1, MDWT.
KNG1_2	FETUA_2, MDHT.
LBP_1	ADA12_1, ATS13_2, CATD_1, cHTN, FBLN1_1, FETUA_1, FETUA_2, IBP4_1, MDHT., MUC18_1, PRL_1, SEPP1_1, SHBG_1, SOM2_2
LBP_2	cHTN, FBLN1_1, FETUA_1, FETUA_2, IBP4_1, MDHT., SEPP1_1, SHBG_1,

	SOM2_2
LEP_1	AFAM_2, C1QC_2, cHTN, FETUA_1, LYAM1_1, MDHT., PRG4_2, SEPP1_1, VTNC_2
LEP_2	A2GL_1
LIRB5_1	IBP4_1, MUC18_1
LYAM1_1	ADA12_1, FETUA_1, FETUA_2, IBP4_1, LEP_1, MDHT., User
MAGE	cHTN, EGLN_1, FETUA_1, FETUA_2
MDHT.	A2GL_1, AACT_1, ADA12_1, AFAM_1, AMBP_1, ANT3_1, AOC1_1, APOC3_1, APOH_1, ATL4_1, ATS13_2, B2MG_1, B2MG_2, BGH3_1, Bleedi, BMI, C163A_1, C1QA_2, CAH1_1, CATD_2, CBPN_1, CBPN_2, CD14_2, cDM, Cervix, CGB1_2, CHL1_1, cHTN, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CSH_1, CSH_2, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, ENPP2_1, ENPP2_2, F13B_1, FA5_1, FBLN1_1, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, GABD., GDM, GPX3_1, IBP1_1, IBP3_1, IBP3_2, IBP4_1, IBP4_2, IBP6_2, IGF1_1, IGF2_1, IL1R1_1, INHBC_1, InvPar, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, KIT_1, KIT_2, KNG1_2, LBP_1, LBP_2, LEP_1, LYAM1_1, MDWT., MFAP5_1, NOTUM_1, NpregC, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PGRP2_1, PRG2_1, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG1_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, SEPP1_1, SHBG_1, SHBG_3, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TIE1_1, TIMP1_1, VGFR1_1, VTNC_1, VTNC_2
MDWT.	AFAM_1, AFAM_2, ALS_1, APOH_1, BMI, C1QC_1, cHTN, CLUS_1, DPEP2_2, FA9_1, FBLN1_1, FETUA_1, FETUA_2, HLACI_1, IBP4_1, IL1R1_1, ITIH4_1, KNG1_1, MDHT., MUC18_1, NOTUM_1, PRG4_1, PRG4_2, PRL_2, PSG1_1, SEPP1_1, SEPP1_2, SHBG_1, VGFR1_1, VTNC_1, VTNC_2
MFAP5_1	FETUA_2, MDHT.
MUC18_1	B2MG_1, BMI, CFAB_1, cHTN, CLUS_2, CRAC1_1, CRAC1_2, EGLN_1, FETUA_1, FETUA_2, HLACI_1, IBP3_1, IBP6_1, IGF1_1, ITIH4_2, LBP_1, LIRB5_1, MDWT., PAPP2_1, PEspec, PRG2_1, PROS_1, SEPP1_2, TENX_2, TIMP1_1
MUC18_2	A2GL_1, CRAC1_1, FETUA_1, FETUA_2, SHBG_1
NdelCo	FETUA_1, FETUA_2
NOTUM_1	cHTN, FETUA_2, MDHT., MDWT.
NOTUM_2	ADA12_1, FETUA_2, PRL_1
NpregC	A2GL_1, FETUA_2, IBP4_1, MDHT.
PAEP_1	cHTN, FETUA_2, IBP4_1, MDHT.
PAEP_2	FETUA_2, IBP4_1, MDHT.
PAPP1_1	ADA12_1, FETUA_2, MDHT.
PAPP2_1	ADA12_1, Bleedi, cHTN, CNTN1_1, FETUA_1, MDHT., MUC18_1, PEDF_2, PEspec
PCD12_1	FETUA_2, MDHT.
PCD12_2	FETUA_2, MDHT.
PEDF_1	FETUA_2, IBP4_1, MDHT., PRL_1, SEPP1_1
PEDF_2	AFAM_2, FETUA_2, IBP4_1, MDHT., PAPP2_1, SEPP1_1, VTNC_1

PEspec	cHTN, FBLN1_1, FETUA_2, IBP4_1, MUC18_1, PAPP2_1, PRL_1
PGRP2_1	FETUA_2, IBP4_1, MDHT.
PRDX2_1	ALS_1, cHTN, SEPP1_1
PRG2_1	A2GL_1, cHTN, FETUA_2, MDHT., MUC18_1
PRG4_1	CADH5_1, FETUA_1, MDWT.
PRG4_2	A2GL_1, CADH5_1, FETUA_1, ITIH4_2, LEP_1, MDWT., SHBG_1
PriorP	FETUA_2, IBP4_1, MDHT.
PRL_1	A2GL_1, AFAM_1, AFAM_2, CADH5_2, cHTN, FETUA_1, FETUA_2, IL1R1_1, ISM2_1, ISM2_2, ITIH4_2, LBP_1, MDHT., NOTUM_2, PEDF_1, PEspec, TENX_1, VGFR1_1
PRL_2	A2GL_1, ADA12_1, AFAM_2, CD14_2, cHTN, CNTN1_1, FETUA_1, FETUA_2, IBP4_2, ISM2_1, ITIH3_1, MDHT., MDWT., PROS_1, TENX_1, VGFR1_1
PROS_1	cHTN, FETUA_2, IBP4_1, MDHT., MUC18_1, PRL_2
PROS_2	cHTN, FETUA_1, FETUA_2, IBP4_1, MDHT.
PSG1_1	ADA12_1, FETUA_2, MDHT., MDWT.
PSG11_1	FETUA_2
PSG2_1	cHTN, FETUA_1, FETUA_2, MDHT.
PSG3_1	FETUA_2, IBP4_1, MDHT.
PSG9_1	cHTN, FETUA_1, FETUA_2, IBP4_1, MDHT.
PSG9_2	cHTN, FETUA_1, FETUA_2, MDHT.
PTGDS_1	FETUA_2, MDHT.
RET4_1	FETUA_1, FETUA_2, IBP4_1
SEPP1_1	ADA12_1, BMI, C1QA_1, CADH5_2, cHTN, CO5_2, CRAC1_1, FETUA_1, FETUA_2, HEMO_1, IBP4_1, LBP_1, LBP_2, LEP_1, MDHT., MDWT., PEDF_1, PEDF_2, PRDX2_1, SHBG_1, SHBG_3
SEPP1_2	A2GL_1, FETUA_2, IBP4_1, ITIH4_2, MDWT., MUC18_1
SHBG_1	ADA12_1, AFAM_2, cHTN, FA5_2, FETUA_2, IBP4_1, IL1R1_1, LBP_1, LBP_2, MDHT., MDWT., MUC18_2, PRG4_2, SEPP1_1, VGFR1_1, VTNC_1, VTNC_2
SHBG_3	AFAM_2, FETUA_2, IBP4_1, MDHT., SEPP1_1
SOM2_1	IBP4_1
SOM2_2	FETUA_1, FETUA_2, LBP_1, LBP_2
3PRL1_1	FETUA_2, MDHT.
SVEP1_1	AFAM_2, cHTN, FETUA_2, IGF1_1, IL1R1_1, MDHT.
TENX_1	A2GL_1, cHTN, FETUA_1, FETUA_2, IBP4_1, ITIH4_2, MDHT., PRL_1, PRL_2
TENX_2	FETUA_2, IBP4_1, MDHT., MUC18_1
TETN_2	A2GL_1, IBP4_1
THBG_1	IBP4_1
THRB_1	A2GL_1, FETUA_1
TIE1_1	cHTN, FETUA_2, IBP4_1, MDHT.
TIMP1_1	A2GL_1, FETUA_2, IBP4_1, MDHT., MUC18_1
User	FETUA_1, FETUA_2, LYAM1_1
VGFR1_1	ADA12_1, FETUA_2, MDHT., MDWT., PRL_1, PRL_2, SHBG_1

VTDB_1	ADA12_1, FETUA_2
VTNC_1	ADA12_1, BMI, cHTN, FETUA_2, MDHT., MDWT., PEDF_2, SHBG_1
VTNC_2	A2GL_1, ADA12_1, BMI, CADH5_1, FETUA_2, LEP_1, MDHT., MDWT., SHBG_1

[00341] Table 25. Analyte pairs in trianalyte models containing AACT for nulliparous women with gestational age at blood draws days 168-189

Analyte1	Analyte2
A2GL_1	CAH1_1, FETUA_2, PAEP_2, TENX_2
AACT_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
ADA12_1	AMBP_1, Bleedi, FETUA_2, IBP4_1, PAEP_1, PAEP_2, TENX_2
AFAM_1	ENPP2_2, FETUA_2, PAEP_1, TENX_2
AFAM_2	FETUA_2, TENX_2
ALS_1	FETUA_1, FETUA_2, ITIH4_2, ITIH4_3, PSG1_1, TENX_1, TENX_2
AMBP_1	ADA12_1, FETUA_2, IBP4_1, PRL_1, PRL_2
ANGT_1	DPEP2_1, FETUA_2, IBP4_1, PAEP_1, PAEP_2, PRL_2, VTNC_2
ANT3_1	FETUA_2, PRL_1, PRL_2
AOC1_1	IBP4_1, PAEP_1, PAEP_2
AOC1_2	IBP4_1
APOC3_1	IBP4_1, PAEP_1, PAEP_2
APOH_1	FETUA_2, IBP4_1, ITIH4_2, PAEP_2
ATL4_1	PAEP_1
ATS13_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
ATS13_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2
B2MG_1	FETUA_2, ITIH4_2
B2MG_2	FETUA_2, ITIH4_2, ITIH4_3, PSG1_1
BGH3_1	PAEP_1, PAEP_2
Bleedi	ADA12_1, PAEP_1
BMI	FETUA_2, IBP4_1, ITIH4_2, KNG1_1, LBP_1, PAEP_2, RET4_1, VTNC_2
C163A_1	CLUS_1, FETUA_2, TENX_2
C1QA_1	CLUS_1, IBP4_1, IPSP_1, PAEP_1, PRI_1
C1QA_2	CBPN_2, FETUA_2, IBP4_1, IPSP_1, PAEP_1, PAEP_2
C1QB_1	IBP4_1, LEP_1, PAPP2_1, PSG9_1, PSG9_2
C1QB_2	PAEP_1, PAEP_2
C1QB_3	FETUA_2
C1QC_1	CBPN_2, IBP4_1
C1QC_2	DPEP2_2, IGF1_1, IPSP_1, ITIH4_2, PAPP2_1, SOM2_1, VTDB_1
CADH5_2	CBPN_1, FETUA_2
CAH1_1	A2GL_1, FETUA_1, IGF1_1, PGRP2_1, TENX_2
CAMP_1	PAEP_1, PAEP_2
CAMP_2	PAEP_1
CATD_1	FETUA_2, IBP4_1

CATD_2	FETUA_2, IBP4_1, PAEP_1
CBPN_1	CADH5_2, CLUS_1, ECM1_1, FETUA_1, FETUA_2, ITIH4_2, PEspec, TENX_1, TENX_2
CBPN_2	C1QA_2, C1QC_1, CLUS_1, FETUA_1, FETUA_2, LEP_1, MDWT., PAEP_1, PSG1_1, TENX_1, TENX_2
CD14_1	FETUA_2, IBP4_1, PRDX2_1
cDM	FETUA_2, IBP4_1, PAEP_1, PAEP_2
Cervix	FETUA_2, IBP4_1, ITIH4_2
CFAB_1	IBP4_1, ITIH4_3, LIRB5_1, PAEP_1, PAEP_2, PSG1_1, TENX_2
CGB1_1	FETUA_2, IBP4_1, PAEP_1, TENX_2
CGB1_2	FETUA_2, IBP4_1, TENX_2
CHL1_1	IBP4_1, PAEP_1
cHTN	FETUA_2, IBP4_1, PAEP_1, PAEP_2
CLUS_1	C163A_1, C1QA_1, CBPN_1, CBPN_2, FETUA_1, FETUA_2, HEMO_1, IBP4_1, LIRB5_1, PRDX2_1, SPRL1_1, TENX_1, TIMP1_1
CLUS_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2
CNTN1_1	PAEP_1, PAEP_2
CNTN1_2	FETUA_2, IBP4_1, PAEP_1
CO5_1	FETUA_2, IBP4_1, LIRB5_1
CO5_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2
CO6_1	IBP4_1, PAEP_2
CO8A_1	FETUA_2, ITIH4_2, PRL_1, RET4_1
CO8B_1	FETUA_2, IBP4_1
CRAC1_1	FETUA_2
CRAC1_2	IBP4_1, PAEP_1, PAEP_2, TENX_2
CRAC1_3	FETUA_2, PAEP_1, PAEP_2
CRIS3_1	FETUA_2, IBP4_1, TENX_2
CRIS3_2	FETUA_2, IBP4_1, PAEP_1, PRL_1, PRL_2, TENX_2
CSH_1	FETUA_2, PRL_1
CSH_2	HEMO_1, PAEP_2
DEF1_1	FETUA_2
DEF1_2	FETUA_2, PAEP_2
DM	IBP4_1, PAEP_1, PRL_1
DPEP2_1	ANGT_1, FETUA_2
DPEP2_2	C1QC_2, FETUA_2, RET4_1
ECM1_1	CBPN_1, FETUA_2, PRDX2_1, PRL_1, PRL_2, PSG1_1, TENX_2
ECM1_2	FETUA_2, PAEP_1
EGLN_1	IBP4_1, PAEP_2
EGLN_2	FETUA_2, GELS_2, PCD12_1, PSG1_1
ENPP2_1	FETUA_2, IBP4_1, PAEP_1
ENPP2_2	AFAM_1, FETUA_2, PRL_1
F13B_1	RET4_1
FA11_1	FETUA_2, IBP4_1, PRL_1, TENX_2
FA11_2	FETUA_2, LEP_1

FA5_1	FETUA_2, PAEP_1, RET4_1, TENX_2
FA5_2	IBP4_1
FBLN1_1	FETUA_2, IBP4_1
FBLN3_1	FETUA_2, IBP4_1, TENX_2
FETUA_1	ALS_1, CAH1_1, CBPN_1, CBPN_2, CLUS_1, FETUA_2, IBP4_3, ITIH4_3, PCD12_1, PRL_1, PRL_2, PSG1_1, PSG9_1, RET4_1
FETUA_2	A2GL_1, AACT_1, ADA12_1, AFAM_1, AFAM_2, ALS_1, AMBP_1, ANGT_1, ANT3_1, APOH_1, ATS13_1, ATS13_2, B2MG_1, B2MG_2, BMI, C163A_1, C1QA_2, C1QB_3, CADH5_2, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_1, cDM, Cervix, CGB1_1, CGB1_2, cHTN, CLUS_1, CLUS_2, CNTN1_2, CO5_1, CO5_2, CO8A_1, CO8B_1, CRAC1_1, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, ENPP2_1, ENPP2_2, FA11_1, FA11_2, FA5_1, FBLN1_1, FBLN3_1, FETUA_1, GABD., GDM, GELS_1, GPX3_1, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP2_1, IBP3_1, IBP3_2, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, INHBC_1, InvGra, InvPar, IPMLOS, IPSP_1, IPSP_2, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_2, LYAM1_1, MDHT., MDWT., MFAP5_1, NdelCo, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PEDF_2, PEspec, PGRP2_1, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TIMP1_1, User, VTDB_1
FGFR1_2	IBP4_1, LIRB5_1, PCD12_1
GABD.	FETUA_2, IBP4_1, PAEP_1, PAEP_2
GDM	FETUA_2, IBP4_1
GELS_1	FETUA_2, HEMO_1, PAEP_2
GELS_2	EGLN_2, HEMO_1, PAEP_1, TENX_2
GPX3_1	FETUA_2, IBP4_1, PAEP_2
GPX3_2	FETUA_2, HEMO_1, IBP4_1, PRL_1
HABP2_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
HEMO_1	CLUS_1, CSH_2, FETUA_2, GELS_1, GELS_2, GPX3_2, IBP4_1, KNG1_2, LIRB5_1, PAEP_1, PAPP1_1, PRG4_2, PSG9_1, TENX_2, VTNC_2
HLACI_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
IBP1_1	TENX_2
IBP2_1	FETUA_2, PAEP_1, PAEP_2
IBP3_1	FETUA_2, PAEP_1
IBP3_2	FETUA_2, IBP4_1, PAEP_2
IBP4_1	AACT_1, ADA12_1, AMBP_1, ANGT_1, AOC1_1, AOC1_2, APOC3_1, APOH_1, ATS13_1, ATS13_2, BMI, C1QA_1, C1QA_2, C1QB_1, C1QC_1, CATD_1, CATD_2, CD14_1, cDM, Cervix, CFAB_1, CGB1_1, CGB1_2, CHL1_1, cHTN, CLUS_1, CLUS_2, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8B_1, CRAC1_2, CRIS3_1, CRIS3_2, DM, EGLN_1, ENPP2_1, FA11_1, FA5_2, FBLN1_1, FBLN3_1, FGFR1_2, GABD., GDM, GPX3_1, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP3_2, IBP4_2, IBP4_3, IBP6_2, InvGra, InvPar, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_2, KIT_1, KIT_2, KNG1_2, LBP_1, LEP_2, MDHT., MDWT., MFAP5_1, NOTUM_2, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PGRP2_1, PriorP, PROS_1, PROS_2, PSG2_1, PSG3_1, SEPP1_1, SHBG_1, SOM2_1,

	SVEP1_1, TETN_2, THRB_1, TIE1_1, TIMP1_1, User, VGFR1_1, VTDB_1
IBP4_2	FETUA_2, IBP4_1, PRL_1
IBP4_3	FETUA_1, FETUA_2, IBP4_1, ITIH4_2, PAEP_1
IBP6_1	FETUA_2, PAEP_1
IBP6_2	FETUA_2, IBP4_1, PAEP_1
IGF1_1	C1QC_2, CAH1_1, FETUA_2, ITIH4_2
IL1R1_1	PRL_1, PSG1_1
INHBC_1	FETUA_2, PAEP_1, PAEP_2
InvGra	FETUA_2, IBP4_1, PAEP_2
InvPar	FETUA_2, IBP4_1, PAEP_1, PAEP_2
IPMLOS	FETUA_2, PEspec, TENX_2
IPSP_1	C1QA_1, C1QA_2, C1QC_2, FETUA_2
IPSP_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2
ISM2_1	IBP4_1, PRL_1
ISM2_2	IBP4_1, PAEP_1, PAEP_2, PRL_1
ITIH3_1	IBP4_1, PAEP_1, PAEP_2
ITIH4_2	ALS_1, APOH_1, B2MG_1, B2MG_2, BMI, C1QC_2, CBPN_1, Cervix, CO8A_1, FETUA_2, IBP4_1, IBP4_3, IGF1_1, LBP_1, LIRB5_1, MDWT., PriorP, PRL_1, PRL_2, RET4_1, SEPP1_1, SEPP1_2, TENX_2
ITIH4_3	ALS_1, B2MG_2, CFAB_1, FETUA_1, FETUA_2, LEP_1, LIRB5_1, PAEP_1
KIT_1	FETUA_2, IBP4_1
KIT_2	FETUA_2, IBP4_1, LIRB5_1
KNG1_1	BMI, FETUA_2, MDWT., PAEP_1
KNG1_2	FETUA_2, HEMO_1, IBP4_1, PAEP_1, PRL_1
LBP_1	BMI, FETUA_2, IBP4_1, ITIH4_2
LBP_2	FETUA_2
LEP_1	C1QB_1, CBPN_2, FA11_2, ITIH4_3, LYAM1_1, PAEP_1, PSG1_1, RET4_1, TENX_1, TENX_2
LEP_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2
LIRB5_1	CFAB_1, CLUS_1, CO5_1, FGFR1_2, HEMO_1, ITIH4_2, ITIH4_3, KIT_2, PEDF_1, PEspec, PRDX2_1, PROS_1, PROS_2
LYAM1_1	FETUA_2, LEP_1, TENX_2
MDHT.	FFTUA_2, IBP4_1
MDWT.	CBPN_2, FETUA_2, IBP4_1, ITIH4_2, KNG1_1, RET4_1
MFAP5_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
MUC18_1	RET4_1
NdelCo	FETUA_2, PAEP_2, TENX_2
NOTUM_1	PAEP_2
NOTUM_2	IBP4_1, PAEP_2
PAEP_1	AACT_1, ADA12_1, AFAM_1, ANGT_1, AOC1_1, APOC3_1, ATL4_1, ATS13_1, ATS13_2, BGH3_1, Bleedi, C1QA_1, C1QA_2, C1QB_2, CAMP_1, CAMP_2, CATD_2, CBPN_2, cDM, CFAB_1, CGB1_1, CHL1_1, cHTN, CLUS_2, CNTN1_1, CNTN1_2, CO5_2, CRAC1_2, CRAC1_3, CRIS3_2, DM, ECM1_2, ENPP2_1, FA5_1, FETUA_2, GABD., GELS_2, HABP2_1, HEMO_1, HLACI_1, IBP2_1, IBP3_1, IBP4_1, IBP4_3, IBP6_1, IBP6_2, INHBC_1, InvPar,

	IPSP_2, ISM2_2, ITIH3_1, ITIH4_3, KNG1_1, KNG1_2, LEP_1, LEP_2, MFAP5_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_2, PEDF_1, PEDF_2, PEssec, PGRP2_1, PRL_2, PSG9_2, PTGDS_1, PTGDS_2, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_1, SVEP1_1, TENX_1, TENX_2, TIMP1_1, VGFR1_1, VTDB_1
PAEP_2	A2GL_1, AACT_1, ADA12_1, ANGT_1, AOC1_1, APOC3_1, APOH_1, ATS13_1, ATS13_2, BGH3_1, BMI, C1QA_2, C1QB_2, CAMP_1, cDM, CFAB_1, cHTN, CLUS_2, CNTN1_1, CO5_2, CO6_1, CRAC1_2, CRAC1_3, CSH_2, DEF1_2, EGLN_1, FETUA_2, GABD., GELS_1, GPX3_1, HABP2_1, HLACI_1, IBP2_1, IBP3_2, IBP4_1, INHBC_1, InvGra, InvPar, IPSP_2, ISM2_2, ITIH3_1, LEP_2, MFAP5_1, NdelCo, NOTUM_1, NOTUM_2, PAEP_1, PAPP1_1, PAPP2_1, PEDF_1, PEDF_2, PGRP2_1, PRG2_1, PRL_2, PSG2_1, PSG9_2, PTGDS_1, PTGDS_2, SEPP1_2, SHBG_1, SOM2_1, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TIMP1_1, VGFR1_1, VTDB_1
PAPP1_1	HEMO_1, IBP4_1, PAEP_1, PAEP_2
PAPP2_1	C1QB_1, C1QC_2, IBP4_1, PAEP_1, PAEP_2, TENX_2
PCD12_1	EGLN_2, FETUA_1, FETUA_2, FGFR1_2, PRDX2_1, PRL_1, PRL_2, RET4_1, TENX_2, TIE1_1, User
PCD12_2	FETUA_2, IBP4_1, PAEP_1, TENX_2
PEDF_1	IBP4_1, LIRB5_1, PAEP_1, PAEP_2
PEDF_2	FETUA_2, IBP4_1, PAEP_1, PAEP_2, RET4_1
PEspec	CBPN_1, FETUA_2, IBP4_1, IPMLOS, LIRB5_1, PAEP_1, RET4_1, TENX_2
PGRP2_1	CAH1_1, FETUA_2, IBP4_1, PAEP_1, PAEP_2
PRDX2_1	CD14_1, CLUS_1, ECM1_1, LIRB5_1, PCD12_1, TENX_2
PRG2_1	PAEP_2
PRG4_2	HEMO_1
PriorP	FETUA_2, IBP4_1, ITIH4_2
PRL_1	AMBP_1, ANT3_1, C1QA_1, CO8A_1, CRIS3_2, CSH_1, DM, ECM1_1, ENPP2_2, FA11_1, FETUA_1, FETUA_2, GPX3_2, IBP4_2, IL1R1_1, ISM2_1, ISM2_2, ITIH4_2, KNG1_2, PCD12_1, RET4_1, SHBG_3, SOM2_1, TENX_1, TENX_2, TIE1_1, TIMP1_1, VTNC_1
PRL_2	AMBP_1, ANGT_1, ANT3_1, CRIS3_2, ECM1_1, FETUA_1, FETUA_2, ITIH4_2, PAEP_1, PAEP_2, PCD12_1, SEPP1_1, TENX_1, TENX_2
PROS_1	FETUA_2, IBP4_1, LIRB5_1, RET4_1
PROS_2	FETUA_2, IBP4_1, LIRB5_1
PSG1_1	ALS_1, B2MG_2, CBPN_2, CFAB_1, ECM1_1, EGLN_2, FETUA_1, FETUA_2, IL1R1_1, LEP_1, RET4_1, SOM2_2, TENX_2, TIE1_1
PSG11_1	FETUA_2
PSG2_1	FETUA_2, IBP4_1, PAEP_2
PSG3_1	FETUA_2, IBP4_1, TENX_1
PSG9_1	C1QB_1, FETUA_1, FETUA_2, HEMO_1, TENX_2
PSG9_2	C1QB_1, FETUA_2, PAEP_1, PAEP_2, TENX_1, TENX_2, TIE1_1
PTGDS_1	FETUA_2, PAEP_1, PAEP_2
PTGDS_2	FETUA_2, PAEP_1, PAEP_2
RET4_1	BMI, CO8A_1, DPEP2_2, F13B_1, FA5_1, FETUA_1, FETUA_2, ITIH4_2, LEP_1, MDWT., MUC18_1, PCD12_1, PEDF_2, PEssec, PRL_1, PROS_1, PSG1_1, TENX_1, TIMP1_1, VTDB_1

SEPP1_1	FETUA_2, IBP4_1, ITIH4_2, PAEP_1, PRL_2, SPRL1_1
SEPP1_2	FETUA_2, ITIH4_2, PAEP_1, PAEP_2
SHBG_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
SHBG_3	FETUA_2, PAEP_1, PRL_1
SOM2_1	C1QC_2, IBP4_1, PAEP_1, PAEP_2, PRL_1
SOM2_2	FETUA_2, PSG1_1
SPRL1_1	CLUS_1, FETUA_2, PAEP_2, SEPP1_1, TENX_2
SVEP1_1	FETUA_2, IBP4_1, PAEP_1, PAEP_2
TENX_1	ALS_1, CBPN_1, CBPN_2, CLUS_1, FETUA_2, LEP_1, PAEP_1, PAEP_2, PRL_1, PRL_2, PSG3_1, PSG9_2, RET4_1
TENX_2	A2GL_1, ADA12_1, AFAM_1, AFAM_2, ALS_1, C163A_1, CAH1_1, CBPN_1, CBPN_2, CFAB_1, CGB1_1, CGB1_2, CRAC1_2, CRIS3_1, CRIS3_2, ECM1_1, FA11_1, FA5_1, FBLN3_1, FETUA_2, GELS_2, HEMO_1, IBP1_1, IPMLOS, ITIH4_2, LEP_1, LYAM1_1, NdelCo, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PCD12_2, PEspect, PRDX2_1, PRL_1, PRL_2, PSG1_1, PSG9_1, PSG9_2, SPRL1_1, TETN_2, VTNC_2
TETN_2	IBP4_1, TENX_2
THRB_1	IBP4_1
TIE1_1	IBP4_1, PCD12_1, PRL_1, PSG1_1, PSG9_2
TIMP1_1	CLUS_1, FETUA_2, IBP4_1, PAEP_1, PAEP_2, PRL_1, RET4_1
User	FETUA_2, IBP4_1, PCD12_1
VGFR1_1	IBP4_1, PAEP_1, PAEP_2
VTDB_1	C1QC_2, FETUA_2, IBP4_1, PAEP_1, PAEP_2, RET4_1
VTNC_1	PRL_1
VTNC_2	ANGT_1, BMI, HEMO_1, TENX_2

[00342] Table 26. Analyte pairs in trianalyte models containing AACT for nulliparous women with gestational age at blood draws days 175-196

Analyte1	Analyte2
A2GL_1	ADA12_1, AFAM_1, AFAM_2, ALS_1, APOH_1, ATS13_2, B2MG_1, BMI, C1QB_1, C1QC_1, CBPN_2, CLUS_1, CO8B_1, CRAC1_3, CSH_2, FA11_1, FA11_2, FETUA_2, GELS_1, GELS_2, IBP2_1, IPMLOS, KNG1_1, LEP_1, LEP_2, MDIT., MDWT., NdelCo, PACP_1, PAEP_2, PEDF_1, PSG9_1, PSG9_2, RET4_1, SEPP1_1, SEPP1_2, SOM2_1, SPRL1_1, TENX_1, TENX_2, TETN_1, TETN_2, TIMP1_1, VTDB_1, VTNC_2
AACT_1	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
ADA12_1	A2GL_1, AOC1_1, B2MG_1, C1QA_2, C1QC_1, CADH5_2, CATD_1, CGB1_1, CGB1_2, CO6_1, CRAC1_2, CRAC1_3, CRIS3_1, CSH_2, ECM1_1, ECM1_2, EGLN_2, FGFR1_2, ITIH4_2, KNG1_1, LEP_2, MDHT., PAEP_1, PAEP_2, PRG2_1, PROS_2, PSG9_1, PSG9_2, RET4_1, SEPP1_2, SOM2_2, TENX_1, VGFR1_1, VTDB_1
AFAM_1	A2GL_1, BMI, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QC_1, C1QC_2, CGB1_1, CGB1_2, CRAC1_1, FETUA_1, IBP2_1, KIT_1, KIT_2, KNG1_1, LEP_2, MDWT., NpregC, PEDF_2, PRG2_1, PSG1_1, PSG9_1, PSG9_2, SEPP1_2, TENX_2
AFAM_2	A2GL_1, C1QA_2, C1QB_2, C1QC_1, ECM1_1, GELS_2, IBP2_1, KNG1_1,

	LEP_1, MDWT., PAEP_1, SEPP1_1, SHBG_3, TENX_1, TENX_2
ALS_1	A2GL_1, C1QC_1, GELS_2, PAEP_1, PEDF_1, TENX_1
AMBP_1	KNG1_1, LEP_1, LEP_2, PAEP_1, PSG9_2, RET4_1
ANGT_1	CSH_2, ECM1_1, GPX3_1, KNG1_1, PAEP_1, PAEP_2, RET4_1
ANT3_1	GELS_2, KNG1_1, TENX_2
AOC1_1	ADA12_1, KNG1_1, LEP_1, PAEP_1, PEDF_1, PSG9_1, PSG9_2, RET4_1, VTDB_1
AOC1_2	GELS_2, KNG1_1, LEP_1, PSG9_2, RET4_1
APOC3_1	CO8B_1, KNG1_1, PAEP_1, SOM2_1
APOH_1	A2GL_1, BMI, CAMP_1, CAMP_2, GELS_2, IGF2_1, KNG1_1, LEP_1, MDWT., PAEP_1, PSG9_1, PSG9_2, RET4_1
ATL4_1	KNG1_1, LEP_1, PSG9_2, RET4_1
ATS13_1	CBPN_1, EGLN_2, KNG1_1, LEP_1, PAEP_1, PROS_2, PSG9_1, PSG9_2, RET4_1, SEPP1_1, SPRL1_1
ATS13_2	A2GL_1, C1QB_1, C1QB_2, CSH_2, IBP2_1, KNG1_1, LEP_1, LEP_2, PAEP_1, PAEP_2, PSG9_1, PSG9_2, TENX_1, VTDB_1
B2MG_1	A2GL_1, ADA12_1, CBPN_1, CD14_1, CGB1_1, CGB1_2, CRAC1_2, GELS_2, IBP2_1, KIT_1, MUC18_1, MUC18_2, PAEP_1, PRDX2_1, RET4_1, SVEP1_1
B2MG_2	GELS_2, KNG1_1, PAEP_1, PSG9_2, RET4_1
BGH3_1	GELS_2, KNG1_1, PAEP_1
Bleedi	BMI, KNG1_1, LEP_2, PAEP_1, PROS_2, PSG9_2, RET4_1, VTDB_1
BMI	A2GL_1, AFAM_1, APOH_1, Bleedi, C1QA_2, CBPN_1, cHTN, CO5_2, CO6_1, CSH_2, FETUA_1, FGFR1_2, IBP3_2, IL1R1_1, ITIH4_1, KIT_1, KNG1_1, KNG1_2, LEP_1, LEP_2, MDHT., MDWT., PCD12_1, PRG2_1, PSG9_1, PSG9_2, RET4_1, SEPP1_1, SHBG_3, SPRL1_1, THBG_1, VTDB_1
C163A_1	CO6_1, KNG1_1, LEP_1, PSG9_2
C1QA_1	AFAM_1, CGB1_2, CO6_1, KNG1_1, LEP_1, PEDF_1, PSG9_1, PSG9_2, RET4_1, SPRL1_1
C1QA_2	ADA12_1, AFAM_1, AFAM_2, BMI, ECM1_1, FA5_2, IBP1_1, LEP_1, PAEP_1, PSG9_2, RET4_1
C1QB_1	A2GL_1, AFAM_1, ATS13_2, C1QB_3, CBPN_1, CLUS_1, CRIS3_1, LEP_1, PSG9_1, RET4_1, TENX_2
C1QB_2	AFAM_1, AFAM_2, ATS13_2, CBPN_1, CRIS3_1, IBP2_1, LEP_1, PSG9_2, RET4_1
C1QB_3	C1QB_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
C1QC_1	A2GL_1, ADA12_1, AFAM_1, AFAM_2, ALS_1, CO6_1, ECM1_1, IGF2_1, KNG1_1, LEP_1, PSG9_1, PSG9_2, SPRL1_1, TENX_2
C1QC_2	AFAM_1, CGB1_1, GELS_2
CADH5_2	ADA12_1, FA5_2, GELS_2, IBP2_1, IBP3_2, IBP6_1, KNG1_1, PAEP_1, PAPP2_1, PRG4_2, PSG9_2, SVEP1_1, TENX_2
CAH1_1	KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
CAMP_1	APOH_1, ECM1_1
CAMP_2	APOH_1, KNG1_1, PROS_2
CATD_1	ADA12_1, KNG1_1, LEP_1, PAEP_1, PSG1_1, PSG9_1, PSG9_2, RET4_1
CATD_2	CSH_2, GELS_2, IBP3_1, KNG1_1, LEP_1, PAEP_1, PAEP_2, PSG9_2
CBPN_1	ATS13_1, B2MG_1, BMI, C1QB_1, C1QB_2, ECM1_1, KNG1_1, LEP_1, MDWT., PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1

CBPN_2	A2GL_1, CSH_2, ECM1_1, KNG1_1, LEP_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
CD14_1	B2MG_1, KNG1_1, LEP_1, PAEP_1, PEDF_1, PSG9_1, PSG9_2
CD14_2	GELS_2, IBP3_1, KNG1_1, LEP_1, PAEP_1, RET4_1
cDM	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
Cervix	KNG1_1
CFAB_1	KNG1_1, PAEP_1
CGB1_1	ADA12_1, AFAM_1, B2MG_1, C1QC_2, CSH_2, ECM1_1, IBP3_2, KNG1_1, KNG1_2, PAEP_1, PAEP_2, PSG9_1, PSG9_2, SOM2_1, VTDB_1
CGB1_2	ADA12_1, AFAM_1, B2MG_1, C1QA_1, KNG1_1, PSG9_1, PSG9_2
CHL1_1	KNG1_1, LEP_1, PSG9_2
cHTN	BMI, KNG1_1, MDWT., PAEP_1
CLUS_1	A2GL_1, C1QB_1, KNG1_1, LEP_1, PAEP_1
CLUS_2	KNG1_1, PAEP_1
CNTN1_1	KNG1_1, PAEP_1, PSG9_1, PSG9_2
CNTN1_2	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
CO5_1	GELS_2, KNG1_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
CO5_2	BMI, LEP_1, MDWT., PAEP_1, PSG9_1, PSG9_2, RET4_1
CO6_1	ADA12_1, BMI, C163A_1, C1QA_1, C1QC_1, ECM1_1, FETUA_1, LEP_1, PAEP_1, PAEP_2, PEDF_1, PSG9_1, PSG9_2, RET4_1, SOM2_1
CO8A_1	KNG1_1, PAEP_1, PSG9_2, RET4_1
CO8B_1	A2GL_1, APOC3_1, KNG1_1, KNG1_2, LEP_1, PAEP_1, PRG4_2, PSG9_2, VTDB_1
CRAC1_1	AFAM_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
CRAC1_2	ADA12_1, B2MG_1, KNG1_1, LEP_1, PAEP_1
CRAC1_3	A2GL_1, ADA12_1, GELS_2, KNG1_1, PAEP_1, PAEP_2
CRIS3_1	ADA12_1, C1QB_1, C1QB_2, ECM1_1, GELS_2, GPX3_1, KNG1_1, KNG1_2, LEP_1, LEP_2, MFAP5_1, PAEP_1, PAEP_2, PROS_2, PSG1_1, PSG9_1, PSG9_2, RET4_1, VTDB_1
CRIS3_2	ECM1_1, GELS_1, KNG1_1, LEP_1, PAEP_1, PEDF_1
CSH_1	KNG1_1, PAEP_1, PSG9_2, RET4_1
CSH_2	A2GL_1, ADA12_1, ANGT_1, ATS13_2, BMI, CATD_2, CBPN_2, CGB1_1, ENPP2_1, GELS_2, IBP3_2, IGF2_1, KNG1_1, LEP_1, PROS_2, PSG9_2, SVEP1_1, TENX_2, THDG_1, VTDB_1
DEF1_1	KNG1_1, LEP_1, PSG9_2, VTDB_1
DEF1_2	KNG1_1, VTDB_1
DM	KNG1_1, PAEP_1
DPEP2_1	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
DPEP2_2	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
ECM1_1	ADA12_1, AFAM_2, ANGT_1, C1QA_2, C1QC_1, CAMP_1, CBPN_1, CBPN_2, CGB1_1, CO6_1, CRIS3_1, CRIS3_2, FA5_2, FBLN1_1, GELS_2, GPX3_1, IBP3_2, IGF2_1, KNG1_1, LEP_1, LEP_2, PAEP_1, PAEP_2, PEDF_1, PRL_2, SEPP1_2, SPRL1_1, TENX_2, TIMP1_1
ECM1_2	ADA12_1, KNG1_1, LEP_1, PAEP_1
EGLN_1	KNG1_1, LEP_1, PSG9_2, RET4_1, TENX_1
EGLN_2	ADA12_1, ATS13_1, GPX3_1, KNG1_1, LEP_1, PAEP_1, PSG9_2

ENPP2_1	CSH_2, GELS_2, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
ENPP2_2	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
F13B_1	KNG1_1, PSG9_2, RET4_1
FA11_1	A2GL_1, IBP6_2, KNG1_1
FA11_2	A2GL_1, GELS_2, IBP6_2, PSG9_2, RET4_1
FA5_1	IBP3_1, KNG1_1, PAEP_1, PSG9_2
FA5_2	C1QA_2, CADH5_2, ECM1_1, GELS_2, KNG1_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
FA9_1	PEDF_1
FA9_2	KNG1_1, PAEP_1
FBLN1_1	ECM1_1, GELS_2, KNG1_1, PSG9_1, PSG9_2
FBLN3_1	GELS_2, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
FETUA_1	AFAM_1, BMI, CO6_1, IBP3_1, IBP3_2, IGF2_1, KNG1_1, KNG1_2, LEP_1, LEP_2, MDWT., PAEP_1, PSG9_2, RET4_1
FETUA_2	A2GL_1, KNG1_2, VTDB_1
FGFR1_1	GELS_2, KNG1_1, LEP_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1, SEPP1_1
FGFR1_2	ADA12_1, BMI, GPX3_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
GABD.	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
GDM	KNG1_1
GELS_1	A2GL_1, CRIS3_2, LEP_1, PAEP_1, PAEP_2, PRG4_2
GELS_2	A2GL_1, AFAM_2, ALS_1, ANT3_1, AOC1_2, APOH_1, B2MG_1, B2MG_2, BGH3_1, C1QC_2, CADH5_2, CATD_2, CD14_2, CO5_1, CRAC1_3, CRIS3_1, CSH_2, ECM1_1, ENPP2_1, FA11_2, FA5_2, FBLN1_1, FBLN3_1, FGFR1_1, HABP2_1, HEMO_1, HLACI_1, IBP1_1, IBP3_1, IBP3_2, IGF1_1, IGF2_1, InvGra, IPMLOS, ITIH4_3, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, MDWT., MFAP5_1, MUC18_1, NdelCo, PAEP_1, PAEP_2, PEDF_2, PRG4_1, PRG4_2, PriorP, PRL_2, PROS_1, PROS_2, PSG2_1, PSG3_1, PSG9_1, PSG9_2, SEPP1_2, SHBG_1, SPRL1_1, THRB_1, TIMP1_1, VTDB_1
GPX3_1	ANGT_1, CRIS3_1, ECM1_1, EGLN_2, FGFR1_2, IBP2_1, ITIH4_2, KIT_1, KNG1_1, LEP_1, NdelCo, PRG4_2, TETN_2, TIMP1_1, VTDB_1
GPX3_2	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
HABP2_1	GELS_2, KNG1_1, LEP_1, PAEP_1, PSG9_2
HEMO_1	GELS_2, HLACI_1, IBP3_1, IGF2_1, KIT_1, KIT_2, KNG1_1, PSG9_2, SEPP1_1, TENX_1
HLACI_1	GELS_2, HEMO_1, KNG1_1, LEP_1, PAEP_1, PSG9_2, RET4_1
IBP1_1	C1QA_2, GELS_2, LEP_1, TENX_1
IBP2_1	A2GL_1, AFAM_1, AFAM_2, ATS13_2, B2MG_1, C1QB_2, CADH5_2, GPX3_1, IBP3_1, IBP3_2, IGF2_1, KNG1_1, KNG1_2, LEP_1, PAEP_1, PCD12_1, PSG9_1, PSG9_2, RET4_1, TENX_1, VTDB_1
IBP3_1	CATD_2, CD14_2, FA5_1, FETUA_1, GELS_2, HEMO_1, IBP2_1, IBP6_2, KNG1_1, LYAM1_1, PAEP_1, PAEP_2, PEDF_1, PROS_2, SEPP1_1, TENX_1
IBP3_2	BMI, CADH5_2, CGB1_1, CSH_2, ECM1_1, FETUA_1, GELS_2, IBP2_1, IBP6_2, KNG1_1, LEP_1, LEP_2, MDWT., PAEP_1, PAEP_2, PEDF_1, TENX_1, TENX_2
IBP4_1	KNG1_1
IBP4_2	KNG1_1

IBP4_3	KNG1_1, PSG9_1, PSG9_2
IBP6_1	CADH5_2, KNG1_1, PEDF_1, RET4_1
IBP6_2	FA11_1, FA11_2, IBP3_1, IBP3_2, KNG1_1, PSG9_2, THRB_1, VTDB_1
IGF1_1	GELS_2, PAEP_1
IGF2_1	APOH_1, C1QC_1, CSH_2, ECM1_1, FETUA_1, GELS_2, HEMO_1, IBP2_1, KNG1_1, MDWT., PAEP_1, PEDF_1, PROS_2, PSG9_2, RET4_1
IL1R1_1	BMI, KNG1_1, PAEP_1, PSG9_2, RET4_1
INHBC_1	KNG1_1, PSG9_2, RET4_1, VTDB_1
InvGra	GELS_2, KNG1_1, LEP_1, PAEP_2, PROS_2, PSG9_1, PSG9_2, RET4_1
InvPar	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
IPMLOS	A2GL_1, GELS_2, KNG1_1, PAEP_1, PSG9_2, RET4_1
IPSP_1	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
IPSP_2	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
ISM2_1	KNG1_1, LEP_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
ISM2_2	KNG1_1, LEP_1, NOTUM_2, PAEP_1, PEDF_1, PSG9_1, PSG9_2, TENX_2
ITIH3_1	KNG1_1
ITIH4_1	BMI, KNG1_1, PSG9_2, RET4_1
ITIH4_2	ADA12_1, GPX3_1, KNG1_1, PAEP_1, PSG9_2, RET4_1, SEPP1_2
ITIH4_3	GELS_2, KNG1_1, LEP_1, PAEP_1, PEDF_1, PSG1_1
KIT_1	AFAM_1, B2MG_1, BMI, GPX3_1, HEMO_1, KNG1_1, LEP_1, PAEP_1, PAEP_2, PSG9_2, TENX_1
KIT_2	AFAM_1, HEMO_1, KNG1_1, PAEP_1, PAEP_2
KNG1_1	A2GL_1, AACT_1, ADA12_1, AFAM_1, AFAM_2, AMBP_1, ANGT_1, ANT3_1, AOC1_1, AOC1_2, APOC3_1, APOH_1, ATL4_1, ATS13_1, ATS13_2, B2MG_2, BGH3_1, Bleedi, BMI, C163A_1, C1QA_1, C1QB_3, C1QC_1, CADH5_2, CAH1_1, CAMP_2, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_1, CD14_2, cDM, Cervix, CFAB_1, CGB1_1, CGB1_2, CHL1_1, cHTN, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, CSH_2, DEF1_1, DEF1_2, DM, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA11_1, FA5_1, FA5_2, FA9_2, FBLN1_1, FBLN3_1, FETUA_1, FGFR1_1, GABD., GDM, GELS_2, GPX3_1, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP2_1, IBP3_1, IBP3_2, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF2_1, IL1R1_1, INHBC_1, InvGra, InvPar, IPMLOS, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_2, LBP_1, LBP_2, LEP_1, LEP_2, LIRB5_1, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, MUC18_1, NdelCo, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_2, PEspec, PGRP2_1, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PriorP, PRL_2, PROS_1, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, TETN_1, TETN_2, THBG_1, THRB_1, TIE1_1, TIMP1_1, User, VGFR1_1, VTDB_1, VTNC_2
KNG1_2	BMI, CGB1_1, CO8B_1, CRIS3_1, FETUA_1, FETUA_2, GELS_2, IBP2_1, KNG1_1, LEP_1, MDWT., PAEP_1, PEDF_1, PROS_2
LBP_1	GELS_2, KNG1_1, LEP_1, TENX_2
LBP_2	GELS_2, KNG1_1

LEP_1	A2GL_1, AACT_1, AFAM_2, AMBP_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, ATS13_1, ATS13_2, BMI, C163A_1, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QB_3, C1QC_1, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_1, CD14_2, cDM, CHL1_1, CLUS_1, CNTN1_2, CO5_2, CO6_1, CO8B_1, CRAC1_1, CRAC1_2, CRIS3_1, CRIS3_2, CSH_2, DEF1_1, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, FBLN3_1, FETUA_1, FGFR1_1, FGFR1_2, GABD., GELS_1, GELS_2, GPX3_1, GPX3_2, HABP2_1, HLACI_1, IBP1_1, IBP2_1, IBP3_2, InvGra, InvPar, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH4_3, KIT_1, KNG1_1, KNG1_2, LBP_1, LEP_2, LIRB5_1, LYAM1_1, MDHT., MDWT., NOTUM_1, PAEP_1, PAEP_2, PAPP2_1, PCD12_1, PEspec, PGRP2_1, PRG2_1, PRL_2, PROS_1, PROS_2, PSG11_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SHBG_1, SHBG_3, SOM2_2, SPRL1_1, TENX_1, TENX_2, TETN_1, TETN_2, THBG_1, THRB_1, User, VGFR1_1, VTDB_1, VTNC_1, VTNC_2
LEP_2	A2GL_1, ADA12_1, AFAM_1, AMBP_1, ATS13_2, Bleedi, BMI, CRIS3_1, ECM1_1, FETUA_1, GELS_2, IBP3_2, KNG1_1, LEP_1, PAEP_1, PCD12_1, PRL_1, PSG11_1, PSG9_1, PSG9_2, RET4_1, SEPP1_2, THRB_1, VTDB_1
LIRB5_1	KNG1_1, LEP_1
LYAM1_1	IBP3_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
MAGE	KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
MDHT.	A2GL_1, ADA12_1, BMI, KNG1_1, LEP_1, MDWT., PAEP_1, PAEP_2, PSG9_2, RET4_1, SEPP1_2
MDWT.	A2GL_1, AFAM_1, AFAM_2, APOH_1, BMI, CBPN_1, cHTN, CO5_2, FETUA_1, GELS_2, IBP3_2, IGF2_1, KNG1_1, KNG1_2, LEP_1, MDHT., PAEP_1, PAEP_2, PCD12_1, PRG4_2, PSG9_1, PSG9_2, RET4_1, SEPP1_1, SHBG_3, SPRL1_1, VTDB_1
MFAP5_1	CRIS3_1, GELS_2, KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1, TENX_1
MUC18_1	B2MG_1, GELS_2, KNG1_1, PSG9_2
MUC18_2	B2MG_1, PAEP_1
NdelCo	A2GL_1, GELS_2, GPX3_1, KNG1_1, PAEP_1, PSG9_2
NOTUM_1	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
NOTUM_2	ISM2_2, KNG1_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
NpregC	AFAM_1
PAEP_1	A2GL_1, AACT_1, ADA12_1, AFAM_2, ALS_1, AMBP_1, ANGT_1, AOC1_1, APOC3_1, APOH_1, ATS13_1, ATS13_2, B2MG_1, B2MG_2, BGH3_1, Bleedi, C1QA_2, C1QB_3, CADH5_2, CAH1_1, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_1, CD14_2, cDM, CFAB_1, CGB1_1, cHTN, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, DM, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_2, ENPP2_1, ENPP2_2, FA5_1, FA5_2, FA9_2, FBLN3_1, FETUA_1, FGFR1_1, FGFR1_2, GABD., GELS_1, GELS_2, GPX3_2, HABP2_1, HLACI_1, IBP2_1, IBP3_1, IBP3_2, IGF1_1, IGF2_1, IL1R1_1, InvPar, IPMLOS, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LEP_1, LEP_2, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, MUC18_2, NdelCo, NOTUM_1, NOTUM_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PriorP, PROS_1, PROS_2, PSG2_1, PSG9_1, PSG9_2, PTGDS_2, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, TENX_1, TENX_2, TETN_1, TETN_2, THBG_1, THRB_1, TIMP1_1, User,

	VGFR1_1, VTDB_1, VTNC_2
PAEP_2	A2GL_1, ADA12_1, ANGT_1, ATS13_2, CATD_2, CBPN_1, CBPN_2, CGB1_1, CO5_1, CO6_1, CRAC1_3, CRIS3_1, ECM1_1, FA5_2, FGFR1_1, GELS_1, GELS_2, IBP3_1, IBP3_2, InvGra, ISM2_1, KIT_1, KIT_2, KNG1_1, LEP_1, MDHT., MDWT., NOTUM_2, PRG4_1, PRG4_2, PriorP, PROS_2, PSG2_1, SEPP1_2, SPRL1_1, TENX_1, TENX_2, TIMP1_1
PAPP1_1	KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
PAPP2_1	CADH5_2, KNG1_1, LEP_1, PAEP_1, RET4_1
PCD12_1	BMI, IBP2_1, KNG1_1, LEP_1, LEP_2, MDWT., PAEP_1, PEDF_1, PSG9_2, RET4_1
PCD12_2	KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
PEDF_1	A2GL_1, ALS_1, AOC1_1, C1QA_1, CD14_1, CO6_1, CRIS3_2, ECM1_1, FA9_1, IBP3_1, IBP3_2, IBP6_1, IGF2_1, ISM2_2, ITIH4_3, KNG1_2, PAEP_1, PCD12_1, PRG4_1, PRG4_2, PSG9_1, PSG9_2, PTGDS_2, RET4_1, SEPP1_2, TENX_1, User, VTDB_1
PEDF_2	AFAM_1, GELS_2, KNG1_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
PEspec	KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
PGRP2_1	KNG1_1, LEP_1, PSG9_2
PRDX2_1	B2MG_1, KNG1_1, PAEP_1, PSG9_2, RET4_1
PRG2_1	ADA12_1, AFAM_1, BMI, KNG1_1, LEP_1, PAEP_1, PSG9_2, RET4_1
PRG4_1	GELS_2, KNG1_1, PAEP_1, PAEP_2, PEDF_1
PRG4_2	CADH5_2, CO8B_1, GELS_1, GELS_2, GPX3_1, KNG1_1, MDWT., PAEP_1, PAEP_2, PEDF_1, PROS_2, TIMP1_1
PriorP	GELS_2, KNG1_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
PRL_1	LEP_2, PSG9_2, RET4_1
PRL_2	ECM1_1, GELS_2, KNG1_1, LEP_1, PSG9_1, PSG9_2
PROS_1	GELS_2, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
PROS_2	ADA12_1, ATS13_1, Bleedi, CAMP_2, CRIS3_1, CSH_2, GELS_2, IBP3_1, IGF2_1, InvGra, KNG1_1, KNG1_2, LEP_1, PAEP_1, PAEP_2, PRG4_2, PSG9_1, PSG9_2, RET4_1, SEPP1_2, THBG_1, VTDB_1
PSG1_1	AFAM_1, CATD_1, CRIS3_1, ITIH4_3
PSG11_1	KNG1_1, LEP_1, LEP_2, PSG9_1, PSG9_2, RET4_1
PSG2_1	GELS_2, KNG1_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, RET4_1
PSG3_1	GELS_2, KNG1_1, LEP_1, PSG9_1, PSG9_2, RET4_1
PSG9_1	A2GL_1, AACT_1, ADA12_1, AFAM_1, AOC1_1, APOH_1, ATS13_1, ATS13_2, BMI, C1QA_1, C1QB_1, C1QB_3, C1QC_1, CAH1_1, CATD_1, CBPN_1, CBPN_2, CD14_1, cDM, CGB1_1, CGB1_2, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO6_1, CRAC1_1, CRIS3_1, DPEP2_1, DPEP2_2, ENPP2_1, ENPP2_2, FA5_2, FBLN1_1, FBLN3_1, FGFR1_1, FGFR1_2, GABD., GELS_2, GPX3_2, IBP2_1, IBP4_3, InvGra, InvPar, IPSP_1, IPSP_2, ISM2_1, ISM2_2, KNG1_1, LEP_1, LEP_2, LYAM1_1, MAGE, MDWT., MFAP5_1, NOTUM_1, NOTUM_2, PAEP_1, PAPP1_1, PCD12_2, PEDF_1, PEDF_2, PEspect, PriorP, PRL_2, PROS_1, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_2, PTGDS_2, RET4_1, SHBG_1, SHBG_3, TENX_1, TENX_2, TETN_1, TETN_2, TIMP1_1, User, VGFR1_1
PSG9_2	A2GL_1, AACT_1, ADA12_1, AFAM_1, AMBP_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, ATS13_1, ATS13_2, B2MG_2, Bleedi, BMI, C163A_1, C1QA_1,

	C1QA_2, C1QB_2, C1QB_3, C1QC_1, CADH5_2, CAH1_1, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_1, cDM, CGB1_1, CGB1_2, CHL1_1, CNTN1_1, CNTN1_2, CO5_1, CO5_2, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRIS3_1, CSH_1, CSH_2, DEF1_1, DPEP2_1, DPEP2_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA11_2, FA5_1, FA5_2, FBLN1_1, FBLN3_1, FETUA_1, FGFR1_1, FGFR1_2, GABD., GELS_2, GPX3_2, HABP2_1, HEMO_1, HLACI_1, IBP2_1, IBP4_3, IBP6_2, IGF2_1, IL1R1_1, INHBC_1, InvGra, InvPar, IPMLOS, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH4_1, ITIH4_2, KIT_1, KNG1_1, LEP_1, LEP_2, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, MUC18_1, NdelCo, NOTUM_1, NOTUM_2, PAEP_1, PAPP1_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PGRP2_1, PRDX2_1, PRG2_1, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PTGDS_2, RET4_1, SEPP1_1, SHBG_1, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, TENX_2, TETN_1, TETN_2, THRB_1, TIE1_1, TIMP1_1, User, VGFR1_1
PTGDS_1	KNG1_1, LEP_1
PTGDS_2	KNG1_1, LEP_1, PAEP_1, PEDF_1, PSG9_1, PSG9_2, RET4_1
RET4_1	A2GL_1, AACT_1, ADA12_1, AMBP_1, ANGT_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, ATS13_1, B2MG_1, B2MG_2, Bleedi, BMI, C1QA_1, C1QA_2, C1QB_1, C1QB_2, C1QB_3, CAH1_1, CATD_1, CBPN_1, CBPN_2, CD14_2, cDM, CO5_1, CO5_2, CO6_1, CO8A_1, CRIS3_1, CSH_1, DPEP2_1, EGLN_1, ENPP2_1, ENPP2_2, F13B_1, FA11_2, FA5_2, FBLN3_1, FETUA_1, FGFR1_1, FGFR1_2, GABD., GPX3_2, HLACI_1, IBP2_1, IBP6_1, IGF2_1, IL1R1_1, INHBC_1, InvGra, InvPar, IPMLOS, IPSP_1, IPSP_2, ISM2_1, ITIH4_1, ITIH4_2, KNG1_1, LEP_1, LEP_2, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, NOTUM_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PRDX2_1, PRG2_1, PriorP, PRL_1, PROS_2, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_2, SEPP1_1, SHBG_1, SHBG_3, SOM2_1, SPRL1_1, TENX_1, THBG_1, TIE1_1, TIMP1_1, User, VGFR1_1
SEPP1_1	A2GL_1, AFAM_2, ATS13_1, BMI, FGFR1_1, HEMO_1, IBP3_1, KNG1_1, LEP_1, MDWT., PAEP_1, PSG9_2, RET4_1
SEPP1_2	A2GL_1, ADA12_1, AFAM_1, ECM1_1, GELS_2, ITIH4_2, KNG1_1, LEP_2, MDHT., PAEP_1, PAEP_2, PEDF_1, PROS_2, VTDB_1
SHBG_1	GELS_2, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
SHBG_3	AFAM_2, BMI, KNG1_1, LEP_1, MDWT., PAEP_1, PSG9_1, PSG9_2, RET4_1
SOM2_1	A2GL_1, APOC3_1, CGB1_1, CO6_1, KNG1_1, PAEP_1, PSG9_2, RET4_1, TENX_2
SOM2_2	ADA12_1, KNG1_1, LEP_1, PAEP_1, PSG9_2
SPRL1_1	A2GL_1, ATS13_1, BMI, C1QA_1, C1QC_1, ECM1_1, GELS_2, KNG1_1, LEP_1, MDWT., PAEP_1, PAEP_2, PSG9_2, RET4_1, TENX_1
SVEP1_1	B2MG_1, CADH5_2, CSH_2
TENX_1	A2GL_1, ADA12_1, AFAM_2, ALS_1, ATS13_2, EGLN_1, HEMO_1, IBP1_1, IBP2_1, IBP3_1, IBP3_2, KIT_1, LEP_1, MFAP5_1, PAEP_1, PAEP_2, PEDF_1, PSG9_1, RET4_1, SPRL1_1
TENX_2	A2GL_1, AFAM_1, AFAM_2, ANT3_1, C1QB_1, C1QC_1, CADH5_2, CSH_2, ECM1_1, IBP3_2, ISM2_2, LBP_1, LEP_1, PAEP_1, PAEP_2, PSG9_1, PSG9_2, SOM2_1
TETN_1	A2GL_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, VTDB_1
TETN_2	A2GL_1, GPX3_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2
THBG_1	BMI, CSH_2, KNG1_1, LEP_1, PAEP_1, PROS_2, RET4_1

THRB_1	GELS_2, IBP6_2, KNG1_1, LEP_1, LEP_2, PAEP_1, PSG9_2
TIE1_1	KNG1_1, PSG9_2, RET4_1
TIMP1_1	A2GL_1, ECM1_1, GELS_2, GPX3_1, KNG1_1, PAEP_1, PAEP_2, PRG4_2, PSG9_1, PSG9_2, RET4_1, VTDB_1
User	KNG1_1, LEP_1, PAEP_1, PEDF_1, PSG9_1, PSG9_2, RET4_1
VGFR1_1	ADA12_1, KNG1_1, LEP_1, PAEP_1, PSG9_1, PSG9_2, RET4_1
VTDB_1	A2GL_1, ADA12_1, AOC1_1, ATS13_2, Bleedi, BMI, CGB1_1, CO8B_1, CRIS3_1, CSH_2, DEF1_1, DEF1_2, FETUA_2, GELS_2, GPX3_1, IBP2_1, IBP6_2, INHBC_1, KNG1_1, LEP_1, LEP_2, MDWT., PAEP_1, PEDF_1, PROS_2, SEPP1_2, TETN_1, TIMP1_1
VTNC_1	LEP_1
VTNC_2	A2GL_1, KNG1_1, LEP_1, PAEP_1

[00343] Table 27. Analyte pairs in trianalyte models containing AACT for nulliparous women with gestational age at blood draws days 182-203

Analyte1	Analyte2
A2GL_1	AFAM_2, IBP6_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
AACT_1	PAEP_1, PRG4_1, TENX_2
ADA12_1	AFAM_1, AFAM_2, AOC1_1, AOC1_2, ATL4_1, ATS13_1, B2MG_2, BMI, C1QA_2, C1QC_1, CAMP_1, CAMP_2, CATD_1, CBPN_2, Cervix, CGB1_1, CGB1_2, cHTN, CLUS_1, CRAC1_2, CRIS3_1, CRIS3_2, DEF1_1, DEF1_2, ECM1_1, FA9_1, FBLN3_1, GDM, IBP2_1, IBP6_1, IGF2_1, InvGra, IPMLOS, IPSP_2, ISM2_2, KIT_1, LEP_2, MDWT., MUC18_2, NdelCo, PAEP_1, PAEP_2, PAPP2_1, PEDF_1, PEDF_2, PRG2_1, PriorP, PROS_1, PSG2_1, PSG9_1, TIMP1_1, VTNC_2
AFAM_1	ADA12_1, AFAM_2, AOC1_2, ATL4_1, C1QA_2, C1QB_2, C1QC_1, C1QC_2, CD14_2, CGB1_1, CGB1_2, cHTN, CRIS3_2, DPEP2_2, FETUA_2, GELS_2, IBP2_1, IBP6_2, InvGra, KNG1_1, LEP_1, LEP_2, MDHT., NOTUM_1, PAEP_1, PAEP_2, PEspec, PRG2_1, PRG4_1, PSG1_1, PSG11_1, PSG3_1, PTGDS_2, SOM2_1, SOM2_2, TENX_1, TENX_2, THRB_1
AFAM_2	A2GL_1, ADA12_1, AFAM_1, AMBP_1, ANGT_1, ANT3_1, APOC3_1, ATL4_1, ATS13_1, BGH3_1, Bleedi, C1QA_2, C1QB_1, C1QB_2, C1QB_3, CADH5_1, CADH5_2, CAMP_1, CAMP_2, CATD_1, CBPN_1, CBPN_2, CD14_2, Cervix, CGB1_1, CGB1_2, CHL1_1, cHTN, CLUS_1, CNTN1_1, CNTN1_2, CO5_2, CO6_1, CO8A_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, DEF1_1, DEF1_2, DPEP2_1, DPEP2_2, ECM1_1, EGLN_2, FA5_1, FA9_2, FETUA_1, FETUA_2, GELS_1, GELS_2, HEMO_1, HLACI_1, IBP2_1, IBP3_1, IBP3_2, IBP6_1, IBP6_2, IGF1_1, IGF2_1, InvGra, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_2, LIRB5_1, MFAP5_1, MUC18_1, NdelCo, NOTUM_1, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspec, PGRP2_1, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PriorP, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PTGDS_2, RET4_1, SOM2_1, SOM2_2, TENX_1, TENX_2, VTNC_1, VTNC_2
ALS_1	PAEP_1, PRG4_1, PRG4_2, TENX_2
AMBP_1	AFAM_2, BMI, PAEP_1, PRG4_1, TENX_2
ANGT_1	AFAM_2, APOH_1, CATD_1, CD14_2, cHTN, ECM1_1, IBP6_2, InvGra, IPSP_2,

	ITIH4_3, KIT_1, MDHT., PAEP_1, PAEP_2, PEDF_1, PEDF_2, PRG4_1, PRG4_2, PriorP, PSG9_1, SEPP1_1, TENX_1, TENX_2
ANT3_1	AFAM_2, ECM1_1, PRG4_1, PSG2_1, TENX_2
AOC1_1	ADA12_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
AOC1_2	ADA12_1, AFAM_1, CLUS_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
APOC3_1	AFAM_2, DEF1_1, PAEP_1, PAEP_2, PRG4_1, PSG1_1
APOH_1	ANGT_1, IBP6_2, IGF2_1, PAEP_1, PAEP_2, PEDF_1, PRG4_1, PRG4_2, TENX_2
ATL4_1	ADA12_1, AFAM_1, AFAM_2, BMI, CD14_2, Cervix, ENPP2_1, IBP3_2, IBP6_1, NdelCo, NpregC, PRG4_1, PRG4_2, SEPP1_2, TENX_2
ATS13_1	ADA12_1, AFAM_2, PAEP_1, PAEP_2, PRG4_1, TENX_2
ATS13_2	PAEP_1, PEDF_1, PRG4_1, PSG2_1, TENX_2, THRB_1
B2MG_1	IBP2_1, LEP_1, PAEP_1, PAEP_2, PSG2_1
B2MG_2	ADA12_1, PSG2_1
BGH3_1	AFAM_2, CLUS_1, IBP3_1, IBP3_2, PAEP_1, PAEP_2, PRG4_1, PRG4_2, PSG2_1, TENX_2
Bleedi	AFAM_2, PAEP_1, PRG4_1, PRG4_2, TENX_2
BMI	ADA12_1, AMBP_1, ATL4_1, C163A_1, CAMP_2, cHTN, CRIS3_1, CRIS3_2, F13B_1, FA5_1, FA5_2, FGFR1_1, FGFR1_2, HEMO_1, IBP2_1, IBP3_1, IBP3_2, IBP4_1, IBP6_1, IGF2_1, InvGra, IPSP_2, LEP_2, MDHT., MDWT., MFAP5_1, MUC18_2, NdelCo, PAPP2_1, PCD12_1, PRG4_1, PriorP, PSG2_1, PSG3_1, PSG9_1, PSG9_2, TENX_2, TETN_1, THRB_1, TIMP1_1
C163A_1	BMI, TENX_2
C1QA_2	ADA12_1, AFAM_1, AFAM_2, CATD_2, Cervix, ECM1_1, IBP6_1, NpregC, PRG4_1, PRG4_2, RET4_1
C1QB_1	AFAM_2, FBLN3_1, PAEP_1, PRG4_1
C1QB_2	AFAM_1, AFAM_2, PRG4_1, RET4_1
C1QB_3	AFAM_2, C1QC_1, CLUS_1, NpregC, PAEP_1, PAEP_2, PRG4_1, PRG4_2, THRB_1
C1QC_1	ADA12_1, AFAM_1, C1QB_3, ECM1_1, FA11_2, IBP6_1, PRG4_1, PRG4_2, TENX_2
C1QC_2	AFAM_1, NpregC
CADH5_1	AFAM_2, PAEP_1, PRG4_1, TENX_2
CADH5_2	AFAM_2, PAEP_1, PRG4_1, PSG2_1
CAH1_1	PAEP_1, PRG4_1
CAMP_1	ADA12_1, AFAM_2, ECM1_1, PSG2_1
CAMP_2	ADA12_1, AFAM_2, BMI, ECM1_1, IBP6_1, MDWT., PSG2_1
CATD_1	ADA12_1, AFAM_2, ANGT_1, IBP4_2, KNG1_2, PAEP_1, PAEP_2, PRG4_1, PSG2_1, TENX_2
CATD_2	C1QA_2, PAEP_1, PAEP_2, PRG4_1, PSG2_1
CBPN_1	AFAM_2, PAEP_1, PRG4_1, PRG4_2, PSG2_1
CBPN_2	ADA12_1, AFAM_2, Cervix, PSG2_1, TENX_2
CD14_1	CD14_2, CLUS_1, PAEP_1, PRG4_1, TENX_2
CD14_2	AFAM_1, AFAM_2, ANGT_1, ATL4_1, CD14_1, KNG1_1, PRG4_1, PRG4_2, PSG2_1, TENX_2, THRB_1
cDM	PAEP_1, PRG4_1, PRG4_2, TENX_2

Cervix	ADA12_1, AFAM_2, ATL4_1, C1QA_2, CBPN_2, CRAC1_2, KNG1_1, KNG1_2, MDWT., PAEP_1, PRG4_1, PSG11_1, PSG2_1, SEPP1_2, TENX_2, THRB_1
CGB1_1	ADA12_1, AFAM_1, AFAM_2, CGB1_2, CLUS_1, NdelCo, PRG4_1, PSG2_1
CGB1_2	ADA12_1, AFAM_1, AFAM_2, CGB1_1, PAEP_1, PRG4_1, TENX_2
CHL1_1	AFAM_2, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
cHTN	ADA12_1, AFAM_1, AFAM_2, ANGT_1, BMI, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
CLUS_1	ADA12_1, AFAM_2, AOC1_2, BGH3_1, C1QB_3, CD14_1, CGB1_1, CRAC1_1, CRAC1_2, DEF1_1, DPEP2_2, FA5_2, FETUA_1, IBP2_1, IBP6_1, ISM2_2, KIT_2, MUC18_2, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PCD12_1, PCD12_2, PRG2_1, PRG4_1, PRG4_2, PTGDS_2, TENX_2, TETN_1, TETN_2, VTNC_1, VTNC_2
CLUS_2	PRG4_1, THRB_1
CNTN1_1	AFAM_2, CRAC1_1, ECM1_1, PRG4_1
CNTN1_2	AFAM_2, PRG4_1, TENX_2
CO5_1	PRG4_1, TENX_2
CO5_2	AFAM_2, PSG11_1
CO6_1	AFAM_2, KNG1_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
CO8A_1	AFAM_2, PAEP_1, PRG4_1, TENX_2
CO8B_1	PAEP_1, PRG4_1, PSG9_1
CRAC1_1	AFAM_2, CLUS_1, CNTN1_1, IBP3_2, InvGra, KNG1_1, LBP_1, LBP_2, LEP_2, PRG4_1, PriorP
CRAC1_2	ADA12_1, AFAM_2, Cervix, CLUS_1, FBLN1_1, HEMO_1, PRG4_1, TENX_2, THRB_1, User
CRAC1_3	AFAM_2, KNG1_1, PRG4_1, TENX_2
CRIS3_1	ADA12_1, AFAM_2, BMI, KNG1_1, PRG4_1, PSG2_1, PSG9_1, PSG9_2
CRIS3_2	ADA12_1, AFAM_1, AFAM_2, BMI, PRG4_1
CSH_1	AFAM_2, CSH_2, ECM1_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1
CSH_2	CSH_1, PAEP_1, PRG4_1, PSG2_1, TENX_2
DEF1_1	ADA12_1, AFAM_2, APOC3_1, CLUS_1, IBP6_1, NpregC, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
DEF1_2	ADA12_1, AFAM_2, IBP6_1, KNG1_1, PRG4_1, TENX_2, THRB_1
DM	KNG1_1, PAEP_1, PRG4_1, PSG1_1, PSG2_1
DPEP2_1	AFAM_2, PFDF_1, PRG4_1, PSG2_1
DPEP2_2	AFAM_1, AFAM_2, CLUS_1, ECM1_1, PAEP_1, PRG4_1, PSG2_1, THRB_1
ECM1_1	ADA12_1, AFAM_2, ANGT_1, ANT3_1, C1QA_2, C1QC_1, CAMP_1, CAMP_2, CNTN1_1, CSH_1, DPEP2_2, FA9_2, FBLN3_1, IBP3_1, IBP3_2, IBP6_1, InvGra, LBP_2, MDHT., PAEP_1, PAEP_2, PRG4_1, PRG4_2, PriorP, PSG11_1, PSG2_1, THRB_1
ECM1_2	PRG4_1
EGLN_1	PRG4_1, PSG2_1, TENX_2
EGLN_2	AFAM_2, PRG4_1, PSG2_1
ENPP2_1	ATL4_1, IBP6_2, PAEP_1, PRG4_1, PRG4_2, TENX_2
ENPP2_2	IBP6_2, PAEP_1, PRG4_1, PRG4_2, TENX_2
F13B_1	BMI, MDWT., PAEP_1, PRG4_1
FA11_1	IBP2_1, PAEP_1, PRG4_1, PSG2_1, TENX_2

FA11_2	C1QC_1, IBP2_1, PRG4_1, PRG4_2, PSG2_1
FA5_1	AFAM_2, BMI, PAEP_2, PRG4_1, TENX_2
FA5_2	BMI, CLUS_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
FA9_1	ADA12_1, IBP3_2, PAEP_1, PRG4_1, PRG4_2, TENX_2, THRB_1
FA9_2	AFAM_2, ECM1_1, IBP6_2, PAEP_1, PRG4_1, PRG4_2
FBLN1_1	CRAC1_2, IBP3_2, TENX_2
FBLN3_1	ADA12_1, C1QB_1, ECM1_1, GDM, IBP6_1, NpregC, PAEP_1, PEDF_1, PRG4_1, PRG4_2
FETUA_1	AFAM_2, CLUS_1, PAEP_1, PRG4_1, PSG2_1, TENX_2
FETUA_2	AFAM_1, AFAM_2, IBP3_2, PRG4_1, PSG2_1
FGFR1_1	BMI, PRG4_1, PRG4_2, TENX_2
FGFR1_2	BMI, PRG4_1, PSG2_1
GABD.	PAEP_1, PRG4_1, TENX_2
GDM	ADA12_1, FBLN3_1, KNG1_1, PRG4_1, PSG1_1, PSG2_1, TENX_2
GELS_1	AFAM_2, PRG4_1, PSG9_1, PSG9_2
GELS_2	AFAM_1, AFAM_2, IBP3_2, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TETN_2
GPX3_1	IBP6_1, IGF2_1, PRG4_1, PRG4_2, PSG2_1, PSG9_1, TENX_2
GPX3_2	PRG4_1
HABP2_1	PSG11_1
HEMO_1	AFAM_2, BMI, CRAC1_2, PRG4_1, PSG2_1
HLACI_1	AFAM_2, PRG4_1, PRG4_2
IBP1_1	PAEP_1, PRG4_1, TENX_2
IBP2_1	ADA12_1, AFAM_1, AFAM_2, B2MG_1, BMI, CLUS_1, FA11_1, FA11_2, IGF2_1, MUC18_2, PAEP_1, PRG4_1, PSG2_1, SEPP1_2
IBP3_1	AFAM_2, BGH3_1, BMI, ECM1_1, IBP6_2, MDWT., PAEP_1, PEDF_1, PRG4_1, PSG9_1, TENX_2, User
IBP3_2	AFAM_2, ATL4_1, BGH3_1, BMI, CRAC1_1, ECM1_1, FA9_1, FBLN1_1, FETUA_2, GELS_2, IBP6_2, KNG1_1, PAEP_1, PAEP_2, PEDF_1, PSG11_1, TENX_1, TENX_2, THRB_1
IBP4_1	BMI, PRG4_1, TENX_2
IBP4_2	CATD_1, NpregC, PRG4_1, PSG9_2
IBP4_3	PRG4_1, PRG4_2
IBP6_1	A2GL_1, ADA12_1, AFAM_2, ATL4_1, BMI, C1QA_2, C1QC_1, CAMP_2, CLUS_1, DEF1_1, DEF1_2, ECM1_1, FBLN3_1, GPX3_1, IBP6_2, IGF2_1, InvGra, MDWT., PAEP_1, PEDF_1, PRG4_1, PRG4_2, PriorP, PSG2_1, PSG9_1, TENX_1, TENX_2, User
IBP6_2	AFAM_1, AFAM_2, ANG1_1, APOH_1, ENPP2_1, ENPP2_2, FA9_2, IBP3_1, IBP3_2, IBP6_1, KNG1_1, LBP_1, LBP_2, NpregC, PRG4_1, PRG4_2, PSG2_1, PTGDS_2, SEPP1_2, TENX_2, THBG_1, THRB_1
IGF1_1	AFAM_2, PAEP_1, PRG4_1, TENX_2
IGF2_1	ADA12_1, AFAM_2, APOH_1, BMI, GPX3_1, IBP2_1, IBP6_1, KNG1_1, MDWT., MUC18_2, PAEP_1, PAEP_2, PEDF_1, PSG11_1, RET4_1, TENX_1, TENX_2, THRB_1, VTNC_1
IL1R1_1	PAEP_1, PRG4_1
INHBC_1	PAEP_1, PRG4_1, PSG2_1
InvGra	ADA12_1, AFAM_1, AFAM_2, ANG1_1, BMI, CRAC1_1, ECM1_1, IBP6_1,

	KNG1_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
InvPar	PAEP_1, PRG4_1, TENX_2
IPMLOS	ADA12_1, PRG4_1, PSG2_1, TENX_2
IPSP_1	AFAM_2, PAEP_1, PRG4_1, PRG4_2, TENX_2
IPSP_2	ADA12_1, AFAM_2, ANGT_1, BMI, PAEP_1, PRG4_1, PRG4_2, PSG2_1
ISM2_1	AFAM_2, ISM2_2, KNG1_1, PAEP_1, PRG4_1
ISM2_2	ADA12_1, AFAM_2, CLUS_1, ISM2_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
ITIH3_1	PRG4_1
ITIH4_1	PRG4_1
ITIH4_2	AFAM_2, PAEP_1, PRG4_1, TENX_2
ITIH4_3	AFAM_2, ANGT_1, PAEP_1, PRG4_1, TENX_2
KIT_1	ADA12_1, AFAM_2, ANGT_1, PRG4_1, PRG4_2, TENX_2
KIT_2	AFAM_2, CLUS_1, PAEP_1, PRG4_1, TENX_2
KNG1_1	AFAM_1, AFAM_2, CD14_2, Cervix, CO6_1, CRAC1_1, CRAC1_3, CRIS3_1, DEF1_2, DM, GDM, IBP3_2, IBP6_2, IGF2_1, InvGra, ISM2_1, PAEP_1, PRG4_1, PriorP, PSG9_1, TIE1_1, VTNC_1
KNG1_2	AFAM_2, CATD_1, Cervix, PEDF_1, PRG4_1, TENX_2
LBP_1	AFAM_2, CRAC1_1, IBP6_2, PAEP_1, PRG4_1, THRB_1
LBP_2	AFAM_2, CRAC1_1, ECM1_1, IBP6_2, PAEP_1, PRG4_1, PRG4_2, PSG11_1, THRB_1
LEP_1	AFAM_1, B2MG_1
LEP_2	ADA12_1, AFAM_1, AFAM_2, BMI, CRAC1_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
LIRB5_1	AFAM_2, PRG4_1, PRG4_2, TENX_2
LYAM1_1	PAEP_1, PRG4_1, TENX_2
MAGE	PRG4_1, TENX_2
MDHT.	AFAM_1, ANGT_1, BMI, ECM1_1, PAEP_1, PRG4_1, SEPP1_2, TENX_2
MDWT.	ADA12_1, BMI, CAMP_2, Cervix, F13B_1, IBP3_1, IBP6_1, IGF2_1, MUC18_2, PRG4_1, PSG2_1, PSG9_2, SEPP1_2, THRB_1
MFAP5_1	AFAM_2, BMI, PRG4_1, TENX_1, TENX_2
MUC18_1	AFAM_2, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
MUC18_2	ADA12_1, BMI, CLUS_1, IBP2_1, IGF2_1, MDWT., PRG4_1, PSG2_1, RET4_1, SEPP1_2, TENX_2
NdelCo	ADA12_1, AFAM_2, ATL4_1, BMI, CGB1_1, PRG4_1, PRG4_2, PSG11_1, PSG2_1, TENX_2
NOTUM_1	AFAM_1, AFAM_2, CLUS_1, PAEP_1, PRG4_1, PSG2_1, TENX_2
NOTUM_2	CLUS_1, PAEP_1, PRG4_1, TENX_2
NpregC	ATL4_1, C1QA_2, C1QB_3, C1QC_2, DEF1_1, FBLN3_1, IBP4_2, IBP6_2, PAEP_1, PEDF_1, PRG4_1, PRG4_2, PSG11_1, PSG2_1, THRB_1, TIMP1_1
PAEP_1	AACT_1, ADA12_1, AFAM_1, AFAM_2, ALS_1, AMBP_1, ANGT_1, AOC1_1, AOC1_2, APOC3_1, APOH_1, ATS13_1, ATS13_2, B2MG_1, BGH3_1, Bleedi, C1QB_1, C1QB_3, CADH5_1, CADH5_2, CAH1_1, CATD_1, CATD_2, CBPN_1, CD14_1, cDM, Cervix, CGB1_2, CHL1_1, cHTN, CLUS_1, CO6_1, CO8A_1, CO8B_1, CSH_1, CSH_2, DEF1_1, DM, DPEP2_2, ECM1_1, ENPP2_1, ENPP2_2, F13B_1, FA11_1, FA9_1, FA9_2, FBLN3_1, FETUA_1, GABD., GELS_2, IBP1_1, IBP2_1, IBP3_1, IBP3_2, IBP6_1, IGF1_1, IGF2_1, IL1R1_1,

	INHBC_1, InvGra, InvPar, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH4_2, ITIH4_3, KIT_2, KNG1_1, LBP_1, LBP_2, LEP_2, LYAM1_1, MDHT., MUC18_1, NOTUM_1, NOTUM_2, NpregC, PAEP_2, PCD12_1, PCD12_2, PEDF_2, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PriorP, PROS_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_2, RET4_1, SEPP1_2, SOM2_1, TENX_1, TENX_2, TETN_1, TETN_2, THRB_1, User, VGFR1_1, VTDB_1, VTNC_1, VTNC_2
PAEP_2	ADA12_1, AFAM_1, AFAM_2, ANGT_1, APOC3_1, APOH_1, ATS13_1, B2MG_1, BGH3_1, C1QB_3, CATD_1, CATD_2, CLUS_1, ECM1_1, FA5_1, IBP3_2, IGF2_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1, PSG9_2, RET4_1, SEPP1_1, TENX_2, THRB_1
PAPP1_1	AFAM_2, PRG4_1
PAPP2_1	ADA12_1, AFAM_2, BMI, PRG4_1, PSG2_1
PCD12_1	AFAM_2, BMI, CLUS_1, PAEP_1, PRG4_1, TENX_2, THRB_1
PCD12_2	AFAM_2, CLUS_1, PAEP_1, PRG4_1
PEDF_1	ADA12_1, AFAM_2, ANGT_1, APOH_1, ATS13_2, DPEP2_1, FBLN3_1, IBP3_1, IBP3_2, IBP6_1, IGF2_1, KNG1_2, NpregC, PRG4_1, PRG4_2, PSG2_1, THRB_1, TIMP1_1
PEDF_2	ADA12_1, AFAM_2, ANGT_1, PAEP_1, PRG4_1
PEspec	AFAM_1, AFAM_2, PRG4_1, PSG2_1, TENX_2
PGRP2_1	AFAM_2, PRG4_1, PSG2_1, TENX_2
PRDX2_1	AFAM_2, PAEP_1, PRG4_1, TENX_2
PRG2_1	ADA12_1, AFAM_1, AFAM_2, CLUS_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
PRG4_1	A2GL_1, AACT_1, AFAM_1, AFAM_2, ALS_1, AMBP_1, ANGT_1, ANT3_1, AOC1_1, AOC1_2, APOC3_1, APOH_1, ATL4_1, ATS13_1, ATS13_2, BGH3_1, Bleedi, BMI, C1QA_2, C1QB_1, C1QB_2, C1QB_3, C1QC_1, CADH5_1, CADH5_2, CAH1_1, CATD_1, CATD_2, CBPN_1, CD14_1, CD14_2, cDM, Cervix, CGB1_1, CGB1_2, CHL1_1, cHTN, CLUS_1, CLUS_2, CNTN1_1, CNTN1_2, CO5_1, CO6_1, CO8A_1, CO8B_1, CRAC1_1, CRAC1_2, CRAC1_3, CRIS3_1, CRIS3_2, CSH_1, CSH_2, DEF1_1, DEF1_2, DM, DPEP2_1, DPEP2_2, ECM1_1, ECM1_2, EGLN_1, EGLN_2, ENPP2_1, ENPP2_2, F13B_1, FA11_1, FA11_2, FA5_1, FA5_2, FA9_1, FA9_2, FBLN3_1, FETUA_1, FETUA_2, FGFR1_1, FGFR1_2, GABD., GDM, GELS_1, GELS_2, GPX3_1, GPX3_2, HEMO_1, HLACI_1, IBP1_1, IBP2_1, IBP3_1, IBP4_1, IBP4_2, IBP4_3, IBP6_1, IBP6_2, IGF1_1, IL1R1_1, INHBC_1, InvGra, InvPar, IPMLOS, IPSP_1, IPSP_2, ISM2_1, ISM2_2, ITIH3_1, ITIH4_1, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_1, KNG1_2, LBP_1, LBP_2, LEP_2, LIRB5_1, LYAM1_1, MAGE, MDHT., MDWT., MFAP5_1, MUC18_1, MUC18_2, NdelCo, NOTUM_1, NOTUM_2, NpregC, PAEP_1, PAEP_2, PAPP1_1, PAPP2_1, PCD12_1, PCD12_2, PEDF_1, PEDF_2, PEspe, PGRP2_1, PRDX2_1, PRG2_1, PRG4_2, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG1_1, PSG11_1, PSG2_1, PSG3_1, PSG9_1, PSG9_2, PTGDS_1, PTGDS_2, RET4_1, SEPP1_1, SEPP1_2, SHBG_1, SHBG_3, SOM2_1, SOM2_2, SPRL1_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, THBG_1, THRB_1, TIE1_1, TIMP1_1, User, VGFR1_1, VTNC_1, VTNC_2
PRG4_2	A2GL_1, AFAM_2, ALS_1, ANGT_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, BGH3_1, Bleedi, C1QA_2, C1QB_3, C1QC_1, CBPN_1, CD14_2, cDM, CHL1_1, cHTN, CLUS_1, CO6_1, CSH_1, DEF1_1, ECM1_1, ENPP2_1, ENPP2_2, FA11_2, FA5_2, FA9_1, FA9_2, FBLN3_1, FGFR1_1, GELS_2, GPX3_1,

	HLACI_1, IBP4_3, IBP6_1, IBP6_2, InvGra, IPSP_1, IPSP_2, ISM2_2, KIT_1, LBP_2, LEP_2, LIRB5_1, MUC18_1, NdelCo, NpregC, PAEP_1, PAEP_2, PEDF_1, PRG2_1, PRG4_1, PriorP, PRL_2, PSG11_1, SEPP1_2, SOM2_1, SVEP1_1, TENX_1, TENX_2, TETN_1, TETN_2, THRB_1, VTNC_1, VTNC_2
PriorP	ADA12_1, AFAM_2, ANGT_1, BMI, CRAC1_1, ECM1_1, IBP6_1, KNG1_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
PRL_1	PRG4_1, TENX_2
PRL_2	PRG4_1, PRG4_2, TENX_2
PROS_1	ADA12_1, AFAM_2, PAEP_1, PRG4_1, TENX_2
PROS_2	AFAM_2, PRG4_1, TENX_2
PSG1_1	AFAM_1, AFAM_2, APOC3_1, DM, GDM, PRG4_1, PSG9_2, TENX_1
PSG11_1	AFAM_1, AFAM_2, Cervix, CO5_2, ECM1_1, HABP2_1, IBP3_2, IGF2_1, LBP_2, NdelCo, NpregC, PRG4_1, PRG4_2, PSG2_1, PSG9_1, SEPP1_1
PSG2_1	A2GL_1, ADA12_1, AFAM_2, ANT3_1, ATS13_2, B2MG_1, B2MG_2, BGH3_1, BMI, CADH5_2, CAMP_1, CAMP_2, CATD_1, CATD_2, CBPN_1, CBPN_2, CD14_2, Cervix, CGB1_1, CHL1_1, cHTN, CO6_1, CRIS3_1, CSH_1, CSH_2, DEF1_1, DM, DPEP2_1, DPEP2_2, ECM1_1, EGLN_1, EGLN_2, FA11_1, FA11_2, FA5_2, FETUA_1, FETUA_2, FGFR1_2, GDM, GELS_2, GPX3_1, HEMO_1, IBP2_1, IBP6_1, IBP6_2, INHBC_1, IPMLOS, IPSP_2, ISM2_2, MDWT., MUC18_1, MUC18_2, NdelCo, NOTUM_1, NpregC, PAEP_1, PAEP_2, PAPP2_1, PEDF_1, PEspeC, PGRP2_1, PRG2_1, PRG4_1, PSG11_1, PSG9_1, PSG9_2, RET4_1, SOM2_1, SOM2_2, SVEP1_1, TENX_1, THRB_1, TIMP1_1, User, VTNC_1
PSG3_1	AFAM_1, AFAM_2, BMI, PAEP_1, PRG4_1, TENX_2
PSG9_1	ADA12_1, AFAM_2, ANGT_1, BMI, CO8B_1, CRIS3_1, GELS_1, GPX3_1, IBP3_1, IBP6_1, KNG1_1, PAEP_1, PRG4_1, PSG11_1, PSG2_1, PSG9_2, SOM2_2, TENX_2
PSG9_2	BMI, CRIS3_1, GELS_1, IBP4_2, MDWT., PAEP_1, PAEP_2, PRG4_1, PSG1_1, PSG2_1, PSG9_1, SOM2_2, TENX_2
PTGDS_1	PRG4_1
PTGDS_2	AFAM_1, AFAM_2, CLUS_1, IBP6_2, PAEP_1, PRG4_1, TENX_2
RET4_1	AFAM_2, C1QA_2, C1QB_2, IGF2_1, MUC18_2, PAEP_1, PAEP_2, PRG4_1, PSG2_1, TENX_2
SEPP1_1	ANGT_1, PAEP_2, PRG4_1, PSG11_1, TENX_2
SEPP1_2	ATL4_1, Cervix, IBP2_1, IBP6_2, MDHT., MDWT., MUC18_2, PAEP_1, PRG4_1, PRG4_2, SHBG_3, THRB_1
SHBG_1	PRG4_1, TENX_2
SHBG_3	PRG4_1, SEPP1_2, TENX_2
SOM2_1	AFAM_1, AFAM_2, PAEP_1, PRG4_1, PRG4_2, PSG2_1
SOM2_2	AFAM_1, AFAM_2, PRG4_1, PSG2_1, PSG9_1, PSG9_2
SPRL1_1	PRG4_1
SVEP1_1	PRG4_1, PRG4_2, PSG2_1
TENX_1	AFAM_1, AFAM_2, ANGT_1, IBP3_2, IBP6_1, IGF2_1, MFAP5_1, PAEP_1, PRG4_1, PRG4_2, PSG1_1, PSG2_1, TENX_2
TENX_2	A2GL_1, AACT_1, AFAM_1, AFAM_2, ALS_1, AMBP_1, ANGT_1, ANT3_1, AOC1_1, AOC1_2, APOH_1, ATL4_1, ATS13_1, ATS13_2, BGH3_1, Bleedi, BMI, C163A_1, C1QC_1, CADH5_1, CATD_1, CBPN_2, CD14_1, CD14_2, cDM, Cervix, CGB1_2, CHL1_1, cHTN, CLUS_1, CNTN1_2, CO5_1, CO6_1, CO8A_1,

	CRAC1_2, CRAC1_3, CSH_2, DEF1_1, DEF1_2, EGLN_1, ENPP2_1, ENPP2_2, FA11_1, FA5_1, FA5_2, FA9_1, FBLN1_1, FETUA_1, FGFR1_1, GABD., GDM, GPX3_1, IBP1_1, IBP3_1, IBP3_2, IBP4_1, IBP6_1, IBP6_2, IGF1_1, IGF2_1, InvGra, InvPar, IPMLOS, IPSP_1, ISM2_2, ITIH4_2, ITIH4_3, KIT_1, KIT_2, KNG1_2, LEP_2, LIRB5_1, LYAM1_1, MAGE, MDHT., MFAP5_1, MUC18_1, MUC18_2, NdelCo, NOTUM_1, NOTUM_2, PAEP_1, PAEP_2, PCD12_1, PEspec, PGRP2_1, PRDX2_1, PRG2_1, PRG4_1, PRG4_2, PriorP, PRL_1, PRL_2, PROS_1, PROS_2, PSG3_1, PSG9_1, PSG9_2, PTGDS_2, RET4_1, SEPP1_1, SHBG_1, SHBG_3, TENX_1, TETN_1, TETN_2, THBG_1, THRB_1, TIE1_1, VGFR1_1, VTNC_1
TETN_1	BMI, CLUS_1, PAEP_1, PRG4_1, PRG4_2, TENX_2
TETN_2	CLUS_1, GELS_2, PAEP_1, PRG4_1, PRG4_2, TENX_2
THBG_1	IBP6_2, PRG4_1, TENX_2, THRB_1
THRB_1	AFAM_1, ATS13_2, BMI, C1QB_3, CD14_2, Cervix, CLUS_2, CRAC1_2, DEF1_2, DPEP2_2, ECM1_1, FA9_1, IBP3_2, IBP6_2, IGF2_1, LBP_1, LBP_2, MDWT., NpregC, PAEP_1, PAEP_2, PCD12_1, PEDF_1, PRG4_1, PRG4_2, PSG2_1, SEPP1_2, TENX_2, THBG_1, User
TIE1_1	KNG1_1, PRG4_1, TENX_2
TIMP1_1	ADA12_1, BMI, NpregC, PEDF_1, PRG4_1, PSG2_1
User	CRAC1_2, IBP3_1, IBP6_1, PAEP_1, PRG4_1, PSG2_1, THRB_1
VGFR1_1	PAEP_1, PRG4_1, TENX_2
VTDB_1	PAEP_1
VTNC_1	AFAM_2, CLUS_1, IGF2_1, KNG1_1, PAEP_1, PRG4_1, PRG4_2, PSG2_1, TENX_2
VTNC_2	ADA12_1, AFAM_2, CLUS_1, PAEP_1, PRG4_1, PRG4_2

[00344] Table 28. Analytes and corresponding abbreviations

Analyte	Abbrev	Protein name
A2GL_DLLLPQPDLR	A2GL_1	Leucine-rich alpha-2-glycoprotein
AACT_EIGELYLPK	AACT_1	Alpha-1-antichymotrypsin
ADA12_FGFGGSTDSGPIR	ADA12_1	Disintegrin and metalloproteinase domain-containing protein 12
AFAM_DADPDTEFFAK	AFAM_1	Afamin
AFAM_HFQNLGK	AFAM_2	Afamin
ALS_IRPHTFTGLSGLR	ALS_1	Insulin-like growth factor-binding protein complex acid labile subunit
AMBP_ETLLQDFR	AMBP_1	Protein AMBP
ANGT_DPTFIPAPIQAK	ANGT_1	Angiotensinogen
ANT3_TSDQIHFFFAK	ANT3_1	Antithrombin-III
AOC1_AVHSFLWSK	AOC1_1	Amiloride-sensitive amine oxidase [copper-containing]
AOC1_DNGPNYVQR	AOC1_2	Amiloride-sensitive amine oxidase [copper-containing]
APOC3_GWVTDGFSSLK	APOC3_1	Apolipoprotein C-III
APOH_ATVVYQGER	APOH_1	Beta-2-glycoprotein 1
ATL4_ILWIPAGALR	ATL4_1	ADAMTS-like protein 4
ATS13_SLVELTPIAAVHGR	ATS13_1	A disintegrin and metalloproteinase with thrombospondin motifs 13

ATS13_YGSQLAPETFYR	ATS13_2	A disintegrin and metalloproteinase with thrombospondin motifs 13
B2MG_VEHSDFSFSK	B2MG_1	Beta-2-microglobulin
B2MG_VNHVTL SQPK	B2MG_2	Beta-2-microglobulin
BGH3_LTLLAPLNSVFK	BGH3_1	Transforming growth factor-beta-induced protein ig-h3
C163A_INPASLDK	C163A_1	Scavenger receptor cysteine-rich type 1 protein M130
C1QA_DQPRPAFSAIR	C1QA_1	Complement C1q subcomponent subunit A
C1QA_SLGFCDTTNK	C1QA_2	Complement C1q subcomponent subunit A
C1QB_IAFSATR	C1QB_1	Complement C1q subcomponent subunit B
C1QB_LEQGENVFLQATDK	C1QB_2	Complement C1q subcomponent subunit B
C1QB_VPGLYYFTYHASSR	C1QB_3	Complement C1q subcomponent subunit B
C1QC_FNAVLTNPQGDYDTSTGK	C1QC_1	Complement C1q subcomponent subunit C
C1QC_TNQVNSGGVLLR	C1QC_2	Complement C1q subcomponent subunit C
CADH5_YEIVVEAR	CADH5_1	Cadherin-5
CADH5_YTFVVPEDTR	CADH5_2	Cadherin-5
CAH1_GGPFSDSYR	CAH1_1	Carbonic anhydrase 1
CAMP_AIDGINQR	CAMP_1	Cathelicidin antimicrobial peptide
CAMP_SSDANLYR	CAMP_2	Cathelicidin antimicrobial peptide
CATD_VGFAEAAR	CATD_1	Cathepsin D
CATD_VSTLPAITLK	CATD_2	Cathepsin D
CBPN_EALIQFLEQVHQGIK	CBPN_1	Carboxypeptidase N catalytic chain
CBPN_NNANGVDLNR	CBPN_2	Carboxypeptidase N catalytic chain
CD14_LTVGAAQVPAQLLVGALR	CD14_1	Monocyte differentiation antigen CD14
CD14_SWLAELQQWLKPGK	CD14_2	Monocyte differentiation antigen CD14
CFAB_YGLVTYATYPK	CFAB_1	Complement factor B
CGB1_GVNPVVSVAVALSCQCALC R	CGB1_1	Choriogonadotropin subunit beta variant 1
CGB1_VLQGVLPALPQVVCNYR	CGB1_2	Choriogonadotropin subunit beta variant 1
CHL1_VIAVNEVGR	CHL1_1	Neural cell adhesion molecule L1-like protein
CLUS_ASSIIDELFQDR	CLUS_1	Clusterin
CLUS_LFSDPITVTVPVEVSR	CLUS_2	Clusterin
CNTN1_FIPLIPIPER	CNTN1_1	Contactin-1
CNTN1_TTKPYPADIVVQFK	CNTN1_2	Contactin-1
CO5_TLLPVSKPEIR	CO5_1	Complement C5
CO5_VFQFLEK	CO5_2	Complement C5
CO6_ALNHLPLEYNSALYSR	CO6_1	Complement component C6
CO8A_SLLQPNK	CO8A_1	Complement component C8 alpha chain
CO8B_QALEEFQK	CO8B_1	Complement component C8 beta chain
CRAC1_GVALADFNR	CRAC1_1	Cartilage acidic protein 1
CRAC1_GVASLFAGR	CRAC1_2	Cartilage acidic protein 1
CRAC1_LVNIAVDER	CRAC1_3	Cartilage acidic protein 1
CRIS3_AVSPPAR	CRIS3_1	Cysteine-rich secretory protein 3
CRIS3_YEDLYSNCK	CRIS3_2	Cysteine-rich secretory protein 3
CSH_AHQLAIDTYQFEETYIPK	CSH_1	Chorionic somatomammotropin hormone 1

CSH_ISLLIESWLEPVR	CSH_2	Chorionic somatomammotropin hormone 1
DEF1_IPACIAGER	DEF1_1	Neutrophil defensin 1
DEF1_YGTCIQGR	DEF1_2	Neutrophil defensin 1
DPEP2_ALEVSQAPVIFSHSAAR	DPEP2_1	Dipeptidase 2
DPEP2_LTLEQIDLR	DPEP2_2	Dipeptidase 2
ECM1_ELLALIQLER	ECM1_1	Extracellular matrix protein 1
ECM1_LLPAQLPAEK	ECM1_2	Extracellular matrix protein 1
EGLN_GPITSAAELNDPQSILLR	EGLN_1	Endoglin
EGLN_TQILEWAAER	EGLN_2	Endoglin
ENPP2_TFSLSNYLTNVDDITLVPG TLGR	ENPP2_1	Ectonucleotide pyrophosphatase/phosphodiesterase family member 2
ENPP2_TYLHTYESEI	ENPP2_2	Ectonucleotide pyrophosphatase/phosphodiesterase family member 2
F13B_GDTYPAELYITGSILR	F13B_1	Coagulation factor XIII B chain
FA11_DSVTETLPR	FA11_1	Coagulation factor XI
FA11_TAAISGYSEFK	FA11_2	Coagulation factor XI
FA5_AEVDDVIQVR	FA5_1	Coagulation factor V
FA5_LSEGASYLDHTFPAEK	FA5_2	Coagulation factor V
FA9_FSGGYVSGWGR	FA9_1	Coagulation factor IX
FA9_SALVLQYLR	FA9_2	Coagulation factor IX
FBLN1_TGYYFDGISR	FBLN1_1	Fibulin-1
FBLN3_IPSNPSHR	FBLN3_1	EGF-containing fibulin-like extracellular matrix protein 1
FETUA_FSVVYAK	FETUA_1	Alpha-2-HS-glycoprotein
FETUA_HTLNQIDEVK	FETUA_2	Alpha-2-HS-glycoprotein
FGFR1_IGPDNLPYVQILK	FGFR1_1	Fibroblast growth factor receptor 1
FGFR1_VYSDPQPHIQWLK	FGFR1_2	Fibroblast growth factor receptor 1
GELS_AQPVQVAEGSEPDGFWEA LGGK	GELS_1	Gelsolin
GELS_TASDFITK	GELS_2	Gelsolin
GPX3_QEPGENSEILPTLK	GPX3_1	Glutathione peroxidase 3
GPX3_YVRPGGGFVPNFQLFEK	GPX3_2	Glutathione peroxidase 3
HABP2_FLNWIK	HABP2_1	Hyaluronan-binding protein 2
HEMO_NFPSPVDAAFR	HEMO_1	Hemopexin
HLA1_WAAVVVPSGEEQR	HLA1_1	HLA class I histocompatibility antigen, Cw-2 alpha chain
IBP1_VVESLAK	IBP1_1	Insulin-like growth factor-binding protein 1
IBP2_LIQGAPTIR	IBP2_1	Insulin-like growth factor-binding protein 2
IBP3_FLNVLSPR	IBP3_1	Insulin-like growth factor-binding protein 3
IBP3_YGQPLPGYTTK	IBP3_2	Insulin-like growth factor-binding protein 3
IBP4_Q.CHPALDGQR	IBP4_1	Insulin-like growth factor-binding protein 4
IBP4_QCHPALDGQR	IBP4_2	Insulin-like growth factor-binding protein 4
IBP4_QCHPALDGQR.2	IBP4_3	Insulin-like growth factor-binding protein 4
IBP6_GAQTLYVPNCDDR	IBP6_1	Insulin-like growth factor-binding protein 6
IBP6_HLDSVLQQLQTEVYR	IBP6_2	Insulin-like growth factor-binding protein 6
IGF1_GFYFNKPTGYGSSSR	IGF1_1	Insulin-like growth factor I

IGF2_GIVECCFR	IGF2_1	Insulin-like growth factor II
IL1R1_LWFVPAK	IL1R1_1	Interleukin-1 receptor type 1
INHBC_LDFHFSSDR	INHBC_1	Inhibin beta C chain
IPSP_AVVEVDESGTR	IPSP_1	Plasma serine protease inhibitor
IPSP_DFTFDLYR	IPSP_2	Plasma serine protease inhibitor
ISM2_FDTTPWILCK	ISM2_1	Isthmin-2
ISM2_TRPCGYGCTATETR	ISM2_2	Isthmin-2
ITIH3_ALDLSLK	ITIH3_1	Inter-alpha-trypsin inhibitor heavy chain H3
ITIH4_ILDDLSPR	ITIH4_1	Inter-alpha-trypsin inhibitor heavy chain H4
ITIH4_NPLVWVHASPEHVVVTR	ITIH4_2	Inter-alpha-trypsin inhibitor heavy chain H4
ITIH4_QLGLPGPPDVPDHAAYHPF	ITIH4_3	Inter-alpha-trypsin inhibitor heavy chain H4
KIT_LCLHCSVDQEGK	KIT_1	Mast/stem cell growth factor receptor Kit
KIT_YVSELHLTR	KIT_2	Mast/stem cell growth factor receptor Kit
KNG1_DIPTNSPELEETLTHTITK	KNG1_1	Kininogen-1
KNG1_QVVAGLNFR	KNG1_2	Kininogen-1
LBP_ITGFLKPGK	LBP_1	Lipopolysaccharide-binding protein
LBP_ITLPDFTGDLR	LBP_2	Lipopolysaccharide-binding protein
LEP_DLLHVLAFSK	LEP_1	Leptin
LEP_VTGLDFIPGLHPILTLK	LEP_2	Leptin
LIRB5_KPSLLIPQGSVVAR	LIRB5_1	Leukocyte immunoglobulin-like receptor subfamily B member 5
LYAM1_SYYWIGIR	LYAM1_1	L-selectin
MFAP5_LYSVHRPVK	MFAP5_1	Microfibrillar-associated protein 5
MUC18_EVTVPVFYPTK	MUC18_1	Cell surface glycoprotein MUC18
MUC18_GATLALTQVTPQDER	MUC18_2	Cell surface glycoprotein MUC18
NOTUM_GLADSGWFLDNK	NOTUM_1	Palmitoleoyl-protein carboxylesterase NOTUM
NOTUM_LYIQNLGR	NOTUM_2	Palmitoleoyl-protein carboxylesterase NOTUM
PAEP_HLWYLLDLK	PAEP_1	Glycodelin
PAEP_VHITSLLPTPEDNLEIVLHR	PAEP_2	Glycodelin
PAPP1_DIPHWLNPTR	PAPP1_1	Pappalysin-1
PAPP2_LLLRPEVLAEIPR	PAPP2_1	Pappalysin-2
PCD12_AHDADIGINGK	PCD12_1	Protocadherin-12
PCD12_YQVSEEVPSGTVIGK	PCD12_2	Protocadherin-12
PEDF_LQSLFDSPDFSK	PEDF_1	Pigment epithelium-derived factor
PEDF_TVQAVLTVPK	PEDF_2	Pigment epithelium-derived factor
PGRP2_AGLLRPDYALLGHR	PGRP2_1	N-acetylmuramoyl-L-alanine amidase
PRDX2_GLFIDGK	PRDX2_1	Peroxiredoxin-2
PRG2_WNFAYWAAHQPSR	PRG2_1	Bone marrow proteoglycan
PRG4_GLPNVVTSAILPNIR	PRG4_1	Proteoglycan 4
PRG4_ITEVWGIPSPIDTVFTR	PRG4_2	Proteoglycan 4
PRL_LSAYYNLLHCLR	PRL_1	Prolactin
PRL_SWNEPLYHLVTEVR	PRL_2	Prolactin

PROS_FSAEFDGR	PROS_1	Vitamin K-dependent protein S
PROS_SQDILLSVENTVIYR	PROS_2	Vitamin K-dependent protein S
PSG1_FQLPGQK	PSG1_1	Pregnancy-specific beta-1-glycoprotein 1
PSG11_LFIPQITPK	PSG11_1	Pregnancy-specific beta-1-glycoprotein 11
PSG2_IHPSYTNRY	PSG2_1	Pregnancy-specific beta-1-glycoprotein 2
PSG3_VSAPSGTGHLPLNPL	PSG3_1	Pregnancy-specific beta-1-glycoprotein 3
PSG9_DVLLLVHNLPGYFWY K	PSG9_1	Pregnancy-specific beta-1-glycoprotein 9
PSG9_LFIPQITR	PSG9_2	Pregnancy-specific beta-1-glycoprotein 9
PTGDS_AQGFTEDTIVFLPQTDK	PTGDS_1	Prostaglandin-H2 D-isomerase
PTGDS_GPGEDFR	PTGDS_2	Prostaglandin-H2 D-isomerase
RET4_YWGVASFLQK	RET4_1	Retinol-binding protein 4
SEPP1_LVYHLGLPFSFLTFPYVEEA IK	SEPP1_1	Selenoprotein P
SEPP1_VSLATVDK	SEPP1_2	Selenoprotein P
SHBG_IALGGLLPASNLR	SHBG_1	Sex hormone-binding globulin
SHBG_IALGGLLPASNLR.1	SHBG_2	Sex hormone-binding globulin
SHBG_IALGGLLPASNLR.2	SHBG_3	Sex hormone-binding globulin
SOM2_CSH_NYGLLYCFR	SOM2_1	Growth hormone variant
SOM2_CSH_SVEGSCGF	SOM2_2	Growth hormone variant
SPRL1_VLTHSELAPLR	SPRL1_1	SPARC-like protein 1
SVEP1_LLSDFPVVPTATR	SVEP1_1	Sushi, von Willebrand factor type A, EGF and pentraxin domain- containing protein 1
TENX_LNWEAPPGAFDSFLLR	TENX_1	Tenascin-X
TENX_LSQLSVTDVTTSSLR	TENX_2	Tenascin-X
TETN_CFLAFTQTK	TETN_1	Tetranectin
TETN_LDTLAQEVALLK	TETN_2	Tetranectin
THBG_AVLHIGEK	THBG_1	Thyroxine-binding globulin
IHRB_ELLESYIDGR	THRB_1	Prothrombin
TIE1_VSWSLPLVPGPLVGDGFLR	TIE1_1	Tyrosine-protein kinase receptor Tie-1
TIMP1_HLACLPR	TIMP1_1	Metalloproteinase inhibitor 1
VGFR1_YLAVPTSK	VGFR1_1	Vascular endothelial growth factor receptor 1
VTDB_ELPEHTVK	VTDB_1	Vitamin D-binding protein
VTNC_GQCYELDEK	VTNC_1	Vitronectin
VTNC_VDTVDPYPYR	VTNC_2	Vitronectin

What is claimed is:

1. A composition comprising a pair of isolated biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, wherein said pair of biomarkers exhibits a change in reversal value between pregnant females that deliver before 270 days relative to pregnant females that deliver on or after 280 days.
2. A method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of ADA12_FGFGGSTDSGPIR and PAEP_HLWYLLDLK, PAEP_HLWYLLDLK and PRG4_GLPNVVTSAISLPNIR, IBP4_Q.CHPALDGQR and PAEP_HLWYLLDLK, FETUA_FSVVYAK and IBP4_Q.CHPALDGQR, ADA12_FGFGGSTDSGPIR and CRIS3_YEDLYSNCK, CO5_TLLPVSKPEIR and ADA12_FGFGGSTDSGPIR, AFAM_HFQNLGK and AACT_EIGELYLPK, ALS_IRPHTFTGLSGLR and PCD12_AHDADLGINGK, VTNC_GQYCYELDEK and PCD12_AHDADLGINGK, CRIS3_YEDLYSNCK and TETN_LDTLAQEVALLK, B2MG_VEHSDLSFSK and FGFR1_IGPDNLPYVQILK, GELS_TASDFITK and FGFR1_IGPDNLPYVQILK, LIRB5_KPSLLIPQGSVVAR and FA9_SALVLQYLR, B2MG_VEHSDLSFSK and CHL1_VIAVNEVGR, and CHL1_VIAVNEVGR and IGF2_GIVEECCFR, to determine the EDD for said pregnant female.

3. A method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of FETUA_HTI.NQIDEVK, PRG4_GLPNVVTSAISLPNIR, KNG1_DIPTNSPELEETLTHTITK, ADA12_FGFGGSTDSGPIR, PCD12_AHDADLGINGK, CD14_LTVGAAQVPAQLLVGALR, CRIS3_YEDLYSNCK, CHL1_VIAVNEVGR, FGFR1_IGPDNLPYVQILK or FA9_FGSGYVSGWGR and one of the biomarkers listed in Tables 1-27, to determine the EDD for said pregnant female.
4. The method of claims 2 or 3, wherein the biological sample is obtained at a gestational age at blood draw (GABD) from 18 0/7 weeks through 22 6/7 weeks.
5. The method of claims 2 or 3, wherein the biological sample is obtained at a gestational age at blood draw (GABD) from 23 0/7 weeks through 28 6/7 weeks.
6. The method of claims 2 or 3, wherein said pregnant female is nulliparous.
7. The method of claims 2 or 3, further comprising calculation of Inverse Parity as $1/(\text{Parity} - 0.5)$.
8. The method of claims 2 or 3, further comprising measuring measuring AACT_EIGELYLPK.
9. The method of claims 2 or 3, further comprising determining time to birth (TTB).
10. The method of claims 2 or 3, wherein the biological sample is selected from the group consisting of whole blood, plasma, and serum.
11. The method of claims 2 or 3, wherein the biological sample is serum.
12. The method of claims 2 or 3, wherein said measuring comprises mass spectrometry (MS).
13. The method of claims 2 or 3, wherein said measuring comprises an assay that utilizes a capture agent.

14. The method of claim 9, wherein said capture agent is selected from the group consisting of and antibody, antibody fragment, nucleic acid-based protein binding reagent, small molecule or variant thereof.

15. The method of claim 10, wherein said assay is selected from the group consisting of enzyme immunoassay (EIA), enzyme-linked immunosorbent assay (ELISA), and radioimmunoassay (RIA).

16. The method of claims 2 or 3, further comprising determining gestational age at birth (GAB).

17. A method of determining the estimated due date (EDD) for a pregnant female, the method comprising measuring in a biological sample obtained from said pregnant female a reversal value for a pair of biomarkers selected from the group consisting of the biomarker pairs listed in Tables 1-27 to determine the EDD for said pregnant female.

1/2





FIG. 1



Example 0: 58% predicted within +/- 5 days, SD 7.0

FIG. 2




FIG. 1