



US00D734741S

(12) **United States Design Patent**
Brunner et al.

(10) **Patent No.:** **US D734,741 S**

(45) **Date of Patent:** **** *Jul. 21, 2015**

- (54) **AUDIO SPEAKER SYSTEM**
- (71) Applicant: **Apple Inc.**, Cupertino, CA (US)
- (72) Inventors: **Robert Brunner**, San Francisco, CA (US); **Gregoire Vandebussche**, San Francisco, CA (US)
- (73) Assignee: **Apple Inc.**, Cupertino, CA (US)
- (*) Notice: This patent is subject to a terminal disclaimer.
- (**) Term: **14 Years**
- (21) Appl. No.: **29/491,827**
- (22) Filed: **May 25, 2014**
- (51) **LOC (10) Cl.** **14-03**
- (52) **U.S. Cl.**
USPC **D14/216**
- (58) **Field of Classification Search**
USPC D14/167, 168, 170–172, 188, 194–196, D14/204, 207, 209.1, 210–216, 219, 221, D14/222, 224, 496; 181/143, 144, 147, 148, 181/150, 153, 157, 198, 199; 381/300–303, 381/306, 332, 333, 336, 345, 361–364, 381/386–388; 369/6–12
CPC B60R 11/0217; G06F 1/1688; H04M 1/03; H04M 1/035; H04R 1/02; H04R 1/06; H04R 1/021; H04R 1/025; H04R 1/026; H04R 1/028; H04R 1/105; H04R 1/323; H04R 1/403; H04R 1/2803; H04R 1/2834; H04R 5/02; H04R 7/20; H04R 9/06; H04R 9/025; H04R 2201/021; H04R 2400/00; H04R 2400/07; H04R 2499/11; H04R 2499/13; H04R 2499/15; H04S 3/00; H04S 7/30
See application file for complete search history.

- D642,159 S * 7/2011 Joseph D14/215
- D676,830 S * 2/2013 Garrett D14/210
- D681,010 S * 4/2013 Cho et al. D14/215
- D685,349 S * 7/2013 Ohno et al. D14/221
- D687,016 S * 7/2013 Brunner et al. D14/216
- D689,845 S * 9/2013 Nylen D14/216
- D690,281 S * 9/2013 Carr et al. D14/204
- D690,286 S * 9/2013 Petersen D14/211
- D709,861 S * 7/2014 Brunner et al. D14/216

* cited by examiner

Primary Examiner — Keli L Hill

(74) *Attorney, Agent, or Firm* — Sterne, Kessler, Goldstein & Fox P.L.L.C.

(57) **CLAIM**

The ornamental design for an audio speaker system, as shown and described.

DESCRIPTION


FIG. 1 is a side perspective view of an audio speaker system in accordance with the present invention;
 FIG. 2 is a front view of the embodiment of an audio speaker system depicted in FIG. 1;
 FIG. 3 is a rear view of the embodiment of an audio speaker system depicted in FIG. 1;
 FIG. 4 is a left side view of the embodiment of an audio speaker system depicted in FIG. 1;
 FIG. 5 is a right side view of the embodiment of an audio speaker system depicted in FIG. 1
 FIG. 6 is a top view of the embodiment of an audio speaker system depicted in FIG. 1;
 FIG. 7 is a bottom view of the embodiment of an audio speaker system depicted in FIG. 1;
 FIG. 8 is a top plan view of the embodiment of an audio speaker system depicted in FIG. 1 rotated so that handle is positioned forward; and,
 FIG. 9 is a rear elevation view of the embodiment of an audio speaker system depicted in FIG. 1 rotated so that handle is positioned downward.
 The broken lines in the figures show portions of the audio speaker system that form no part of the claimed design.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D551,656 S * 9/2007 Ritsher et al. D14/216
- D573,579 S * 7/2008 Yamaguchi D14/500
- D616,420 S * 5/2010 Morimoto D14/216






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9