



ABSTRACT

A compound represented by formula (I) or a pharmacologically acceptable salt thereof, which can inhibit a fibroblast growth factor receptor (FGFR) family kinase in cancer tissues. (In the formula, A represents a 5- to 10-membered heteroaryl group, or a C₆₋₁₀ aryl group; R₁ and R₂ independently represent H, OH, X, CN, NO₂, a C₁₋₄ haloalkyl group, a C₁₋₆ alkyl group, or the like <R₁ and R₂ together form a (substituted) 3- to 10-membered heterocyclyl group or a (substituted) 5- to 10-membered heteroaryl group>; R₃ represents H, a C₁₋₅ alkyl group, a C₆₋₁₀ aryl group, a C₁₋₅ alkyl group, or a C₁₋₄ haloalkyl group; and R₄ represents H, X, a C₁₋₃ alkyl group, a C₁₋₄ haloalkyl group, OH, CN, NO₂, or the like.)



CLAIMS

1. A compound represented by following general formula (I), or a pharmaceutically acceptable salt thereof:



wherein R₁, R₂, R₃, and R₄ each independently represents the group listed below:

R₁ represents hydrogen, hydroxy, halogen, cyano, nitro, C₁₋₄ haloalkyl, C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₃₋₇ cycloalkyl, C₆₋₁₀ aryl C₁₋₄ alkyl, -OR₅, -NR₆R₇, -(CR₈R₉)_nZ₁, -C(O)NR₁₂R₁₃, -SR₁₄, -SOR₁₅, -SO₂R₁₆, -NR₁₇SO₂R₁₈, COOH, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q, -COR₁₉, -COOR₂₀, -OC(O)R₂₁, -NR₂₂C(O)R₂₃, -NR₂₄C(S)R₂₅, -C(S)NR₂₆R₂₇, -SO₂NR₂₈R₂₉, -OSO₂R₃₀, -SO₃R₃₁, or -Si(R₃₂)₃;

R₂ represents hydrogen, hydroxy, halogen, cyano, nitro, C₁₋₄ haloalkyl, C₁₋₆ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₃₋₇ cycloalkyl, C₆₋₁₀ aryl C₁₋₄ alkyl, -OR₅, -NR₆R₇, -(CR₈R₉)_nZ₁, -C(O)NR₁₂R₁₃, -SR₁₄, -SOR₁₅, -SO₂R₁₆, -NR₁₇SO₂R₁₈, COOH, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q, -COR₁₉, -COOR₂₀, -OC(O)R₂₁, -NR₂₂C(O)R₂₃, -NR₂₄C(S)R₂₅, -C(S)NR₂₆R₂₇, -SO₂NR₂₈R₂₉, -OSO₂R₃₀, -SO₃R₃₁, or -Si(R₃₂)₃; or

R₁ and R₂, together with an atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl, wherein the heterocyclyl or heteroaryl is optionally substituted by halogen;

R₃ represents hydrogen, C₁₋₅ alkyl, C₆₋₁₀ aryl C₁₋₆ alkyl, or C₁₋₄ haloalkyl;

R₄ represents hydrogen, halogen, C₁₋₃ alkyl, C₁₋₄ haloalkyl, hydroxy, cyano, nitro, C₁₋₄ alkoxy, -(CH₂)_nZ₁, -NR₆R₇, -OR₅, -C(O)NR₁₂R₁₃, -SR₁₄, -SOR₁₅, -SO₂R₁₆, NR₁₇SO₂R₁₈, COOH, -COR₁₉, -COOR₂₀, -OC(O)R₂₁, -NR₂₂C(O)R₂₃, -NR₂₄C(S)R₂₅, -C(S)NR₂₆R₂₇, -SO₂NR₂₈R₂₉, -OSO₂R₃₀, -SO₃R₃₁, or -Si(R₃₂)₃;

A represents a 5- to 10-membered heteroaryl ring or C₆₋₁₀ aryl ring;

R₅ represents C₁₋₅ alkyl, C₃₋₇ cycloalkyl, C₃₋₇ cycloalkyl C₁₋₃ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, C₁₋₃ alkoxy C₁₋₄ alkoxy C₁₋₄ alkyl, C₁₋₄ aminoalkyl, C₁₋₄ alkylamino C₁₋₄ alkyl, di(C₁₋₄ alkyl)amino C₁₋₄ alkyl, C₆₋₁₀ aryl, C₆₋₁₀ aryl C₁₋₃ alkyl, or 3- to 10-membered heterocyclyl C₁₋₃ alkyl, 3- to 10-membered heterocyclyl, 5- to 10-membered heteroaryl, 5- to 10-membered heteroaryl C₁₋₃ alkyl, C₁₋₆ monohydroxy alkyl, C₁₋₆ dihydroxy alkyl, or C₁₋₆ trihydroxy alkyl which is optionally substituted by one or more groups independently selected from group Q;

R₆ and R₇, which are the same or different, each represents hydrogen, C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, C₆₋₁₀ aryl C₁₋₃ alkyl, 3- to 10-membered heterocyclyl C₁₋₃ alkyl, 5- to 10-membered heteroaryl C₁₋₃ alkyl, C₁₋₆ monohydroxy alkyl, C₁₋₆ dihydroxy alkyl, C₁₋₆ trihydroxy alkyl, 3- to 10-membered heterocyclyl, C₁₋₄ aminoalkyl, C₁₋₄ alkylamino C₁₋₄ alkyl, di(C₁₋₄ alkyl)amino C₁₋₄ alkyl, or cyano(C₁₋₃ alkyl); or R₆ and R₇, together with a nitrogen atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl;

n represents 1 to 3;

R₈ and R₉, which are the same or different, each represents hydrogen, C₁₋₄ alkyl, or halogen; or alternatively, R₈ and R₉, together with a carbon atom linked thereto, form a cycloaliphatic ring; Z₁ represents hydrogen, NR₁₀R₁₁, -OH, or 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl which is optionally substituted by one or more groups independently selected from group Q;

R₁₀ and R₁₁, which are the same or different, each represents C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, cyano(C₁₋₃ alkyl), or C₁₋₃ alkylsulfonyl C₁₋₄ alkyl; or alternatively, R₁₀ and R₁₁, together with a nitrogen atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl;

R₁₂ and R₁₃, which are the same or different, each represents hydrogen, C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, 3- to 10-membered heterocyclyl, C₆₋₁₀ aryl C₁₋₄ alkyl, 3- to 10-membered heterocyclyl C₁₋₃ alkyl, 5- to 10-membered heteroaryl C₁₋₃ alkyl, cyano(C₁₋₃ alkyl), C₁₋₃ alkylsulfonyl C₁₋₄ alkyl, 3- to 10-membered cycloaliphatic ring, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl; or alternatively, R₁₂ and R₁₃, together with a nitrogen atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl which is optionally substituted by one or more groups independently selected from group Q;

R₁₄ represents C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, or 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more

groups independently selected from group Q;

R₁₅ represents C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, or 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q;

R₁₆ represents C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, or 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q;

R₁₇ represents hydrogen or C₁₋₄ alkyl;

R₁₈ represents C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl which is optionally substituted by one or more groups independently selected from group P, or 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q;

R₁₉ represents hydrogen, C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, or 5- to 10-membered heteroaryl or 3- to 10-membered heterocyclyl which is optionally substituted by one or more groups independently selected from group Q;

R₂₀ represents C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₂₁ represents C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₂₂ represents hydrogen, C₁₋₄ alkyl, or C₁₋₄ haloalkyl;

R₂₃ represents hydrogen, C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₂₄ represents hydrogen, C₁₋₄ alkyl, or C₁₋₄ haloalkyl;

R₂₅ represents C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₂₆ and R₂₇, which are the same or different, each represents hydrogen, C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, 3- to 10-membered heterocyclyl, C₆₋₁₀ aryl C₁₋₄ alkyl, 3- to 10-membered heterocyclyl C₁₋₃ alkyl, 5- to 10-membered heteroaryl C₁₋₃ alkyl, cyano(C₁₋₃ alkyl), C₁₋₃ alkylsulfonyl C₁₋₄ alkyl, or 3- to 10-membered cycloaliphatic ring; or alternatively, R₂₆ and R₂₇, together with a nitrogen atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl;

R₂₈ and R₂₉, which are the same or different, each represents hydrogen, C₁₋₄ alkyl, C₂₋₆ alkenyl, C₂₋₆ alkynyl, C₁₋₄ haloalkyl, C₁₋₃ alkoxy C₁₋₄ alkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, 3- to 10-membered heterocyclyl, C₆₋₁₀ aryl C₁₋₄ alkyl, 3- to 10-membered heterocyclyl C₁₋₃ alkyl, 5-

to 10-membered heteroaryl C₁₋₃ alkyl, cyano(C₁₋₃ alkyl), C₁₋₃ alkylsulfonyl C₁₋₄ alkyl, or 3- to 10-membered cycloaliphatic ring; or alternatively, R₂₈ and R₂₉, together with a nitrogen atom linked thereto, form 3- to 10-membered heterocyclyl or 5- to 10-membered heteroaryl; R₃₀ represents C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₃₁ represents C₁₋₄ alkyl, C₃₋₇ cycloalkyl, C₁₋₄ haloalkyl, C₆₋₁₀ aryl, 5- to 10-membered heteroaryl, or 3- to 10-membered heterocyclyl;

R₃₂ represents C₁₋₄ alkyl or C₆₋₁₀ aryl;

<group P>

halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, -OH, C₁₋₃ alkoxy, C₁₋₃ haloalkoxy, 3- to 10-membered heterocyclylamino, -SO₂R₁₆, -CN, -NO₂, and 3- to 10-membered heterocyclyl;

<group Q>

halogen, C₁₋₄ alkyl, C₁₋₄ haloalkyl, -OH, C₁₋₃ alkoxy, C₁₋₆ monohydroxy alkyl, C₁₋₆ dihydroxy alkyl, C₁₋₆ trihydroxy alkyl, 3- to 10-membered heterocyclyl amine, -SO₂R₁₆, -CN, -NO₂, C₃₋₇ cycloalkyl, -COR₁₉, and 3- to 10-membered heterocyclyl which is optionally substituted by C₁₋₄ alkyl.

2. The compound of claim 1 or a pharmaceutically acceptable salt thereof, wherein A represents benzene, indole, azaindole, benzofuran, benzothiophene, benzothiazole, quinoline, or pyrrole.

3. The compound of claim 1 or 2, or a pharmaceutically acceptable salt thereof, wherein R₃ represents hydrogen, C₁₋₄ alkyl, C₆₋₁₀ aryl C₁₋₄ alkyl, or C₁₋₃ perfluoroalkyl.

4. The compound of any one of claims 1 to 3, or a pharmaceutically acceptable salt thereof, wherein R₄ represents hydrogen, halogen, C₁₋₃ alkyl, C₁₋₃ perfluoroalkyl, cyano, methanesulfonyl, hydroxyl, alkoxy, or amino.

5. The compound of claim 1 or a pharmaceutically acceptable salt thereof, which is selected from the group consisting of:

(1) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(2)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyrrolidin-1-ylmethyl-1H-indol-2-yl)-methanone;

(3)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-hydroxy-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(4)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-pyrrolo[3,2-c]pyridin-2-yl)-methanone;

(5)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-piperazin-1-ylmethyl-1H-indol-2-yl)-methanone;

(6)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(2-morpholin-4-yl-ethoxy)-1H-indol-2-yl)-methanone;

(7)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(tetrahydro-pyran-4-yloxy)-1H-indol-2-yl)-methanone;

(8)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-chloro-1H-indol-2-yl)-methanone;

(9)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-bromo-1H-indol-2-yl)-methanone;

(10)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-iodo-1H-indol-2-yl)-methanone;

(11)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-5-carbonitrile;

(12)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-bromo-5-fluoro-1H-indol-2-yl)-methanone;

(13)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-ethynyl-1H-indol-2-yl)-methanone;

(14)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(2-fluoro-phenyl)-1H-indol-2-yl)-methanone;

(15)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(3-fluoro-phenyl)-1H-indol-2-yl)-methanone;

(16)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-fluoro-phenyl)-1H-indol-2-yl]-methanone;

(17)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-chloro-phenyl)-1H-indol-2-yl]-methanone;

(18)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-chloro-phenyl)-1H-indol-2-yl]-methanone;

(19)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-chloro-phenyl)-1H-indol-2-yl]-methanone;

(20)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(21)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(22)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(23)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-bromo-1H-indol-2-yl)-methanone;

(24)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-fluoro-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(25)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-methyl-1H-indol-2-yl)-methanone;

(26)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4,4-difluoro-piperidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(27)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3,3-difluoro-piperidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(28)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-5-carboxylic acid (2,2,2-trifluoro-ethyl)-amide;

(29)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-trifluoromethyl-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(30)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(6-trifluoromethyl-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(31)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-chloro-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(32)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-methyl-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(33)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-chloro-4-fluoro-phenyl)-1H-indol-2-yl]-methanone;

(34)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-trifluoromethyl-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(35)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-trifluoromethyl-pyridin-2-yl)-1H-indol-2-yl]-methanone;

(36)

[5-amino-1-(6-fluoro-2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(37)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-6-carboxylic acid;

(38)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-hydroxymethyl-1H-indol-2-yl)-methanone;

(39)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-{6-[2-(4-methyl-piperazin-1-yl)-ethoxy]-1H-indol-2-yl}-methanone;

(40)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-methyl-oxetan-3-ylmethoxy)-1H-indol-2-yl]-methanone;

(41)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-fluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(42)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-([bis(2-methoxy-ethyl)amino]-methyl)-1H-indol-2-yl]-methanone;

(43)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-((methyl-prop-2-ynyl-amino)methyl)-1H-indol-2-yl]-methanone;

(44)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3,3-difluoro-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(45)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2,5-dimethyl-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(46)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3,3-difluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(47)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-((S)-3-methyl-morpholin-4-ylmethyl)-1H-indol-2-yl]-methanone;

(48)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-bromo-1H-indol-2-yl]-methanone;

(49)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-iodo-1H-indol-2-yl]-methanone;

(50)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[1H-pyrrolo[3,2-b]pyridin-2-yl]-methanone;

(51)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-bromo-6-trifluoromethyl-1H-indol-2-yl]-methanone;

(52)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-iodo-1H-indol-2-yl)-methanone;

(53)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-methyl-1H-indol-2-yl)-methanone;

(54)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-isopropyl-1H-indol-2-yl)-methanone;

(55)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(2-fluoro-phenyl)-1H-indol-2-yl]-methanone;

(56)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-benzyl-1H-indol-2-yl)-methanone;

(57)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(2-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(58)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3-fluorophenyl)-1H-indol-2-yl]-methanone;

(59)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(60)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-ethynyl-1H-indol-2-yl)-methanone;

(61)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5H-[1,3]dioxolo[4,5-f]indol-6-yl)-methanone;

(62)

[5-amino-1-(7-fluoro-2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(63)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4-trifluoromethyl-phenyl)-1H-indol-2-yl]-methanone;

(64)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-butoxy-1H-indol-2-yl)-methanone;

(65)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-methyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(66)

N-[2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indol-6-yl]-methanesulfonamide;

(67)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(6-morpholin-4-yl-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(68)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-butyl-1H-indol-2-yl)-methanone;

(69)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(1-methyl-1H-pyrazol-4-yl)-1H-indol-2-yl]-methanone;

(70)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-methoxy-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(71)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-methoxy-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(72)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-cyclopropyl-1H-indol-2-yl)-methanone;

(73)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-methoxy-phenyl)-1H-indol-2-yl]-methanone;

(74)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-phenyl-1H-indol-2-yl)-methanone;

(75)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-methanesulfonyl-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(76)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-isopropyl-1H-indol-2-yl)-methanone;

(77)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyridin-2-yl-1H-indol-2-yl)-methanone;

(78)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-cyclopropyl-1H-indol-2-yl)-methanone;

(79)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyridazin-3-yl-1H-indol-2-yl)-methanone;

(80)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-isopropoxy-1H-indol-2-yl)-methanone;

(81)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-(2-methoxy-ethoxy)-1H-indol-2-yl)-methanone;

(82)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-cyclopropylmethoxy-1H-indol-2-yl)-methanone;

(83)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(2,2-difluoro-5H-[1,3]dioxolo[4,5-f]indol-6-yl)-methanone;

(84)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(3-chloro-pyridin-2-yl)-1H-indol-2-yl)-methanone;

(85)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(5-fluoro-pyridin-2-yl)-1H-indol-2-yl)-methanone;

(86)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-(6-morpholin-4-yl-pyridazin-3-yl)-1H-indol-2-yl)-methanone;

(87)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-chloro-6-cyclopropylmethoxy-1H-indol-2-yl)-methanone;

(88)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2,4-difluoro-phenyl)-1H-indol-2-yl]-methanone;

(89)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyridazin-4-yl-1H-indol-2-yl)-methanone;

(90)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(3-fluoro-1H-indol-2-yl)-methanone;

(91)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-isopropyl-piperidin-4-yl)-6-trifluoromethyl-1H-indol-2-yl]-methanone;

(92)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-6-carbonitrile;

(93)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1,2,3,6-tetrahydro-pyridin-4-yl)-1H-indol-2-yl]-methanone;

(94)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-piperidin-4-yl-1H-indol-2-yl)-methanone;

(95)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-((R)-3-fluoro-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(96)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-fluoro-5-piperidin-4-yl-1H-indol-2-yl)-methanone;

(97)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-fluoro-5-(1-methyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(98)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-isopropyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(99)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-fluoro-5-(1-isopropyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(100)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyridin-3-yl-1H-indol-2-yl)-methanone;

(101)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(6-morpholin-4-ylpyridin-3-yl)-1H-indol-2-yl]-methanone;

(102)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-pyridin-3-yl-1H-indol-2-yl)-methanone;

(103)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(6-piperazin-1-yl-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(104)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(6-hydroxy-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(105)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-fluoro-5-(4-methyl-piperazin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(106)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-fluoro-5-pyrrolidin-1-ylmethyl-1H-indol-2-yl)-methanone;

(107)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(1-methyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(108)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-morpholin-4-yl-phenyl)-1H-indol-2-yl]-methanone;

(109)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3,4,5,6-tetrahydro-2H-[1,2']bipyridin-5'-yl)-1H-indol-2-yl]-methanone;

(110)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(6-piperazin-1-yl-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(111)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(6-methoxy-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(112)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-((S)-3-methyl-morpholin-4-ylmethyl)-1H-indol-2-yl]-methanone;

(113)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-((R)-3-fluoro-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(114)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(2,5-dimethyl-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(115)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3-fluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(116)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3,3-difluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(117)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-{6-[2-(4-methyl-piperazin-1-yl)pyridin-4-yl]-1H-indol-2-yl}-methanone;

(118)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-pyridin-4-yl-1H-indol-2-yl)-methanone;

(119)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4-fluoropiperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(120)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4,4-difluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(121)

[5-amino-1-(2-difluoromethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-methyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(122)

[5-amino-1-(2-difluoromethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(123)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3,3-difluoro-pyrrolidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(124)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-cyclopentyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(125)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(1-cyclohexyl-piperidin-4-yl)-1H-indol-2-yl]-methanone;

(126)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-bromo-1H-pyrrol-2-yl)-methanone;

(127)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-pyrrol-2-yl)-methanone;

(128)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-phenyl-1H-pyrrol-2-yl)-methanone;

(129)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(3-chloro-phenyl)-1H-pyrrol-2-yl]-methanone;

(130)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(4-fluoro-phenyl)-1H-pyrrol-2-yl]-methanone;

(131)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(3-fluoro-phenyl)-1H-pyrrol-2-yl]-methanone;

(132)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-morpholin-4-ylmethyl-1H-indol-2-yl)-methanone;

(133)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(2-morpholin-4-yl-ethylamino)-1H-indol-2-yl]-methanone;

(134)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4-methyl-piperazine-1-carbonyl)-1H-indol-2-yl]-methanone;

(135)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-morpholin-4-yl-ethylamino)-1H-indol-2-yl]-methanone;

(136)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(piperazine-1-carbonyl)-1H-indol-2-yl]-methanone;

(137)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(2-methoxy-ethylamino)-1H-indol-2-yl]-methanone;

(138)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(2-hydroxy-1-hydroxymethyl-ethylamino)-1H-indol-2-yl]-methanone;

(139)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(2-pyridin-4-yl-ethylamino)-1H-indol-2-yl]-methanone;

(140)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-methoxy-ethylamino)-1H-indol-2-yl]-methanone;

(141)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-morpholin-4-yl-1H-indol-2-yl]-methanone;

(142)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-morpholin-4-yl-1H-indol-2-yl]-methanone;

(143)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-morpholin-4-ylmethyl-1H-indol-2-yl]-methanone;

(144)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-morpholin-4-ylmethyl-1H-indol-2-yl]-methanone;

(145)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(morpholine-4-carbonyl)-1H-indol-2-yl]-methanone;

(146)

[5-amino-1-(2-isopropyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[1H-indol-2-yl]-methanone;

(147)

[5-amino-1-(2-propyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[1H-indol-2-yl]-methanone;

(148) [5-amino-1-(1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[1H-indol-2-yl]-methanone;

(149)

[5-amino-1-(2-trifluoromethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[1H-indol-2-yl]-methanone;

one;

(150) [5-amino-1-(2-ethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(151)

[5-amino-1-(2-benzyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-2-yl)-methanone;

(152)

1-(4-{2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indol-5-ylmethyl}-piperazin-1-yl)-ethanone;

(153)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4-methanesulfonyl-piperazin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(154)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-piperazin-1-ylmethyl-1H-indol-2-yl)-methanone;

(155)

1-(4-{2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indol-6-ylmethyl}-piperazin-1-yl)-ethanone;

(156)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-methyl-piperazin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(157)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(4-methyl-piperazin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(158)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-pyrrolidin-1-ylmethyl-1H-indol-2-yl)-methanone;

(159)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-fluoro-1H-indol-2-yl)-methanone;

(160)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-fluoro-1H-indol-2-yl)-methanone;

(161)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-fluoro-1H-indol-2-yl)-methanone;

(162)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-pyrrolo[2,3-b]pyridin-2-yl)-

methanone;

(163)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-fluoro-6-morpholin-4-yl)methyl-1H-indol-2-yl)-methanone;

(164)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-5-carboxylic acid;

(165)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-methoxy-1H-indol-2-yl)-methanone;

(166)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,6-dimethoxy-1H-indol-2-yl)-methanone;

(167)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-methoxy-1H-indol-2-yl)-methanone;

(168)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-methoxy-1H-indol-2-yl)-methanone;

(169)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,6-dimethyl-1H-indol-2-yl)-methanone;

(170)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-*tert*-butyl-1H-indol-2-yl)-methanone;

(171)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-isopropyl-1H-indol-2-yl)-methanone;

(172)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-benzyloxy-1H-indol-2-yl)-methanone;

(173)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-benzyloxy-1H-indol-2-yl)-methanone;

(174)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5,6-dimethoxy-1H-indol-2-yl)-

methanone;

(175)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-*tert*-butyl-1H-indol-2-yl)-methanone;

(176)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-fluoro-4-trifluoromethyl-1H-indol-2-yl)-methanone;

(177)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-phenoxy-1H-indol-2-yl)-methanone;

(178)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-methylsulfanyl-1H-indol-2-yl)-methanone;

(179)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-*tert*-butyl-1H-indol-2-yl)-methanone;

(180)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-methyl-1H-indol-2-yl)-methanone;

(181)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-ethyl-1H-indol-2-yl)-methanone;

(182)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-fluoro-6-trifluoromethyl-1H-indol-2-yl)-methanone;

(183)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-fluoro-5-methoxy-1H-indol-2-yl)-methanone;

(184)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-chloro-5-methoxy-1H-indol-2-yl)-methanone;

(185)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-chloro-6-methoxy-1H-indol-2-yl)-methanone;

(186)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-isopropoxy-1H-indol-2-yl)-m

ethanone;

(187)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-benzoyloxy-1H-indol-2-yl)-methanone;

(188)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-isopropoxy-1H-indol-2-yl)-methanone;

(189)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(2,3-dihydro-6H-[1,4]dioxino[2,3-f]indol-7-yl)-methanone;

(190)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,6-di-*tert*-butyl-1H-indol-2-yl)-methanone;

(191)

2-[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazole-4-carbonyl]-1H-indole-4-carbonitrile;

(192)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-imidazol-1-yl-1H-indol-2-yl)-methanone;

(193)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-trifluoromethylsulfanyl-1H-indol-2-yl)-methanone;

(194)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-methylsulfanyl-1H-indol-2-yl)-methanone;

(195)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-methanesulfonyl-1H-indol-2-yl)-methanone;

(196)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4,4-difluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(197)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-fluoro-piperidin-1-ylmethyl)-1H-indol-2-yl]-methanone;

(198)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(oxetan-3-yloxy)-1H-indol-2-

yl]-methanone;

(199)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-hydroxy-1H-indol-2-yl)-methanone;

(200)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-methanesulfonyl-1H-indol-2-yl)-methanone;

(201)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,5-dibromo-1H-pyrrol-2-yl)-methanone;

(202)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,5-diphenyl-1H-pyrrol-2-yl)-methanone;

(203)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,5-dipyridin-3-yl-1H-pyrrol-2-yl)-methanone;

(204) [5-amino-1-(2-methyl-3H-

benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-chloro-1H-indol-2-yl)-methanone;

(205)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-chloro-1H-indol-2-yl)-methanone;

(206)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-3-yl)-methanone;

(207)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(1H-indol-6-yl)-methanone;

(208)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-bromo-6-fluoro-1H-indol-2-yl)-methanone;

(209)

[5-amino-1-(2-ethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-bromo-6-fluoro-1H-indol-2-yl)-methanone;

(210)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-trifluoromethyl-1H-indol-2-yl)-methanone;

(211)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-trifluoromethoxy-1H-indol-2-

yl)-methanone;

(212)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,6-dichloro-1H-indol-2-yl)-methanone;

(213)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-bromo-4-fluoro-1H-indol-2-yl)-methanone;

(214)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-trifluoromethoxy-1H-indol-2-yl)-methanone;

(215)

[5-amino-1-(2-ethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-trifluoromethoxy-1H-indol-2-yl)-methanone;

(216)

[5-amino-1-(2-ethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5-trifluoromethyl-1H-indol-2-yl)-methanone;

(217)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(5,6-dichloro-1H-indol-2-yl)-methanone;

(218)

[5-amino-1-(2-ethyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(6-bromo-5-fluoro-1H-indol-2-yl)-methanone;

(219)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,5-dichloro-1H-indol-2-yl)-methanone;

(220)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4,6-difluoro-1H-indol-2-yl)-methanone;

(221)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-chloro-pyridin-4-yl)-1H-indol-2-yl]-methanone;

(222)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(6-methyl-pyridine-3-yl)-1H-indol-2-yl]-methanone;

(223)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-fluoro-pyridin-3-yl)-1H-in

dol-2-yl]-methanone;

(224)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-trifluoromethyl-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(225)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-chloro-2-methoxy-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(226)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(5-chloro-pyridin-3-yl)-1H-indol-2-yl]-methanone;

(227)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(thiophen-3-yl)-1H-indol-2-yl]-methanone;

(228)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(4-chloropyridin-3-yl)-1H-indol-2-yl]-methanone;

(229)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(thiophen-2-yl)-1H-indol-2-yl]-methanone;

(230)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(3-fluoro-pyridin-4-yl)-1H-indol-2-yl]-methanone;

(231)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[6-(2-trifluoromethyl-pyridin-4-yl)-1H-indol-2-yl]-methanone;

(232)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3,3-difluoro-pyrrolidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(233)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(2,6-dimethyl-morpholine-4-carbonyl)-1H-indol-2-yl]-methanone;

(234) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-([1,4'

bipiperidinyl-1'-carbonyl)-1H-indol-2-yl]-methanone;

(235)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-[4-(2,2,2-trifluoro-ethyl)-piperazine-1-carbonyl]-1H-indol-2-yl]-methanone;

(236)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-{5-[4-(2-hydroxy-ethyl)-piperazine-1-carbonyl]-1H-indol-2-yl}-methanone;

(237)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-(3,3,4,4-tetrafluoro-pyrrolidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(238)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-((R)-3-fluoro-pyrrolidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(239)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[5-((S)-3-fluoro-pyrrolidine-1-carbonyl)-1H-indol-2-yl]-methanone;

(240)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(4-methoxy-phenyl)-1H-pyrrol-2-yl]-methanone;

(241)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(3-methoxy-phenyl)-1H-pyrrol-2-yl]-methanone;

(242)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4,5-bis-(3-fluoro-phenyl)-1H-pyrrol-2-yl]-methanone;

(243)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4,5-bis-(4-methoxy-phenyl)-1H-pyrrol-2-yl]-methanone;

(244)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(2,4-difluoro-phenyl)-1H-pyrrol-2-yl]-methanone;

(245)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4-(4-trifluoromethoxy-phenyl)-1H-pyrrol-2-yl]-methanone;

(246)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-[4,5-bis-(3-methoxy-phenyl)-1H-pyrrol-2-yl]-methanone;

(247)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-benzofuran-2-yl-methanone;

(248) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-benzo[b]

thiophen-2-yl-methanone;

(249)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-benzothiazol-2-yl-methanone;

(250)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(4-fluoro-phenyl)-methanone;

(251)

[5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-(3-chloro-phenyl)-methanone;

(252) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-quinolin-3-yl-methanone;

(253) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-quinolin-7-yl-methanone;

and

(254) [5-amino-1-(2-methyl-1H-benzimidazol-5-yl)-1H-pyrazol-4-yl]-quinolin-6-yl-methanone.

6. A pharmaceutical composition comprising the compound of any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof; and a carrier.

7. An agent for inhibiting FGFR activity, which comprises as an active ingredient the compound of any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof.

8. An agent for preventing or treating cancer, which comprises as an active ingredient the compound of any one of claims 1 to 5, or a pharmaceutically acceptable salt thereof.

9. The agent for preventing or treating cancer of claim 8, wherein the cancer is at least one selected from the group consisting of:


breast cancer, acute myelocytic leukemia, pancreatic cancer, bladder cancer, prostatic cancer, esophageal cancer, angiogenesis, stomach cancer, uterine body cancer, ovarian cancer, brain tumor, colon cancer, multiple myeloma, hepatocarcinoma, pulmonary cancer, and thyroid cancer.

10. A method for preventing or treating cancer, comprising administering a pharmaceutically effective amount of a composition comprising the compound of any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof to a patient in need of prevention or treatment of cancer.

11. Use of the compound of any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof in the production of an agent for preventing or treating cancer.

12. The compound of any one of claims 1 to 5 or a pharmaceutically acceptable salt thereof, for use in preventing or treating cancer.

Dated this 10th day of February 2012.


 (ASHISH K. SHARMA)
 Of SUBRAMANIAM, NATARAJ & ASSOCIATES
 Attorneys for the applicants

DESCRIPTION

AMINOPYRAZOLE DERIVATIVE

Technical Field

The present invention relates to aminopyrazole derivatives and uses thereof.

Background Art

Most of currently promising molecular-targeted drugs against cancer are receptor tyrosine kinase inhibitors such as erlotinib and lapatinib. Many of them are highly effective against cancers with mutation, amplification, or overexpression of target genes. However, such molecular-targeted agents cannot exert efficacy against cancers in which genes that are not their targets are altered. Thus, there is still no established therapeutic method that is effective against such cancers. Inhibitors against novel genes altered in cancer are expected to make a great contribution to treatment of cancer patients on whom conventional drugs have no effect.

Fibroblast growth factor receptors (FGFRs) are kinases belonging to the receptor tyrosine kinase family. FGFR1, FGFR2, FGFR3, and FGFR4 constitute the FGFR family. The ligand is fibroblast growth factor (FGF), and 22 types of structurally similar proteins form a family. It is known that each FGFR is activated upon overexpression, gene amplification, mutation, or translocation, and serves as a cause of cancer. The FGFR signal follows the MAPK pathway or PI3K/AKT pathway. In cancer, the signal is known to be involved in cell growth, angiogenesis, cell migration, invasion, metastasis, and such (Non-patent Document 1).

The FGFR1 gene is known to be amplified in breast cancer and non-small cell lung cancer (Non-patent Documents 2 and 3); mutated in glioblastoma (Non-patent Document 4); translocated to generate a fusion protein in acute myelocytic leukemia (Non-patent Document 5); and overexpressed in pancreatic cancer, bladder cancer, prostatic cancer, and esophageal cancer. Furthermore, FGFR1 is known to be expressed in neovessels and greatly contribute to angiogenesis (Non-patent Document 6). The FGFR2 gene is known to be amplified in stomach cancer and breast cancer (Non-patent Documents 7 and 8); mutated in endometrial cancer (Non-patent Document 9); and overexpressed in prostatic cancer, esophageal cancer, ovarian cancer, pancreatic cancer, brain tumor, and colon cancer. The FGFR3 gene is known to be translocated in multiple myeloma (Non-patent Document 10); mutated in bladder cancer (Non-patent Document 11); and overexpressed in ovarian cancer, non-small cell lung cancer, and hepatocellular carcinoma. Finally, FGFR4 is known to be mutated in lung cancer, ovarian cancer, prostatic cancer, etc.; and overexpressed in thyroid cancer, ovarian cancer, etc.

As described above, all FGFR family kinases have been strongly suggested to be

