

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2016276556 C1**

(54) Title
Affinity entities comprising a TCR-like antibody binding domain with high affinity and fine specificity and uses of same

(51) International Patent Classification(s)
C07K 16/28 (2006.01) **C07K 16/30** (2006.01)
A61K 39/00 (2006.01) **C07K 16/40** (2006.01)
A61P 35/00 (2006.01)

(21) Application No: **2016276556** (22) Date of Filing: **2016.06.08**

(87) WIPO No: **WO16/199141**

(30) Priority Data

(31) Number	(32) Date	(33) Country
62/172,264	2015.06.08	US
N2014935	2015.06.08	NL

(43) Publication Date: **2016.12.15**

(44) Accepted Journal Date: **2022.08.11**

(44) Amended Journal Date: **2023.01.19**

(71) Applicant(s)
Adicet Bio Inc.

(72) Inventor(s)
Peled Kamar, Mira;Denkberg, Galit;Reiter, Yoram;Beer, Ilan;Sinik, Keren;Teboul (Elbaz), Yael;Shperber (Sery), Yael;Erel Segal, Reut;Oren, Ravit;Alishekevitz, Dror Shmuel

(74) Agent / Attorney
Spruson & Ferguson, GPO Box 3898, Sydney, NSW, 2001, AU

(56) Related Art
WO 2008/120202 A2
Yael Michaeli et al, THE JOURNAL OF IMMUNOLOGY, vol. 182, no. 10, pages 6328 - 6341
Adrian Sim, "THE DEVELOPMENT, CHARACTERIZATION AND APPLICATION OF TCR-LIKE MONOCLONAL ANTIBODIES WITH SPECIFICITY FOR EPSTEIN-BARR VIRUS LATENT EPITOPES", (2012-01-01), URL: <http://scholarbank.nus.edu.sg/handle/10635/34679>, (2015-11-05)

(19) World Intellectual Property
Organization

International Bureau

(43) International Publication Date
15 December 2016 (15.12.2016)(10) International Publication Number
WO 2016/199141 A8

(51) International Patent Classification:

A61K 39/00 (2006.01) C07K 16/30 (2006.01)
A61P 35/00 (2006.01) C07K 16/40 (2006.01)
C07K 16/28 (2006.01)

(21) International Application Number:

PCT/IL2016/050600

(22) International Filing Date:

08 June 2016 (08.06.2016)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

N2014935 08 June 2015 (08.06.2015) NL
62/172,264 08 June 2015 (08.06.2015) US

(71) Applicant: ADICET BIO INC. [US/US]; 200 Constitution Drive, 94025 Menlo Park, CA (US).

(72) Inventors: PELED KAMAR, Mira; 7 Shalonski Street, 4676707 Herzlia (IL). DENKBERG, Galit; 63 Gilboa Street, 3600100 Nofit (IL). REITER, Yoram; 23 Esther Rabin Street, 3498784 Haifa (IL). BEER, Ilan; 3 Petel Street, 3455614 Haifa (IL). SINIK, Keren; 60 HaTzavim Street, 3009500 Ramat-Yishai (IL). TEBOUL (ELBAZ), Yael; 10 Hasidey Umot HaOlam Street, 3298523 Haifa (IL). SHPERBER (SERY), Yael; 87 Snir Street, 2514700 Kfar-Vradim (IL). EREL SEGAL, Reut; 5/16 Shlomo Goren Street, 2650316 Haifa (IL). OREN, Ravit; 37 Beit Alfa Street, 2622153 Haifa (IL). ALISHEKEVITZ, Dror Shmuel; 77 Tamar Street, 3653405 Kiryat-Tivon (IL).

(74) Agent: EHRLICH, Gal et al.; G.E. Ehrlich (1995) Ltd., 11 Menachem Begin Road, 5268104 Ramat Gan (IL).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ,

UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).

Published:

- with international search report (Art. 21(3))
- with sequence listing part of description (Rule 5.2(a))
- with information concerning authorization of rectification of an obvious mistake under Rule 91.3 (b) (Rule 48.2(i))

(88) Date of publication of the international search report:

19 January 2017 (19.01.2017)

(48) Date of publication of this corrected version:

16 November 2017 (16.11.2017)

(15) Information about Correction:

see Notice of 16 November 2017 (16.11.2017)

(54) Title: AFFINITY ENTITIES COMPRISING A TCR-LIKE ANTIBODY BINDING DOMAIN WITH HIGH AFFINITY AND FINE SPECIFICITY AND USES OF SAME

(57) Abstract: Affinity binding entities having TCRL binding domain and methods of their use are provided. More specifically these compositions bind HLA-A2/WT1+, HLA-A2/MAGE-A4, HLA-A2/MAGE-A9, HLA-A2/PAP or HLA-A2/Tyr D+ cells and as such can be used in diagnostics and therapy.



WO 2016/199141 A8

AFFINITY ENTITIES COMPRISING A TCR-LIKE ANTIBODY BINDING DOMAIN WITH HIGH AFFINITY AND FINE SPECIFICITY AND USES OF SAME

5 FIELD AND BACKGROUND OF THE INVENTION

The present invention, in some embodiments thereof, relates to affinity entities comprising a TCR-like antibody binding domain with high affinity and fine specificity and uses of same.

10 Tumor and virus-infected cells are recognised by CD8⁺ cytotoxic T cells that, in response, are activated to eliminate these cells. In order to be activated, the clonotypic T-cell receptor (TCR) needs to encounter a specific peptide antigen presented by the membrane surface major histocompatibility complex (MHC) molecule. Cells that have undergone malignant transformation or viral infection present peptides derived from tumour-associated antigens or viral proteins on their MHC class I molecules. Therefore, 15 disease-specific MHC-peptide complexes are desirable targets for immunotherapeutic approaches. One such approach transforms the unique fine specificity but low intrinsic affinity of TCRs to MHC-peptide complexes into high-affinity soluble antibody molecules endowed with a TCR-like specificity towards tumour or viral epitopes. These antibodies, termed TCR-like antibodies, are being developed as a new class of 20 immunotherapeutics that can target tumour and virus-infected cells and mediate their specific killing. In addition to their therapeutic capabilities, TCR-like antibodies are being developed as diagnostic reagents for cancer and infectious diseases, and serve as valuable research tools for studying MHC class I antigen presentation.

Any discussion of the prior art throughout the specification should in no way be 25 considered as an admission that such prior art is widely known or forms part of common general knowledge in the field.

SUMMARY OF THE INVENTION

30 In one aspect, the present disclosure provides an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy Chain (HC)	SEQ ID NO: 309	SYGVH
CDR2 HC	SEQ ID NO: 310	VIWAGGTTNYNSALMS
CDR3 HC	SEQ ID NO: 311	DGHFHDF
CDR1 Light Chain (LC)	SEQ ID NO: 303	RASDIYSNLA
CDR2 LC	SEQ ID NO: 304	AATNLAA
CDR3 LC	SEQ ID NO: 305	QHFWGSSIS

said affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner, and wherein said affinity binding entity is selected from the group consisting of an antibody, a CAR and a TCR.

In another aspect, the present disclosure provides an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy Chain (HC)	SEQ ID NO: 293	TSGMGVS
CDR2 HC	SEQ ID NO: 294	HIYWDDDKRYNPSLKS
CDR3 HC	SEQ ID NO: 295	KDYGSSFYAMHY
CDR1 Light Chain (LC)	SEQ ID NO: 287	KASQDIHNYIA
CDR2 LC	SEQ ID NO: 288	YTSTLQP
CDR3 LC	SEQ ID NO: 289	LQYDNLWT

said affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner, and wherein said affinity binding entity is selected from the group consisting of an antibody, a CAR and a TCR.

In another aspect, the present disclosure provides an isolated polynucleotide comprising a nucleic acid sequence encoding an antibody of the invention.

In another aspect, the present disclosure provides an expression vector comprising a polynucleotide of the invention operably linked to a cis-acting regulatory element.

In another aspect, the present disclosure provides an isolated polynucleotide comprising an affinity binding entity of the invention.

In another aspect, the present disclosure provides a cell comprising a polynucleotide of the invention, or an expression vector of the invention.

In another aspect, the present disclosure provides a pharmaceutical composition comprising an affinity binding entity of the invention, a vector of the invention or a cell of the invention.

In another aspect, the present disclosure provides a method of detecting a HLA-A2/Tyrosinase complex-positive cancer cell, comprising contacting the cell with an antibody of the invention, under conditions which allow immunocomplex formation, wherein a presence of said immunocomplex or level thereof is indicative of the cancer cell.

In another aspect, the present disclosure provides a method of diagnosing and treating cancer associated with expression of an HLA-A2/Tyrosinase complex in a subject in need thereof, comprising:

- (a) detecting the presence of cancer cells in the subject according to a method of the invention;
- (b) diagnosing the subject as having cancer when cancer cells are detected;
- (c) treating the cancer in the subject.

In another aspect, the present disclosure provides a method of diagnosing cancer associated with expression of an HLA-A2/Tyrosinase complex in a subject in need thereof, comprising contacting a cell of the subject with an antibody of the invention, under conditions which allow immunocomplex formation, wherein a presence of said immunocomplex or level thereof is indicative of the cancer.

In another aspect, the present disclosure provides a method of treating a cancer associated with expression of an HLA-A2/Tyrosinase complex, comprising administering to a subject in need thereof a therapeutically effective amount of an affinity binding entity of the invention, a vector of the invention or a cell of the invention, thereby treating the cancer.

In another aspect, the present disclosure provides use of an affinity binding entity of the invention, a vector of the invention or a cell of the invention in the manufacture of a medicament for treating cancer associated with expression of an HLA-A2/Tyrosinase complex.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy		
Chain (HC)	SEQ ID NO: 309	SYGVH
CDR2 HC	SEQ ID NO: 310	VIWAGGTTNYSALMS
CDR3 HC	SEQ ID NO: 311	DGHFHFDF

2016276556 12 Jul 2022

theCDR1 Light
Chain (LC)
CDR2 LC

SEQ ID NO: 303
SEQ ID NO: 304

lc

RASDIIYSNLA
AATNLAA

CDR3 LC SEQ ID NO: 305 QHFWGSSIS
the affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising

5 CDR sequences which are N-C ordered:

CDR1 Heavy Chain (HC)	SEQ ID NO: 293	TSGMGVS
CDR2 HC	SEQ ID NO: 294	HIYWDDDKRYNPSLKS
CDR3 HC	SEQ ID NO: 295	KDYGSSSFYAMHY
the CDR1 Light Chain (LC)	SEQ ID NO: 287	KASQDIHNYIA
CDR2 LC	SEQ ID NO: 288	YTSTLQP
CDR3 LC	SEQ ID NO: 289	LQYDNLWT

the affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising

10 CDR sequences which are N-C ordered:

CDR1 HC	SEQ ID NO: 325	SYDMS
CDR2 HC	SEQ ID NO: 326	YMSSGGGTYYPTVKG
CDR3 HC	SEQ ID NO: 327	HDEITNFDY
CDR1 LC	SEQ ID NO: 319	RASQSI NSLH
CDR2 LC	SEQ ID NO: 320	YASQSI
CDR3 LC	SEQ ID NO: 321	QQSYSWPLT

the affinity binding entity capable of binding HLA-A2/ WT₁₂₆₋₁₃₄ in an MHC restricted manner.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising

15 CDR sequences which are N-C ordered:

CDR1 HC	SEQ ID NO: 341	GYWIE
CDR2 HC	SEQ ID NO: 342	EILPGSGGTNYNEKFKG
CDR3 HC	SEQ ID NO: 343	DSNSFTY
CDR1 LC	SEQ ID NO: 335	SVSSSVDYIH
CDR2 LC	SEQ ID NO: 336	STSILAS
CDR3 LC	SEQ ID NO: 337	QQRSSYT

the affinity binding entity capable of binding HLA-A2/ MAGE-A4₃₂₈₋₃₄₃ in an MHC restricted manner.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 HC	SEQ ID NO: 357	FSSSWMN
CDR2 HC	SEQ ID NO: 358	RIYPGDGDTNYNEKFKG
CDR3 HC	SEQ ID NO: 359	EATTVVAPYYFDY
CDR1 LC	SEQ ID NO: 351	RASENIYRNLA
CDR2 LC	SEQ ID NO: 352	AATNLAD
CDR3 LC	SEQ ID NO: 353	QHFWGTPLT

the affinity binding entity capable of binding HLA-A2/ MAGE-A9₃₄₄₋₃₅₉ in an MHC restricted manner.

According to an aspect of some embodiments of the present invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 HC	SEQ ID NO: 373	DYNMD
CDR2 HC	SEQ ID NO: 374	DINPNYDTTTYNQKFKG
CDR3 HC	SEQ ID NO: 375	RNYGNYVGDFD
CDR1 LC	SEQ ID NO: 367	KASQRVNNDVA
CDR2 LC	SEQ ID NO: 368	YASNRYT
CDR3 LC	SEQ ID NO: 369	QQDYSSPFT

the affinity binding entity capable of binding HLA-A2/ PAP₃₆₀₋₃₇₅ in an MHC restricted manner.

According to some embodiments of the invention, the affinity binding entity is selected from the group consisting of an antibody, a CAR and a TCR.

According to some embodiments of the invention, the affinity binding entity is an antibody.

According to some embodiments of the invention, the affinity binding entity is a TCR.

According to some embodiments of the invention, the affinity binding entity is a CAR.

According to some embodiments of the invention, the affinity binding entity is a soluble entity.

According to some embodiments of the invention, the affinity binding entity is a humanized antibody.

According to some embodiments of the invention, the affinity binding entity comprises a therapeutic moiety.

According to some embodiments of the invention, the affinity binding entity comprises a detectable moiety.

5 According to some embodiments of the invention, the antibody is a single chain antibody, a bi-specific antibody or a full length antibody.

According to an aspect of some embodiments of the present invention there is provided an isolated polynucleotide comprising a nucleic acid sequence encoding the affinity binding entity.

10 According to an aspect of some embodiments of the present invention there is provided an expression vector comprising the polynucleotide operally linked to a cis-acting regulatory element.

According to an aspect of some embodiments of the present invention there is provided a cell comprising the polynucleotide or the expression vector.

15 According to an aspect of some embodiments of the present invention there is provided a pharmaceutical composition comprising the affinity binding entity, the vector or the cell.

According to an aspect of some embodiments of the present invention there is provided a method of detecting a cancer cell, comprising contacting the cell with the
20 antibody, under conditions which allow immunocomplex formation, wherein a presence of the immunocomplex or level thereof is indicative of the cancer cell.

According to an aspect of some embodiments of the present invention there is provided a method of diagnosing and treating cancer in a subject in need thereof, comprising:

25 (a) detecting the presence of cancer cells in the subject according to the method;

(b) diagnosing the subject as having cancer when cancer cells are detected;

(c) treating the subject with an anti-cancer therapy.

According to an aspect of some embodiments of the present invention there is
30 provided a method of diagnosing cancer in a subject in need thereof, comprising contacting a cell of the subject with the antibody, under conditions which allow

immunocomplex formation, wherein a presence of the immunocomplex or level thereof is indicative of the cancer.

According to some embodiments of the invention, the cell is a skin cell.

According to an aspect of some embodiments of the present invention there is provided a method of treating a cancer, comprising administering to a subject in need thereof a therapeutically effective amount of the affinity binding entity, the vector or the cell, thereby treating the cancer.

According to an aspect of some embodiments of the present invention there is provided use of the affinity binding entity, the vector or the cell in the manufacture of a medicament for treating cancer.

According to some embodiments of the invention, the affinity binding entity is for TyrD the cancer is selected from the group consisting of melanoma and glioblastoma.

According to some embodiments of the invention, the affinity binding entity is for WT1 the cancer is selected from the group consisting of chronic myelocytic leukemia, multiple myeloma (MM), acute lymphoblastic leukemia (ALL), acute myeloid/myelogenous leukemia (AML), myelodysplastic syndrome (MDS), mesothelioma, ovarian cancer, gastrointestinal cancers e.g., colorectal cancer adenocarcinoma, thyroid cancer, breast cancer, lung cancer (e.g., non small cell lung cancer), melanoma, osteosarcoma, endometrial cancer, prostate cancer and glioblastoma.

According to some embodiments of the invention, when the affinity binding entity is for MAGE-A4 the cancer is selected from the group consisting of melanoma, ovarian cancer, T cell leukemia/lymphoma (e.g., ATLL), testicular cancer, head and neck cancer, bladder cancer and esophagus cancer.

According to some embodiments of the invention, the affinity binding entity is for MAGE-A9 the cancer is selected from the group consisting of renal cell carcinoma, bladder cancer, breast cancer and hepatocellular carcinoma.

According to some embodiments of the invention, the affinity binding entity is for PAP the cancer is selected from the group consisting of prostate cancer.

Unless otherwise defined, all technical and/or scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which

the invention pertains. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of embodiments of the invention, exemplary methods and/or materials are described below. In case of conflict, the patent specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative only and are not intended to be necessarily limiting.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWING(S)

Some embodiments of the invention are herein described, by way of example only, with reference to the accompanying drawings. With specific reference now to the drawings in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of embodiments of the invention. In this regard, the description taken with the drawings makes apparent to those skilled in the art how embodiments of the invention may be practiced.

In the drawings:

Figure 1: Apparent binding affinity determination of TCR-like antibodies targeting HLA-A2/Tyrosinase complexes. Purified IgGs were immobilized indirectly to the SPR sensor chip with anti-mouse or human IgG. Analyte was purified recombinant single-chain HLA-A2/Tyrosinase complexes generated by in vitro refolding of E.coli expressed scHLA-A2 complexes.

Figure 2: Epitope specificity determination of TCR-like antibodies by Alanine scanning. The Tyrosinase peptide sequence was substituted with Alanine at positions 1,2,3,4,5,6,7, and 8. The Ala mutated peptides were synthesized and loaded onto T2 cells APCs at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding of TCR-like antibodies at a concentration of 10µg/ml was accessed by flow cytometry and binding intensity as measured by mean fluorescence intensity was measured and compared with the binding intensity to WT native Tyrosinase peptide. The relative effect of each position Ala substitution was evaluated as percentage to the binding to WT peptide.

Figure 3: Binding of D11 and D7 TCR-like antibodies to T2 APCs loaded with tyrosinase peptide and control HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-

mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 4: Binding of D11 and D7 TCR-like antibodies to T2 APCs loaded with tyrosinase peptide and control HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 5: Binding of D11 TCR-like antibody to T2 APCs loaded with tyrosinase peptide and control HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 6: Binding of D7 TCR-like antibody to T2 APCs loaded with tyrosinase peptide and control HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 7: Binding of MC1 TCR-like antibody to T2 APCs loaded with tyrosinase peptide and control HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 8: Binding of MC1 TCR-like antibody to melanoma cells that express HLA-A2 and Tyrosinase. Melanoma cells were monitored by flow cytometry for binding of TCR-like antibody MC1 using secondary PE-labeled anti-human IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 9: Binding of MC1 TCR-like antibody to HLA-A2+ and Tyrosinase antigen positive or negative cells. Tumor cells that express HLA-A2 and are positive or negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody MC1 using secondary PE-labeled anti-human IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 10: Binding of D11 and D7 TCR-like antibodies to HLA-A2+ and Tyrosinase antigen positive or negative cells. Tumor cells that express HLA-A2 and are positive or negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody MC1 using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 11: Binding of D11 and D7 TCR-like antibodies to HLA-A2+ and Tyrosinase negative cells. Tumor cells that express HLA-A2 and are negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody MC1 using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 12: Comparative Binding of D11, D7, and MC1 TCR-like antibodies to HLA-A2+ and Tyrosinase positive or negative cells. Tumor cells that express HLA-A2 and are positive or negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody D11, D7, and MC1 using secondary PE-labeled anti-mouse IgG.

Figure 13: Binding of D11 TCR-like antibody to HLA-A2+ / Tyrosinase negative normal primary cells. Primary normal cells of histological origin as indicated that express HLA-A2 and are negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody D11, using secondary PE-labeled anti-mouse IgG. MAb BB7.2 was used to monitor expression of HLA-A2.

Figure 14: Binding of D11 TCR-like antibody to HLA-A2+ / Tyrosinase negative normal primary cells. Primary normal cells of histological origin as indicated that express HLA-A2 and are negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody D11, using secondary PE-labeled anti-mouse IgG.

Figure 15: Binding of D7 TCR-like antibody to HLA-A2+ / Tyrosinase negative normal primary cells. Primary normal cells of histological origin as indicated that

express HLA-A2 and are negative for Tyrosinase were monitored by flow cytometry for binding of TCR-like antibody D7, using secondary PE-labeled anti-mouse IgG.

Figure 16: Binding of BB7.2 to normal primary cells. Primary normal cells of histological origin were monitored by flow cytometry for expression of HLA-A2 using MAb BB7.2 and secondary PE-labeled anti-mouse IgG.

Figure 17: Binding of MC1, D11 and D7 TCR-like antibodies to normal PBMCs. PBMCs were characterized for HLA-A2 homo or heterozygosity by PCR. Binding of TCR-like antibodies was monitored by PE-labeled secondary anti-mouse IgG.

Figure 18: Summary of D11 TCR-like antibody selectivity. Binding of D11 TCR-like antibodies to HLA-A2+ antigen positive and negative cells was monitored by using PE-labeled anti-mouse IgG. +/- indicate tyrosinase mRNA gene expression as measured by PCR. HLA-A2 expression was monitored with MAb BB7.2.

Figure 19: Summary of D7 TCR-like antibody selectivity. Binding of D7 TCR-like antibodies to HLA-A2+ antigen positive and negative cells was monitored by using PE-labeled anti-mouse IgG. +/- indicate tyrosinase mRNA gene expression as measured by PCR. HLA-A2 expression was monitored with MAb BB7.2.

Figure 20: Binding of MC1, D11, and D7 TCR-like antibodies to T2 APCs loaded with tyrosinase peptide and tyrosinase similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-4} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG.

Figure 21: Binding of D11 TCR-like antibody to T2 APCs loaded with tyrosinase peptide similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 22: Binding of D11 TCR-like antibody to T2 APCs loaded with tyrosinase peptide similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 23: Binding of D11 TCR-like antibody to T2 APCs loaded with tyrosinase peptide similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 24: Binding of D11 TCR-like antibody to T2 APCs loaded with tyrosinase similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 25: Binding of D7 TCR-like antibody to T2 APCs loaded with tyrosinase similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 26: Binding of D7 TCR-like antibody to T2 APCs loaded with tyrosinase similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 27: Binding of D7 TCR-like antibody to T2 APCs loaded with tyrosinase similar HLA-A2 restricted peptides. T2 cells were loaded with Tyrosinase peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 28: Binding of D7 TCR-like antibody to T2 APCs loaded with tyrosinase similar HLA-A2 restricted peptides identified after alanine scanning. T2 cells were loaded with Tyrosinase peptide and indicated peptides which were selected according to epitope recognition specificity of by D7 of Ala mutated peptides at a concentration of 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 29: Apparent binding affinity determination of TCR-like antibody B47B6 targeting HLA-A2/WT1 complexes. Purified IgGs were immobilized indirectly to the SPR sensor chip with anti-mouse. Analyte was purified recombinant single-chain HLA-A2/WT1 complexes generated by in vitro refolding of E.coli expressed scHLA-A2 complexes.

Figure 30: Binding of B47 and ESK1 TCR-like antibodies to T2 APCs loaded with WT1 HLA-A2 restricted peptide. T2 cells were loaded with WT1 at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG (for B47) or human IgG (for ESK1). MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 31: Binding of B47 and ESK1 TCR-like antibodies to T2 APCs loaded with WT1 peptide and control HLA-A2 restricted peptides. T2 cells were loaded with WT1 peptide and indicated peptides at a concentration of 10^{-4} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG (for B47) or human IgG (for ESK1). MAb BB7.2 was used to monitor expression of HLA-A2. Mean fluorescence intensity (MFI) is indicated.

Figure 32: Binding of B47 and ESK1 TCR-like antibodies to T2 APCs loaded with WT1 similar HLA-A2 restricted peptides. T2 cells were loaded with WT1 peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG (for B47) or human IgG (for ESK1). Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 33: Binding of B47 TCR-like antibody to T2 APCs loaded with WT1 peptide or control HLA-A2 restricted peptides. T2 cells were loaded with WT1 peptide and indicated peptides at a concentration of 10^{-4} M for 12 hrs at 37°C. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 34: Binding of B47 TCR-like antibody to T2 APCs loaded with WT1 similar HLA-A2 restricted peptides. T2 cells were loaded with WT1 peptide and indicated peptides at a concentration of 10^{-4} - 10^{-5} M for 12 hrs at 37°C. Binding was

monitored by flow cytometry using secondary PE-labeled anti-mouse IgG. Binding of MAb BB7.2 ensured measurement of peptide loading efficiency.

Figure 35: Binding of B47 and ESK1 TCR-like antibodies to HLA-A2 positive cells that express or not express WT1. Binding was monitored by flow cytometry using secondary PE-labeled anti-mouse IgG (for B47) or human IgG (for ESK1). Expression of HLA-A2 was assessed with MAb BB7.2.

Figure 36: Summary of B47 TCR-like antibody selectivity. Binding of B47 TCR-like antibodies to HLA-A2+ antigen positive and negative cells was monitored by using PE-labeled anti-mouse IgG. +/- indicate WT1 mRNA gene expression as measured by PCR. HLA-A2 expression was monitored with MAb BB7.2.

Figure 37: Epitope specificity determination of TCR-like antibodies by Alanine scanning. The WT1 peptide sequence was substituted with Alanine at positions 1, 3, 4,5, 7, and 8. The Ala mutated peptides were synthesized and loaded APCs Binding of TCR-like antibody ESK1 was accessed by flow cytometry and binding intensity as measured by mean fluorescence intensity was measured and compared with the binding intensity to WT native WT1 peptide. The relative effect of each position Ala substitution was evaluated as percentage to the binding to WT peptide. Data from Dao et al. Sci Transl Med 5, 176ra33 (2013).

Figure 38: Binding of D11, D7, and biotinylated MC1 to T2 APCs loaded with Tyrosinase peptide and Tyrosinase similar HLA-A2 restricted peptides. S17-S23 are Alanine-based similar peptides. T2 cells were loaded with Tyrosinase and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with TCRL antibodies at a concentration of 10 µg/ml followed by secondary PE-labeled streptavidin/anti-mouse antibody and analyzed by flow cytometry Mean fluorescence intensity (MFI) is indicated.

Figure 39: Binding of D11, D7 and MC1 TCR-like antibodies to T2 APCs loaded with Tyrosinase peptide and Tyrosinase similar HLA-A2 restricted peptides. KIAA0355, S7, S17-S23 are Alanine-based similar peptides. T2 cells were loaded with Tyrosinase and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with TCRL antibodies at a concentration of 10 µg/ml followed by secondary PE-labeled streptavidin/anti-mouse antibody and analyzed by flow cytometry Mean fluorescence intensity (MFI) is indicated.

Figures 40A-C: Binding of D11 (Figure 40A), D7 (Figure 40B) and biotinylated MC1 (Figure 40C) TCR-like antibodies to HLA-A2+, Tyrosinase antigen positive or negative cells. Tumor and normal primary cells that express HLA-A2 were tested by qPCR for Tyrosinase mRNA expression. Tumor cells were stained with the indicated
5 TCR-like antibodies at a concentration of 10 µg/ml followed by secondary PE-labeled streptavidin/anti-mouse antibody and analyzed by flow cytometry. Mean fluorescence intensity (MFI) is indicated.

Figure 41: Killing of HLA-A2+/Tyrosinase+ (positive) and HLA-A2+/Tyrosinase- (negative) cell lines by bi-specific (BS) TCRL having an anti CD-3
10 arm and a D11 arm, termed Tyr D11 BS TCRL. Tyr D11 BS TCRL was incubated with melanoma HLA-A2+/Tyrosinase+ cells and control tumor cells that are HLA-A2+/Tyrosinase-. Cells were incubated for 24 hrs with the Tyr D11 BS TCRL and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio (10:1 effector:target ratio). Cytotoxicity determined by lactate dehydrogenase (LDH) release assay.

15 Figure 42: Killing of HLA-A2+/Tyrosinase- normal primary cells by Tyr D11. BS D11 was incubated with melanoma HLA-A2+/Tyrosinase+ cells as control and normal primary cells that are HLA-A2+/Tyrosinase-. Cells were incubated for 24 hrs with the D11 BS TCRL and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio.

20 Figure 43: Killing of HLA-A2+/Tyrosinase+ and HLA-A2+/Tyrosinase- cell lines by Tyr D7 BS TCRL. D7 BS was incubated with melanoma HLA-A2+/Tyrosinase+ cells and control tumor cells that are HLA-A2+/Tyrosinase-. Cells were incubated for 24 hrs with the D7 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio.

25 Figure 44: Killing of HLA-A2+/Tyrosinase- normal primary cells by D7 BS. D7 BS was incubated with melanoma HLA-A2+/Tyrosinase+ cells as control and normal primary cells that are HLA-A2+/Tyrosinase-. Cells were incubated for 24 hrs with the D7 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio.

30 Figure 45 In vivo efficacy of D7 BS in preventing an S.C. 501A melanoma tumor formation in NOD/SCID mice.

Figure 46: Binding of biotinylated ESK1 and B47B6 TCR-like antibodies to T2 APCs loaded with WT1 peptide and other HLA-A2 restricted peptides. T2 cells were

loaded with WT1 peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with ESK1 or B47B6 TCRL antibodies at a concentration of 10 µg/ml followed by secondary PE-labeled streptavidin/anti-mouse antibody and analyzed by flow cytometry Mean fluorescence intensity (MFI) is indicated.

5 Figure 47: Binding of ESK1 and B47B6 TCR-like antibodies to T2 APCs loaded with WT1 peptide and WT1 similar HLA-A2 restricted peptides. S2, S6 and S7 are Alanine-based similar peptides. S11 is a heteroclitic peptide. T2 cells were loaded with WT1 peptide and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with ESK1 or B47B6 TCRL antibodies at a concentration of 10
10 µg/ml followed by secondary PE-labeled streptavidin/anti-mouse antibody and analyzed by flow cytometry Mean fluorescence intensity (MFI) is indicated.

Figure 48: Affinity by SPR - Apparent binding affinity determination of ESK1 and B47B6 TCR-like antibodies targeting HLA-A2/WT1 complexes. Purified recombinant biotinylated single-chain HLA-A2/WT1 complex generated by in vitro
15 refolding of E.coli expressed scHLA-A2 complexes, was immobilized indirectly to the SPR sensor chip with NeutrAvidin. Purified ESK1 and B47B6 TCRL Fabs served as analytes.

Figure 49: Epitope specificity determination by Alanine scanning mutagenesis. The mutant WT1 peptides with Alanine substitutions at positions 1, 2, 3, 4, 5, 7, 8 and 9
20 were synthesized and loaded onto T2 cells APCs at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with the B47B6 TCR-like antibody at a concentration of 10 µg/ml and analyzed by flow cytometry. The relative effect of Ala substitution at each position was expressed as percentage of the binding to wild-type peptide.

Figure 50: Binding of ESK1 and B47B6 TCR-like antibodies to HLA-A2+ and
25 WT1 mRNA positive or negative cells. Tumor cells that express HLA-A2 were tested by qPCR for WT1 mRNA expression. Tumor cells were stained with biotinylated ESK1 and B47B6 TCRL antibodies at 10 µg/ml followed by secondary PE-labeled streptavidin. Mean fluorescence intensity (MFI) is indicated. Also shown are mRNA expression data and cell killing with the bispecific forms (with anti-CD3) of the
30 antibodies, as described herein.

Figure 51A: Killing of HLA-A2+/WT1+ and HLA-A2+/WT1- normal primary cells by B47B6 BS vs ESK1 BS. B47B6 BS and ESK1 BS were incubated with normal

primary cells that are HLA-A2+/WT1+ or HLA-A2+/WT1-. Cells were incubated for 24 hrs with the B47B6 BS or ESK1 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio. Cytotoxicity was determined by LDH release assay.

Figure 51B: Killing of HLA-A2+/WT1+ and HLA-A2+/WT1- cell lines by B47B6 BS vs ESK1 BS. B47B6 BS and ESK1 BS were incubated with tumor cells that are HLA-A2+/WT1+ or HLA-A2+/WT1-. Cells were incubated for 24 hrs with the B47B6 BS or ESK1 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio (#F3-Format - in which the anti-CD3 scFv fragment was fused to the VLCL of the Fab).

Figure 52: Binding of C106B9 TCR-like antibody to T2 APCs loaded with MAGE-A4₂₃₀₋₂₃₉ (also referred to as MAGE-A4 peptide) peptide and other HLA-A2 restricted peptides. T2 cells were loaded with MAGE-A4 and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with C106B9 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody and analyzed by flow cytometry. Mean fluorescence intensity (MFI) is indicated.

Figure 53: Binding of C106B9 TCR-like antibody to T2 APCs loaded with MAGE-A4 peptide and MAGE-A4 similar HLA-A2 restricted peptides. T2 cells were loaded with MAGE-A4 and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with C106B9 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody and analyzed by flow cytometry.

Figure 54: Affinity by SPR - Apparent binding affinity determination of C106B9 TCR-like antibody targeting HLA-A2/MAGE-A4 complexes. Purified recombinant biotinylated single-chain HLA-A2/MAGE-A4 complex generated by in vitro refolding of E.coli expressed scHLA-A2 complexes, was immobilized indirectly to the SPR sensor chip with NeutrAvidin. Purified C106B9 TCRL Fab was used as the analyte.

Figure 55: Epitope specificity determination by Alanine scanning mutagenesis. The mutant MAGE-A4 peptides with alanine substitutions at positions 1,2,3,4,5,6,7,8 and 9 were synthesized. Possible anchor positions are shown by a gray star. The native and mutant MAGE-A4 peptides were loaded onto T2 cells APCs at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with C106B9 TCR-like antibody at a concentration of 10µg/ml and analyzed by flow cytometry. MFI values for cells loaded

with mutant and wild type peptides were compared. The relative effect of each Ala substitution was expressed as percentage of the binding to native wild-type peptide.

Figure 56: Binding of C106B9 TCR-like antibody to HLA-A2+ and MAGE-A4 antigen positive or negative cells. Expression of MAGE-A4 mRNA in the cells was confirmed by qPCR. Tumor cells were stained with C106B9 at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody and analyzed by flow cytometry. Mean fluorescence intensity (MFI) is indicated. Also shown are mRNA expression data and cell killing with the bispecific forms (with anti-CD3) of the antibodies, as described herein.

Figure 57: Killing of HLA-A2+/MAGE-A4+ and HLA-A2+/MAGE-A4- cell lines by C106B9 BS. C106B9 BS was incubated with tumor cells that are HLA-A2+/MAGE-A4+ cells and control tumor cells that are HLA-A2+/MAGE-A4-. Cells were incubated for 24 hrs with the C106B9 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio.

Figure 58: Killing of HLA-A2+/MAGE-A4- normal primary cells by C106B9 BS. C106B9 BS was incubated with normal primary cells that are HLA-A2+/MAGE-A4-. Cells were incubated for 24 hrs with the C106B9 BS and with naïve PBMCs isolated from healthy individuals at 10:1 E:T ratio.

Figure 59: In vivo efficacy of MAGE-A4 BS C106B9 BS in prevention of S.C. melanoma tumor formation in NOD/SCID mice.

Figure 60: Binding of F184C7 TCR-like antibody to T2 APCs loaded with MAGE-A9₂₂₃₋₂₃₁ peptide (also referred to as MAGE-A9 peptide) and other HLA-A2 restricted peptides. T2 cells were loaded with MAGE-A9 peptide and indicated peptides at a concentration of 10⁻⁵ M for 12 hrs at 37 °C. Cells were stained with F184C7 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody and analyzed by flow cytometry. Mean fluorescence intensity (MFI) is indicated.

Figure 61: Binding of F184C7 TCR-like antibodies to T2 APCs loaded with MAGE-A9 peptide and MAGE-A9 similar HLA-A2 restricted peptides. S8 is an Alanine-based similar peptide. T2 cells were loaded with MAGE-A9 peptide and indicated peptides at a concentration of 10⁻⁵M for 12 hrs at 37 °C. Cells were stained

with F184C7 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody and analyzed by flow cytometry.

Figure 62: Epitope specificity determination by Alanine scanning mutagenesis. The mutant MAGE-A9 peptides with alanine substitutions at positions 2,3,4,5,6,7,8 and 9 were synthesized. The Ala mutant and native peptides were loaded onto T2 cells APCs at a concentration of 10^{-5} M for 12 hrs at 37°C. Cells were stained with F184C7 TCR-like antibody at a concentration of 10µg/ml and analyzed by flow cytometry. MFI values for cells loaded with mutant and wild type peptides were compared. The relative effect of each Ala substitution was expressed as percentage of the binding to native peptide.

Figure 63: Binding of F184C7 TCR-like antibody to HLA-A2+ normal primary cells. Normal primary cells were stained with F184C7 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody. Mean fluorescence intensity (MFI) is indicated.

Figure 64: Binding of D10A3 TCR-like antibody to T2 APCs loaded with PAP₁₁₂₋₁₂₀ peptide (also referred to as PAP peptide) and other HLA-A2 restricted peptides. T2 cells were loaded with PAP and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with D10A3 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody. Mean fluorescence intensity (MFI) is indicated.

Figure 65: Binding of D10A3 TCR-like antibodies to T2 APCs loaded with PAP peptide and PAP similar HLA-A2 restricted peptides. T2 cells were loaded with PAP and indicated peptides at a concentration of 10^{-5} M for 12 hrs at 37 °C. Cells were stained with D10A3 TCRL antibody at 10 µg/ml followed by secondary PE-labeled anti-mouse antibody. Mean fluorescence intensity (MFI) is indicated.

Figure 66: Epitope specificity determination by Alanine scanning mutagenesis. The mutant PAP peptides with Alanine substitutions at positions 1,3,4,6,7,8 and 9 were synthesized and loaded onto T2 cells APCs at a concentration of 10^{-5} M for 12 hrs at 37°C. Cells were stained with D10A3 TCR-like antibody at a concentration of 10µg/ml. MFI values for cells loaded with mutant and wild type peptides were compared. The relative effect of each Ala substitution was expressed as percentage of the binding to WT peptide.

Figure 67: Binding of D10A3 TCR-like antibody to HLA-A2+ normal primary cells. Normal primary cells were stained with D10A3 TCRL antibody at 10µg/ml followed by secondary PE-labeled anti-mouse antibody. Mean fluorescence intensity (MFI) is indicated.

5 Figure 68: Amino acids and nucleic acids of D11 antibody (SEQ ID NOs: 280-295).

Figure 69: Amino acids and nucleic acids of D7 antibody (SEQ ID NOs: 296-311).

10 Figure 70: Amino acids and nucleic acids of B47B6 antibody (SEQ ID NOs: 312-327).

Figure 71: Amino acids and nucleic acids of C106B9 antibody (SEQ ID NOs: 328-343).

Figure 72: Amino acids and nucleic acids of F184C7 antibody (SEQ ID NOs: 344-359).

15 Figure 73: Amino acids and nucleic acids of D10A3 antibody (SEQ ID NOs: 360-375).

DESCRIPTION OF SPECIFIC EMBODIMENTS OF THE INVENTION

20 The present invention, in some embodiments thereof, relates to affinity entities comprising a TCR-like antibody binding domain with affinity and fine specificity and uses of same.

Before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not necessarily limited in its application to the details set forth in the following description or exemplified by the Examples. The invention is 25 capable of other embodiments or of being practiced or carried out in various ways.

T Cell Receptor (TCR)-like (TCRL) antibodies are endowed with a TCR-like specificity toward tumor epitopes. Unlike TCRs which exhibit low affinity to the MHC-peptide antigen complex, TCRLs are characterized by affinity even at their soluble form. TCRLs are being developed as a new therapeutic class for targeting tumor cells and 30 mediating their specific killing. In addition, these antibodies are valuable research reagents enabling the study of human class I peptide-MHC ligand presentation and TCR-peptide-MHC interactions.

The present inventors have now indentified through a laborious screen and experimentation novel TCRLs which exhibit unprecedented fine specificity towards TyrD-HLA-A2 (D7 and D11), WT1-HLA-A2 (B47), MAGE-A4-HLA-A2 (C106B9), MAGE-A9-HLA-A2 (F184C7) and PAP (D10A3). The CDRs of these antibodies can
 5 be implanted in any affinity binding entity such as having an effector activity e.g., a CAR and TCR.

Thus, according to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy Chain (HC)	SEQ ID NO: 309	SYGVH
CDR2 HC	SEQ ID NO: 310	VIWAGGTTNYNSALMS
CDR3 HC	SEQ ID NO: 311	DGHFHFDF
CDR1 Light Chain (LC)	SEQ ID NO: 303	RASDIIYSNLA
CDR2 LC	SEQ ID NO: 304	AATNLAA
CDR3 LC	SEQ ID NO: 305	QHFWGSSIS

10 the affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner.

According to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy Chain (HC)	SEQ ID NO: 293	TSGMGVS
CDR2 HC	SEQ ID NO: 294	HIYWDDDKRYNPSLKS
CDR3 HC	SEQ ID NO: 295	KDYGSSFYAMHY
CDR1 Light Chain (LC)	SEQ ID NO: 287	KASQDIHNYIA
CDR2 LC	SEQ ID NO: 288	YTSTLQP
CDR3 LC	SEQ ID NO: 289	LQYDNLWT

15 the affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner.

According to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 HC	SEQ ID NO: 325	SYDMS
CDR2 HC	SEQ ID NO: 326	YMSSGGGTYPDTVKG
CDR3 HC	SEQ ID NO: 327	HDEITNFDY

CDR1 LC	SEQ ID NO: 319	RASQSI NSLH
CDR2 LC	SEQ ID NO: 320	YASQSI
CDR3 LC	SEQ ID NO: 321	QQSY SWPLT

the affinity binding entity capable of binding HLA-A2/ WT1₁₂₆₋₁₃₄ in an MHC restricted manner.

According to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-

5 C ordered:

CDR1 HC	SEQ ID NO: 341	GYWIE
CDR2 HC	SEQ ID NO: 342	EILPGSGGTNYNEKFKG
CDR3 HC	SEQ ID NO: 343	DSNSFTY
CDR1 LC	SEQ ID NO: 335	SVSSSV DYIH
CDR2 LC	SEQ ID NO: 336	STSILAS
CDR3 LC	SEQ ID NO: 337	QQRSSYT

the affinity binding entity capable of binding HLA-A2/ MAGE-A4₃₂₈₋₃₄₃ in an MHC restricted manner.

According to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-

10 C ordered:

CDR1 HC	SEQ ID NO: 357	FSSSWMN
CDR2 HC	SEQ ID NO: 358	RIYPGDGDTNYNEKFKG
CDR3 HC	SEQ ID NO: 359	EATTVVAPYYFDY
CDR1 LC	SEQ ID NO: 351	RASENIYRNLA
CDR2 LC	SEQ ID NO: 352	AATNLAD
CDR3 LC	SEQ ID NO: 353	QHFWGTPLT

the affinity binding entity capable of binding HLA-A2/ MAGE-A9₃₄₄₋₃₅₉ in an MHC restricted manner.

According to an aspect of the invention there is provided an affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-

15 C ordered:

CDR1 HC	SEQ ID NO: 373	DYNMD
CDR2 HC	SEQ ID NO: 374	DINPNYDTTTYNQKFKG
CDR3 HC	SEQ ID NO: 375	RNYGNYVGFDY
CDR1 LC	SEQ ID NO: 367	KASQRVNNDVA
CDR2 LC	SEQ ID NO: 368	YASNRYT
CDR3 LC	SEQ ID NO: 369	QQDYSSPFT

the affinity binding entity capable of binding HLA-A2/ PAP₃₆₀₋₃₇₅ in an MHC restricted manner.

As used herein a "T Cell Receptor-like antibody" or "TCRL" refers to an antibody which binds an MHC being complexed with an HLA-restricted peptide antigen. Binding of the TCRL to its target is with an MHC-restricted specificity. The TCRL antibody does not bind said MHC in the absence of said complexed peptide, and the antibody does not bind said peptide in an absence of said MHC.

As used herein "binding" or "binds" refers to an antibody-antigen mode of binding, which is generally, in the case of clinically relevant TCRLs, in the range of K_D below 20 nM, as determined by Surface Plasmon Resonance assay (SPR).

The affinity of the antigen binding domain to its antigen is determined using the soluble form of the antibody from which the CDRs of the antigen binding domain of the antibody are derived. For affinity evaluation, the antigen is used in its soluble form e.g., as a single chain MHC-peptide complex as further described hereinbelow.

As used herein the term " K_D " refers to the equilibrium dissociation constant between the antigen binding domain and its respective antigen.

It will be appreciated that the affinity of the affinity binding entity is determined by the CDRs. However, the affinity may be improved using methods known in the art, such as affinity maturation.

As used herein "affinity binding entity" refers to a binding moiety which binds to a specific antigen with a higher affinity than to a non-specific antigen and is endowed with an affinity of at least 10^{-6} M, as determined by assays which are well known in the art, including SPR.

According to a specific embodiment the affinity is 500 nM- 0.5 nM, 100 nM-1 nM, 50 nM-1 nM, 20 nM-1 nM, 10 nM-1 nM.

The affinity moiety may be selected from the group consisting of TCR, CAR-T and an antibody.

According to a specific embodiment, the affinity binding entity is an antibody. Although the reference to antibodies is in more details as compared to other affinity binding entities, the description of this embodiment should not be construed as limiting and the present invention is equally related to binding entities as described herein especially in the sense of cell therapy as further described hereinbelow.

The term "antibody" as used in this invention includes intact molecules as well as functional fragments thereof, such as Fab, F(ab')₂, Fv, scFv, dsFv, or single domain

molecules such as VH and VL that are capable of binding to an epitope of an antigen in an MHC restricted manner. As a more general statement the term “antibody” aims to encompass any affinity binding entity which binds a cell surface presented molecule with an MHC restricted specificity. Thus, CDRs of the antibodies of some
5 embodiments of the present invention may be implanted in artificial molecules such as T cell receptors or CARs as further described hereinbelow.

Suitable antibody fragments for practicing some embodiments of the invention include a complementarity-determining region (CDR) of an immunoglobulin light chain (referred to herein as “light chain”), a complementarity-determining region of an
10 immunoglobulin heavy chain (referred to herein as “heavy chain”), a variable region of a light chain, a variable region of a heavy chain, a light chain, a heavy chain, an Fd fragment, and antibody fragments comprising essentially whole variable regions of both light and heavy chains such as an Fv, a single chain Fv Fv (scFv), a disulfide-stabilized Fv (dsFv), an Fab, an Fab’, and an F(ab’)2.

As used herein, the terms “complementarity-determining region” or “CDR” are used interchangeably to refer to the antigen binding regions found within the variable region of the heavy and light chain polypeptides. Generally, antibodies comprise three CDRs in each of the VH (CDR H1 or H1; CDR H2 or H2; and CDR H3 or H3) and three
15 in each of the VL (CDR L1 or L1; CDR L2 or L2; and CDR L3 or L3). Examples of such CDR sequences are provide for D7 and D11 – TCRLs produced according to Example I below. Additional examples include, WT1 B47B6, MAGE-A4 C106B9, MAGE-A9 F184C7, PAP D10A3 (shown in Figures 68-73).

The identity of the amino acid residues in a particular antibody that make up a variable region or a CDR can be determined using methods well known in the art and
25 include methods such as sequence variability as defined by Kabat et al. (See, e.g., Kabat et al., 1992, Sequences of Proteins of Immunological Interest, 5th ed., Public Health Service, NIH, Washington D.C.), location of the structural loop regions as defined by Chothia et al. (see, e.g., Chothia et al., Nature 342:877-883, 1989.), a compromise between Kabat and Chothia using Oxford Molecular’s AbM antibody modeling software
30 (now Accelrys®, see, Martin et al., 1989, Proc. Natl Acad Sci USA. 86:9268; and world wide web site www.bioinf-uk.org/abs), available complex crystal structures as defined by the contact definition (see MacCallum et al., J. Mol. Biol. 262:732-745, 1996), the

"conformational definition" (see, e.g., Makabe et al., Journal of Biological Chemistry, 283:1156-1166, 2008) and IMGT [Lefranc MP, et al. (2003) IMGT unique numbering for immunoglobulin and T cell receptor variable domains and Ig superfamily V-like domains. Dev Comp Immunol 27: 55-77].

5 As used herein, the "variable regions" and "CDRs" may refer to variable regions and CDRs defined by any approach known in the art, including combinations of approaches. According to a specific embodiment, the CDRs are determined according to Kabat et al. (supra).

Functional antibody fragments comprising whole or essentially whole variable
10 regions of both light and heavy chains are defined as follows:

(i) Fv, defined as a genetically engineered fragment consisting of the variable region of the light chain (VL) and the variable region of the heavy chain (VH) expressed as two chains;

(ii) single chain Fv ("scFv"), a genetically engineered single chain molecule
15 including the variable region of the light chain and the variable region of the heavy chain, linked by a suitable polypeptide linker as a genetically fused single chain molecule;

(iii) disulfide-stabilized Fv ("dsFv"), a genetically engineered antibody
20 including the variable region of the light chain and the variable region of the heavy chain, linked by a genetically engineered disulfide bond;

(iv) Fab, a fragment of an antibody molecule containing a monovalent antigen-binding portion of an antibody molecule which can be obtained by treating whole antibody with the enzyme papain to yield the intact light chain and the Fd fragment of the heavy chain which consists of the variable and CH1 domains thereof;

25 (v) Fab', a fragment of an antibody molecule containing a monovalent antigen-binding portion of an antibody molecule which can be obtained by treating whole antibody with the enzyme pepsin, followed by reduction (two Fab' fragments are obtained per antibody molecule);

(vi) F(ab')₂, a fragment of an antibody molecule containing a monovalent
30 antigen-binding portion of an antibody molecule which can be obtained by treating whole antibody with the enzyme pepsin (i.e., a dimer of Fab' fragments held together by two disulfide bonds); and

(vii) Single domain antibodies or nanobodies are composed of a single VH or VL domains which exhibit sufficient affinity to the antigen.

Methods of producing polyclonal and monoclonal antibodies as well as fragments thereof are well known in the art (See for example, Harlow and Lane, 5 Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, New York, 1988, incorporated herein by reference).

Methods of producing polyclonal and monoclonal antibodies as well as fragments thereof are well known in the art (See for example, Harlow and Lane, 10 Antibodies: A Laboratory Manual, Cold Spring Harbor Laboratory, New York, 1988, incorporated herein by reference).

Antibody fragments according to some embodiments of the invention can be prepared by proteolytic hydrolysis of the antibody or by expression in *E. coli* or mammalian cells (e.g. Chinese hamster ovary cell culture or other protein expression systems) of DNA encoding the fragment. Antibody fragments can be obtained by pepsin 15 or papain digestion of whole antibodies by conventional methods. For example, antibody fragments can be produced by enzymatic cleavage of antibodies with pepsin to provide a 5S fragment denoted F(ab')₂. This fragment can be further cleaved using a thiol reducing agent, and optionally a blocking group for the sulfhydryl groups resulting from cleavage of disulfide linkages, to produce 3.5S Fab' monovalent fragments. 20 Alternatively, an enzymatic cleavage using pepsin produces two monovalent Fab' fragments and an Fc fragment directly. These methods are described, for example, by Goldenberg, U.S. Pat. Nos. 4,036,945 and 4,331,647, and references contained therein, which patents are hereby incorporated by reference in their entirety. See also Porter, R. R. [Biochem. J. 73: 119-126 (1959)]. Other methods of cleaving antibodies, such as 25 separation of heavy chains to form monovalent light-heavy chain fragments, further cleavage of fragments, or other enzymatic, chemical, or genetic techniques may also be used, so long as the fragments bind to the antigen that is recognized by the intact antibody.

Fv fragments comprise an association of VH and VL chains. This association 30 may be noncovalent, as described in Inbar et al. [Proc. Nat'l Acad. Sci. USA 69:2659-62 (1972)]. Alternatively, the variable chains can be linked by an intermolecular disulfide bond or cross-linked by chemicals such as glutaraldehyde. Preferably, the Fv fragments

comprise VH and VL chains connected by a peptide linker. These single-chain antigen binding proteins (sFv) are prepared by constructing a structural gene comprising DNA sequences encoding the VH and VL domains connected by an oligonucleotide. The structural gene is inserted into an expression vector, which is subsequently introduced
5 into a host cell such as *E. coli*. The recombinant host cells synthesize a single polypeptide chain with a linker peptide bridging the two V domains. Methods for producing sFvs are described, for example, by [Whitlow and Filpula, *Methods* 2: 97-105 (1991); Bird et al., *Science* 242:423-426 (1988); Pack et al., *Bio/Technology* 11:1271-77 (1993); and U.S. Pat. No. 4,946,778, which is hereby incorporated by
10 reference in its entirety.

Another form of an antibody fragment is a peptide coding for a single complementarity-determining region (CDR). CDR peptides ("minimal recognition units") can be obtained by constructing genes encoding the CDR of an antibody of interest. Such genes are prepared, for example, by using the polymerase chain reaction
15 to synthesize the variable region from RNA of antibody-producing cells. See, for example, Larrick and Fry [*Methods*, 2: 106-10 (1991)].

Humanized forms of non-human (e.g., murine) antibodies are chimeric molecules of immunoglobulins, immunoglobulin chains or fragments thereof (such as Fv, Fab, Fab', F(ab').sub.2 or other antigen-binding subsequences of antibodies) which
20 contain minimal sequence derived from non-human immunoglobulin. Humanized antibodies include human immunoglobulins (recipient antibody) in which residues form a complementary determining region (CDR) of the recipient are replaced by residues from a CDR of a non-human species (donor antibody) such as mouse, rat or rabbit having the desired specificity, affinity and capacity. In some instances, Fv framework
25 residues of the human immunoglobulin are replaced by corresponding non-human residues. Humanized antibodies may also comprise residues which are found neither in the recipient antibody nor in the imported CDR or framework sequences. In general, the humanized antibody will comprise substantially all of at least one, and typically two, variable domains, in which all or substantially all of the CDR regions correspond to
30 those of a non-human immunoglobulin and all or substantially all of the FR regions are those of a human immunoglobulin consensus sequence. The humanized antibody optimally also will comprise at least a portion of an immunoglobulin constant region

(Fc), typically that of a human immunoglobulin [Jones et al., *Nature*, 321:522-525 (1986); Riechmann et al., *Nature*, 332:323-329 (1988); and Presta, *Curr. Op. Struct. Biol.*, 2:593-596 (1992)].

Methods for humanizing non-human antibodies are well known in the art.

5 Generally, a humanized antibody has one or more amino acid residues introduced into it from a source which is non-human. These non-human amino acid residues are often referred to as import residues, which are typically taken from an import variable domain. Humanization can be essentially performed following the method of Winter and co-workers [Jones et al., *Nature*, 321:522-525 (1986); Riechmann et al., *Nature*
10 332:323-327 (1988); Verhoeyen et al., *Science*, 239:1534-1536 (1988)], by substituting rodent CDRs or CDR sequences for the corresponding sequences of a human antibody. Accordingly, such humanized antibodies are chimeric antibodies (U.S. Pat. No. 4,816,567), wherein substantially less than an intact human variable domain has been substituted by the corresponding sequence from a non-human species. In practice,
15 humanized antibodies are typically human antibodies in which some CDR residues and possibly some FR residues are substituted by residues from analogous sites in rodent antibodies.

Human antibodies can also be produced using various techniques known in the art, including phage display libraries [Hoogenboom and Winter, *J. Mol. Biol.*, 227:381
20 (1991); Marks et al., *J. Mol. Biol.*, 222:581 (1991)]. The techniques of Cole et al. and Boerner et al. are also available for the preparation of human monoclonal antibodies (Cole et al., *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, p. 77 (1985) and Boerner et al., *J. Immunol.*, 147(1):86-95 (1991)]. Similarly, human antibodies can be made by introduction of human immunoglobulin loci into transgenic animals, e.g., mice
25 in which the endogenous immunoglobulin genes have been partially or completely inactivated. Upon challenge, human antibody production is observed, which closely resembles that seen in humans in all respects, including gene rearrangement, assembly, and antibody repertoire. This approach is described, for example, in U.S. Pat. Nos. 5,545,807; 5,545,806; 5,569,825; 5,625,126; 5,633,425; 5,661,016, and in the following
30 scientific publications: Marks et al., *Bio/Technology* 10: 779-783 (1992); Lonberg et al., *Nature* 368: 856-859 (1994); Morrison, *Nature* 368 812-13 (1994); Fishwild et al.,

Nature Biotechnology 14, 845-51 (1996); Neuberger, Nature Biotechnology 14: 826 (1996); and Lonberg and Huszar, Intern. Rev. Immunol. 13, 65-93 (1995).

In an embodiment in which the antibody is a full length antibody, the heavy and light chains of an antibody of the invention may be full-length (e.g., an antibody can include at least one, and preferably two, complete heavy chains, and at least one, or two, complete light chains) or may include an antigen-binding portion (a Fab, F(ab').sub.2, Fv or a single chain Fv fragment ("scFv")). In other embodiments, the antibody heavy chain constant region is chosen from, e.g., IgG1, IgG2, IgG3, IgG4, IgM, IgA1, IgA2, IgD, and IgE. In some embodiments, the immunoglobulin isotype is selected from IgG1, IgG2, IgG3, and IgG4, more particularly, IgG1 (e.g., human IgG1) or IgG4 (e.g., human IgG4). The choice of antibody type will depend on the immune effector function that the antibody is designed to elicit.

Bispecific configurations of antibodies are also contemplated herein. A bispecific monoclonal antibody (BsMAb, BsAb) is an artificial protein that is composed of fragments of two different monoclonal antibodies and consequently binds to two different types of antigen. According to a specific embodiment the BsMAb is engineered to simultaneously bind to a cytotoxic cell (e.g., using a receptor like CD3) and a target like a tumor cell to be destroyed (further described hereinbelow).

As used herein the phrase "chimeric antigen receptor (CAR)" refers to a recombinant or synthetic molecule which combines antibody-based specificity for a desired antigen with a T cell receptor-activating intracellular domain to generate a chimeric protein that exhibits cellular immune activity to the specific antigen.

As used herein the phrase "T Cell Receptor" or "TCR" refers to soluble and non-soluble forms of recombinant T cell receptor.

As used herein the phrase "MHC (or HLA)-restricted peptide" refers to a peptide which is potentially presented on an MHC molecule. Such peptides may be identified by "wet" laboratory procedures such as Mass-Spectrometry or by *in-silico* analysis. An MHC (or HLA)-presented peptide refers to a peptide which is confirmed in vitro or in vivo as being presented by an MHC molecule.

According to a specific embodiment, the MHC restricted peptide is from WT1 and the affinity binding entity comprises the CDRs of B47B6.

According to a specific embodiment, the MHC restricted peptide is from TyrD and the affinity binding entity comprises the CDRs of D7 or D11.

According to a specific embodiment, the MHC restricted peptide is from MAGE-A4 and the affinity binding entity comprises the CDRs of C106B9.

5 According to a specific embodiment, the MHC restricted peptide is from MAGE-A9 and the affinity binding entity comprises the CDRs of F184C7.

According to a specific embodiment, the MHC restricted peptide is from PAP and the affinity binding entity comprises the CDRs of D10A3.

10 CDRs of the above mentioned affinity binding entities are described in Figures 68-73.

Also contemplated are homologous sequences e.g., at least 90 % homology, 95 % homology or even at least 99 % homology as long as the binding affinity to the respective target and optionally specificity are maintained or even improved.

15 According to an aspect of the invention there is also provided an isolated polynucleotide comprising a nucleic acid sequence encoding the affinity binding entity as described herein.

Also provided is an expression vector, comprising the polynucleotide operably linked to a cis- acting regulatory element.

20 The nucleic acid construct (also referred to herein as an "expression vector") of some embodiments of the invention includes additional sequences which render this vector suitable for replication and integration in prokaryotes, eukaryotes, or preferably both (e.g., shuttle vectors). In addition, typical cloning vectors may also contain a transcription and translation initiation sequence, transcription and translation terminator and a polyadenylation signal. By way of example, such constructs will typically include
25 a 5' LTR, a tRNA binding site, a packaging signal, an origin of second-strand DNA synthesis, and a 3' LTR or a portion thereof.

The nucleic acid construct of some embodiments of the invention typically includes a signal sequence for secretion or presentation of the affinity binding entity from a host cell in which it is placed. Preferably the signal sequence for this purpose is
30 a mammalian signal sequence.

Eukaryotic promoters typically contain two types of recognition sequences, the TATA box and upstream promoter elements. The TATA box, located 25-30 base pairs

upstream of the transcription initiation site, is thought to be involved in directing RNA polymerase to begin RNA synthesis. The other upstream promoter elements determine the rate at which transcription is initiated.

Preferably, the promoter utilized by the nucleic acid construct of some
5 embodiments of the invention is active in the specific cell population transformed. Examples of cell type-specific and/or tissue-specific promoters include promoters such as albumin that is liver specific [Pinkert et al., (1987) *Genes Dev.* 1:268-277], lymphoid specific promoters [Calame et al., (1988) *Adv. Immunol.* 43:235-275]; in particular promoters of T-cell receptors [Winoto et al., (1989) *EMBO J.* 8:729-733] and
10 immunoglobulins; [Banerji et al. (1983) *Cell* 33:729-740], neuron-specific promoters such as the neurofilament promoter [Byrne et al. (1989) *Proc. Natl. Acad. Sci. USA* 86:5473-5477], pancreas-specific promoters [Edlun et al. (1985) *Science* 230:912-916] or mammary gland-specific promoters such as the milk whey promoter (U.S. Pat. No. 4,873,316 and European Application Publication No. 264,166).

Enhancer elements can stimulate transcription up to 1,000 fold from linked
15 homologous or heterologous promoters. Enhancers are active when placed downstream or upstream from the transcription initiation site. Many enhancer elements derived from viruses have a broad host range and are active in a variety of tissues. For example, the SV40 early gene enhancer is suitable for many cell types. Other enhancer/promoter
20 combinations that are suitable for some embodiments of the invention include those derived from polyoma virus, human or murine cytomegalovirus (CMV), the long term repeat from various retroviruses such as murine leukemia virus, murine or Rous sarcoma virus and HIV. See, *Enhancers and Eukaryotic Expression*, Cold Spring Harbor Press, Cold Spring Harbor, N.Y. 1983, which is incorporated herein by
25 reference.

In the construction of the expression vector, the promoter is preferably positioned approximately the same distance from the heterologous transcription start site as it is from the transcription start site in its natural setting. As is known in the art, however, some variation in this distance can be accommodated without loss of promoter
30 function.

Polyadenylation sequences can also be added to the expression vector in order to increase the efficiency of TCRL mRNA translation. Two distinct sequence elements

are required for accurate and efficient polyadenylation: GU or U rich sequences located downstream from the polyadenylation site and a highly conserved sequence of six nucleotides, AAUAAA, located 11-30 nucleotides upstream. Termination and polyadenylation signals that are suitable for some embodiments of the invention include those derived from SV40.

In addition to the elements already described, the expression vector of some embodiments of the invention may typically contain other specialized elements intended to increase the level of expression of cloned nucleic acids or to facilitate the identification of cells that carry the recombinant DNA. For example, a number of animal viruses contain DNA sequences that promote the extra chromosomal replication of the viral genome in permissive cell types. Plasmids bearing these viral replicons are replicated episomally as long as the appropriate factors are provided by genes either carried on the plasmid or with the genome of the host cell.

The vector may or may not include a eukaryotic replicon. If a eukaryotic replicon is present, then the vector is amplifiable in eukaryotic cells using the appropriate selectable marker. If the vector does not comprise a eukaryotic replicon, no episomal amplification is possible. Instead, the recombinant DNA integrates into the genome of the engineered cell, where the promoter directs expression of the desired nucleic acid.

Also provided are cells which comprise the polynucleotides/expression vectors as described herein.

Such cells are typically selected for high expression of recombinant proteins (e.g., bacterial, plant or eukaryotic cells e.g., CHO, HEK-293 cells), but may also be host cells having a specific immune effector activity (e.g., T cells or NK cells) when for instance the CDRs of the TCRL are implanted in a T Cell Receptor or CAR transduced in said cells which are used in adoptive cell therapy as further described hereinbelow.

The high specificity of the affinity binding entity renders it particularly suitable for diagnostic and therapeutic applications.

Thus, according to an aspect of the present invention, there is provided a method of detecting a cell presenting an HLA-restricted peptide antigen of interest. The method comprises contacting the cell with the affinity binding entity (e.g., antibody) of the present invention having specificity to the HLA-restricted peptide antigen of interest.

The contacting is effected under conditions which allow immunocomplex formation, wherein a presence of the immunocomplex or level thereof is indicative of the cell presenting the HLA-restricted peptide antigen of interest.

The term “detecting”, as used herein, refers to the act of detecting, perceiving, uncovering, exposing, visualizing or identifying a cell. The precise method of detecting is dependent on the detectable moiety (also referred to herein as identifiable moiety) to which the antibody is attached as further described herein below.

Single cells may be used in accordance with the teachings of the present invention as well as a plurality of cells. For instance the cells may be from any biological sample such as cell-lines, primary (e.g., tumor cultures) and cellular samples, e.g. surgical biopsies including incisional or excisional biopsy, fine needle aspirates and the like. Methods of biopsy retrieval are well known in the art.

The above-mentioned detection method can be harnessed to the diagnosis of diseases which are characterized by above normal presentation or different tissue distribution of the HLA-peptide complex.

As used herein the term "diagnosing" refers to classifying a disease, determining a severity of a disease (grade or stage), monitoring progression, forecasting an outcome of the disease and/or prospects of recovery.

The subject may be a healthy subject (e.g., human) undergoing a routine well-being check up. Alternatively, the subject may be at risk of the disease. Yet alternatively, the method may be used to monitor treatment efficacy.

The TCRL may comprise e.g., attached to an identifiable moiety. Alternatively or additionally, the TCRL (or a complex comprising same) may be identified indirectly such as by using a secondary antibody.

The contacting may be effected in vitro (i.e. in a cell line, primary cells), ex vivo or in vivo.

As mentioned, the method of the present invention is effected under conditions sufficient to form an immunocomplex (e.g. a complex between the antibodies of the present invention and the peptide complexed to the MHC, typically when the cells are not lysed); such conditions (e.g., appropriate concentrations, buffers, temperatures, reaction times) as well as methods to optimize such conditions are known to those skilled in the art, and examples are disclosed herein.

The affinity binding entities of the invention (e.g., antibodies) are especially useful for the treatment of cancer.

The term "cancer" as used herein is defined as disease characterized by the rapid and uncontrolled growth of aberrant cells. Cancer cells can spread locally or through the
5 bloodstream and lymphatic system to other parts of the body.

The cancer may be a hematological malignancy, a solid tumor, a primary or a metastasizing tumor. Examples of various cancers include but are not limited to, breast cancer, prostate cancer, ovarian cancer, cervical cancer, skin cancer, pancreatic cancer, colorectal cancer, renal cancer, liver cancer, brain cancer, lymphoma, Chronic
10 Lymphocytic Leukemia (CLL), leukemia, lung cancer and the like. Additional non-limiting examples of cancers which can be treated by the method of some embodiments of the invention are provided in Table 1, above.

Cancers that may be treated include tumors that are not vascularized, or not yet substantially vascularized, as well as vascularized tumors. The cancers may comprise
15 non-solid tumors (such as hematological tumors, for example, leukemias and lymphomas) or may comprise solid tumors. Types of cancers to be treated with the Antibodies of the invention include, but are not limited to, carcinoma, blastoma, and sarcoma, and certain leukemia or lymphoid malignancies, benign and malignant tumors, and malignancies e.g., sarcomas, carcinomas, and melanomas. Adult tumors/cancers and
20 pediatric tumors/cancers are also included.

Hematologic cancers are cancers of the blood or bone marrow. Examples of hematological (or hematogenous) cancers include leukemias, including acute leukemias (such as acute lymphocytic leukemia, acute myelocytic leukemia, acute myelogenous leukemia and myeloblastic, promyelocytic, myelomonocytic, monocytic and
25 erythroleukemia), chronic leukemias (such as chronic myelocytic (granulocytic) leukemia, chronic myelogenous leukemia, and chronic lymphocytic leukemia), polycythemia vera, lymphoma, Hodgkin's disease, non-Hodgkin's lymphoma (indolent and high grade forms), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, myelodysplastic syndrome, hairy cell leukemia and myelodysplasia.

30 Solid tumors are abnormal masses of tissue that usually do not contain cysts or liquid areas. Solid tumors can be benign or malignant. Different types of solid tumors are named for the type of cells that form them (such as sarcomas, carcinomas, and

lymphomas). Examples of solid tumors, such as sarcomas and carcinomas, include fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteosarcoma, and other sarcomas, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, lymphoid malignancy, pancreatic cancer, breast cancer, lung cancers, ovarian cancer, prostate cancer, hepatocellular carcinoma, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, medullary thyroid carcinoma, papillary thyroid carcinoma, pheochromocytomas sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, Wilms' tumor, cervical cancer, testicular tumor, seminoma, bladder carcinoma, melanoma, and CNS tumors (such as a glioma (such as brainstem glioma and mixed gliomas), glioblastoma (also known as glioblastoma multiforme) astrocytoma, CNS lymphoma, germinoma, medulloblastoma, Schwannoma craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, meningioma, neuroblastoma, retinoblastoma and brain metastases).

According to some embodiments of the invention, the pathology is a solid tumor.

According to some embodiments of the invention, the affinity binding entity of the invention has an anti-tumor effect.

The term "anti-tumor effect" as used herein, refers to a biological effect which can be manifested by a decrease in tumor volume, a decrease in the number of tumor cells, a decrease in the number of metastases, an increase in life expectancy, or amelioration of various physiological symptoms associated with the cancerous condition. An "anti-tumor effect" can also be manifested by the ability of the medicament of the invention in prevention of the occurrence of tumor in the first place.

According to a specific embodiment, when the affinity binding entity is for Tyrosinase (TyrD) the cancer is selected from the group consisting of melanoma and glioblastoma.

According to a specific embodiment, when the affinity binding entity is for WT1 the cancer is selected from:

Table 1

Leukemia
multiple myeloma (MM)
acute lymphoblastic leukemia (ALL)
acute myeloid/myelogenous leukemia (AML)
myelodysplastic syndrome (MDS)
mesothelioma
ovarian cancer
gastrointestinal cancers e.g., colorectal cancer adenocarcinoma, thyroid cancer
breast cancer
lung cancer (e.g., non small cell lung cancer)
melanoma
osteosarcoma
endometrial cancer

According to a specific embodiment, when said affinity binding entity is for MAGE said cancer is selected from:

5 **Table 2**

MAGE-A4
Ovarian cancer
T cell leukemia/lymphoma (e.g., ATLL)
Sarcoma
testicular cancer
head and neck cancer
bladder cancer
esophagus cancer.

Table 3

MAGE-A9
renal cell carcinoma
bladder cancer
breast cancer
hepatocellular carcinoma.

According to a specific embodiment, when said affinity binding entity is for PAP said cancer is prostate cancer.

10 The foregoing classifications are relevant for both diagnosis and treatment.

Determining a presence or level of the immunocomplex of the present invention is dependent on the detectable moiety to which the antibody is attached.

Examples of detectable moieties that can be used in the present invention include but are not limited to radioactive isotopes, phosphorescent chemicals, chemiluminescent chemicals, fluorescent chemicals, enzymes, fluorescent polypeptides and epitope tags. The detectable moiety can be a member of a binding pair, which is
15 identifiable via its interaction with an additional member of the binding pair, and a label

which is directly visualized. In one example, the member of the binding pair is an antigen which is identified by a corresponding labeled antibody. In one example, the label is a fluorescent protein or an enzyme producing a colorimetric reaction.

Further examples of detectable moieties, include those detectable by Positron
5 Emission Tomography (PET) and Magnetic Resonance Imaging (MRI), all of which are well known to those of skill in the art.

When the detectable moiety is a polypeptide, the immunolabel (i.e. the antibody conjugated to the detectable moiety) may be produced by recombinant means or may be chemically synthesized by, for example, the stepwise addition of one or more amino
10 acid residues in defined order using solid phase peptide synthetic techniques. Examples of polypeptide detectable moieties that can be linked to the antibodies of the present invention using recombinant DNA technology (in which the polynucleotide encoding the TCRL is translationally fused to the detectable moiety) include fluorescent polypeptides, phosphorescent polypeptides, enzymes and epitope tags.

Alternatively, chemical attachment of a detectable moiety to the antibodies of
15 the present invention can be effected using any suitable chemical linkage, direct or indirect, as via a peptide bond (when the detectable moiety is a polypeptide), or via covalent bonding to an intervening linker element, such as a linker peptide or other chemical moiety, such as an organic polymer. Such chimeric peptides may be linked
20 via bonding at the carboxy (C) or amino (N) termini of the peptides, or via bonding to internal chemical groups such as straight, branched or cyclic side chains, internal carbon or nitrogen atoms, and the like. Such modified peptides can be easily identified and prepared by one of ordinary skill in the art, using well known methods of peptide synthesis and/or covalent linkage of peptides. Description of fluorescent labeling of
25 antibodies is provided in details in U.S. Pat. Nos. 3,940,475, 4,289,747, and 4,376,110.

Exemplary methods for conjugating two peptide moieties are described herein below:

SPDP conjugation:

Any SPDP conjugation method known to those skilled in the art can be used.
30 For example, in one illustrative embodiment, a modification of the method of Cumber et al. (1985, Methods of Enzymology 112: 207-224) as described below, is used.

A peptide, such as an identifiable or therapeutic moiety, (1.7 mg/ml) is mixed with a 10-fold excess of SPDP (50 mM in ethanol) and the antibody is mixed with a 25-fold excess of SPDP in 20 mM sodium phosphate, 0.10 M NaCl pH 7.2 and each of the reactions incubated, e.g., for 3 hours at room temperature. The reactions are then dialyzed against PBS.

The peptide is reduced, e.g., with 50 mM DTT for 1 hour at room temperature. The reduced peptide is desalted by equilibration on G-25 column (up to 5 % sample/column volume) with 50 mM KH_2PO_4 pH 6.5. The reduced peptide is combined with the SPDP-antibody in a molar ratio of 1:10 antibody:peptide and incubated at 4 °C overnight to form a peptide-antibody conjugate.

Glutaraldehyde conjugation:

Conjugation of a peptide (e.g., an identifiable or therapeutic moiety) with an antibody can be accomplished by methods known to those skilled in the art using glutaraldehyde. For example, in one illustrative embodiment, the method of conjugation by G.T. Hermanson (1996, "Antibody Modification and Conjugation, in Bioconjugate Techniques, Academic Press, San Diego) described below, is used.

The antibody and the peptide (1.1 mg/ml) are mixed at a 10-fold excess with 0.05 % glutaraldehyde in 0.1 M phosphate, 0.15 M NaCl pH 6.8, and allowed to react for 2 hours at room temperature. 0.01 M lysine can be added to block excess sites. After the reaction, the excess glutaraldehyde is removed using a G-25 column equilibrated with PBS (10 % v/v sample/column volumes).

Carbodiimide conjugation:

Conjugation of a peptide with an antibody can be accomplished by methods known to those skilled in the art using a dehydrating agent such as a carbodiimide. Most preferably the carbodiimide is used in the presence of 4-dimethyl aminopyridine. As is well known to those skilled in the art, carbodiimide conjugation can be used to form a covalent bond between a carboxyl group of peptide and an hydroxyl group of an antibody (resulting in the formation of an ester bond), or an amino group of an antibody (resulting in the formation of an amide bond) or a sulfhydryl group of an antibody (resulting in the formation of a thioester bond).

Likewise, carbodiimide coupling can be used to form analogous covalent bonds between a carbon group of an antibody and an hydroxyl, amino or sulfhydryl group of

the peptide. See, generally, J. March, Advanced Organic Chemistry: Reaction's, Mechanism, and Structure, pp. 349-50 & 372-74 (3d ed.), 1985. By means of illustration, and not limitation, the peptide is conjugated to an antibody via a covalent bond using a carbodiimide, such as dicyclohexylcarbodiimide. See generally, the methods of conjugation by B. Neises et al. (1978, Angew Chem., Int. Ed. Engl. 17:522; A. Hassner et al. (1978, Tetrahedron Lett. 4475); E.P. Boden et al. (1986, J. Org. Chem. 50:2394) and L.J. Mathias (1979, Synthesis 561). The level of immunocomplex may be compared to a control sample from a non-diseased subject, wherein an up-regulation of immunocomplex formation is indicative of melanoma. Preferably, the subject is of the same species e.g. human, preferably matched with the same age, weight, sex etc. It will be appreciated that the control sample may also be of the same subject from a healthy tissue, prior to disease progression or following disease remission.

According to a specific embodiment, the detection is effected by FACS.

As mentioned the antibodies of the present invention can also be used in therapeutics where the affinity binding entity e.g., antibody comprises a therapeutic moiety.

The therapeutic moiety can be an integral part of the antibody e.g., in the case of a whole antibody, the Fc domain, which activates antibody-dependent cell-mediated cytotoxicity (ADCC). ADCC is a mechanism of cell-mediated immune defense whereby an effector cell of the immune system actively lyses a target cell, whose membrane-surface antigens have been bound by specific antibodies. It is one of the mechanisms through which antibodies, as part of the humoral immune response, can act to limit and contain infection. Classical ADCC is mediated by natural killer (NK) cells; macrophages, neutrophils and eosinophils can also mediate ADCC. For example, eosinophils can kill certain parasitic worms known as helminths through ADCC mediated by IgE. ADCC is part of the adaptive immune response due to its dependence on a prior antibody response.

Alternatively or additionally, the antibody may be a bispecific antibody in which the therapeutic moiety is a T cell engager for example, such as an anti CD3 antibody or an anti CD16a alternatively the therapeutic moiety may be an anti immune checkpoint molecule (anti PD-1).

Alternatively or additionally the antibody may be attached to a heterologous therapeutic moiety (methods of conjugation are described hereinabove). The therapeutic moiety can be, for example, a cytotoxic moiety, a toxic moiety, a cytokine moiety, a drug.

5 The antibody may be in a soluble or insoluble form.

Insoluble forms may be those in which a molecule comprising the antibody's CDRs is anchored to or expressed by a cell or a particle (the latter can be used for therapeutic as well as diagnostic applications).

10 Examples of such cells include immune cells, T cells, B cells, dendritic cells, CIK, NKT, NK cells (autologous, allogeneic, xenogeneic).

According to a specific embodiment, the antibody (or actually CDRs thereof) form a CAR (as explained above) or an artificial T Cell Receptor. Thus a polynucleotide coding for such a molecule is transduced in a cell of interest.

15 According to some embodiments of the invention, the cell is a T cell, a natural killer cell, a cell that exerts effector killing function on a target cell, a cell that exerts a suppressive effect on effector T cells, an engineered cell with an effector killing function or an engineered cell with a suppressive function.

According to some embodiments of the invention, the cell is a T cell, or $\alpha\beta$ T cell, or $\gamma\delta$ T cell.

20 According to some embodiments of the invention, the cell is a natural killer (NK) cell.

According to some embodiments of the invention, the natural killer cell is used to target cancer.

25 According to some embodiments of the invention, the T cell is a cytotoxic T cell (effector T cell).

According to some embodiments of the invention, the cytotoxic T cell (effector T cell) is used to target cancer antigens.

According to some embodiments of the invention, the cytotoxic T cell is used to treat a pathology caused by or associated with cancer.

30 According to some embodiments of the invention, the T cell comprises a Treg (T regulatory cell).

According to some embodiments of the invention, the T cell comprises a CD3 T cell.

According to some embodiments of the invention, the T cell comprises a CD4 T cell.

5 According to some embodiments of the invention, the T cell comprises a CD8 T cell.

According to some embodiments of the invention, the antigen binding domain comprises a single chain Fv (scFv) molecule.

10 The cytoplasmic domain (also referred to as "intracellular signaling domain") of the CAR molecule of the invention is responsible for activation of at least one of the normal effector functions of the immune cell in which the CAR has been placed in.

The term "effector function" refers to a specialized function of a cell. Effector function of a T cell, for example, may be cytolytic activity or helper activity including the secretion of cytokines. Thus the term "intracellular signaling domain" refers to the portion of a protein which transduces the effector function signal and directs the cell to perform a specialized function. While usually the entire intracellular signaling domain can be employed, in many cases it is not necessary to use the entire chain. To the extent that a truncated portion of the intracellular signaling domain is used, such truncated portion may be used in place of the intact chain as long as it transduces the effector function signal. The term intracellular signaling domain is thus meant to include any truncated portion of the intracellular signaling domain sufficient to transduce the effector function signal.

25 Examples of intracellular signaling domains for use in the CAR molecule of the invention include the cytoplasmic sequences of the T cell receptor (TCR) and co-receptors that act in concert to initiate signal transduction following antigen receptor engagement, as well as any derivative or variant of these sequences and any synthetic sequence that has the same functional capability.

It is known that signals generated through the TCR alone are insufficient for full activation of the T cell and that a secondary or co-stimulatory signal is also required. Thus, T cell activation can be mediated by two distinct classes of cytoplasmic signaling sequence: those that initiate antigen-dependent primary activation through the TCR (primary cytoplasmic signaling sequences) and those that act in an antigen-independent

manner to provide a secondary or co-stimulatory signal (secondary cytoplasmic signaling sequences).

Primary cytoplasmic signaling sequences regulate primary activation of the TCR complex either in a stimulatory way, or in an inhibitory way. Primary cytoplasmic signaling sequences that act in a stimulatory manner may contain signaling motifs which are known as immunoreceptor tyrosine-based activation motifs (ITAMs).

Examples of ITAM containing primary cytoplasmic signaling sequences that are of particular use in the invention include those derived from TCR zeta, FcR gamma, FcR beta, CD3 gamma, CD3 delta, CD3 epsilon, CD5, CD22, CD79a, CD79b, and CD66d. It is particularly preferred that cytoplasmic signaling molecule in the CAR of the invention comprises a cytoplasmic signaling sequence derived from CD3 zeta.

In a preferred embodiment, the cytoplasmic domain of the CAR can be designed to comprise the CD3-zeta signaling domain by itself or combined with any other desired cytoplasmic domain(s) useful in the context of the CAR of the invention. For example, the cytoplasmic domain of the CAR can comprise a CD3 zeta chain portion and a costimulatory signaling region. The costimulatory signaling region refers to a portion of the CAR comprising the intracellular domain of a costimulatory molecule. A co-stimulatory molecule is a cell surface molecule other than an antigen receptor or their ligands that is required for an efficient response of lymphocytes to an antigen. Examples of such molecules include CD27, CD28, 4-1BB (CD137), OX40, CD30, CD40, PD-1, ICOS, lymphocyte function-associated antigen-1 (LFA-1), CD2, CD7, LIGHT, NKG2C, B7-H3, and a ligand that specifically binds with CD83, and the like. Thus, while the invention is exemplified primarily with 4-1BB as the co-stimulatory signaling element, other costimulatory elements are within the scope of the invention.

According to some embodiments of the invention, the intracellular domain comprises, a co-stimulatory signaling region and a zeta chain portion. The co-stimulatory signaling region refers to a portion of the CAR molecule comprising the intracellular domain of a co-stimulatory molecule. Co-stimulatory molecules are cell surface molecules other than antigen receptors or their ligands that are required for an efficient response of lymphocytes to antigen.

"Co-stimulatory ligand," as the term is used herein, includes a molecule on an antigen presenting cell [e.g., an aAPC (artificial antigen presenting cell), dendritic cell,

B cell, and the like] that specifically binds a cognate co-stimulatory molecule on a T cell, thereby providing a signal which, in addition to the primary signal provided by, for instance, binding of a TCR/CD3 complex with an MHC molecule loaded with peptide, mediates a T cell response, including, but not limited to, proliferation, activation, differentiation, and the like. A co-stimulatory ligand can include, but is not limited to, CD7, B7-1 (CD80), B7-2 (CD86), PD-L1, PD-L2, 4-1BBL, OX40L, inducible costimulatory ligand (ICOS-L), intercellular adhesion molecule (ICAM), CD30L, CD40, CD70, CD83, HLA-G, MICA, MICB, HVEM, lymphotoxin beta receptor, 3/TR6, ILT3, ILT4, HVEM, an agonist or antibody that binds Toll ligand receptor and a ligand that specifically binds with B7-H3. A co-stimulatory ligand also encompasses, inter alia, an antibody that specifically binds with a co-stimulatory molecule present on a T cell, such as, but not limited to, CD27, CD28, 4-1BB, OX40, CD30, CD40, PD-1, ICOS, lymphocyte function-associated antigen-1 (LFA-1), CD2, CD7, LIGHT, NKG2C, B7-H3, and a ligand that specifically binds with CD83.

A "co-stimulatory molecule" refers to the cognate binding partner on a T cell that specifically binds with a co-stimulatory ligand, thereby mediating a co-stimulatory response by the T cell, such as, but not limited to, proliferation. Co-stimulatory molecules include, but are not limited to an MHC class 1 molecule, BTLA and a Toll ligand receptor.

A "co-stimulatory signal", as used herein, refers to a signal, which in combination with a primary signal, such as TCR/CD3 ligation, leads to T cell proliferation and/or upregulation or down regulation of key molecules.

By the term "stimulation," is meant a primary response induced by binding of a stimulatory molecule (e.g., a TCR/CD3 complex) with its cognate ligand thereby mediating a signal transduction event, such as, but not limited to, signal transduction via the TCR/CD3 complex. Stimulation can mediate altered expression of certain molecules, such as downregulation of TGF- β , and/or reorganization of cytoskeletal structures, and the like.

A "stimulatory molecule," as the term is used herein, means a molecule on a T cell that specifically binds with a cognate stimulatory ligand present on an antigen presenting cell.

A "stimulatory ligand," as used herein, means a ligand that when present on an antigen presenting cell (e.g., an aAPC, a dendritic cell, a B-cell, and the like) can specifically bind with a cognate binding partner (referred to herein as a "stimulatory molecule") on a T cell, thereby mediating a primary response by the T cell, including, but not limited to, activation, initiation of an immune response, proliferation, and the like. Stimulatory ligands are well-known in the art and encompass, inter cilia, an MHC Class I molecule loaded with a peptide, an anti-CD3 antibody, a superagonist anti-CD28 antibody, and a superagonist anti-CD2 antibody.

With respect to the cytoplasmic domain, the CAR molecule of some embodiments of the invention can be designed to comprise the CD28 and/or 4-1BB signaling domain by itself or be combined with any other desired cytoplasmic domain(s) useful in the context of the CAR molecule of some embodiments of the invention. In one embodiment, the cytoplasmic domain of the CAR can be designed to further comprise the signaling domain of CD3-zeta. For example, the cytoplasmic domain of the CAR can include but is not limited to CD3-zeta, 4-1BB and CD28 signaling modules and combinations thereof.

According to some embodiments of the invention, the intracellular domain comprises at least one, e.g., at least two, at least three, at least four, at least five, e.g., at least six of the polypeptides selected from the group consisting of: CD3 ζ (CD247, CD3z), CD28, 41BB, ICOS, OX40, and CD137.

According to some embodiments of the invention, the intracellular domain comprises the CD3 ζ -chain [CD247 molecule, also known as "CD3-ZETA" and "CD3z"; GenBank Accession NOs. NP_000725.1 and NP_932170.1], which is the primary transmitter of signals from endogenous TCRs.

According to some embodiments of the invention, the intracellular domain comprises various co-stimulatory protein receptors to the cytoplasmic tail of the CAR to provide additional signals to the T cell (second generation CAR). Examples include, but are not limited to, CD28 [e.g., GenBank Accession Nos. NP_001230006.1, NP_001230007.1, NP_006130.1], 4-1BB [tumor necrosis factor receptor superfamily, member 9 (TNFRSF9), also known as "CD137", e.g., GenBank Accession No. NP_001552.2], and ICOS [inducible T-cell co-stimulator, e.g., GenBank Accession No.

NP_036224.1]. Preclinical studies have indicated that the second generation of CAR designs improves the antitumor activity of T cells.

According to some embodiments of the invention, the intracellular domain comprises multiple signaling domains, such as CD3z-CD28-41BB or CD3z-CD28-
5 OX40, to further augment potency. The term “OX40” refers to the tumor necrosis factor receptor superfamily, member 4 (TNFRSF4), e.g., GenBank Accession No. NP_003318.1 (“third-generation” CARs).

According to some embodiments of the invention, the intracellular domain comprises CD28-CD3z, CD3z, CD28-CD137-CD3z. The term “CD137” refers to tumor
10 necrosis factor receptor superfamily, member 9 (TNFRSF9), e.g., GenBank Accession No. NP_001552.2.

According to some embodiments of the invention, when the CAR molecule is designed for a natural killer cell, then the signaling domain can be CD28 and/or CD3ζ. The transmembrane domain may be derived either from a natural or from a synthetic
15 source. Where the source is natural, the domain may be derived from any membrane-bound or transmembrane protein. Transmembrane regions of particular use in this invention may be derived from (i.e. comprise at least the transmembrane region(s) of) the alpha, beta or zeta chain of the T-cell receptor, CD28, CD3 epsilon, CD45, CD4, CD5, CD8, CD9, CD16, CD22, CD33, CD37, CD64, CD80, CD86, CD134, CD137,
20 CD154. Alternatively the transmembrane domain may be synthetic, in which case it will comprise predominantly hydrophobic residues such as leucine and valine. Preferably a triplet of phenylalanine, tryptophan and valine will be found at each end of a synthetic transmembrane domain. Optionally, a short oligo- or polypeptide linker, preferably
25 between 2 and 10 amino acids in length may form the linkage between the transmembrane domain and the cytoplasmic signaling domain of the CAR. A glycine-serine doublet provides a particularly suitable linker.

According to some embodiments of the invention, the transmembrane domain comprised in the CAR molecule of some embodiments of the invention is a transmembrane domain that is naturally associated with one of the domains in the CAR.

30 According to some embodiments of the invention, the transmembrane domain can be selected or modified by amino acid substitution to avoid binding of such domains to the

transmembrane domains of the same or different surface membrane proteins to minimize interactions with other members of the receptor complex.

According to some embodiments, between the extracellular domain and the transmembrane domain of the CAR molecule, or between the cytoplasmic domain and the transmembrane domain of the CAR molecule, there may be incorporated a spacer domain. As used herein, the term "spacer domain" generally means any oligo- or polypeptide that functions to link the transmembrane domain to, either the extracellular domain or, the cytoplasmic domain in the polypeptide chain. A spacer domain may comprise up to 300 amino acids, preferably 10 to 100 amino acids and most preferably 25 to 50 amino acids.

According to an aspect of some embodiments of the invention, there is provided a method of treating cancer in a subject in need thereof, comprising administering to the subject the affinity binding entity, thereby treating the cancer in the subject.

Also provided is a use of the affinity binding entity as defined herein in the manufacture of a medicament for treating a pathology e.g., cancer.

The selection of the TCRL will naturally depend on its presentation in the pathology. Exemplary TCRLs and their association with pathologies are provided in the Tables hereinabove.

The term "treating" refers to inhibiting, preventing or arresting the development of a pathology (disease, disorder or condition) and/or causing the reduction, remission, or regression of a pathology. Those of skill in the art will understand that various methodologies and assays can be used to assess the development of a pathology, and similarly, various methodologies and assays may be used to assess the reduction, remission or regression of a pathology.

As used herein, the term "subject" includes mammals, preferably human beings at any age which suffer from the pathology.

The antibodies of some embodiments of the invention can be administered to an organism per se, or in a pharmaceutical composition where it is mixed with suitable carriers or excipients.

As used herein a "pharmaceutical composition" refers to a preparation of one or more of the active ingredients described herein with other chemical components such as

physiologically suitable carriers and excipients. The purpose of a pharmaceutical composition is to facilitate administration of a compound to an organism.

Herein the term "active ingredient" refers to the antibody accountable for the biological effect.

5 Hereinafter, the phrases "physiologically acceptable carrier" and "pharmaceutically acceptable carrier" which may be interchangeably used refer to a carrier or a diluent that does not cause significant irritation to an organism and does not abrogate the biological activity and properties of the administered compound. An adjuvant is included under these phrases.

10 Herein the term "excipient" refers to an inert substance added to a pharmaceutical composition to further facilitate administration of an active ingredient. Examples, without limitation, of excipients include calcium carbonate, calcium phosphate, various sugars and types of starch, cellulose derivatives, gelatin, vegetable oils and polyethylene glycols.

15 Techniques for formulation and administration of drugs may be found in "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, PA, latest edition, which is incorporated herein by reference.

Suitable routes of administration may, for example, include oral, rectal, transmucosal, especially transnasal, intestinal or parenteral delivery, including
20 intramuscular, subcutaneous and intramedullary injections as well as intrathecal, direct intraventricular, intracardiac, e.g., into the right or left ventricular cavity, into the common coronary artery, intravenous, intraperitoneal, intranasal, or intraocular injections.

Conventional approaches for drug delivery to the central nervous system (CNS)
25 include: neurosurgical strategies (e.g., intracerebral injection or intracerebroventricular infusion); molecular manipulation of the agent (e.g., production of a chimeric fusion protein that comprises a transport peptide that has an affinity for an endothelial cell surface molecule in combination with an agent that is itself incapable of crossing the BBB) in an attempt to exploit one of the endogenous transport pathways of the BBB;
30 pharmacological strategies designed to increase the lipid solubility of an agent (e.g., conjugation of water-soluble agents to lipid or cholesterol carriers); and the transitory disruption of the integrity of the BBB by hyperosmotic disruption (resulting from the

infusion of a mannitol solution into the carotid artery or the use of a biologically active agent such as an angiotensin peptide). However, each of these strategies has limitations, such as the inherent risks associated with an invasive surgical procedure, a size limitation imposed by a limitation inherent in the endogenous transport systems, potentially undesirable biological side effects associated with the systemic administration of a chimeric molecule comprised of a carrier motif that could be active outside of the CNS, and the possible risk of brain damage within regions of the brain where the BBB is disrupted, which renders it a suboptimal delivery method.

Alternately, one may administer the pharmaceutical composition in a local rather than systemic manner, for example, via injection of the pharmaceutical composition directly into a tissue region of a patient.

The term "tissue" refers to part of an organism consisting of cells designed to perform a function or functions. Examples include, but are not limited to, brain tissue, retina, skin tissue, hepatic tissue, pancreatic tissue, bone, cartilage, connective tissue, blood tissue, muscle tissue, cardiac tissue brain tissue, vascular tissue, renal tissue, pulmonary tissue, gonadal tissue, hematopoietic tissue.

Pharmaceutical compositions of some embodiments of the invention may be manufactured by processes well known in the art, e.g., by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or lyophilizing processes.

Pharmaceutical compositions for use in accordance with some embodiments of the invention thus may be formulated in conventional manner using one or more physiologically acceptable carriers comprising excipients and auxiliaries, which facilitate processing of the active ingredients into preparations which, can be used pharmaceutically. Proper formulation is dependent upon the route of administration chosen.

For injection, the active ingredients of the pharmaceutical composition may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hank's solution, Ringer's solution, or physiological salt buffer. For transmucosal administration, penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

For oral administration, the pharmaceutical composition can be formulated readily by combining the active compounds with pharmaceutically acceptable carriers well known in the art. Such carriers enable the pharmaceutical composition to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions, and the like, for oral ingestion by a patient. Pharmacological preparations for oral use can be made using a solid excipient, optionally grinding the resulting mixture, and processing the mixture of granules, after adding suitable auxiliaries if desired, to obtain tablets or dragee cores. Suitable excipients are, in particular, fillers such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carbomethylcellulose; and/or physiologically acceptable polymers such as polyvinylpyrrolidone (PVP). If desired, disintegrating agents may be added, such as cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof such as sodium alginate.

Dragee cores are provided with suitable coatings. For this purpose, concentrated sugar solutions may be used which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, titanium dioxide, lacquer solutions and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for identification or to characterize different combinations of active compound doses.

Pharmaceutical compositions which can be used orally, include push-fit capsules made of gelatin as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules may contain the active ingredients in admixture with filler such as lactose, binders such as starches, lubricants such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active ingredients may be dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added. All formulations for oral administration should be in dosages suitable for the chosen route of administration.

For buccal administration, the compositions may take the form of tablets or lozenges formulated in conventional manner.

For administration by nasal inhalation, the active ingredients for use according to some embodiments of the invention are conveniently delivered in the form of an

aerosol spray presentation from a pressurized pack or a nebulizer with the use of a suitable propellant, e.g., dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane or carbon dioxide. In the case of a pressurized aerosol, the dosage unit may be determined by providing a valve to deliver a metered amount. Capsules and cartridges of, e.g., gelatin for use in a dispenser may be formulated containing a powder mix of the compound and a suitable powder base such as lactose or starch.

The pharmaceutical composition described herein may be formulated for parenteral administration, e.g., by bolus injection or continuous infusion. Formulations for injection may be presented in unit dosage form, e.g., in ampoules or in multidose containers with optionally, an added preservative. The compositions may be suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing and/or dispersing agents.

Pharmaceutical compositions for parenteral administration include aqueous solutions of the active preparation in water-soluble form. Additionally, suspensions of the active ingredients may be prepared as appropriate oily or water based injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils such as sesame oil, or synthetic fatty acids esters such as ethyl oleate, triglycerides or liposomes. Aqueous injection suspensions may contain substances, which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol or dextran. Optionally, the suspension may also contain suitable stabilizers or agents which increase the solubility of the active ingredients to allow for the preparation of highly concentrated solutions.

Alternatively, the active ingredient may be in powder form for constitution with a suitable vehicle, e.g., sterile, pyrogen-free water based solution, before use.

The pharmaceutical composition of some embodiments of the invention may also be formulated in rectal compositions such as suppositories or retention enemas, using, e.g., conventional suppository bases such as cocoa butter or other glycerides.

Pharmaceutical compositions suitable for use in context of some embodiments of the invention include compositions wherein the active ingredients are contained in an amount effective to achieve the intended purpose. More specifically, a therapeutically effective amount means an amount of active ingredients (TCRL-antibody) effective to

prevent, alleviate or ameliorate symptoms of a disorder (e.g., cancer) or prolong the survival of the subject being treated.

Determination of a therapeutically effective amount is well within the capability of those skilled in the art, especially in light of the detailed disclosure provided herein.

5 For any preparation used in the methods of the invention, the therapeutically effective amount or dose can be estimated initially from in vitro and cell culture assays. For example, a dose can be formulated in animal models to achieve a desired concentration or titer. Such information can be used to more accurately determine useful doses in humans.

10 Toxicity and therapeutic efficacy of the active ingredients described herein can be determined by standard pharmaceutical procedures in vitro, in cell cultures or experimental animals. The data obtained from these in vitro and cell culture assays and animal studies can be used in formulating a range of dosage for use in human. The dosage may vary depending upon the dosage form employed and the route of
15 administration utilized. The exact formulation, route of administration and dosage can be chosen by the individual physician in view of the patient's condition. (See e.g., Fingl, et al., 1975, in "The Pharmacological Basis of Therapeutics", Ch. 1 p.1).

Dosage amount and interval may be adjusted individually to provide TCRL (the TCRL tissue) levels of the active ingredient are sufficient to induce or suppress the
20 biological effect (minimal effective concentration, MEC). The MEC will vary for each preparation, but can be estimated from in vitro data. Dosages necessary to achieve the MEC will depend on individual characteristics and route of administration. Detection assays can be used to determine plasma concentrations.

Depending on the severity and responsiveness of the condition to be treated,
25 dosing can be of a single or a plurality of administrations, with course of treatment lasting from several days to several weeks or until cure is effected or diminution of the disease state is achieved.

The amount of a composition to be administered will, of course, be dependent on the subject being treated, the severity of the affliction, the manner of administration,
30 the judgment of the prescribing physician, etc.

Compositions of some embodiments of the invention may, if desired, be presented in a pack or dispenser device, such as an FDA approved kit (diagnostic or

therapeutic), which may contain one or more unit dosage forms containing the active ingredient. The pack may, for example, comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. The pack or dispenser may also be accommodated by a notice
5 associated with the container in a form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals, which notice is reflective of approval by the agency of the form of the compositions or human or veterinary administration. Such notice, for example, may be of labeling approved by the U.S. Food and Drug Administration for prescription drugs or of an approved product insert. Compositions
10 comprising a preparation of the invention formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition, as is further detailed above.

It is expected that during the life of a patent maturing from this application many relevant TCRLs will be developed and the scope of the term TCRLs is intended to
15 include all such new technologies *a priori*.

As used herein the term "about" refers to $\pm 10\%$.

The terms "comprises", "comprising", "includes", "including", "having" and their conjugates mean "including but not limited to".

The term "consisting of" means "including and limited to".

20 The term "consisting essentially of" means that the composition, method or structure may include additional ingredients, steps and/or parts, but only if the additional ingredients, steps and/or parts do not materially alter the basic and novel characteristics of the claimed composition, method or structure.

As used herein, the singular form "a", "an" and "the" include plural references
25 unless the context clearly dictates otherwise. For example, the term "a compound" or "at least one compound" may include a plurality of compounds, including mixtures thereof.

Throughout this application, various embodiments of this invention may be presented in a range format. It should be understood that the description in range format
30 is merely for convenience and brevity and should not be construed as an inflexible limitation on the scope of the invention. Accordingly, the description of a range should be considered to have specifically disclosed all the possible subranges as well as

individual numerical values within that range. For example, description of a range such as from 1 to 6 should be considered to have specifically disclosed subranges such as from 1 to 3, from 1 to 4, from 1 to 5, from 2 to 4, from 2 to 6, from 3 to 6 etc., as well as individual numbers within that range, for example, 1, 2, 3, 4, 5, and 6. This applies
5 regardless of the breadth of the range.

Whenever a numerical range is indicated herein, it is meant to include any cited numeral (fractional or integral) within the indicated range. The phrases “ranging/ranges between” a first indicate number and a second indicate number and “ranging/ranges from” a first indicate number “to” a second indicate number are used herein
10 interchangeably and are meant to include the first and second indicated numbers and all the fractional and integral numerals there between.

As used herein the term "method" refers to manners, means, techniques and procedures for accomplishing a given task including, but not limited to, those manners, means, techniques and procedures either known to, or readily developed from known
15 manners, means, techniques and procedures by practitioners of the chemical, pharmacological, biological, biochemical and medical arts.

As used herein, the term “treating” includes abrogating, substantially inhibiting, slowing or reversing the progression of a condition, substantially ameliorating clinical or aesthetical symptoms of a condition or substantially preventing the appearance of
20 clinical or aesthetical symptoms of a condition.

When reference is made to particular sequence listings, such reference is to be understood to also encompass sequences that substantially correspond to its complementary sequence as including minor sequence variations, resulting from, e.g., sequencing errors, cloning errors, or other alterations resulting in base substitution, base
25 deletion or base addition, provided that the frequency of such variations is less than 1 in 50 nucleotides, alternatively, less than 1 in 100 nucleotides, alternatively, less than 1 in 200 nucleotides, alternatively, less than 1 in 500 nucleotides, alternatively, less than 1 in 1000 nucleotides, alternatively, less than 1 in 5,000 nucleotides, alternatively, less than 1 in 10,000 nucleotides.

It is appreciated that certain features of the invention, which are, for clarity, described in the context of separate embodiments, may also be provided in combination in a single embodiment. Conversely, various features of the invention, which are, for

brevity, described in the context of a single embodiment, may also be provided separately or in any suitable subcombination or as suitable in any other described embodiment of the invention. Certain features described in the context of various embodiments are not to be considered essential features of those embodiments, unless
5 the embodiment is inoperative without those elements.

Various embodiments and aspects of the present invention as delineated hereinabove and as claimed in the claims section below find experimental support in the following examples.

10 EXAMPLES

Reference is now made to the following examples, which together with the above descriptions illustrate some embodiments of the invention in a non limiting fashion.

Generally, the nomenclature used herein and the laboratory procedures utilized in the present invention include molecular, biochemical, microbiological and
15 recombinant DNA techniques. Such techniques are thoroughly explained in the literature. See, for example, "Molecular Cloning: A laboratory Manual" Sambrook et al., (1989); "Current Protocols in Molecular Biology" Volumes I-III Ausubel, R. M., ed. (1994); Ausubel et al., "Current Protocols in Molecular Biology", John Wiley and Sons, Baltimore, Maryland (1989); Perbal, "A Practical Guide to Molecular Cloning", John
20 Wiley & Sons, New York (1988); Watson et al., "Recombinant DNA", Scientific American Books, New York; Birren et al. (eds) "Genome Analysis: A Laboratory Manual Series", Vols. 1-4, Cold Spring Harbor Laboratory Press, New York (1998); methodologies as set forth in U.S. Pat. Nos. 4,666,828; 4,683,202; 4,801,531; 5,192,659 and 5,272,057; "Cell Biology: A Laboratory Handbook", Volumes I-III Cellis, J. E., ed.
25 (1994); "Culture of Animal Cells - A Manual of Basic Technique" by Freshney, Wiley-Liss, N. Y. (1994), Third Edition; "Current Protocols in Immunology" Volumes I-III Coligan J. E., ed. (1994); Stites et al. (eds), "Basic and Clinical Immunology" (8th Edition), Appleton & Lange, Norwalk, CT (1994); Mishell and Shiigi (eds), "Selected Methods in Cellular Immunology", W. H. Freeman and Co., New York (1980);
30 available immunoassays are extensively described in the patent and scientific literature, see, for example, U.S. Pat. Nos. 3,791,932; 3,839,153; 3,850,752; 3,850,578; 3,853,987; 3,867,517; 3,879,262; 3,901,654; 3,935,074; 3,984,533; 3,996,345; 4,034,074;

4,098,876; 4,879,219; 5,011,771 and 5,281,521; "Oligonucleotide Synthesis" Gait, M. J., ed. (1984); "Nucleic Acid Hybridization" Hames, B. D., and Higgins S. J., eds. (1985); "Transcription and Translation" Hames, B. D., and Higgins S. J., eds. (1984); "Animal Cell Culture" Freshney, R. I., ed. (1986); "Immobilized Cells and Enzymes" IRL Press, (1986); "A Practical Guide to Molecular Cloning" Perbal, B., (1984) and "Methods in Enzymology" Vol. 1-317, Academic Press; "PCR Protocols: A Guide To Methods And Applications", Academic Press, San Diego, CA (1990); Marshak et al., "Strategies for Protein Purification and Characterization - A Laboratory Course Manual" CSHL Press (1996); all of which are incorporated by reference as if fully set forth herein. Other general references are provided throughout this document. The procedures therein are believed to be well known in the art and are provided for the convenience of the reader. All the information contained therein is incorporated herein by reference.

15

GENERAL MATERIALS AND METHODS

Production of biotinylated single-chain MHC-peptide complexes

Single-chain MHC (scMHC)³-peptide complexes were produced by in vitro refolding of inclusion bodies produced in *Escherichia coli* upon isopropyl β -D-thiogalactoside (IPTG) induction. Briefly, a scMHC, which contains the β_2 -microglobulin and the extracellular domains of the *HLA-A2* gene connected to each other by a flexible linker, was engineered to contain the BirA recognition sequence for site-specific biotinylation at the C terminus (scMHC-BirA). In vitro refolding was performed in the presence of peptides as described. Correctly folded MHC-peptide complexes were isolated and purified by anion exchange Q-Sepharose chromatography (GE Healthcare Life Sciences), followed by site-specific biotinylation using the BirA enzyme (Avidity). A more detailed description for the production of single chain-MHC peptide complexes is provided in Denkberg, et al. (2002) PNAS. 99:9421–9426.

25

Flow cytometry

T-B hybrid T2 cells were washed with serum-free RPMI 1640 medium and incubated overnight with medium containing 10^{-4} - 10^{-5} M tyrosinase₃₆₉₋₃₇₇YMDGTMSQV (SEQ ID NO: 1)/ WT1₁₂₆₋₁₃₄ (RMFPNAPYL, SEQ ID NO: 141) peptide/ MAGE-A4₂₃₀₋₂₃₉ SEQ ID NO: 176/MAGE-A9₂₂₃₋₂₃₁ 203/PAP₁₁₂₋₁₂₀ SEQ ID

30

NO: 230 peptide or relevant control peptides (listed in the Table 15 below). Peptide loading efficiency was verified by using the ratio between MFI of HLA-A2-binding antibody BB7.2 on peptide-loaded T2 cells and MFI of unloaded T2 cells (>1) data not shown.

T2 or primary cells or cell lines (10^6) were incubated with 10 μ g/ml of specific Ab (with or without biotinylation) for 1 h at 4 °C, followed by incubation with PE-labeled anti-mouse/human/streptavidin Ab for 45 min at 4 °C. It will be appreciated that the work with anti mouse secondary antibody or with streptavidin gave similar results for D11 and B47B6. Cells were finally washed and analyzed by:

FACS 1:

Machine: BD FACS calibur

Analysis software: CELLQuest

FACS 2:

Machine: Beckman Coulter NAVIOS

Analysis software: Kaluza version 1.3

Production of TCR-like antibodies to HLA-A2/tyrosinase_{369–377}/ WT₁₁₂₆₋₁₃₄/MAGE-A₄₂₃₀₋₂₃₉/MAGE-A₉₂₂₃₋₂₃₁/PAP₁₁₂₋₁₂₀ using the hybridoma technique

HHD mice were immunized by 5-6 injections of HLA-A2-peptide complex 50 μ g/mouse. 2-3 first injections were administrated s.c with addition of QuilA adjuvant.

Hybridoma clones were generated by fusion of splenocytes isolated from mice immunized with the above complex (as previously described e.g., Weidanz et al. 2011 Int. Rev. Immunol. 30:328-340) with NSO myeloma cells and were screened and isolated by differential ELISA assays as described below. For example, for Tyrosinase TCRLs selection the relevant Tyr_{D369–377} peptide HLA-A2 complexes were used and compared to the non relevant p68-DDX5 control peptide (SEQ ID NO: 2 YLLPAIVHI) HLA-A2 complexes. ELISA with purified HLA-A2-Tyr complexes as well as with control HLA-A2 complex displaying other HLA-A2-restricted peptide (Table 15) was used to select specific clones. Isolated hybridoma clones were sub-cloned and were sequenced. Two clones 906-11-D11 (termed D11, Figure 68) and 905-2-D7 (termed D7, Figure 69) were characterized.

Hybridomas were grown to >80% confluency in HAT DMEM or serum free DCCM2 medium and supernatant was collected. Purified IgG was isolated from culture

supernatant by affinity chromatography using Protein A column. SDS-PAGE analysis of the purified protein revealed homogenous, pure IgG with the expected molecular mass of ~150 kDa.

Construction of whole IgG Ab

5 The H and L Fab genes (only for MC1) were cloned for expression as human IgG1 κ Ab into the eukaryotic expression vectors the eukaryotic expression vectors pOptiVEC and pcDNA3.3-TOPO respectively. Each shuttle expression vector carries a different gene selection (for pOptiVEC the DHFR/HT- and for pcDNA3.3 Geneticin). Expression was facilitated by co-transfection of the two constructs into the
10 dihydrofolate reductase (DHFR)-deficient, Chinese hamster ovary (CHO)-derived DG44 cells in suspension culture by using the FreeStyle MAX reagent (Invitrogen). After co-transfection, cells were grown on selective medium. Clones that reacted specifically with JY T2 cells pulsed with tyrosinase 369–377 peptide were adapted to growth in 0.5 % serum and were further purified using protein A affinity
15 chromatography. SDS-PAGE analysis of the purified protein revealed homogenous, pure IgG with the expected molecular mass of ~150 kDa.

ELISA with supernatant or purified Abs

 The binding specificities of individual supernatant or purified TCRL antibodies were determined by ELISA using biotinylated scMHC-peptide complexes. Maxi sorp
20 96 wells ELISA plates (Nunc #442404) were coated overnight with BSA-biotin (1 μ g/well). After having been washed, the plates were incubated (1 h, RT) with streptavidin (1 μ g/well), washed extensively, and further incubated (1 h, RT) with 0.25 μ g of MHC/peptide complexes. The plates were blocked for 30 min at RT with PBS/2% skim milk and subsequently were incubated for 1 h at RT with 1 μ g/well
25 supernatant or purified TCRL antibodies. After having been washed, the plates were incubated with HRP-conjugated/anti-human or mouse Ab. Detection was performed using TMB tetramethylbenzidine reagent (DAKO, S1599). The HLA-A2-restricted peptides used for specificity studies of the purified supernatant or purified TCRL antibodies.

Proteon XPR36 surface plasmon resonance (SPR) binding analysis

 Immobilization of IgG TCR-like antibody was performed on a GLM (General Layer Medium) chip (Bio-Rad Laboratories, Hercules, CA, USA) at 25°C in the

vertical orientation and the continuous running buffer was PBST (10 mM Na-phosphate, 150 mM NaCl, and 0.005% Tween 20, pH 7.4). Five channels were activated with 50 μ l of a mixture of 0.04 M N-ethyl-N'-(3-dimethylaminopropyl) carbodiimide (EDC) and 0.01 M sulfo-N-hydroxysuccinimide (Sulfo-NHS) at a flow rate of 30 μ l/min. The anti-mouse or human IgG/NeutrAvidin was diluted in 10 mM sodium acetate buffer pH 4.5 to a final concentration of 25 μ g/ml and 150 μ l were injected followed by an injection of 150 μ l of 1 M ethanolamine-HCl pH 8.5. The IgG TCRL antibody/ purified biotinylated single-chain recombinant HLA-A2/Tyrosinase/WT1/MAGE-A4/MAGE-A9/PAP complex ligand was diluted in PBST to 5-10 μ g/ml and 90 μ l were injected in the vertical orientation with a flow rate of 30 μ l/min. The sixth channel remained empty to serve as a reference. The analyte purified single-chain recombinant HLA-A2/Tyrosinase/WT1/MAGE-A4/MAGE-A9/PAP complex/Fab TCRL antibody was injected (75 μ l at 50 μ l/min) in the horizontal orientation of the ProteOn using five different concentrations (1000, 500, 250, 125 and 62.5 nM). Running buffer was injected simultaneously in the sixth channel for double referencing to correct for loss of the captured antibodies from the chip sensor surface during the experiment. All binding sensorgrams were collected, processed and analyzed using the integrated ProteOn Manager (Bio-Rad Laboratories, Hercules, USA) software. Binding curves were fitted using the Langmuir model describing 1:1 binding stoichiometry, or with the Langmuir and mass transfer limitation model.

Functional assays

LDH-release assay

Bispecific TCRL redirected target cell killing was measured in a non-radioactive cytotoxicity assay using CytoTox96® (Promega). This assay quantitatively measures lactate dehydrogenase (LDH), an enzyme that is released upon cell lysis. Released LDH in culture supernatants is measured with a 10 minute coupled enzymatic assay, which results in the conversion of a tetrazolium salt (INT) into a red formazan product. The amount of color produced is proportional to the number of lysed cells.

Specifically, target cells and effector cells were washed, counted and resuspended in cRPMI medium (1% FBS) without phenol red. Target cells were adjusted to a cell density of 2.5×10^5 cells per ml and the effector cells at a cell density of 2.5×10^6 cells per ml. 40 μ l (1×10^4 cells) of target cells were cultured in a 96-well

V-shaped plate. A 5 times concentrated stock of the Bispecific TCRL test reagent was prepared at the highest test concentration, which was serially diluted 1 in 10 in medium without phenol red in a separate plate to obtain other test concentrations. The Bispecific TCRL was then added to the target cells in the assay plate at 20 µl per well to give the

5 final indicated titrated amounts. The assay plate containing the target cells mixed with the Bispecific TCRL was then incubated for 20 minutes at 37 °C/5 % CO₂. Following the incubation, 40 µl effector cells (1 x 10⁵ cells) were added to each well resulting in an effector to target (E:T) ratio of 10:1. Control wells were set up with effector cells alone to calculate effector spontaneous release, target cells alone to calculate target

10 spontaneous release, and target cells with 80 µg/ml digitonin final to calculate maximum release. Each condition was assayed in triplicates in a final volume of 100 µl. The plate was incubated at 37 °C/5 % CO₂ for 24 hours. Following the incubation period, the plate was centrifuged at 700 x g for 5 minutes and 50 µl transferred from each well to the corresponding well in a 96-well flat bottomed Maxisorb plate (Nunc).

15 The CytoTox96® substrate mix was reconstituted using CytoTox96® assay buffer, as per manufacturer's instructions, and 50 µl added to each well of the plate. The plate was covered with aluminum foil and incubated at room temperature for 10 minutes. Then absorbance recorded at 490 nm on a plate reader. Percentage cytotoxicity was then calculated using the following equation: Specific lysis = [(Experimental – Effector

20 Spontaneous – Target Spontaneous)/(Target Maximum – Target Spontaneous)] x 100. PBMCs for killing assays are isolated from healthy volunteers and with all regulatory IRBs approvals and written consents. Effector PBMCs are isolated using the Lymphoprep procedure.

Tumor cell lines and normal primary cells

25 Cells lines A375 (melanoma), U2OS (osteosarcoma), TCCSUP (bladder carcinoma) and Fib (fibroblasts) were cultured in complete DMEM supplemented with 10 % FBS (all supplied by GIBCO). 501A, SKMel5, Mewo and 1938 (melanoma), Saos2 (osteosarcoma), Panc1 (pancreatic carcinoma), J82 and UMUC3 (bladder), H1703 (non-small cell lung adenocarcinoma), JVM2 (Mantle cell lymphoma), IM9

30 (multiple myeloma), U266 (myeloma) and SW620 (colorectal adenocarcinoma) were cultured in complete RPMI supplemented with 10 % FBS (all supplied by GIBCO). Malme3m (melanoma), JEKO1 (mantle-cell lymphoma), SET2 (essential

thrombocythemia) and BV173 (B cell precursor leukemia) were cultures in complete RPMI supplemented with 20 % FBS (all supplied by GIBCO). THP-1 (AML) were cultured in complete RPMI supplemented with 10 % FBS (all supplied by GIBCO) and 0.05mM beta-mercaptoethanol (supplied by Thermo-fisher). OVCAR-3 (ovary
5 adenocarcinoma) were cultured in complete RPMI supplemented with 20 % FBS (all supplied by GIBCO) and 0.01 mg/ml bovine insulin (supplied by Sigma). All cell lines were maintained at 37 °C in a humidified atmosphere of 7.5 % CO₂ and were purchased from American Type Culture Collection.

Normal primary hepatocytes, cardiac myocytes, osteoblasts, astrocytes,
10 bronchial epithelial cells, colonic smooth muscle cells, urothelial cells and renal epithelial cells were obtained from Sciencell and cultured according to the manufacturer's instructions. All cell lines were maintained at 37 °C in a humidified atmosphere of 7.5 % CO₂.

Expression and purification of soluble recombinant Fab Abs in Expi293 15 system

The VH-CH1 and VL-CL genes of Tyr D11 and D7, MAGE-A4 C106B9, WT1 B47B6 and ESK1 IgGs were cloned for expression as Fab in the eukaryotic expression vector pcDNA3.4. His-tag was connected to the C-terminus of the CH1 region.

Expression was facilitated by co transfection of the two constructs (heavy and
20 light chains) into the Expi293F human cells in Expi293 expression medium (both are components of the Expi293 expression system) by the Fectamine transfection reagent (Life technologies). Following co-transfection, cells were grown for 6 days. After 6 days cells were centrifuged at 700 X g for 5 minutes. Following centrifugation, the supernatant containing the D11, D7, C106B9, B47B6 or ESK1 Fab was removed from
25 cells and filtered through 0.22µ filter. The supernatant was then dialyzed overnight against PBS.

The D11, D7, C106B9, B47B6 or ESK1 Fab recombinant protein was purified by metal affinity column (Talon) and dialyzed overnight against PBS. The purified D11, D7, C106B9, B47B6 or ESK1 Fab were analyzed on reduced and non-reduced
30 SDS-PAGE.

Construction, Expression and purification of Bispecific TCRLs in Expi293 system

The VH-CH1 and VL-CL genes of Tyr D11 and D7, WT1 B47B6 and ESK1 and MAGE-A4 C106B9, IgGs were cloned for expression as bispecific (BS) in the eukaryotic expression vector pcDNA3.4 (sequences are shown in Figures 68-70, sequences of ESK1 is available from WO 2015/070061). For the light chain vector of Tyr D11, WT1 B47B6 and ESK1 and MAGE-A4 C106B9, anti CD3 (clone UCHT1) scFv was connected to the N-terminus of the VL region (BS format 3, #F3). For the heavy chain vector, His-tag was connected to the C-terminus of the CH1 region. For Tyr D7, anti CD3 (clone UCHT1) scFv was connected to the N-terminus of the VH region of the heavy chain (BS format 1, #F1) and His-tag was connected to the C-terminus of the CH1 region.

Expression was facilitated by co transfection of the two constructs into the Expi293F human cells in Expi293 expression medium (both are components of the Expi293 expression system) by the Fectamine transfection reagent (Life technologies). After co-transfection, cells were grown for 6 days. Following 6 days cells were centrifuged at 700 X g for 5 minutes. Following centrifugation, the supernatant containing the TCRL bispecific antibodies were removed from cells and filtered through 0.22 μ m filter. The supernatant was then dialyzed overnight against PBS.

The BS-TCRLs recombinant proteins were purified by two steps of metal affinity (Talon) and size exclusion chromatography (Superdex 200 10/300 GL GE). The purified BS-TCRLs were analyzed on SDS-PAGE.

In vivo assays

For 501A melanoma cell line (ATCC, Manassas VA, USA)

Cells were cultured in RPMI1640 growth medium (GIBCO, Waltham MA, USA) supplemented with 10 % fetal bovine serum (GIBCO, Waltham MA, USA). Human peripheral blood mononuclear cells (PBMC) were prepared from healthy donors by using SepMate™-50 tubes (Stemcell).

At day 0, eight to ten weeks old female NOD/SCID mice (Envigo, Israel; n=6-8) were inoculated subcutaneously (s.c.) in a single flank with 5×10^6 501A melanoma cells +/- 25×10^6 PBMCs (Effector:Tumor cell ratio 5:1) in a final volume of 0.25 ml phosphate-buffered saline (PBS); D7 bispecific TCRL (0.1mg/kg) or vehicle (PBS)

were administered i.v. one hour after the s.c. inoculation in a final volume of 0.2 ml, with 4 additional doses administered every 24 hours.

For A375 melanoma cell line (ATCC, Manassas VA, USA)

Cells were cultured in RPMI1640 growth medium (GIBCO, Waltham MA, USA) supplemented with 10% fetal bovine serum (GIBCO, Waltham MA, USA).

Activated CD8 T-cells were prepared from human peripheral blood mononuclear cells (PBMC) using a rapid expansion protocol (REP). Naïve PBMCs were produced from healthy donor's peripheral blood using SepMate™-50 tubes (Stemcell), following CD8 T cells enrichment using Dynabeads® Untouched™ Human CD8 T Cells kit (Invitrogen). Activation of the purified CD8 T cells was performed in flasks pre-coated with monoclonal antibodies against CD3 (OKT3) and CD28 for 72 hrs in media supplemented with 10% FBS and 100 IU/mL of human IL-2. Activated cells were expanded over the period of 14 days in media supplemented with 10% FBS, 3000 IU/ml IL-2, 30ng/ml OKT3 and 2×10^8 irradiated PBMCs.

At day 0, eight to ten weeks old female NOD/SCID mice (Envigo, Israel; n=6-8) were inoculated subcutaneously (s.c.) in a single flank with 5×10^6 A375 melanoma cells +/- 10×10^6 REP CD8 T-cells (Effector: Tumor cell ratio 2:1) in a final volume of 0.25 ml phosphate-buffered saline (PBS); MAGE-A4 C106B9 bispecific TCRL (0.1mg/kg), WT1 B47B6 bispecific TCRL (0.1mg/kg) or vehicle (PBS) were administered i.v. one hour after the s.c. inoculation in a final volume of 0.2ml, with 4 additional doses administered every 24 hours.

In both cases (501A and A375) tumors were measured two times per week with calipers in two perpendicular dimensions and tumor volumes were calculated with the following formula: $width \times \left(\frac{height}{2}\right)^2 \times 3.14$

Other TCRL antibodies used in the present study

The generation of MC1 is described in WO2008/120202.

The generation of ESK1 (Dao T, Yan S, Veomett N, Pankov D, Zhou L, Korontsvit T, Scott A, Whitten J, Maslak P, Casey E, Tan T, Liu H, Zakhaleva V, Curcio M, Doubrovina E, O'Reilly RJ, Liu C, Scheinberg DA. Targeting the intracellular WT1 oncogene product with a therapeutic human antibody. Sci Transl Med. 2013 Mar 13;5(176):176ra33). ESK1 was thus generated by synthetic gene synthesis according to the published sequence WO 2015/070061 ESK1 full VH - SEQ ID NO:128 and ESK1

full VL - SEQ ID NO: 130 in the sequence listing of WO 2015/070061. The antibody was produced in HEK293 cells as IgG using the Expi293 system as described above and was purified from culture supernatants using protein A affinity chromatography.

Extraction of nucleic acids

5 Total RNA was extracted from 1×10^6 - 5×10^6 cells cultured cells with RNeasy Plus Mini (Qiagen) according to the manufacturer's instructions.

cDNA synthesis

cDNA was synthesized from 1-5 μ g RNA, using a combination of oligo dT and random hexamer (1:1) with SuperScript® III First-Strand Synthesis System (Invitrogen) according to the manufacturer's instructions. For quantitative PCR, cDNA was diluted 10 1:5 with H₂O.

Conventional PCR (PCR)

The PCR cycling conditions were 95 °C for 2 minutes, followed by 40 cycles of 95 °C for 20 s, 60 °C for 1 min and 72 °C for 1 min. The PCR was ended with a final extension of 72 °C for 10 min. Reactions were performed with KAPA HiFi PCR Kit 15 (Kapa Biosystems) according to the manufacturer's instructions.

Following primers were used:

TYR_S: TTAGCAAAGCATACCATCA (SEQ ID NO: 3) and TYR_AS: CCAGACAAAGAGGTCATAA (SEQ ID NO: 4)

20 for tyrosinase expression (expected product size: 117bp) and WT1_S: AGGCTGCAATAAGAGATA (SEQ ID NO: 5) and WT1_AS: TTCGCTGACAAGTTTAC (SEQ ID NO: 6) for WT1 expression (expected product size: 188bp).

To visualize the amplified products, 10 μ L of samples were mixed with 2 μ L of 25 6x loading buffer (New England Biolabs) and subjected to electrophoresis on 1.5 % agarose gels stained with ethidium bromide with DNA markers (New England Biolabs). The presence and intensity of the PCR product bands was determined on an ImageQuant LAS 4000 (GE Healthcare Life Sciences).

Quantitative PCR (qPCR)

30 Quantitative PCR was carried out using TaqMan Gene Expression Master Mix on a ABI 7300 instrument (Applied Biosystems), according to the manufacturer's instructions. The cycle conditions for real-time PCR were 95°C for 10 min, followed by

40 cycles of 95°C for 15 sec, and 60°C for 1 min. Probes for real-time PCR were purchased from Applied Biosystems; at the 5' end, they were conjugated to the fluorochrome FAM. Following assays (primers and probes) were used: for TYR (cat# Hs00165976), for MAGE A4 (cat# Hs00751150), and for WT1 (cat# Hs01103751).

- 5 Beta-actin was used as a housekeeping gene for normalization (cat# Hs999999903).

Peptides used in the present study

<i>Table 4 - Ala Scan - TyrD</i>		
Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:
TyrD-A1	AMDGTMSQV	104
TyrD-A2	YADGTMSQV	105
TyrD-A3	YMAGTMSQV	106
TyrD-A4	YMDATMSQV	107
TyrD-A5	YMDGAMSQV	108
TyrD-A6	YMDGTASQV	109
TyrD-A7	YMDGTMAQV	110
TyrD-A8	YMDGTMSAV	111
TyrD-A9	YMDGTMSQA	112

<i>Table 5 - Similar peptides - TyrD</i>			
Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:	Similar to
Tyrosinase D (Tyrosinase peptide)	YMDGTMSQV	113	
Tyrosinase N	YMNGTMSQV	114	
*KIAA0355	YMDNVMSQV	115	TyrD
KPNA1	VMDSKIVQV	116	TyrD
GPLD1	LMNGTLKQV	117	TyrD
TyrD-S1	SQDGTRSQV	118	TyrD
TyrD-S2	VMDTTKSQV	119	TyrD
TyrD-S3	GMDGTQQQI	120	TyrD
TyrD-S4	GMVGTMTQV	121	TyrD
TyrD-S5	MMDATFSAV	122	TyrD
TyrD-S6	QMDPTGSQL	123	TyrD

*TyrD-S7	SMDGSMRTV	124	TyrD
TyrD-S8	WMDGIASQI	125	TyrD
TyrD-S9	YLEGILSQV	126	TyrD
TyrD-S10	YMAIKMSQL	127	TyrD
TyrD-S11	YMDAVVSLV	128	TyrD
TyrD-S12	YMDGTNRRI	129	TyrD
TyrD-S13	YMDPSTYQV	130	TyrD
TyrD-S14	YMLGTNHQL	131	TyrD
TyrD-S15	YMPGTASLI	132	TyrD
TyrD-S16	YMRETRS QL	133	TyrD
*TyrD-S17	MMDGAMGYV	134	TyrD
*TyrD-S18	NMDSFMAQV	135	TyrD
*TyrD-S19	QMDFIMSCV	136	TyrD
*TyrD-S20	YEDLKMYQV	137	TyrD
*TyrD-S21	YMDTIMELV	138	TyrD
*TyrD-S22	YTDLAMSTV	139	TyrD
*TyrD-S23	YVDFVMSSV	140	TyrD

* Ala-based similar peptides

Table 6- Similar peptides - WT1			
Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:	Similar to
WT1 (WT1 peptide)	RMFPNAPYL	141	
WT1-S1	LDFPNLPYL	142	WT1
*WT1-S2	RCFPNCPFL	143	WT1
WT1-S3	LMFENAAYL	144	WT1
WT1-S4	RMFPNKYSL	145	WT1
WT1-S5	RLFPNAKFL	146	WT1
*WT1-S6	RLFPNLPEL	147	WT1
*WT1-S7	RMFPTPPSL	148	WT1
WT1-S8	RMVPRAVYL	149	WT1
WT1-S9	RMFFNGRYI	150	WT1
WT1-S10	RMLPHAPGV	151	WT1
WT1-S11	YMFPNAPYL	152	WT1
WT1-S12	AMDPNAAYV	153	WT1

WT1-S13	ICFPNAPKV	154	WT1
WT1-S14	NMFENGCYL	155	WT1
WT1-S15	NMPPNFPYI	156	WT1
WT1-S16	REMTQAPYL	157	WT1
WT1-S17	RMAPRAPWI	158	WT1
WT1-S18	RMEPRAPWI	159	WT1
WT1-S19	RMEPRAPWV	160	WT1
WT1-S20	RMFLNNPSI	161	WT1
WT1-S21	RMFQQTFYL	162	WT1
WT1-S22	RMNPNPSI	163	WT1
WT1-S23	RQFPNASLI	164	WT1
WT1-S24	RQFPNKDAL	165	WT1
WT1-S25	RVFPWASSL	166	WT1
WT1-S26	RLFPWGNKL	167	WT1

* Ala-based similar peptides

Table 7 - Ala Scan – WT1

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:
WT1-A1	AMFPNAPYL	168
WT1-A2	RAFPNAPYL	169
WT1-A3	RMAPNAPYL	170
WT1-A4	RMFANAPYL	171
WT1-A5	RMFPAAPYL	172
WT1-A7	RMFPNAAYL	173
WT1-A8	RMFPNAPAL	174
WT1-A9	RMFPNAPYA	175

Table 8 - Similar peptides – MAGE-A4

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:	Similar to
MAGE-A4 (MAGE-A4 peptide)	GVYDGREHTV	176	
MAGE-A4-S1	GLADGRHTTV	177	MAGE-A4
MAGE-A4-S2	GVSDGRWHSV	178	MAGE-A4
MAGE-A4-S4	GVYDGEEHSV	179	MAGE-A4

MAGE-A4-S5	GLYDGMEHL	180	MAGE-A4
MAGE-A4-S6	GVSDGQWHTV	181	MAGE-A4
MAGE-A4-S9	GVYAGREHFL	182	MAGE-A4
MAGE-A4-S10	GLYDGMEHLI	183	MAGE-A4
MAGE-A4-S12	ASYDGTEVTV	184	MAGE-A4
MAGE-A4-S13	AVLDGRELRV	185	MAGE-A4
MAGE-A4-S15	GLYDGIEHFM	186	MAGE-A4
MAGE-A4-S16	GLYDGPVHEV	187	MAGE-A4
MAGE-A4-S17	GVCAGREHFI	188	MAGE-A4
MAGE-A4-S18	GVYAGRPLSV	189	MAGE-A4
MAGE-A4-S19	TVYDLREQSV	190	MAGE-A4
MAGE-A4-S20	VVDDGVEHTI	191	MAGE-A4
MAGE-A4-S21	GVFDGLHTV	192	MAGE-A4

Table 9 - Ala Scan – MAGE-A4

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:
MAGE-A4-A1	AVYDGREHTV	193
MAGE-A4-A2	GAYDGREHTV	194
MAGE-A4-A3	GVADGREHTV	195
MAGE-A4-A4	GVYAGREHTV	196
MAGE-A4-A5	GVYDAREHTV	197
MAGE-A4-A6	GVYDGAETV	198
MAGE-A4-A7	GVYDGRAHTV	199
MAGE-A4-A8	GVYDGREATV	200
MAGE-A4-A9	GVYDGREHAV	201
MAGE-A4-A10	GVYDGREHTA	202

Table 10 - Similar peptides – MAGE-A9

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:	Similar to
MAGE-A9 (MAGE-A9 peptide)	ALSVMGVYV	203	
MAGE-A9S1	ALSVLGVMV	204	MAGE-A9
MAGE-A9S3	ALSRKGIYV	205	MAGE-A9
MAGE-A9S4	ALSVMYSYL	206	MAGE-A9

MAGE-A9S6	AVSHMGVLV	207	MAGE-A9
MAGE-A9S7	LLSLMGVLV	208	MAGE-A9
*MAGE-A9S8	VLSIMGVYA	209	MAGE-A9
MAGE-A9S10	ALQVRKVYV	210	MAGE-A9
MAGE-A9S11	ALQVYGVEV	211	MAGE-A9
MAGE-A9S13	ALSVAGGFV	212	MAGE-A9
MAGE-A9S14	ALSVLGKVV	213	MAGE-A9
MAGE-A9S15	ALSVMIPAV	214	MAGE-A9
MAGE-A9S16	DLSVCSVYV	215	MAGE-A9
MAGE-A9S17	ILGVMGVDV	216	MAGE-A9
MAGE-A9S20	LLSVNGVSV	217	MAGE-A9
MAGE-A9S23	SLSPMGRYV	218	MAGE-A9
MAGE-A9S24	ALSAVMGVTL	219	MAGE-A9
MAGE-A9S25	AILLVMGVDV	220	MAGE-A9
MAGE-A9S26	ALSDHHVYL	221	MAGE-A9

* Ala-based similar peptides

Table 11 - Ala Scan – MAGE-A9

Peptide name	Peptide-HLA-A2 sequence/	SEQ ID NO:
MAGE-A9-A2	AASVMGVYV	222
MAGE-A9-A3	ALAVMGVYV	223
MAGE-A9-A4	ALSAMGVYV	224
MAGE-A9-A5	ALSVAGVYV	225
MAGE-A9-A6	ALSVMAYYV	226
MAGE-A9-A7	ALSVMGAYV	227
MAGE-A9-A8	ALSVMGVAV	228
MAGE-A9-A9	ALSVMGVYA	229

Table 12 - Similar peptides – PAP

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:	Similar to
PAP (PAP peptide)	TLMSAMTNL	230	
PAP(TLM)S1	TLMSAEANL	231	PAP
PAP(TLM)S2	QLCSAMTQL	232	PAP
PAP(TLM)S3	RLMSALTQL	233	PAP

PAP(TLM)S4	GLMSLTNNL	234	PAP
PAP(TLM)S5	GLMSMATNL	235	PAP
PAP(TLM)S6	GLMSMTNNL	236	PAP
PAP(TLM)S7	LLMSISTNL	237	PAP
PAP(TLM)S8	QLPSTMTNL	238	PAP
PAP(TLM)S9	TLASSMGNL	239	PAP
PAP(TLM)S10	TLFSALTGL	240	PAP
PAP(TLM)S11	TLGSATTEL	241	PAP
PAP(TLM)S12	TLMRAMTDC	242	PAP
PAP(TLM)S13	TLMSMVANL	243	PAP
PAP(TLM)S14	TLPSAETAL	244	PAP
PAP(TLM)S15	TLPSRMTVL	245	PAP
PAP(TLM)S18	RLMSALTQV	246	PAP
PAP(TLM)S19	SIHSQMTNL	247	PAP
PAP(TLM)S20	SIMFAMTPL	248	PAP
PAP(TLM)S21	TIVAAMSNNL	249	PAP
PAP(TLM)S22	TLITAMEQL	250	PAP
PAP(TLM)S23	TLTSNMSQL	251	PAP

Table 13 - Ala Scan – PAP

Peptide name	Peptide-HLA-A2 sequence	SEQ ID NO:
PAP A1	ALMSAMTNNL	252
PAP A3	TLASAMTNNL	253
PAP A4	TLMAAMTNNL	254
PAP A6	TLMSAATNNL	255
PAP A7	TLMSAMANL	256
PAP A8	TLMSAMTAL	257
PAP A9	TLMSAMTNA	258

Table 14- Similar peptides found in normal essential tissues by MS.

Peptide name	Peptide sequence/SEQ ID NO:	Gene	Normal tissue in which peptide was found by MS
KPNA1	VMDSKIVQV/259	KPNA1,KPNA5,KPNA6	Adrenal, bladder, brain cerebellum, brain cerebral

			cortex, brain cerebrum, colon, heart, intestine, kidney, liver, lung, mesothelial, nerve, pituitary, retina, spinal cord cervical, adipose, breast, duodenum, esophagus, gallbladder, ovary, pancreas, prostate, skin, spleen, stomach, testis, uterus
WT1-S10	RMLPHAPGV/260	HDAC1,HDAC2	Adrenal, bladder, brain cerebellum, brain cerebral cortex, brain cerebrum, colon, heart, intestine, kidney, liver, lung, mesothelial, nerve, pituitary, retina, spinal cord cervical, adipose, breast, duodenum, esophagus, gallbladder, ovary, pancreas, prostate, skin, spleen, stomach, testis, uterus
WT1-S12	AMDPNAAYV/261	SERPINA6	Liver
WT1-S22	RMNPNSPSI/262	ERH	Colon, intestine, kidney, lung, duodenum, gallbladder, uterus
MAGE-A4-S1	GLADGRTHTV/263	THBS3	Colon, endothelium, intestine, kidney, mesothelial, nerve, pituitary, duodenum, stomach
MAGE-A4-S16	GLYDGPVHEV/264	DPYSL4	Brain cerebellum, brain cerebrum, intestine, lung, prostate, spleen
MAGE-A4-S21	GVFDGLHTV/265	BTD	Brain cerebral cortex, intestine, kidney, liver, lung, mesothelial, retina, breast, duodenum, stomach, testis, uterus
MAGE-A9-S26	ALSDHHVYL/266	ALDOC	Adrenal, bladder, brain cerebellum, brain cerebral cortex, brain cerebrum, colon, endothelium, heart, intestine, kidney, liver, lung, mesothelial, nerve, pituitary, retina, spinal cord cervical, breast, duodenum, esophagus, prostate skin, spleen, stomach, testis, uterus
PAP-S3	RLMSALTQL/267	DAB2IP	Brain cerebellum, brain cerebral cortex, brain cerebrum, colon, heart, intestine, kidney, lung, mesothelial, nerve, retina, spinal cord cervical, adipose, breast, duodenum, prostate, spleen, uterus
PAP-S18	RLMSALTQV/268	RASAL2	Bladder, brain cerebellum,

			brain cerebral cortex, brain cerebrum, colon, endothelium, heart, intestine, kidney, liver, lung, mesothelial, nerve, pituitary, retina, spinal cord cervical, adipose, breast, duodenum, esophagus, gallbladder, ovary, prostate, skin, spleen, stomach, testis, uterus
--	--	--	--

<i>Table 15 - Control peptides</i>		
Peptide	Peptide-HLA-A2 sequence	SEQ ID NO:
MART1(26)	ELAGIGILTV	269
CMV	NLVPMVATV	270
Gag	SLYNTVATL	271
Tyrosinase D	YMDGTMSQV	272
WT-1	RMFPNAPYL	273
MAGE-A4	GVYDGREHTV	274
PAP	TLMSAMTNL	275
MAGE-A9	ALSVMGVYV	276
SSX-2	KASEKIFYV	277
NY-ESO	SLLMWITQC	278
UHRF1	TLFDYEVRL	279

5

EXAMPLE I:**TCR-LIKE ANTIBODIES FOR HLA-A2/Tyrosinase*****Isolation of Abs with TCR-like specificity to HLA-A2/tyrosinase₃₆₉₋₃₇₇***

Generation of MHC-TyrD369-377 complex - Previous studies performed by the present inventors have shown the generation of recombinant antibodies with peptide-specific, HLA-A2-restricted specificity to tumor and viral T cell epitopes using large antibody phage libraries. These molecules are termed TCR-like antibodies. To generate antibodies with a specificity to the HLA-A2/TyrD369-377 complex, recombinant peptide-HLA-A2 complexes were generated that present the Tyrosinase peptide (tyrosinase₃₆₉₋₃₇₇YMDGTMSQV, SEQ ID NO: 1) using a single chain MHC construct.

15 HHD mice were immunized by 5-6 injections of HLA-A2-peptide complex 50

µg/mouse. 2-3 first injections were administrated s.c with addition of QuilA adjuvant. Hybridoma clones were generated by fusion of splenocytes isolated from immunized mice (as previously described e.g., Weidanz et al. 2011 Int. Rev. Immunol. 30:328-340) with NSO myeloma cells and were screened and isolated by differential ELISA assays as described above using TyrD369–377 peptide and HLA-A2 complexes folded with p68-DDX5 control peptide. ELISA with purified HLA-A2-Tyr complexes as well as with control HLA-A2 complex displaying other HLA-A2-restricted peptide was used to select specific clones. Isolated hybridoma clones were sub-cloned and were sequenced. Two clones 906-11-D11 (termed D11, Figure 69) and 905-2-D7 (termed D7, Figure 68) were characterized.

Characterization of TCR-like antibodies with specificity to HLA A2/tyrosinase 369–377

To determine the apparent affinity of isolated TCR-like antibodies, surface plasmon resonance (SPR) binding analysis was used in which the isolated purified IgG TCR-like antibody was immobilized to the SPR sensor chip by using anti-mouse IgG to indirectly immobilize the TCR-like antibodies on the chip surface. The analyte is the purified single-chain recombinant HLA-A2/Tyrosinase complex used at various concentrations. As shown in Figure 1, the sensorgrams of SPR analysis revealed similar affinity for the HLA-A2/Tyrosinase specific TCR-like antibody clones MC1, D11, and D7 with corresponding affinity of 4.1 nM for MC1 and D11 and 3.8 nM for D7. These results indicate that all three TCR-like antibody clones exhibited similar high affinity of 4nM towards the specific HLA-A2/peptide complex.

To investigate the fine peptide epitope specificity of the isolated TCR-like antibodies towards the Tyrosinase 369-377 peptide alanine scanning was performed in which specific residues in the peptide were mutated to alanine and the binding of the TCR-like antibodies to Ala mutated peptides was tested by their loading onto T2 antigen presenting cells. Binding was monitored by flow cytometry and extent of binding of TCR-like antibodies to the mutated presented peptides as measured by mean fluorescence intensity (MFI) was compared in comparison to T2 APCs loaded with the native unmutated Tyrosinase peptide. The proper loading of the various Ala mutated peptides (described in Figure 2) was monitored by flow cytometry using BB7.2 a monoclonal antibody for HLA-A2.

All Ala mutated peptides were efficiently loaded onto T2 cells in comparison to the native un-mutated Tyrosinase peptide (data not shown). Peptide loading efficiency is verified using the ratio between MFI of HLA-A2-binding Ab BB7.2 on peptide-loaded T2 cells and MFI of unloaded T2 cells (>1). As shown in Figure 2, all three TCR-like antibodies exhibited peptide dependency binding as specific mutations affected the binding and induced a decrease in the binding intensity of the TCR-like antibody upon introduction of Ala at specific peptide positions. These results indicate that all three TCR-like antibodies exhibited peptide-specific and restricted binding in the context of HLA-A2 loaded with various Ala mutated Tyrosinase peptides, indicating that these antibodies are TCR-like in their binding properties, thus, they bind the MHC-peptide complex with MHC-restricted and peptide-specific manner.

However, the three TCR-like antibodies differ in their fine specificity and peptide-dependent reactivity with the number of positions in the peptide that were sensitive to Ala mutation and affected binding sensitivity. As MC1 exhibited a marked decrease of 90% in binding to a single Ala mutated peptide at one position # 6, D11 and D7 exhibited a decrease of $>90\%$ at two positions # 3, 6 for D11 and a decrease of $>90\%$ for D7 binding at four positions # 3, 4, 6, 7. A milder but highly significant decrease of $>70\%$ in three positions # 1, 3, 6 was further observed for MC1 binding to Ala mutated peptides while D11 and D7 exhibited significant decrease in binding of $>70\%$ when 5 peptide residues were mutated to Ala (positions # 1, 2, 3, 4, 6 for D11 and positions # 2, 3, 4, 6, 7 for D7).

Overall, the Alanine scanning analysis reveals that D11 and D7 are more influenced and sensitive to Ala mutations compared to MC1 as observed by the ability of the various Ala mutated Tyr peptide to bind properly the Tyr specific TCR-like antibodies. According to the data presented in Figure 2, D11 and D7 are more peptide restricted and sensitive in their binding properties compared to MC1; they are sensitive (not including anchor positions) to Ala mutations in 4 out of 9 peptide residues while MC1 only to 3 positions. D11 and D7 are even sensitive in their binding properties in a 5th position 7, and 5, respectively. Specifically, D11 decrease the binding in 68% at position #7, 67% position #5, 59% position #8; D7 decrease the binding in 66% at position #5, 63% position #1, 63% position #8.

It is concluded that Ala scanning can be used as a measure to determine the selectivity and fine specificity of TCR-like antibodies. As more sensitivity to Ala mutations is exhibited the more specific and peptide-dependent binding will be observed. This strategy can be used to filter and select for the optimal TCR-like antibodies that exhibited the higher and optimized selectivity and specificity properties as MHC-restricted peptide-specific binders.

Binding selectivity and specificity of TCR-like antibodies towards HLA-A2/Tyrosinase

To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs were assessed by flow cytometry. T2 APCs were loaded with specific or control peptides and incubated with the Ab, followed by incubation with PE-labeled anti-human or mouse. Ab. As shown in Figures 3-7, the MC1 (Figure 7), D11, and D7 (Figures 3-6) IgGs bound T2 cells loaded with the tyrosinase peptide but did not bind significantly to cells loaded with control peptides (Table 15). Very low background binding was observed on control peptides with MFIs ratio of 3-7 for MC1 (Figure 7) while D11 and D7 did not exhibit any background binding (Figure 3-6). The extent of loaded peptide presentation was monitored by binding of MAb BB7.2 which binds all HLA-A2 peptide complexes. These results indicate that all three TCR-like antibodies exhibited HLA-A2-restricted peptide-specific binding as they bound only to cells presenting the Tyrosinase but no other HLA-A2 restricted peptides.

To explore whether the HLA-A2/tyrosinase TCR-like Abs are capable of binding endogenously derived MHC-tyrosinase complexes on the surface of tumor cells, flow cytometry analysis was done on lines derived from melanoma patients. Cells were incubated with anti-tyrosinase 369–377/HLA-A2 TCR-like antibodies Ab followed by incubation with PE-labeled anti-human or anti-mouse Ab. As shown in Figures 8-12 the TCR-like antibodies recognized tyrosinase-positive and HLA-A2-positive cells with a very high intensity. As shown this indicates that large numbers of HLA-A2-tyrosinase complexes are presented on the surface of the melanoma cells. The staining with the TCR-like antibodies was very homogeneous; intracellular staining of these melanoma cells (for example 624.38, and 501A) with Ab against the tyrosinase protein revealed that ~95% of the cells in each line tested express the tyrosinase protein

(data not shown). No reactivity was detected with tyrosinase-negative or HLA-A2-negative cells. The specificity of the anti-tyrosinase/HLA-A2 TCR-like Abs was verified by extensive flow cytometry analysis of multiple cell lines of various histological origins which are HLA-A2 positive and Ag (tyrosinase) negative. This analysis is shown in Figures 10-12. D11 and D7 reactivity was tested also on a panel of normal primary cells including endothelial cells, fibroblasts, astrocytes, hepatocytes, renal cells, cardiac myocytes, colonic muscle, and PBMCs (Figures 13-17). No binding to these HLA-A2+ and Tyr- normal primary cells was observed while background binding was observed when MC1 was tested on PBMCs (Figure 17). Summary of the analysis of D11 and D7 reactivity with HLA-A2+/Tyrosinase+ melanoma cells as well as extensive panel of HLA-A2+/Tyrosinase- cells of various histological origins including the normal primary cells is presented in Figures 18-19. D11 and D7 TCR-like antibodies reactivity looks extremely specific only to melanoma cells expressing HLA-A2 and the antigen tyrosinase.

The overall conclusion from these studies is that the TCR-like Abs are specific and they recognize only the specific peptide-MHC complex presented on the cell surface when the adequate combination of HLA allele and Ag exist. However, careful evaluation of flow cytometry data exhibited results that demonstrate differential selectivity of MC1 compared to D11 and D7. For example, analysis of binding of MC1 to HLA-A2+ and Tyr- cell lines HepG2, SW620, and Loucy as shown in Figure 9 reveals background binding as measured by MFI, however, similar analysis of D11 and D7 on these cells revealed no binding (Figure 10 and 12). Side by side comparison of the three TCR-like antibodies on these and additional cells (Figure 12) revealed that MC1 exhibited significant binding to HLA-A2+/Tyr+ melanoma cells but had background binding on a variety of HLA-A2+/Tyr- cells (SW620, Colo205, HepG2, Panc1, RPMI, DG75, Jeko1, and Loucy) while D11 and D7 did not exhibit any background binding to these cells.

It may thus be concluded that D11 and D7 are more specific and selective compared to MC1 and that comprehensive flow cytometry studies as well as other assays, for example, functional assays utilizing a large panel of cells of different histological origins that express the appropriate HLA allele and are positive or negative for the antigen are useful tools to evaluate the selectivity of TCR-like antibodies.

To further evaluate the fine specificity of the Tyrosinase specific TCR-like antibodies their reactivity with peptides that exhibit sequence similarity to the native tyrosinase was evaluated (Table 5).

Thus, another round of similar peptides selection is performed when
5 Alanine/Glycine scanning data are available as described above for a particular TCR-like antibody. Based on alanine scanning the contribution of each amino acid residue in the peptide antigen to TCRL binding is measured and evaluated. Similar peptides that preserve the critical positions are identified by the above described tools and are assigned higher priority. These peptides are synthesized and used for fine specificity
10 evaluation as described above.

The strategy described here combines in silico analysis of peptide sequence similarity combined with Mass spectroscopy analysis of eluted HLA peptides, peptide data bases and alanine scanning provides a tool box to fully control peptide search parameters, more than other tools such as BLAST or ScanProsite provide. Additional
15 parameters are employed including the range of allowed peptide lengths, the maximum allowed number or differences in sequence, and the requirement for HLA binding score. The tool also applies the ability to define certain amino acids as equivalent. Most important is the ability to highlight peptides that have been found by mass spectrometry or by peptide databases.

Applying the above tools, the fine specificity of the three TCR-like antibodies
20 was evaluated by synthesizing a large panel of similar peptides that have been selected for evaluation according to the criteria described herein (Table 5). These similar peptides have been loaded on T2 APCs and the reactivity of the TCR-like antibodies was tested. As shown in Figure 20, when MC1 was tested on a panel of similar peptides
25 in comparison with binding to native tyrosinase peptide it was observed that it exhibits background binding to peptides with sequence similarity to Tyrosinase such as KIAA0335 and KPNA1. However, as shown in Figures 21-28, the D11 and D7 TCR-like antibodies did not bind any similar peptide from a large panel of such that were analyzed by peptide loading including no recognition of the KIAA0335 and KPNA1
30 peptides that exhibited background binding with MC1. These data demonstrate the superior selectivity and fine specificity of D11 and D7 in comparison to MC1 and demonstrates the usefulness of the similar peptide approach and tools developed as

described above as important tools to evaluate the selectivity and fine specificity hierarchy when evaluating a panel of TCR-like antibodies for the best and optimal candidate for further evaluation.

Moreover, after alanine scanning of TCR-like antibodies additional similar peptides have been selected and tested. Since each amino acid within the TyrD peptide sequence is unlikely to contribute equally to Tyr TCRL binding, the peptide residues critical for recognition by the Tyr TCRL were identified. A set of synthetic peptides were produced in which each amino acid of the TyrD 9-mer was sequentially replaced by alanine. The ability of Tyr TCRL to bind cells pulsed with each of these alanine - substituted peptides was determined by FACS analysis and the binding results was compared to those obtained with the non-mutated peptide. The residue at position that alanine substitution result in a large decrease in binding compared to the non-mutated peptide, was considered critical. A directed in-silico search was then carried out to identify protein sequences that contain only the critical positions motif. These peptides were also utilized for specificity evaluation of Tyr TCRLs (Table 5 S17-S23). These alanine scanning analysis-derived similar peptides were synthesized and loaded onto T2 APCs cells and the reactivity of D11 and D7 was tested. As show in Figure 28, no binding to these peptides was observed, thereby further confirming and strengthening the fine specificity and selectivity of these TCR-like antibodies.

EXAMPLE IA

CHARACTERIZATION OF TCR-LIKE ANTIBODIES FOR HLA-A2/Tyrosinase

Comparison of the fine specificity of Abs with TCR-like specificity to HLA-A2/tyrosinase369–377

To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs (with or without biotinylation) were assessed by flow cytometry. T2 APCs were loaded with Tyrosinase peptide or control peptides (Table 15) and incubated with the Ab (D7, D11 or MC1), followed by incubation with PE-labeled streptavidin or PE-labeled anti mouse Abs. As shown in Figure 38, D11, and D7 TCRLs bound T2 cells loaded with the tyrosinase peptide but showed no binding to cells loaded with control peptides. In contrast, MC1 TCRL

showed binding to T2 cells loaded with both the Tyrosinase peptide and with the irrelevant peptide used as control.

To further evaluate the specificity of the D7 and D11 TCR-like antibodies their reactivity with peptides that exhibit sequence similarity to the tyrosinase peptide was evaluated. The peptides are shown in Table 5.

As shown in Figure 39 MC1 TCRL exhibits readily detectable binding to various peptides with sequence similarity to Tyrosinase peptide such as KIAA0335 and KPNA1 (Table 14) as well as to peptides marked as S2, S4, S5, S9, S11, S13, S18, (S19, S22 and S23). D11 and D7 TCR-like antibodies did not bind any of the peptides from this same panel of similar peptides. These data demonstrate the superior selectivity and fine specificity of D11 and D7 TCRLs compared to MC1 TCRL and demonstrates the usefulness of the similar peptide approach and tools developed as described above to evaluate the selectivity and fine specificity hierarchy of TCRLs.

The present inventors explored binding specificity of the HLA-A2/tyrosinase TCR-like Abs to MHC-tyrosinase peptide complexes endogenously displayed on the surface of melanoma cell lines. Cells were incubated with anti-tyrosinase 369–377/HLA-A2 TCR-like antibodies Ab (with or without biotinylation) followed by incubation with PE-labeled streptavidin or anti-mouse Abs. A panel of tumor cells and normal primary cells that have been characterized for HLA-A2 (positive) and Tyrosinase (positive or negative) expression was used to compare the binding of the TCR-like antibodies. As shown in Figure 40A-C, the TCR-like antibodies recognized tyrosinase-positive and HLA-A2-positive cells. The TCR-Like antibodies were tested on multiple HLA-A2-positive cell lines of various origin that do not show Tyr RNA expression (Tyr-negative). As shown in Figures 40A-B, D11 and D7 TCRLs did not bind any of these cells while MC1 readily stained various HLA-A2+/Tyr- cells. D7 and D11 TCRLs did not exhibit any binding to normal primary cells, while MC1 displayed detectable binding to some of them (Figure 40C).

Overall, D7 and D11 TCRLs demonstrated superior specificity and selectivity recognizing tyrosinase peptide presented by HLA-A2 compared to MC1 TCRL.

Functional assays were used to further characterize the D7 and D11 TCR-like antibodies. TCRLs variable regions were fused to an anti-CD3 scFv which can re-target effector T cells to kill tumor target cell in a of bi-specific format. As shown in Figures

41-44, D7 and D11 CD3 Bi-specific TCR-like antibody constructs showed robust cytotoxicity against melanoma 501A cells in vitro in the presence of human PBMCs. Panc-1, Tyrosinase negative cell line served as negative control and demonstrated no cytotoxicity. No cytotoxicity was detected against a panel of HLA-A2+/Tyr- normal human primary cells with D7 and D11 TCRLs confirming their selectivity.

EXAMPLE IB

In vivo efficacy of D7 BS TCRL in s.c. 501A melanoma tumor formation model in NOD/SCID mice

Figure 45 shows in vivo efficacy of D7 BS TCRL in S.C. 501A melanoma tumor formation model in NOD/SCID mice. Clearly, administration of the bispecific antibody completely inhibited tumor formation over 65 days of the experiment, as evidenced by tumor volume. The results support the use of variable sequences of the TCRLs described herein in clinical settings.

EXAMPLE II

TCR-LIKE ANTIBODIES FOR HLA-A2/WT1

Isolation and characterization of Abs with TCR-like specificity to HLA-A2/WT1

To generate such antibodies with a specificity to the HLA-A2/WT1 complex, recombinant peptide-HLA-A2 complexes were generated that present the WT1 peptide (RMFPNAPYL, SEQ ID NO: 151) using a single chain MHC construct. The generation of antibodies was as described in the general materials and methods as well as in Example I above, A TCR-like specific clone termed B47 (also referred to as B47B6) was isolated and characterized (Figure 70).

As a comparison for TCR-like antibody binding selectivity, a TCR-like antibody termed ESK1 Dao T, Yan S, Veomett N, Pankov D, Zhou L, Korontsvit T, Scott A, Whitten J, Maslak P, Casey E, Tan T, Liu H, Zakhaleva V, Curcio M, Doubrovina E, O'Reilly RJ, Liu C, Scheinberg DA.

The binding affinity of B47 was evaluated by surface plasmon resonance (SPR) binding analysis in which the isolated purified IgG TCR-like antibody was immobilized to the SPR sensor chip by using anti-mouse IgG to indirectly immobilize the TCR-like

antibodies on the chip surface. The analyte is the purified single-chain recombinant HLA-A2/WT1 complex used at various concentrations. As shown in Figure 29, the sensorgrams of SPR analysis revealed an affinity for the HLA-A2/WT1 specific TCR-like antibody clone B47 of 4.4nM.

5 To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs were assessed by flow cytometry. T2 APCs were loaded with specific or control peptides (Table 15) and incubated with the Ab, followed by incubation with PE-labeled anti-human or mouse Ab. As shown in Figures 30 and 31, B47 and ESK1 bound T2 cells loaded with the WT1 peptide (Figure 10 30) but did not bind to cells loaded with control peptides (Figure 31). Of significance difference was the binding intensity observed for B47 and ESK1. While B47 bound intensely to T2 cells loaded with 10^{-4} - 10^{-5} M peptide, ESK1 bound much weaker to T2 cells loaded with 10^{-4} M WT1 peptide (MFI 18 for ESK1 compared with 474 for B47). At peptide concentration of 10^{-5} M B47 still bound significantly (MFI 88) while binding 15 of ESK1 was almost undetectable or very low (Figure 30). These results indicated marked differences in the affinity and binding sensitivity of B47 compared to ESK1 with sharp decrease in the binding intensity of ESK1 compared to B47 with 10 x decreases in peptide concentration. B47 and ESK1 did not bind T2 APCs loaded with control HLA-A2 restricted peptides (Figure 31). These results indicate that both TCR- 20 like antibodies exhibited HLA-A2-restricted peptide-specific binding as they bound only to cells presenting the WT1 but no other HLA-A2 restricted peptides.

To further investigate the WT1 TCR-like antibodies fine specificity evaluation of binding to similar peptides identified in silico with the strategy described above was performed. As shown in Figures 32 and 33, B47 did not bind any similar peptide from a 25 designed panel (Table 6). However, as shown in Figure 32, ESK1 exhibited low background binding with two similar peptides. B47 was evaluated on additional control peptides and similar peptides (Figure 34). Further analysis of these TCR-like antibodies was performed by flow cytometry using tumor cells that are HLA-A2 and express or not the WT1 antigen. As shown in Figure 35, the ESK1 WT1 TCR-like antibody bound 30 intensely to HLA-A2+/WT+ BV173 and SET2 cells however B47 did not exhibit any binding to these cells to the level of flow cytometry sensitivity. To further investigate specificity the reactivity of ESK1 and B47 was evaluated on cells that are HLA-A2 but

do not express the WT1 gene as evaluated by PCR. As shown B47 did not bind to any of these cells while ESK1 bound to 501, A498, and SKMEL cells that were found to be WT1 negative. Other WT1 negative cells were not bound by ESK1. The level of HLA-A2 expression was monitored with MAb BB7.2 which recognizes all HLA-A2/peptide molecules on the cell surface. A summary of binding data for B47 WT-specific TCR-like antibody is shown in Figure 36.

To further investigate the conflicting data of the binding of ESK1 and B47 to HLA-A2+/WT1+ BV173 and SET2 cells, i.e binding could be detected significantly by ESK1 but not B47 we employed direct biochemical means to evaluate actual WT1 presentation on these cells. We employed HLA peptide elution strategies from various tissues as well from BV173 and SET2 cells followed by MS analysis of eluted peptides. The data of these experiments indicate that the WT1 peptide has not been detected in any of the MS runs of clinical tissues or cell lines. In depth analysis of the BV173 or SET-2 cell lines (mRNA WT1-positive) failed to detect the peptide (Orbitrap or Q Exactive MS instruments). The WT1 peptide was detected by OrbiTrap MS following direct elution from T2 peptide-loaded cells. These T2 cells were loaded with various WT1 peptide concentrations of 10^{-5} , 10^{-7} , 10^{-9} M and the peptide was detected by the MS in elutions from T2 APCs loaded with peptide concentration of 10^{-5} and 10^{-7} M. Detecting the peptide from T2 cells loaded at 10^{-7} M peptide by the MS corresponds to actual presentation of ~250 sites/cell (using the Orbitrap MS).

These data exemplifies the usefulness of the described binding tools towards peptide loaded cells that display similar peptides and cells of various histological origins to evaluate the specificity and selectivity of TCR-like antibodies.

To further investigate epitope specificity, alanine scanning mutagenesis was performed on the WT1 peptide sequence. As shown in Figure 37 which demonstrates that only mutation in position 1 of the WT1 peptide influenced the binding intensity of ESK1 indicating that the binding selectivity and fine specificity of ESK1 is limited compared to B47 as also observed for the specificity pattern as observed for similar peptides and for cells that are HLA-A2+/WT1-/. These data suggest that the selectivity and fine specificity of B47 is superior compared to ESK1 and that the tool box presented herein is a valuable tool to evaluate the selectivity and fine specificity of

TCR-like antibodies in the process of their selection, characterization, and pre-clinical development.

EXAMPLE IIA

TCR-LIKE ANTIBODIES FOR HLA-A2/WT1

5 *Comparison of fine specificity of Abs with TCR-like specificity to HLA-A2/WT1*

The selectivity of TCR-like antibodies B47 and ESK1 both recognizing WT1 peptide was compared (Dao et al. Sci Transl Med. 2013 Mar 13;5(176):176ra33)

T2 APCs were loaded with specific (WT1, SEQ ID NO: 141) or control peptides (Table 15) and incubated with the B47 and ESK1 antibodies, followed by incubation
10 with PE-labeled streptavidin or anti- mouse Abs. Both B47 and ESK1 TCRLs bound T2 cells loaded with the WT1 peptide but did not bind to cells loaded with control peptides (Figure 46). A panel of similar peptides (Table 6) was synthesized to further characterize specificity of the WT1 TCRLs. The B47 TCRL did not bind to any of the similar peptides loaded onto T2 cells while ESK1 showed detectable binding to several
15 similar peptides (Figure 47). ESK1 TCRL showed binding to a similar peptide derived from HDAC2 (Histone deacetylase 2, Table 14) that is ubiquitously presented by many normal cells. WT1-S10 (SEQ ID NO: 151) is presented in normal tissues as evidenced by mass spectrometry in brain, cerebral cortex, heart, kidney, liver, lung, and other normal tissues (Table 14).

20 Further characterization of binding of B47 and ESK1 TCRLs by SPR showed that affinity of B47 (5 nM) is much stronger than that of ESK1 (200 nM) mainly due to faster dissociation rate of ESK1 and MHC-WT1 peptide complexes (Figure 48). Additional alanine scanning mutagenesis of the WT1 peptide was performed to refine peptide epitope specificity of B47 TCR-like antibodies (Figure 49). The mutant
25 peptides were loaded onto T2 cells and binding assay was performed as described above. The loading of the various Ala mutants was monitored by flow cytometry using BB7.2 monoclonal antibody against HLA-A2.

As shown in Figure 49, substitutions to Ala at some positions significantly affected B47 binding to the mutated peptides. B47 TCRL exhibited greater sensitivity to
30 positional substitutions (as compared to ESK1, Figure 37). The B47 TCR-like antibody lost >73% of its binding to presented peptide with when 4 residues in the peptide were mutated to Alanine (positions 1, 3, 4, and 7). A 5th position sensitivity can be attributed

to position number 5. For both B47 and ESK1 TCRLs position 2 was critical as it is expected to serve as anchor position for the peptides in the HLA-A2 peptide binding groove.

Further characterization and comparison between B47 and ESK1 TCRLs was done on tumor cell lines and primary cells of various origins. As shown in Figure 50, B47 did not bind to a panel of cells that were all HLA-A2 positive and WT1 mRNA positive or negative cells. In contrast, ESK1 TCRL bound to a number of both tumor and normal primary cells (all HLA-A2+). For example, JVM2 and IM9 (both HLA-A2 positive and WT1 negative) as well as normal primary astrocytes showed binding. Cytotoxicity assays using TCRL-aCD3 bi-specific constructs and human PBMCs showed that B47 TCRL did not induce death of HLA-A2+/WT1+ or HLA-A2+/WT1- cells while ESK1 TCRL-aCD3 was cytotoxic to a number of cells, including WT-1 negative. Thus, B47 TCRL demonstrate superior specificity in both binding and functional activity in the bi-specific format compared to ESK1 that binds to and re-targets CD3 T-cells toward some cells, including normal primary cells, regardless of WT-1 expression.

EXAMPLE III

TCR-Like Antibodies with specificity to HLA-A2/MAGE-A4

EXAMPLE IIIA

Isolation and characterization of TCRL with specificity to HLA-A2/MAGE-A4

To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs were assessed by flow cytometry. T2 APCs were loaded with MAGE-A4 peptide or control peptides (Table 15) and incubated with the TCRL Ab C106B, followed by incubation with PE-labeled streptavidin or PE-labeled anti mouse Abs. As shown in Figure 52, C106B9 bound T2 cells loaded with the MAGE-A4 peptide but showed no binding to cells loaded with control peptides.

To further evaluate the specificity of the C106B9 TCR-like antibody its reactivity with peptides that exhibit sequence similarity to the MAGE-A4 peptide was evaluated. The peptides are shown in Table 8.

As shown in Figure 53, C106B9 TCRL did not bind any of the peptides from this panel of similar peptides. These data demonstrate the high selectivity and fine

specificity of C106B9 and demonstrates the usefulness of the similar peptide approach and tools developed as described above to evaluate the selectivity and fine specificity of TCRLs.

To determine the apparent affinity of the isolated TCR-like antibody, surface plasmon resonance (SPR) binding analysis was used in which the isolated purified IgG TCR-like antibody was immobilized to the SPR sensor chip by using anti-mouse IgG to indirectly immobilize the TCR-like antibodies on the chip surface. The analyte is the purified single-chain recombinant HLA-A2/MAGE-A4 complex used at various concentrations. As shown in Figure 54, the sensorgrams of SPR analysis revealed affinity for the HLA-A2/MAGE-A4 specific TCR-like antibody clone C106B9 with corresponding affinity of 8.8nM.

To investigate the fine peptide epitope specificity of the isolated TCR-like antibodies towards the MAGE-A4 peptide alanine scanning was performed in which specific residues in the peptide were mutated to alanine and the binding of the TCR-like antibody to Ala mutated peptides was tested by their loading onto T2 antigen presenting cells (Table 9). Binding was monitored by flow cytometry and extent of binding of TCR-like antibodies to the mutated presented peptides as measured by mean fluorescence intensity (MFI) was compared in comparison to T2 APCs loaded with the native unmutated MAGE-A4 peptide. The proper loading of the various Ala mutated peptides (described in Figure 2) was monitored by flow cytometry using BB7.2 a monoclonal antibody for HLA-A2.

All Ala mutated peptides were efficiently loaded onto T2 cells in comparison to the native un-mutated MAGE-A4 peptide (data not shown). As shown in Figure 55, The TCR-like antibody exhibited peptide dependent binding as specific mutations affected the binding and induced a decrease in the binding intensity of the TCR-like antibody upon introduction of Ala at specific peptide positions. These results indicate that MAGE-A4 TCR-like antibody exhibited peptide-specific and restricted binding in the context of HLA-A2 loaded with various Ala mutated MAGE-A4 peptides, indicating that this antibody is TCR-like in its binding properties, thus, it binds the MHC-peptide complex with MHC-restricted and peptide-specific manner.

The C106B9 TCR-like antibody exhibited a marked decrease of 90 % in binding to Ala mutated peptide at four positions # 4, 5, 6, and 7. A 5th position sensitivity can be attributed to position number 2 (decrease of 33%).

Overall, the Alanine scanning analysis reveals that Ala scanning can be used as a measure to determine the selectivity and fine specificity of TCR-like antibodies. As more sensitivity to Ala mutations is exhibited the more specific and peptide-dependent binding will be observed. This strategy can be used to filter and select for the optimal TCR-like antibodies that exhibited the higher and optimized selectivity and specificity properties as MHC-restricted peptide-specific binders.

The present inventors explored binding specificity of the HLA-A2/MAGE-A4 TCR-like Ab to MHC- MAGE-A4 peptide complexes endogenously displayed on the surface of tumor cell lines. Cells were incubated with anti-MAGE-A4- HLA-A2 TCR-like antibodies Ab followed by incubation with PE-labeled streptavidin or anti-mouse Abs. A panel of tumor cells and normal primary cells that have been characterized for HLA-A2 (positive) and MAGE-A4 (positive or negative) expression was used to compare the binding of the TCR-like antibodies. As shown in Figure 56, the TCR-like antibody recognized with low intensity MAGE4-positive and HLA-A2-positive cells. The TCR-Like antibodies were tested on multiple HLA-A2-positive cell lines of various origin that do not show MAGE-A4 RNA expression (MAGE-A4-negative), killing activity of these cells with a MAGE-A4/HLA-A2 TCRL-Bispecific construct was also tested. As shown in Figures 56, C106B9 TCRL did not bind any of these cells.

Functional assays were used to further characterize the C106B9 TCR-like antibody. TCRLs variable regions were fused to an anti-CD3 scFv which can re-target effector T cells to kill tumor target cell in a of bi-specific format. As shown in Figures 57, the C106B9 Bi-specific TCR-like antibody constructs showed robust cytotoxicity against MAGE-A4 positive cells in vitro in the presence of human PBMCs. TCCSUP and OVCAR, MAGE-A4 negative cell line served as negative control and demonstrated no cytotoxicity. As further shown in Figure 58, No cytotoxicity was detected against a panel of HLA-A2+/MAGE-A4- normal human primary cells with C106B9 TCRL confirming its selectivity.

EXAMPLE IIIB**In vivo efficacy of MAGE-A4 C106B9 BS TCRL in s.c. A375 melanoma tumor formation model in NOD/SCID mice**

Figure 59 shows in vivo efficacy of C106B9 BS TCRL in S.C. A375 melanoma tumor formation model in NOD/SCID mice. Clearly, administration of the bispecific antibody completely inhibited tumor formation over 35 days of the experiment, as evidenced by tumor volume. The results support the use of variable sequences of the TCRLs described herein in clinical settings.

EXAMPLE IV**TCR-Like Antibodies with specificity to HLA-A2/MAGE-A9****Isolation and characterization of TCRL with specificity to HLA-A2/MAGE-A9**

To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs were assessed by flow cytometry. T2 APCs were loaded with MAGE-A9 peptide or control peptides and incubated with the TCRL Ab F184C7, followed by incubation with PE-labeled streptavidin or PE-labeled anti mouse Abs. As shown in Figure 60, F184C7 bound T2 cells loaded with the MAGE-A9 peptide but showed no binding to cells loaded with control peptides.

To further evaluate the specificity of the F184C7 TCR-like antibody its reactivity with peptides that exhibit sequence similarity to the MAGE-A9 peptide was evaluated. The peptides are shown in Table 10.

As shown in Figure 61, F184C7 TCRL did not bind any of the peptides from this panel of similar peptides. These data demonstrate the high selectivity and fine specificity of F184C7 and demonstrates the usefulness of the similar peptide approach and tools developed as described above to evaluate the selectivity and fine specificity of TCRLs.

To investigate the fine peptide epitope specificity of the isolated TCR-like antibodies towards the MAGE-A9 peptide alanine scanning was performed in which specific residues in the peptide were mutated to alanine and the binding of the TCR-like antibody to Ala mutated peptides was tested by their loading onto T2 antigen presenting cells (Table 11). Binding was monitored by flow cytometry and extent of binding of TCR-like antibodies to the mutated presented peptides as measured by mean

fluorescence intensity (MFI) was compared in comparison to T2 APCs loaded with the native unmutated MAGE-A9 peptide. The proper loading of the various Ala mutated peptides (described in Figure 2) was monitored by flow cytometry using BB7.2 a monoclonal antibody for HLA-A2.

5 All Ala mutated peptides were efficiently loaded onto T2 cells in comparison to the native un-mutated MAGE-A9 peptide (data not shown). As shown in Figure 62, The TCR-like antibody exhibited peptide dependency binding as specific mutations affected the binding and induced a decrease in the binding intensity of the TCR-like antibody upon introduction of Ala at specific peptide positions. These results indicate
10 that MAGE-A9 TCR-like antibody exhibited peptide-specific and restricted binding in the context of HLA-A2 loaded with various Ala mutated MAGE-A9 peptides, indicating that this antibody is TCR-like in its binding properties, thus, it binds the MHC-peptide complex with MHC-restricted and peptide-specific manner.

The F184C7 TCR-like antibody exhibited a marked decrease of 90 % in binding
15 to five Ala mutated peptide at five positions # 3, 5, 6, 7 and 8.

Overall, the Alanine scanning analysis reveals that Ala scanning can be used as a measure to determine the selectivity and fine specificity of TCR-like antibodies. As more sensitivity to Ala mutations is exhibited the more specific and peptide-dependent binding will be observed. This strategy can be used to filter and select for the optimal
20 TCR-like antibodies that exhibited the higher and optimized selectivity and specificity properties as MHC-restricted peptide-specific binders.

The present inventors explored binding specificity of the HLA-A2/MAGE-A9 TCR-like Ab to a panel of normal primary cells of various origin that do not show MAGE-A9 RNA expression. As shown in Figures 63, F184C7 TCRL did not bind any of these
25 cells. Positive control was T2 cells loaded with the MAGE-A9 peptide to which F184C7 bound intensely.

EXAMPLE V

TCR-Like Antibodies with specificity to HLA-A2/PAP

30 Isolation and characterization of TCRL with specificity to HLA-A2/PAP

To characterize the binding specificity of the isolated TCR-like antibodies the reactivity and specificity of the purified IgGs were assessed by flow cytometry. T2

APCs were loaded with PAP peptide or control peptides and incubated with the TCRL Ab D10A3, followed by incubation with PE-labeled streptavidin or PE-labeled anti mouse Abs. As shown in Figure 64, D10A3 bound T2 cells loaded with the PAP peptide but showed no binding to cells loaded with control peptides.

5 To further evaluate the specificity of the D10A3 TCR-like antibody its reactivity with peptides that exhibit sequence similarity to the PAP peptide was evaluated. The peptides are shown in Table 12.

As shown in Figure 65, D10A3 TCRL did not bind any of the peptides from this panel of similar peptides. These data demonstrate the high selectivity and fine
10 specificity of D10A3 and demonstrates the usefulness of the similar peptide approach and tools developed as described above to evaluate the selectivity and fine specificity of TCRLs.

To investigate the fine peptide epitope specificity of the isolated TCR-like antibodies towards the PAP peptide alanine scanning was performed in which specific
15 residues in the peptide were mutated to alanine and the binding of the TCR-like antibody to Ala mutated peptides was tested by their loading onto T2 antigen presenting cells (Table 13). Binding was monitored by flow cytometry and extent of binding of TCR-like antibodies to the mutated presented peptides as measured by mean fluorescence intensity (MFI) was compared in comparison to T2 APCs loaded with the
20 native unmutated PAP peptide. The proper loading of the various Ala mutated peptides (described in Figure 2) was monitored by flow cytometry using BB7.2 a monoclonal antibody for HLA-A2.

All Ala mutated peptides were efficiently loaded onto T2 cells in comparison to the native un-mutated PAP peptide (data not shown). As shown in Figure 66, The TCR-
25 like antibody exhibited peptide dependency binding as specific mutations affected the binding and induced a decrease in the binding intensity of the TCR-like antibody upon introduction of Ala at specific peptide positions. These results indicate that PAP TCR-like antibody exhibited peptide-specific and restricted binding in the context of HLA-A2 loaded with various Ala mutated PAP peptides, indicating that this antibody is TCR-
30 like in its binding properties, thus, it binds the MHC-peptide complex with MHC-restricted and peptide-specific manner.

The D10A3 TCR-like antibody exhibited a marked decrease of 90% in binding to three Ala mutated peptide at three positions # 3, 6, and 8. Decrease of 70% in binding to one Ala mutated peptide at position # 4 was also observed. A 5th position sensitivity can be attributed to position number 7 (decrease of 45%).

5 The present inventors explored binding specificity of the HLA-A2/PAP TCR-like Ab to a panel of normal primary cells of various origin that do not show PAP RNA expression. As shown in Figures 67, D10A3 TCRL did not bind any of these cells. Positive control was T2 cells loaded with the PAP peptide to which D10A3 TCRL bound strongly.

10 Although the invention has been described in conjunction with specific embodiments thereof, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art. Accordingly, it is intended to embrace all such alternatives, modifications and variations that fall within the spirit and broad scope of the appended claims.

15 All publications, patents and patent applications mentioned in this specification are herein incorporated in their entirety by reference into the specification, to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated herein by reference. In addition, citation or identification of any reference in this application shall not be construed as an admission
20 that such reference is available as prior art to the present invention. To the extent that section headings are used, they should not be construed as necessarily limiting.

WHAT IS CLAIMED IS:

1. An affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy		
Chain (HC)	SEQ ID NO: 309	SYGVH
CDR2 HC	SEQ ID NO: 310	VIWAGGTTNYNSALMS
CDR3 HC	SEQ ID NO: 311	DGHFHFD
CDR1 Light		
Chain (LC)	SEQ ID NO: 303	RASDIYSNLA
CDR2 LC	SEQ ID NO: 304	AATNLAA
CDR3 LC	SEQ ID NO: 305	QHFWGSSIS

said affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner, and wherein said affinity binding entity is selected from the group consisting of an antibody, a CAR and a TCR.

2. An affinity binding entity comprising an antigen binding domain comprising CDR sequences which are N-C ordered:

CDR1 Heavy		
Chain (HC)	SEQ ID NO: 293	TSGMGVS
CDR2 HC	SEQ ID NO: 294	HIYWDDDKRYNPSLKS
CDR3 HC	SEQ ID NO: 295	KDYGSSFYAMHY
CDR1 Light		
Chain (LC)	SEQ ID NO: 287	KASQDIHNYIA
CDR2 LC	SEQ ID NO: 288	YTSTLQP
CDR3 LC	SEQ ID NO: 289	LQYDNLWT

said affinity binding entity capable of binding HLA-A2/Tyr_{D369-377} in an MHC restricted manner, and wherein said affinity binding entity is selected from the group consisting of an antibody, a CAR and a TCR.

3. The affinity binding entity of claim 1 or claim 2, wherein said affinity binding entity is an antibody.

4. The affinity binding entity of claim 1 or claim 2, wherein said affinity binding entity is a TCR.

5. The affinity binding entity of claim 1 or claim 2, wherein said affinity binding entity is a CAR.

6. The affinity binding entity of claim 4 or claim 5, comprising a therapeutic moiety.
7. The affinity binding entity of claim 4 or claim 5, comprising a detectable moiety.
8. The affinity binding entity of claim 3, wherein said affinity binding entity is a soluble entity.
9. The affinity binding entity of claim 3, wherein said affinity binding entity is a humanized antibody.
10. The affinity binding entity of any one of claims 3, or 8-9, comprising a therapeutic moiety.
11. The affinity binding entity of any one of claims 3, or 8-9, comprising a detectable moiety.
12. The affinity binding entity of any one of claims 3, or 8-11, wherein said antibody is a single chain antibody, a bi-specific antibody or a full length antibody.
13. An isolated polynucleotide comprising a nucleic acid sequence encoding the antibody of any one of claims 3, or 8-12.
14. An expression vector comprising the polynucleotide of claim 13 operably linked to a cis-acting regulatory element.
15. An isolated polynucleotide comprising a nucleic acid sequence encoding the affinity binding entity of claim 4 or claim 5.

16. An expression vector comprising the polynucleotide of claim 15, operably linked to a cis-acting regulatory element.

17. A cell comprising the polynucleotide of claim 13 or claim 15, or the expression vector of claim 14 or claim 16.

18. A pharmaceutical composition comprising the affinity binding entity of any of claims 1-12, the vector of claim 14 or the cell of claim 17.

19. A method of detecting a HLA-A2/Tyrosinase complex-positive cancer cell, comprising contacting the cell with the antibody of any one of claims 1-3, or 8-12, under conditions which allow immunocomplex formation, wherein a presence of said immunocomplex or level thereof is indicative of the cancer cell.

20. A method of diagnosing and treating cancer associated with expression of an HLA-A2/Tyrosinase complex in a subject in need thereof, comprising:

- (a) detecting the presence of cancer cells in the subject according to the method of claim 19;
- (b) diagnosing the subject as having cancer when cancer cells are detected;
- (c) treating the cancer in the subject.

21. A method of diagnosing cancer associated with expression of an HLA-A2/Tyrosinase complex in a subject in need thereof, comprising contacting a cell of the subject with the antibody of any one of claims 1-3, or 8-12, under conditions which allow immunocomplex formation, wherein a presence of said immunocomplex or level thereof is indicative of the cancer.

22. The method of claim 20 or 21, wherein said cell is a skin cell.

23. A method of treating a cancer associated with expression of an HLA-A2/Tyrosinase complex, comprising administering to a subject in need thereof a

therapeutically effective amount of the affinity binding entity of any one of claims 1-10, the vector of claim 12 or the cell of claim 15, thereby treating the cancer.

24. Use of the affinity binding entity of any one of claims 1-12, the vector of claim 14 or claim 16 or the cell of claim 17 in the manufacture of a medicament for treating cancer associated with expression of an HLA-A2/Tyrosinase complex.

25. The method of any one of claims 19-23 or use of claim 24, wherein said cancer is selected from the group consisting of melanoma and glioblastoma.





Figure 1


TyrD	YMDGTMSQV
TyrD A1	AMDGTMSQV
TyrD A2 anchor position	YADGTMSQV
TyrD A3	YMAGTMSQV
TyrD A4	YMDATMSQV
TyrD A5	YMDGAMSQV
TyrD A6	YMDGTASQV
TyrD A7	YMDGTMAQV
TyrD A8	YMDGTMSAV

Alanine scanning D11B10 10µg/ml




- Decrease of >90% at two positions # 3, 6
- Decrease of > 70% in five positions # 1, 2, 3, 4, 6

Alanine scanning D7C2 10µg/ml



- Decrease of >90% at four positions # 3, 4, 6, 7
- Decrease of > 70% in five positions # 2, 3, 4, 6, 7

Alanine scanning MC1 10µg/ml



- Decrease of 90% at one position # 6
- Decrease of > 70% in three positions # 1, 3, 6





Figure 3






Figure 4






Figure 4 - continued




MFI values are relative to background. Value of `1` means no binding

Figure 5




MFI values are relative to background. Value of `1` means no binding

Figure 5 - continued



MFI values are relative to background. Value of `1` means no binding

Figure 6



MFI values are relative to background. Value of 1` means no binding

Figure 6 - continued





Figure 7



BB7.2 on A2+ Melanoma cells




Figure 8

MC1 on A2+ Melanoma cells






Figure 8 - continued



GeoMean number indicated


Figure 9



GeoMean number indicated

Figure 9 - continued


Antigen positive Melanoma cells



in the right upper corner indicates the presence or absence of relevant mRNA in the tested cells

Figure 10


Antigen negative cell lines



1.0 in the right upper corner indicates the presence or absence of relevant mRNA in the tested cells

Figure 10 - continued


Antigen negative cell lines



in the right upper corner indicates the presence or absence of relevant mRNA in the tested cells

Figure 10 - continued


Antigen negative cell lines



+/+ in the right upper corner indicates the presence or absence of relevant mRNA in the tested cells

Figure 10 - continued

Antigen negative cell lines



+/+ in the right upper corner indicates the presence or absence of relevant mRNA in the tested cells

Figure 11




Figure 12




Figure 12 - continued




Figure 12 - continued




Figure 12 - continued




Figure 13




Figure 13 - continued




Figure 14




Figure 15




Figure 16




Figure 17






Figure 17 - continued

2023



33/108

SECRET

[illegible]

Primary normal cells

Cancer cell lines



34/108

[illegible]

Figure 19






Figure 20




MFI values are relative to background. Value of '1' means no binding

Figure 21




MFI values are relative to background. Value of `1` means no binding

Figure 21 - continued



MFI values are relative to background. Value of `1` means no binding

Figure 22



MFI values are relative to background. Value of '1' means no binding

Figure 22 - continued






Figure 23




MFI values are relative to background. Value of `1` means no binding

Figure 23 - continued




MFI values are relative to background. Value of 1 means no binding

Figure 24




MFI values are relative to background. Value of `1` means no binding

Figure 24 - continued




MFI values are relative to background. Value of `1` means no binding

Figure 25




MFI values are relative to background. Value of `1` means no binding

Figure 25 - continued




MFI values are relative to background. Value of 1 means no binding

Figure 26




MFI values are relative to background. Value of 1 means no binding

Figure 26 - continued




MFI values are relative to background. Value of `1` means no binding

Figure 27




MFI values are relative to background. Value of `1` means no binding

Figure 27 - continued



MFI values are relative to background. Value of `1` means no binding

Figure 28



MFI values are relative to background. Value of `1` means no binding

Figure 28 - continued





Figure 29



Low intensity stain with ESK1 compared to B47
Sharp decrease in binding of ESK1 compared to B47 with 10x decrease in [peptide]

Figure 30






Figure 32






Figure 32 - continued



WT1 Similar peptides



Anti-WT1 TCRL binds only WT1 loaded cells. It didn't bind other peptides (14 different peptides+5 similar peptides were analyzed)







Figure 34










Figure 36




Figure S1. Epitope specificity. The RMF peptide sequence was substituted with alanine at positions 1, 3, 4, 5, 7, or 8, or with tyrosine (WT1-A1B) at position 1 (sequences in table S1). (A) T2 cells were pulsed with indicated peptides at 50 µg/ml and the binding of ESK1 was measured by flow cytometry. (B) In order to show that the analog peptides still bound to HLA-A0201, cells were simultaneously stained with anti-HLA-A2 mAb, clone BB7.2 to measure the relative binding of the peptides to HLA-A2 molecule.






Figure 38



* Found by MS in normal tissues

Figure 39





Figure 40A






Figure 40C

Tyr D11 BS TCRL - killing assay on cell lines




Figure 41

Tyr D11 BS TCRL - killing assay on normal primary cells




Figure 42

Tyr D7 BS TCRL - killing assay on cell lines




Figure 43

Tyr D7 BS TCRL - killing assay on normal primary cells




Figure 44




Figure 45




Figure 46





Figure 47

ESK1-- 200nM



B47B6-- 5nM




Figure 48






Figure 49



* ESK1-BS mediates killing of WT1-mRNA negative cell lines

Figure 50






Figure 51A

WT1 B47B6 TCRL BS F#3



WT1 ESK1 BS F#3



+/- WT1 mRNA positive or negative

Figure 51B





Figure 52



* Found by MS in normal tissues

Figure 53




Figure 54




Figure 55





Figure 56

MAGE-A4 C106B9 BS TCRL - killing assay on cell lines



+/− MAGE-A4 mRNA positive or negative

- ◆ 1938 – melanoma positive control
- IM9 – MM positive control
- Panc1 - negative control
- JEKO1 - negative control
- ... Cell lines – as indicated

Figure 57

MAGE-A4 C106B9 BS TCRL - killing assay on normal primary cells





Figure 58



SUBSTITUTE SHEET (RULE 26)

Figure 59





Figure 60



* Found by MS in normal tissues

Figure 61




Figure 62




Figure 63





Figure 64



* Found by MS in normal tissues

Figure 65




Figure 66




Figure 67

MRPSIQFLGLLLFWLHGAQCIDIQMTQSPSSLSASLGKVTITCKASQDINHNYIAWYQHKEPVKGPRL
IHVTSITLQPGTPSRFSGSGSGRDYFSISNLEPEDIATYYCLQYDNLWTFGGGKLEIKRADAAPT
GIFPSSSQLTSGGASVVCFLNHFYFKDINVKKWIDGGERQNGVLNWDQDSKDSITYGMSTLT
KLEYEPHNSYTCETHKTSTSPVKSFNNEC

Heavy chain: DNA sequence (1380 bp)**Leader sequence-FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region-Stop codon**

ATGGCTGTCTCTGGTGTCTGTTCTCTGCCTGGTTGCATTTCCAAGCTGTGTCTCTGTCCCAGGTGCAAC
 TGAAGGAATCAGSACCTGGTCTGGTGGCGGCTTCACAGAGCCTGTCCATCACTTGCCTGTCTCTGG
 GTTTTCATTAAACCAGCTATGGTGTACACTGGGTTCCGCAAGCTCCAGGAAAGGGTCTGGAGTGGCTG
 GGAGTAATATGGGCTGGTGGAAACCACAAATTAATAATTTCGGCTCTCATGTCCAGACTGAGCATCAGCA
 GAGACAACCTCCAAGAGCCAACTTTTCTTAGAAATGAACAGTCTGCAAACTGATGACACAGCCATTTA
 CTACTGTGCCAGAGATGGTCACTTCCACTTTGACTTCTGGGGCCAAGCCACCCTCTCACAGTCTCC
 TCAGCCAAAACGACACCCCATCTGTCTATCCACTGGCCCTGGATCTGCTGCCAAAACCTAACTCCA
 TGGTGAACCTGGGATGGCTGGTCAAGGGCTATTTCCCTGAGCCAGTGCAGTGAACCTGGAACTCTGG
 ATCCCTGTCCAGCGGTGTGCACACCTTCCCAAGCTGTCTGTGAGTCTGACCTCTACACTCTGAGCAGC
 TCAGTGACTGTCCCTTCAGCACTTGGCCAGCGAGACCTGACCTGCAACCTTGGCCACCCGCGCA
 GCAGCACCAAGCTGCACAAGAAAATTGTGCCAGCGATTGTGCTTGTAAAGCTTGCATATGTACACT
 CCCAGAAGTATCATCTGTCTTCTCTTCCCTCCAAAGCCCAAGATGTGCTCACCATTACTCTCACT
 CCTAAGGTCACTGTCTTCTGTGTAGACATCAGCAAGCATGATCCCGAGCTCCAGTTCAGCTGCTTTG
 TAGATGATGTGAGGTGCACACAGCTCAGACCGCAACCCCGGAGGAGCAGTTCACACAGCACTTTCCG
 CTCAGTCACTGAACCTTCCCATCATGCAACAGGACTGGCTCAATGGCAAGGAGTTCAAATGCAGGCTC
 AACAGTGCAGCTTTCCCTGCCCCCATCGAGAAAACCATCTCCAAAACCAAAGGCAGACCGAAGCTC
 CACAGGTGTACACCATTCCACCTCCCAAGGAGCAGATGGCCAAAGGATAAAGTCACTCTGACCTGCAT
 GATAACAGACTTCTTCCCTGAAGACATTACTGTGAGTGGCACTGGAATGGACACCCAGCGGAGAAC
 TACAAGAACTTCAGCCCATCATGACACAGATGGCTCTTACTTCGTCTACAGCAAGCTCAATGTCC
 ACAAGAGCAACTGGGAGCCAGGAAATACTTCACTGCTCTGTGTTACATGAGGCGCTGCACAACCA
 CCATACTGAGAAGAGCTCTCTCCACTCTCTCTGCTAAATGA

Heavy chain: Amino acids sequence (459 AA)**Leader sequence-FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region-Stop codon**

MAVLVFLCLVAFPSCVLSQVQLKESGPGLVAPSSLSITCTVSGFSLTSYGVHWVRQPPGKGLEWL
 GVIWAGGTTNYSALMSRLSISPDNKSQVFLMNSLQTDDBTAIYYCARDGHFHFDWGGQTTLTVS
 SAKETFPSPVYFLAPSSAAQTNSMVTLCCLVKGYFPEPVTVWNSGSLSSGVHTFPAVLQSDLYTLSS
 EVTVFSSSTNPSETVTCNVAFPASSTKVDKKIVPRLOCKPCTCTVVEVSSVFIFPPKPKDVLITLT
 PKVTCVVDLISKDDFEVQFSWFVDDVEVHTAQTQPPFEEQFNSTFRVSELPIMHODWLNGKEFKCRV
 NSAAFPAPLEKTIKSTNGRPKAPQVYTIIPPPKEQMAKDKVSILTCMITDFFEDITVEWQWNGQPAEN
 YFNTQPIMDTLGSIYFVYSKLVNQKENWEAGNFTTCSVLSEGLNHNHETKSLSESPGK

Light chain: DNA sequence (705 bp)**Leader sequence-FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region-Stop codon**

ATGAGTGTGCCCCTCAGGTCCTGGGGTTGCTGCTGCTGTGGCTTACAGATGCCAGATGTGACATCC
 AGATGACTCAGTCTCCAGCCTCCCTATCTGTATCTGTGGGAGAACTGTCAACATCACATGTGAGC
 AAGTGATATTATTTACAGTAATTTAGCATGGTATCAGCAGAAACAGGGAAAAATCTCCTCAGCTCCTG
 GTCTATGCTGCAACAACTTAGCAGCTGGTGTGCCATCAAGGTTCACTGGCAGTGGATCAGGCACAC
 AGTATTCCTCAAGATCAATAGCTGCACTCTGAAGATTTTGGGACTTATTACTGTCAACATTTTTTG
 GGGTAGTTCAATCTCGTTCCGCTCGGGGACAAAGTTGGAATAAAAACGGCTGATGCTGCACCAACT
 GTATCCATCTTCCCAACCATCCAGTGAGCAGTTAACATCTGGAGGTGCCCTCAGTCTGTGCTTCTTGA
 ACAACTTCTACCCCAAAGACATCAATGTCAASTGGAAGATTGATGGCACTGAACGACAAAATGGCGT
 CCTGAACAGTTGGACTGATCAGGACAGCAAGACAGCACTTACAGCATGAGCAGCACCTCAGCTTG
 ACCAAGGACGAGTATGAACGACATAACAGCTATACCTGTGAGGCCACTCACAAACACATCAACTTCAC
 CCATTGTCAAGAGCTTCAACAGGAATGAGTGTAG

Light chain: Amino acids sequence (234 AA)**Leader sequence-FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region-Stop codon**

MSVPTQVLGLLLLWLTDARCDIQMTQSPASLSVSVGETVTITCRASDIIYSNLAWYQKQKSPQLL
 VYAATNLAAGVPSRFSGSGSGTQYSLKINSLSQSEDFCTYYCQHFHWGSSISFGSGTKLEIKRADAAPT
 VSIFPPSSEQLTSGGASVVCFLNNFYPKDINVEWKIDGSRQNGVLNSWTDQDSKLSYSTYSMSSTLT
 TKDEYERHNSYTCRATHKISTSPIVKSFNNEC

Figure 69

WT1 B47B6 TCRL SEQUENCE**Heavy chain: DNA sequence**

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

GAAGTGCAGTTGGTGGAGTCGGGGGGAGGCTTAGTGAAGCCTGGAGGGTCCCTGAAACTCTCCTGTGCAGCCTC
TGGATTCTGTTTTAGTAGCTATGACATGTCTTGGGTTTCGCCAGGCTCAGGAGAAGAGGCTGGAGTGGGTTCGCATA
CATGAGTAGTGGTGGCGGCACCTACTATCCAGACACTGTGAAGGGGCCGATTACCATCTCCAGAGACAATGCCAA
GAACACCCTGCACCTGCAAATGAGCAGCCTGAAGTCTGAGGACACAGCCATGTATTACTGTGCAAGACATGATGA
GATTACTAACTTTGACTACTGGGGCCAAAGGCACCCTCTCACAGTCTCCTCAGCCCAAAACGACACCCCCATCTGT
CTATCCACTGGCCCTCGGATCTGCTGCCCCAACTAACTCCATGGTGACCCCTGGGATGCTTGGTCAAGGGC
TATTTCCCTGAGCCAGTGACAGTGACCTGGAACCTCTGGATCCCTGTCCAGGGGTGTGCACACCTTCCAG
CTGTCTGCACTCTGACCTCTACACTCTGAGCAGCTCAGTGAAGTGTCCCTCCAGCACTTGGCCAGCGA
GACCGTCACTTGCACACCTTGGCCACCTGGCCAGCAGCAGCAAGGTGGACAAGAAAATTTGTGCCCAAGGGAT
TGTGGTTGTAAAGCCTTGCATATGTACAGTCCAGAAAGTATCATCTGTCTTCTATCTTCCCCCAAGGCCA
AGGATGTGCTCACCATTACTCTGACTCCTAAGGTCAAGTGTGTTGTGGTAGACATCAGCAAGGATGATCC
CGAGGTCCAGTTCAGCTGGTTTGTAGATGATGTGGAGGTGCACACAGCTCAGACGCCAACCCCGGAGGAG
CAGTTCAACAGCAGCTTTCCGCTCAGTCAGTGAAGTTCCCATCATGCACCCAGGACTGGCTCAATGGCAAG
GAGTTCAAATGCAGGGTCAACAGTGCAGCTTTCCCTGCCCCCATCGAGAAAACCATCTCCAAAACCAAAG
GCAGACCGAAGGCTCCACAGGTGTACACCATTCCACCTCCCAAGGAGCAGATGGCCAAGGATAAAGTCAG
TCTGACCTGCATGATAACAGACTTTCTTCCCTGAAAGACATTACTGTGGAGTGGCAGTGGAAATGGGCAGCCA
GCGGAGAACTACAAGAACACTCAGCCCATCATGGACACAGATGGCTCTTACTTCGTCTACAGCAAGCTCA
ATGTGCAGAAAGAGCAACTGGGAGGCAGGAAATACTTTCACTGCTCTGTGTTACATGAGGGCTTCACAA
CCACCATACTGAGAAGAGCCTCTCCACTCTCCTCGTAAA

EVQLVESGGGLVKPGGSLKLSAASGFVFSYDMSWVRQAQEKRLWVAYMSSGGGTYYPDTIVKGRFTISRDNAKNT
LHLQMSSSLKSEDTAMYYCARHDEITNFDYWGQGTLLTVSSAKTTPPSVYPLAFQSAAGTNSMVTLCGLVKGYFP
EPVTVTWNSSGLSSGVHTEPAVLQSDLYTLSSSVTVPSSTWPSSTVTCNVAPASSTKVDKKIVPEDCGC
KPCICTVPEVSSVFIFFPKPKDVLITITLTPKVTCTVVDIISDDPEVQFSEFVDDVEVHTAGTQPREHQFN
STFRSVSELPIMHQDWLNGKEFKCRVNSAAPPAPIEKTIKTKGRPKAPQVYTIFFPKQMAKDKVSLTC
MITDFPPEDITVEWQWNGQPAENYKNTQPIMDTDGSYFVYSKLVNQKSNWEAGNITFCSVLHEGLHNHHT
EXSLSSSPGK

Light chain: DNA sequence

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

GATATTGTGCTCACTCAGTCTCCAGCCACCCTGTCTGTGAGTCCAGGAGATAGCGTCAGTCTTCTCCTGCAGGGCCAGCCAAAAGT
ATTAGCAACAGCCTACACTGGTATCAACAAAAATCACATGAGTCTCAAGGCTTCTCATCAAGTATGCTTCCCAGTCCATCTCTG
GAATCCCCCTCAGGTTTCAGTGGCAGTGGATCAGGGACAGATTTACCTCAGTATCAACAGTGTGGAGACTGAAGATTTTGA
ATGATTTTCTGTCAACAGAGTTACAGCTGGCCTCTCACGTTCGGTGTGGTCCAGCTGGAGCTGAAACGGGCTGATGCT
GCACCAACTGTATCCATCTTCCACCATCCAGTGAGCAGTTAACATCTGGAGGTGCTCAGTCTGTGCT
TCTTGAACAACTTTTACCCCAAAGACATCAATGTCAAGTGGAAAGATTGATGGCAGTGAACGACAAAATGG
CGTCTGAAACAGTTGGACTGATCAGGACAGCAAAAGACAGCAGCTACAGCATGAGCAGCAGCCCTCAGCTTG
ACCAAGGACGAGTATGAACGACATAACAGCTATACTGTGAGGGCACTCACAAGACATCAACTTCACCCA
TTGTCAAGAGCTTCAACAGGAATGAGTGT

Figure 70

DIVLTQSPATLSVSPGDSVSLSCRASQSI SNLSLHWYQKSHESPRLLKYASQSI SGIPSRFSGSGSGTDFTLSINSVETEDFGMYFCQQ
SYSWPLTFGAGSKLELKRADAAPT VSIFFPSSSEQLTSGGASVVCFLNNFYPKDINVKWKIDGSERQNGVLNSWT
LQDSKDSTVGMSETLTETKDEYERBN SYTCEATGKTSTSPIVKSENPNEC

Figure 70 continued

C106B9 MAGE-A4 TCRL**Heavy chain: DNA sequence**

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

Nuc-seq:

CAGGTTCAACTGCAGCAGTCTGGAGGTGAGGTGATGAAGCCTGGGGCCTCAGTGAAGCTTTCCTGCAAGGCTACT
 GGCTACACATTCACTGGCTACTGGATAGAGTGGATAAAACAGAGGCCTGGACATGGCCTTGAGTGGATTGGAGA
 GATTTTACCTGGAAGTGGTGGTACTAACTACAATGAGAAATTCAAGGGCAAGGCCACATTCAGTGCACATACATCC
 TCCAACACAGCCTACATGCAACTCAGCAGCCTGACAACCTGAGGACTCTGCCATCTATTACTGTGCAAGGGATAGTA
 ACTCCTTTACTTACTGGGGCCAAGGGACTCTGGTCACTGTCTCTTCAGCCAAAAACGACACCCCATCTGTCTATC
 CACTGGCCCTGGATCTGCTGCCCAAACTAACTCCATGGTGAACCTGGGATGGCTGGTCAAGGGCTATTT
 CCCTGAGCCAGTGACAGTGACCTGGAACTCTGGATCCCTGTCCAGCGGTGTGTCACACCTTCCCAGCTGTCT
 CTGCAGTCTGACCTCTACACTCTGAGCAGCTCAGTGACTGTCCCTTCCAGCACCTGGCCCGAGCGAGACCG
 TCACCTGCAACGTTGCCACCCGGCCAGCAGCACTAAGGTGGACAAAGAAATTGTGCCAGGGGATTGTGG
 TTGTAAGCCTTGCATATGTACAGTCCCGAAGATATCATCTGTCTTCATCTTCCCTCCAAAGCCCAAGGAT
 GTGCTCACCATTACTCTGACTCCTAAGGTACGCTGTGTGTGTGGTAGACATCAGCAAGGATGATCCCGAGG
 TCCAGTTTCACTGGTGTGTGTAGATGATGTGGAGGTGCACACAGCTCAGACGCAACCCCGGGAGGAGCAGTT
 CAACAGCACTTTCCGCTCAGTCAGTGAACCTTCCATCATGCACAGGACTGGCTCAATGGCAAGGAGTTC
 AAATGCAGGGTCAACAGTGCAGCTTTCCCTGCCCCATCGAGAAACCATCTCCAAZACCAAAGGCAGAC
 CGAAGGCTCCACAGGTGTACAACATTCCACCTCCCAAGGAGCAGATGGCCAAGGATAAAAGTCAGTCTGAC
 CTGCATGATAACAGACTTCTTCCCTGAAGACATTACTGTGGAGTGGCAGTGGGAATGGCCAGCCAGCGGAG
 AACTACAAGAACACTCAGCCCATCATGGACACAGATGGCTCTTACTTCTGTCTACAGCAAGCTCAATGTGC
 AGAAGAGCAACTGGGAGGCAGGAAATACTTTCACCTGCTCTGTGTTACATGAGGGCCTGCACAACCAACA
 TACTGAGAAGAGCCTCTCCCACTCTCTCTGGTAAA

AA-seq:

QVQLQQSGGEVMPKPGASVKLSCKATGYTFTGYWIEWIKRPGHGLEWIGEILPGSGGTNYNEKFKGKATFTAHSSN
 TAYMQLSSLTIEDSAIYYCARDSNSFTYWGQGLTVYSSAKTTTPSVYPLAPGSAAGTNSMVTLGCLVKGYPPEP
 VTVTWNSGSLSSGVETFPAYLQCDLYTLSSSVTPSSWPSSTVTCNVASAPASSTKVDKKIVPRDCGCKP
 CICTVPEVSSVFIFPPKPKDYLITILTPKVTICVVDISKDDPEVQPSWFVDDVEVHTAQTQPREQFNST
 FRVSSELPIMHQDWLNGKEFKCRVNSAAFFAPISKTIISKTKGRPKAPQV/TIIPPKEQMAKDKVSLTOMI
 TDFEEDITVEWQWNGQPAEWYKNTQPIMDTDGSYFVYSKLNQVQKSNWEAGNTFTCSVLHEGLHNHHTK
 SLRSPEK

Light Chain

Light chain: DNA sequence (705 bp)

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

CAAATTGTTCTCACCCAGTCTCCAGCAATCATGTCTGCATCTCCAGGGGAGAAGGTCACCATAACCTGCAGTGTCA
 GCTCAAGTGTAGATTACATTCAGTGGTTCAGCAGAAGCCAGGCACTTCTCCCAAATTCTGGATTATAGCACATCC
 ATCCTGGCTTCTGGAGTCCCTGCTCGCTTCAGTGGCAGTGGATCTGGGACCTCTTACTCTCTCACAATCAGCCGAAT
 GGAGGCTGAAGATGCTGCCACTTATTACTGCCAGCAAAGGAGIAGTTACCCACCCACgTTCGGCTCGGGGACAAAGT

Figure 71

TGGAAATAAAACGGGGCTGATGCTGCACCAACTGTATCCATCTTCCACCATCCAGTGAGCAGTTAACATCTG
GAGGTGCTTCAGTCGTGTGCTTCTTGAACAACCTTCTACCCCAAAGACATCAATGTCAAGTGGGAAGATTGA
TGGCAGTGAACGACAAAATGGCGTCCTGAACAGTTGGACTGATCAGGACAGCAAAGACAGCACCTACAGC
ATGAGCAGCACCTTCACGTTGACCAAGGACGAGTATGAACGACATAACAGCTATACTGTGAGGGCCACTC
ACAAGACATCAACTTCACCCATTGTCAAGAGCTTCAACAGGAATGAGTGT

AA-seq:

QIVLTQSPAIMSASPGEKVTITCSVSSSVDYIHWFQOKPGTSPKFWIYSTSILASGVPARFSGSGSGTSYSLTISRMEAEDA
ATYYCQQRSSYPPTFGSGTKLEIKRADAAPTVSIFPPSSSEQLTSGGASVVCFLNNFYPKDINVRWKIDGSEKQI
GVLNSWIDQDSKDSITYSMSSLTLTDEYERHNSYTCEATHKTTSTSPVFSFNRNEC

Figure 71 continued

ACCAAGCTGGAGCTGAAAACGGGCTGATGCTGCACCAACTGTATCCATCTTCCACCATCCAGTGAGCAGTT
AACATCTGGAGGTGCCTCAGTCGTGTGCTTCTTGAACAACCTTCTACCCCAAAGACATCAATGTCAAGTGG
AAGATTGATGSCAGTGAACGACAAAAATGGCGTCTTGAACAGTTGGACTGATCAGGACAGCAAAGACAGCA
CCTACAGCATGAGCAGTACCTTCACGTTGACCAAGGACGAGTATGAACGACATAACAGCTATACCTGTGA
GGCCACTCACAAGACATCAACTTCACTCATTGTCAAGAGCTTCAACAGGAATGAGTGT

AA-seq:

DIQMTQSPASLSVSVGETVTITCRASENIYRNLAIFYQQKQKSPQLLVHAATNLADGVPSRFSGSGSDTQYSLKINSIQ
SEDFGNYYCQHFWGTPITFGAGTKLELKFADAAPTYSIFPPSSSEQLTSGGASVVCFLNNFYPKDINVKWKIDG
SERQNGVLEHWTDQDEKDETYCMSSITLITKDEYERENSITCBATSKTSTSPIVKSFNPNRC

Figure 72 continued

D10A3 PAP TCRL**Heavy chain: DNA sequence**

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

Nuc seq

GAGGTCCAGCTGCAACAGTTTGGAACTGAGCTGGTGAAGCCTGGGGCTTCAGTGAAGATATCCTGCAA
 GGCTTCTGGCTACACATTCAGTACTACAACATGGACTGGGTGAAGCAGAGCCATGGAAAGAGCCTTGA
 GTGGATTGGAGATATTAATCCTAATACTATGATACTACTACCTACAACCAGAAGTTCAAGGGAAAGGCCAC
 ATTGACTGTAGACAAGTCCCTCCAGCACAGCCTACATGGAGCTCCGCAGCCTGACTTCTGAGGACACTGC
 AGTCTTTTACTGTGCAAGAAGGAAGTATGGTAACTACGTGGGGTTTGACTTCTGGGGCCAAGGCACCAC
 TCTCACAGTCTCCTCAGCCAAAAACGACACCCCTCTGTCTATCCACTGGGCCCTGGCATCTGCTGCCCCAA
 CTAACCTCCATGGGTGACCCCTGGGATGCTTGGTCAAGGGCTATTTCCCTGAGCCAGTGACAGTGACCTGGAA
 CTCTGGATCCCTGTCCAGCGGTGTGCACACCTTCCAGCTGTCTCTGCAGTCTGACCTCTACACTCTGAGC
 AGCTCAGTGAAGTGTCCCTCCAGCACCTGGGCTCAGCGAGACCGTCACCTGCAACGTTGCGTACCCGCGCA
 GCAGCACCAAGGTGGACAAGAAAAATTGTGCTCCAGGGATTGTGGTTGTAAGCCTTGCCATATGTACAGTCCC
 AGAAGTATCATCTGTCTTCTCTTCCCCCAAAAGCCCAAGGATGTGCTCACCATTACTCTGACTCCTAAG
 GTCACGTGTGTGTGTGGTAGACATCAGCAAGGATGATGCCGAGGTCCAGTTCAGCTGGTTTGTAGATGATG
 TGGAGGTGCACACAGCTCAGACGCAACCCCGGGAGGAGCAGTTCAACAGCACTTTCCGCTCAGTCACTGA
 ACTTCCCATCATGCAACAGGACTGGCTCAATGGCAAGGAGTTCAAATGCAGGGTCAACAGTGCAAGCTTTC
 CCTGCCCCCATCGAGAAAACCATCTCCAAAACCAAAGGCAGACCGAAGGCTCCACAGGTGTACACCATTC
 CACCTCCCAAGGAGCAGATGGCCAAGGATAAAGTCAGTCTGACCTGCATGATAACAGACTTCTTCCCTGA
 AGACATTACTGTGGAGTGGCACTGGGAATGGGCAGCCAGCGGAGAACTACAAGAACACTCAGCCCATCATG
 GACACAGATGGCTCTTACTTCGTCTACAGCAAGCTCAATGTGCAGAGAGCAACTGGGAGGCAGGAAATA
 CTTTCACCTGCTCTGTGTTACATGAGGGCTGCACAACCACCATACTGAGAAGAGCCTCTCCCACTCTCC
 TGGTAAA

AA-seq:

EVQLQQFGTELVKPGASVKISCKASGYFTDYNMDWVKQSHGKSLEWIGDINPNYDTTYYNQKFKGKATLT
 VDKSSSTAYMELRLTSEDYAVFYCARRNYGNYVGFDFWQGTTTLTVSSAKITPPSVYPLAPGSAQTNSM
 VTLCCLVKGYPEFVTVTWNSGSLSSGVHTFFAVLQSDLYTLSSSVTVPSSTWPSSETVTGNVAHPASSTK
 VDKKIIVPRDCGCKPCICTVPEVSSVFIFPPKPKOVLTITLTTPKVTCTVVDISKDDPEVQPSWFDVDEVH
 TAQTQPREBQFNSTFRSVSBLIFIMHQDWLNGKEFKCRVNSAAFPAPIEKTIISKTKGRPKAPQVYITPPPK
 EQMAKDKVSLTCLMIDFPPEOITVEWQWNGQPAENYKNTQPIMLDTGSIYFVYKLVNQKSNWEAGNTFTC
 SVLEGLHNHSTKSLSHSPGK

Light chain: DNA sequence

FR1-CDR1-FR2-CDR2-FR3-CDR3-FR4-Constant region

Nucseq:

AATATTGTGCTGACCCAGACTCCCAAATTCCTGCTTGTATCAGCAGGAGACAGGGTTTCCATAACCTGCA
 AGGCCAGTCAGCGTGTGAATAATGATGTAGCTTGGTACCAACAGAAGCCAGGGCAGTCTCCTAAACTGC
 TGATATACTATGCATCCAATCGCTACACTGGAGTCCCTGATCGCTTCACTGGCAGTGGATATGGGACGG

Figure 73

ATTTCACTTTTACCATCAGCACTGTGCAGGCTGAAGACCTGGCAGTTTATTTCTGTCAGCAGGATTATAG
CTCTCCATTTCACGTTTCGGCTCGGGGACAAAAGTTGGAAATAAAAACGGGCTGATGCTGCACCAACTGTATCC
ATCTTCCCACCATCCAGTGAGCAGTTAACATCTGGAGGTGCCTCAGTCGTGTGCTTCTTGAACAACTTCT
ACCCCAAAGACATCAATGTCAAGTSGAAGATTGATGGCAGTGAACGACAAATGGGCTCTTGAACAGTTG
GACTGATCAGGACAGCAAAGACAGCACCTACAGCATGAGCAGCAACCTCAGCTTGAACAAAGGACGAGTAT
GAACGACATAACAGCTATACTGTGAGGCCACTCACAAGACATCAACTTCACCCATTGTCAAGAGCTTCA
ACAGGAATGAGTGT

AA-seq

NIVLTQTPKFLLVSAGDRVSITCKASQRVNNDVAWYQQKPGQSPKLLIYYASNRYTGVPDRFTGSGYGTD
FTFTISTVQAEDLAVYFCQQDYSSPFTFGSGTKLEIKRADAAPTVSIFPPSSEQLTSGGASVVCFLNNFYPKDI
NVKWKIDGSERQNGVLNSWTDQDSKDYSTMSTLTLTKEVERHNSYTCETHKTSTSPIVKSFNRECE

Figure 73 continued

PCTIL2016050600-seq1-000001-EN
SEQUENCE LISTING

<110> Applied Immune Technologies Ltd.
PELED KAMAR, Mira
DENKBERG, Galit
REITER, Yoram
BEER, Ilan
SINIK, Keren
TEBOUL (ELBAZ), Yael
SHPERBER (SERY), Yael
EREL SEGAL, Reut
OREN, Ravit
ALISHEKEVITZ, Dror Shmuel

<120> AFFINITY ENTITIES COMPRISING A TCR-LIKE ANTIBODY BINDING DOMAIN
WITH HIGH AFFINITY AND FINE SPECIFICITY AND USES OF SAME

<130> 66429

<150> US 62/172,264
<151> 2015-06-08

<150> NL N2014935
<151> 2015-06-08

<160> 384

<170> PatentIn version 3.5

<210> 1
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 1

Tyr Met Asp Gly Thr Met Ser Gln Val
1 5

<210> 2
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 2

Tyr Leu Leu Pro Ala Ile Val His Ile
1 5

<210> 3
<211> 19
<212> PRT
<213> Artificial sequence

<220>

<223> short peptide

<400> 3

Thr Thr Ala Gly Cys Ala Ala Ala Gly Cys Ala Thr Ala Cys Cys Ala
1 5 10 15

Thr Cys Ala

<210> 4

<211> 19

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 4

Cys Cys Ala Gly Ala Cys Ala Ala Ala Gly Ala Gly Gly Thr Cys Ala
1 5 10 15

Thr Ala Ala

<210> 5

<211> 18

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 5

Ala Gly Gly Cys Thr Gly Cys Ala Ala Thr Ala Ala Gly Ala Gly Ala
1 5 10 15

Thr Ala

<210> 6

<211> 18

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 6

Thr Thr Cys Gly Cys Thr Gly Ala Cys Ala Ala Gly Thr Thr Thr Thr
1 5 10 15

Ala Cys

<210> 7
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide
 <400> 7

Glu Ala Ala Gly Ile Gly Ile Leu Thr Val
 1 5 10

<210> 8
 <211> 163
 <212> PRT
 <213> homo sapiens
 <400> 8

Met Lys Trp Lys Ala Leu Phe Thr Ala Ala Ile Leu Gln Ala Gln Leu
 1 5 10 15

Pro Ile Thr Glu Ala Gln Ser Phe Gly Leu Leu Asp Pro Lys Leu Cys
 20 25 30

Tyr Leu Leu Asp Gly Ile Leu Phe Ile Tyr Gly Val Ile Leu Thr Ala
 35 40 45

Leu Phe Leu Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr
 50 55 60

Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg
 65 70 75 80

Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met
 85 90 95

Gly Gly Lys Pro Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu
 100 105 110

Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys
 115 120 125

Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu
 130 135 140

Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu
 145 150 155 160

Pro Pro Arg

<210> 9
 <211> 164
 <212> PRT
 <213> homo sapiens
 <400> 9

Met Lys Trp Lys Ala Leu Phe Thr Ala Ala Ile Leu Gln Ala Gln Leu
 1 5 10 15

Pro Ile Thr Glu Ala Gln Ser Phe Gly Leu Leu Asp Pro Lys Leu Cys
 20 25 30

Tyr Leu Leu Asp Gly Ile Leu Phe Ile Tyr Gly Val Ile Leu Thr Ala
 35 40 45

Leu Phe Leu Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr
 50 55 60

Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg
 65 70 75 80

Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met
 85 90 95

Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn
 100 105 110

Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met
 115 120 125

Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly
 130 135 140

Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala
 145 150 155 160

Leu Pro Pro Arg

<210> 10
 <211> 123
 <212> PRT
 <213> homo sapiens
 <400> 10

PCTIL2016050600-seq1-000001-EN

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Asn Lys Ile Leu Val Lys Gln Ser Pro Met Leu Val Ala Tyr
20 25 30

Asp Asn Ala Val Asn Leu Ser Trp Lys His Leu Cys Pro Ser Pro Leu
35 40 45

Phe Pro Gly Pro Ser Lys Pro Phe Trp Val Leu Val Val Val Gly Gly
50 55 60

Val Leu Ala Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile Phe
65 70 75 80

Trp Val Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn
85 90 95

Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr
100 105 110

Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
115 120

<210> 11
<211> 101
<212> PRT
<213> homo sapiens

<400> 11

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Lys His Leu Cys Pro Ser Pro Leu Phe Pro Gly Pro Ser Lys
20 25 30

Pro Phe Trp Val Leu Val Val Val Gly Gly Val Leu Ala Cys Tyr Ser
35 40 45

Leu Leu Val Thr Val Ala Phe Ile Ile Phe Trp Val Arg Ser Lys Arg
50 55 60

Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro
65 70 75 80

Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe
85 90 95

PCTIL2016050600-seq1-000001-EN

Ala Ala Tyr Arg Ser
100

<210> 12
<211> 220
<212> PRT
<213> homo sapiens

<400> 12

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Asn Lys Ile Leu Val Lys Gln Ser Pro Met Leu Val Ala Tyr
20 25 30

Asp Asn Ala Val Asn Leu Ser Cys Lys Tyr Ser Tyr Asn Leu Phe Ser
35 40 45

Arg Glu Phe Arg Ala Ser Leu His Lys Gly Leu Asp Ser Ala Val Glu
50 55 60

Val Cys Val Val Tyr Gly Asn Tyr Ser Gln Gln Leu Gln Val Tyr Ser
65 70 75 80

Lys Thr Gly Phe Asn Cys Asp Gly Lys Leu Gly Asn Glu Ser Val Thr
85 90 95

Phe Tyr Leu Gln Asn Leu Tyr Val Asn Gln Thr Asp Ile Tyr Phe Cys
100 105 110

Lys Ile Glu Val Met Tyr Pro Pro Pro Tyr Leu Asp Asn Glu Lys Ser
115 120 125

Asn Gly Thr Ile Ile His Val Lys Gly Lys His Leu Cys Pro Ser Pro
130 135 140

Leu Phe Pro Gly Pro Ser Lys Pro Phe Trp Val Leu Val Val Val Gly
145 150 155 160

Gly Val Leu Ala Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile
165 170 175

Phe Trp Val Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met
180 185 190

Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro
195 200 205

PCTIL2016050600-seq1-000001-EN

Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
 210 215 220

<210> 13
 <211> 255
 <212> PRT
 <213> homo sapiens

<400> 13

Met Gly Asn Ser Cys Tyr Asn Ile Val Ala Thr Leu Leu Leu Val Leu
 1 5 10 15

Asn Phe Glu Arg Thr Arg Ser Leu Gln Asp Pro Cys Ser Asn Cys Pro
 20 25 30

Ala Gly Thr Phe Cys Asp Asn Asn Arg Asn Gln Ile Cys Ser Pro Cys
 35 40 45

Pro Pro Asn Ser Phe Ser Ser Ala Gly Gly Gln Arg Thr Cys Asp Ile
 50 55 60

Cys Arg Gln Cys Lys Gly Val Phe Arg Thr Arg Lys Glu Cys Ser Ser
 65 70 75 80

Thr Ser Asn Ala Glu Cys Asp Cys Thr Pro Gly Phe His Cys Leu Gly
 85 90 95

Ala Gly Cys Ser Met Cys Glu Gln Asp Cys Lys Gln Gly Gln Glu Leu
 100 105 110

Thr Lys Lys Gly Cys Lys Asp Cys Cys Phe Gly Thr Phe Asn Asp Gln
 115 120 125

Lys Arg Gly Ile Cys Arg Pro Trp Thr Asn Cys Ser Leu Asp Gly Lys
 130 135 140

Ser Val Leu Val Asn Gly Thr Lys Glu Arg Asp Val Val Cys Gly Pro
 145 150 155 160

Ser Pro Ala Asp Leu Ser Pro Gly Ala Ser Ser Val Thr Pro Pro Ala
 165 170 175

Pro Ala Arg Glu Pro Gly His Ser Pro Gln Ile Ile Ser Phe Phe Leu
 180 185 190

Ala Leu Thr Ser Thr Ala Leu Leu Phe Leu Leu Phe Phe Leu Thr Leu
 195 200 205

PCTIL2016050600-seq1-000001-EN

Arg Phe Ser Val Val Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe
210 215 220

Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly
225 230 235 240

Cys Ser Cys Arg Phe Pro Glu Glu Glu Gly Gly Cys Glu Leu
245 250 255

<210> 14
<211> 199
<212> PRT
<213> homo sapiens

<400> 14

Met Lys Ser Gly Leu Trp Tyr Phe Phe Leu Phe Cys Leu Arg Ile Lys
1 5 10 15

Val Leu Thr Gly Glu Ile Asn Gly Ser Ala Asn Tyr Glu Met Phe Ile
20 25 30

Phe His Asn Gly Gly Val Gln Ile Leu Cys Lys Tyr Pro Asp Ile Val
35 40 45

Gln Gln Phe Lys Met Gln Leu Leu Lys Gly Gly Gln Ile Leu Cys Asp
50 55 60

Leu Thr Lys Thr Lys Gly Ser Gly Asn Thr Val Ser Ile Lys Ser Leu
65 70 75 80

Lys Phe Cys His Ser Gln Leu Ser Asn Asn Ser Val Ser Phe Phe Leu
85 90 95

Tyr Asn Leu Asp His Ser His Ala Asn Tyr Tyr Phe Cys Asn Leu Ser
100 105 110

Ile Phe Asp Pro Pro Pro Phe Lys Val Thr Leu Thr Gly Gly Tyr Leu
115 120 125

His Ile Tyr Glu Ser Gln Leu Cys Cys Gln Leu Lys Phe Trp Leu Pro
130 135 140

Ile Gly Cys Ala Ala Phe Val Val Val Cys Ile Leu Gly Cys Ile Leu
145 150 155 160

Ile Cys Trp Leu Thr Lys Lys Lys Tyr Ser Ser Ser Val His Asp Pro
165 170 175

PCTIL2016050600-seq1-000001-EN

Asn Gly Glu Tyr Met Phe Met Arg Ala Val Asn Thr Ala Lys Lys Ser
180 185 190

Arg Leu Thr Asp Val Thr Leu
195

<210> 15
<211> 277
<212> PRT
<213> homo sapiens

<400> 15

Met Cys Val Gly Ala Arg Arg Leu Gly Arg Gly Pro Cys Ala Ala Leu
1 5 10 15

Leu Leu Leu Gly Leu Gly Leu Ser Thr Val Thr Gly Leu His Cys Val
20 25 30

Gly Asp Thr Tyr Pro Ser Asn Asp Arg Cys Cys His Glu Cys Arg Pro
35 40 45

Gly Asn Gly Met Val Ser Arg Cys Ser Arg Ser Gln Asn Thr Val Cys
50 55 60

Arg Pro Cys Gly Pro Gly Phe Tyr Asn Asp Val Val Ser Ser Lys Pro
65 70 75 80

Cys Lys Pro Cys Thr Trp Cys Asn Leu Arg Ser Gly Ser Glu Arg Lys
85 90 95

Gln Leu Cys Thr Ala Thr Gln Asp Thr Val Cys Arg Cys Arg Ala Gly
100 105 110

Thr Gln Pro Leu Asp Ser Tyr Lys Pro Gly Val Asp Cys Ala Pro Cys
115 120 125

Pro Pro Gly His Phe Ser Pro Gly Asp Asn Gln Ala Cys Lys Pro Trp
130 135 140

Thr Asn Cys Thr Leu Ala Gly Lys His Thr Leu Gln Pro Ala Ser Asn
145 150 155 160

Ser Ser Asp Ala Ile Cys Glu Asp Arg Asp Pro Pro Ala Thr Gln Pro
165 170 175

Gln Glu Thr Gln Gly Pro Pro Ala Arg Pro Ile Thr Val Gln Pro Thr
180 185 190

PCTIL2016050600-seq1-000001-EN

Glu Ala Trp Pro Arg Thr Ser Gln Gly Pro Ser Thr Arg Pro Val Glu
195 200 205

Val Pro Gly Gly Arg Ala Val Ala Ala Ile Leu Gly Leu Gly Leu Val
210 215 220

Leu Gly Leu Leu Gly Pro Leu Ala Ile Leu Leu Ala Leu Tyr Leu Leu
225 230 235 240

Arg Arg Asp Gln Arg Leu Pro Pro Asp Ala His Lys Pro Pro Gly Gly
245 250 255

Gly Ser Phe Arg Thr Pro Ile Gln Glu Glu Gln Ala Asp Ala His Ser
260 265 270

Thr Leu Ala Lys Ile
275

<210> 16
<211> 184
<212> PRT
<213> homo sapiens

<400> 16

Met Ala Pro Leu Leu Pro Ile Arg Thr Leu Pro Leu Ile Leu Ile Leu
1 5 10 15

Leu Ala Leu Leu Ser Pro Gly Ala Ala Asp Phe Asn Ile Ser Ser Leu
20 25 30

Ser Gly Leu Leu Ser Pro Ala Leu Thr Glu Ser Leu Leu Val Ala Leu
35 40 45

Pro Pro Cys His Leu Thr Gly Gly Asn Ala Thr Leu Met Val Arg Arg
50 55 60

Ala Asn Asp Ser Lys Val Val Thr Ser Ser Phe Val Val Pro Pro Cys
65 70 75 80

Arg Gly Arg Arg Glu Leu Val Ser Val Val Asp Ser Gly Ala Gly Phe
85 90 95

Thr Val Thr Arg Leu Ser Ala Tyr Gln Val Thr Asn Leu Val Pro Gly
100 105 110

Thr Lys Phe Tyr Ile Ser Tyr Leu Val Lys Lys Gly Thr Ala Thr Glu
115 120 125

PCTIL2016050600-seq1-000001-EN

Ser Ser Arg Glu Ile Pro Met Ser Thr Leu Pro Arg Arg Asn Met Glu
130 135 140

Ser Ile Gly Leu Gly Met Ala Arg Thr Gly Gly Met Val Val Ile Thr
145 150 155 160

Val Leu Leu Ser Val Ala Met Phe Leu Leu Val Leu Gly Phe Ile Ile
165 170 175

Ala Leu Ala Leu Gly Ser Arg Lys
180

<210> 17
<211> 273
<212> PRT
<213> homo sapiens
<400> 17

Met Ala Ser Ala Ala Ala Glu Ala Glu Lys Gly Ser Pro Val Val
1 5 10 15

Val Gly Leu Leu Val Val Gly Asn Ile Ile Ile Leu Leu Ser Gly Leu
20 25 30

Ser Leu Phe Ala Glu Thr Ile Trp Val Thr Ala Asp Gln Tyr Arg Val
35 40 45

Tyr Pro Leu Met Gly Val Ser Gly Lys Asp Asp Val Phe Ala Gly Ala
50 55 60

Trp Ile Ala Ile Phe Cys Gly Phe Ser Phe Phe Met Val Ala Ser Phe
65 70 75 80

Gly Val Gly Ala Ala Leu Cys Arg Arg Arg Ser Met Val Leu Thr Tyr
85 90 95

Leu Val Leu Met Leu Ile Val Tyr Ile Phe Glu Cys Ala Ser Cys Ile
100 105 110

Thr Ser Tyr Thr His Arg Asp Tyr Met Val Ser Asn Pro Ser Leu Ile
115 120 125

Thr Lys Gln Met Leu Thr Phe Tyr Ser Ala Asp Thr Asp Gln Gly Gln
130 135 140

Glu Leu Thr Arg Leu Trp Asp Arg Val Met Ile Glu Gln Glu Cys Cys
145 150 155 160

PCTIL2016050600-seq1-000001-EN

Gly Thr Ser Gly Pro Met Asp Trp Val Asn Phe Thr Ser Ala Phe Arg
165 170 175

Ala Ala Thr Pro Glu Val Val Phe Pro Trp Pro Pro Leu Cys Cys Arg
180 185 190

Arg Thr Gly Asn Phe Ile Pro Leu Asn Glu Glu Gly Cys Arg Leu Gly
195 200 205

His Met Asp Tyr Leu Phe Thr Lys Ala Gly Val Gln Trp His Asn Leu
210 215 220

Ser Ser Leu Gln Arg Leu Pro Pro Gly Phe Lys Gly Phe Ser His Leu
225 230 235 240

Ser Phe Gln Ser Ser Trp Asp Tyr Arg Ala Ala Ser Asn Thr Ser Ala
245 250 255

Thr Pro Ser Thr Ala Thr Arg Gly Val Ser Arg Gly Leu Gly Leu Pro
260 265 270

Ser

<210> 18
<211> 258
<212> PRT
<213> homo sapiens

<400> 18

Met Ala Ser Ala Ala Ala Ala Glu Ala Glu Lys Gly Ser Pro Val Val
1 5 10 15

Val Gly Leu Leu Val Val Gly Asn Ile Ile Ile Leu Leu Ser Gly Leu
20 25 30

Ser Leu Phe Ala Glu Thr Ile Trp Val Thr Ala Asp Gln Tyr Arg Val
35 40 45

Tyr Pro Leu Met Gly Val Ser Gly Lys Asp Asp Val Phe Ala Gly Ala
50 55 60

Trp Ile Ala Ile Phe Cys Gly Phe Ser Phe Phe Met Val Ala Ser Phe
65 70 75 80

Gly Val Gly Ala Ala Leu Cys Arg Arg Arg Ser Met Val Leu Thr Tyr
85 90 95

PCTIL2016050600-seq1-000001-EN

Leu Val Leu Met Leu Ile Val Tyr Ile Phe Glu Cys Ala Ser Cys Ile
100 105 110

Thr Ser Tyr Thr His Arg Asp Tyr Met Val Ser Asn Pro Ser Leu Ile
115 120 125

Thr Lys Gln Met Leu Thr Phe Tyr Ser Ala Asp Thr Asp Gln Gly Gln
130 135 140

Glu Leu Thr Arg Leu Trp Asp Arg Val Met Ile Glu Gln Glu Cys Cys
145 150 155 160

Gly Thr Ser Gly Pro Met Asp Trp Val Asn Phe Thr Ser Ala Phe Arg
165 170 175

Ala Ala Thr Pro Glu Val Val Phe Pro Trp Pro Pro Leu Cys Cys Arg
180 185 190

Arg Thr Gly Asn Phe Ile Pro Leu Asn Glu Glu Gly Cys Arg Leu Gly
195 200 205

His Met Asp Tyr Leu Phe Thr Lys Gly Cys Phe Glu His Ile Gly His
210 215 220

Ala Ile Asp Ser Tyr Thr Trp Gly Ile Ser Trp Phe Gly Phe Ala Ile
225 230 235 240

Leu Met Trp Thr Leu Pro Val Met Leu Ile Ala Met Tyr Phe Tyr Thr
245 250 255

Met Leu

<210> 19
<211> 245
<212> PRT
<213> homo sapiens

<400> 19

Met Lys Gln Ser Phe Pro Leu Phe Leu Thr Pro Ser Pro Trp Lys Thr
1 5 10 15

Thr Val Leu Leu Leu Tyr Met Arg Ile Cys Tyr Val Pro Ser Tyr Lys
20 25 30

Trp Asn Tyr Ser Ile Gly Leu Ile Tyr Leu Gly Ile Val Ser Glu Leu
35 40 45

PCTIL2016050600-seq1-000001-EN

Pro His Met Val Gly Ile Gly Gln Asn Ser Ser Phe Asn Ser Trp Met
50 55 60

Glu Ser Gln Phe Leu His Pro Ser Met Glu Pro Gly Gln Trp Leu Pro
65 70 75 80

Tyr Ile Thr Ile Phe Arg Phe Thr His Ile Ile Arg Cys Val Arg Ile
85 90 95

Ser Phe Leu Phe Asn Ile Pro Trp Tyr Gly Tyr Pro His Phe Val Cys
100 105 110

His Ser Ser Val Ser Gly His Leu Gly Tyr Phe Tyr Leu Leu Leu Leu
115 120 125

Trp Leu Val Cys Cys Glu His Arg Cys Thr Asn Ile Cys Ser Arg Gln
130 135 140

Thr Ser Phe Lys Arg Leu Phe Leu Lys Lys Tyr Val Ser Tyr Asn Ile
145 150 155 160

Phe Leu Leu Cys Val Glu Ser Asp Ile Ser Ile Asp Leu Glu Gly Tyr
165 170 175

Gly Met Gly Cys Thr Asn Ile Cys Ser Arg Gln Thr Ser Phe Lys Arg
180 185 190

Leu Phe Lys Arg Lys Tyr Arg Cys Leu Leu Asn Met Phe Leu Val Met
195 200 205

Asn Val Glu Ser Gly Thr Asn Arg Tyr Met Glu Val Arg Arg Ala Trp
210 215 220

Arg Gly Ser Lys Trp Glu Asp Glu Glu Asn Trp Leu Gly Ile Asp Val
225 230 235 240

Tyr Phe Glu Asp Arg
245

<210> 20
<211> 114
<212> PRT
<213> homo sapiens

<400> 20

Met Ala Gly Leu Ala Leu Gln Pro Gly Thr Ala Leu Leu Cys Tyr Ser
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Cys Lys Ala Gln Val Ser Asn Glu Asp Cys Leu Gln Val Glu Asn Cys
20 25 30

Thr Gln Leu Gly Glu Gln Cys Trp Thr Ala Arg Ile Arg Ala Val Gly
35 40 45

Leu Leu Thr Val Ile Ser Lys Gly Cys Ser Leu Asn Cys Val Asp Asp
50 55 60

Ser Gln Asp Tyr Tyr Val Gly Lys Lys Asn Ile Thr Cys Cys Asp Thr
65 70 75 80

Asp Leu Cys Asn Ala Ser Gly Ala His Ala Leu Gln Pro Ala Ala Ala
85 90 95

Ile Leu Ala Leu Leu Pro Ala Leu Gly Leu Leu Leu Trp Gly Pro Gly
100 105 110

Gln Leu

<210> 21
<211> 386
<212> PRT
<213> homo sapiens

<400> 21

Met Arg Ala Ala Pro Leu Leu Leu Ala Arg Ala Ala Ser Leu Ser Leu
1 5 10 15

Gly Phe Leu Phe Leu Leu Phe Phe Trp Leu Asp Arg Ser Val Leu Ala
20 25 30

Lys Glu Leu Lys Phe Val Thr Leu Val Phe Arg His Gly Asp Arg Ser
35 40 45

Pro Ile Asp Thr Phe Pro Thr Asp Pro Ile Lys Glu Ser Ser Trp Pro
50 55 60

Gln Gly Phe Gly Gln Leu Thr Gln Leu Gly Met Glu Gln His Tyr Glu
65 70 75 80

Leu Gly Glu Tyr Ile Arg Lys Arg Tyr Arg Lys Phe Leu Asn Glu Ser
85 90 95

Tyr Lys His Glu Gln Val Tyr Ile Arg Ser Thr Asp Val Asp Arg Thr
100 105 110

PCTIL2016050600-seq1-000001-EN

Leu Met Ser Ala Met Thr Asn Leu Ala Ala Leu Phe Pro Pro Glu Gly
 115 120 125
 Val Ser Ile Trp Asn Pro Ile Leu Leu Trp Gln Pro Ile Pro Val His
 130 135 140
 Thr Val Pro Leu Ser Glu Asp Gln Leu Leu Tyr Leu Pro Phe Arg Asn
 145 150 155 160
 Cys Pro Arg Phe Gln Glu Leu Glu Ser Glu Thr Leu Lys Ser Glu Glu
 165 170 175
 Phe Gln Lys Arg Leu His Pro Tyr Lys Asp Phe Ile Ala Thr Leu Gly
 180 185 190
 Lys Leu Ser Gly Leu His Gly Gln Asp Leu Phe Gly Ile Trp Ser Lys
 195 200 205
 Val Tyr Asp Pro Leu Tyr Cys Glu Ser Val His Asn Phe Thr Leu Pro
 210 215 220
 Ser Trp Ala Thr Glu Asp Thr Met Thr Lys Leu Arg Glu Leu Ser Glu
 225 230 235 240
 Leu Ser Leu Leu Ser Leu Tyr Gly Ile His Lys Gln Lys Glu Lys Ser
 245 250 255
 Arg Leu Gln Gly Gly Val Leu Val Asn Glu Ile Leu Asn His Met Lys
 260 265 270
 Arg Ala Thr Gln Ile Pro Ser Tyr Lys Lys Leu Ile Met Tyr Ser Ala
 275 280 285
 His Asp Thr Thr Val Ser Gly Leu Gln Met Ala Leu Asp Val Tyr Asn
 290 295 300
 Gly Leu Leu Pro Pro Tyr Ala Ser Cys His Leu Thr Glu Leu Tyr Phe
 305 310 315 320
 Glu Lys Gly Glu Tyr Phe Val Glu Met Tyr Tyr Arg Asn Glu Thr Gln
 325 330 335
 His Glu Pro Tyr Pro Leu Met Leu Pro Gly Cys Ser Pro Ser Cys Pro
 340 345 350
 Leu Glu Arg Phe Ala Glu Leu Val Gly Pro Val Ile Pro Gln Asp Trp
 355 360 365

PCTIL2016050600-seq1-000001-EN

Ser Thr Glu Cys Met Thr Thr Asn Ser His Gln Gly Thr Glu Asp Ser
370 375 380

Thr Asp
385

<210> 22
<211> 418
<212> PRT
<213> homo sapiens

<400> 22

Met Arg Ala Ala Pro Leu Leu Leu Ala Arg Ala Ala Ser Leu Ser Leu
1 5 10 15

Gly Phe Leu Phe Leu Leu Phe Phe Trp Leu Asp Arg Ser Val Leu Ala
20 25 30

Lys Glu Leu Lys Phe Val Thr Leu Val Phe Arg His Gly Asp Arg Ser
35 40 45

Pro Ile Asp Thr Phe Pro Thr Asp Pro Ile Lys Glu Ser Ser Trp Pro
50 55 60

Gln Gly Phe Gly Gln Leu Thr Gln Leu Gly Met Glu Gln His Tyr Glu
65 70 75 80

Leu Gly Glu Tyr Ile Arg Lys Arg Tyr Arg Lys Phe Leu Asn Glu Ser
85 90 95

Tyr Lys His Glu Gln Val Tyr Ile Arg Ser Thr Asp Val Asp Arg Thr
100 105 110

Leu Met Ser Ala Met Thr Asn Leu Ala Ala Leu Phe Pro Pro Glu Gly
115 120 125

Val Ser Ile Trp Asn Pro Ile Leu Leu Trp Gln Pro Ile Pro Val His
130 135 140

Thr Val Pro Leu Ser Glu Asp Gln Leu Leu Tyr Leu Pro Phe Arg Asn
145 150 155 160

Cys Pro Arg Phe Gln Glu Leu Glu Ser Glu Thr Leu Lys Ser Glu Glu
165 170 175

Phe Gln Lys Arg Leu His Pro Tyr Lys Asp Phe Ile Ala Thr Leu Gly
180 185 190

PCTIL2016050600-seq1-000001-EN

Lys Leu Ser Gly Leu His Gly Gln Asp Leu Phe Gly Ile Trp Ser Lys
 195 200 205
 Val Tyr Asp Pro Leu Tyr Cys Glu Ser Val His Asn Phe Thr Leu Pro
 210 215 220
 Ser Trp Ala Thr Glu Asp Thr Met Thr Lys Leu Arg Glu Leu Ser Glu
 225 230 235 240
 Leu Ser Leu Leu Ser Leu Tyr Gly Ile His Lys Gln Lys Glu Lys Ser
 245 250 255
 Arg Leu Gln Gly Gly Val Leu Val Asn Glu Ile Leu Asn His Met Lys
 260 265 270
 Arg Ala Thr Gln Ile Pro Ser Tyr Lys Lys Leu Ile Met Tyr Ser Ala
 275 280 285
 His Asp Thr Thr Val Ser Gly Leu Gln Met Ala Leu Asp Val Tyr Asn
 290 295 300
 Gly Leu Leu Pro Pro Tyr Ala Ser Cys His Leu Thr Glu Leu Tyr Phe
 305 310 315 320
 Glu Lys Gly Glu Tyr Phe Val Glu Met Tyr Tyr Arg Asn Glu Thr Gln
 325 330 335
 His Glu Pro Tyr Pro Leu Met Leu Pro Gly Cys Ser Pro Ser Cys Pro
 340 345 350
 Leu Glu Arg Phe Ala Glu Leu Val Gly Pro Val Ile Pro Gln Asp Trp
 355 360 365
 Ser Thr Glu Cys Met Thr Thr Asn Ser His Gln Val Leu Lys Val Ile
 370 375 380
 Phe Ala Val Ala Phe Cys Leu Ile Ser Ala Val Leu Met Val Leu Leu
 385 390 395 400
 Phe Ile His Ile Arg Arg Gly Leu Cys Trp Gln Arg Glu Ser Tyr Gly
 405 410 415
 Asn Ile

<210> 23
 <211> 353

PCTIL2016050600-seq1-000001-EN

<212> PRT

<213> homo sapiens

<400> 23

Met Arg Ala Ala Pro Leu Leu Leu Ala Arg Ala Ala Ser Leu Ser Leu
 1 5 10 15

Gly Phe Leu Phe Leu Leu Phe Phe Trp Leu Asp Arg Ser Val Leu Ala
 20 25 30

Lys Glu Leu Lys Phe Val Thr Leu Val Phe Arg His Gly Asp Arg Ser
 35 40 45

Pro Ile Asp Thr Phe Pro Thr Asp Pro Ile Lys Glu Ser Ser Trp Pro
 50 55 60

Gln Gly Phe Gly Gln Leu Thr Gln Leu Gly Met Glu Gln His Tyr Glu
 65 70 75 80

Leu Gly Glu Tyr Ile Arg Lys Arg Tyr Arg Lys Phe Leu Asn Glu Ser
 85 90 95

Tyr Lys His Glu Gln Val Tyr Ile Arg Ser Thr Asp Val Asp Arg Thr
 100 105 110

Leu Met Ser Ala Met Thr Asn Leu Ala Ala Leu Phe Pro Pro Glu Gly
 115 120 125

Val Ser Ile Trp Asn Pro Ile Leu Leu Trp Gln Pro Ile Pro Val His
 130 135 140

Thr Val Pro Leu Ser Glu Asp Gln Asp Phe Ile Ala Thr Leu Gly Lys
 145 150 155 160

Leu Ser Gly Leu His Gly Gln Asp Leu Phe Gly Ile Trp Ser Lys Val
 165 170 175

Tyr Asp Pro Leu Tyr Cys Glu Ser Val His Asn Phe Thr Leu Pro Ser
 180 185 190

Trp Ala Thr Glu Asp Thr Met Thr Lys Leu Arg Glu Leu Ser Glu Leu
 195 200 205

Ser Leu Leu Ser Leu Tyr Gly Ile His Lys Gln Lys Glu Lys Ser Arg
 210 215 220

Leu Gln Gly Gly Val Leu Val Asn Glu Ile Leu Asn His Met Lys Arg
 225 230 235 240

PCTIL2016050600-seq1-000001-EN

Ala Thr Gln Ile Pro Ser Tyr Lys Lys Leu Ile Met Tyr Ser Ala His
245 250 255

Asp Thr Thr Val Ser Gly Leu Gln Met Ala Leu Asp Val Tyr Asn Gly
260 265 270

Leu Leu Pro Pro Tyr Ala Ser Cys His Leu Thr Glu Leu Tyr Phe Glu
275 280 285

Lys Gly Glu Tyr Phe Val Glu Met Tyr Tyr Arg Asn Glu Thr Gln His
290 295 300

Glu Pro Tyr Pro Leu Met Leu Pro Gly Cys Ser Pro Ser Cys Pro Leu
305 310 315 320

Glu Arg Phe Ala Glu Leu Val Gly Pro Val Ile Pro Gln Asp Trp Ser
325 330 335

Thr Glu Cys Met Thr Thr Asn Ser His Gln Gly Thr Glu Asp Ser Thr
340 345 350

Asp

<210> 24
<211> 335
<212> PRT
<213> homo sapiens

<400> 24

Met Pro Arg Pro Arg Leu Leu Ala Ala Leu Cys Gly Ala Leu Leu Cys
1 5 10 15

Ala Pro Ser Leu Leu Val Ala Leu Asp Ile Cys Ser Lys Asn Pro Cys
20 25 30

His Asn Gly Gly Leu Cys Glu Glu Ile Ser Gln Glu Val Arg Gly Asp
35 40 45

Val Phe Pro Ser Tyr Thr Cys Thr Cys Leu Lys Gly Tyr Ala Gly Asn
50 55 60

His Cys Glu Thr Lys Cys Val Glu Pro Leu Gly Leu Glu Asn Gly Asn
65 70 75 80

Ile Ala Asn Ser Gln Ile Ala Ala Ser Ser Val Arg Val Thr Phe Leu
85 90 95

PCTIL2016050600-seq1-000001-EN

Gly Leu Gln His Trp Val Pro Glu Leu Ala Arg Leu Asn Arg Ala Gly
100 105 110

Met Val Asn Ala Trp Thr Pro Ser Ser Asn Asp Asp Asn Pro Trp Ile
115 120 125

Gln Val Asn Leu Leu Arg Arg Met Trp Val Thr Gly Val Val Thr Gln
130 135 140

Gly Ala Ser Arg Leu Ala Ser His Glu Tyr Leu Lys Ala Phe Lys Val
145 150 155 160

Ala Tyr Ser Leu Asn Gly His Glu Phe Asp Phe Ile His Asp Val Asn
165 170 175

Lys Lys His Lys Glu Phe Val Gly Asn Trp Asn Lys Asn Ala Val His
180 185 190

Val Asn Leu Phe Glu Thr Pro Val Glu Ala Gln Tyr Val Arg Leu Tyr
195 200 205

Pro Thr Ser Cys His Thr Ala Cys Thr Leu Arg Phe Glu Leu Leu Gly
210 215 220

Cys Glu Leu Asn Gly Cys Ala Asn Pro Leu Gly Leu Lys Asn Asn Ser
225 230 235 240

Ile Pro Asp Lys Gln Ile Thr Ala Ser Ser Ser Tyr Lys Thr Trp Gly
245 250 255

Leu His Leu Phe Ser Trp Asn Pro Ser Tyr Ala Arg Leu Asp Lys Gln
260 265 270

Gly Asn Phe Asn Ala Trp Val Ala Gly Ser Tyr Gly Asn Asp Gln Trp
275 280 285

Leu Gln Ile Phe Pro Gly Asn Trp Asp Asn His Ser His Lys Lys Asn
290 295 300

Leu Phe Glu Thr Pro Ile Leu Ala Arg Tyr Val Arg Ile Leu Pro Val
305 310 315 320

Ala Trp His Asn Arg Ile Ala Leu Arg Leu Glu Leu Leu Gly Cys
325 330 335

<210> 25

PCTIL2016050600-seq1-000001-EN

<211> 264
<212> PRT
<213> homo sapiens

<400> 25

```

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
 1      5      10      15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
 20      25      30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
 35      40      45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Asn
 50      55      60

Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu Gln Arg
 65      70      75      80

Asp Ile Ser Glu Met Phe Leu Gln Ile Tyr Lys Gln Gly Gly Phe Leu
 85      90      95

Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val Val Gln Leu
100      105      110

Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp Val Glu Thr
115      120      125

Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu Thr
130      135      140

Ile Ser Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala Gln
145      150      155      160

Ser Gly Ala Gly Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu Val
165      170      175

Cys Val Leu Val Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala Val
180      185      190

Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala
195      200      205

Arg Asp Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His
210      215      220

Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys

```


180

185

190

Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
 195 200

<210> 27
 <211> 159
 <212> PRT
 <213> homo sapiens

<400> 27

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
 1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
 20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
 35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Asn
 50 55 60

Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu Gln Arg
 65 70 75 80

Asp Ile Ser Glu Met Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly
 85 90 95

Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu
 100 105 110

Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr
 115 120 125

Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser
 130 135 140

Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
 145 150 155

<210> 28
 <211> 475
 <212> PRT
 <213> homo sapiens

<400> 28

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
 1 5 10 15

PCTIL2016050600-seq1-000001-EN

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20 25 30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35 40 45

Thr Glu Lys Asn Ala Val Ser Met Thr Ser Ser Val Leu Ser Ser His
50 55 60

Ser Pro Gly Ser Gly Ser Ser Thr Thr Gln Gly Gln Asp Val Thr Leu
65 70 75 80

Ala Pro Ala Thr Glu Pro Ala Ser Gly Ser Ala Ala Thr Trp Gly Gln
85 90 95

Asp Val Thr Ser Val Pro Val Thr Arg Pro Ala Leu Gly Ser Thr Thr
100 105 110

Pro Pro Ala His Asp Val Thr Ser Ala Pro Asp Asn Lys Pro Ala Pro
115 120 125

Gly Ser Thr Ala Pro Pro Ala His Gly Val Thr Ser Ala Pro Asp Thr
130 135 140

Arg Pro Ala Pro Gly Ser Thr Ala Pro Pro Ala His Gly Val Thr Ser
145 150 155 160

Ala Pro Asp Asn Arg Pro Ala Leu Gly Ser Thr Ala Pro Pro Val His
165 170 175

Asn Val Thr Ser Ala Ser Gly Ser Ala Ser Gly Ser Ala Ser Thr Leu
180 185 190

Val His Asn Gly Thr Ser Ala Arg Ala Thr Thr Thr Pro Ala Ser Lys
195 200 205

Ser Thr Pro Phe Ser Ile Pro Ser His His Ser Asp Thr Pro Thr Thr
210 215 220

Leu Ala Ser His Ser Thr Lys Thr Asp Ala Ser Ser Thr His His Ser
225 230 235 240

Thr Val Pro Pro Leu Thr Ser Ser Asn His Ser Thr Ser Pro Gln Leu
245 250 255

Ser Thr Gly Val Ser Phe Phe Phe Leu Ser Phe His Ile Ser Asn Leu

260

265

270

Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu
 275 280 285

Leu Gln Arg Asp Ile Ser Glu Met Phe Leu Gln Ile Tyr Lys Gln Gly
 290 295 300

Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val
 305 310 315 320

Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp
 325 330 335

Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr
 340 345 350

Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe
 355 360 365

Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly Ile Ala Leu Leu
 370 375 380

Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val Tyr Leu Ile Ala
 385 390 395 400

Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile
 405 410 415

Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr
 420 425 430

His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro
 435 440 445

Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr
 450 455 460

Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
 465 470 475

<210> 29
 <211> 282
 <212> PRT
 <213> homo sapiens

<400> 29

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr

1		5		10		15											
Val	Leu	Thr	Ala	Thr	Thr	Ala	Pro	Lys	Pro	Ala	Thr	Val	Val	Thr	Gly		
			20					25					30				
Ser	Gly	His	Ala	Ser	Ser	Thr	Pro	Gly	Gly	Glu	Lys	Glu	Thr	Ser	Ala		
		35					40					45					
Thr	Gln	Arg	Ser	Ser	Val	Pro	Ser	Ser	Thr	Glu	Lys	Asn	Ala	Leu	Ser		
	50					55					60						
Thr	Gly	Val	Ser	Phe	Phe	Phe	Leu	Ser	Phe	His	Ile	Ser	Asn	Leu	Gln		
65					70					75					80		
Phe	Asn	Ser	Ser	Leu	Glu	Asp	Pro	Ser	Thr	Asp	Tyr	Tyr	Gln	Glu	Leu		
				85					90					95			
Gln	Arg	Asp	Ile	Ser	Glu	Met	Phe	Leu	Gln	Ile	Tyr	Lys	Gln	Gly	Gly		
			100					105					110				
Phe	Leu	Gly	Leu	Ser	Asn	Ile	Lys	Phe	Arg	Pro	Gly	Ser	Val	Val	Val		
		115					120					125					
Gln	Leu	Thr	Leu	Ala	Phe	Arg	Glu	Gly	Thr	Ile	Asn	Val	His	Asp	Val		
	130					135					140						
Glu	Thr	Gln	Phe	Asn	Gln	Tyr	Lys	Thr	Glu	Ala	Ala	Ser	Arg	Tyr	Asn		
145					150					155					160		
Leu	Thr	Ile	Ser	Asp	Val	Ser	Val	Ser	Asp	Val	Pro	Phe	Pro	Phe	Ser		
				165					170						175		
Ala	Gln	Ser	Gly	Ala	Gly	Val	Pro	Gly	Trp	Gly	Ile	Ala	Leu	Leu	Val		
			180					185					190				
Leu	Val	Cys	Val	Leu	Val	Ala	Leu	Ala	Ile	Val	Tyr	Leu	Ile	Ala	Leu		
		195					200					205					
Ala	Val	Cys	Gln	Cys	Arg	Arg	Lys	Asn	Tyr	Gly	Gln	Leu	Asp	Ile	Phe		
	210					215					220						
Pro	Ala	Arg	Asp	Thr	Tyr	His	Pro	Met	Ser	Glu	Tyr	Pro	Thr	Tyr	His		
225					230					235					240		
Thr	His	Gly	Arg	Tyr	Val	Pro	Pro	Ser	Ser	Thr	Asp	Arg	Ser	Pro	Tyr		
				245					250					255			

PCTIL2016050600-seq1-000001-EN

Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn
260 265 270

Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
275 280

<210> 30
<211> 238
<212> PRT
<213> homo sapiens
<400> 30

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Ile Tyr
50 55 60

Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly
65 70 75 80

Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn
85 90 95

Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala
100 105 110

Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val Pro
115 120 125

Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly Ile
130 135 140

Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val Tyr
145 150 155 160

Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln
165 170 175

Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu Tyr
180 185 190

PCTIL2016050600-seq1-000001-EN

Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp
195 200 205

Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser Leu
210 215 220

Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
225 230 235

<210> 31
<211> 241
<212> PRT
<213> homo sapiens

<400> 31

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Leu
50 55 60

Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
65 70 75 80

Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
85 90 95

Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
100 105 110

Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser
115 120 125

Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly
130 135 140

Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala
145 150 155 160

Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn
165 170 175

PCTIL2016050600-seq1-000001-EN

Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met
180 185 190

Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser
195 200 205

Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly
210 215 220

Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn
225 230 235 240

Leu

<210> 32
<211> 198
<212> PRT
<213> homo sapiens

<400> 32

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20 25 30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35 40 45

Thr Glu Lys Asn Ala Leu Ser Thr Gly Val Ser Phe Phe Phe Leu Ser
50 55 60

Phe His Ile Ser Asn Leu Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser
65 70 75 80

Thr Asp Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu
85 90 95

Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
100 105 110

Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
115 120 125

Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
130 135 140

PCTIL2016050600-seq1-000001-EN

Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Gly Cys
145 150 155 160

Leu Ser Val Pro Pro Lys Glu Leu Arg Ala Ala Gly His Leu Ser Ser
165 170 175

Pro Gly Tyr Leu Pro Ser Tyr Glu Arg Val Pro His Leu Pro His Pro
180 185 190

Trp Ala Leu Cys Ala Pro
195

<210> 33
<211> 189
<212> PRT
<213> homo sapiens
<400> 33

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Asn
50 55 60

Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu Gln Arg
65 70 75 80

Asp Ile Ser Glu Met Ser Gly Ala Gly Val Pro Gly Trp Gly Ile Ala
85 90 95

Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val Tyr Leu
100 105 110

Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln Leu
115 120 125

Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu Tyr Pro
130 135 140

Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp Arg
145 150 155 160

PCTIL2016050600-seq1-000001-EN

Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser Leu Ser
165 170 175

Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
180 185

<210> 34
<211> 177
<212> PRT
<213> homo sapiens

<400> 34

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Leu Ser
50 55 60

Thr Gly Val Ser Phe Phe Phe Leu Ser Phe His Ile Ser Asn Leu Gln
65 70 75 80

Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu
85 90 95

Gln Arg Asp Ile Ser Glu Met Ala Val Cys Gln Cys Arg Arg Lys Asn
100 105 110

Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met
115 120 125

Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser
130 135 140

Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly
145 150 155 160

Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn
165 170 175

Leu

PCTIL2016050600-seq1-000001-EN

<210> 35

<211> 255

<212> PRT

<213> homo sapiens

<400> 35

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20 25 30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35 40 45

Thr Glu Lys Asn Ala Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp
50 55 60

Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu Gln Ile
65 70 75 80

Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro
85 90 95

Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile
100 105 110

Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala
115 120 125

Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val
130 135 140

Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly
145 150 155 160

Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val
165 170 175

Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly
180 185 190

Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu
195 200 205

Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr
210 215 220

PCTIL2016050600-seq1-000001-EN

Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser
225 230 235 240

Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
245 250 255

<210> 36
<211> 150
<212> PRT
<213> homo sapiens

<400> 36

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20 25 30

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35 40 45

Thr Glu Lys Asn Ala Phe Asn Ser Ser Leu Glu Asp Pro Ser Thr Asp
50 55 60

Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Ala Val Cys Gln
65 70 75 80

Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp
85 90 95

Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg
100 105 110

Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser
115 120 125

Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala
130 135 140

Ala Thr Ser Ala Asn Leu
145 150

<210> 37
<211> 158
<212> PRT
<213> homo sapiens

<400> 37

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr

1 5 10 15
 Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
 20 25 30
 Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
 35 40 45
 Thr Glu Lys Asn Ala Ile Pro Ala Pro Thr Thr Thr Lys Ser Cys Arg
 50 55 60
 Glu Thr Phe Leu Lys Cys Phe Cys Arg Phe Ile Asn Lys Gly Val Phe
 65 70 75 80
 Trp Ala Ser Pro Ile Leu Ser Ser Val Trp Gly Trp Gly Ala Arg Leu
 85 90 95
 Gly His Arg Ala Ala Gly Ala Gly Leu Cys Ser Gly Cys Ala Gly His
 100 105 110
 Cys Leu Ser His Cys Leu Gly Cys Leu Ser Val Pro Pro Lys Glu Leu
 115 120 125
 Arg Ala Ala Gly His Leu Ser Ser Pro Gly Tyr Leu Pro Ser Tyr Glu
 130 135 140
 Arg Val Pro His Leu Pro His Pro Trp Ala Leu Cys Ala Pro
 145 150 155
 <210> 38
 <211> 484
 <212> PRT
 <213> homo sapiens
 <400> 38
 Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
 1 5 10 15
 Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
 20 25 30
 Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
 35 40 45
 Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Val Ser
 50 55 60
 Met Thr Ser Ser Val Leu Ser Ser His Ser Pro Gly Ser Gly Ser Ser

65					70					75					80
Thr	Thr	Gln	Gly	Gln	Asp	Val	Thr	Leu	Ala	Pro	Ala	Thr	Glu	Pro	Ala
				85					90					95	
Ser	Gly	Ser	Ala	Ala	Thr	Trp	Gly	Gln	Asp	Val	Thr	Ser	Val	Pro	Val
			100					105					110		
Thr	Arg	Pro	Ala	Leu	Gly	Ser	Thr	Thr	Pro	Pro	Ala	His	Asp	Val	Thr
		115					120					125			
Ser	Ala	Pro	Asp	Asn	Lys	Pro	Ala	Pro	Gly	Ser	Thr	Ala	Pro	Pro	Ala
	130					135					140				
His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Thr	Arg	Pro	Ala	Pro	Gly	Ser	Thr
145					150					155					160
Ala	Pro	Pro	Ala	His	Gly	Val	Thr	Ser	Ala	Pro	Asp	Asn	Arg	Pro	Ala
				165					170					175	
Leu	Gly	Ser	Thr	Ala	Pro	Pro	Val	His	Asn	Val	Thr	Ser	Ala	Ser	Gly
			180					185					190		
Ser	Ala	Ser	Gly	Ser	Ala	Ser	Thr	Leu	Val	His	Asn	Gly	Thr	Ser	Ala
		195					200					205			
Arg	Ala	Thr	Thr	Thr	Pro	Ala	Ser	Lys	Ser	Thr	Pro	Phe	Ser	Ile	Pro
	210					215					220				
Ser	His	His	Ser	Asp	Thr	Pro	Thr	Thr	Leu	Ala	Ser	His	Ser	Thr	Lys
225					230					235					240
Thr	Asp	Ala	Ser	Ser	Thr	His	His	Ser	Thr	Val	Pro	Pro	Leu	Thr	Ser
				245					250					255	
Ser	Asn	His	Ser	Thr	Ser	Pro	Gln	Leu	Ser	Thr	Gly	Val	Ser	Phe	Phe
			260					265					270		
Phe	Leu	Ser	Phe	His	Ile	Ser	Asn	Leu	Gln	Phe	Asn	Ser	Ser	Leu	Glu
		275					280					285			
Asp	Pro	Ser	Thr	Asp	Tyr	Tyr	Gln	Glu	Leu	Gln	Arg	Asp	Ile	Ser	Glu
	290					295					300				
Met	Phe	Leu	Gln	Ile	Tyr	Lys	Gln	Gly	Gly	Phe	Leu	Gly	Leu	Ser	Asn
305					310					315					320

PCTIL2016050600-seq1-000001-EN

Ile Lys Phe Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe
325 330 335

Arg Glu Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln
340 345 350

Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val
355 360 365

Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly
370 375 380

Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val
385 390 395 400

Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg
405 410 415

Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr
420 425 430

His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val
435 440 445

Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly
450 455 460

Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr
465 470 475 480

Ser Ala Asn Leu

<210> 39
<211> 219
<212> PRT
<213> homo sapiens

<400> 39

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

PCTIL2016050600-seq1-000001-EN

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Phe Asn
50 55 60

Ser Ser Leu Glu Asp Pro Ser Thr Asp Tyr Tyr Gln Glu Leu Gln Arg
65 70 75 80

Asp Ile Ser Glu Met Phe Leu Gln Ile Tyr Lys Gln Gly Gly Phe Leu
85 90 95

Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val Val Gln Leu
100 105 110

Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp Val Glu Thr
115 120 125

Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu Thr
130 135 140

Ile Ser Asp Val Ser Val Trp Gly Trp Gly Ala Arg Leu Gly His Arg
145 150 155 160

Ala Ala Gly Ala Gly Leu Cys Ser Gly Cys Ala Gly His Cys Leu Ser
165 170 175

His Cys Leu Gly Cys Leu Ser Val Pro Pro Lys Glu Leu Arg Ala Ala
180 185 190

Gly His Leu Ser Ser Pro Gly Tyr Leu Pro Ser Tyr Glu Arg Val Pro
195 200 205

His Leu Pro His Pro Trp Ala Leu Cys Ala Pro
210 215

<210> 40
<211> 217
<212> PRT
<213> homo sapiens

<400> 40

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Gly Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser
20 25 30

Val Pro Ser Ser Thr Glu Lys Asn Ala Ile Tyr Lys Gln Gly Gly Phe
35 40 45

PCTIL2016050600-seq1-000001-EN

Leu Gly Leu Ser Asn Ile Lys Phe Arg Pro Gly Ser Val Val Val Gln
50 55 60

Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp Val Glu
65 70 75 80

Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu
85 90 95

Thr Ile Ser Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala
100 105 110

Gln Ser Gly Ala Gly Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu
115 120 125

Val Cys Val Leu Val Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala
130 135 140

Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro
145 150 155 160

Ala Arg Asp Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr
165 170 175

His Gly Arg Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu
180 185 190

Lys Val Ser Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro
195 200 205

Ala Val Ala Ala Thr Ser Ala Asn Leu
210 215

<210> 41
<211> 239
<212> PRT
<213> homo sapiens

<400> 41

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

PCTIL2016050600-seq1-000001-EN

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Ile Pro
50 55 60

Ala Pro Thr Thr Thr Lys Ser Cys Arg Glu Thr Phe Leu Lys Trp Pro
65 70 75 80

Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly Thr Ile
85 90 95

Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr Glu Ala
100 105 110

Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser Asp Val
115 120 125

Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly Trp Gly
130 135 140

Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala Ile Val
145 150 155 160

Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn Tyr Gly
165 170 175

Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met Ser Glu
180 185 190

Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser Ser Thr
195 200 205

Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly Ser Ser
210 215 220

Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn Leu
225 230 235

<210> 42
<211> 230
<212> PRT
<213> homo sapiens

<400> 42

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Thr
1 5 10 15

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
20 25 30

PCTIL2016050600-seq1-000001-EN

Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
35 40 45

Thr Glu Lys Asn Ala Ile Pro Ala Pro Thr Thr Thr Lys Ser Cys Arg
50 55 60

Glu Thr Phe Leu Lys Trp Pro Gly Ser Val Val Val Gln Leu Thr Leu
65 70 75 80

Ala Phe Arg Glu Gly Thr Ile Asn Val His Asp Val Glu Thr Gln Phe
85 90 95

Asn Gln Tyr Lys Thr Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser
100 105 110

Asp Val Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly
115 120 125

Ala Gly Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val
130 135 140

Leu Val Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln
145 150 155 160

Cys Arg Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp
165 170 175

Thr Tyr His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg
180 185 190

Tyr Val Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser
195 200 205

Ala Gly Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala
210 215 220

Ala Thr Ser Ala Asn Leu
225 230

<210> 43
<211> 212
<212> PRT
<213> homo sapiens

<400> 43

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Val Leu Thr Ala Thr Thr Ala Pro Lys Pro Ala Thr Val Val Thr Gly
20 25 30

Ser Gly His Ala Ser Ser Thr Pro Gly Gly Glu Lys Glu Thr Ser Ala
35 40 45

Thr Gln Arg Ser Ser Val Pro Ser Ser Thr Glu Lys Asn Ala Ile Pro
50 55 60

Ala Pro Thr Thr Thr Lys Ser Cys Arg Glu Thr Phe Leu Lys Cys Phe
65 70 75 80

Cys Arg Phe Ile Asn Lys Gly Val Phe Trp Ala Ser Pro Ile Leu Ser
85 90 95

Ser Val Ser Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly
100 105 110

Val Pro Gly Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val
115 120 125

Ala Leu Ala Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg
130 135 140

Arg Lys Asn Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr
145 150 155 160

His Pro Met Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val
165 170 175

Pro Pro Ser Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly
180 185 190

Asn Gly Gly Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr
195 200 205

Ser Ala Asn Leu
210

<210> 44
<211> 273
<212> PRT
<213> homo sapiens

<400> 44

Met Thr Pro Gly Thr Gln Ser Pro Phe Phe Leu Leu Leu Leu Leu Thr
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Val Leu Thr Val Val Thr Gly Ser Gly His Ala Ser Ser Thr Pro Gly
 20 25 30
 Gly Glu Lys Glu Thr Ser Ala Thr Gln Arg Ser Ser Val Pro Ser Ser
 35 40 45
 Thr Glu Lys Asn Ala Leu Ser Thr Gly Val Ser Phe Phe Phe Leu Ser
 50 55 60
 Phe His Ile Ser Asn Leu Gln Phe Asn Ser Ser Leu Glu Asp Pro Ser
 65 70 75 80
 Thr Asp Tyr Tyr Gln Glu Leu Gln Arg Asp Ile Ser Glu Met Phe Leu
 85 90 95
 Gln Ile Tyr Lys Gln Gly Gly Phe Leu Gly Leu Ser Asn Ile Lys Phe
 100 105 110
 Arg Pro Gly Ser Val Val Val Gln Leu Thr Leu Ala Phe Arg Glu Gly
 115 120 125
 Thr Ile Asn Val His Asp Val Glu Thr Gln Phe Asn Gln Tyr Lys Thr
 130 135 140
 Glu Ala Ala Ser Arg Tyr Asn Leu Thr Ile Ser Asp Val Ser Val Ser
 145 150 155 160
 Asp Val Pro Phe Pro Phe Ser Ala Gln Ser Gly Ala Gly Val Pro Gly
 165 170 175
 Trp Gly Ile Ala Leu Leu Val Leu Val Cys Val Leu Val Ala Leu Ala
 180 185 190
 Ile Val Tyr Leu Ile Ala Leu Ala Val Cys Gln Cys Arg Arg Lys Asn
 195 200 205
 Tyr Gly Gln Leu Asp Ile Phe Pro Ala Arg Asp Thr Tyr His Pro Met
 210 215 220
 Ser Glu Tyr Pro Thr Tyr His Thr His Gly Arg Tyr Val Pro Pro Ser
 225 230 235 240
 Ser Thr Asp Arg Ser Pro Tyr Glu Lys Val Ser Ala Gly Asn Gly Gly
 245 250 255
 Ser Ser Leu Ser Tyr Thr Asn Pro Ala Val Ala Ala Thr Ser Ala Asn
 260 265 270

Leu

<210> 45
 <211> 575
 <212> PRT
 <213> homo sapiens

<400> 45

Met Asp Leu Val Leu Lys Arg Cys Leu Leu His Leu Ala Val Ile Gly
 1 5 10 15

Ala Leu Leu Ala Val Gly Ala Thr Lys Gly Ser Gln Val Trp Gly Gly
 20 25 30

Gln Pro Val Tyr Pro Gln Glu Thr Asp Asp Ala Cys Ile Phe Pro Asp
 35 40 45

Gly Gly Pro Cys Pro Ser Gly Ser Trp Ser Gln Lys Arg Ser Phe Val
 50 55 60

Tyr Val Trp Lys Thr Trp Gly Gln Tyr Trp Gln Val Leu Gly Gly Pro
 65 70 75 80

Val Ser Gly Leu Ser Ile Gly Thr Gly Arg Ala Met Leu Gly Thr His
 85 90 95

Thr Met Glu Val Thr Val Tyr His Arg Arg Gly Ser Arg Ser Tyr Val
 100 105 110

Pro Leu Ala His Ser Ser Ser Ala Phe Thr Ile Thr Asp Gln Val Pro
 115 120 125

Phe Ser Val Ser Val Ser Gln Leu Arg Ala Leu Asp Gly Gly Asn Lys
 130 135 140

His Phe Leu Arg Asn Gln Pro Leu Thr Phe Ala Leu Gln Leu His Asp
 145 150 155 160

Pro Ser Gly Tyr Leu Ala Glu Ala Asp Leu Ser Tyr Thr Trp Asp Phe
 165 170 175

Gly Asp Ser Ser Gly Thr Leu Ile Ser Arg Ala Leu Val Val Thr His
 180 185 190

Thr Tyr Leu Glu Pro Gly Pro Val Thr Ala Gln Val Val Leu Gln Ala
 195 200 205

PCTIL2016050600-seq1-000001-EN

Ala Ile Pro Leu Thr Ser Cys Gly Ser Ser Pro Val Pro Gly Thr Thr
210 215 220

Asp Gly His Arg Pro Thr Ala Glu Ala Pro Asn Thr Thr Ala Gly Gln
225 230 235 240

Val Pro Thr Thr Glu Val Val Gly Thr Thr Pro Gly Gln Ala Pro Thr
245 250 255

Ala Glu Pro Ser Gly Thr Thr Ser Val Gln Val Pro Thr Thr Glu Val
260 265 270

Ile Ser Thr Ala Pro Val Gln Met Pro Thr Ala Glu Ser Thr Gly Met
275 280 285

Thr Pro Glu Lys Val Pro Val Ser Glu Val Met Gly Thr Thr Leu Ala
290 295 300

Glu Met Ser Thr Pro Glu Ala Thr Gly Met Thr Pro Ala Glu Val Ser
305 310 315 320

Ile Val Val Leu Ser Gly Thr Thr Ala Ala Gln Val Thr Thr Thr Glu
325 330 335

Trp Val Glu Thr Thr Ala Arg Glu Leu Pro Ile Pro Glu Pro Glu Gly
340 345 350

Pro Asp Ala Ser Ser Ile Met Ser Thr Glu Ser Ile Thr Gly Ser Leu
355 360 365

Gly Pro Leu Leu Asp Gly Thr Ala Thr Leu Arg Leu Val Lys Arg Gln
370 375 380

Val Pro Leu Asp Cys Val Leu Tyr Arg Tyr Gly Ser Phe Ser Val Thr
385 390 395 400

Leu Asp Ile Val Gln Gly Ile Glu Ser Ala Glu Ile Leu Gln Ala Val
405 410 415

Pro Ser Gly Glu Gly Asp Ala Phe Glu Leu Thr Val Ser Cys Gln Gly
420 425 430

Gly Leu Pro Lys Glu Ala Cys Met Glu Ile Ser Ser Pro Gly Cys Gln
435 440 445

Pro Pro Ala Gln Arg Leu Cys Gln Pro Val Leu Pro Ser Pro Ala Cys
450 455 460

PCTIL2016050600-seq1-000001-EN

Gln Leu Val Leu His Gln Ile Leu Lys Gly Gly Ser Gly Thr Tyr Cys
465 470 475 480

Leu Asn Val Ser Leu Ala Asp Thr Asn Ser Leu Ala Val Val Ser Thr
485 490 495

Gln Leu Ile Met Pro Gly Gln Glu Ala Gly Leu Gly Gln Val Pro Leu
500 505 510

Ile Val Gly Ile Leu Leu Val Leu Met Ala Val Val Leu Ala Ser Leu
515 520 525

Ile Tyr Arg Arg Arg Leu Met Lys Gln Asp Phe Ser Val Pro Gln Leu
530 535 540

Pro His Ser Ser Ser His Trp Leu Arg Leu Pro Arg Ile Phe Cys Ser
545 550 555 560

Cys Pro Ile Gly Glu Asn Ser Pro Leu Leu Ser Gly Gln Gln Val
565 570 575

<210> 46
<211> 661
<212> PRT
<213> homo sapiens
<400> 46

Met Asp Leu Val Leu Lys Arg Cys Leu Leu His Leu Ala Val Ile Gly
1 5 10 15

Ala Leu Leu Ala Val Gly Ala Thr Lys Val Pro Arg Asn Gln Asp Trp
20 25 30

Leu Gly Val Ser Arg Gln Leu Arg Thr Lys Ala Trp Asn Arg Gln Leu
35 40 45

Tyr Pro Glu Trp Thr Glu Ala Gln Arg Leu Asp Cys Trp Arg Gly Gly
50 55 60

Gln Val Ser Leu Lys Val Ser Asn Asp Gly Pro Thr Leu Ile Gly Ala
65 70 75 80

Asn Ala Ser Phe Ser Ile Ala Leu Asn Phe Pro Gly Ser Gln Lys Val
85 90 95

Leu Pro Asp Gly Gln Val Ile Trp Val Asn Asn Thr Ile Ile Asn Gly
100 105 110

PCTIL2016050600-seq1-000001-EN

Ser Gln Val Trp Gly Gly Gln Pro Val Tyr Pro Gln Glu Thr Asp Asp
115 120 125

Ala Cys Ile Phe Pro Asp Gly Gly Pro Cys Pro Ser Gly Ser Trp Ser
130 135 140

Gln Lys Arg Ser Phe Val Tyr Val Trp Lys Thr Trp Gly Gln Tyr Trp
145 150 155 160

Gln Val Leu Gly Gly Pro Val Ser Gly Leu Ser Ile Gly Thr Gly Arg
165 170 175

Ala Met Leu Gly Thr His Thr Met Glu Val Thr Val Tyr His Arg Arg
180 185 190

Gly Ser Arg Ser Tyr Val Pro Leu Ala His Ser Ser Ser Ala Phe Thr
195 200 205

Ile Thr Asp Gln Val Pro Phe Ser Val Ser Val Ser Gln Leu Arg Ala
210 215 220

Leu Asp Gly Gly Asn Lys His Phe Leu Arg Asn Gln Pro Leu Thr Phe
225 230 235 240

Ala Leu Gln Leu His Asp Pro Ser Gly Tyr Leu Ala Glu Ala Asp Leu
245 250 255

Ser Tyr Thr Trp Asp Phe Gly Asp Ser Ser Gly Thr Leu Ile Ser Arg
260 265 270

Ala Leu Val Val Thr His Thr Tyr Leu Glu Pro Gly Pro Val Thr Ala
275 280 285

Gln Val Val Leu Gln Ala Ala Ile Pro Leu Thr Ser Cys Gly Ser Ser
290 295 300

Pro Val Pro Gly Thr Thr Asp Gly His Arg Pro Thr Ala Glu Ala Pro
305 310 315 320

Asn Thr Thr Ala Gly Gln Val Pro Thr Thr Glu Val Val Gly Thr Thr
325 330 335

Pro Gly Gln Ala Pro Thr Ala Glu Pro Ser Gly Thr Thr Ser Val Gln
340 345 350

Val Pro Thr Thr Glu Val Ile Ser Thr Ala Pro Val Gln Met Pro Thr

355

360

365

Ala Glu Ser Thr Gly Met Thr Pro Glu Lys Val Pro Val Ser Glu Val
 370 375 380

Met Gly Thr Thr Leu Ala Glu Met Ser Thr Pro Glu Ala Thr Gly Met
 385 390 395 400

Thr Pro Ala Glu Val Ser Ile Val Val Leu Ser Gly Thr Thr Ala Ala
 405 410 415

Gln Val Thr Thr Thr Glu Trp Val Glu Thr Thr Ala Arg Glu Leu Pro
 420 425 430

Ile Pro Glu Pro Glu Gly Pro Asp Ala Ser Ser Ile Met Ser Thr Glu
 435 440 445

Ser Ile Thr Gly Ser Leu Gly Pro Leu Leu Asp Gly Thr Ala Thr Leu
 450 455 460

Arg Leu Val Lys Arg Gln Val Pro Leu Asp Cys Val Leu Tyr Arg Tyr
 465 470 475 480

Gly Ser Phe Ser Val Thr Leu Asp Ile Val Gln Gly Ile Glu Ser Ala
 485 490 495

Glu Ile Leu Gln Ala Val Pro Ser Gly Glu Gly Asp Ala Phe Glu Leu
 500 505 510

Thr Val Ser Cys Gln Gly Gly Leu Pro Lys Glu Ala Cys Met Glu Ile
 515 520 525

Ser Ser Pro Gly Cys Gln Pro Pro Ala Gln Arg Leu Cys Gln Pro Val
 530 535 540

Leu Pro Ser Pro Ala Cys Gln Leu Val Leu His Gln Ile Leu Lys Gly
 545 550 555 560

Gly Ser Gly Thr Tyr Cys Leu Asn Val Ser Leu Ala Asp Thr Asn Ser
 565 570 575

Leu Ala Val Val Ser Thr Gln Leu Ile Met Pro Gly Gln Glu Ala Gly
 580 585 590

Leu Gly Gln Val Pro Leu Ile Val Gly Ile Leu Leu Val Leu Met Ala
 595 600 605

PCTIL2016050600-seq1-000001-EN

Val Val Leu Ala Ser Leu Ile Tyr Arg Arg Arg Leu Met Lys Gln Asp
 610 615 620

Phe Ser Val Pro Gln Leu Pro His Ser Ser Ser His Trp Leu Arg Leu
 625 630 635 640

Pro Arg Ile Phe Cys Ser Cys Pro Ile Gly Glu Asn Ser Pro Leu Leu
 645 650 655

Ser Gly Gln Gln Val
 660

<210> 47
 <211> 668
 <212> PRT
 <213> homo sapiens

<400> 47

Met Asp Leu Val Leu Lys Arg Cys Leu Leu His Leu Ala Val Ile Gly
 1 5 10 15

Ala Leu Leu Ala Val Gly Ala Thr Lys Val Pro Arg Asn Gln Asp Trp
 20 25 30

Leu Gly Val Ser Arg Gln Leu Arg Thr Lys Ala Trp Asn Arg Gln Leu
 35 40 45

Tyr Pro Glu Trp Thr Glu Ala Gln Arg Leu Asp Cys Trp Arg Gly Gly
 50 55 60

Gln Val Ser Leu Lys Val Ser Asn Asp Gly Pro Thr Leu Ile Gly Ala
 65 70 75 80

Asn Ala Ser Phe Ser Ile Ala Leu Asn Phe Pro Gly Ser Gln Lys Val
 85 90 95

Leu Pro Asp Gly Gln Val Ile Trp Val Asn Asn Thr Ile Ile Asn Gly
 100 105 110

Ser Gln Val Trp Gly Gly Gln Pro Val Tyr Pro Gln Glu Thr Asp Asp
 115 120 125

Ala Cys Ile Phe Pro Asp Gly Gly Pro Cys Pro Ser Gly Ser Trp Ser
 130 135 140

Gln Lys Arg Ser Phe Val Tyr Val Trp Lys Thr Trp Gly Gln Tyr Trp
 145 150 155 160

PCTIL2016050600-seq1-000001-EN

Gln Val Leu Gly Gly Pro Val Ser Gly Leu Ser Ile Gly Thr Gly Arg
 165 170 175
 Ala Met Leu Gly Thr His Thr Met Glu Val Thr Val Tyr His Arg Arg
 180 185 190
 Gly Ser Arg Ser Tyr Val Pro Leu Ala His Ser Ser Ser Ala Phe Thr
 195 200 205
 Ile Thr Asp Gln Val Pro Phe Ser Val Ser Val Ser Gln Leu Arg Ala
 210 215 220
 Leu Asp Gly Gly Asn Lys His Phe Leu Arg Asn Gln Pro Leu Thr Phe
 225 230 235 240
 Ala Leu Gln Leu His Asp Pro Ser Gly Tyr Leu Ala Glu Ala Asp Leu
 245 250 255
 Ser Tyr Thr Trp Asp Phe Gly Asp Ser Ser Gly Thr Leu Ile Ser Arg
 260 265 270
 Ala Leu Val Val Thr His Thr Tyr Leu Glu Pro Gly Pro Val Thr Ala
 275 280 285
 Gln Val Val Leu Gln Ala Ala Ile Pro Leu Thr Ser Cys Gly Ser Ser
 290 295 300
 Pro Val Pro Gly Thr Thr Asp Gly His Arg Pro Thr Ala Glu Ala Pro
 305 310 315 320
 Asn Thr Thr Ala Gly Gln Val Pro Thr Thr Glu Val Val Gly Thr Thr
 325 330 335
 Pro Gly Gln Ala Pro Thr Ala Glu Pro Ser Gly Thr Thr Ser Val Gln
 340 345 350
 Val Pro Thr Thr Glu Val Ile Ser Thr Ala Pro Val Gln Met Pro Thr
 355 360 365
 Ala Glu Ser Thr Gly Met Thr Pro Glu Lys Val Pro Val Ser Glu Val
 370 375 380
 Met Gly Thr Thr Leu Ala Glu Met Ser Thr Pro Glu Ala Thr Gly Met
 385 390 395 400
 Thr Pro Ala Glu Val Ser Ile Val Val Leu Ser Gly Thr Thr Ala Ala
 405 410 415

PCTIL2016050600-seq1-000001-EN

Gln Val Thr Thr Thr Glu Trp Val Glu Thr Thr Ala Arg Glu Leu Pro
420 425 430

Ile Pro Glu Pro Glu Gly Pro Asp Ala Ser Ser Ile Met Ser Thr Glu
435 440 445

Ser Ile Thr Gly Ser Leu Gly Pro Leu Leu Asp Gly Thr Ala Thr Leu
450 455 460

Arg Leu Val Lys Arg Gln Val Pro Leu Asp Cys Val Leu Tyr Arg Tyr
465 470 475 480

Gly Ser Phe Ser Val Thr Leu Asp Ile Val Gln Gly Ile Glu Ser Ala
485 490 495

Glu Ile Leu Gln Ala Val Pro Ser Gly Glu Gly Asp Ala Phe Glu Leu
500 505 510

Thr Val Ser Cys Gln Gly Gly Leu Pro Lys Glu Ala Cys Met Glu Ile
515 520 525

Ser Ser Pro Gly Cys Gln Pro Pro Ala Gln Arg Leu Cys Gln Pro Val
530 535 540

Leu Pro Ser Pro Ala Cys Gln Leu Val Leu His Gln Ile Leu Lys Gly
545 550 555 560

Gly Ser Gly Thr Tyr Cys Leu Asn Val Ser Leu Ala Asp Thr Asn Ser
565 570 575

Leu Ala Val Val Ser Thr Gln Leu Ile Met Pro Val Pro Gly Ile Leu
580 585 590

Leu Thr Gly Gln Glu Ala Gly Leu Gly Gln Val Pro Leu Ile Val Gly
595 600 605

Ile Leu Leu Val Leu Met Ala Val Val Leu Ala Ser Leu Ile Tyr Arg
610 615 620

Arg Arg Leu Met Lys Gln Asp Phe Ser Val Pro Gln Leu Pro His Ser
625 630 635 640

Ser Ser His Trp Leu Arg Leu Pro Arg Ile Phe Cys Ser Cys Pro Ile
645 650 655

Gly Glu Asn Ser Pro Leu Leu Ser Gly Gln Gln Val
660 665

PCTIL2016050600-seq1-000001-EN

<210> 48
 <211> 118
 <212> PRT
 <213> homo sapiens

<400> 48

Met Pro Arg Glu Asp Ala His Phe Ile Tyr Gly Tyr Pro Lys Lys Gly
 1 5 10 15

His Gly His Ser Tyr Thr Thr Ala Glu Glu Ala Ala Gly Ile Gly Ile
 20 25 30

Leu Thr Val Ile Leu Gly Val Leu Leu Leu Ile Gly Cys Trp Tyr Cys
 35 40 45

Arg Arg Arg Asn Gly Tyr Arg Ala Leu Met Asp Lys Ser Leu His Val
 50 55 60

Gly Thr Gln Cys Ala Leu Thr Arg Arg Cys Pro Gln Glu Gly Phe Asp
 65 70 75 80

His Arg Asp Ser Lys Val Ser Leu Gln Glu Lys Asn Cys Glu Pro Val
 85 90 95

Val Pro Asn Ala Pro Pro Ala Tyr Glu Lys Leu Ser Ala Glu Gln Ser
 100 105 110

Pro Pro Pro Tyr Ser Pro
 115

<210> 49
 <211> 1069
 <212> PRT
 <213> homo sapiens

<400> 49

Met Pro Arg Ala Pro Arg Cys Arg Ala Val Arg Ser Leu Leu Arg Ser
 1 5 10 15

His Tyr Arg Glu Val Leu Pro Leu Ala Thr Phe Val Arg Arg Leu Gly
 20 25 30

Pro Gln Gly Trp Arg Leu Val Gln Arg Gly Asp Pro Ala Ala Phe Arg
 35 40 45

Ala Leu Val Ala Gln Cys Leu Val Cys Val Pro Trp Asp Ala Arg Pro
 50 55 60

PCTIL2016050600-seq1-000001-EN

Pro Pro Ala Ala Pro Ser Phe Arg Gln Val Ser Cys Leu Lys Glu Leu
65 70 75 80

Val Ala Arg Val Leu Gln Arg Leu Cys Glu Arg Gly Ala Lys Asn Val
85 90 95

Leu Ala Phe Gly Phe Ala Leu Leu Asp Gly Ala Arg Gly Gly Pro Pro
100 105 110

Glu Ala Phe Thr Thr Ser Val Arg Ser Tyr Leu Pro Asn Thr Val Thr
115 120 125

Asp Ala Leu Arg Gly Ser Gly Ala Trp Gly Leu Leu Leu Arg Arg Val
130 135 140

Gly Asp Asp Val Leu Val His Leu Leu Ala Arg Cys Ala Leu Phe Val
145 150 155 160

Leu Val Ala Pro Ser Cys Ala Tyr Gln Val Cys Gly Pro Pro Leu Tyr
165 170 175

Gln Leu Gly Ala Ala Thr Gln Ala Arg Pro Pro Pro His Ala Ser Gly
180 185 190

Pro Arg Arg Arg Leu Gly Cys Glu Arg Ala Trp Asn His Ser Val Arg
195 200 205

Glu Ala Gly Val Pro Leu Gly Leu Pro Ala Pro Gly Ala Arg Arg Arg
210 215 220

Gly Gly Ser Ala Ser Arg Ser Leu Pro Leu Pro Lys Arg Pro Arg Arg
225 230 235 240

Gly Ala Ala Pro Glu Pro Glu Arg Thr Pro Val Gly Gln Gly Ser Trp
245 250 255

Ala His Pro Gly Arg Thr Arg Gly Pro Ser Asp Arg Gly Phe Cys Val
260 265 270

Val Ser Pro Ala Arg Pro Ala Glu Glu Ala Thr Ser Leu Glu Gly Ala
275 280 285

Leu Ser Gly Thr Arg His Ser His Pro Ser Val Gly Arg Gln His His
290 295 300

Ala Gly Pro Pro Ser Thr Ser Arg Pro Pro Arg Pro Trp Asp Thr Pro
305 310 315 320

PCTIL2016050600-seq1-000001-EN

Cys Pro Pro Val Tyr Ala Glu Thr Lys His Phe Leu Tyr Ser Ser Gly
325 330 335

Asp Lys Glu Gln Leu Arg Pro Ser Phe Leu Leu Ser Ser Leu Arg Pro
340 345 350

Ser Leu Thr Gly Ala Arg Arg Leu Val Glu Thr Ile Phe Leu Gly Ser
355 360 365

Arg Pro Trp Met Pro Gly Thr Pro Arg Arg Leu Pro Arg Leu Pro Gln
370 375 380

Arg Tyr Trp Gln Met Arg Pro Leu Phe Leu Glu Leu Leu Gly Asn His
385 390 395 400

Ala Gln Cys Pro Tyr Gly Val Leu Leu Lys Thr His Cys Pro Leu Arg
405 410 415

Ala Ala Val Thr Pro Ala Ala Gly Val Cys Ala Arg Glu Lys Pro Gln
420 425 430

Gly Ser Val Ala Ala Pro Glu Glu Glu Asp Thr Asp Pro Arg Arg Leu
435 440 445

Val Gln Leu Leu Arg Gln His Ser Ser Pro Trp Gln Val Tyr Gly Phe
450 455 460

Val Arg Ala Cys Leu Arg Arg Leu Val Pro Pro Gly Leu Trp Gly Ser
465 470 475 480

Arg His Asn Glu Arg Arg Phe Leu Arg Asn Thr Lys Lys Phe Ile Ser
485 490 495

Leu Gly Lys His Ala Lys Leu Ser Leu Gln Glu Leu Thr Trp Lys Met
500 505 510

Ser Val Arg Asp Cys Ala Trp Leu Arg Arg Ser Pro Gly Val Gly Cys
515 520 525

Val Pro Ala Ala Glu His Arg Leu Arg Glu Glu Ile Leu Ala Lys Phe
530 535 540

Leu His Trp Leu Met Ser Val Tyr Val Val Glu Leu Leu Arg Ser Phe
545 550 555 560

Phe Tyr Val Thr Glu Thr Thr Phe Gln Lys Asn Arg Leu Phe Phe Tyr

565

570

575

Arg Lys Ser Val Trp Ser Lys Leu Gln Ser Ile Gly Ile Arg Gln His
 580 585 590

Leu Lys Arg Val Gln Leu Arg Glu Leu Ser Glu Ala Glu Val Arg Gln
 595 600 605

His Arg Glu Ala Arg Pro Ala Leu Leu Thr Ser Arg Leu Arg Phe Ile
 610 615 620

Pro Lys Pro Asp Gly Leu Arg Pro Ile Val Asn Met Asp Tyr Val Val
 625 630 635 640

Gly Ala Arg Thr Phe Arg Arg Glu Lys Arg Ala Glu Arg Leu Thr Ser
 645 650 655

Arg Val Lys Ala Leu Phe Ser Val Leu Asn Tyr Glu Arg Ala Arg Arg
 660 665 670

Pro Gly Leu Leu Gly Ala Ser Val Leu Gly Leu Asp Asp Ile His Arg
 675 680 685

Ala Trp Arg Thr Phe Val Leu Arg Val Arg Ala Gln Asp Pro Pro Pro
 690 695 700

Glu Leu Tyr Phe Val Lys Val Asp Val Thr Gly Ala Tyr Asp Thr Ile
 705 710 715 720

Pro Gln Asp Arg Leu Thr Glu Val Ile Ala Ser Ile Ile Lys Pro Gln
 725 730 735

Asn Thr Tyr Cys Val Arg Arg Tyr Ala Val Val Gln Lys Ala Ala His
 740 745 750

Gly His Val Arg Lys Ala Phe Lys Ser His Val Ser Thr Leu Thr Asp
 755 760 765

Leu Gln Pro Tyr Met Arg Gln Phe Val Ala His Leu Gln Glu Thr Ser
 770 775 780

Pro Leu Arg Asp Ala Val Val Ile Glu Gln Ser Ser Ser Leu Asn Glu
 785 790 795 800

Ala Ser Ser Gly Leu Phe Asp Val Phe Leu Arg Phe Met Cys His His
 805 810 815

PCTIL2016050600-seq1-000001-EN

Ala Val Arg Ile Arg Gly Lys Ser Tyr Val Gln Cys Gln Gly Ile Pro
820 825 830

Gln Gly Ser Ile Leu Ser Thr Leu Leu Cys Ser Leu Cys Tyr Gly Asp
835 840 845

Met Glu Asn Lys Leu Phe Ala Gly Ile Arg Arg Asp Gly Leu Leu Leu
850 855 860

Arg Leu Val Asp Asp Phe Leu Leu Val Thr Pro His Leu Thr His Ala
865 870 875 880

Lys Thr Phe Leu Ser Tyr Ala Arg Thr Ser Ile Arg Ala Ser Leu Thr
885 890 895

Phe Asn Arg Gly Phe Lys Ala Gly Arg Asn Met Arg Arg Lys Leu Phe
900 905 910

Gly Val Leu Arg Leu Lys Cys His Ser Leu Phe Leu Asp Leu Gln Val
915 920 925

Asn Ser Leu Gln Thr Val Cys Thr Asn Ile Tyr Lys Ile Leu Leu Leu
930 935 940

Gln Ala Tyr Arg Phe His Ala Cys Val Leu Gln Leu Pro Phe His Gln
945 950 955 960

Gln Val Trp Lys Asn Pro Thr Phe Phe Leu Arg Val Ile Ser Asp Thr
965 970 975

Ala Ser Leu Cys Tyr Ser Ile Leu Lys Ala Lys Asn Ala Gly Met Ser
980 985 990

Leu Gly Ala Lys Gly Ala Ala Gly Pro Leu Pro Ser Glu Ala Val Gln
995 1000 1005

Trp Leu Cys His Gln Ala Phe Leu Leu Lys Leu Thr Arg His Arg
1010 1015 1020

Val Thr Tyr Val Pro Leu Leu Gly Ser Leu Arg Thr Ala Gln Thr
1025 1030 1035

Gln Leu Ser Arg Lys Leu Pro Gly Thr Thr Leu Thr Ala Leu Glu
1040 1045 1050

Ala Ala Ala Asn Pro Ala Leu Pro Ser Asp Phe Lys Thr Ile Leu
1055 1060 1065

Asp

<210> 50
 <211> 1132
 <212> PRT
 <213> homo sapiens

<400> 50

Met Pro Arg Ala Pro Arg Cys Arg Ala Val Arg Ser Leu Leu Arg Ser
 1 5 10 15

His Tyr Arg Glu Val Leu Pro Leu Ala Thr Phe Val Arg Arg Leu Gly
 20 25 30

Pro Gln Gly Trp Arg Leu Val Gln Arg Gly Asp Pro Ala Ala Phe Arg
 35 40 45

Ala Leu Val Ala Gln Cys Leu Val Cys Val Pro Trp Asp Ala Arg Pro
 50 55 60

Pro Pro Ala Ala Pro Ser Phe Arg Gln Val Ser Cys Leu Lys Glu Leu
 65 70 75 80

Val Ala Arg Val Leu Gln Arg Leu Cys Glu Arg Gly Ala Lys Asn Val
 85 90 95

Leu Ala Phe Gly Phe Ala Leu Leu Asp Gly Ala Arg Gly Gly Pro Pro
 100 105 110

Glu Ala Phe Thr Thr Ser Val Arg Ser Tyr Leu Pro Asn Thr Val Thr
 115 120 125

Asp Ala Leu Arg Gly Ser Gly Ala Trp Gly Leu Leu Leu Arg Arg Val
 130 135 140

Gly Asp Asp Val Leu Val His Leu Leu Ala Arg Cys Ala Leu Phe Val
 145 150 155 160

Leu Val Ala Pro Ser Cys Ala Tyr Gln Val Cys Gly Pro Pro Leu Tyr
 165 170 175

Gln Leu Gly Ala Ala Thr Gln Ala Arg Pro Pro Pro His Ala Ser Gly
 180 185 190

Pro Arg Arg Arg Leu Gly Cys Glu Arg Ala Trp Asn His Ser Val Arg
 195 200 205

PCTIL2016050600-seq1-000001-EN

Glu Ala Gly Val Pro Leu Gly Leu Pro Ala Pro Gly Ala Arg Arg Arg
 210 215 220
 Gly Gly Ser Ala Ser Arg Ser Leu Pro Leu Pro Lys Arg Pro Arg Arg
 225 230 235 240
 Gly Ala Ala Pro Glu Pro Glu Arg Thr Pro Val Gly Gln Gly Ser Trp
 245 250 255
 Ala His Pro Gly Arg Thr Arg Gly Pro Ser Asp Arg Gly Phe Cys Val
 260 265 270
 Val Ser Pro Ala Arg Pro Ala Glu Glu Ala Thr Ser Leu Glu Gly Ala
 275 280 285
 Leu Ser Gly Thr Arg His Ser His Pro Ser Val Gly Arg Gln His His
 290 295 300
 Ala Gly Pro Pro Ser Thr Ser Arg Pro Pro Arg Pro Trp Asp Thr Pro
 305 310 315 320
 Cys Pro Pro Val Tyr Ala Glu Thr Lys His Phe Leu Tyr Ser Ser Gly
 325 330 335
 Asp Lys Glu Gln Leu Arg Pro Ser Phe Leu Leu Ser Ser Leu Arg Pro
 340 345 350
 Ser Leu Thr Gly Ala Arg Arg Leu Val Glu Thr Ile Phe Leu Gly Ser
 355 360 365
 Arg Pro Trp Met Pro Gly Thr Pro Arg Arg Leu Pro Arg Leu Pro Gln
 370 375 380
 Arg Tyr Trp Gln Met Arg Pro Leu Phe Leu Glu Leu Leu Gly Asn His
 385 390 395 400
 Ala Gln Cys Pro Tyr Gly Val Leu Leu Lys Thr His Cys Pro Leu Arg
 405 410 415
 Ala Ala Val Thr Pro Ala Ala Gly Val Cys Ala Arg Glu Lys Pro Gln
 420 425 430
 Gly Ser Val Ala Ala Pro Glu Glu Glu Asp Thr Asp Pro Arg Arg Leu
 435 440 445
 Val Gln Leu Leu Arg Gln His Ser Ser Pro Trp Gln Val Tyr Gly Phe
 450 455 460

PCTIL2016050600-seq1-000001-EN

Val Arg Ala Cys Leu Arg Arg Leu Val Pro Pro Gly Leu Trp Gly Ser
465 470 475 480

Arg His Asn Glu Arg Arg Phe Leu Arg Asn Thr Lys Lys Phe Ile Ser
485 490 495

Leu Gly Lys His Ala Lys Leu Ser Leu Gln Glu Leu Thr Trp Lys Met
500 505 510

Ser Val Arg Asp Cys Ala Trp Leu Arg Arg Ser Pro Gly Val Gly Cys
515 520 525

Val Pro Ala Ala Glu His Arg Leu Arg Glu Glu Ile Leu Ala Lys Phe
530 535 540

Leu His Trp Leu Met Ser Val Tyr Val Val Glu Leu Leu Arg Ser Phe
545 550 555 560

Phe Tyr Val Thr Glu Thr Thr Phe Gln Lys Asn Arg Leu Phe Phe Tyr
565 570 575

Arg Lys Ser Val Trp Ser Lys Leu Gln Ser Ile Gly Ile Arg Gln His
580 585 590

Leu Lys Arg Val Gln Leu Arg Glu Leu Ser Glu Ala Glu Val Arg Gln
595 600 605

His Arg Glu Ala Arg Pro Ala Leu Leu Thr Ser Arg Leu Arg Phe Ile
610 615 620

Pro Lys Pro Asp Gly Leu Arg Pro Ile Val Asn Met Asp Tyr Val Val
625 630 635 640

Gly Ala Arg Thr Phe Arg Arg Glu Lys Arg Ala Glu Arg Leu Thr Ser
645 650 655

Arg Val Lys Ala Leu Phe Ser Val Leu Asn Tyr Glu Arg Ala Arg Arg
660 665 670

Pro Gly Leu Leu Gly Ala Ser Val Leu Gly Leu Asp Asp Ile His Arg
675 680 685

Ala Trp Arg Thr Phe Val Leu Arg Val Arg Ala Gln Asp Pro Pro Pro
690 695 700

Glu Leu Tyr Phe Val Lys Val Asp Val Thr Gly Ala Tyr Asp Thr Ile

705					710					715					720
Pro	Gln	Asp	Arg	Leu	Thr	Glu	Val	Ile	Ala	Ser	Ile	Ile	Lys	Pro	Gln
				725					730					735	
Asn	Thr	Tyr	Cys	Val	Arg	Arg	Tyr	Ala	Val	Val	Gln	Lys	Ala	Ala	His
			740					745					750		
Gly	His	Val	Arg	Lys	Ala	Phe	Lys	Ser	His	Val	Ser	Thr	Leu	Thr	Asp
		755					760					765			
Leu	Gln	Pro	Tyr	Met	Arg	Gln	Phe	Val	Ala	His	Leu	Gln	Glu	Thr	Ser
	770					775					780				
Pro	Leu	Arg	Asp	Ala	Val	Val	Ile	Glu	Gln	Ser	Ser	Ser	Leu	Asn	Glu
785					790					795					800
Ala	Ser	Ser	Gly	Leu	Phe	Asp	Val	Phe	Leu	Arg	Phe	Met	Cys	His	His
				805					810					815	
Ala	Val	Arg	Ile	Arg	Gly	Lys	Ser	Tyr	Val	Gln	Cys	Gln	Gly	Ile	Pro
			820					825					830		
Gln	Gly	Ser	Ile	Leu	Ser	Thr	Leu	Leu	Cys	Ser	Leu	Cys	Tyr	Gly	Asp
		835					840					845			
Met	Glu	Asn	Lys	Leu	Phe	Ala	Gly	Ile	Arg	Arg	Asp	Gly	Leu	Leu	Leu
	850					855					860				
Arg	Leu	Val	Asp	Asp	Phe	Leu	Leu	Val	Thr	Pro	His	Leu	Thr	His	Ala
865					870					875					880
Lys	Thr	Phe	Leu	Arg	Thr	Leu	Val	Arg	Gly	Val	Pro	Glu	Tyr	Gly	Cys
				885					890					895	
Val	Val	Asn	Leu	Arg	Lys	Thr	Val	Val	Asn	Phe	Pro	Val	Glu	Asp	Glu
			900					905					910		
Ala	Leu	Gly	Gly	Thr	Ala	Phe	Val	Gln	Met	Pro	Ala	His	Gly	Leu	Phe
		915					920					925			
Pro	Trp	Cys	Gly	Leu	Leu	Leu	Asp	Thr	Arg	Thr	Leu	Glu	Val	Gln	Ser
	930					935					940				
Asp	Tyr	Ser	Ser	Tyr	Ala	Arg	Thr	Ser	Ile	Arg	Ala	Ser	Leu	Thr	Phe
945					950					955					960

PCTIL2016050600-seq1-000001-EN

Asn Arg Gly Phe Lys Ala Gly Arg Asn Met Arg Arg Lys Leu Phe Gly
965 970 975

Val Leu Arg Leu Lys Cys His Ser Leu Phe Leu Asp Leu Gln Val Asn
980 985 990

Ser Leu Gln Thr Val Cys Thr Asn Ile Tyr Lys Ile Leu Leu Leu Gln
995 1000 1005

Ala Tyr Arg Phe His Ala Cys Val Leu Gln Leu Pro Phe His Gln
1010 1015 1020

Gln Val Trp Lys Asn Pro Thr Phe Phe Leu Arg Val Ile Ser Asp
1025 1030 1035

Thr Ala Ser Leu Cys Tyr Ser Ile Leu Lys Ala Lys Asn Ala Gly
1040 1045 1050

Met Ser Leu Gly Ala Lys Gly Ala Ala Gly Pro Leu Pro Ser Glu
1055 1060 1065

Ala Val Gln Trp Leu Cys His Gln Ala Phe Leu Leu Lys Leu Thr
1070 1075 1080

Arg His Arg Val Thr Tyr Val Pro Leu Leu Gly Ser Leu Arg Thr
1085 1090 1095

Ala Gln Thr Gln Leu Ser Arg Lys Leu Pro Gly Thr Thr Leu Thr
1100 1105 1110

Ala Leu Glu Ala Ala Ala Asn Pro Ala Leu Pro Ser Asp Phe Lys
1115 1120 1125

Thr Ile Leu Asp
1130

<210> 51
<211> 353
<212> PRT
<213> homo sapiens

<400> 51

Met Ala His Phe Pro Gly Phe Gly Gln Ser Leu Leu Phe Gly Tyr Pro
1 5 10 15

Val Tyr Val Phe Gly Asp Cys Val Gln Gly Asp Trp Cys Pro Ile Ser
20 25 30

PCTIL2016050600-seq1-000001-EN

Gly Gly Leu Cys Ser Ala Arg Leu His Arg His Ala Leu Leu Ala Thr
 35 40 45
 Cys Pro Glu His Gln Ile Thr Trp Asp Pro Ile Asp Gly Arg Val Ile
 50 55 60
 Gly Ser Ala Leu Gln Phe Leu Ile Pro Arg Leu Pro Ser Phe Pro Thr
 65 70 75 80
 Gln Arg Thr Ser Lys Thr Leu Lys Val Leu Thr Pro Pro Ile Thr His
 85 90 95
 Thr Thr Pro Asn Ile Pro Pro Ser Phe Leu Gln Ala Met Arg Lys Tyr
 100 105 110
 Ser Pro Phe Arg Asn Gly Tyr Met Glu Pro Thr Leu Gly Gln His Leu
 115 120 125
 Pro Thr Leu Ser Phe Pro Asp Pro Gly Leu Arg Pro Gln Asn Leu Tyr
 130 135 140
 Thr Leu Trp Gly Gly Ser Val Val Cys Met Tyr Leu Tyr Gln Leu Ser
 145 150 155 160
 Pro Pro Ile Thr Trp Pro Leu Leu Pro His Val Ile Phe Cys His Pro
 165 170 175
 Gly Gln Leu Gly Ala Phe Leu Thr Asn Val Pro Tyr Lys Arg Ile Glu
 180 185 190
 Lys Leu Leu Tyr Lys Ile Ser Leu Thr Thr Gly Ala Leu Ile Ile Leu
 195 200 205
 Pro Glu Asp Cys Leu Pro Thr Thr Leu Phe Gln Pro Ala Arg Ala Pro
 210 215 220
 Val Thr Leu Thr Ala Trp Gln Asn Gly Leu Leu Pro Phe His Ser Thr
 225 230 235 240
 Leu Thr Thr Pro Gly Leu Ile Trp Thr Phe Thr Asp Gly Thr Pro Met
 245 250 255
 Ile Ser Gly Pro Cys Pro Lys Asp Gly Gln Pro Ser Leu Val Leu Gln
 260 265 270
 Ser Ser Ser Phe Ile Phe His Lys Phe Gln Thr Lys Ala Tyr His Pro
 275 280 285

PCTIL2016050600-seq1-000001-EN

Ser Phe Leu Leu Ser His Gly Leu Ile Gln Tyr Ser Ser Phe His Asn
290 295 300

Leu His Leu Leu Phe Glu Glu Tyr Thr Asn Ile Pro Ile Ser Leu Leu
305 310 315 320

Phe Asn Glu Lys Glu Ala Asp Asp Asn Asp His Glu Pro Gln Ile Ser
325 330 335

Pro Gly Gly Leu Glu Pro Leu Ser Glu Lys His Phe Arg Glu Thr Glu
340 345 350

Val

<210> 52
<211> 345
<212> PRT
<213> homo sapiens

<400> 52

Met Ala His Phe Pro Gly Phe Gly Gln Ser Leu Leu Tyr Gly Tyr Pro
1 5 10 15

Val Tyr Val Phe Gly Asp Cys Val Gln Ala Asp Trp Cys Pro Ile Ser
20 25 30

Gly Gly Leu Cys Ser Pro Arg Leu His Arg His Ala Leu Leu Ala Thr
35 40 45

Cys Pro Glu His Gln Ile Thr Trp Asp Pro Ile Asp Gly Arg Val Val
50 55 60

Gly Ser Pro Leu Gln Tyr Leu Ile Pro Arg Leu Pro Ser Phe Pro Thr
65 70 75 80

Gln Arg Thr Ser Lys Thr Leu Lys Val Leu Thr Pro Pro Thr Thr Pro
85 90 95

Val Thr Pro Lys Val Pro Pro Ser Phe Phe Gln Ser Val Arg Arg His
100 105 110

Ser Pro Tyr Arg Asn Gly Cys Leu Glu Thr Thr Leu Gly Glu Gln Leu
115 120 125

Pro Ser Leu Ala Phe Pro Glu Pro Gly Leu Arg Pro Gln Asn Val Tyr
130 135 140

PCTIL2016050600-seq1-000001-EN

Thr Ile Trp Gly Lys Thr Ile Val Cys Leu Tyr Ile Tyr Gln Leu Ser
145 150 155 160

Pro Pro Met Thr Trp Pro Leu Ile Pro His Val Ile Phe Cys Asn Pro
165 170 175

Arg Gln Leu Gly Ala Phe Leu Ser Asn Val Pro Pro Lys Arg Leu Glu
180 185 190

Glu Leu Leu Tyr Lys Leu Tyr Leu His Thr Gly Ala Ile Ile Ile Leu
195 200 205

Pro Glu Asp Ala Leu Pro Thr Thr Leu Phe Gln Pro Val Arg Ala Pro
210 215 220

Cys Val Gln Thr Thr Trp Asn Thr Gly Leu Leu Pro Tyr Gln Pro Asn
225 230 235 240

Leu Thr Thr Pro Gly Leu Ile Trp Thr Phe Asn Asp Gly Ser Pro Met
245 250 255

Ile Ser Gly Pro Cys Pro Lys Ala Gly Gln Pro Ser Leu Val Val Gln
260 265 270

Ser Ser Leu Leu Ile Phe Glu Arg Phe Gln Thr Lys Ala Tyr His Pro
275 280 285

Ser Tyr Leu Leu Ser His Gln Leu Ile Gln Tyr Ser Ser Phe His His
290 295 300

Leu Tyr Leu Leu Phe Asp Glu Tyr Thr Thr Ile Pro Phe Ser Leu Leu
305 310 315 320

Phe Lys Glu Lys Glu Gly Asp Asp Arg Asp Asn Asp Pro Leu Pro Gly
325 330 335

Ala Thr Ala Ser Pro Gln Gly Gln Asn
340 345

<210> 53
<211> 180
<212> PRT
<213> homo sapiens

<400> 53

Met Gln Ala Glu Gly Arg Gly Thr Gly Gly Ser Thr Gly Asp Ala Asp
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Gly Pro Gly Gly Pro Gly Ile Pro Asp Gly Pro Gly Gly Asn Ala Gly
20 25 30

Gly Pro Gly Glu Ala Gly Ala Thr Gly Gly Arg Gly Pro Arg Gly Ala
35 40 45

Gly Ala Ala Arg Ala Ser Gly Pro Gly Gly Gly Ala Pro Arg Gly Pro
50 55 60

His Gly Gly Ala Ala Ser Gly Leu Asn Gly Cys Cys Arg Cys Gly Ala
65 70 75 80

Arg Gly Pro Glu Ser Arg Leu Leu Glu Phe Tyr Leu Ala Met Pro Phe
85 90 95

Ala Thr Pro Met Glu Ala Glu Leu Ala Arg Arg Ser Leu Ala Gln Asp
100 105 110

Ala Pro Pro Leu Pro Val Pro Gly Val Leu Leu Lys Glu Phe Thr Val
115 120 125

Ser Gly Asn Ile Leu Thr Ile Arg Leu Thr Ala Ala Asp His Arg Gln
130 135 140

Leu Gln Leu Ser Ile Ser Ser Cys Leu Gln Gln Leu Ser Leu Leu Met
145 150 155 160

Trp Ile Thr Gln Cys Phe Leu Pro Val Phe Leu Ala Gln Pro Pro Ser
165 170 175

Gly Gln Arg Arg
180

<210> 54
<211> 309
<212> PRT
<213> homo sapiens
<400> 54

Met Ser Leu Glu Gln Arg Ser Leu His Cys Lys Pro Glu Glu Ala Leu
1 5 10 15

Glu Ala Gln Gln Glu Ala Leu Gly Leu Val Cys Val Gln Ala Ala Thr
20 25 30

Ser Ser Ser Ser Pro Leu Val Leu Gly Thr Leu Glu Glu Val Pro Thr
35 40 45

PCTIL2016050600-seq1-000001-EN

Ala Gly Ser Thr Asp Pro Pro Gln Ser Pro Gln Gly Ala Ser Ala Phe
 50 55 60
 Pro Thr Thr Ile Asn Phe Thr Arg Gln Arg Gln Pro Ser Glu Gly Ser
 65 70 75 80
 Ser Ser Arg Glu Glu Glu Gly Pro Ser Thr Ser Cys Ile Leu Glu Ser
 85 90 95
 Leu Phe Arg Ala Val Ile Thr Lys Lys Val Ala Asp Leu Val Gly Phe
 100 105 110
 Leu Leu Leu Lys Tyr Arg Ala Arg Glu Pro Val Thr Lys Ala Glu Met
 115 120 125
 Leu Glu Ser Val Ile Lys Asn Tyr Lys His Cys Phe Pro Glu Ile Phe
 130 135 140
 Gly Lys Ala Ser Glu Ser Leu Gln Leu Val Phe Gly Ile Asp Val Lys
 145 150 155 160
 Glu Ala Asp Pro Thr Gly His Ser Tyr Val Leu Val Thr Cys Leu Gly
 165 170 175
 Leu Ser Tyr Asp Gly Leu Leu Gly Asp Asn Gln Ile Met Pro Lys Thr
 180 185 190
 Gly Phe Leu Ile Ile Val Leu Val Met Ile Ala Met Glu Gly Gly His
 195 200 205
 Ala Pro Glu Glu Glu Ile Trp Glu Glu Leu Ser Val Met Glu Val Tyr
 210 215 220
 Asp Gly Arg Glu His Ser Ala Tyr Gly Glu Pro Arg Lys Leu Leu Thr
 225 230 235 240
 Gln Asp Leu Val Gln Glu Lys Tyr Leu Glu Tyr Arg Gln Val Pro Asp
 245 250 255
 Ser Asp Pro Ala Arg Tyr Glu Phe Leu Trp Gly Pro Arg Ala Leu Ala
 260 265 270
 Glu Thr Ser Tyr Val Lys Val Leu Glu Tyr Val Ile Lys Val Ser Ala
 275 280 285
 Arg Val Arg Phe Phe Phe Pro Ser Leu Arg Glu Ala Ala Leu Arg Glu
 290 295 300

Glu Glu Glu Gly Val
305

<210> 55
<211> 314
<212> PRT
<213> homo sapiens

<400> 55

Met Pro Leu Glu Gln Arg Ser Gln His Cys Lys Pro Glu Glu Gly Leu
1 5 10 15

Glu Ala Arg Gly Glu Ala Leu Gly Leu Val Gly Ala Gln Ala Pro Ala
20 25 30

Thr Glu Glu Gln Glu Ala Ala Ser Ser Ser Ser Thr Leu Val Glu Val
35 40 45

Thr Leu Gly Glu Val Pro Ala Ala Glu Ser Pro Asp Pro Pro Gln Ser
50 55 60

Pro Gln Gly Ala Ser Ser Leu Pro Thr Thr Met Asn Tyr Pro Leu Trp
65 70 75 80

Ser Gln Ser Tyr Glu Asp Ser Ser Asn Gln Glu Glu Glu Gly Pro Ser
85 90 95

Thr Phe Pro Asp Leu Glu Ser Glu Phe Gln Ala Ala Leu Ser Arg Lys
100 105 110

Val Ala Glu Leu Val His Phe Leu Leu Leu Lys Tyr Arg Ala Arg Glu
115 120 125

Pro Val Thr Lys Ala Glu Met Leu Gly Ser Val Val Gly Asn Trp Gln
130 135 140

Tyr Phe Phe Pro Val Ile Phe Ser Lys Ala Ser Ser Ser Leu Gln Leu
145 150 155 160

Val Phe Gly Ile Glu Leu Met Glu Val Asp Pro Ile Gly His Leu Tyr
165 170 175

Ile Phe Ala Thr Cys Leu Gly Leu Ser Tyr Asp Gly Leu Leu Gly Asp
180 185 190

Asn Gln Ile Met Pro Lys Ala Gly Leu Leu Ile Ile Val Leu Ala Ile
195 200 205

PCTIL2016050600-seq1-000001-EN

Ile Ala Arg Glu Gly Asp Cys Ala Pro Glu Glu Lys Ile Trp Glu Glu
210 215 220

Leu Ser Val Leu Glu Val Phe Glu Gly Arg Glu Asp Ser Ile Leu Gly
225 230 235 240

Asp Pro Lys Lys Leu Leu Thr Gln His Phe Val Gln Glu Asn Tyr Leu
245 250 255

Glu Tyr Arg Gln Val Pro Gly Ser Asp Pro Ala Cys Tyr Glu Phe Leu
260 265 270

Trp Gly Pro Arg Ala Leu Val Glu Thr Ser Tyr Val Lys Val Leu His
275 280 285

His Met Val Lys Ile Ser Gly Gly Pro His Ile Ser Tyr Pro Pro Leu
290 295 300

His Glu Trp Val Leu Arg Glu Gly Glu Glu
305 310

<210> 56
<211> 1225
<212> PRT
<213> homo sapiens

<400> 56

Met Lys Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu
1 5 10 15

Arg His Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu
20 25 30

Thr Tyr Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln
35 40 45

Glu Val Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val
50 55 60

Pro Leu Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp
65 70 75 80

Asn Tyr Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr
85 90 95

Thr Pro Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu
100 105 110

PCTIL2016050600-seq1-000001-EN

Arg Ser Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn
115 120 125

Pro Gln Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His
130 135 140

Lys Asn Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg
145 150 155 160

Ala Cys His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly
165 170 175

Glu Ser Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly
180 185 190

Gly Cys Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu
195 200 205

Gln Cys Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala
210 215 220

Cys Leu His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala
225 230 235 240

Leu Val Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu
245 250 255

Gly Arg Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn
260 265 270

Tyr Leu Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His
275 280 285

Asn Gln Glu Val Thr Ala Glu Asp Gly Thr Gln Arg Cys Glu Lys Cys
290 295 300

Ser Lys Pro Cys Ala Arg Val Cys Tyr Gly Leu Gly Met Glu His Leu
305 310 315 320

Arg Glu Val Arg Ala Val Thr Ser Ala Asn Ile Gln Glu Phe Ala Gly
325 330 335

Cys Lys Lys Ile Phe Gly Ser Leu Ala Phe Leu Pro Glu Ser Phe Asp
340 345 350

Gly Asp Pro Ala Ser Asn Thr Ala Pro Leu Gln Pro Glu Gln Leu Gln

355

360

365

Val Phe Glu Thr Leu Glu Glu Ile Thr Gly Tyr Leu Tyr Ile Ser Ala
 370 375 380

Trp Pro Asp Ser Leu Pro Asp Leu Ser Val Phe Gln Asn Leu Gln Val
 385 390 395 400

Ile Arg Gly Arg Ile Leu His Asn Gly Ala Tyr Ser Leu Thr Leu Gln
 405 410 415

Gly Leu Gly Ile Ser Trp Leu Gly Leu Arg Ser Leu Arg Glu Leu Gly
 420 425 430

Ser Gly Leu Ala Leu Ile His His Asn Thr His Leu Cys Phe Val His
 435 440 445

Thr Val Pro Trp Asp Gln Leu Phe Arg Asn Pro His Gln Ala Leu Leu
 450 455 460

His Thr Ala Asn Arg Pro Glu Asp Glu Cys Val Gly Glu Gly Leu Ala
 465 470 475 480

Cys His Gln Leu Cys Ala Arg Gly His Cys Trp Gly Pro Gly Pro Thr
 485 490 495

Gln Cys Val Asn Cys Ser Gln Phe Leu Arg Gly Gln Glu Cys Val Glu
 500 505 510

Glu Cys Arg Val Leu Gln Gly Leu Pro Arg Glu Tyr Val Asn Ala Arg
 515 520 525

His Cys Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val
 530 535 540

Thr Cys Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr
 545 550 555 560

Lys Asp Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro
 565 570 575

Asp Leu Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala
 580 585 590

Cys Gln Pro Cys Pro Ile Asn Cys Thr His Ser Cys Val Asp Leu Asp
 595 600 605

PCTIL2016050600-seq1-000001-EN

Asp Lys Gly Cys Pro Ala Glu Gln Arg Ala Ser Pro Leu Thr Ser Ile
610 615 620

Ile Ser Ala Val Val Gly Ile Leu Leu Val Val Val Leu Gly Val Val
625 630 635 640

Phe Gly Ile Leu Ile Lys Arg Arg Gln Gln Lys Ile Arg Lys Tyr Thr
645 650 655

Met Arg Arg Leu Leu Gln Glu Thr Glu Leu Val Glu Pro Leu Thr Pro
660 665 670

Ser Gly Ala Met Pro Asn Gln Ala Gln Met Arg Ile Leu Lys Glu Thr
675 680 685

Glu Leu Arg Lys Val Lys Val Leu Gly Ser Gly Ala Phe Gly Thr Val
690 695 700

Tyr Lys Gly Ile Trp Ile Pro Asp Gly Glu Asn Val Lys Ile Pro Val
705 710 715 720

Ala Ile Lys Val Leu Arg Glu Asn Thr Ser Pro Lys Ala Asn Lys Glu
725 730 735

Ile Leu Asp Glu Ala Tyr Val Met Ala Gly Val Gly Ser Pro Tyr Val
740 745 750

Ser Arg Leu Leu Gly Ile Cys Leu Thr Ser Thr Val Gln Leu Val Thr
755 760 765

Gln Leu Met Pro Tyr Gly Cys Leu Leu Asp His Val Arg Glu Asn Arg
770 775 780

Gly Arg Leu Gly Ser Gln Asp Leu Leu Asn Trp Cys Met Gln Ile Ala
785 790 795 800

Lys Gly Met Ser Tyr Leu Glu Asp Val Arg Leu Val His Arg Asp Leu
805 810 815

Ala Ala Arg Asn Val Leu Val Lys Ser Pro Asn His Val Lys Ile Thr
820 825 830

Asp Phe Gly Leu Ala Arg Leu Leu Asp Ile Asp Glu Thr Glu Tyr His
835 840 845

Ala Asp Gly Gly Lys Val Pro Ile Lys Trp Met Ala Leu Glu Ser Ile
850 855 860

PCTIL2016050600-seq1-000001-EN

Leu Arg Arg Arg Phe Thr His Gln Ser Asp Val Trp Ser Tyr Gly Val
865 870 875 880

Thr Val Trp Glu Leu Met Thr Phe Gly Ala Lys Pro Tyr Asp Gly Ile
885 890 895

Pro Ala Arg Glu Ile Pro Asp Leu Leu Glu Lys Gly Glu Arg Leu Pro
900 905 910

Gln Pro Pro Ile Cys Thr Ile Asp Val Tyr Met Ile Met Val Lys Cys
915 920 925

Trp Met Ile Asp Ser Glu Cys Arg Pro Arg Phe Arg Glu Leu Val Ser
930 935 940

Glu Phe Ser Arg Met Ala Arg Asp Pro Gln Arg Phe Val Val Ile Gln
945 950 955 960

Asn Glu Asp Leu Gly Pro Ala Ser Pro Leu Asp Ser Thr Phe Tyr Arg
965 970 975

Ser Leu Leu Glu Asp Asp Asp Met Gly Asp Leu Val Asp Ala Glu Glu
980 985 990

Tyr Leu Val Pro Gln Gln Gly Phe Phe Cys Pro Asp Pro Ala Pro Gly
995 1000 1005

Ala Gly Gly Met Val His His Arg His Arg Ser Ser Ser Thr Arg
1010 1015 1020

Ser Gly Gly Gly Asp Leu Thr Leu Gly Leu Glu Pro Ser Glu Glu
1025 1030 1035

Glu Ala Pro Arg Ser Pro Leu Ala Pro Ser Glu Gly Ala Gly Ser
1040 1045 1050

Asp Val Phe Asp Gly Asp Leu Gly Met Gly Ala Ala Lys Gly Leu
1055 1060 1065

Gln Ser Leu Pro Thr His Asp Pro Ser Pro Leu Gln Arg Tyr Ser
1070 1075 1080

Glu Asp Pro Thr Val Pro Leu Pro Ser Glu Thr Asp Gly Tyr Val
1085 1090 1095

Ala Pro Leu Thr Cys Ser Pro Gln Pro Glu Tyr Val Asn Gln Pro
1100 1105 1110

PCTIL2016050600-seq1-000001-EN

Asp Val Arg Pro Gln Pro Pro Ser Pro Arg Glu Gly Pro Leu Pro
1115 1120 1125

Ala Ala Arg Pro Ala Gly Ala Thr Leu Glu Arg Pro Lys Thr Leu
1130 1135 1140

Ser Pro Gly Lys Asn Gly Val Val Lys Asp Val Phe Ala Phe Gly
1145 1150 1155

Gly Ala Val Glu Asn Pro Glu Tyr Leu Thr Pro Gln Gly Gly Ala
1160 1165 1170

Ala Pro Gln Pro His Pro Pro Pro Ala Phe Ser Pro Ala Phe Asp
1175 1180 1185

Asn Leu Tyr Tyr Trp Asp Gln Asp Pro Pro Glu Arg Gly Ala Pro
1190 1195 1200

Pro Ser Thr Phe Lys Gly Thr Pro Thr Ala Glu Asn Pro Glu Tyr
1205 1210 1215

Leu Gly Leu Asp Val Pro Val
1220 1225

<210> 57
<211> 1240
<212> PRT
<213> homo sapiens

<400> 57

Met Pro Arg Gly Ser Trp Lys Pro Gln Val Cys Thr Gly Thr Asp Met
1 5 10 15

Lys Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu Arg
20 25 30

His Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu Thr
35 40 45

Tyr Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln Glu
50 55 60

Val Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val Pro
65 70 75 80

Leu Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp Asn
85 90 95

PCTIL2016050600-seq1-000001-EN

Tyr Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr Thr
 100 105 110
 Pro Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu Arg
 115 120 125
 Ser Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn Pro
 130 135 140
 Gln Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His Lys
 145 150 155 160
 Asn Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg Ala
 165 170 175
 Cys His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly Glu
 180 185 190
 Ser Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly Gly
 195 200 205
 Cys Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu Gln
 210 215 220
 Cys Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala Cys
 225 230 235 240
 Leu His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala Leu
 245 250 255
 Val Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu Gly
 260 265 270
 Arg Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn Tyr
 275 280 285
 Leu Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His Asn
 290 295 300
 Gln Glu Val Thr Ala Glu Asp Gly Thr Gln Arg Cys Glu Lys Cys Ser
 305 310 315 320
 Lys Pro Cys Ala Arg Val Cys Tyr Gly Leu Gly Met Glu His Leu Arg
 325 330 335
 Glu Val Arg Ala Val Thr Ser Ala Asn Ile Gln Glu Phe Ala Gly Cys

340

345

350

Lys Lys Ile Phe Gly Ser Leu Ala Phe Leu Pro Glu Ser Phe Asp Gly
 355 360 365

Asp Pro Ala Ser Asn Thr Ala Pro Leu Gln Pro Glu Gln Leu Gln Val
 370 375 380

Phe Glu Thr Leu Glu Glu Ile Thr Gly Tyr Leu Tyr Ile Ser Ala Trp
 385 390 395 400

Pro Asp Ser Leu Pro Asp Leu Ser Val Phe Gln Asn Leu Gln Val Ile
 405 410 415

Arg Gly Arg Ile Leu His Asn Gly Ala Tyr Ser Leu Thr Leu Gln Gly
 420 425 430

Leu Gly Ile Ser Trp Leu Gly Leu Arg Ser Leu Arg Glu Leu Gly Ser
 435 440 445

Gly Leu Ala Leu Ile His His Asn Thr His Leu Cys Phe Val His Thr
 450 455 460

Val Pro Trp Asp Gln Leu Phe Arg Asn Pro His Gln Ala Leu Leu His
 465 470 475 480

Thr Ala Asn Arg Pro Glu Asp Glu Cys Val Gly Glu Gly Leu Ala Cys
 485 490 495

His Gln Leu Cys Ala Arg Gly His Cys Trp Gly Pro Gly Pro Thr Gln
 500 505 510

Cys Val Asn Cys Ser Gln Phe Leu Arg Gly Gln Glu Cys Val Glu Glu
 515 520 525

Cys Arg Val Leu Gln Gly Leu Pro Arg Glu Tyr Val Asn Ala Arg His
 530 535 540

Cys Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val Thr
 545 550 555 560

Cys Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr Lys
 565 570 575

Asp Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro Asp
 580 585 590

PCTIL2016050600-seq1-000001-EN

Leu Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala Cys
595 600 605

Gln Pro Cys Pro Ile Asn Cys Thr His Ser Cys Val Asp Leu Asp Asp
610 615 620

Lys Gly Cys Pro Ala Glu Gln Arg Ala Ser Pro Leu Thr Ser Ile Ile
625 630 635 640

Ser Ala Val Val Gly Ile Leu Leu Val Val Val Leu Gly Val Val Phe
645 650 655

Gly Ile Leu Ile Lys Arg Arg Gln Gln Lys Ile Arg Lys Tyr Thr Met
660 665 670

Arg Arg Leu Leu Gln Glu Thr Glu Leu Val Glu Pro Leu Thr Pro Ser
675 680 685

Gly Ala Met Pro Asn Gln Ala Gln Met Arg Ile Leu Lys Glu Thr Glu
690 695 700

Leu Arg Lys Val Lys Val Leu Gly Ser Gly Ala Phe Gly Thr Val Tyr
705 710 715 720

Lys Gly Ile Trp Ile Pro Asp Gly Glu Asn Val Lys Ile Pro Val Ala
725 730 735

Ile Lys Val Leu Arg Glu Asn Thr Ser Pro Lys Ala Asn Lys Glu Ile
740 745 750

Leu Asp Glu Ala Tyr Val Met Ala Gly Val Gly Ser Pro Tyr Val Ser
755 760 765

Arg Leu Leu Gly Ile Cys Leu Thr Ser Thr Val Gln Leu Val Thr Gln
770 775 780

Leu Met Pro Tyr Gly Cys Leu Leu Asp His Val Arg Glu Asn Arg Gly
785 790 795 800

Arg Leu Gly Ser Gln Asp Leu Leu Asn Trp Cys Met Gln Ile Ala Lys
805 810 815

Gly Met Ser Tyr Leu Glu Asp Val Arg Leu Val His Arg Asp Leu Ala
820 825 830

Ala Arg Asn Val Leu Val Lys Ser Pro Asn His Val Lys Ile Thr Asp
835 840 845

PCTIL2016050600-seq1-000001-EN

Phe Gly Leu Ala Arg Leu Leu Asp Ile Asp Glu Thr Glu Tyr His Ala
 850 855 860
 Asp Gly Gly Lys Val Pro Ile Lys Trp Met Ala Leu Glu Ser Ile Leu
 865 870 875 880
 Arg Arg Arg Phe Thr His Gln Ser Asp Val Trp Ser Tyr Gly Val Thr
 885 890 895
 Val Trp Glu Leu Met Thr Phe Gly Ala Lys Pro Tyr Asp Gly Ile Pro
 900 905 910
 Ala Arg Glu Ile Pro Asp Leu Leu Glu Lys Gly Glu Arg Leu Pro Gln
 915 920 925
 Pro Pro Ile Cys Thr Ile Asp Val Tyr Met Ile Met Val Lys Cys Trp
 930 935 940
 Met Ile Asp Ser Glu Cys Arg Pro Arg Phe Arg Glu Leu Val Ser Glu
 945 950 955 960
 Phe Ser Arg Met Ala Arg Asp Pro Gln Arg Phe Val Val Ile Gln Asn
 965 970 975
 Glu Asp Leu Gly Pro Ala Ser Pro Leu Asp Ser Thr Phe Tyr Arg Ser
 980 985 990
 Leu Leu Glu Asp Asp Asp Met Gly Asp Leu Val Asp Ala Glu Glu Tyr
 995 1000 1005
 Leu Val Pro Gln Gln Gly Phe Phe Cys Pro Asp Pro Ala Pro Gly
 1010 1015 1020
 Ala Gly Gly Met Val His His Arg His Arg Ser Ser Ser Thr Arg
 1025 1030 1035
 Ser Gly Gly Gly Asp Leu Thr Leu Gly Leu Glu Pro Ser Glu Glu
 1040 1045 1050
 Glu Ala Pro Arg Ser Pro Leu Ala Pro Ser Glu Gly Ala Gly Ser
 1055 1060 1065
 Asp Val Phe Asp Gly Asp Leu Gly Met Gly Ala Ala Lys Gly Leu
 1070 1075 1080
 Gln Ser Leu Pro Thr His Asp Pro Ser Pro Leu Gln Arg Tyr Ser
 1085 1090 1095

PCTIL2016050600-seq1-000001-EN

Glu Asp Pro Thr Val Pro Leu Pro Ser Glu Thr Asp Gly Tyr Val
1100 1105 1110

Ala Pro Leu Thr Cys Ser Pro Gln Pro Glu Tyr Val Asn Gln Pro
1115 1120 1125

Asp Val Arg Pro Gln Pro Pro Ser Pro Arg Glu Gly Pro Leu Pro
1130 1135 1140

Ala Ala Arg Pro Ala Gly Ala Thr Leu Glu Arg Pro Lys Thr Leu
1145 1150 1155

Ser Pro Gly Lys Asn Gly Val Val Lys Asp Val Phe Ala Phe Gly
1160 1165 1170

Gly Ala Val Glu Asn Pro Glu Tyr Leu Thr Pro Gln Gly Gly Ala
1175 1180 1185

Ala Pro Gln Pro His Pro Pro Pro Ala Phe Ser Pro Ala Phe Asp
1190 1195 1200

Asn Leu Tyr Tyr Trp Asp Gln Asp Pro Pro Glu Arg Gly Ala Pro
1205 1210 1215

Pro Ser Thr Phe Lys Gly Thr Pro Thr Ala Glu Asn Pro Glu Tyr
1220 1225 1230

Leu Gly Leu Asp Val Pro Val
1235 1240

<210> 58
<211> 1055
<212> PRT
<213> homo sapiens

<400> 58

Met Glu Leu Ala Ala Leu Cys Arg Trp Gly Leu Leu Leu Ala Leu Leu
1 5 10 15

Pro Pro Gly Ala Ala Ser Thr Gln Val Cys Thr Gly Thr Asp Met Lys
20 25 30

Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu Arg His
35 40 45

Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu Thr Tyr
50 55 60

PCTIL2016050600-seq1-000001-EN

Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln Glu Val
65 70 75 80

Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val Pro Leu
85 90 95

Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp Asn Tyr
100 105 110

Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr Thr Pro
115 120 125

Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu Arg Ser
130 135 140

Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn Pro Gln
145 150 155 160

Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His Lys Asn
165 170 175

Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg Ala Cys
180 185 190

His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly Glu Ser
195 200 205

Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly Gly Cys
210 215 220

Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu Gln Cys
225 230 235 240

Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala Cys Leu
245 250 255

His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala Leu Val
260 265 270

Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu Gly Arg
275 280 285

Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn Tyr Leu
290 295 300

Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His Asn Gln

305					310					315					320
Glu	Val	Thr	Ala	Glu	Asp	Gly	Thr	Gln	Arg	Cys	Glu	Lys	Cys	Ser	Lys
				325					330					335	
Pro	Cys	Ala	Arg	Val	Cys	Tyr	Gly	Leu	Gly	Met	Glu	His	Leu	Arg	Glu
			340					345					350		
Val	Arg	Ala	Val	Thr	Ser	Ala	Asn	Ile	Gln	Glu	Phe	Ala	Gly	Cys	Lys
		355					360					365			
Lys	Ile	Phe	Gly	Ser	Leu	Ala	Phe	Leu	Pro	Glu	Ser	Phe	Asp	Gly	Asp
	370					375					380				
Pro	Ala	Ser	Asn	Thr	Ala	Pro	Leu	Gln	Pro	Glu	Gln	Leu	Gln	Val	Phe
385					390					395					400
Glu	Thr	Leu	Glu	Glu	Ile	Thr	Gly	Tyr	Leu	Tyr	Ile	Ser	Ala	Trp	Pro
				405					410					415	
Asp	Ser	Leu	Pro	Asp	Leu	Ser	Val	Phe	Gln	Asn	Leu	Gln	Val	Ile	Arg
			420					425					430		
Gly	Arg	Ile	Leu	His	Asn	Gly	Ala	Tyr	Ser	Leu	Thr	Leu	Gln	Gly	Leu
		435					440					445			
Gly	Ile	Ser	Trp	Leu	Gly	Leu	Arg	Ser	Leu	Arg	Glu	Leu	Gly	Ser	Gly
	450					455					460				
Leu	Ala	Leu	Ile	His	His	Asn	Thr	His	Leu	Cys	Phe	Val	His	Thr	Val
465					470					475					480
Pro	Trp	Asp	Gln	Leu	Phe	Arg	Asn	Pro	His	Gln	Ala	Leu	Leu	His	Thr
				485					490					495	
Ala	Asn	Arg	Pro	Glu	Asp	Glu	Cys	Val	Gly	Glu	Gly	Leu	Ala	Cys	His
			500					505					510		
Gln	Leu	Cys	Ala	Arg	Gly	His	Cys	Trp	Gly	Pro	Gly	Pro	Thr	Gln	Cys
		515					520					525			
Val	Asn	Cys	Ser	Gln	Phe	Leu	Arg	Gly	Gln	Glu	Cys	Val	Glu	Glu	Cys
	530					535					540				
Arg	Val	Leu	Gln	Gly	Leu	Pro	Arg	Glu	Tyr	Val	Asn	Ala	Arg	His	Cys
545					550					555					560

PCTIL2016050600-seq1-000001-EN

Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val Thr Cys
565 570 575

Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr Lys Asp
580 585 590

Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro Asp Leu
595 600 605

Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala Cys Gln
610 615 620

Pro Cys Pro Ile Asn Cys Thr His Ser Cys Val Asp Leu Asp Asp Lys
625 630 635 640

Gly Cys Pro Ala Glu Gln Arg Ala Ser Pro Leu Thr Ser Ile Ile Ser
645 650 655

Ala Val Val Gly Ile Leu Leu Val Val Val Leu Gly Val Val Phe Gly
660 665 670

Ile Leu Ile Lys Arg Arg Gln Gln Lys Ile Arg Lys Tyr Thr Met Arg
675 680 685

Arg Leu Leu Gln Glu Thr Glu Leu Val Glu Pro Leu Thr Pro Ser Gly
690 695 700

Ala Met Pro Asn Gln Ala Gln Met Arg Ile Leu Lys Glu Thr Glu Leu
705 710 715 720

Arg Lys Val Lys Val Leu Gly Ser Gly Ala Phe Gly Thr Val Tyr Lys
725 730 735

Gly Ile Trp Ile Pro Asp Gly Glu Asn Val Lys Ile Pro Val Ala Ile
740 745 750

Lys Val Leu Arg Glu Asn Thr Ser Pro Lys Ala Asn Lys Glu Ile Leu
755 760 765

Asp Glu Ala Tyr Val Met Ala Gly Val Gly Ser Pro Tyr Val Ser Arg
770 775 780

Leu Leu Gly Ile Cys Leu Thr Ser Thr Val Gln Leu Val Thr Gln Leu
785 790 795 800

Met Pro Tyr Gly Cys Leu Leu Asp His Val Arg Glu Asn Arg Gly Arg
805 810 815

PCTIL2016050600-seq1-000001-EN

Leu Gly Ser Gln Asp Leu Leu Asn Trp Cys Met Gln Ile Ala Lys Gly
 820 825 830
 Met Ser Tyr Leu Glu Asp Val Arg Leu Val His Arg Asp Leu Ala Ala
 835 840 845
 Arg Asn Val Leu Val Lys Ser Pro Asn His Val Lys Ile Thr Asp Phe
 850 855 860
 Gly Leu Ala Arg Leu Leu Asp Ile Asp Glu Thr Glu Tyr His Ala Asp
 865 870 875 880
 Gly Gly Lys Val Pro Ile Lys Trp Met Ala Leu Glu Ser Ile Leu Arg
 885 890 895
 Arg Arg Phe Thr His Gln Ser Asp Val Trp Ser Tyr Gly Val Thr Val
 900 905 910
 Trp Glu Leu Met Thr Phe Gly Ala Lys Pro Tyr Asp Gly Ile Pro Ala
 915 920 925
 Arg Glu Ile Pro Asp Leu Leu Glu Lys Gly Glu Arg Leu Pro Gln Pro
 930 935 940
 Pro Ile Cys Thr Ile Asp Val Tyr Met Ile Met Val Lys Cys Trp Met
 945 950 955 960
 Ile Asp Ser Glu Cys Arg Pro Arg Phe Arg Glu Leu Val Ser Glu Phe
 965 970 975
 Ser Arg Met Ala Arg Asp Pro Gln Arg Phe Val Val Ile Gln Asn Glu
 980 985 990
 Asp Leu Gly Pro Ala Ser Pro Leu Asp Ser Thr Phe Tyr Arg Ser Leu
 995 1000 1005
 Leu Glu Asp Asp Asp Met Gly Asp Leu Val Asp Ala Glu Glu Tyr
 1010 1015 1020
 Leu Val Pro Gln Gln Gly Phe Phe Cys Pro Asp Pro Ala Pro Gly
 1025 1030 1035
 Ala Gly Gly Met Val His His Arg His Arg Ser Ser Ser Thr Arg
 1040 1045 1050
 Asn Met
 1055

<210> 59
 <211> 603
 <212> PRT
 <213> homo sapiens

<400> 59

Met Lys Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu
 1 5 10 15

Arg His Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu
 20 25 30

Thr Tyr Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln
 35 40 45

Glu Val Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val
 50 55 60

Pro Leu Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp
 65 70 75 80

Asn Tyr Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr
 85 90 95

Thr Pro Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu
 100 105 110

Arg Ser Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn
 115 120 125

Pro Gln Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His
 130 135 140

Lys Asn Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg
 145 150 155 160

Ala Cys His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly
 165 170 175

Glu Ser Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly
 180 185 190

Gly Cys Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu
 195 200 205

Gln Cys Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala
 210 215 220

PCTIL2016050600-seq1-000001-EN

Cys Leu His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala
 225 230 235 240
 Leu Val Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu
 245 250 255
 Gly Arg Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn
 260 265 270
 Tyr Leu Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His
 275 280 285
 Asn Gln Glu Val Thr Ala Glu Asp Gly Thr Gln Arg Cys Glu Lys Cys
 290 295 300
 Ser Lys Pro Cys Ala Arg Val Cys Tyr Gly Leu Gly Met Glu His Leu
 305 310 315 320
 Arg Glu Val Arg Ala Val Thr Ser Ala Asn Ile Gln Glu Phe Ala Gly
 325 330 335
 Cys Lys Lys Ile Phe Gly Ser Leu Ala Phe Leu Pro Glu Ser Phe Asp
 340 345 350
 Gly Asp Pro Ala Ser Asn Thr Ala Pro Leu Gln Pro Glu Gln Leu Gln
 355 360 365
 Val Phe Glu Thr Leu Glu Glu Ile Thr Gly Tyr Leu Tyr Ile Ser Ala
 370 375 380
 Trp Pro Asp Ser Leu Pro Asp Leu Ser Val Phe Gln Asn Leu Gln Val
 385 390 395 400
 Ile Arg Gly Arg Ile Leu His Asn Gly Ala Tyr Ser Leu Thr Leu Gln
 405 410 415
 Gly Leu Gly Ile Ser Trp Leu Gly Leu Arg Ser Leu Arg Glu Leu Gly
 420 425 430
 Ser Gly Leu Ala Leu Ile His His Asn Thr His Leu Cys Phe Val His
 435 440 445
 Thr Val Pro Trp Asp Gln Leu Phe Arg Asn Pro His Gln Ala Leu Leu
 450 455 460
 His Thr Ala Asn Arg Pro Glu Asp Glu Cys Val Gly Glu Gly Leu Ala

PCTIL2016050600-seq1-000001-EN

465 470 475 480

Cys His Gln Leu Cys Ala Arg Gly His Cys Trp Gly Pro Gly Pro Thr
485 490 495

Gln Cys Val Asn Cys Ser Gln Phe Leu Arg Gly Gln Glu Cys Val Glu
500 505 510

Glu Cys Arg Val Leu Gln Gly Leu Pro Arg Glu Tyr Val Asn Ala Arg
515 520 525

His Cys Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val
530 535 540

Thr Cys Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr
545 550 555 560

Lys Asp Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro
565 570 575

Asp Leu Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala
580 585 590

Cys Gln Pro Cys Pro Ile Asn Cys Thr His Ser
595 600

```
<210> 60
<211> 1255
<212> PRT
<213> homo sapiens
```

<400> 60

Met Glu Leu Ala Ala Leu Cys Arg Trp Gly Leu Leu Leu Ala Leu Leu
1 5 10 15

Pro Pro Gly Ala Ala Ser Thr Gln Val Cys Thr Gly Thr Asp Met Lys
20 25 30

Leu Arg Leu Pro Ala Ser Pro Glu Thr His Leu Asp Met Leu Arg His
35 40 45

Leu Tyr Gln Gly Cys Gln Val Val Gln Gly Asn Leu Glu Leu Thr Tyr
50 55 60

Leu Pro Thr Asn Ala Ser Leu Ser Phe Leu Gln Asp Ile Gln Glu Val
65 70 75 80

Gln Gly Tyr Val Leu Ile Ala His Asn Gln Val Arg Gln Val Pro Leu

85

90

95

Gln Arg Leu Arg Ile Val Arg Gly Thr Gln Leu Phe Glu Asp Asn Tyr
 100 105 110
 Ala Leu Ala Val Leu Asp Asn Gly Asp Pro Leu Asn Asn Thr Thr Pro
 115 120 125
 Val Thr Gly Ala Ser Pro Gly Gly Leu Arg Glu Leu Gln Leu Arg Ser
 130 135 140
 Leu Thr Glu Ile Leu Lys Gly Gly Val Leu Ile Gln Arg Asn Pro Gln
 145 150 155 160
 Leu Cys Tyr Gln Asp Thr Ile Leu Trp Lys Asp Ile Phe His Lys Asn
 165 170 175
 Asn Gln Leu Ala Leu Thr Leu Ile Asp Thr Asn Arg Ser Arg Ala Cys
 180 185 190
 His Pro Cys Ser Pro Met Cys Lys Gly Ser Arg Cys Trp Gly Glu Ser
 195 200 205
 Ser Glu Asp Cys Gln Ser Leu Thr Arg Thr Val Cys Ala Gly Gly Cys
 210 215 220
 Ala Arg Cys Lys Gly Pro Leu Pro Thr Asp Cys Cys His Glu Gln Cys
 225 230 235 240
 Ala Ala Gly Cys Thr Gly Pro Lys His Ser Asp Cys Leu Ala Cys Leu
 245 250 255
 His Phe Asn His Ser Gly Ile Cys Glu Leu His Cys Pro Ala Leu Val
 260 265 270
 Thr Tyr Asn Thr Asp Thr Phe Glu Ser Met Pro Asn Pro Glu Gly Arg
 275 280 285
 Tyr Thr Phe Gly Ala Ser Cys Val Thr Ala Cys Pro Tyr Asn Tyr Leu
 290 295 300
 Ser Thr Asp Val Gly Ser Cys Thr Leu Val Cys Pro Leu His Asn Gln
 305 310 315 320
 Glu Val Thr Ala Glu Asp Gly Thr Gln Arg Cys Glu Lys Cys Ser Lys
 325 330 335

PCTIL2016050600-seq1-000001-EN

Pro Cys Ala Arg Val Cys Tyr Gly Leu Gly Met Glu His Leu Arg Glu
 340 345 350

Val Arg Ala Val Thr Ser Ala Asn Ile Gln Glu Phe Ala Gly Cys Lys
 355 360 365

Lys Ile Phe Gly Ser Leu Ala Phe Leu Pro Glu Ser Phe Asp Gly Asp
 370 375 380

Pro Ala Ser Asn Thr Ala Pro Leu Gln Pro Glu Gln Leu Gln Val Phe
 385 390 395 400

Glu Thr Leu Glu Glu Ile Thr Gly Tyr Leu Tyr Ile Ser Ala Trp Pro
 405 410 415

Asp Ser Leu Pro Asp Leu Ser Val Phe Gln Asn Leu Gln Val Ile Arg
 420 425 430

Gly Arg Ile Leu His Asn Gly Ala Tyr Ser Leu Thr Leu Gln Gly Leu
 435 440 445

Gly Ile Ser Trp Leu Gly Leu Arg Ser Leu Arg Glu Leu Gly Ser Gly
 450 455 460

Leu Ala Leu Ile His His Asn Thr His Leu Cys Phe Val His Thr Val
 465 470 475 480

Pro Trp Asp Gln Leu Phe Arg Asn Pro His Gln Ala Leu Leu His Thr
 485 490 495

Ala Asn Arg Pro Glu Asp Glu Cys Val Gly Glu Gly Leu Ala Cys His
 500 505 510

Gln Leu Cys Ala Arg Gly His Cys Trp Gly Pro Gly Pro Thr Gln Cys
 515 520 525

Val Asn Cys Ser Gln Phe Leu Arg Gly Gln Glu Cys Val Glu Glu Cys
 530 535 540

Arg Val Leu Gln Gly Leu Pro Arg Glu Tyr Val Asn Ala Arg His Cys
 545 550 555 560

Leu Pro Cys His Pro Glu Cys Gln Pro Gln Asn Gly Ser Val Thr Cys
 565 570 575

Phe Gly Pro Glu Ala Asp Gln Cys Val Ala Cys Ala His Tyr Lys Asp
 580 585 590

PCTIL2016050600-seq1-000001-EN

Pro Pro Phe Cys Val Ala Arg Cys Pro Ser Gly Val Lys Pro Asp Leu
595 600 605

Ser Tyr Met Pro Ile Trp Lys Phe Pro Asp Glu Glu Gly Ala Cys Gln
610 615 620

Pro Cys Pro Ile Asn Cys Thr His Ser Cys Val Asp Leu Asp Asp Lys
625 630 635 640

Gly Cys Pro Ala Glu Gln Arg Ala Ser Pro Leu Thr Ser Ile Ile Ser
645 650 655

Ala Val Val Gly Ile Leu Leu Val Val Val Leu Gly Val Val Phe Gly
660 665 670

Ile Leu Ile Lys Arg Arg Gln Gln Lys Ile Arg Lys Tyr Thr Met Arg
675 680 685

Arg Leu Leu Gln Glu Thr Glu Leu Val Glu Pro Leu Thr Pro Ser Gly
690 695 700

Ala Met Pro Asn Gln Ala Gln Met Arg Ile Leu Lys Glu Thr Glu Leu
705 710 715 720

Arg Lys Val Lys Val Leu Gly Ser Gly Ala Phe Gly Thr Val Tyr Lys
725 730 735

Gly Ile Trp Ile Pro Asp Gly Glu Asn Val Lys Ile Pro Val Ala Ile
740 745 750

Lys Val Leu Arg Glu Asn Thr Ser Pro Lys Ala Asn Lys Glu Ile Leu
755 760 765

Asp Glu Ala Tyr Val Met Ala Gly Val Gly Ser Pro Tyr Val Ser Arg
770 775 780

Leu Leu Gly Ile Cys Leu Thr Ser Thr Val Gln Leu Val Thr Gln Leu
785 790 795 800

Met Pro Tyr Gly Cys Leu Leu Asp His Val Arg Glu Asn Arg Gly Arg
805 810 815

Leu Gly Ser Gln Asp Leu Leu Asn Trp Cys Met Gln Ile Ala Lys Gly
820 825 830

Met Ser Tyr Leu Glu Asp Val Arg Leu Val His Arg Asp Leu Ala Ala
835 840 845

Arg Asn Val Leu Val Lys Ser Pro Asn His Val Lys Ile Thr Asp Phe
 850 855 860
 Gly Leu Ala Arg Leu Leu Asp Ile Asp Glu Thr Glu Tyr His Ala Asp
 865 870 875 880
 Gly Gly Lys Val Pro Ile Lys Trp Met Ala Leu Glu Ser Ile Leu Arg
 885 890 895
 Arg Arg Phe Thr His Gln Ser Asp Val Trp Ser Tyr Gly Val Thr Val
 900 905 910
 Trp Glu Leu Met Thr Phe Gly Ala Lys Pro Tyr Asp Gly Ile Pro Ala
 915 920 925
 Arg Glu Ile Pro Asp Leu Leu Glu Lys Gly Glu Arg Leu Pro Gln Pro
 930 935 940
 Pro Ile Cys Thr Ile Asp Val Tyr Met Ile Met Val Lys Cys Trp Met
 945 950 955 960
 Ile Asp Ser Glu Cys Arg Pro Arg Phe Arg Glu Leu Val Ser Glu Phe
 965 970 975
 Ser Arg Met Ala Arg Asp Pro Gln Arg Phe Val Val Ile Gln Asn Glu
 980 985 990
 Asp Leu Gly Pro Ala Ser Pro Leu Asp Ser Thr Phe Tyr Arg Ser Leu
 995 1000 1005
 Leu Glu Asp Asp Asp Met Gly Asp Leu Val Asp Ala Glu Glu Tyr
 1010 1015 1020
 Leu Val Pro Gln Gln Gly Phe Phe Cys Pro Asp Pro Ala Pro Gly
 1025 1030 1035
 Ala Gly Gly Met Val His His Arg His Arg Ser Ser Ser Thr Arg
 1040 1045 1050
 Ser Gly Gly Gly Asp Leu Thr Leu Gly Leu Glu Pro Ser Glu Glu
 1055 1060 1065
 Glu Ala Pro Arg Ser Pro Leu Ala Pro Ser Glu Gly Ala Gly Ser
 1070 1075 1080
 Asp Val Phe Asp Gly Asp Leu Gly Met Gly Ala Ala Lys Gly Leu

1085

Gln Ser Leu Pro Thr His Asp Pro Ser Pro Leu Gln Arg Tyr Ser
1100 1105 1110

Glu Asp Pro Thr Val Pro Leu Pro Ser Glu Thr Asp Gly Tyr Val
1115 1120 1125

Ala Pro Leu Thr Cys Ser Pro Gln Pro Glu Tyr Val Asn Gln Pro
1130 1135 1140

Asp Val Arg Pro Gln Pro Pro Ser Pro Arg Glu Gly Pro Leu Pro
1145 1150 1155

Ala Ala Arg Pro Ala Gly Ala Thr Leu Glu Arg Pro Lys Thr Leu
1160 1165 1170

Ser Pro Gly Lys Asn Gly Val Val Lys Asp Val Phe Ala Phe Gly
1175 1180 1185

Gly Ala Val Glu Asn Pro Glu Tyr Leu Thr Pro Gln Gly Gly Ala
1190 1195 1200

Ala Pro Gln Pro His Pro Pro Pro Ala Phe Ser Pro Ala Phe Asp
1205 1210 1215

Asn Leu Tyr Tyr Trp Asp Gln Asp Pro Pro Glu Arg Gly Ala Pro
1220 1225 1230

Pro Ser Thr Phe Lys Gly Thr Pro Thr Ala Glu Asn Pro Glu Tyr
1235 1240 1245

Leu Gly Leu Asp Val Pro Val
1250 1255

<210> 61
<211> 781
<212> PRT
<213> homo sapiens

<400> 61

Met Ala Thr Gln Ala Asp Leu Met Glu Leu Asp Met Ala Met Glu Pro
1 5 10 15

Asp Arg Lys Ala Ala Val Ser His Trp Gln Gln Gln Ser Tyr Leu Asp
20 25 30

Ser Gly Ile His Ser Gly Ala Thr Thr Thr Ala Pro Ser Leu Ser Gly

35

40

45

Lys Gly Asn Pro Glu Glu Glu Asp Val Asp Thr Ser Gln Val Leu Tyr
 50 55 60

Glu Trp Glu Gln Gly Phe Ser Gln Ser Phe Thr Gln Glu Gln Val Ala
 65 70 75 80

Asp Ile Asp Gly Gln Tyr Ala Met Thr Arg Ala Gln Arg Val Arg Ala
 85 90 95

Ala Met Phe Pro Glu Thr Leu Asp Glu Gly Met Gln Ile Pro Ser Thr
 100 105 110

Gln Phe Asp Ala Ala His Pro Thr Asn Val Gln Arg Leu Ala Glu Pro
 115 120 125

Ser Gln Met Leu Lys His Ala Val Val Asn Leu Ile Asn Tyr Gln Asp
 130 135 140

Asp Ala Glu Leu Ala Thr Arg Ala Ile Pro Glu Leu Thr Lys Leu Leu
 145 150 155 160

Asn Asp Glu Asp Gln Val Val Val Asn Lys Ala Ala Val Met Val His
 165 170 175

Gln Leu Ser Lys Lys Glu Ala Ser Arg His Ala Ile Met Arg Ser Pro
 180 185 190

Gln Met Val Ser Ala Ile Val Arg Thr Met Gln Asn Thr Asn Asp Val
 195 200 205

Glu Thr Ala Arg Cys Thr Ala Gly Thr Leu His Asn Leu Ser His His
 210 215 220

Arg Glu Gly Leu Leu Ala Ile Phe Lys Ser Gly Gly Ile Pro Ala Leu
 225 230 235 240

Val Lys Met Leu Gly Ser Pro Val Asp Ser Val Leu Phe Tyr Ala Ile
 245 250 255

Thr Thr Leu His Asn Leu Leu Leu His Gln Glu Gly Ala Lys Met Ala
 260 265 270

Val Arg Leu Ala Gly Gly Leu Gln Lys Met Val Ala Leu Leu Asn Lys
 275 280 285

PCTIL2016050600-seq1-000001-EN

Thr Asn Val Lys Phe Leu Ala Ile Thr Thr Asp Cys Leu Gln Ile Leu
 290 295 300
 Ala Tyr Gly Asn Gln Glu Ser Lys Leu Ile Ile Leu Ala Ser Gly Gly
 305 310 315 320
 Pro Gln Ala Leu Val Asn Ile Met Arg Thr Tyr Thr Tyr Glu Lys Leu
 325 330 335
 Leu Trp Thr Thr Ser Arg Val Leu Lys Val Leu Ser Val Cys Ser Ser
 340 345 350
 Asn Lys Pro Ala Ile Val Glu Ala Gly Gly Met Gln Ala Leu Gly Leu
 355 360 365
 His Leu Thr Asp Pro Ser Gln Arg Leu Val Gln Asn Cys Leu Trp Thr
 370 375 380
 Leu Arg Asn Leu Ser Asp Ala Ala Thr Lys Gln Glu Gly Met Glu Gly
 385 390 395 400
 Leu Leu Gly Thr Leu Val Gln Leu Leu Gly Ser Asp Asp Ile Asn Val
 405 410 415
 Val Thr Cys Ala Ala Gly Ile Leu Ser Asn Leu Thr Cys Asn Asn Tyr
 420 425 430
 Lys Asn Lys Met Met Val Cys Gln Val Gly Gly Ile Glu Ala Leu Val
 435 440 445
 Arg Thr Val Leu Arg Ala Gly Asp Arg Glu Asp Ile Thr Glu Pro Ala
 450 455 460
 Ile Cys Ala Leu Arg His Leu Thr Ser Arg His Gln Glu Ala Glu Met
 465 470 475 480
 Ala Gln Asn Ala Val Arg Leu His Tyr Gly Leu Pro Val Val Val Lys
 485 490 495
 Leu Leu His Pro Pro Ser His Trp Pro Leu Ile Lys Ala Thr Val Gly
 500 505 510
 Leu Ile Arg Asn Leu Ala Leu Cys Pro Ala Asn His Ala Pro Leu Arg
 515 520 525
 Glu Gln Gly Ala Ile Pro Arg Leu Val Gln Leu Leu Val Arg Ala His
 530 535 540

PCTIL2016050600-seq1-000001-EN

Gln Asp Thr Gln Arg Arg Thr Ser Met Gly Gly Thr Gln Gln Gln Phe
545 550 555 560

Val Glu Gly Val Arg Met Glu Glu Ile Val Glu Gly Cys Thr Gly Ala
565 570 575

Leu His Ile Leu Ala Arg Asp Val His Asn Arg Ile Val Ile Arg Gly
580 585 590

Leu Asn Thr Ile Pro Leu Phe Val Gln Leu Leu Tyr Ser Pro Ile Glu
595 600 605

Asn Ile Gln Arg Val Ala Ala Gly Val Leu Cys Glu Leu Ala Gln Asp
610 615 620

Lys Glu Ala Ala Glu Ala Ile Glu Ala Glu Gly Ala Thr Ala Pro Leu
625 630 635 640

Thr Glu Leu Leu His Ser Arg Asn Glu Gly Val Ala Thr Tyr Ala Ala
645 650 655

Ala Val Leu Phe Arg Met Ser Glu Asp Lys Pro Gln Asp Tyr Lys Lys
660 665 670

Arg Leu Ser Val Glu Leu Thr Ser Ser Leu Phe Arg Thr Glu Pro Met
675 680 685

Ala Trp Asn Glu Thr Ala Asp Leu Gly Leu Asp Ile Gly Ala Gln Gly
690 695 700

Glu Pro Leu Gly Tyr Arg Gln Asp Asp Pro Ser Tyr Arg Ser Phe His
705 710 715 720

Ser Gly Gly Tyr Gly Gln Asp Ala Leu Gly Met Asp Pro Met Met Glu
725 730 735

His Glu Met Gly Gly His His Pro Gly Ala Asp Tyr Pro Val Asp Gly
740 745 750

Leu Pro Asp Leu Gly His Ala Gln Asp Leu Met Asp Gly Leu Pro Pro
755 760 765

Gly Asp Ser Asn Gln Leu Ala Trp Phe Asp Thr Asp Leu
770 775 780

<210> 62
<211> 781

PCTIL2016050600-seq1-000001-EN

<212> PRT

<213> homo sapiens

<400> 62

Met Ala Thr Gln Ala Asp Leu Met Glu Leu Asp Met Ala Met Glu Pro
 1 5 10 15

Asp Arg Lys Ala Ala Val Ser His Trp Gln Gln Gln Ser Tyr Leu Asp
 20 25 30

Ser Gly Ile His Ser Gly Ala Thr Thr Thr Ala Pro Ser Leu Ser Gly
 35 40 45

Lys Gly Asn Pro Glu Glu Glu Asp Val Asp Thr Ser Gln Val Leu Tyr
 50 55 60

Glu Trp Glu Gln Gly Phe Ser Gln Ser Phe Thr Gln Glu Gln Val Ala
 65 70 75 80

Asp Ile Asp Gly Gln Tyr Ala Met Thr Arg Ala Gln Arg Val Arg Ala
 85 90 95

Ala Met Phe Pro Glu Thr Leu Asp Glu Gly Met Gln Ile Pro Ser Thr
 100 105 110

Gln Phe Asp Ala Ala His Pro Thr Asn Val Gln Arg Leu Ala Glu Pro
 115 120 125

Ser Gln Met Leu Lys His Ala Val Val Asn Leu Ile Asn Tyr Gln Asp
 130 135 140

Asp Ala Glu Leu Ala Thr Arg Ala Ile Pro Glu Leu Thr Lys Leu Leu
 145 150 155 160

Asn Asp Glu Asp Gln Val Val Val Asn Lys Ala Ala Val Met Val His
 165 170 175

Gln Leu Ser Lys Lys Glu Ala Ser Arg His Ala Ile Met Arg Ser Pro
 180 185 190

Gln Met Val Ser Ala Ile Val Arg Thr Met Gln Asn Thr Asn Asp Val
 195 200 205

Glu Thr Ala Arg Cys Thr Ala Gly Thr Leu His Asn Leu Ser His His
 210 215 220

Arg Glu Gly Leu Leu Ala Ile Phe Lys Ser Gly Gly Ile Pro Ala Leu
 225 230 235 240

PCTIL2016050600-seq1-000001-EN

Val Lys Met Leu Gly Ser Pro Val Asp Ser Val Leu Phe Tyr Ala Ile
245 250 255

Thr Thr Leu His Asn Leu Leu Leu His Gln Glu Gly Ala Lys Met Ala
260 265 270

Val Arg Leu Ala Gly Gly Leu Gln Lys Met Val Ala Leu Leu Asn Lys
275 280 285

Thr Asn Val Lys Phe Leu Ala Ile Thr Thr Asp Cys Leu Gln Ile Leu
290 295 300

Ala Tyr Gly Asn Gln Glu Ser Lys Leu Ile Ile Leu Ala Ser Gly Gly
305 310 315 320

Pro Gln Ala Leu Val Asn Ile Met Arg Thr Tyr Thr Tyr Glu Lys Leu
325 330 335

Leu Trp Thr Thr Ser Arg Val Leu Lys Val Leu Ser Val Cys Ser Ser
340 345 350

Asn Lys Pro Ala Ile Val Glu Ala Gly Gly Met Gln Ala Leu Gly Leu
355 360 365

His Leu Thr Asp Pro Ser Gln Arg Leu Val Gln Asn Cys Leu Trp Thr
370 375 380

Leu Arg Asn Leu Ser Asp Ala Ala Thr Lys Gln Glu Gly Met Glu Gly
385 390 395 400

Leu Leu Gly Thr Leu Val Gln Leu Leu Gly Ser Asp Asp Ile Asn Val
405 410 415

Val Thr Cys Ala Ala Gly Ile Leu Ser Asn Leu Thr Cys Asn Asn Tyr
420 425 430

Lys Asn Lys Met Met Val Cys Gln Val Gly Gly Ile Glu Ala Leu Val
435 440 445

Arg Thr Val Leu Arg Ala Gly Asp Arg Glu Asp Ile Thr Glu Pro Ala
450 455 460

Ile Cys Ala Leu Arg His Leu Thr Ser Arg His Gln Glu Ala Glu Met
465 470 475 480

Ala Gln Asn Ala Val Arg Leu His Tyr Gly Leu Pro Val Val Val Lys

485

490

495

Leu Leu His Pro Pro Ser His Trp Pro Leu Ile Lys Ala Thr Val Gly
 500 505 510

Leu Ile Arg Asn Leu Ala Leu Cys Pro Ala Asn His Ala Pro Leu Arg
 515 520 525

Glu Gln Gly Ala Ile Pro Arg Leu Val Gln Leu Leu Val Arg Ala His
 530 535 540

Gln Asp Thr Gln Arg Arg Thr Ser Met Gly Gly Thr Gln Gln Gln Phe
 545 550 555 560

Val Glu Gly Val Arg Met Glu Glu Ile Val Glu Gly Cys Thr Gly Ala
 565 570 575

Leu His Ile Leu Ala Arg Asp Val His Asn Arg Ile Val Ile Arg Gly
 580 585 590

Leu Asn Thr Ile Pro Leu Phe Val Gln Leu Leu Tyr Ser Pro Ile Glu
 595 600 605

Asn Ile Gln Arg Val Ala Ala Gly Val Leu Cys Glu Leu Ala Gln Asp
 610 615 620

Lys Glu Ala Ala Glu Ala Ile Glu Ala Glu Gly Ala Thr Ala Pro Leu
 625 630 635 640

Thr Glu Leu Leu His Ser Arg Asn Glu Gly Val Ala Thr Tyr Ala Ala
 645 650 655

Ala Val Leu Phe Arg Met Ser Glu Asp Lys Pro Gln Asp Tyr Lys Lys
 660 665 670

Arg Leu Ser Val Glu Leu Thr Ser Ser Leu Phe Arg Thr Glu Pro Met
 675 680 685

Ala Trp Asn Glu Thr Ala Asp Leu Gly Leu Asp Ile Gly Ala Gln Gly
 690 695 700

Glu Pro Leu Gly Tyr Arg Gln Asp Asp Pro Ser Tyr Arg Ser Phe His
 705 710 715 720

Ser Gly Gly Tyr Gly Gln Asp Ala Leu Gly Met Asp Pro Met Met Glu
 725 730 735

PCTIL2016050600-seq1-000001-EN

His Glu Met Gly Gly His His Pro Gly Ala Asp Tyr Pro Val Asp Gly
740 745 750

Leu Pro Asp Leu Gly His Ala Gln Asp Leu Met Asp Gly Leu Pro Pro
755 760 765

Gly Asp Ser Asn Gln Leu Ala Trp Phe Asp Thr Asp Leu
770 775 780

<210> 63
<211> 781
<212> PRT
<213> homo sapiens

<400> 63

Met Ala Thr Gln Ala Asp Leu Met Glu Leu Asp Met Ala Met Glu Pro
1 5 10 15

Asp Arg Lys Ala Ala Val Ser His Trp Gln Gln Gln Ser Tyr Leu Asp
20 25 30

Ser Gly Ile His Ser Gly Ala Thr Thr Thr Ala Pro Ser Leu Ser Gly
35 40 45

Lys Gly Asn Pro Glu Glu Glu Asp Val Asp Thr Ser Gln Val Leu Tyr
50 55 60

Glu Trp Glu Gln Gly Phe Ser Gln Ser Phe Thr Gln Glu Gln Val Ala
65 70 75 80

Asp Ile Asp Gly Gln Tyr Ala Met Thr Arg Ala Gln Arg Val Arg Ala
85 90 95

Ala Met Phe Pro Glu Thr Leu Asp Glu Gly Met Gln Ile Pro Ser Thr
100 105 110

Gln Phe Asp Ala Ala His Pro Thr Asn Val Gln Arg Leu Ala Glu Pro
115 120 125

Ser Gln Met Leu Lys His Ala Val Val Asn Leu Ile Asn Tyr Gln Asp
130 135 140

Asp Ala Glu Leu Ala Thr Arg Ala Ile Pro Glu Leu Thr Lys Leu Leu
145 150 155 160

Asn Asp Glu Asp Gln Val Val Val Asn Lys Ala Ala Val Met Val His
165 170 175

PCTIL2016050600-seq1-000001-EN

Gln Leu Ser Lys Lys Glu Ala Ser Arg His Ala Ile Met Arg Ser Pro
180 185 190

Gln Met Val Ser Ala Ile Val Arg Thr Met Gln Asn Thr Asn Asp Val
195 200 205

Glu Thr Ala Arg Cys Thr Ala Gly Thr Leu His Asn Leu Ser His His
210 215 220

Arg Glu Gly Leu Leu Ala Ile Phe Lys Ser Gly Gly Ile Pro Ala Leu
225 230 235 240

Val Lys Met Leu Gly Ser Pro Val Asp Ser Val Leu Phe Tyr Ala Ile
245 250 255

Thr Thr Leu His Asn Leu Leu Leu His Gln Glu Gly Ala Lys Met Ala
260 265 270

Val Arg Leu Ala Gly Gly Leu Gln Lys Met Val Ala Leu Leu Asn Lys
275 280 285

Thr Asn Val Lys Phe Leu Ala Ile Thr Thr Asp Cys Leu Gln Ile Leu
290 295 300

Ala Tyr Gly Asn Gln Glu Ser Lys Leu Ile Ile Leu Ala Ser Gly Gly
305 310 315 320

Pro Gln Ala Leu Val Asn Ile Met Arg Thr Tyr Thr Tyr Glu Lys Leu
325 330 335

Leu Trp Thr Thr Ser Arg Val Leu Lys Val Leu Ser Val Cys Ser Ser
340 345 350

Asn Lys Pro Ala Ile Val Glu Ala Gly Gly Met Gln Ala Leu Gly Leu
355 360 365

His Leu Thr Asp Pro Ser Gln Arg Leu Val Gln Asn Cys Leu Trp Thr
370 375 380

Leu Arg Asn Leu Ser Asp Ala Ala Thr Lys Gln Glu Gly Met Glu Gly
385 390 395 400

Leu Leu Gly Thr Leu Val Gln Leu Leu Gly Ser Asp Asp Ile Asn Val
405 410 415

Val Thr Cys Ala Ala Gly Ile Leu Ser Asn Leu Thr Cys Asn Asn Tyr
420 425 430

PCTIL2016050600-seq1-000001-EN

Lys Asn Lys Met Met Val Cys Gln Val Gly Gly Ile Glu Ala Leu Val
 435 440 445
 Arg Thr Val Leu Arg Ala Gly Asp Arg Glu Asp Ile Thr Glu Pro Ala
 450 455 460
 Ile Cys Ala Leu Arg His Leu Thr Ser Arg His Gln Glu Ala Glu Met
 465 470 475 480
 Ala Gln Asn Ala Val Arg Leu His Tyr Gly Leu Pro Val Val Val Lys
 485 490 495
 Leu Leu His Pro Pro Ser His Trp Pro Leu Ile Lys Ala Thr Val Gly
 500 505 510
 Leu Ile Arg Asn Leu Ala Leu Cys Pro Ala Asn His Ala Pro Leu Arg
 515 520 525
 Glu Gln Gly Ala Ile Pro Arg Leu Val Gln Leu Leu Val Arg Ala His
 530 535 540
 Gln Asp Thr Gln Arg Arg Thr Ser Met Gly Gly Thr Gln Gln Gln Phe
 545 550 555 560
 Val Glu Gly Val Arg Met Glu Glu Ile Val Glu Gly Cys Thr Gly Ala
 565 570 575
 Leu His Ile Leu Ala Arg Asp Val His Asn Arg Ile Val Ile Arg Gly
 580 585 590
 Leu Asn Thr Ile Pro Leu Phe Val Gln Leu Leu Tyr Ser Pro Ile Glu
 595 600 605
 Asn Ile Gln Arg Val Ala Ala Gly Val Leu Cys Glu Leu Ala Gln Asp
 610 615 620
 Lys Glu Ala Ala Glu Ala Ile Glu Ala Glu Gly Ala Thr Ala Pro Leu
 625 630 635 640
 Thr Glu Leu Leu His Ser Arg Asn Glu Gly Val Ala Thr Tyr Ala Ala
 645 650 655
 Ala Val Leu Phe Arg Met Ser Glu Asp Lys Pro Gln Asp Tyr Lys Lys
 660 665 670
 Arg Leu Ser Val Glu Leu Thr Ser Ser Leu Phe Arg Thr Glu Pro Met
 675 680 685

PCTIL2016050600-seq1-000001-EN

Ala Trp Asn Glu Thr Ala Asp Leu Gly Leu Asp Ile Gly Ala Gln Gly
690 695 700

Glu Pro Leu Gly Tyr Arg Gln Asp Asp Pro Ser Tyr Arg Ser Phe His
705 710 715 720

Ser Gly Gly Tyr Gly Gln Asp Ala Leu Gly Met Asp Pro Met Met Glu
725 730 735

His Glu Met Gly Gly His His Pro Gly Ala Asp Tyr Pro Val Asp Gly
740 745 750

Leu Pro Asp Leu Gly His Ala Gln Asp Leu Met Asp Gly Leu Pro Pro
755 760 765

Gly Asp Ser Asn Gln Leu Ala Trp Phe Asp Thr Asp Leu
770 775 780

<210> 64
<211> 529
<212> PRT
<213> homo sapiens

<400> 64

Met Leu Leu Ala Val Leu Tyr Cys Leu Leu Trp Ser Phe Gln Thr Ser
1 5 10 15

Ala Gly His Phe Pro Arg Ala Cys Val Ser Ser Lys Asn Leu Met Glu
20 25 30

Lys Glu Cys Cys Pro Pro Trp Ser Gly Asp Arg Ser Pro Cys Gly Gln
35 40 45

Leu Ser Gly Arg Gly Ser Cys Gln Asn Ile Leu Leu Ser Asn Ala Pro
50 55 60

Leu Gly Pro Gln Phe Pro Phe Thr Gly Val Asp Asp Arg Glu Ser Trp
65 70 75 80

Pro Ser Val Phe Tyr Asn Arg Thr Cys Gln Cys Ser Gly Asn Phe Met
85 90 95

Gly Phe Asn Cys Gly Asn Cys Lys Phe Gly Phe Trp Gly Pro Asn Cys
100 105 110

Thr Glu Arg Arg Leu Leu Val Arg Arg Asn Ile Phe Asp Leu Ser Ala
115 120 125

PCTIL2016050600-seq1-000001-EN

Pro Glu Lys Asp Lys Phe Phe Ala Tyr Leu Thr Leu Ala Lys His Thr
130 135 140

Ile Ser Ser Asp Tyr Val Ile Pro Ile Gly Thr Tyr Gly Gln Met Lys
145 150 155 160

Asn Gly Ser Thr Pro Met Phe Asn Asp Ile Asn Ile Tyr Asp Leu Phe
165 170 175

Val Trp Met His Tyr Tyr Val Ser Met Asp Ala Leu Leu Gly Gly Ser
180 185 190

Glu Ile Trp Arg Asp Ile Asp Phe Ala His Glu Ala Pro Ala Phe Leu
195 200 205

Pro Trp His Arg Leu Phe Leu Leu Arg Trp Glu Gln Glu Ile Gln Lys
210 215 220

Leu Thr Gly Asp Glu Asn Phe Thr Ile Pro Tyr Trp Asp Trp Arg Asp
225 230 235 240

Ala Glu Lys Cys Asp Ile Cys Thr Asp Glu Tyr Met Gly Gly Gln His
245 250 255

Pro Thr Asn Pro Asn Leu Leu Ser Pro Ala Ser Phe Phe Ser Ser Trp
260 265 270

Gln Ile Val Cys Ser Arg Leu Glu Glu Tyr Asn Ser His Gln Ser Leu
275 280 285

Cys Asn Gly Thr Pro Glu Gly Pro Leu Arg Arg Asn Pro Gly Asn His
290 295 300

Asp Lys Ser Arg Thr Pro Arg Leu Pro Ser Ser Ala Asp Val Glu Phe
305 310 315 320

Cys Leu Ser Leu Thr Gln Tyr Glu Ser Gly Ser Met Asp Lys Ala Ala
325 330 335

Asn Phe Ser Phe Arg Asn Thr Leu Glu Gly Phe Ala Ser Pro Leu Thr
340 345 350

Gly Ile Ala Asp Ala Ser Gln Ser Ser Met His Asn Ala Leu His Ile
355 360 365

Tyr Met Asn Gly Thr Met Ser Gln Val Gln Gly Ser Ala Asn Asp Pro

370

375

380

Ile Phe Leu Leu His His Ala Phe Val Asp Ser Ile Phe Glu Gln Trp
 385 390 395 400

Leu Arg Arg His Arg Pro Leu Gln Glu Val Tyr Pro Glu Ala Asn Ala
 405 410 415

Pro Ile Gly His Asn Arg Glu Ser Tyr Met Val Pro Phe Ile Pro Leu
 420 425 430

Tyr Arg Asn Gly Asp Phe Phe Ile Ser Ser Lys Asp Leu Gly Tyr Asp
 435 440 445

Tyr Ser Tyr Leu Gln Asp Ser Asp Pro Asp Ser Phe Gln Asp Tyr Ile
 450 455 460

Lys Ser Tyr Leu Glu Gln Ala Ser Arg Ile Trp Ser Trp Leu Leu Gly
 465 470 475 480

Ala Ala Met Val Gly Ala Val Leu Thr Ala Leu Leu Ala Gly Leu Val
 485 490 495

Ser Leu Leu Cys Arg His Lys Arg Lys Gln Leu Pro Glu Glu Lys Gln
 500 505 510

Pro Leu Leu Met Glu Lys Glu Asp Tyr His Ser Leu Tyr Gln Ser His
 515 520 525

Leu

<210> 65
 <211> 693
 <212> PRT
 <213> homo sapiens

<400> 65

Met Val Asp Pro Val Gly Phe Ala Glu Ala Trp Lys Ala Gln Phe Pro
 1 5 10 15

Asp Ser Glu Pro Pro Arg Met Glu Leu Arg Ser Val Gly Asp Ile Glu
 20 25 30

Gln Glu Leu Glu Arg Cys Lys Ala Ser Ile Arg Arg Leu Glu Gln Glu
 35 40 45

Val Asn Gln Glu Arg Phe Arg Met Ile Tyr Leu Gln Thr Leu Leu Ala

50

55

60

Lys Glu Lys Lys Ser Tyr Asp Arg Gln Arg Trp Gly Phe Arg Arg Ala
65 70 75 80

Ala Gln Ala Pro Asp Gly Ala Ser Glu Pro Arg Ala Ser Ala Ser Arg
85 90 95

Pro Gln Pro Ala Pro Ala Asp Gly Ala Asp Pro Pro Pro Ala Glu Glu
100 105 110

Pro Glu Ala Arg Pro Asp Gly Glu Gly Ser Pro Gly Lys Ala Arg Pro
115 120 125

Gly Thr Ala Arg Arg Pro Gly Ala Ala Ala Ser Gly Glu Arg Asp Asp
130 135 140

Arg Gly Pro Pro Ala Ser Val Ala Ala Leu Arg Ser Asn Phe Glu Arg
145 150 155 160

Ile Arg Lys Gly His Gly Gln Pro Gly Ala Asp Ala Glu Lys Pro Phe
165 170 175

Tyr Val Asn Val Glu Phe His His Glu Arg Gly Leu Val Lys Val Asn
180 185 190

Asp Lys Glu Val Ser Asp Arg Ile Ser Ser Leu Gly Ser Gln Ala Met
195 200 205

Gln Met Glu Arg Lys Lys Ser Gln His Gly Ala Gly Ser Ser Val Gly
210 215 220

Asp Ala Ser Arg Pro Pro Tyr Arg Gly Arg Ser Ser Glu Ser Ser Cys
225 230 235 240

Gly Val Asp Gly Asp Tyr Glu Asp Ala Glu Leu Asn Pro Arg Phe Leu
245 250 255

Lys Asp Asn Leu Ile Asp Ala Asn Gly Gly Ser Arg Pro Pro Trp Pro
260 265 270

Pro Leu Glu Tyr Gln Pro Tyr Gln Ser Ile Tyr Val Gly Gly Met Met
275 280 285

Glu Gly Glu Gly Lys Gly Pro Leu Leu Arg Ser Gln Ser Thr Ser Glu
290 295 300

PCTIL2016050600-seq1-000001-EN

Gln Glu Lys Arg Leu Thr Trp Pro Arg Arg Ser Tyr Ser Pro Arg Ser
 305 310 315 320
 Phe Glu Asp Cys Gly Gly Gly Tyr Thr Pro Asp Cys Ser Ser Asn Glu
 325 330 335
 Asn Leu Thr Ser Ser Glu Glu Asp Phe Ser Ser Gly Gln Ser Ser Arg
 340 345 350
 Val Ser Pro Ser Pro Thr Thr Tyr Arg Met Phe Arg Asp Lys Ser Arg
 355 360 365
 Ser Pro Ser Gln Asn Ser Gln Gln Ser Phe Asp Ser Ser Ser Pro Pro
 370 375 380
 Thr Pro Gln Cys His Lys Arg His Arg His Cys Pro Val Val Val Ser
 385 390 395 400
 Glu Ala Thr Ile Val Gly Val Arg Lys Thr Gly Gln Ile Trp Pro Asn
 405 410 415
 Asp Gly Glu Gly Ala Phe His Gly Asp Ala Asp Gly Ser Phe Gly Thr
 420 425 430
 Pro Pro Gly Tyr Gly Cys Ala Ala Asp Arg Ala Glu Glu Gln Arg Arg
 435 440 445
 His Gln Asp Gly Leu Pro Tyr Ile Asp Asp Ser Pro Ser Ser Ser Pro
 450 455 460
 His Leu Ser Ser Lys Gly Arg Gly Ser Arg Asp Ala Leu Val Ser Gly
 465 470 475 480
 Ala Leu Glu Ser Thr Lys Ala Ser Glu Leu Asp Leu Glu Lys Gly Leu
 485 490 495
 Glu Met Arg Lys Trp Val Leu Ser Gly Ile Leu Ala Ser Glu Glu Thr
 500 505 510
 Tyr Leu Ser His Leu Glu Ala Leu Leu Leu Pro Met Lys Pro Leu Lys
 515 520 525
 Ala Ala Ala Thr Thr Ser Gln Pro Val Leu Thr Ser Gln Gln Ile Glu
 530 535 540
 Thr Ile Phe Phe Lys Val Pro Glu Leu Tyr Glu Ile His Lys Glu Phe
 545 550 555 560

PCTIL2016050600-seq1-000001-EN

Tyr Asp Gly Leu Phe Pro Arg Val Gln Gln Trp Ser His Gln Gln Arg
565 570 575

Val Gly Asp Leu Phe Gln Lys Leu Ala Ser Gln Leu Gly Val Tyr Arg
580 585 590

Ala Phe Val Asp Asn Tyr Gly Val Ala Met Glu Met Ala Glu Lys Cys
595 600 605

Cys Gln Ala Asn Ala Gln Phe Ala Glu Ile Ser Glu Asn Leu Arg Ala
610 615 620

Arg Ser Asn Lys Asp Ala Lys Asp Pro Thr Thr Lys Asn Ser Leu Glu
625 630 635 640

Thr Leu Leu Tyr Lys Pro Val Asp Arg Val Thr Arg Ser Thr Leu Val
645 650 655

Leu His Asp Leu Leu Lys His Thr Pro Ala Ser His Pro Asp His Pro
660 665 670

Leu Leu Gln Asp Ala Leu Arg Ile Ser Gln Asn Phe Leu Ser Ser Ile
675 680 685

Asn Glu Glu Ile Thr
690

<210> 66
<211> 464
<212> PRT
<213> homo sapiens

<400> 66

Met Asp Phe Ser Arg Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser
1 5 10 15

Glu Asp Leu Ala Ser Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln
20 25 30

Arg Lys Gln Glu Pro Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu
35 40 45

Gln Glu Lys Arg Met Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu
50 55 60

Leu Leu Phe Arg Ile Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn
65 70 75 80

PCTIL2016050600-seq1-000001-EN

Thr	Arg	Lys	Glu	Glu	Met	Glu	Arg	Glu	Leu	Gln	Thr	Pro	Gly	Arg	Ala	
			85						90					95		
Gln	Ile	Ser	Ala	Tyr	Arg	Val	Met	Leu	Tyr	Gln	Ile	Ser	Glu	Glu	Val	
			100					105					110			
Ser	Arg	Ser	Glu	Leu	Arg	Ser	Phe	Lys	Phe	Leu	Leu	Gln	Glu	Glu	Ile	
		115					120					125				
Ser	Lys	Cys	Lys	Leu	Asp	Asp	Asp	Met	Asn	Leu	Leu	Asp	Ile	Phe	Ile	
	130					135					140					
Glu	Met	Glu	Lys	Arg	Val	Ile	Leu	Gly	Glu	Gly	Lys	Leu	Asp	Ile	Leu	
145					150					155					160	
Lys	Arg	Val	Cys	Ala	Gln	Ile	Asn	Lys	Ser	Leu	Leu	Lys	Ile	Ile	Asn	
				165					170					175		
Asp	Tyr	Glu	Glu	Phe	Ser	Lys	Gly	Glu	Glu	Leu	Cys	Gly	Val	Met	Thr	
			180					185					190			
Ile	Ser	Asp	Ser	Pro	Arg	Glu	Gln	Asp	Ser	Glu	Ser	Gln	Thr	Leu	Asp	
		195					200					205				
Lys	Val	Tyr	Gln	Met	Lys	Ser	Lys	Pro	Arg	Gly	Tyr	Cys	Leu	Ile	Ile	
	210					215					220					
Asn	Asn	His	Asn	Phe	Ala	Lys	Ala	Arg	Glu	Lys	Val	Pro	Lys	Leu	His	
225					230					235					240	
Ser	Ile	Arg	Asp	Arg	Asn	Gly	Thr	His	Leu	Asp	Ala	Gly	Ala	Leu	Thr	
				245					250					255		
Thr	Thr	Phe	Glu	Glu	Leu	His	Phe	Glu	Ile	Lys	Pro	His	Asp	Asp	Cys	
			260					265					270			
Thr	Val	Glu	Gln	Ile	Tyr	Glu	Ile	Leu	Lys	Ile	Tyr	Gln	Leu	Met	Asp	
		275					280					285				
His	Ser	Asn	Met	Asp	Cys	Phe	Ile	Cys	Cys	Ile	Leu	Ser	His	Gly	Asp	
	290					295					300					
Lys	Gly	Ile	Ile	Tyr	Gly	Thr	Asp	Gly	Gln	Glu	Ala	Pro	Ile	Tyr	Glu	
305					310					315					320	
Leu	Thr	Ser	Gln	Phe	Thr	Gly	Leu	Lys	Cys	Pro	Ser	Leu	Ala	Gly	Lys	
				325					330					335		

PCTIL2016050600-seq1-000001-EN

Pro Lys Val Phe Phe Ile Gln Ala Cys Gln Gly Asp Asn Tyr Gln Lys
340 345 350

Gly Ile Pro Val Glu Thr Asp Ser Glu Glu Gln Pro Tyr Leu Glu Met
355 360 365

Asp Leu Ser Ser Pro Gln Thr Arg Tyr Ile Pro Asp Glu Ala Asp Phe
370 375 380

Leu Leu Gly Met Ala Thr Val Asn Asn Cys Val Ser Tyr Arg Asn Pro
385 390 395 400

Ala Glu Gly Thr Trp Tyr Ile Gln Ser Leu Cys Gln Ser Leu Arg Glu
405 410 415

Arg Cys Pro Arg Gly Asp Asp Ile Leu Thr Ile Leu Thr Glu Val Asn
420 425 430

Tyr Glu Val Ser Asn Lys Asp Asp Lys Lys Asn Met Gly Lys Gln Met
435 440 445

Pro Gln Pro Thr Phe Thr Leu Arg Lys Lys Leu Val Phe Pro Ser Asp
450 455 460

<210> 67
<211> 538
<212> PRT
<213> homo sapiens

<400> 67

Met Glu Gly Gly Arg Arg Ala Arg Val Val Ile Glu Ser Lys Arg Asn
1 5 10 15

Phe Phe Leu Gly Ala Phe Pro Thr Pro Phe Pro Ala Glu His Val Glu
20 25 30

Leu Gly Arg Leu Gly Asp Ser Glu Thr Ala Met Val Pro Gly Lys Gly
35 40 45

Gly Ala Asp Tyr Ile Leu Leu Pro Phe Lys Lys Met Asp Phe Ser Arg
50 55 60

Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser Glu Asp Leu Ala Ser
65 70 75 80

Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln Arg Lys Gln Glu Pro
85 90 95

PCTIL2016050600-seq1-000001-EN

Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu Gln Glu Lys Arg Met
100 105 110

Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu Leu Leu Phe Arg Ile
115 120 125

Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn Thr Arg Lys Glu Glu
130 135 140

Met Glu Arg Glu Leu Gln Thr Pro Gly Arg Ala Gln Ile Ser Ala Tyr
145 150 155 160

Arg Val Met Leu Tyr Gln Ile Ser Glu Glu Val Ser Arg Ser Glu Leu
165 170 175

Arg Ser Phe Lys Phe Leu Leu Gln Glu Glu Ile Ser Lys Cys Lys Leu
180 185 190

Asp Asp Asp Met Asn Leu Leu Asp Ile Phe Ile Glu Met Glu Lys Arg
195 200 205

Val Ile Leu Gly Glu Gly Lys Leu Asp Ile Leu Lys Arg Val Cys Ala
210 215 220

Gln Ile Asn Lys Ser Leu Leu Lys Ile Ile Asn Asp Tyr Glu Glu Phe
225 230 235 240

Ser Lys Glu Arg Ser Ser Ser Leu Glu Gly Ser Pro Asp Glu Phe Ser
245 250 255

Asn Gly Glu Glu Leu Cys Gly Val Met Thr Ile Ser Asp Ser Pro Arg
260 265 270

Glu Gln Asp Ser Glu Ser Gln Thr Leu Asp Lys Val Tyr Gln Met Lys
275 280 285

Ser Lys Pro Arg Gly Tyr Cys Leu Ile Ile Asn Asn His Asn Phe Ala
290 295 300

Lys Ala Arg Glu Lys Val Pro Lys Leu His Ser Ile Arg Asp Arg Asn
305 310 315 320

Gly Thr His Leu Asp Ala Gly Ala Leu Thr Thr Thr Phe Glu Glu Leu
325 330 335

His Phe Glu Ile Lys Pro His Asp Asp Cys Thr Val Glu Gln Ile Tyr

340

345

350

Glu Ile Leu Lys Ile Tyr Gln Leu Met Asp His Ser Asn Met Asp Cys
 355 360 365

Phe Ile Cys Cys Ile Leu Ser His Gly Asp Lys Gly Ile Ile Tyr Gly
 370 375 380

Thr Asp Gly Gln Glu Ala Pro Ile Tyr Glu Leu Thr Ser Gln Phe Thr
 385 390 395 400

Gly Leu Lys Cys Pro Ser Leu Ala Gly Lys Pro Lys Val Phe Phe Ile
 405 410 415

Gln Ala Cys Gln Gly Asp Asn Tyr Gln Lys Gly Ile Pro Val Glu Thr
 420 425 430

Asp Ser Glu Glu Gln Pro Tyr Leu Glu Met Asp Leu Ser Ser Pro Gln
 435 440 445

Thr Arg Tyr Ile Pro Asp Glu Ala Asp Phe Leu Leu Gly Met Ala Thr
 450 455 460

Val Asn Asn Cys Val Ser Tyr Arg Asn Pro Ala Glu Gly Thr Trp Tyr
 465 470 475 480

Ile Gln Ser Leu Cys Gln Ser Leu Arg Glu Arg Cys Pro Arg Gly Asp
 485 490 495

Asp Ile Leu Thr Ile Leu Thr Glu Val Asn Tyr Glu Val Ser Asn Lys
 500 505 510

Asp Asp Lys Lys Asn Met Gly Lys Gln Met Pro Gln Pro Thr Phe Thr
 515 520 525

Leu Arg Lys Lys Leu Val Phe Pro Ser Asp
 530 535

<210> 68
 <211> 496
 <212> PRT
 <213> homo sapiens

<400> 68

Met Asp Phe Ser Arg Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser
 1 5 10 15

Glu Asp Leu Ala Ser Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln

20

25

30

Arg Lys Gln Glu Pro Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu
 35 40 45

Gln Glu Lys Arg Met Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu
 50 55 60

Leu Leu Phe Arg Ile Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn
 65 70 75 80

Thr Arg Lys Glu Glu Met Glu Arg Glu Leu Gln Thr Pro Gly Arg Ala
 85 90 95

Gln Ile Ser Ala Tyr Arg Phe His Phe Cys Arg Met Ser Trp Ala Glu
 100 105 110

Ala Asn Ser Gln Cys Gln Thr Gln Ser Val Pro Phe Trp Arg Arg Val
 115 120 125

Asp His Leu Leu Ile Arg Val Met Leu Tyr Gln Ile Ser Glu Glu Val
 130 135 140

Ser Arg Ser Glu Leu Arg Ser Phe Lys Phe Leu Leu Gln Glu Glu Ile
 145 150 155 160

Ser Lys Cys Lys Leu Asp Asp Asp Met Asn Leu Leu Asp Ile Phe Ile
 165 170 175

Glu Met Glu Lys Arg Val Ile Leu Gly Glu Gly Lys Leu Asp Ile Leu
 180 185 190

Lys Arg Val Cys Ala Gln Ile Asn Lys Ser Leu Leu Lys Ile Ile Asn
 195 200 205

Asp Tyr Glu Glu Phe Ser Lys Gly Glu Glu Leu Cys Gly Val Met Thr
 210 215 220

Ile Ser Asp Ser Pro Arg Glu Gln Asp Ser Glu Ser Gln Thr Leu Asp
 225 230 235 240

Lys Val Tyr Gln Met Lys Ser Lys Pro Arg Gly Tyr Cys Leu Ile Ile
 245 250 255

Asn Asn His Asn Phe Ala Lys Ala Arg Glu Lys Val Pro Lys Leu His
 260 265 270

PCTIL2016050600-seq1-000001-EN

Ser Ile Arg Asp Arg Asn Gly Thr His Leu Asp Ala Gly Ala Leu Thr
 275 280 285

Thr Thr Phe Glu Glu Leu His Phe Glu Ile Lys Pro His Asp Asp Cys
 290 295 300

Thr Val Glu Gln Ile Tyr Glu Ile Leu Lys Ile Tyr Gln Leu Met Asp
 305 310 315 320

His Ser Asn Met Asp Cys Phe Ile Cys Cys Ile Leu Ser His Gly Asp
 325 330 335

Lys Gly Ile Ile Tyr Gly Thr Asp Gly Gln Glu Ala Pro Ile Tyr Glu
 340 345 350

Leu Thr Ser Gln Phe Thr Gly Leu Lys Cys Pro Ser Leu Ala Gly Lys
 355 360 365

Pro Lys Val Phe Phe Ile Gln Ala Cys Gln Gly Asp Asn Tyr Gln Lys
 370 375 380

Gly Ile Pro Val Glu Thr Asp Ser Glu Glu Gln Pro Tyr Leu Glu Met
 385 390 395 400

Asp Leu Ser Ser Pro Gln Thr Arg Tyr Ile Pro Asp Glu Ala Asp Phe
 405 410 415

Leu Leu Gly Met Ala Thr Val Asn Asn Cys Val Ser Tyr Arg Asn Pro
 420 425 430

Ala Glu Gly Thr Trp Tyr Ile Gln Ser Leu Cys Gln Ser Leu Arg Glu
 435 440 445

Arg Cys Pro Arg Gly Asp Asp Ile Leu Thr Ile Leu Thr Glu Val Asn
 450 455 460

Tyr Glu Val Ser Asn Lys Asp Asp Lys Lys Asn Met Gly Lys Gln Met
 465 470 475 480

Pro Gln Pro Thr Phe Thr Leu Arg Lys Lys Leu Val Phe Pro Ser Asp
 485 490 495

<210> 69

<211> 479

<212> PRT

<213> homo sapiens

<400> 69

PCTIL2016050600-seq1-000001-EN

Met Asp Phe Ser Arg Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser
 1 5 10 15
 Glu Asp Leu Ala Ser Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln
 20 25 30
 Arg Lys Gln Glu Pro Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu
 35 40 45
 Gln Glu Lys Arg Met Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu
 50 55 60
 Leu Leu Phe Arg Ile Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn
 65 70 75 80
 Thr Arg Lys Glu Glu Met Glu Arg Glu Leu Gln Thr Pro Gly Arg Ala
 85 90 95
 Gln Ile Ser Ala Tyr Arg Val Met Leu Tyr Gln Ile Ser Glu Glu Val
 100 105 110
 Ser Arg Ser Glu Leu Arg Ser Phe Lys Phe Leu Leu Gln Glu Glu Ile
 115 120 125
 Ser Lys Cys Lys Leu Asp Asp Asp Met Asn Leu Leu Asp Ile Phe Ile
 130 135 140
 Glu Met Glu Lys Arg Val Ile Leu Gly Glu Gly Lys Leu Asp Ile Leu
 145 150 155 160
 Lys Arg Val Cys Ala Gln Ile Asn Lys Ser Leu Leu Lys Ile Ile Asn
 165 170 175
 Asp Tyr Glu Glu Phe Ser Lys Glu Arg Ser Ser Ser Leu Glu Gly Ser
 180 185 190
 Pro Asp Glu Phe Ser Asn Gly Glu Glu Leu Cys Gly Val Met Thr Ile
 195 200 205
 Ser Asp Ser Pro Arg Glu Gln Asp Ser Glu Ser Gln Thr Leu Asp Lys
 210 215 220
 Val Tyr Gln Met Lys Ser Lys Pro Arg Gly Tyr Cys Leu Ile Ile Asn
 225 230 235 240
 Asn His Asn Phe Ala Lys Ala Arg Glu Lys Val Pro Lys Leu His Ser
 245 250 255

PCTIL2016050600-seq1-000001-EN

Ile Arg Asp Arg Asn Gly Thr His Leu Asp Ala Gly Ala Leu Thr Thr
260 265 270

Thr Phe Glu Glu Leu His Phe Glu Ile Lys Pro His Asp Asp Cys Thr
275 280 285

Val Glu Gln Ile Tyr Glu Ile Leu Lys Ile Tyr Gln Leu Met Asp His
290 295 300

Ser Asn Met Asp Cys Phe Ile Cys Cys Ile Leu Ser His Gly Asp Lys
305 310 315 320

Gly Ile Ile Tyr Gly Thr Asp Gly Gln Glu Ala Pro Ile Tyr Glu Leu
325 330 335

Thr Ser Gln Phe Thr Gly Leu Lys Cys Pro Ser Leu Ala Gly Lys Pro
340 345 350

Lys Val Phe Phe Ile Gln Ala Cys Gln Gly Asp Asn Tyr Gln Lys Gly
355 360 365

Ile Pro Val Glu Thr Asp Ser Glu Glu Gln Pro Tyr Leu Glu Met Asp
370 375 380

Leu Ser Ser Pro Gln Thr Arg Tyr Ile Pro Asp Glu Ala Asp Phe Leu
385 390 395 400

Leu Gly Met Ala Thr Val Asn Asn Cys Val Ser Tyr Arg Asn Pro Ala
405 410 415

Glu Gly Thr Trp Tyr Ile Gln Ser Leu Cys Gln Ser Leu Arg Glu Arg
420 425 430

Cys Pro Arg Gly Asp Asp Ile Leu Thr Ile Leu Thr Glu Val Asn Tyr
435 440 445

Glu Val Ser Asn Lys Asp Asp Lys Lys Asn Met Gly Lys Gln Met Pro
450 455 460

Gln Pro Thr Phe Thr Leu Arg Lys Lys Leu Val Phe Pro Ser Asp
465 470 475

<210> 70
<211> 464
<212> PRT
<213> homo sapiens

<400> 70

PCTIL2016050600-seq1-000001-EN

Met Asp Phe Ser Arg Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser
 1 5 10 15
 Glu Asp Leu Ala Ser Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln
 20 25 30
 Arg Lys Gln Glu Pro Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu
 35 40 45
 Gln Glu Lys Arg Met Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu
 50 55 60
 Leu Leu Phe Arg Ile Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn
 65 70 75 80
 Thr Arg Lys Glu Glu Met Glu Arg Glu Leu Gln Thr Pro Gly Arg Ala
 85 90 95
 Gln Ile Ser Ala Tyr Arg Val Met Leu Tyr Gln Ile Ser Glu Glu Val
 100 105 110
 Ser Arg Ser Glu Leu Arg Ser Phe Lys Phe Leu Leu Gln Glu Glu Ile
 115 120 125
 Ser Lys Cys Lys Leu Asp Asp Asp Met Asn Leu Leu Asp Ile Phe Ile
 130 135 140
 Glu Met Glu Lys Arg Val Ile Leu Gly Glu Gly Lys Leu Asp Ile Leu
 145 150 155 160
 Lys Arg Val Cys Ala Gln Ile Asn Lys Ser Leu Leu Lys Ile Ile Asn
 165 170 175
 Asp Tyr Glu Glu Phe Ser Lys Gly Glu Glu Leu Cys Gly Val Met Thr
 180 185 190
 Ile Ser Asp Ser Pro Arg Glu Gln Asp Ser Glu Ser Gln Thr Leu Asp
 195 200 205
 Lys Val Tyr Gln Met Lys Ser Lys Pro Arg Gly Tyr Cys Leu Ile Ile
 210 215 220
 Asn Asn His Asn Phe Ala Lys Ala Arg Glu Lys Val Pro Lys Leu His
 225 230 235 240
 Ser Ile Arg Asp Arg Asn Gly Thr His Leu Asp Ala Gly Ala Leu Thr
 245 250 255

PCTIL2016050600-seq1-000001-EN

Thr Thr Phe Glu Glu Leu His Phe Glu Ile Lys Pro His Asp Asp Cys
260 265 270

Thr Val Glu Gln Ile Tyr Glu Ile Leu Lys Ile Tyr Gln Leu Met Asp
275 280 285

His Ser Asn Met Asp Cys Phe Ile Cys Cys Ile Leu Ser His Gly Asp
290 295 300

Lys Gly Ile Ile Tyr Gly Thr Asp Gly Gln Glu Ala Pro Ile Tyr Glu
305 310 315 320

Leu Thr Ser Gln Phe Thr Gly Leu Lys Cys Pro Ser Leu Ala Gly Lys
325 330 335

Pro Lys Val Phe Phe Ile Gln Ala Cys Gln Gly Asp Asn Tyr Gln Lys
340 345 350

Gly Ile Pro Val Glu Thr Asp Ser Glu Glu Gln Pro Tyr Leu Glu Met
355 360 365

Asp Leu Ser Ser Pro Gln Thr Arg Tyr Ile Pro Asp Glu Ala Asp Phe
370 375 380

Leu Leu Gly Met Ala Thr Val Asn Asn Cys Val Ser Tyr Arg Asn Pro
385 390 395 400

Ala Glu Gly Thr Trp Tyr Ile Gln Ser Leu Cys Gln Ser Leu Arg Glu
405 410 415

Arg Cys Pro Arg Gly Asp Asp Ile Leu Thr Ile Leu Thr Glu Val Asn
420 425 430

Tyr Glu Val Ser Asn Lys Asp Asp Lys Lys Asn Met Gly Lys Gln Met
435 440 445

Pro Gln Pro Thr Phe Thr Leu Arg Lys Lys Leu Val Phe Pro Ser Asp
450 455 460

<210> 71
<211> 235
<212> PRT
<213> homo sapiens

<400> 71

Met Asp Phe Ser Arg Asn Leu Tyr Asp Ile Gly Glu Gln Leu Asp Ser
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Glu Asp Leu Ala Ser Leu Lys Phe Leu Ser Leu Asp Tyr Ile Pro Gln
 20 25 30
 Arg Lys Gln Glu Pro Ile Lys Asp Ala Leu Met Leu Phe Gln Arg Leu
 35 40 45
 Gln Glu Lys Arg Met Leu Glu Glu Ser Asn Leu Ser Phe Leu Lys Glu
 50 55 60
 Leu Leu Phe Arg Ile Asn Arg Leu Asp Leu Leu Ile Thr Tyr Leu Asn
 65 70 75 80
 Thr Arg Lys Glu Glu Met Glu Arg Glu Leu Gln Thr Pro Gly Arg Ala
 85 90 95
 Gln Ile Ser Ala Tyr Arg Val Met Leu Tyr Gln Ile Ser Glu Glu Val
 100 105 110
 Ser Arg Ser Glu Leu Arg Ser Phe Lys Phe Leu Leu Gln Glu Glu Ile
 115 120 125
 Ser Lys Cys Lys Leu Asp Asp Asp Met Asn Leu Leu Asp Ile Phe Ile
 130 135 140
 Glu Met Glu Lys Arg Val Ile Leu Gly Glu Gly Lys Leu Asp Ile Leu
 145 150 155 160
 Lys Arg Val Cys Ala Gln Ile Asn Lys Ser Leu Leu Lys Ile Ile Asn
 165 170 175
 Asp Tyr Glu Glu Phe Ser Lys Glu Arg Ser Ser Ser Leu Glu Gly Ser
 180 185 190
 Pro Asp Glu Phe Ser Asn Asp Phe Gly Gln Ser Leu Pro Asn Glu Lys
 195 200 205
 Gln Thr Ser Gly Ile Leu Ser Asp His Gln Gln Ser Gln Phe Cys Lys
 210 215 220
 Ser Thr Gly Glu Ser Ala Gln Thr Ser Gln His
 225 230 235

<210> 72
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>

<223> short peptide

<400> 72

Ile Leu Lys Glu Pro Val His Gly Val
1 5

<210> 73

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 73

Ser Leu Tyr Asn Thr Val Ala Thr Leu
1 5

<210> 74

<211> 8

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 74

Ile Leu Glu Pro Val His Gly Val
1 5

<210> 75

<211> 9

<212> PRT

<213> Artificial sequence

<220>

<223> short peptide

<400> 75

Gly Ile Leu Gly Phe Val Phe Thr Leu
1 5

<210> 76

<211> 252

<212> PRT

<213> Influenza A virus

<400> 76

Met Ser Leu Leu Thr Glu Val Glu Thr Tyr Val Leu Ser Ile Val Pro
1 5 10 15

Ser Gly Pro Leu Lys Ala Glu Ile Ala Gln Arg Leu Glu Asp Val Phe

20

25

30

Ala Gly Lys Asn Thr Asp Leu Glu Ala Leu Met Glu Trp Leu Lys Thr
 35 40 45

Arg Pro Ile Leu Ser Pro Leu Thr Lys Gly Ile Leu Gly Phe Val Phe
 50 55 60

Thr Leu Thr Val Pro Ser Glu Arg Gly Leu Gln Arg Arg Arg Phe Val
 65 70 75 80

Gln Asn Ala Leu Asn Gly Asn Gly Asp Pro Asn Asn Met Asp Arg Ala
 85 90 95

Val Lys Leu Tyr Arg Lys Leu Lys Arg Glu Ile Thr Phe His Gly Ala
 100 105 110

Lys Glu Val Ala Leu Ser Tyr Ser Ala Gly Ala Leu Ala Ser Cys Met
 115 120 125

Gly Leu Ile Tyr Asn Arg Met Gly Ala Val Thr Thr Glu Val Ala Phe
 130 135 140

Ala Val Val Cys Ala Thr Cys Glu Gln Ile Ala Asp Ser Gln His Arg
 145 150 155 160

Ser His Arg Gln Met Val Thr Thr Thr Asn Pro Leu Ile Arg His Glu
 165 170 175

Asn Arg Met Val Leu Ala Ser Thr Thr Ala Lys Ala Met Glu Gln Met
 180 185 190

Ala Gly Ser Ser Glu Gln Ala Ala Glu Ala Met Glu Val Ala Ser Gln
 195 200 205

Ala Arg Gln Met Val Gln Ala Met Arg Ala Ile Gly Thr Pro Pro Ser
 210 215 220

Ser Ser Ala Gly Leu Lys Asp Asp Leu Leu Glu Asn Leu Gln Ala Tyr
 225 230 235 240

Gln Lys Arg Met Gly Val Gln Met Gln Arg Phe Lys
 245 250

<210> 77

<211> 584

<212> PRT

<213> Influenza A virus

<400> 77

Met Lys Ala Ile Ile Val Leu Leu Met Val Val Thr Ser Asn Ala Asp
 1 5 10 15
 Arg Ile Cys Thr Gly Ile Thr Ser Ser Asn Ser Pro His Val Val Lys
 20 25 30
 Thr Ala Thr Gln Gly Glu Val Asn Val Thr Gly Val Ile Pro Leu Thr
 35 40 45
 Thr Thr Pro Thr Lys Ser His Phe Ala Asn Leu Lys Gly Thr Gln Thr
 50 55 60
 Arg Gly Lys Leu Cys Pro Asn Cys Phe Asn Cys Thr Asp Leu Asp Val
 65 70 75 80
 Ala Leu Gly Arg Pro Lys Cys Met Gly Asn Thr Pro Ser Ala Lys Val
 85 90 95
 Ser Ile Leu His Glu Val Lys Pro Ala Thr Ser Gly Cys Phe Pro Ile
 100 105 110
 Met His Asp Arg Thr Lys Ile Arg Gln Leu Pro Asn Leu Leu Arg Gly
 115 120 125
 Tyr Glu Asn Ile Arg Leu Ser Thr Ser Asn Val Ile Asn Thr Glu Thr
 130 135 140
 Ala Pro Gly Gly Pro Tyr Lys Val Gly Thr Ser Gly Ser Cys Pro Asn
 145 150 155 160
 Val Ala Asn Gly Asn Gly Phe Phe Asn Thr Met Ala Trp Val Ile Pro
 165 170 175
 Lys Asp Asn Asn Lys Thr Ala Ile Asn Pro Val Thr Val Glu Val Pro
 180 185 190
 Tyr Ile Cys Ser Glu Gly Glu Asp Gln Ile Thr Val Trp Gly Phe His
 195 200 205
 Ser Asp Asp Lys Thr Gln Met Glu Arg Leu Tyr Gly Asp Ser Asn Pro
 210 215 220
 Gln Lys Phe Thr Ser Ser Ala Asn Gly Val Thr Thr His Tyr Val Ser
 225 230 235 240

PCTIL2016050600-seq1-000001-EN

Gln Ile Gly Gly Phe Pro Asn Gln Thr Glu Asp Glu Gly Leu Lys Gln
 245 250 255
 Ser Gly Arg Ile Val Val Asp Tyr Met Val Gln Lys Pro Gly Lys Thr
 260 265 270
 Gly Thr Ile Val Tyr Gln Arg Gly Ile Leu Leu Pro Gln Lys Val Trp
 275 280 285
 Cys Ala Ser Gly Arg Ser Lys Val Ile Lys Gly Ser Leu Pro Leu Ile
 290 295 300
 Gly Glu Ala Asp Cys Leu His Glu Lys Tyr Gly Gly Leu Asn Lys Ser
 305 310 315 320
 Lys Pro Tyr Tyr Thr Gly Glu His Ala Lys Ala Ile Gly Asn Cys Pro
 325 330 335
 Ile Trp Val Lys Thr Pro Leu Lys Leu Ala Asn Gly Thr Lys Tyr Arg
 340 345 350
 Pro Pro Ala Lys Leu Leu Lys Glu Arg Gly Phe Phe Gly Ala Ile Ala
 355 360 365
 Gly Phe Leu Glu Gly Gly Trp Glu Gly Met Ile Ala Gly Trp His Gly
 370 375 380
 Tyr Thr Ser His Gly Ala His Gly Val Ala Val Ala Ala Asp Leu Lys
 385 390 395 400
 Ser Thr Gln Glu Ala Ile Asn Lys Ile Thr Lys Asn Leu Asn Tyr Leu
 405 410 415
 Ser Glu Leu Glu Val Lys Asn Leu Gln Arg Leu Ser Gly Ala Met Asn
 420 425 430
 Glu Leu His Asp Glu Ile Leu Glu Leu Asp Glu Lys Val Asp Asp Leu
 435 440 445
 Arg Ala Asp Thr Ile Ser Ser Gln Ile Glu Leu Ala Val Leu Leu Ser
 450 455 460
 Asn Glu Gly Ile Ile Asn Ser Glu Asp Glu His Leu Leu Ala Leu Glu
 465 470 475 480
 Arg Lys Leu Lys Lys Met Leu Gly Pro Ser Ala Val Glu Ile Gly Asn
 485 490 495

PCTIL2016050600-seq1-000001-EN

Gly Cys Phe Glu Thr Lys His Lys Cys Asn Gln Thr Cys Leu Asp Arg
500 505 510

Ile Ala Ala Gly Thr Phe Asn Ala Gly Asp Phe Ser Leu Pro Thr Phe
515 520 525

Asp Ser Leu Asn Ile Thr Ala Ala Ser Leu Asn Asp Asp Gly Leu Asp
530 535 540

Asn His Thr Ile Leu Leu Tyr Tyr Ser Thr Ala Ala Ser Ser Leu Ala
545 550 555 560

Val Thr Leu Met Ile Ala Ile Phe Ile Val Tyr Met Val Ser Arg Asp
565 570 575

Asn Val Ser Cys Ser Ile Cys Leu
580

<210> 78
<211> 566
<212> PRT
<213> Influenza A virus

<400> 78

Met Lys Thr Ile Ile Ala Leu Ser Tyr Ile Leu Cys Leu Val Phe Ala
1 5 10 15

Gln Lys Leu Pro Gly Asn Asp Asn Ser Thr Ala Thr Leu Cys Leu Gly
20 25 30

His His Ala Val Pro Asn Gly Thr Ile Val Lys Thr Ile Thr Asn Asp
35 40 45

Gln Ile Glu Val Thr Asn Ala Thr Glu Leu Val Gln Ser Ser Ser Thr
50 55 60

Gly Gly Ile Cys Asp Ser Pro His Gln Ile Leu Asp Gly Glu Asn Cys
65 70 75 80

Thr Leu Ile Asp Ala Leu Leu Gly Asp Pro Gln Cys Asp Gly Phe Gln
85 90 95

Asn Lys Lys Trp Asp Leu Phe Val Glu Arg Ser Lys Ala Tyr Ser Asn
100 105 110

Cys Tyr Pro Tyr Asp Val Pro Asp Tyr Ala Ser Leu Arg Ser Leu Val
115 120 125

PCTIL2016050600-seq1-000001-EN

Ala Ser Ser Gly Thr Leu Glu Phe Asn Asn Glu Ser Phe Asn Trp Thr
130 135 140

Gly Val Thr Gln Asn Gly Thr Ser Ser Ala Cys Lys Arg Arg Ser Asn
145 150 155 160

Asn Ser Phe Phe Ser Arg Leu Asn Trp Leu Thr His Leu Lys Phe Lys
165 170 175

Tyr Pro Ala Leu Asn Val Thr Met Pro Asn Asn Glu Lys Phe Asp Lys
180 185 190

Leu Tyr Ile Trp Gly Val His His Pro Gly Thr Asp Asn Asp Gln Ile
195 200 205

Ser Leu Tyr Ala Gln Ala Ser Gly Arg Ile Thr Val Ser Thr Lys Arg
210 215 220

Ser Gln Gln Thr Val Ile Pro Ser Ile Gly Ser Arg Pro Arg Ile Arg
225 230 235 240

Asp Val Pro Ser Arg Ile Ser Ile Tyr Trp Thr Ile Val Lys Pro Gly
245 250 255

Asp Ile Leu Leu Ile Asn Ser Thr Gly Asn Leu Ile Ala Pro Arg Gly
260 265 270

Tyr Phe Lys Ile Arg Ser Gly Lys Ser Ser Ile Met Arg Ser Asp Ala
275 280 285

Pro Ile Gly Lys Cys Asn Ser Glu Cys Ile Thr Pro Asn Gly Ser Ile
290 295 300

Pro Asn Asp Lys Pro Phe Gln Asn Val Asn Arg Ile Thr Tyr Gly Ala
305 310 315 320

Cys Pro Arg Tyr Val Lys Gln Asn Thr Leu Lys Leu Ala Thr Gly Met
325 330 335

Arg Asn Val Pro Glu Lys Gln Thr Arg Gly Ile Phe Gly Ala Ile Ala
340 345 350

Gly Phe Ile Glu Asn Gly Trp Glu Gly Met Val Asp Gly Trp Tyr Gly
355 360 365

Phe Arg His Gln Asn Ser Glu Gly Thr Gly Gln Ala Ala Asp Leu Lys
370 375 380

PCTIL2016050600-seq1-000001-EN

Ser Thr Gln Ala Ala Ile Asn Gln Ile Asn Gly Lys Leu Asn Arg Leu
385 390 395 400

Ile Gly Lys Thr Asn Glu Lys Phe His Gln Ile Glu Lys Glu Phe Ser
405 410 415

Glu Val Glu Gly Arg Ile Gln Asp Leu Glu Lys Tyr Val Glu Asp Thr
420 425 430

Lys Ile Asp Leu Trp Ser Tyr Asn Ala Glu Leu Leu Val Ala Leu Glu
435 440 445

Asn Gln His Thr Ile Asp Leu Thr Asp Ser Glu Met Asn Lys Leu Phe
450 455 460

Glu Arg Thr Lys Lys Gln Leu Arg Glu Asn Ala Glu Asp Met Gly Asn
465 470 475 480

Gly Cys Phe Lys Ile Tyr His Lys Cys Asp Asn Ala Cys Ile Gly Ser
485 490 495

Ile Arg Asn Gly Thr Tyr Asp His Asp Val Tyr Arg Asp Glu Ala Leu
500 505 510

Asn Asn Arg Phe Gln Ile Lys Gly Val Glu Leu Lys Ser Gly Tyr Lys
515 520 525

Asp Trp Ile Leu Trp Ile Ser Phe Ala Ile Ser Cys Phe Leu Leu Cys
530 535 540

Val Ala Leu Leu Gly Phe Ile Met Trp Ala Cys Gln Lys Gly Asn Ile
545 550 555 560

Arg Cys Asn Ile Cys Ile
565

<210> 79
<211> 466
<212> PRT
<213> Influenza B virus

<400> 79

Met Leu Pro Ser Thr Val Gln Thr Leu Thr Leu Leu Leu Thr Ser Gly
1 5 10 15

Gly Val Leu Leu Ser Leu Tyr Val Ser Ala Ser Leu Ser Tyr Leu Leu
20 25 30

PCTIL2016050600-seq1-000001-EN

Tyr Ser Asp Val Leu Leu Lys Phe Ser Ser Thr Lys Thr Thr Ala Pro
 35 40 45
 Thr Met Ser Leu Glu Cys Thr Asn Ala Ser Asn Ala Gln Thr Val Asn
 50 55 60
 His Ser Ala Thr Lys Glu Met Thr Phe Pro Pro Pro Glu Pro Glu Trp
 65 70 75 80
 Thr Tyr Pro Arg Leu Ser Cys Gln Gly Ser Thr Phe Gln Lys Ala Leu
 85 90 95
 Leu Ile Ser Pro His Arg Phe Gly Glu Ile Lys Gly Asn Ser Ala Pro
 100 105 110
 Leu Ile Ile Arg Glu Pro Phe Val Ala Cys Gly Pro Lys Glu Cys Arg
 115 120 125
 His Phe Ala Leu Thr His Tyr Ala Ala Gln Pro Gly Gly Tyr Tyr Asn
 130 135 140
 Gly Thr Arg Lys Asp Arg Asn Lys Leu Arg His Leu Val Ser Val Lys
 145 150 155 160
 Leu Gly Lys Ile Pro Thr Val Glu Asn Ser Ile Phe His Met Ala Ala
 165 170 175
 Trp Ser Gly Ser Ala Cys His Asp Gly Arg Glu Trp Thr Tyr Ile Gly
 180 185 190
 Val Asp Gly Pro Asp Asn Asp Ala Leu Val Lys Ile Lys Tyr Gly Glu
 195 200 205
 Ala Tyr Thr Asp Thr Tyr His Ser Tyr Ala His Asn Ile Leu Arg Thr
 210 215 220
 Gln Glu Ser Ala Cys Asn Cys Ile Gly Gly Asp Cys Tyr Leu Met Ile
 225 230 235 240
 Thr Asp Gly Ser Ala Ser Gly Ile Ser Lys Cys Arg Phe Leu Lys Ile
 245 250 255
 Arg Glu Gly Arg Ile Ile Lys Glu Ile Leu Pro Thr Gly Arg Val Glu
 260 265 270
 His Thr Glu Glu Cys Thr Cys Gly Phe Ala Ser Asn Lys Thr Ile Glu

275

280

285

Cys Ala Cys Arg Asp Asn Ser Tyr Thr Ala Lys Arg Pro Phe Val Lys
 290 295 300

Leu Asn Val Glu Thr Asp Thr Ala Glu Ile Arg Leu Met Cys Thr Lys
 305 310 315 320

Thr Tyr Leu Asp Thr Pro Arg Pro Asp Asp Gly Ser Ile Ala Gly Pro
 325 330 335

Cys Glu Ser Asn Gly Asp Lys Trp Leu Gly Gly Ile Lys Gly Gly Phe
 340 345 350

Val His Gln Arg Met Ala Ser Lys Ile Gly Arg Trp Tyr Ser Arg Thr
 355 360 365

Met Ser Lys Thr Asn Arg Met Gly Met Glu Leu Tyr Val Lys Tyr Asp
 370 375 380

Gly Asp Pro Trp Thr Asp Ser Asp Ala Leu Thr Leu Ser Gly Val Met
 385 390 395 400

Val Ser Ile Glu Glu Pro Gly Trp Tyr Ser Phe Gly Phe Glu Ile Lys
 405 410 415

Asp Lys Lys Cys Asp Val Pro Cys Ile Gly Ile Glu Met Val His Asp
 420 425 430

Gly Gly Lys Asp Thr Trp His Ser Ala Ala Thr Ala Ile Tyr Cys Leu
 435 440 445

Met Gly Ser Gly Gln Leu Leu Trp Asp Thr Val Thr Gly Val Asp Met
 450 455 460

Ala Leu
 465

<210> 80
 <211> 565
 <212> PRT
 <213> Influenza C virus

<400> 80

Met Ser Asp Arg Arg Gln Asn Arg Lys Thr Pro Asp Glu Gln Arg Lys
 1 5 10 15

Ala Asn Ala Leu Ile Ile Asn Glu Asn Ile Glu Ala Tyr Ile Ala Ile

20

25

30

Cys Lys Glu Val Gly Leu Asn Gly Asp Glu Met Leu Ile Leu Glu Asn
 35 40 45
 Gly Ile Ala Ile Glu Lys Ala Ile Arg Ile Cys Cys Asp Gly Lys Tyr
 50 55 60
 Gln Glu Lys Arg Glu Lys Lys Ala Arg Glu Ala Gln Arg Ala Asp Ser
 65 70 75 80
 Asn Phe Asn Ala Asp Ser Ile Gly Ile Arg Leu Val Lys Arg Ala Gly
 85 90 95
 Ser Gly Thr Asn Ile Thr Tyr His Ala Val Val Glu Leu Thr Ser Arg
 100 105 110
 Ser Arg Ile Val Gln Ile Leu Lys Ser His Trp Gly Asn Glu Leu Asn
 115 120 125
 Arg Ala Lys Ile Ala Gly Lys Arg Leu Gly Phe Ser Ala Leu Phe Ala
 130 135 140
 Ser Asn Leu Glu Ala Ile Ile Tyr Gln Arg Gly Arg Asn Ala Ala Arg
 145 150 155 160
 Arg Asn Gly Ser Ala Glu Leu Phe Thr Leu Thr Gln Gly Ala Gly Ile
 165 170 175
 Glu Thr Arg Tyr Lys Trp Ile Met Glu Lys His Ile Gly Ile Gly Val
 180 185 190
 Leu Ile Ala Asp Ala Lys Gly Leu Ile Asn Gly Lys Arg Glu Gly Lys
 195 200 205
 Arg Gly Val Asp Ala Asn Val Lys Leu Arg Ala Gly Thr Thr Gly Ser
 210 215 220
 Pro Leu Glu Arg Ala Met Gln Gly Ile Glu Lys Lys Ala Phe Pro Gly
 225 230 235 240
 Pro Leu Arg Ala Leu Ala Arg Arg Val Val Lys Ala Asn Tyr Asn Asp
 245 250 255
 Ala Arg Glu Ala Leu Asn Val Ile Ala Glu Ala Ser Leu Leu Leu Lys
 260 265 270

PCTIL2016050600-seq1-000001-EN

Pro Gln Ile Thr Asn Lys Met Thr Met Pro Trp Cys Met Trp Leu Ala
 275 280 285

Ala Arg Leu Thr Leu Lys Asp Glu Phe Ala Asn Phe Cys Ala Tyr Ala
 290 295 300

Gly Arg Arg Ala Phe Glu Val Phe Asn Ile Ala Met Glu Lys Ile Gly
 305 310 315 320

Ile Cys Ser Phe Gln Gly Thr Ile Met Asn Asp Asp Glu Ile Glu Ser
 325 330 335

Ile Glu Asp Lys Ala Gln Val Leu Met Met Ala Cys Phe Gly Leu Ala
 340 345 350

Tyr Glu Asp Phe Ser Leu Val Ser Ala Met Val Ser His Pro Leu Lys
 355 360 365

Leu Arg Asn Arg Met Lys Ile Gly Asn Phe Arg Val Gly Glu Lys Val
 370 375 380

Ser Thr Val Leu Ser Pro Leu Leu Arg Phe Thr Arg Trp Ala Glu Phe
 385 390 395 400

Ala Gln Arg Phe Ala Leu Gln Ala Asn Thr Ser Arg Glu Gly Ala Gln
 405 410 415

Ile Ser Asn Ser Ala Val Phe Ala Val Glu Arg Lys Ile Thr Thr Asp
 420 425 430

Val Gln Arg Val Glu Glu Leu Leu Asn Lys Val Gln Ala His Glu Asp
 435 440 445

Glu Pro Leu Gln Thr Leu Tyr Lys Lys Val Arg Glu Gln Ile Ser Ile
 450 455 460

Ile Gly Arg Asn Lys Ser Glu Ile Lys Glu Phe Leu Gly Ser Ser Met
 465 470 475 480

Tyr Asp Leu Asn Asp Gln Glu Lys Gln Asn Pro Ile Asn Phe Arg Ser
 485 490 495

Gly Ala His Pro Phe Phe Phe Glu Phe Asp Pro Asp Tyr Asn Pro Ile
 500 505 510

Arg Val Lys Arg Pro Lys Lys Pro Ile Ala Lys Arg Asn Ser Asn Ile
 515 520 525

PCTIL2016050600-seq1-000001-EN

Ser Arg Leu Glu Glu Glu Gly Met Asp Glu Asn Ser Glu Ile Gly Gln
530 535 540

Ala Lys Lys Met Lys Pro Leu Asp Gln Leu Thr Ser Thr Ser Ser Asn
545 550 555 560

Ile Pro Gly Lys Asn
565

<210> 81
<211> 498
<212> PRT
<213> Influenza A virus

<400> 81

Met Ala Ser Gln Gly Thr Lys Arg Ser Tyr Glu Gln Met Glu Thr Asp
1 5 10 15

Gly Glu Arg Gln Asn Ala Thr Glu Ile Arg Ala Ser Val Gly Lys Met
20 25 30

Ile Asp Gly Ile Gly Arg Phe Tyr Ile Gln Met Cys Thr Glu Leu Lys
35 40 45

Leu Ser Asp Tyr Glu Gly Arg Leu Ile Gln Asn Ser Leu Thr Ile Glu
50 55 60

Arg Met Val Leu Ser Ala Phe Asp Glu Arg Arg Asn Lys Tyr Leu Glu
65 70 75 80

Glu His Pro Ser Ala Gly Lys Asp Pro Lys Lys Thr Gly Gly Pro Ile
85 90 95

Tyr Lys Arg Val Asp Gly Lys Trp Met Arg Glu Leu Val Leu Tyr Asp
100 105 110

Lys Glu Glu Ile Arg Arg Ile Trp Arg Gln Ala Asn Asn Gly Asp Asp
115 120 125

Ala Thr Ala Gly Leu Thr His Met Met Ile Trp His Ser Asn Leu Asn
130 135 140

Asp Thr Thr Tyr Gln Arg Thr Arg Ala Leu Val Arg Thr Gly Met Asp
145 150 155 160

Pro Arg Met Cys Ser Leu Met Gln Gly Ser Thr Leu Pro Arg Arg Ser
165 170 175

PCTIL2016050600-seq1-000001-EN

Gly Ala Ala Gly Ala Ala Val Lys Gly Val Gly Thr Met Val Met Glu
 180 185 190
 Leu Ile Arg Met Ile Lys Arg Gly Ile Asn Asp Arg Asn Phe Trp Arg
 195 200 205
 Gly Glu Asn Gly Arg Lys Thr Arg Ser Ala Tyr Glu Arg Met Cys Asn
 210 215 220
 Ile Leu Lys Gly Lys Phe Gln Thr Ala Ala Gln Arg Ala Met Met Asp
 225 230 235 240
 Gln Val Arg Glu Ser Arg Asn Pro Gly Asn Ala Glu Ile Glu Asp Leu
 245 250 255
 Ile Phe Leu Ala Arg Ser Ala Leu Ile Leu Arg Gly Ser Val Ala His
 260 265 270
 Lys Ser Cys Leu Pro Ala Cys Val Tyr Gly Pro Ala Ile Ala Ser Gly
 275 280 285
 Tyr Asn Phe Glu Lys Glu Gly Tyr Ser Leu Val Gly Ile Asp Pro Phe
 290 295 300
 Lys Leu Leu Gln Asn Ser Gln Val Tyr Ser Leu Ile Arg Pro Asn Glu
 305 310 315 320
 Asn Pro Ala His Lys Ser Gln Leu Val Trp Met Ala Cys Asn Ser Ala
 325 330 335
 Ala Phe Glu Asp Leu Arg Val Leu Ser Phe Ile Arg Gly Thr Lys Val
 340 345 350
 Ser Pro Arg Gly Lys Leu Ser Thr Arg Gly Val Gln Ile Ala Ser Asn
 355 360 365
 Glu Asn Met Asp Thr Met Glu Ser Ser Thr Leu Glu Leu Arg Ser Arg
 370 375 380
 Tyr Trp Ala Ile Arg Thr Arg Ser Gly Gly Asn Thr Asn Gln Gln Arg
 385 390 395 400
 Ala Ser Ala Gly Gln Ile Ser Val Gln Pro Ala Phe Ser Val Gln Arg
 405 410 415
 Asn Leu Pro Phe Asp Lys Pro Thr Ile Met Ala Ala Phe Thr Gly Asn
 420 425 430

Thr Glu Gly Arg Thr Ser Asp Met Arg Ala Glu Ile Ile Arg Met Met
435 440 445

Glu Gly Ala Lys Pro Glu Glu Met Ser Phe Gln Gly Arg Gly Val Phe
450 455 460

Glu Leu Ser Asp Glu Lys Ala Thr Asn Pro Ile Val Pro Ser Phe Asp
465 470 475 480

Met Ser Asn Glu Gly Ser Tyr Phe Phe Gly Asp Asn Ala Glu Glu Tyr
485 490 495

Asp Asn

<210> 82
<211> 498
<212> PRT
<213> Influenza A virus

<400> 82

Met Ala Ser Gln Gly Thr Lys Arg Ser Tyr Glu Gln Met Glu Thr Gly
1 5 10 15

Gly Glu Arg Gln Asn Ala Thr Glu Ile Arg Ala Ser Val Gly Arg Met
20 25 30

Val Gly Gly Ile Gly Arg Phe Tyr Val Gln Met Cys Thr Glu Leu Lys
35 40 45

Leu Ser Asp Gln Glu Gly Arg Leu Ile Gln Asn Ser Ile Thr Ile Glu
50 55 60

Arg Met Val Leu Ser Ala Phe Asp Glu Arg Arg Asn Arg Tyr Leu Glu
65 70 75 80

Glu His Pro Ser Ala Gly Lys Asp Pro Lys Lys Thr Gly Gly Pro Ile
85 90 95

Tyr Arg Arg Arg Asp Gly Lys Trp Val Arg Glu Leu Ile Leu Tyr Asp
100 105 110

Lys Glu Glu Ile Arg Arg Ile Trp Arg Gln Ala Asn Asn Gly Glu Asp
115 120 125

Ala Thr Ala Gly Leu Thr His Met Met Ile Trp His Ser Asn Leu Asn
130 135 140

PCTIL2016050600-seq1-000001-EN

Asp Ala Thr Tyr Gln Arg Thr Arg Ala Leu Val Arg Thr Gly Met Asp
 145 150 155 160
 Pro Arg Met Cys Ser Leu Met Gln Gly Ser Thr Leu Pro Arg Arg Ser
 165 170 175
 Gly Ala Ala Gly Ala Ala Ile Lys Gly Val Gly Thr Met Val Met Glu
 180 185 190
 Leu Ile Arg Met Ile Lys Arg Gly Ile Asn Asp Arg Asn Phe Trp Arg
 195 200 205
 Gly Asp Asn Gly Arg Arg Thr Arg Ile Ala Tyr Glu Arg Met Cys Asn
 210 215 220
 Ile Leu Lys Gly Lys Phe Gln Thr Ala Ala Gln Arg Ala Met Met Asp
 225 230 235 240
 Gln Val Arg Glu Ser Arg Asn Pro Gly Asn Ala Glu Ile Glu Asp Leu
 245 250 255
 Ile Phe Leu Ala Arg Ser Ala Leu Ile Leu Arg Gly Ser Val Ala His
 260 265 270
 Lys Ser Cys Leu Pro Ala Cys Val Tyr Gly Leu Ala Val Ala Ser Gly
 275 280 285
 Tyr Asp Phe Glu Arg Glu Gly Tyr Ser Leu Val Gly Ile Asp Pro Phe
 290 295 300
 Arg Leu Leu Gln Asn Ser Gln Val Phe Ser Leu Ile Arg Pro Asn Glu
 305 310 315 320
 Asn Pro Ala His Lys Ser Gln Leu Val Trp Met Ala Cys His Ser Ala
 325 330 335
 Ala Phe Glu Asp Leu Arg Val Ser Ser Phe Ile Arg Gly Thr Arg Val
 340 345 350
 Ile Pro Arg Gly Gln Leu Ser Thr Arg Gly Val Gln Ile Ala Ser Asn
 355 360 365
 Glu Asn Val Glu Ala Met Asp Ser Ser Thr Leu Glu Leu Arg Ser Arg
 370 375 380
 Tyr Trp Ala Ile Arg Thr Arg Ser Gly Gly Asn Thr Asn Gln Gln Arg

100

105

110

Ala Val Glu Arg Ile Leu Leu Ala Ala Thr Asp Asp Lys Lys Thr Glu
 115 120 125

Tyr Gln Lys Lys Arg Asn Ala Arg Asp Val Lys Glu Gly Lys Glu Glu
 130 135 140

Ile Asp His Asn Lys Thr Gly Gly Thr Phe Tyr Lys Met Val Arg Asp
 145 150 155 160

Asp Lys Thr Ile Tyr Phe Ser Pro Ile Lys Ile Thr Phe Leu Lys Glu
 165 170 175

Glu Val Lys Thr Met Tyr Lys Thr Thr Met Gly Ser Asp Gly Phe Ser
 180 185 190

Gly Leu Asn His Ile Met Ile Gly His Ser Gln Met Asn Asp Val Cys
 195 200 205

Phe Gln Arg Ser Lys Gly Leu Lys Arg Val Gly Leu Asp Pro Ser Leu
 210 215 220

Ile Ser Thr Phe Ala Gly Ser Thr Leu Pro Arg Arg Ser Gly Thr Thr
 225 230 235 240

Gly Val Ala Ile Lys Gly Gly Gly Thr Leu Val Asp Glu Ala Ile Arg
 245 250 255

Phe Ile Gly Arg Ala Met Ala Asp Arg Gly Leu Leu Arg Asp Ile Lys
 260 265 270

Ala Lys Thr Ala Tyr Glu Lys Ile Leu Leu Asn Leu Lys Asn Lys Cys
 275 280 285

Ser Ala Pro Gln Gln Lys Ala Leu Val Asp Gln Val Ile Gly Ser Arg
 290 295 300

Asn Pro Gly Ile Ala Asp Ile Glu Asp Leu Thr Leu Leu Ala Arg Ser
 305 310 315 320

Met Val Val Val Arg Pro Ser Val Ala Ser Lys Val Val Leu Pro Ile
 325 330 335

Ser Ile Tyr Ala Lys Ile Pro Gln Leu Gly Phe Asn Thr Glu Glu Tyr
 340 345 350

PCTIL2016050600-seq1-000001-EN

Ser Met Val Gly Tyr Glu Ala Met Ala Leu Tyr Asn Met Ala Thr Pro
355 360 365

Val Ser Ile Leu Arg Met Gly Asp Asp Ala Lys Asp Lys Ser Gln Leu
370 375 380

Phe Phe Met Ser Cys Phe Gly Ala Ala Tyr Glu Asp Leu Arg Val Leu
385 390 395 400

Ser Ala Leu Thr Gly Thr Glu Phe Lys Pro Arg Ser Ala Leu Lys Cys
405 410 415

Lys Gly Phe His Val Pro Ala Lys Glu Gln Val Glu Gly Met Gly Ala
420 425 430

Ala Leu Met Ser Ile Lys Leu Gln Phe Trp Ala Pro Met Thr Arg Ser
435 440 445

Gly Gly Asn Glu Val Ser Gly Glu Gly Gly Ser Gly Gln Ile Ser Cys
450 455 460

Ser Pro Val Phe Ala Val Glu Arg Pro Ile Ala Leu Ser Lys Gln Ala
465 470 475 480

Val Arg Arg Met Leu Ser Met Asn Val Glu Gly Arg Asp Ala Asp Val
485 490 495

Lys Gly Asn Leu Leu Lys Met Met Asn Asp Ser Met Ala Lys Lys Thr
500 505 510

Ser Gly Asn Ala Phe Ile Gly Lys Lys Met Phe Gln Ile Ser Asp Lys
515 520 525

Asn Lys Val Asn Pro Ile Glu Ile Pro Ile Lys Gln Thr Ile Pro Asn
530 535 540

Phe Phe Phe Gly Arg Asp Thr Ala Glu Asp Tyr Asp Asp Leu Asp Tyr
545 550 555 560

<210> 84
<211> 248
<212> PRT
<213> Influenza B virus

<400> 84

Met Ser Leu Phe Gly Asp Thr Ile Ala Tyr Leu Leu Ser Leu Ile Glu
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Asp Gly Glu Gly Lys Ala Glu Leu Ala Glu Lys Leu His Cys Trp Phe
20 25 30

Gly Gly Lys Glu Phe Asp Leu Asp Ser Ala Leu Glu Trp Ile Lys Asn
35 40 45

Lys Arg Cys Leu Thr Asp Ile Gln Lys Ala Leu Ile Gly Ala Ser Ile
50 55 60

Cys Phe Leu Lys Pro Lys Asp Gln Glu Arg Lys Arg Arg Phe Ile Thr
65 70 75 80

Glu Pro Leu Ser Gly Met Gly Thr Thr Ala Thr Lys Lys Lys Gly Leu
85 90 95

Ile Leu Ala Glu Arg Lys Met Arg Arg Cys Val Ser Phe His Glu Ala
100 105 110

Phe Glu Ile Ala Glu Gly His Glu Ser Ser Ala Leu Leu Tyr Cys Leu
115 120 125

Met Val Met Tyr Leu Asn Pro Glu Asn Tyr Ser Met Gln Val Lys Leu
130 135 140

Gly Thr Leu Cys Ala Leu Cys Glu Lys Gln Ala Ser His Ser His Arg
145 150 155 160

Ala His Ser Arg Ala Ala Arg Ser Ser Val Pro Gly Val Arg Arg Glu
165 170 175

Met Gln Met Val Ser Ala Met Asn Thr Ala Lys Thr Met Asn Gly Met
180 185 190

Gly Lys Gly Glu Asp Val Gln Lys Leu Ala Glu Glu Leu Gln Asn Asn
195 200 205

Ile Gly Val Leu Arg Ser Leu Gly Ala Ser Gln Lys Asn Gly Glu Gly
210 215 220

Ile Ala Lys Asp Val Met Glu Val Leu Lys Gln Ser Ser Met Gly Asn
225 230 235 240

Ser Ala Leu Val Arg Lys Tyr Leu
245

<210> 85
<211> 97
<212> PRT

<213> Influenza A virus

<400> 85

Met Ser Leu Leu Thr Glu Val Glu Thr Pro Ile Arg Asn Glu Trp Gly
 1 5 10 15

Cys Arg Cys Asn Gly Ser Ser Asp Pro Leu Ala Ile Ala Ala Asn Ile
 20 25 30

Ile Gly Ile Leu His Leu Ile Leu Trp Ile Leu Asp Arg Leu Phe Phe
 35 40 45

Lys Cys Ile Tyr Arg Arg Phe Lys Tyr Gly Leu Lys Gly Gly Pro Ser
 50 55 60

Thr Glu Gly Val Pro Lys Ser Met Arg Glu Glu Tyr Arg Lys Glu Gln
 65 70 75 80

Gln Ser Ala Val Asp Ala Asp Asp Gly His Phe Val Ser Ile Glu Leu
 85 90 95

Glu

<210> 86

<211> 281

<212> PRT

<213> Influenza B virus

<400> 86

Met Ala Asp Asn Met Thr Thr Thr Gln Ile Glu Val Gly Pro Gly Ala
 1 5 10 15

Thr Asn Ala Thr Ile Asn Phe Glu Ala Gly Ile Leu Glu Cys Tyr Glu
 20 25 30

Arg Phe Ser Trp Gln Arg Ala Leu Asp Tyr Pro Gly Gln Asp Arg Leu
 35 40 45

His Arg Leu Lys Arg Lys Leu Glu Ser Arg Ile Lys Thr His Asn Lys
 50 55 60

Ser Glu Pro Glu Asn Lys Arg Met Ser Leu Glu Glu Arg Lys Ala Ile
 65 70 75 80

Gly Val Lys Met Met Lys Val Leu Leu Phe Met Asp Pro Ser Ala Gly
 85 90 95

PCTIL2016050600-seq1-000001-EN

Ile Glu Gly Phe Glu Pro Tyr Cys Val Lys Asn Pro Ser Thr Ser Lys
100 105 110

Cys Pro Asn Tyr Asp Trp Thr Asp Tyr Pro Pro Thr Pro Gly Lys Tyr
115 120 125

Leu Asp Asp Ile Glu Glu Glu Pro Glu Asn Val Asp His Pro Ile Glu
130 135 140

Val Val Leu Arg Asp Met Asn Asn Lys Asp Ala Arg Gln Lys Ile Lys
145 150 155 160

Asp Glu Val Asn Thr Gln Lys Glu Gly Lys Phe Arg Leu Thr Ile Lys
165 170 175

Arg Asp Ile Arg Asn Val Leu Ser Leu Arg Val Leu Val Asn Gly Thr
180 185 190

Phe Leu Lys His Pro Asn Gly Asp Lys Ser Leu Ser Thr Leu His Arg
195 200 205

Leu Asn Ala Tyr Asp Gln Asn Gly Gly Leu Val Ala Lys Leu Val Ala
210 215 220

Thr Asp Asp Arg Thr Val Glu Asp Glu Lys Asp Gly His Arg Ile Leu
225 230 235 240

Asn Ser Leu Phe Glu Arg Phe Asp Glu Gly His Ser Lys Pro Ile Arg
245 250 255

Ala Ala Glu Thr Ala Val Gly Val Leu Ser Gln Phe Gly Gln Glu His
260 265 270

Arg Leu Ser Pro Glu Glu Gly Asp Asn
275 280

<210> 87
<211> 122
<212> PRT
<213> Influenza B virus

<400> 87

Met Ala Asp Asn Met Thr Thr Thr Gln Ile Glu Trp Arg Met Lys Lys
1 5 10 15

Met Ala Ile Gly Ser Ser Thr His Ser Ser Ser Val Leu Met Lys Asp
20 25 30

PCTIL2016050600-seq1-000001-EN

Ile Gln Ser Gln Phe Glu Gln Leu Lys Leu Arg Trp Glu Ser Tyr Pro
35 40 45

Asn Leu Val Lys Ser Thr Asp Tyr His Gln Lys Arg Glu Thr Ile Arg
50 55 60

Leu Ala Thr Glu Glu Leu Tyr Leu Leu Ser Lys Arg Ile Asp Asp Ser
65 70 75 80

Ile Leu Phe His Lys Thr Val Ile Ala Asn Ser Ser Ile Ile Ala Asp
85 90 95

Met Ile Val Ser Leu Ser Leu Leu Glu Thr Leu Tyr Glu Met Lys Asp
100 105 110

Val Val Glu Val Tyr Ser Arg Gln Cys Leu
115 120

<210> 88
<211> 716
<212> PRT
<213> Influenza A virus

<400> 88

Met Glu Asp Phe Val Arg Gln Cys Phe Asn Pro Met Ile Val Glu Leu
1 5 10 15

Ala Glu Lys Ala Met Lys Glu Tyr Gly Glu Asp Leu Lys Ile Glu Thr
20 25 30

Asn Lys Phe Ala Ala Ile Cys Thr His Leu Glu Val Cys Phe Met Tyr
35 40 45

Ser Asp Phe His Phe Ile Asn Glu Gln Gly Glu Ser Ile Ile Val Glu
50 55 60

Pro Glu Asp Pro Asn Ala Leu Leu Lys His Arg Phe Glu Ile Ile Glu
65 70 75 80

Gly Arg Asp Arg Thr Met Ala Trp Thr Val Val Asn Ser Ile Cys Asn
85 90 95

Thr Thr Gly Ala Glu Lys Pro Lys Phe Leu Pro Asp Leu Tyr Asp Tyr
100 105 110

Lys Glu Asn Arg Phe Ile Glu Ile Gly Val Thr Arg Arg Glu Val His
115 120 125

PCTIL2016050600-seq1-000001-EN

Ile Tyr Tyr Leu Glu Lys Ala Asn Lys Ile Lys Ser Glu Lys Thr His
 130 135 140

Ile His Ile Phe Ser Phe Thr Gly Glu Glu Met Ala Thr Lys Ala Asp
 145 150 155 160

Tyr Thr Leu Asp Glu Glu Ser Arg Ala Arg Ile Lys Thr Arg Leu Phe
 165 170 175

Thr Ile Arg Gln Glu Met Ala Ser Arg Gly Leu Trp Asp Ser Phe Arg
 180 185 190

Gln Ser Glu Arg Gly Glu Glu Thr Ile Glu Glu Arg Phe Glu Ile Thr
 195 200 205

Gly Thr Met Arg Arg Leu Ala Asp Gln Ser Leu Pro Pro Asn Phe Ser
 210 215 220

Cys Leu Glu Asn Phe Arg Ala Tyr Val Asp Gly Phe Glu Pro Asn Gly
 225 230 235 240

Tyr Ile Glu Gly Lys Leu Ser Gln Met Ser Lys Glu Val Asn Ala Arg
 245 250 255

Ile Glu Pro Phe Leu Arg Thr Thr Pro Arg Pro Ile Arg Leu Pro Asp
 260 265 270

Gly Pro Pro Cys Phe Gln Arg Ser Lys Phe Leu Leu Met Asp Ser Leu
 275 280 285

Lys Leu Ser Ile Glu Asp Pro Ser His Glu Gly Glu Gly Ile Pro Leu
 290 295 300

Tyr Asp Ala Ile Lys Cys Met Arg Thr Phe Phe Gly Trp Lys Glu Pro
 305 310 315 320

Ser Val Val Lys Pro His Gly Lys Gly Ile Asn Pro Asn Tyr Leu Leu
 325 330 335

Ser Trp Lys Gln Val Leu Ala Glu Leu Gln Asp Ile Glu Ser Glu Glu
 340 345 350

Lys Ile Pro Arg Thr Lys Asn Met Lys Lys Thr Ser Gln Leu Lys Trp
 355 360 365

Ala Leu Gly Glu Asn Met Ala Pro Glu Lys Val Asp Phe Asp Asp Cys
 370 375 380

PCTIL2016050600-seq1-000001-EN

Lys Asp Ile Ser Asp Leu Lys Gln Tyr Asp Ser Asp Glu Pro Glu Leu
 385 390 395 400
 Arg Ser Leu Ser Ser Trp Ile Gln Asn Glu Phe Asn Lys Ala Cys Glu
 405 410 415
 Leu Thr Asp Ser Ile Trp Ile Glu Leu Asp Glu Ile Gly Glu Asp Val
 420 425 430
 Ala Pro Ile Glu His Ile Ala Ser Met Arg Arg Asn Tyr Phe Thr Ala
 435 440 445
 Glu Val Ser His Cys Arg Ala Thr Glu Tyr Ile Met Lys Gly Val Tyr
 450 455 460
 Ile Asn Thr Ala Leu Leu Asn Ala Ser Cys Ala Ala Met Asp Asp Phe
 465 470 475 480
 Gln Leu Ile Pro Met Ile Ser Lys Cys Arg Thr Lys Glu Gly Arg Arg
 485 490 495
 Lys Thr Asn Leu Tyr Gly Phe Ile Ile Lys Gly Arg Ser His Leu Arg
 500 505 510
 Asn Asp Thr Asp Val Val Asn Phe Val Ser Met Glu Phe Ser Leu Thr
 515 520 525
 Asp Pro Arg Leu Glu Pro His Lys Trp Glu Lys Tyr Cys Val Leu Glu
 530 535 540
 Ile Gly Asp Met Leu Leu Arg Ser Ala Ile Gly Gln Val Ser Arg Pro
 545 550 555 560
 Met Phe Leu Tyr Val Arg Thr Asn Gly Thr Ser Lys Ile Lys Met Lys
 565 570 575
 Trp Gly Met Glu Met Arg Arg Cys Leu Leu Gln Ser Leu Gln Gln Ile
 580 585 590
 Glu Ser Met Ile Glu Ala Glu Ser Ser Val Lys Glu Lys Asp Met Thr
 595 600 605
 Lys Glu Phe Phe Glu Asn Arg Ser Glu Thr Trp Pro Ile Gly Glu Ser
 610 615 620
 Pro Lys Gly Val Glu Glu Gly Ser Ile Gly Lys Val Cys Arg Thr Leu
 625 630 635 640

PCTIL2016050600-seq1-000001-EN

Leu Ala Lys Ser Val Phe Asn Ser Leu Tyr Ala Ser Pro Gln Leu Glu
645 650 655

Gly Phe Ser Ala Glu Ser Arg Lys Leu Leu Leu Ile Val Gln Ala Leu
660 665 670

Arg Asp Asn Leu Glu Pro Gly Thr Phe Asp Leu Gly Gly Leu Tyr Glu
675 680 685

Ala Ile Glu Glu Cys Leu Ile Asn Asp Pro Trp Val Leu Leu Asn Ala
690 695 700

Ser Trp Phe Asn Ser Phe Leu Thr His Ala Leu Arg
705 710 715

<210> 89
<211> 752
<212> PRT
<213> Influenza B virus

<400> 89

Met Asn Ile Asn Pro Tyr Phe Leu Phe Ile Asp Val Pro Ile Gln Ala
1 5 10 15

Ala Ile Ser Thr Thr Phe Pro Tyr Thr Gly Val Pro Pro Tyr Ser His
20 25 30

Gly Thr Gly Thr Gly Tyr Thr Ile Asp Thr Val Ile Arg Thr His Glu
35 40 45

Tyr Ser Asn Lys Gly Lys Gln Tyr Ile Ser Asp Val Thr Gly Cys Val
50 55 60

Met Val Asp Pro Thr Asn Gly Pro Leu Pro Glu Asp Asn Glu Pro Ser
65 70 75 80

Ala Tyr Ala Gln Leu Asp Cys Val Leu Glu Ala Leu Asp Arg Met Asp
85 90 95

Glu Glu His Pro Gly Leu Phe Gln Ala Gly Ser Gln Asn Ala Met Glu
100 105 110

Ala Leu Met Val Thr Thr Val Asp Lys Leu Thr Gln Gly Arg Gln Thr
115 120 125

Phe Asp Trp Thr Val Cys Arg Asn Gln Pro Ala Ala Thr Ala Leu Asn
130 135 140

PCTIL2016050600-seq1-000001-EN

Thr Thr Ile Thr Ser Phe Arg Leu Asn Asp Leu Asn Gly Ala Asp Lys
145 150 155 160

Gly Gly Leu Val Pro Phe Cys Gln Asp Ile Ile Asp Ser Leu Asp Lys
165 170 175

Pro Glu Met Ile Phe Phe Thr Val Lys Asn Ile Lys Lys Lys Leu Pro
180 185 190

Ala Lys Asn Arg Lys Gly Phe Leu Ile Lys Arg Ile Pro Met Lys Val
195 200 205

Lys Asp Arg Ile Thr Arg Val Glu Tyr Ile Lys Arg Ala Leu Ser Leu
210 215 220

Asn Thr Met Thr Lys Asp Ala Glu Arg Gly Lys Leu Lys Arg Arg Ala
225 230 235 240

Ile Ala Thr Ala Gly Ile Gln Ile Arg Gly Phe Val Leu Val Val Glu
245 250 255

Asn Leu Ala Lys Asn Ile Cys Glu Asn Leu Glu Gln Ser Gly Leu Pro
260 265 270

Val Gly Gly Asn Glu Lys Lys Ala Lys Leu Ser Asn Ala Val Ala Lys
275 280 285

Met Leu Ser Asn Cys Pro Pro Gly Gly Ile Ser Met Thr Val Thr Gly
290 295 300

Asp Asn Thr Lys Trp Asn Glu Cys Leu Asn Pro Arg Ile Phe Leu Ala
305 310 315 320

Met Thr Glu Arg Ile Thr Arg Asp Ser Pro Ile Trp Phe Arg Asp Phe
325 330 335

Cys Ser Ile Ala Pro Val Leu Phe Ser Asn Lys Ile Ala Arg Leu Gly
340 345 350

Lys Gly Phe Met Ile Thr Ser Lys Thr Lys Arg Leu Lys Ala Gln Ile
355 360 365

Pro Cys Pro Asp Leu Phe Asn Ile Pro Leu Glu Arg Tyr Asn Glu Glu
370 375 380

Thr Arg Ala Lys Leu Lys Lys Leu Lys Pro Phe Phe Asn Glu Glu Gly

385					390						395				400
Thr	Ala	Ser	Leu	Ser	Pro	Gly	Met	Met	Met	Gly	Met	Phe	Asn	Met	Leu
				405					410					415	
Ser	Thr	Val	Leu	Gly	Val	Ala	Ala	Leu	Gly	Ile	Lys	Asn	Ile	Gly	Asn
			420					425					430		
Lys	Glu	Tyr	Leu	Trp	Asp	Gly	Leu	Gln	Ser	Ser	Asp	Asp	Phe	Ala	Leu
		435					440					445			
Phe	Val	Asn	Ala	Lys	Asp	Glu	Glu	Thr	Cys	Met	Glu	Gly	Ile	Asn	Asp
	450					455					460				
Phe	Tyr	Arg	Thr	Cys	Lys	Leu	Leu	Gly	Ile	Asn	Met	Ser	Lys	Lys	Lys
465					470					475					480
Ser	Tyr	Cys	Asn	Glu	Thr	Gly	Met	Phe	Glu	Phe	Thr	Ser	Met	Phe	Tyr
				485					490					495	
Arg	Asp	Gly	Phe	Val	Ser	Asn	Phe	Ala	Met	Glu	Leu	Pro	Ser	Phe	Gly
			500					505					510		
Val	Ala	Gly	Val	Asn	Glu	Ser	Ala	Asp	Met	Ala	Ile	Gly	Met	Thr	Ile
		515					520					525			
Ile	Lys	Asn	Asn	Met	Ile	Asn	Asn	Gly	Met	Gly	Pro	Ala	Thr	Ala	Gln
	530					535					540				
Thr	Ala	Ile	Gln	Leu	Phe	Ile	Ala	Asp	Tyr	Arg	Tyr	Thr	Tyr	Lys	Cys
545					550					555					560
His	Arg	Gly	Asp	Ser	Lys	Val	Glu	Gly	Lys	Arg	Met	Lys	Ile	Ile	Lys
				565					570					575	
Glu	Leu	Trp	Glu	Asn	Thr	Lys	Gly	Arg	Asp	Gly	Leu	Leu	Val	Ala	Asp
			580					585					590		
Gly	Gly	Pro	Asn	Leu	Tyr	Asn	Leu	Arg	Asn	Leu	His	Ile	Pro	Glu	Ile
		595					600					605			
Ile	Leu	Lys	Tyr	Asn	Ile	Met	Asp	Pro	Glu	Tyr	Lys	Gly	Arg	Leu	Leu
	610					615					620				
His	Pro	Gln	Asn	Pro	Phe	Val	Gly	His	Leu	Ser	Ile	Glu	Gly	Ile	Lys
625					630					635					640

PCTIL2016050600-seq1-000001-EN

Glu Ala Asp Ile Thr Pro Ala His Gly Pro Ile Lys Lys Met Asp Tyr
645 650 655

Asp Ala Val Ser Gly Thr His Ser Trp Arg Thr Lys Arg Asn Arg Ser
660 665 670

Ile Leu Asn Thr Asp Gln Arg Asn Met Ile Leu Glu Glu Gln Cys Tyr
675 680 685

Ala Lys Cys Cys Asn Leu Phe Glu Ala Cys Phe Asn Ser Ala Ser Tyr
690 695 700

Arg Lys Pro Val Gly Gln His Ser Met Leu Glu Ala Met Ala His Arg
705 710 715 720

Leu Arg Met Asp Ala Arg Leu Asp Tyr Glu Ser Gly Arg Met Ser Lys
725 730 735

Glu Asp Phe Glu Lys Ala Met Ala His Leu Gly Glu Ile Gly Tyr Met
740 745 750

<210> 90
<211> 759
<212> PRT
<213> Influenza A virus

<400> 90

Met Glu Arg Ile Lys Glu Leu Arg Asn Leu Met Ser Gln Ser Arg Thr
1 5 10 15

Arg Glu Ile Leu Thr Lys Thr Thr Val Asp His Met Ala Ile Ile Lys
20 25 30

Lys Tyr Thr Ser Gly Arg Gln Glu Lys Asn Pro Ala Leu Arg Met Lys
35 40 45

Trp Met Met Ala Met Lys Tyr Pro Ile Thr Ala Asp Lys Arg Ile Thr
50 55 60

Glu Met Ile Pro Glu Arg Asn Glu Gln Gly Gln Thr Leu Trp Ser Lys
65 70 75 80

Met Asn Asp Ala Gly Ser Asp Arg Val Met Val Ser Pro Leu Ala Val
85 90 95

Thr Trp Trp Asn Arg Asn Gly Pro Met Thr Asn Thr Val His Tyr Pro
100 105 110

PCTIL2016050600-seq1-000001-EN

Lys Ile Tyr Lys Thr Tyr Phe Glu Arg Val Glu Arg Leu Lys His Gly
 115 120 125
 Thr Phe Gly Pro Val His Phe Arg Asn Gln Val Lys Ile Arg Arg Arg
 130 135 140
 Val Asp Ile Asn Pro Gly His Ala Asp Leu Ser Ala Lys Glu Ala Gln
 145 150 155 160
 Asp Val Ile Met Glu Val Val Phe Pro Asn Glu Val Gly Ala Arg Ile
 165 170 175
 Leu Thr Ser Glu Ser Gln Leu Thr Ile Thr Lys Glu Lys Lys Glu Glu
 180 185 190
 Leu Gln Asp Cys Lys Ile Ser Pro Leu Met Val Ala Tyr Met Leu Glu
 195 200 205
 Arg Glu Leu Val Arg Lys Thr Arg Phe Leu Pro Val Ala Gly Gly Thr
 210 215 220
 Ser Ser Val Tyr Ile Glu Val Leu His Leu Thr Gln Gly Thr Cys Trp
 225 230 235 240
 Glu Gln Met Tyr Thr Pro Gly Gly Glu Val Lys Asn Asp Asp Val Asp
 245 250 255
 Gln Ser Leu Ile Ile Ala Ala Arg Asn Ile Val Arg Arg Ala Ala Val
 260 265 270
 Ser Ala Asp Pro Leu Ala Ser Leu Leu Glu Met Cys His Ser Thr Gln
 275 280 285
 Ile Gly Gly Ile Arg Met Val Asp Ile Leu Lys Gln Asn Pro Thr Glu
 290 295 300
 Glu Gln Ala Val Gly Ile Cys Lys Ala Ala Met Gly Leu Arg Ile Ser
 305 310 315 320
 Ser Ser Phe Ser Phe Gly Gly Phe Thr Phe Lys Arg Thr Ser Gly Ser
 325 330 335
 Ser Val Lys Arg Glu Glu Glu Val Leu Thr Gly Asn Leu Gln Thr Leu
 340 345 350
 Lys Ile Arg Val His Glu Gly Tyr Glu Glu Phe Thr Met Val Gly Arg
 355 360 365

PCTIL2016050600-seq1-000001-EN

Arg Ala Thr Ala Ile Leu Arg Lys Ala Thr Arg Arg Leu Ile Gln Leu
 370 375 380
 Ile Val Ser Gly Arg Asp Glu Gln Ser Ile Ala Glu Ala Ile Ile Val
 385 390 395 400
 Ala Met Val Phe Ser Gln Glu Asp Cys Met Ile Lys Ala Val Arg Gly
 405 410 415
 Asp Leu Asn Phe Val Asn Arg Ala Asn Gln Arg Leu Asn Pro Met His
 420 425 430
 Gln Leu Leu Arg His Phe Gln Lys Asp Ala Lys Val Leu Phe Gln Asn
 435 440 445
 Trp Gly Val Glu Pro Ile Asp Asn Val Met Gly Met Ile Gly Ile Leu
 450 455 460
 Pro Asp Met Thr Pro Ser Ile Glu Met Ser Met Arg Gly Val Arg Ile
 465 470 475 480
 Ser Lys Met Gly Val Asp Glu Tyr Ser Ser Thr Glu Arg Val Val Val
 485 490 495
 Ser Ile Asp Arg Phe Leu Arg Val Arg Asp Gln Arg Gly Asn Val Leu
 500 505 510
 Leu Ser Pro Glu Glu Val Ser Glu Thr Gln Gly Thr Glu Lys Leu Thr
 515 520 525
 Ile Thr Tyr Ser Ser Ser Met Met Trp Glu Ile Asn Gly Pro Glu Ser
 530 535 540
 Val Leu Val Asn Thr Tyr Gln Trp Ile Ile Arg Asn Trp Glu Thr Val
 545 550 555 560
 Lys Ile Gln Trp Ser Gln Asn Pro Thr Met Leu Tyr Asn Lys Met Glu
 565 570 575
 Phe Glu Pro Phe Gln Ser Leu Val Pro Lys Ala Ile Arg Gly Gln Tyr
 580 585 590
 Ser Gly Phe Val Arg Thr Leu Phe Gln Gln Met Arg Asp Val Leu Gly
 595 600 605
 Thr Phe Asp Thr Ala Gln Ile Ile Lys Leu Leu Pro Phe Ala Ala Ala
 610 615 620

PCTIL2016050600-seq1-000001-EN

Pro Pro Lys Gln Ser Arg Met Gln Phe Ser Ser Phe Thr Val Asn Val
625 630 635 640

Arg Gly Ser Gly Met Arg Ile Leu Val Arg Gly Asn Ser Pro Val Phe
645 650 655

Asn Tyr Asn Lys Ala Thr Lys Arg Leu Thr Val Leu Gly Lys Asp Ala
660 665 670

Gly Thr Leu Thr Glu Asp Pro Asp Glu Gly Thr Ala Gly Val Glu Ser
675 680 685

Ala Val Leu Arg Gly Phe Leu Ile Leu Gly Lys Glu Asp Arg Arg Tyr
690 695 700

Gly Pro Ala Leu Ser Ile Asn Glu Leu Ser Asn Leu Ala Lys Gly Glu
705 710 715 720

Lys Ala Asn Val Leu Ile Gly Gln Gly Asp Val Val Leu Val Met Lys
725 730 735

Arg Lys Arg Asp Ser Ser Ile Leu Thr Asp Ser Gln Thr Ala Thr Lys
740 745 750

Arg Ile Arg Met Ala Ile Asn
755

<210> 91
<211> 109
<212> PRT
<213> Influenza B virus

<400> 91

Met Leu Glu Pro Leu Gln Ile Leu Ser Ile Cys Ser Phe Ile Leu Ser
1 5 10 15

Ala Leu His Phe Met Ala Trp Thr Ile Gly His Leu Asn Gln Ile Lys
20 25 30

Arg Gly Val Asn Leu Lys Ile Gln Ile Arg Asn Pro Asn Lys Glu Ala
35 40 45

Ile Asn Arg Glu Val Ser Ile Leu Arg His Asn Tyr Gln Lys Glu Ile
50 55 60

Gln Ala Lys Glu Thr Met Lys Lys Ile Leu Ser Asp Asn Met Glu Val
65 70 75 80

PCTIL2016050600-seq1-000001-EN

Leu Gly Asp His Ile Val Val Glu Gly Leu Ser Thr Asp Glu Ile Ile
85 90 95

Lys Met Gly Glu Thr Val Leu Glu Val Glu Glu Leu Gln
100 105

<210> 92
<211> 100
<212> PRT
<213> Influenza B virus

<400> 92

Met Asn Asn Ala Thr Phe Asn Cys Thr Asn Ile Asn Pro Ile Thr His
1 5 10 15

Ile Arg Gly Ser Ile Ile Ile Thr Ile Cys Val Ser Leu Ile Val Ile
20 25 30

Leu Ile Val Phe Gly Cys Ile Ala Lys Ile Phe Ile Asn Lys Asn Asn
35 40 45

Cys Thr Asn Asn Val Ile Arg Val His Lys Arg Ile Lys Cys Pro Asp
50 55 60

Cys Glu Pro Phe Cys Asn Lys Arg Asp Asp Ile Ser Thr Pro Arg Ala
65 70 75 80

Gly Val Asp Ile Pro Ser Phe Ile Leu Pro Gly Leu Asn Leu Ser Glu
85 90 95

Gly Thr Pro Asn
100

<210> 93
<211> 498
<212> PRT
<213> Influenza A virus

<400> 93

Met Ala Ser Gln Gly Thr Lys Arg Ser Tyr Glu Gln Met Glu Thr Asp
1 5 10 15

Gly Glu Arg Gln Asn Ala Thr Glu Ile Arg Ala Ser Val Gly Lys Met
20 25 30

Ile Gly Gly Ile Gly Arg Phe Tyr Ile Gln Met Cys Thr Glu Leu Lys
35 40 45

PCTIL2016050600-seq1-000001-EN

Leu Ser Asp Tyr Glu Gly Arg Leu Ile Gln Asn Ser Leu Thr Ile Glu
 50 55 60
 Arg Met Val Leu Ser Ala Phe Asp Glu Arg Arg Asn Lys Tyr Leu Glu
 65 70 75 80
 Glu His Pro Ser Ala Gly Lys Asp Pro Lys Lys Thr Gly Gly Pro Ile
 85 90 95
 Tyr Arg Arg Val Asn Gly Lys Trp Met Arg Glu Leu Ile Leu Tyr Asp
 100 105 110
 Lys Glu Glu Ile Arg Arg Ile Trp Arg Gln Ala Asn Asn Gly Asp Asp
 115 120 125
 Ala Thr Ala Gly Leu Thr His Met Met Ile Trp His Ser Asn Leu Asn
 130 135 140
 Asp Ala Thr Tyr Gln Arg Thr Arg Ala Leu Val Arg Thr Gly Met Asp
 145 150 155 160
 Pro Arg Met Cys Ser Leu Met Gln Gly Ser Thr Leu Pro Arg Arg Ser
 165 170 175
 Gly Ala Ala Gly Ala Ala Val Lys Gly Val Gly Thr Met Val Met Glu
 180 185 190
 Leu Val Arg Met Ile Lys Arg Gly Ile Asn Asp Arg Asn Phe Trp Arg
 195 200 205
 Gly Glu Asn Gly Arg Lys Thr Arg Ile Ala Tyr Glu Arg Met Cys Asn
 210 215 220
 Ile Leu Lys Gly Lys Phe Gln Thr Ala Ala Gln Lys Ala Met Met Asp
 225 230 235 240
 Gln Val Arg Glu Ser Arg Asp Pro Gly Asn Ala Glu Phe Glu Asp Leu
 245 250 255
 Thr Phe Leu Ala Arg Ser Ala Leu Ile Leu Arg Gly Ser Val Ala His
 260 265 270
 Lys Ser Cys Leu Pro Ala Cys Val Tyr Gly Pro Ala Val Ala Ser Gly
 275 280 285
 Tyr Asp Phe Glu Arg Glu Gly Tyr Ser Leu Val Gly Ile Asp Pro Phe
 290 295 300

PCTIL2016050600-seq1-000001-EN

Arg Leu Leu Gln Asn Ser Gln Val Tyr Ser Leu Ile Arg Pro Asn Glu
305 310 315 320

Asn Pro Ala His Lys Ser Gln Leu Val Trp Met Ala Cys His Ser Ala
325 330 335

Ala Phe Glu Asp Leu Arg Val Leu Ser Phe Ile Lys Gly Thr Lys Val
340 345 350

Val Pro Arg Gly Lys Leu Ser Thr Arg Gly Val Gln Ile Ala Ser Asn
355 360 365

Glu Asn Met Glu Thr Met Glu Ser Ser Thr Leu Glu Leu Arg Ser Arg
370 375 380

Tyr Trp Ala Ile Arg Thr Arg Ser Gly Gly Asn Thr Asn Gln Gln Arg
385 390 395 400

Ala Ser Ala Gly Gln Ile Ser Ile Gln Pro Thr Phe Ser Val Gln Arg
405 410 415

Asn Leu Pro Phe Asp Arg Thr Thr Val Met Ala Ala Phe Thr Gly Asn
420 425 430

Thr Glu Gly Arg Thr Ser Asp Met Arg Thr Glu Ile Ile Arg Met Met
435 440 445

Glu Ser Ala Arg Pro Glu Asp Val Ser Phe Gln Gly Arg Gly Val Phe
450 455 460

Glu Leu Ser Asp Glu Lys Ala Ala Ser Pro Ile Val Pro Ser Phe Asp
465 470 475 480

Met Ser Asn Glu Gly Ser Tyr Phe Phe Gly Asp Asn Ala Glu Glu Tyr
485 490 495

Asp Asn

<210> 94
<211> 548
<212> PRT
<213> Human herpesvirus 5

<400> 94

Met Glu Ser Arg Gly Arg Arg Cys Pro Glu Met Ile Ser Val Leu Gly
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Pro Ile Ser Gly His Val Leu Lys Ala Val Phe Ser Arg Gly Asp Thr
20 25 30

Pro Val Leu Pro His Glu Thr Arg Leu Leu Gln Thr Gly Ile His Val
35 40 45

Arg Val Ser Gln Pro Ser Leu Ile Leu Val Ser Gln Tyr Thr Pro Asp
50 55 60

Ser Thr Pro Cys His Arg Gly Asp Asn Gln Leu Gln Val Gln His Thr
65 70 75 80

Tyr Phe Thr Gly Ser Glu Val Glu Asn Val Ser Val Asn Glu Pro Met
85 90 95

Ser Ile Tyr Val Tyr Ala Leu Pro Leu Lys Met Leu Asn Ile Pro Ser
100 105 110

Ile Asn Val His His Tyr Pro Ser Ala Ala Glu Arg Lys His Arg His
115 120 125

Leu Pro Val Ala Asp Ala Val Ile His Ala Ser Gly Lys Gln Met Trp
130 135 140

Gln Ala Arg Leu Thr Val Ser Gly Leu Ala Trp Thr Arg Gln Gln Asn
145 150 155 160

Gln Trp Lys Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe Val Phe Pro
165 170 175

Thr Lys Asp Val Ala Leu Arg His Val Val Cys Ala His Glu Leu Val
180 185 190

Cys Ser Met Glu Asn Thr Arg Ala Thr Lys Met Gln Val Ile Gly Asp
195 200 205

Gln Tyr Val Lys Val Tyr Leu Glu Ser Phe Cys Glu Asp Val Pro Ser
210 215 220

Gly Lys Leu Phe Met His Val Thr Leu Gly Ser Asp Val Glu Glu Asp
225 230 235 240

Leu Thr Met Thr Arg Asn Pro Gln Pro Phe Met Arg Pro His Glu Arg
245 250 255

Asn Gly Phe Thr Val Leu Cys Pro Lys Asn Met Ile Ile Lys Pro Gly

260

265

270

Lys Ile Ser His Ile Met Leu Asp Val Ala Phe Thr Ser His Glu His
 275 280 285

Phe Gly Leu Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser Ile Ser Gly
 290 295 300

Asn Leu Leu Met Asn Gly Gln Gln Ile Phe Leu Glu Val Gln Ala Ile
 305 310 315 320

Arg Glu Thr Val Glu Leu Arg Gln Tyr Asp Pro Val Ala Ala Leu Phe
 325 330 335

Phe Phe Asp Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln Tyr Ser Glu
 340 345 350

His Pro Thr Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys Leu Glu Tyr
 355 360 365

Arg His Thr Trp Asp Arg His Asp Glu Gly Ala Ala Gln Gly Asp Asp
 370 375 380

Asp Val Trp Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu Val Thr Thr
 385 390 395 400

Glu Arg Lys Thr Pro Arg Val Thr Gly Gly Gly Ala Met Ala Gly Ala
 405 410 415

Ser Thr Ser Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser Ala Thr Ala
 420 425 430

Cys Thr Ser Gly Val Met Thr Arg Gly Arg Leu Lys Ala Glu Ser Thr
 435 440 445

Val Ala Pro Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn Glu Ile His
 450 455 460

Asn Pro Ala Val Phe Thr Trp Pro Pro Trp Gln Ala Gly Ile Leu Ala
 465 470 475 480

Arg Asn Leu Val Pro Met Val Ala Thr Val Gln Gly Gln Asn Leu Lys
 485 490 495

Tyr Gln Glu Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg Ile Phe Ala
 500 505 510

PCTIL2016050600-seq1-000001-EN

Glu Leu Glu Gly Val Trp Gln Pro Ala Ala Gln Pro Lys Arg Arg Arg
515 520 525

His Arg Gln Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser Thr Pro Lys
530 535 540

Lys His Arg Gly
545

<210> 95
<211> 561
<212> PRT
<213> Human herpesvirus 5

<400> 95

Met Glu Ser Arg Gly Arg Arg Cys Pro Glu Met Ile Ser Val Leu Gly
1 5 10 15

Pro Ile Ser Gly His Val Leu Lys Ala Val Phe Ser Arg Gly Asp Thr
20 25 30

Pro Val Leu Pro His Glu Thr Arg Leu Leu Gln Thr Gly Ile His Val
35 40 45

Arg Val Ser Gln Pro Ser Leu Ile Leu Val Ser Gln Tyr Thr Pro Asp
50 55 60

Ser Thr Pro Cys His Arg Gly Asp Asn Gln Leu Gln Val Gln His Thr
65 70 75 80

Tyr Phe Thr Gly Ser Glu Val Glu Asn Val Ser Val Asn Val His Asn
85 90 95

Pro Thr Gly Arg Ser Ile Cys Pro Ser Gln Glu Pro Met Ser Ile Tyr
100 105 110

Val Tyr Ala Leu Pro Leu Lys Met Leu Asn Ile Pro Ser Ile Asn Val
115 120 125

His His Tyr Pro Ser Ala Ala Glu Arg Lys His Arg His Leu Pro Val
130 135 140

Ala Asp Ala Val Ile His Ala Ser Gly Lys Gln Met Trp Gln Ala Arg
145 150 155 160

Leu Thr Val Ser Gly Leu Ala Trp Thr Arg Gln Gln Asn Gln Trp Lys
165 170 175

PCTIL2016050600-seq1-000001-EN

Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe Val Phe Pro Thr Lys Asp
 180 185 190
 Val Ala Leu Arg His Val Val Cys Ala His Glu Leu Val Cys Ser Met
 195 200 205
 Glu Asn Thr Arg Ala Thr Lys Met Gln Val Ile Gly Asp Gln Tyr Val
 210 215 220
 Lys Val Tyr Leu Glu Ser Phe Cys Glu Asp Val Pro Ser Gly Lys Leu
 225 230 235 240
 Phe Met His Val Thr Leu Gly Ser Asp Val Glu Glu Asp Leu Thr Met
 245 250 255
 Thr Arg Asn Pro Gln Pro Phe Met Arg Pro His Glu Arg Asn Gly Phe
 260 265 270
 Thr Val Leu Cys Pro Lys Asn Met Ile Ile Lys Pro Gly Lys Ile Ser
 275 280 285
 His Ile Met Leu Asp Val Ala Phe Thr Ser His Glu His Phe Gly Leu
 290 295 300
 Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser Ile Ser Gly Asn Leu Leu
 305 310 315 320
 Met Asn Gly Gln Gln Ile Phe Leu Glu Val Gln Ala Ile Arg Glu Thr
 325 330 335
 Val Glu Leu Arg Gln Tyr Asp Pro Val Ala Ala Leu Phe Phe Phe Asp
 340 345 350
 Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln Tyr Ser Glu His Pro Thr
 355 360 365
 Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys Leu Glu Tyr Arg His Thr
 370 375 380
 Trp Asp Arg His Asp Glu Gly Ala Ala Gln Gly Asp Asp Asp Val Trp
 385 390 395 400
 Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu Val Thr Thr Glu Arg Lys
 405 410 415
 Thr Pro Arg Val Thr Gly Gly Gly Ala Met Ala Gly Ala Ser Thr Ser
 420 425 430

PCTIL2016050600-seq1-000001-EN

Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser Ala Thr Ala Cys Thr Ser
435 440 445

Gly Val Met Thr Arg Gly Arg Leu Lys Ala Glu Ser Thr Val Ala Pro
450 455 460

Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn Glu Ile His Asn Pro Ala
465 470 475 480

Val Phe Thr Trp Pro Pro Trp Gln Ala Gly Ile Leu Ala Arg Asn Leu
485 490 495

Val Pro Met Val Ala Thr Val Gln Gly Gln Asn Leu Lys Tyr Gln Glu
500 505 510

Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg Ile Phe Ala Glu Leu Glu
515 520 525

Gly Val Trp Gln Pro Ala Ala Gln Pro Lys Arg Arg Arg His Arg Gln
530 535 540

Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser Thr Pro Lys Lys His Arg
545 550 555 560

Gly

<210> 96
<211> 551
<212> PRT
<213> Human herpesvirus 5

<400> 96

Met Ala Ser Val Leu Gly Pro Ile Ser Gly His Val Leu Lys Ala Val
1 5 10 15

Phe Ser Arg Gly Asp Thr Pro Val Leu Pro His Glu Thr Arg Leu Leu
20 25 30

Gln Thr Gly Ile His Val Arg Val Ser Gln Pro Ser Leu Ile Leu Val
35 40 45

Ser Gln Tyr Thr Pro Asp Ser Thr Pro Cys His Arg Gly Asp Asn Gln
50 55 60

Leu Gln Val Gln His Thr Tyr Phe Thr Gly Ser Glu Val Glu Asn Val
65 70 75 80

PCTIL2016050600-seq1-000001-EN

Ser Val Asn Val His Asn Pro Thr Gly Arg Ser Ile Cys Pro Ser Gln
85 90 95

Glu Pro Met Ser Ile Tyr Val Tyr Ala Leu Pro Leu Lys Met Leu Asn
100 105 110

Ile Pro Ser Ile Asn Val His His Tyr Pro Ser Ala Ala Glu Arg Lys
115 120 125

His Arg His Leu Pro Val Ala Asp Ala Val Ile His Ala Ser Gly Lys
130 135 140

Gln Met Trp Gln Ala Arg Leu Thr Val Ser Gly Leu Ala Trp Thr Arg
145 150 155 160

Gln Gln Asn Gln Trp Lys Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe
165 170 175

Val Phe Pro Thr Lys Asp Val Ala Leu Arg His Val Val Cys Ala His
180 185 190

Glu Leu Val Cys Ser Met Glu Asn Thr Arg Ala Thr Lys Met Gln Val
195 200 205

Ile Gly Asp Gln Tyr Val Lys Val Tyr Leu Glu Ser Phe Cys Glu Asp
210 215 220

Val Pro Ser Gly Lys Leu Phe Met His Val Thr Leu Gly Ser Asp Val
225 230 235 240

Glu Glu Asp Leu Thr Met Thr Arg Asn Pro Gln Pro Phe Met Arg Pro
245 250 255

His Glu Arg Asn Gly Phe Thr Val Leu Cys Pro Lys Asn Met Ile Ile
260 265 270

Lys Pro Gly Lys Ile Ser His Ile Met Leu Asp Val Ala Phe Thr Ser
275 280 285

His Glu His Phe Gly Leu Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser
290 295 300

Ile Ser Gly Asn Leu Leu Met Asn Gly Gln Gln Ile Phe Leu Glu Val
305 310 315 320

Gln Ala Ile Arg Glu Thr Val Glu Leu Arg Gln Tyr Asp Pro Val Ala
325 330 335

PCTIL2016050600-seq1-000001-EN

Ala Leu Phe Phe Phe Asp Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln
340 345 350

Tyr Ser Glu His Pro Thr Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys
355 360 365

Leu Glu Tyr Arg His Thr Trp Asp Arg His Asp Glu Gly Ala Ala Gln
370 375 380

Gly Asp Asp Asp Val Trp Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu
385 390 395 400

Val Thr Thr Glu Arg Lys Thr Pro Arg Val Thr Gly Gly Gly Ala Met
405 410 415

Ala Gly Ala Ser Thr Ser Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser
420 425 430

Ala Thr Ala Cys Thr Ala Gly Val Met Thr Arg Gly Arg Leu Lys Ala
435 440 445

Glu Ser Thr Val Ala Pro Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn
450 455 460

Glu Ile His Asn Pro Ala Val Phe Thr Trp Pro Pro Trp Gln Ala Gly
465 470 475 480

Ile Leu Ala Arg Asn Leu Val Pro Met Val Ala Thr Val Gln Gly Gln
485 490 495

Asn Leu Lys Tyr Gln Glu Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg
500 505 510

Ile Phe Ala Glu Leu Glu Gly Val Trp Gln Pro Ala Ala Gln Pro Lys
515 520 525

Arg Arg Arg His Arg Gln Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser
530 535 540

Thr Pro Lys Lys His Arg Gly
545 550

<210> 97
<211> 551
<212> PRT
<213> Human herpesvirus 5

<400> 97

Met Ala Ser Val Leu Gly Pro Ile Ser Gly His Val Leu Lys Ala Val
 1 5 10 15

Phe Ser Arg Gly Asp Thr Pro Val Leu Pro His Glu Thr Arg Leu Leu
 20 25 30

Gln Thr Gly Ile His Val Arg Val Ser Gln Pro Ser Leu Ile Leu Val
 35 40 45

Ser Gln Tyr Thr Pro Asp Ser Thr Pro Cys His Arg Gly Asp Asn Gln
 50 55 60

Leu Gln Val Gln His Thr Tyr Phe Thr Gly Ser Glu Val Glu Asn Val
 65 70 75 80

Ser Val Asn Val His Asn Pro Thr Gly Arg Ser Ile Cys Pro Ser Gln
 85 90 95

Glu Pro Met Ser Ile Tyr Val Tyr Ala Leu Pro Leu Lys Met Leu Asn
 100 105 110

Ile Pro Ser Ile Asn Val His His Tyr Pro Ser Ala Ala Glu Arg Lys
 115 120 125

His Arg His Leu Pro Val Ala Asp Ala Val Ile His Ala Ser Gly Lys
 130 135 140

Gln Met Trp Gln Ala Arg Leu Thr Val Ser Gly Leu Ala Trp Thr Arg
 145 150 155 160

Gln Gln Asn Gln Trp Lys Glu Pro Asp Val Tyr Tyr Thr Ser Ala Phe
 165 170 175

Val Phe Pro Thr Lys Asp Val Ala Leu Arg His Val Val Cys Ala His
 180 185 190

Glu Leu Val Cys Ser Met Glu Asn Thr Arg Ala Thr Lys Met Gln Val
 195 200 205

Ile Gly Asp Gln Tyr Val Lys Val Tyr Leu Glu Ser Phe Cys Glu Asp
 210 215 220

Val Pro Ser Gly Lys Leu Phe Met His Val Thr Leu Gly Ser Asp Val
 225 230 235 240

Glu Glu Asp Leu Thr Met Thr Arg Asn Pro Gln Pro Phe Met Arg Pro

245

250

255

His Glu Arg Asn Gly Phe Thr Val Leu Cys Pro Lys Asn Met Ile Ile
 260 265 270

Lys Pro Gly Lys Ile Ser His Ile Met Leu Asp Val Ala Phe Thr Ser
 275 280 285

His Glu His Phe Gly Leu Leu Cys Pro Lys Ser Ile Pro Gly Leu Ser
 290 295 300

Ile Ser Gly Asn Leu Leu Met Asn Gly Gln Gln Ile Phe Leu Glu Val
 305 310 315 320

Gln Ala Ile Arg Glu Thr Val Glu Leu Arg Gln Tyr Asp Pro Val Ala
 325 330 335

Ala Leu Phe Phe Phe Asp Ile Asp Leu Leu Leu Gln Arg Gly Pro Gln
 340 345 350

Tyr Ser Glu His Pro Thr Phe Thr Ser Gln Tyr Arg Ile Gln Gly Lys
 355 360 365

Leu Glu Tyr Arg His Thr Trp Asp Arg His Asp Glu Gly Ala Ala Gln
 370 375 380

Gly Asp Asp Asp Val Trp Thr Ser Gly Ser Asp Ser Asp Glu Glu Leu
 385 390 395 400

Val Thr Thr Glu Arg Lys Thr Pro Arg Val Thr Gly Gly Gly Ala Met
 405 410 415

Ala Gly Ala Ser Thr Ser Ala Gly Arg Lys Arg Lys Ser Ala Ser Ser
 420 425 430

Ala Thr Ala Cys Thr Ala Gly Val Met Thr Arg Gly Arg Leu Lys Ala
 435 440 445

Glu Ser Thr Val Ala Pro Glu Glu Asp Thr Asp Glu Asp Ser Asp Asn
 450 455 460

Glu Ile His Asn Pro Ala Val Phe Thr Trp Pro Pro Trp Gln Ala Gly
 465 470 475 480

Ile Leu Ala Arg Asn Leu Val Pro Met Val Ala Thr Val Gln Gly Gln
 485 490 495

PCTIL2016050600-seq1-000001-EN

Asn Leu Lys Tyr Gln Glu Phe Phe Trp Asp Ala Asn Asp Ile Tyr Arg
500 505 510

Ile Phe Ala Glu Leu Glu Gly Val Trp Gln Pro Ala Ala Gln Pro Lys
515 520 525

Arg Arg Arg His Arg Gln Asp Ala Leu Pro Gly Pro Cys Ile Ala Ser
530 535 540

Thr Pro Lys Lys His Arg Gly
545 550

<210> 98
<211> 353
<212> PRT
<213> Human T-lymphotropic virus 1]

<400> 98

Met Ala His Phe Pro Gly Phe Gly Gln Ser Leu Leu Phe Gly Tyr Pro
1 5 10 15

Val Tyr Val Phe Gly Asp Cys Val Gln Gly Asp Trp Cys Pro Ile Ser
20 25 30

Gly Gly Leu Cys Ser Ala Arg Leu His Arg His Ala Leu Leu Ala Thr
35 40 45

Cys Pro Glu His Gln Ile Thr Trp Asp Pro Ile Asp Gly Arg Val Ile
50 55 60

Gly Ser Ala Leu Gln Phe Leu Ile Pro Arg Leu Pro Ser Phe Pro Thr
65 70 75 80

Gln Arg Thr Ser Lys Thr Leu Lys Val Leu Thr Pro Pro Ile Thr His
85 90 95

Thr Thr Pro Asn Ile Pro Pro Ser Phe Leu Gln Ala Met Arg Lys Tyr
100 105 110

Ser Pro Phe Arg Asn Gly Tyr Met Glu Pro Thr Leu Gly Gln His Leu
115 120 125

Pro Thr Leu Ser Phe Pro Asp Pro Gly Leu Arg Pro Gln Asn Leu Tyr
130 135 140

Thr Leu Trp Gly Gly Ser Val Val Cys Met Tyr Leu Tyr Gln Leu Ser
145 150 155 160

PCTIL2016050600-seq1-000001-EN

Pro Pro Ile Thr Trp Pro Leu Leu Pro His Val Ile Phe Cys His Pro
165 170 175

Gly Gln Leu Gly Ala Phe Leu Thr Asn Val Pro Tyr Lys Arg Ile Glu
180 185 190

Lys Leu Leu Tyr Lys Ile Ser Leu Thr Thr Gly Ala Leu Ile Ile Leu
195 200 205

Pro Glu Asp Cys Leu Pro Thr Thr Leu Phe Gln Pro Ala Arg Ala Pro
210 215 220

Val Thr Leu Thr Ala Trp Gln Asn Gly Leu Leu Pro Phe His Ser Thr
225 230 235 240

Leu Thr Thr Pro Gly Leu Ile Trp Thr Phe Thr Asp Gly Thr Pro Met
245 250 255

Ile Ser Gly Pro Cys Pro Lys Asp Gly Gln Pro Ser Leu Val Leu Gln
260 265 270

Ser Ser Ser Phe Ile Phe His Lys Phe Gln Thr Lys Ala Tyr His Pro
275 280 285

Ser Phe Leu Leu Ser His Gly Leu Ile Gln Tyr Ser Ser Phe His Asn
290 295 300

Leu His Leu Leu Phe Glu Glu Tyr Thr Asn Ile Pro Ile Ser Leu Leu
305 310 315 320

Phe Asn Glu Lys Glu Ala Asp Asp Asn Asp His Glu Pro Gln Ile Ser
325 330 335

Pro Gly Gly Leu Glu Pro Leu Ser Glu Lys His Phe Arg Glu Thr Glu
340 345 350

Val

<210> 99
<211> 345
<212> PRT
<213> Human T-lymphotropic virus 1]

<400> 99

Met Ala His Phe Pro Gly Phe Gly Gln Ser Leu Leu Tyr Gly Tyr Pro
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Val Tyr Val Phe Gly Asp Cys Val Gln Ala Asp Trp Cys Pro Ile Ser
 20 25 30
 Gly Gly Leu Cys Ser Pro Arg Leu His Arg His Ala Leu Leu Ala Thr
 35 40 45
 Cys Pro Glu His Gln Ile Thr Trp Asp Pro Ile Asp Gly Arg Val Val
 50 55 60
 Gly Ser Pro Leu Gln Tyr Leu Ile Pro Arg Leu Pro Ser Phe Pro Thr
 65 70 75 80
 Gln Arg Thr Ser Lys Thr Leu Lys Val Leu Thr Pro Pro Thr Thr Pro
 85 90 95
 Val Thr Pro Lys Val Pro Pro Ser Phe Phe Gln Ser Val Arg Arg His
 100 105 110
 Ser Pro Tyr Arg Asn Gly Cys Leu Glu Thr Thr Leu Gly Glu Gln Leu
 115 120 125
 Pro Ser Leu Ala Phe Pro Glu Pro Gly Leu Arg Pro Gln Asn Val Tyr
 130 135 140
 Thr Ile Trp Gly Lys Thr Ile Val Cys Leu Tyr Ile Tyr Gln Leu Ser
 145 150 155 160
 Pro Pro Met Thr Trp Pro Leu Ile Pro His Val Ile Phe Cys Asn Pro
 165 170 175
 Arg Gln Leu Gly Ala Phe Leu Ser Asn Val Pro Pro Lys Arg Leu Glu
 180 185 190
 Glu Leu Leu Tyr Lys Leu Tyr Leu His Thr Gly Ala Ile Ile Ile Leu
 195 200 205
 Pro Glu Asp Ala Leu Pro Thr Thr Leu Phe Gln Pro Val Arg Ala Pro
 210 215 220
 Cys Val Gln Thr Thr Trp Asn Thr Gly Leu Leu Pro Tyr Gln Pro Asn
 225 230 235 240
 Leu Thr Thr Pro Gly Leu Ile Trp Thr Phe Asn Asp Gly Ser Pro Met
 245 250 255
 Ile Ser Gly Pro Cys Pro Lys Ala Gly Gln Pro Ser Leu Val Val Gln
 260 265 270

PCTIL2016050600-seq1-000001-EN

Ser Ser Leu Leu Ile Phe Glu Arg Phe Gln Thr Lys Ala Tyr His Pro
275 280 285

Ser Tyr Leu Leu Ser His Gln Leu Ile Gln Tyr Ser Ser Phe His His
290 295 300

Leu Tyr Leu Leu Phe Asp Glu Tyr Thr Thr Ile Pro Phe Ser Leu Leu
305 310 315 320

Phe Lys Glu Lys Glu Gly Asp Asp Arg Asp Asn Asp Pro Leu Pro Gly
325 330 335

Ala Thr Ala Ser Pro Gln Gly Gln Asn
340 345

<210> 100

<400> 100
000

<210> 101
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 101

Ser Thr Asn Arg Gln Ser Gly Arg Gln
1 5

<210> 102
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 102

Leu Leu Phe Gly Tyr Pro Val Tyr Val
1 5

<210> 103
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 103

Gly Leu Ser Pro Thr Val Trp Leu Ser Val
 1 5 10

<210> 104
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 104

Ala Met Asp Gly Thr Met Ser Gln Val
 1 5

<210> 105
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 105

Tyr Ala Asp Gly Thr Met Ser Gln Val
 1 5

<210> 106
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 106

Tyr Met Ala Gly Thr Met Ser Gln Val
 1 5

<210> 107
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 107

Tyr Met Asp Ala Thr Met Ser Gln Val
 1 5

<210> 108
 <211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 108

Tyr Met Asp Gly Ala Met Ser Gln Val
1 5

<210> 109
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 109

Tyr Met Asp Gly Thr Ala Ser Gln Val
1 5

<210> 110
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 110

Tyr Met Asp Gly Thr Met Ala Gln Val
1 5

<210> 111
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 111

Tyr Met Asp Gly Thr Met Ser Ala Val
1 5

<210> 112
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 112

Tyr Met Asp Gly Thr Met Ser Gln Ala
1 5

<210> 113
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 113

Tyr Met Asp Gly Thr Met Ser Gln Val
1 5

<210> 114
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 114

Tyr Met Asn Gly Thr Met Ser Gln Val
1 5

<210> 115
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 115

Tyr Met Asp Asn Val Met Ser Glu Val
1 5

<210> 116
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 116

Val Met Asp Ser Lys Ile Val Gln Val
1 5

<210> 117
<211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 117

Leu Met Asn Gly Thr Leu Lys Gln Val
 1 5

<210> 118
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 118

Ser Gln Asp Gly Thr Arg Ser Gln Val
 1 5

<210> 119
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 119

Val Met Asp Thr Thr Lys Ser Gln Val
 1 5

<210> 120
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 120

Gly Met Asp Gly Thr Gln Gln Gln Ile
 1 5

<210> 121
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 121

Gly Met Val Gly Thr Met Thr Glu Val
1 5

<210> 122
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 122

Met Met Asp Ala Thr Phe Ser Ala Val
1 5

<210> 123
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 123

Gln Met Asp Pro Thr Gly Ser Gln Leu
1 5

<210> 124
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 124

Ser Met Asp Gly Ser Met Arg Thr Val
1 5

<210> 125
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 125

Trp Met Asp Gly Ile Ala Ser Gln Ile
1 5

<210> 126
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 126

Tyr Leu Glu Gly Ile Leu Ser Gln Val
1 5

<210> 127
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 127

Tyr Met Ala Ile Lys Met Ser Gln Leu
1 5

<210> 128
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 128

Tyr Met Asp Ala Val Val Ser Leu Val
1 5

<210> 129
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 129

Tyr Met Asp Gly Thr Asn Arg Arg Ile
1 5

<210> 130
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 130

Tyr Met Asp Pro Ser Thr Tyr Gln Val
1 5

<210> 131
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 131

Tyr Met Leu Gly Thr Asn His Gln Leu
1 5

<210> 132
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 132

Tyr Met Pro Gly Thr Ala Ser Leu Ile
1 5

<210> 133
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 133

Tyr Met Arg Glu Thr Arg Ser Gln Leu
1 5

<210> 134
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 134

Met Met Asp Gly Ala Met Gly Tyr Val
1 5

<210> 135
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 135

Asn Met Asp Ser Phe Met Ala Gln Val
1 5

<210> 136
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 136

Gln Met Asp Phe Ile Met Ser Cys Val
1 5

<210> 137
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 137

Tyr Glu Asp Leu Lys Met Tyr Gln Val
1 5

<210> 138
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 138

Tyr Met Asp Thr Ile Met Glu Leu Val
1 5

<210> 139
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 139

Tyr Thr Asp Leu Ala Met Ser Thr Val
1 5

<210> 140
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 140

Tyr Val Asp Phe Val Met Ser Ser Val
1 5

<210> 141
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 141

Arg Met Phe Pro Asn Ala Pro Tyr Leu
1 5

<210> 142
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 142

Leu Asp Phe Pro Asn Leu Pro Tyr Leu
1 5

<210> 143
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 143

Arg Cys Phe Pro Asn Cys Pro Phe Leu
1 5

<210> 144
<211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 144

Leu Met Phe Glu Asn Ala Ala Tyr Leu
 1 5

<210> 145
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 145

Arg Met Phe Pro Asn Lys Tyr Ser Leu
 1 5

<210> 146
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 146

Arg Leu Phe Pro Asn Ala Lys Phe Leu
 1 5

<210> 147
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 147

Arg Leu Phe Pro Asn Leu Pro Glu Leu
 1 5

<210> 148
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 148

Arg Met Phe Pro Thr Pro Pro Ser Leu
1 5

<210> 149
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 149

Arg Met Val Pro Arg Ala Val Tyr Leu
1 5

<210> 150
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 150

Arg Met Phe Phe Asn Gly Arg Tyr Ile
1 5

<210> 151
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 151

Arg Met Leu Pro His Ala Pro Gly Val
1 5

<210> 152
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 152

Tyr Met Phe Pro Asn Ala Pro Tyr Leu
1 5

<210> 153
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 153

Ala Met Asp Pro Asn Ala Ala Tyr Val
1 5

<210> 154
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 154

Ile Cys Phe Pro Asn Ala Pro Lys Val
1 5

<210> 155
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 155

Asn Met Phe Glu Asn Gly Cys Tyr Leu
1 5

<210> 156
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 156

Asn Met Pro Pro Asn Phe Pro Tyr Ile
1 5

<210> 157
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 157

Arg Glu Met Thr Gln Ala Pro Tyr Leu
1 5

<210> 158
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 158

Arg Met Ala Pro Arg Ala Pro Trp Ile
1 5

<210> 159
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 159

Arg Met Glu Pro Arg Ala Pro Trp Ile
1 5

<210> 160
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 160

Arg Met Glu Pro Arg Ala Pro Trp Val
1 5

<210> 161
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 161

Arg Met Phe Leu Asn Asn Pro Ser Ile
1 5

<210> 162
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 162

Arg Met Phe Gln Gln Thr Phe Tyr Leu
1 5

<210> 163
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 163

Arg Met Asn Pro Asn Ser Pro Ser Ile
1 5

<210> 164
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 164

Arg Gln Phe Pro Asn Ala Ser Leu Ile
1 5

<210> 165
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 165

Arg Gln Phe Pro Asn Lys Asp Ala Leu
1 5

<210> 166
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 166

Arg Val Phe Pro Trp Ala Ser Ser Leu
1 5

<210> 167
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 167

Arg Leu Phe Pro Trp Gly Asn Lys Leu
1 5

<210> 168
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 168

Ala Met Phe Pro Asn Ala Pro Tyr Leu
1 5

<210> 169
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 169

Arg Ala Phe Pro Asn Ala Pro Tyr Leu
1 5

<210> 170
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 170

Arg Met Ala Pro Asn Ala Pro Tyr Leu
1 5

<210> 171
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 171

Arg Met Phe Ala Asn Ala Pro Tyr Leu
1 5

<210> 172
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 172

Arg Met Phe Pro Ala Ala Pro Tyr Leu
1 5

<210> 173
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 173

Arg Met Phe Pro Asn Ala Ala Tyr Leu
1 5

<210> 174
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 174

Arg Met Phe Pro Asn Ala Pro Ala Leu
1 5

<210> 175
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 175

Arg Met Phe Pro Asn Ala Pro Tyr Ala
 1 5

<210> 176
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 176

Gly Val Tyr Asp Gly Arg Glu His Thr Val
 1 5 10

<210> 177
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 177

Gly Leu Ala Asp Gly Arg Thr His Thr Val
 1 5 10

<210> 178
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 178

Gly Val Ser Asp Gly Arg Trp His Ser Val
 1 5 10

<210> 179
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 179

Gly Val Tyr Asp Gly Glu Glu His Ser Val
 1 5 10

<210> 180
 <211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 180

Gly Leu Tyr Asp Gly Met Glu His Leu
 1 5

<210> 181
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 181

Gly Val Ser Asp Gly Gln Trp His Thr Val
 1 5 10

<210> 182
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 182

Gly Val Tyr Ala Gly Arg Glu His Phe Leu
 1 5 10

<210> 183
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 183

Gly Leu Tyr Asp Gly Met Glu His Leu Ile
 1 5 10

<210> 184
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 184

Ala Ser Tyr Asp Gly Thr Glu Val Thr Val
 1 5 10

<210> 185
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 185

Ala Val Leu Asp Gly Arg Glu Leu Arg Val
 1 5 10

<210> 186
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 186

Gly Leu Tyr Asp Gly Ile Glu His Phe Met
 1 5 10

<210> 187
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 187

Gly Leu Tyr Asp Gly Pro Val His Glu Val
 1 5 10

<210> 188
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 188

Gly Val Cys Ala Gly Arg Glu His Phe Ile
 1 5 10

<210> 189
 <211> 10

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 189

Gly Val Tyr Ala Gly Arg Pro Leu Ser Val
 1 5 10

<210> 190
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 190

Thr Val Tyr Asp Leu Arg Glu Gln Ser Val
 1 5 10

<210> 191
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 191

Val Val Asp Asp Gly Val Glu His Thr Ile
 1 5 10

<210> 192
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 192

Gly Val Phe Asp Gly Leu His Thr Val
 1 5

<210> 193
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 193

Ala Val Tyr Asp Gly Arg Glu His Thr Val
 1 5 10

<210> 194
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 194

Gly Ala Tyr Asp Gly Arg Glu His Thr Val
 1 5 10

<210> 195
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 195

Gly Val Ala Asp Gly Arg Glu His Thr Val
 1 5 10

<210> 196
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 196

Gly Val Tyr Ala Gly Arg Glu His Thr Val
 1 5 10

<210> 197
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 197

Gly Val Tyr Asp Ala Arg Glu His Thr Val
 1 5 10

<210> 198
 <211> 10

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 198

Gly Val Tyr Asp Gly Ala Glu His Thr Val
 1 5 10

<210> 199
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 199

Gly Val Tyr Asp Gly Arg Ala His Thr Val
 1 5 10

<210> 200
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 200

Gly Val Tyr Asp Gly Arg Glu Ala Thr Val
 1 5 10

<210> 201
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 201

Gly Val Tyr Asp Gly Arg Glu His Ala Val
 1 5 10

<210> 202
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 202

Gly Val Tyr Asp Gly Arg Glu His Thr Ala
 1 5 10

<210> 203
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 203

Ala Leu Ser Val Met Gly Val Tyr Val
 1 5

<210> 204
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 204

Ala Leu Ser Val Leu Gly Val Met Val
 1 5

<210> 205
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 205

Ala Leu Ser Arg Lys Gly Ile Tyr Val
 1 5

<210> 206
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 206

Ala Leu Ser Val Met Tyr Ser Tyr Leu
 1 5

<210> 207
 <211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 207

Ala Val Ser His Met Gly Val Leu Val
 1 5

<210> 208
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 208

Leu Leu Ser Leu Met Gly Val Leu Val
 1 5

<210> 209
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 209

Val Leu Ser Ile Met Gly Val Tyr Ala
 1 5

<210> 210
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 210

Ala Leu Gln Val Arg Lys Val Tyr Val
 1 5

<210> 211
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 211

Ala Leu Gln Val Tyr Gly Val Glu Val
1 5

<210> 212
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 212

Ala Leu Ser Val Ala Gly Gly Phe Val
1 5

<210> 213
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 213

Ala Leu Ser Val Leu Gly Lys Val Val
1 5

<210> 214
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 214

Ala Leu Ser Val Met Ile Pro Ala Val
1 5

<210> 215
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 215

Asp Leu Ser Val Cys Ser Val Tyr Val
1 5

<210> 216
<211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 216

Ile Leu Gly Val Met Gly Val Asp Val
 1 5

<210> 217
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 217

Leu Leu Ser Val Asn Gly Val Ser Val
 1 5

<210> 218
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 218

Ser Leu Ser Pro Met Gly Arg Tyr Val
 1 5

<210> 219
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 219

Ala Leu Ser Ala Val Met Gly Val Thr Leu
 1 5 10

<210> 220
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 220

Ala Ile Leu Leu Val Met Gly Val Asp Val
 1 5 10

<210> 221
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 221

Ala Leu Ser Asp His His Val Tyr Leu
 1 5

<210> 222
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 222

Ala Ala Ser Val Met Gly Val Tyr Val
 1 5

<210> 223
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 223

Ala Leu Ala Val Met Gly Val Tyr Val
 1 5

<210> 224
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 224

Ala Leu Ser Ala Met Gly Val Tyr Val
 1 5

<210> 225
 <211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 225

Ala Leu Ser Val Ala Gly Val Tyr Val
1 5

<210> 226
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 226

Ala Leu Ser Val Met Ala Val Tyr Val
1 5

<210> 227
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 227

Ala Leu Ser Val Met Gly Ala Tyr Val
1 5

<210> 228
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 228

Ala Leu Ser Val Met Gly Val Ala Val
1 5

<210> 229
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 229

Ala Leu Ser Val Met Gly Val Tyr Ala
1 5

<210> 230
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 230

Thr Leu Met Ser Ala Met Thr Asn Leu
1 5

<210> 231
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 231

Thr Leu Met Ser Ala Glu Ala Asn Leu
1 5

<210> 232
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 232

Gln Leu Cys Ser Ala Met Thr Gln Leu
1 5

<210> 233
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 233

Arg Leu Met Ser Ala Leu Thr Gln Leu
1 5

<210> 234
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 234

Gly Leu Met Ser Leu Thr Thr Asn Leu
1 5

<210> 235
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 235

Gly Leu Met Ser Met Ala Thr Asn Leu
1 5

<210> 236
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 236

Gly Leu Met Ser Met Thr Thr Asn Leu
1 5

<210> 237
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 237

Leu Leu Met Ser Ile Ser Thr Asn Leu
1 5

<210> 238
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 238

Gln Leu Pro Ser Thr Met Thr Asn Leu
1 5

<210> 239
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 239

Thr Leu Ala Ser Ser Met Gly Asn Leu
1 5

<210> 240
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 240

Thr Leu Phe Ser Ala Leu Thr Gly Leu
1 5

<210> 241
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 241

Thr Leu Gly Ser Ala Thr Thr Glu Leu
1 5

<210> 242
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 242

Thr Leu Met Arg Ala Met Thr Asp Cys
1 5

<210> 243
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 243

Thr Leu Met Ser Met Val Ala Asn Leu
1 5

<210> 244
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 244

Thr Leu Pro Ser Ala Glu Thr Ala Leu
1 5

<210> 245
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 245

Thr Leu Pro Ser Arg Met Thr Val Leu
1 5

<210> 246
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 246

Arg Leu Met Ser Ala Leu Thr Gln Val
1 5

<210> 247
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 247

Ser Ile His Ser Gln Met Thr Asn Leu
1 5

<210> 248
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 248

Ser Ile Met Phe Ala Met Thr Pro Leu
1 5

<210> 249
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 249

Thr Ile Val Ala Ala Met Ser Asn Leu
1 5

<210> 250
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 250

Thr Leu Ile Thr Ala Met Glu Gln Leu
1 5

<210> 251
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 251

Thr Leu Thr Ser Asn Met Ser Gln Leu
1 5

<210> 252
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 252

Ala Leu Met Ser Ala Met Thr Asn Leu
1 5

<210> 253
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 253

Thr Leu Ala Ser Ala Met Thr Asn Leu
1 5

<210> 254
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 254

Thr Leu Met Ala Ala Met Thr Asn Leu
1 5

<210> 255
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 255

Thr Leu Met Ser Ala Ala Thr Asn Leu
1 5

<210> 256
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 256

Thr Leu Met Ser Ala Met Ala Asn Leu
1 5

<210> 257
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 257

Thr Leu Met Ser Ala Met Thr Ala Leu
1 5

<210> 258
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 258

Thr Leu Met Ser Ala Met Thr Asn Ala
1 5

<210> 259
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 259

Val Met Asp Ser Lys Ile Val Gln Val
1 5

<210> 260
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 260

Arg Met Leu Pro His Ala Pro Gly Val
1 5

<210> 261
<211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 261

Ala Met Asp Pro Asn Ala Ala Tyr Val
 1 5

<210> 262
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 262

Arg Met Asn Pro Asn Ser Pro Ser Ile
 1 5

<210> 263
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 263

Gly Leu Ala Asp Gly Arg Thr His Thr Val
 1 5 10

<210> 264
 <211> 10
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 264

Gly Leu Tyr Asp Gly Pro Val His Glu Val
 1 5 10

<210> 265
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 265

Gly Val Phe Asp Gly Leu His Thr Val
1 5

<210> 266
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 266

Ala Leu Ser Asp His His Val Tyr Leu
1 5

<210> 267
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 267

Arg Leu Met Ser Ala Leu Thr Gln Leu
1 5

<210> 268
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 268

Arg Leu Met Ser Ala Leu Thr Gln Val
1 5

<210> 269
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 269

Glu Leu Ala Gly Ile Gly Ile Leu Thr Val
1 5 10

<210> 270
<211> 9

<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 270

Asn Leu Val Pro Met Val Ala Thr Val
1 5

<210> 271
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 271

Ser Leu Tyr Asn Thr Val Ala Thr Leu
1 5

<210> 272
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 272

Tyr Met Asp Gly Thr Met Ser Gln Val
1 5

<210> 273
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 273

Arg Met Phe Pro Asn Ala Pro Tyr Leu
1 5

<210> 274
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> short peptide

<400> 274

Gly Val Tyr Asp Gly Arg Glu His Thr Val
 1 5 10

<210> 275
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 275

Thr Leu Met Ser Ala Met Thr Asn Leu
 1 5

<210> 276
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 276

Ala Leu Ser Val Met Gly Val Tyr Val
 1 5

<210> 277
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 277

Lys Ala Ser Glu Lys Ile Phe Tyr Val
 1 5

<210> 278
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 278

Ser Leu Leu Met Trp Ile Thr Gln Cys
 1 5

<210> 279
 <211> 9

<212> PRT
 <213> Artificial sequence

<220>
 <223> short peptide

<400> 279

Thr Leu Phe Asp Tyr Glu Val Arg Leu
 1 5

<210> 280
 <211> 702
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 light chain

<400> 280
 atgagaccgt ctattcagtt cctggggctc ttgttgttct ggcttcatgg tgctcagtgt 60
 gacatccaga tgacacagtc tccatcctca ctgtctgcat ctctgggagg caaagtcacc 120
 atcacatgca aggcaagcca agacattcac aactatatag cttggtacca acacaagcct 180
 gtaaaagggtc ctagggtgct catacattac acatctacat tacagccagg caccatca 240
 aggttcagtg gaagtgggtc tgggagagat tattccttca gcatcagcaa cctggagcct 300
 gaagatattg caacttatta ttgtctacag tatgataatc tgtggacgtt cggtggaggc 360
 accaagctgg aaatcaaacg ggctgatgct gcaccaactg tatccatctt cccaccatcc 420
 agtgagcagt taacatctgg aggtgcctca gtcgtgtgct tcttgaacaa cttctacccc 480
 aaagacatca atgtcaagtg gaagattgat ggcagtgaac gacaaaatgg cgtcctgaac 540
 agttggactg atcaggacag caaagacagc acctacagca tgagcagcac cctcacgttg 600
 accaaggacg agtatgaacg acataacagc tatacctgtg aggccactca caagacatca 660
 acttcaccca ttgtcaagag cttcaacagg aatgagtgtt ag 702

<210> 281
 <211> 233
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 light chain

<400> 281

Met Arg Pro Ser Ile Gln Phe Leu Gly Leu Leu Leu Phe Trp Leu His
 1 5 10 15

Gly Ala Gln Cys Asp Ile Gln Met Thr Gln Ser Pro Ser Ser Leu Ser
 20 25 30

PCTIL2016050600-seq1-000001-EN

Ala Ser Leu Gly Gly Lys Val Thr Ile Thr Cys Lys Ala Ser Gln Asp
35 40 45

Ile His Asn Tyr Ile Ala Trp Tyr Gln His Lys Pro Val Lys Gly Pro
50 55 60

Arg Leu Leu Ile His Tyr Thr Ser Thr Leu Gln Pro Gly Thr Pro Ser
65 70 75 80

Arg Phe Ser Gly Ser Gly Ser Gly Arg Asp Tyr Ser Phe Ser Ile Ser
85 90 95

Asn Leu Glu Pro Glu Asp Ile Ala Thr Tyr Tyr Cys Leu Gln Tyr Asp
100 105 110

Asn Leu Trp Thr Phe Gly Gly Gly Thr Lys Leu Glu Ile Lys Arg Ala
115 120 125

Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu
130 135 140

Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro
145 150 155 160

Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn
165 170 175

Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr
180 185 190

Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His
195 200 205

Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile
210 215 220

Val Lys Ser Phe Asn Arg Asn Glu Cys
225 230

<210> 282
<211> 1398
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D7 heavy chain

<400> 282
atggacaggc ttacttcctc attcctgctg ctgattgtcc ctgcatatgt cctttcccag

PCTIL2016050600-seq1-000001-EN

gtaactctga aagagtctgg ccctgggata ttgcagccct cccagaccct cagtctgact	120
tgttctttct ctgggttttc actgaccact tctgggtatgg gtgtgagctg gattcgtcag	180
ccttcaggaa aggggtctgga gtggctggca cacatttact gggatgatga caagcgctat	240
aacccatccc tgaagagccg actcacaatc tccaaggata cctccagaaa ccaggtattc	300
ctcaagatca ccagtgtgga cgctgcagat actgccacat actactgtgc tcgaaaaggac	360
tacggtagta gcttctatgc tatgcactac tgggggtcaag gaacctcagt caccgtctcc	420
tcagccaaaa cgacaccccc atctgtctat ccactggccc ctggatctgc tgcccaaact	480
aactccatgg tgacctggg atgcctgggtc aagggtctatt tccctgagcc agtgacagt	540
acctggaact ctggatccct gtccagcgggt gtgcacacct tcccagctgt cctgcagtct	600
gacctctaca ctctgagcag ctcaagtact gtccccctcca gcacctggcc cagcgagacc	660
gtcacctgca acgttgccca cccggccagc agcaccaagg tggacaagaa aattgtgccc	720
agggattgtg gttgtaagcc ttgcatatgt acagtcccag aagtatcatc tgtcttcatc	780
ttcccccaa agccaagga tgtgctcacc attactctga ctccaaagg cactgtgtgt	840
gtggtagaca tcagcaagga tgatccccgag gtccagttca gctggtttgt agatgatgtg	900
gaggtgcaca cagctcagac gcaaccccgg gaggagcagt tcaacagcac tttccgctca	960
gtcagtgaac ttcccatcat gcaccaggac tgggtcaatg gcaaggagtt caaatgcagg	1020
gtcaacagtg cagctttccc tgcccccatc gagaaaacca tctccaaaac caaaggcaga	1080
ccgaaggctc cacagggtga caccattcca cctcccaagg agcagatggc caaggataaa	1140
gtcagtctga cctgcatgat aacagacttc ttccctgaag acattactgt ggagtggcag	1200
tggaatgggc agccagcgga gaactacaag aacactcagc ccatcatgga cacagatggc	1260
tcttacttcg tctacagcaa gctcaatgtg cagaagagca actgggaggc aggaaatact	1320
ttcacctgct ctgtgttaca tgagggcctg cacaaccacc atactgagaa gagcctctcc	1380
cactctcctg gtaaatga	1398

<210> 283

<211> 465

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of D7 heavy chain

<400> 283

Met	Asp	Arg	Leu	Thr	Ser	Ser	Phe	Leu	Leu	Leu	Ile	Val	Pro	Ala	Tyr
1				5				10						15	

Val	Leu	Ser	Gln	Val	Thr	Leu	Lys	Glu	Ser	Gly	Pro	Gly	Ile	Leu	Gln
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

20

25

30

Pro Ser Gln Thr Leu Ser Leu Thr Cys Ser Phe Ser Gly Phe Ser Leu
 35 40 45
 Thr Thr Ser Gly Met Gly Val Ser Trp Ile Arg Gln Pro Ser Gly Lys
 50 55 60
 Gly Leu Glu Trp Leu Ala His Ile Tyr Trp Asp Asp Asp Lys Arg Tyr
 65 70 75 80
 Asn Pro Ser Leu Lys Ser Arg Leu Thr Ile Ser Lys Asp Thr Ser Arg
 85 90 95
 Asn Gln Val Phe Leu Lys Ile Thr Ser Val Asp Ala Ala Asp Thr Ala
 100 105 110
 Thr Tyr Tyr Cys Ala Arg Lys Asp Tyr Gly Ser Ser Phe Tyr Ala Met
 115 120 125
 His Tyr Trp Gly Gln Gly Thr Ser Val Thr Val Ser Ser Ala Lys Thr
 130 135 140
 Thr Pro Pro Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr
 145 150 155 160
 Asn Ser Met Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu
 165 170 175
 Pro Val Thr Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His
 180 185 190
 Thr Phe Pro Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser
 195 200 205
 Val Thr Val Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn
 210 215 220
 Val Ala His Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro
 225 230 235 240
 Arg Asp Cys Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser
 245 250 255
 Ser Val Phe Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr
 260 265 270

PCTIL2016050600-seq1-000001-EN

Leu Thr Pro Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp
275 280 285

Pro Glu Val Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr
290 295 300

Ala Gln Thr Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser
305 310 315 320

Val Ser Glu Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu
325 330 335

Phe Lys Cys Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys
340 345 350

Thr Ile Ser Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr
355 360 365

Ile Pro Pro Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr
370 375 380

Cys Met Ile Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln
385 390 395 400

Trp Asn Gly Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met
405 410 415

Asp Thr Asp Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys
420 425 430

Ser Asn Trp Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu
435 440 445

Gly Leu His Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly
450 455 460

Lys
465

<210> 284
<211> 33
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D7 light chain CDR

<400> 284
aaggcaagcc aagacattca caactatata gct

<210> 285
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 light chain CDR

<400> 285
 tacacatcta cattacagcc a 21

<210> 286
 <211> 24
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 light chain CDR

<400> 286
 ctacagtatg ataatctgtg gacg 24

<210> 287
 <211> 11
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 light chain CDR

<400> 287
 Lys Ala Ser Gln Asp Ile His Asn Tyr Ile Ala
 1 5 10

<210> 288
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 light chain CDR

<400> 288
 Tyr Thr Ser Thr Leu Gln Pro
 1 5

<210> 289
 <211> 8
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 light chain CDR

<400> 289

Leu Gln Tyr Asp Asn Leu Trp Thr
 1 5

<210> 290
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 heavy chain CDR

<400> 290
 acttctggta tgggtgtgag c 21

<210> 291
 <211> 48
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 heavy chain CDR

<400> 291
 cacatttact gggatgatga caagcgctat aacccatccc tgaagagc 48

<210> 292
 <211> 36
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D7 heavy chain CDR

<400> 292
 aaggactacg gtagtagctt ctatgctatg cactac 36

<210> 293
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 heavy chain CDR

<400> 293
 Thr Ser Gly Met Gly Val Ser
 1 5

<210> 294
 <211> 16
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D7 heavy chain CDR

<400> 294

PCTIL2016050600-seq1-000001-EN

His Ile Tyr Trp Asp Asp Asp Lys Arg Tyr Asn Pro Ser Leu Lys Ser
1 5 10 15

<210> 295
<211> 12
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of D7 heavy chain CDR

<400> 295

Lys Asp Tyr Gly Ser Ser Phe Tyr Ala Met His Tyr
1 5 10

<210> 296
<211> 705
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D11 light chain

<400> 296
atgagtgtgc ccactcaggt cctgggggttg ctgctgctgt ggcttacaga tgccagatgt 60
gacatccaga tgactcagtc tccagcctcc ctatctgtat ctgtgggaga aactgtcacc 120
atcacatgtc gagcaagtga tattattttac agtaatttag catggtatca gcagaaacag 180
ggaaaatctc ctcagctcct ggtctatgct gcaacaaact tagcagctgg tgtgccatca 240
aggttcagtg gcagtggatc aggcacacag tattccctca agatcaatag cctgcagtct 300
gaagattttg ggacttatta ctgtcaacat ttttggggta gttcaatctc gttcggctcg 360
gggacaaagt tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 420
tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 480
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 540
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 600
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 660
tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gttag 705

<210> 297
<211> 234
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of D11 light chain

<400> 297

PCTIL2016050600-seq1-000001-EN

Met Ser Val Pro Thr Gln Val Leu Gly Leu Leu Leu Leu Trp Leu Thr
1 5 10 15

Asp Ala Arg Cys Asp Ile Gln Met Thr Gln Ser Pro Ala Ser Leu Ser
20 25 30

Val Ser Val Gly Glu Thr Val Thr Ile Thr Cys Arg Ala Ser Asp Ile
35 40 45

Ile Tyr Ser Asn Leu Ala Trp Tyr Gln Gln Lys Gln Gly Lys Ser Pro
50 55 60

Gln Leu Leu Val Tyr Ala Ala Thr Asn Leu Ala Ala Gly Val Pro Ser
65 70 75 80

Arg Phe Ser Gly Ser Gly Ser Gly Thr Gln Tyr Ser Leu Lys Ile Asn
85 90 95

Ser Leu Gln Ser Glu Asp Phe Gly Thr Tyr Tyr Cys Gln His Phe Trp
100 105 110

Gly Ser Ser Ile Ser Phe Gly Ser Gly Thr Lys Leu Glu Ile Lys Arg
115 120 125

Ala Asp Ala Ala Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln
130 135 140

Leu Thr Ser Gly Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr
145 150 155 160

Pro Lys Asp Ile Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln
165 170 175

Asn Gly Val Leu Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr
180 185 190

Tyr Ser Met Ser Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg
195 200 205

His Asn Ser Tyr Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro
210 215 220

Ile Val Lys Ser Phe Asn Arg Asn Glu Cys
225 230

<210> 298
<211> 1380
<212> DNA

<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of D11 heavy chain

<400> 298

```

atggctgtcc tgggtgctgtt cctctgcctg gttgcatttc caagctgtgt cctgtcccag      60
gtgcaactga aggaatcagg acctgggtctg gtggcgccct cacagagcct gtccatcact      120
tgcactgtct ctgggttttc attaaccagc tatgggtgtac actgggttcg ccagcctcca      180
ggaaagggtc tggagtggct gggagtaata tgggctgggtg gaaccacaaa ttataattcg      240
gctctcatgt ccagactgag catcagcaga gacaactcca agagccaagt tttcttagaa      300
atgaacagtc tgcaactga tgacacagcc atttactact gtgccagaga tggtcacttc      360
cactttgact tctggggcca aggcaccact ctcacagtct cctcagccaa aacgacaccc      420
ccatctgtct atccactggc ccctggatct gctgccc aaa ctaactccat ggtgaccctg      480
ggatgcctgg tcaagggtta tttccctgag ccagtgcag tgacctggaa ctctggatcc      540
ctgtccagcg gtgtgcacac cttcccagct gtcctgcagt ctgacctcta cactctgagc      600
agctcagtga ctgtcccctc cagcacctgg cccagcgaga ccgtcacctg caacgttgcc      660
caccgggcca gcagcaccaa ggtggacaag aaaattgtgc ccagggattg tggttgtaag      720
ccttgcatat gtacagtccc agaagtatca tctgtcttca tcttcccccc aaagcccaag      780
gatgtgctca ccattactct gactcctaag gtcacgtgtg ttgtggtaga catcagcaag      840
gatgatcccc aggtccagtt cagctggttt gtagatgatg tggaggtgca cacagctcag      900
acgcaacccc gggaggagca gttcaacagc actttccgct cagtcagtga acttcccatac      960
atgcaccagg actgggtcaa tggcaaggag ttcaaatgca gggtaaacag tgcagctttc     1020
cctgccccca tcgagaaaac catctccaaa accaaaggca gaccgaaggc tccacaggtg     1080
tacaccattc cacctcccaa ggagcagatg gccaaaggata aagtcagtct gacctgcatg     1140
ataacagact tcttccctga agacattact gtggagtggc agtggaatgg gcagccagcg     1200
gagaactaca agaacactca gcccatcatg gacacagatg gctcttactt cgtctacagc     1260
aagctcaatg tgcagaagag caactgggag gcaggaaata ctttcacctg ctctgtgtta     1320
catgagggcc tgcacaacca ccatactgag aagagcctct cccactctcc tggtaaataga     1380

```

<210> 299

<211> 459

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of D11 heavy chain

<400> 299

PCTIL2016050600-seq1-000001-EN

Met Ala Val Leu Val Leu Phe Leu Cys Leu Val Ala Phe Pro Ser Cys
 1 5 10 15
 Val Leu Ser Gln Val Gln Leu Lys Glu Ser Gly Pro Gly Leu Val Ala
 20 25 30
 Pro Ser Gln Ser Leu Ser Ile Thr Cys Thr Val Ser Gly Phe Ser Leu
 35 40 45
 Thr Ser Tyr Gly Val His Trp Val Arg Gln Pro Pro Gly Lys Gly Leu
 50 55 60
 Glu Trp Leu Gly Val Ile Trp Ala Gly Gly Thr Thr Asn Tyr Asn Ser
 65 70 75 80
 Ala Leu Met Ser Arg Leu Ser Ile Ser Arg Asp Asn Ser Lys Ser Gln
 85 90 95
 Val Phe Leu Glu Met Asn Ser Leu Gln Thr Asp Asp Thr Ala Ile Tyr
 100 105 110
 Tyr Cys Ala Arg Asp Gly His Phe His Phe Asp Phe Trp Gly Gln Gly
 115 120 125
 Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val Tyr
 130 135 140
 Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr Leu
 145 150 155 160
 Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr Trp
 165 170 175
 Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu
 180 185 190
 Gln Ser Asp Leu Tyr Thr Leu Ser Ser Val Thr Val Pro Ser Ser
 195 200 205
 Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala Ser
 210 215 220
 Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys Lys
 225 230 235 240
 Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe Pro
 245 250 255

PCTIL2016050600-seq1-000001-EN

Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val Thr
260 265 270

Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe Ser
275 280 285

Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro Arg
290 295 300

Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro Ile
305 310 315 320

Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val Asn
325 330 335

Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys
340 345 350

Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys Glu
355 360 365

Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp Phe
370 375 380

Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro Ala
385 390 395 400

Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser Tyr
405 410 415

Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala Gly
420 425 430

Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His His
435 440 445

Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
450 455

<210> 300
<211> 33
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D11 light chain CDR

<400> 300
cgagcaagtg atattattta cagtaattta gca

<210> 301
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D11 light chain CDR

<400> 301
 gctgcaacaa acttagcagc t 21

<210> 302
 <211> 27
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D11 light chain CDR

<400> 302
 caacattttt ggggtagttc aatctcg 27

<210> 303
 <211> 11
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D11 light chain CDR

<400> 303
 Arg Ala Ser Asp Ile Ile Tyr Ser Asn Leu Ala
 1 5 10

<210> 304
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D11 light chain CDR

<400> 304
 Ala Ala Thr Asn Leu Ala Ala
 1 5

<210> 305
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D11 light chain CDR

<400> 305

Gln His Phe Trp Gly Ser Ser Ile Ser
 1 5

<210> 306
 <211> 15
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D11 heavy chain CDR

<400> 306
 agctatgggtg tacac 15

<210> 307
 <211> 48
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D11 heavy chain CDR

<400> 307
 gtaatatggg ctggtggaac cacaaattat aattcggctc tcatgtcc 48

<210> 308
 <211> 24
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D11 heavy chain CDR

<400> 308
 gatggtcact tccactttga cttc 24

<210> 309
 <211> 5
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D11 heavy chain CDR

<400> 309

Ser Tyr Gly Val His
 1 5

<210> 310
 <211> 16
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D11 heavy chain CDR

<400> 310

Val Ile Trp Ala Gly Gly Thr Thr Asn Tyr Asn Ser Ala Leu Met Ser
 1 5 10 15

<210> 311

<211> 8

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of D11 heavy chain CDR

<400> 311

Asp Gly His Phe His Phe Asp Phe
 1 5

<210> 312

<211> 642

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of B47B6 light chain

<400> 312

```

gatattgtgc tcaactcagtc tccagccacc ctgtctgtga gtccaggaga tagcgtcagt      60
ctttcctgca gggccagcca aagtattagc aacagcctac actggatatca acaaaaaatca    120
catgagtctc caaggcttct catcaagtat gcttcccagt ccatctctgg aatcccctct      180
aggttcagtg gcagtggatc agggacagat ttcactctca gtatcaacag tgtggagact      240
gaagattttg gaatgtattt ctgtcaacag agttacagct ggcctctcac gttcggtgct      300
gggtccaagc tggagctgaa acgggctgat gctgcaccaa ctgtatccat cttcccacca      360
tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac      420
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg      480
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg      540
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca      600
tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt                        642

```

<210> 313

<211> 214

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of B47B6 light chain

<400> 313

Asp Ile Val Leu Thr Gln Ser Pro Ala Thr Leu Ser Val Ser Pro Gly

PCTIL2016050600-seq1-000001-EN

1 5 10 15

Asp Ser Val Ser Leu Ser Cys Arg Ala Ser Gln Ser Ile Ser Asn Ser
 20 25 30

Leu His Trp Tyr Gln Gln Lys Ser His Glu Ser Pro Arg Leu Leu Ile
 35 40 45

Lys Tyr Ala Ser Gln Ser Ile Ser Gly Ile Pro Ser Arg Phe Ser Gly
 50 55 60

Ser Gly Ser Gly Thr Asp Phe Thr Leu Ser Ile Asn Ser Val Glu Thr
65 70 75 80

Glu Asp Phe Gly Met Tyr Phe Cys Gln Gln Ser Tyr Ser Trp Pro Leu
 85 90 95

Thr Phe Gly Ala Gly Ser Lys Leu Glu Leu Lys Arg Ala Asp Ala Ala
 100 105 110

Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
 115 120 125

Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
 130 135 140

Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
145 150 155 160

Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
 165 170 175

Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
 180 185 190

Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
 195 200 205

Phe Asn Arg Asn Glu Cys
 210

<210> 314
<211> 1323
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of B47B6 heavy chain

PCTIL2016050600-seq1-000001-EN

```

<400> 314
gaagtgcagt tgggtggagtc gggggggaggc ttagtgaagc ctggaggggtc cctgaaactc      60
tcctgtgcag cctctggatt cgttttcagt agctatgaca tgtcttgggt tcgccaggct      120
caggagaaga ggctggagtg ggtcgcatac atgagtagtg gtggcggcac ctactatcca      180
gacactgtga agggccgatt caccatctcc agagacaatg ccaagaacac cctgcacctg      240
caaatgagca gcctgaagtc tgaggacaca gccatgtatt actgtgcaag acatgatgag      300
attactaact ttgactactg gggccaaggc accactctca cagtctcctc agccaaaacg      360
acacccccat ctgtctatcc actggcccct ggatctgctg cccaaactaa ctccatgggtg      420
accctgggat gcctggtaaa gggctatttc cctgagccag tgacagtgcac ctggaactct      480
ggatccctgt ccagcgggtg gcacaccttc ccagctgtcc tgcagtctga cctctacact      540
ctgagcagct cagtgcactg cccctccagc acctggccca gcgagaccgt cacctgcaac      600
gttgcccacc cggccagcag caccaagggtg gacaagaaaa ttgtgcccag ggattgtggt      660
tgtaagcctt gcatatgtac agtcccagaa gtatcatctg tcttcatctt cccccaaaag      720
cccaaggatg tgctcaccat tactctgact cctaagggtc cgtgtgttgt ggtagacatc      780
agcaaggatg atcccggagt ccagttcagc tggttttag atgatgtgga ggtgcacaca      840
gctcagacgc aacccccgga ggagcagttc aacagcactt tccgctcagt cagtgaactt      900
cccatcatgc accaggactg gctcaatggc aaggagtcca aatgcagggt caacagtgc      960
gctttccctg ccccatcga gaaaaccatc tccaaaacca aaggcagacc gaaggctcca     1020
caggtgtaca ccattccacc tccaaggag cagatggcca aggataaagt cagtctgacc     1080
tgcatgataa cagacttctt cctgaagac attactgtgg agtggcagtg gaatgggcag     1140
ccagcggaga actacaagaa cactcagccc atcatggaca cagatggctc ttacttcgtc     1200
tacagcaagc tcaatgtgca gaagagcaac tgggaggcag gaaatacttt cacctgctct     1260
gtgttacatg agggcctgca caaccacat actgagaaga gcctctccca ctctcctggt     1320
aaa                                                                    1323

```

```

<210> 315
<211> 441
<212> PRT
<213> Artificial sequence

```

```

<220>
<223> Amino Acid sequence of B47B6 heavy chain

```

```

<400> 315
Glu Val Gln Leu Val Glu Ser Gly Gly Gly Leu Val Lys Pro Gly Gly
1           5           10           15

```

```

Ser Leu Lys Leu Ser Cys Ala Ala Ser Gly Phe Val Phe Ser Ser Tyr

```

20

25

30

Asp Met Ser Trp Val Arg Gln Ala Gln Glu Lys Arg Leu Glu Trp Val
 35 40 45

Ala Tyr Met Ser Ser Gly Gly Gly Thr Tyr Tyr Pro Asp Thr Val Lys
 50 55 60

Gly Arg Phe Thr Ile Ser Arg Asp Asn Ala Lys Asn Thr Leu His Leu
 65 70 75 80

Gln Met Ser Ser Leu Lys Ser Glu Asp Thr Ala Met Tyr Tyr Cys Ala
 85 90 95

Arg His Asp Glu Ile Thr Asn Phe Asp Tyr Trp Gly Gln Gly Thr Thr
 100 105 110

Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro Leu
 115 120 125

Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys
 130 135 140

Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser
 145 150 155 160

Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser
 165 170 175

Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp
 180 185 190

Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr
 195 200 205

Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys
 210 215 220

Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys
 225 230 235 240

Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val
 245 250 255

Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe
 260 265 270

PCTIL2016050600-seq1-000001-EN

Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu
275 280 285

Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro Ile Met His
290 295 300

Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala
305 310 315 320

Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg
325 330 335

Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met
340 345 350

Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro
355 360 365

Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn
370 375 380

Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Val
385 390 395 400

Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr
405 410 415

Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His His Thr Glu
420 425 430

Lys Ser Leu Ser His Ser Pro Gly Lys
435 440

<210> 316
<211> 33
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of B47B6 light chain CDR

<400> 316
agggccagcc aaagtattag caacagccta cac

33

<210> 317
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of B47B6 light chain CDR

<400> 317
tatgcttccc agtccatctc t 21

<210> 318
<211> 27
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of B47B6 light chain CDR

<400> 318
caacagagtt acagctggcc tctcacg 27

<210> 319
<211> 11
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of B47B6 light chain CDR

<400> 319
Arg Ala Ser Gln Ser Ile Ser Asn Ser Leu His
1 5 10

<210> 320
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of B47B6 light chain CDR

<400> 320
Tyr Ala Ser Gln Ser Ile Ser
1 5

<210> 321
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of B47B6 light chain CDR

<400> 321
Gln Gln Ser Tyr Ser Trp Pro Leu Thr
1 5

<210> 322
<211> 15
<212> DNA
<213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of B47B6 heavy chain CDR
 <400> 322
 agctatgaca tgtct 15

<210> 323
 <211> 48
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of B47B6 heavy chain CDR
 <400> 323
 tacatgagta gtggtggcgg cacctactat ccagacactg tgaagggc 48

<210> 324
 <211> 27
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of B47B6 heavy chain CDR
 <400> 324
 catgatgaga ttactaactt tgactac 27

<210> 325
 <211> 5
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of B47B6 heavy chain CDR
 <400> 325
 Ser Tyr Asp Met Ser
 1 5

<210> 326
 <211> 16
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of B47B6 heavy chain CDR
 <400> 326
 Tyr Met Ser Ser Gly Gly Gly Thr Tyr Tyr Pro Asp Thr Val Lys Gly
 1 5 10 15

<210> 327
 <211> 9
 <212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of B47B6 heavy chain CDR

<400> 327

His Asp Glu Ile Thr Asn Phe Asp Tyr
1 5

<210> 328

<211> 639

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of C106B9 light chain

<400> 328

```

caaattgttc tcacccagtc tccagcaatc atgtctgcat ctccagggga gaaggtcacc      60
ataacctgca gtgtcagctc aagtgtagat tacattcact ggttcagca gaagccaggc      120
acttctccca aattctggat ttatagcaca tccatcctgg cttctggagt ccctgctcgc      180
ttcagtggca gtggatctgg gacctcttac tctctcacia tcagccgaat ggaggctgaa      240
gatgctgcca cttattactg ccagcaaagg agtagttacc caccacgtt cggctcgggg      300
acaaagttgg aaataaaacg ggctgatgct gcaccaactg tatccatctt cccaccatcc      360
agtgagcagt taacatctgg aggtgcctca gtcgtgtgct tcttgaacaa cttctacccc      420
aaagacatca atgtcaagtg gaagattgat ggcagtgaac gacaaaatgg cgtcctgaac      480
agttggactg atcaggacag caaagacagc acctacagca tgagcagcac cctcacgttg      540
accaaggacg agtatgaacg acataacagc tatacctgtg aggccactca caagacatca      600
acttcaccca ttgtcaagag cttcaacagg aatgagtgt      639

```

<210> 329

<211> 213

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of C106B9 light chain

<400> 329

Gln Ile Val Leu Thr Gln Ser Pro Ala Ile Met Ser Ala Ser Pro Gly
1 5 10 15

Glu Lys Val Thr Ile Thr Cys Ser Val Ser Ser Ser Val Asp Tyr Ile
20 25 30

His Trp Phe Gln Gln Lys Pro Gly Thr Ser Pro Lys Phe Trp Ile Tyr
35 40 45

PCTIL2016050600-seq1-000001-EN

Ser Thr Ser Ile Leu Ala Ser Gly Val Pro Ala Arg Phe Ser Gly Ser
50 55 60

Gly Ser Gly Thr Ser Tyr Ser Leu Thr Ile Ser Arg Met Glu Ala Glu
65 70 75 80

Asp Ala Ala Thr Tyr Tyr Cys Gln Gln Arg Ser Ser Tyr Pro Pro Thr
85 90 95

Phe Gly Ser Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala Pro
100 105 110

Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly Gly
115 120 125

Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile Asn
130 135 140

Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu Asn
145 150 155 160

Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser Ser
165 170 175

Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr Thr
180 185 190

Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser Phe
195 200 205

Asn Arg Asn Glu Cys
210

<210> 330
<211> 1320
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of C106B9 heavy chain

<400> 330
cagggttcaac tgcagcagtc tggaggtgag gtgatgaagc ctggggcctc agtgaagctt 60
tcctgcaagg ctactggcta cacattcact ggctactgga tagagtggat aaaacagagg 120
cctggacatg gccttgagtg gattggagag attttacctg gaagtgggtg tactaactac 180
aatgagaaat tcaagggcaa ggccacattc actgcacata catcctccaa cacagcctac 240

PCTIL2016050600-seq1-000001-EN

atgcaactca gcagcctgac aactgaggac tctgccatct attactgtgc aagggatagt 300
aactccttta cttactgggg ccaagggact ctggctactg tctcttcagc caaaacgaca 360
cccccatctg tctatccact ggcccctgga tctgctgccc aaactaactc catggtgacc 420
ctgggatgcc tggcaaggg ctatttccct gagccagtga cagtgcctg gaactctgga 480
tccctgtcca gcggtgtgca caccttccca gctgtcctgc agtctgacct ctacactctg 540
agcagctcag tgactgtccc ctccagcacc tggcccagcg agaccgtcac ctgcaacgtt 600
gccaccccg ccagcagcac caaggtggac aagaaaattg tgcccaggga ttgtggttgt 660
aagccttgca tatgtacagt cccagaagta tcatctgtct tcatcttccc cccaaagccc 720
aaggatgtgc tcaccattac tctgactcct aaggtcacgt gtgttggtgt agacatcagc 780
aaggatgatc ccgaggtcca gttcagctgg tttgtagatg atgtggaggt gcacacagct 840
cagacgcaac cccgggagga gcagttcaac agcactttcc gctcagtcag tgaacttccc 900
atcatgcacc aggactggct caatggcaag gaggttcaat gcaggggtcaa cagtgcagct 960
ttccctgccc ccatcgagaa aaccatctcc aaaaccaaag gcagaccgaa ggctccacag 1020
gtgtacacca ttccacctcc caaggagcag atggccaagg ataaagtcag tctgacctgc 1080
atgataacag acttcttccc tgaagacatt actgtggagt ggcagtggaa tgggcagcca 1140
gcggagaact acaagaacac tcagcccatc atggacacag atggctctta cttcgtctac 1200
agcaagctca atgtgcagaa gagcaactgg gaggcaggaa atactttcac ctgctctgtg 1260
ttacatgagg gcctgcacaa ccaccatact gagaagagcc tctcccactc tcctggtaaa 1320

<210> 331
<211> 440
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of C106B9 heavy chain

<400> 331

Gln Val Gln Leu Gln Gln Ser Gly Gly Glu Val Met Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Leu Ser Cys Lys Ala Thr Gly Tyr Thr Phe Thr Gly Tyr
20 25 30

Trp Ile Glu Trp Ile Lys Gln Arg Pro Gly His Gly Leu Glu Trp Ile
35 40 45

Gly Glu Ile Leu Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe
50 55 60

PCTIL2016050600-seq1-000001-EN

Lys Gly Lys Ala Thr Phe Thr Ala His Thr Ser Ser Asn Thr Ala Tyr
 65 70 75 80
 Met Gln Leu Ser Ser Leu Thr Thr Glu Asp Ser Ala Ile Tyr Tyr Cys
 85 90 95
 Ala Arg Asp Ser Asn Ser Phe Thr Tyr Trp Gly Gln Gly Thr Leu Val
 100 105 110
 Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val Tyr Pro Leu Ala
 115 120 125
 Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr Leu Gly Cys Leu
 130 135 140
 Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr Trp Asn Ser Gly
 145 150 155 160
 Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val Leu Gln Ser Asp
 165 170 175
 Leu Tyr Thr Leu Ser Ser Ser Val Thr Val Pro Ser Ser Thr Trp Pro
 180 185 190
 Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala Ser Ser Thr Lys
 195 200 205
 Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys Lys Pro Cys Ile
 210 215 220
 Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe Pro Pro Lys Pro
 225 230 235 240
 Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val Thr Cys Val Val
 245 250 255
 Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe Ser Trp Phe Val
 260 265 270
 Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro Arg Glu Glu Gln
 275 280 285
 Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro Ile Met His Gln
 290 295 300
 Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val Asn Ser Ala Ala
 305 310 315 320

PCTIL2016050600-seq1-000001-EN

Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr Lys Gly Arg Pro
325 330 335

Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys Glu Gln Met Ala
340 345 350

Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp Phe Phe Pro Glu
355 360 365

Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro Ala Glu Asn Tyr
370 375 380

Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser Tyr Phe Val Tyr
385 390 395 400

Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala Gly Asn Thr Phe
405 410 415

Thr Cys Ser Val Leu His Glu Gly Leu His Asn His His Thr Glu Lys
420 425 430

Ser Leu Ser His Ser Pro Gly Lys
435 440

<210> 332
<211> 30
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of C106B9 light chain CDR

<400> 332
agtgtcagct caagtgtaga ttacattcac

30

<210> 333
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of C106B9 light chain CDR

<400> 333
agcacatcca tcctggcttc t

21

<210> 334
<211> 27
<212> DNA
<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of C106B9 light chain CDR

<400> 334
cagcaaaagga gtagttaccc acccacg

27

<210> 335
<211> 10
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of C106B9 light chain CDR

<400> 335

Ser Val Ser Ser Ser Val Asp Tyr Ile His
1 5 10

<210> 336
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of C106B9 light chain CDR

<400> 336

Ser Thr Ser Ile Leu Ala Ser
1 5

<210> 337
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of C106B9 light chain CDR

<400> 337

Gln Gln Arg Ser Ser Tyr Pro Pro Thr
1 5

<210> 338
<211> 15
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of C106B9 heavy chain CDR

<400> 338
ggctactgga tagag

15

<210> 339
<211> 51
<212> DNA

<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of C106B9 heavy chain CDR

<400> 339

gagatTTTtac ctggaagtgg tggTactaac tacaatgaga aattcaaggg c

51

<210> 340

<211> 21

<212> DNA

<213> Artificial sequence

<220>

<223> Nucleic Acid sequence of C106B9 heavy chain CDR

<400> 340

gatagtaact cctttactta c

21

<210> 341

<211> 5

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of C106B9 heavy chain CDR

<400> 341

Gly Tyr Trp Ile Glu
1 5

<210> 342

<211> 17

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of C106B9 heavy chain CDR

<400> 342

Glu Ile Leu Pro Gly Ser Gly Gly Thr Asn Tyr Asn Glu Lys Phe Lys
1 5 10 15

Gly

<210> 343

<211> 7

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of C106B9 heavy chain CDR

<400> 343

Asp Ser Asn Ser Phe Thr Tyr
1 5

<210> 344
<211> 642
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of F184C7 light chain

<400> 344
gacatccaga tgactcagtc tccagcctcc ctatctgtat ctgtgggaga aactgtcacc 60
atcacatgtc gagcaagtga gaatatattac agaaaatttag catggtatca gcagaaacag 120
ggaaaatctc ctcaactcct ggtccatgct gcaacaaact tagcagatgg tgtgccatca 180
aggttcagtg gcagtggatc agacacacag tattccctca agatcaacag cctgcagtct 240
gaagattttg ggaattatta ctgtcaacat ttttggggga ctccgctcac gttcgggtgct 300
gggaccaagc tggagctgaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
tccagtgagc agttaacatc tggagggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 480
aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 642

<210> 345
<211> 214
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of F184C7 light chain

<400> 345

Asp Ile Gln Met Thr Gln Ser Pro Ala Ser Leu Ser Val Ser Val Gly
1 5 10 15

Glu Thr Val Thr Ile Thr Cys Arg Ala Ser Glu Asn Ile Tyr Arg Asn
20 25 30

Leu Ala Trp Tyr Gln Gln Lys Gln Gly Lys Ser Pro Gln Leu Leu Val
35 40 45

His Ala Ala Thr Asn Leu Ala Asp Gly Val Pro Ser Arg Phe Ser Gly
50 55 60

Ser Gly Ser Asp Thr Gln Tyr Ser Leu Lys Ile Asn Ser Leu Gln Ser

<210>	346
<211>	1338
<212>	DNA
<213>	Artificial sequence

<220>
<223> Nucleic Acid sequence of F184C7 heavy chain

<400>	346						
caggttcagc	tgcagcagtc	tggacctgag	atggtgaagc	ctggggcctc	agtgaagatt		60
ccctgcaagg	cttctggcta	cgcattcagt	agctcctgga	tgaactgggt	gaagcagagg		120
cctggaaaagg	gtcttgagtg	gattggacgg	atttatcctg	gagatggaga	tactaactac		180
aatgagaagt	tcaagggcaa	ggccacactg	actgtagaca	aatcctccag	cacagtctac		240
atgcaactca	gcagcctgac	atctgaggac	tctgcggtct	acttctgtgc	aagagaggct		300
actacggtag	tggccccgta	ctactttgac	tactggggcc	aaggcaccac	tctcacagtc		360
tcctcagcca	aaacgacacc	cccatctgtc	tatccactgg	cccctggatc	tgctgcccaa		420
actaactcca	tggtgaccct	gggatgcctg	gtcaagggct	atttcctga	gccagtgaca		480

PCTIL2016050600-seq1-000001-EN

gtgacctgga actctggatc cctgtccagc ggtgtgcaca ccttcccagc tgtcctgcag 540
tctgacctct acactctgag cagctcagtg actgtcccct ccagcacctg gcccagcgag 600
accgtcacct gcaacgttgc ccacccggcc agcagcacca aggtggacaa gaaaattgtg 660
cccagggatt gtggttgtaa gccttgcata tgtacagtcc cagaagtatc atctgtcttc 720
atcttccccc caaagcccaa ggatgtgctc accattactc tgactcctaa ggtcacgtgt 780
gttgtggtag acatcagcaa ggatgatccc gaggtccagt tcagctgggt ttagatgat 840
gtggagggtg acacagctca gacgcaacc cgggaggagc agttcaacag cactttccgc 900
tcagtcaagt aacttcccat catgcaccag gactggctca atggcaagga gttcaaatgc 960
agggtaaca gtgcagcttt cctgcccc atcgagaaaa ccatctccaa aaccaaaggc 1020
agaccgaagg ctccacaggt gtacaccatt ccacctcca aggagcagat ggccaaggat 1080
aaagtcagtc tgacctgcat gataacagac ttcttccctg aagacattac tgtggagtgg 1140
cagtggaatg ggcagccagc ggagaactac aagaacactc agcccatcat ggacacagat 1200
ggctcttact tcgtctacag caagctcaat gtgcagaaga gcaactggga ggcaggaaat 1260
actttcacct gctctgtgtt acatgagggc ctgcacaacc accatactga gaagagcctc 1320
tcccactctc ctggtaaa 1338

<210> 347

<211> 446

<212> PRT

<213> Artificial sequence

<220>

<223> Amino Acid sequence of F184C7 heavy chain

<400> 347

Gln Val Gln Leu Gln Gln Ser Gly Pro Glu Met Val Lys Pro Gly Ala
1 5 10 15

Ser Val Lys Ile Pro Cys Lys Ala Ser Gly Tyr Ala Phe Ser Ser Ser
20 25 30

Trp Met Asn Trp Val Lys Gln Arg Pro Gly Lys Gly Leu Glu Trp Ile
35 40 45

Gly Arg Ile Tyr Pro Gly Asp Gly Asp Thr Asn Tyr Asn Glu Lys Phe
50 55 60

Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Val Tyr
65 70 75 80

Met Gln Leu Ser Ser Leu Thr Ser Glu Asp Ser Ala Val Tyr Phe Cys

85

90

95

Ala Arg Glu Ala Thr Thr Val Val Ala Pro Tyr Tyr Phe Asp Tyr Trp
 100 105 110

Gly Gln Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Pro
 115 120 125

Ser Val Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met
 130 135 140

Val Thr Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr
 145 150 155 160

Val Thr Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro
 165 170 175

Ala Val Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Ser Val Thr Val
 180 185 190

Pro Ser Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His
 195 200 205

Pro Ala Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys
 210 215 220

Gly Cys Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe
 225 230 235 240

Ile Phe Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro
 245 250 255

Lys Val Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val
 260 265 270

Gln Phe Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr
 275 280 285

Gln Pro Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu
 290 295 300

Leu Pro Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys
 305 310 315 320

Arg Val Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser
 325 330 335

PCTIL2016050600-seq1-000001-EN

Lys Thr Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro
340 345 350

Pro Lys Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile
355 360 365

Thr Asp Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly
370 375 380

Gln Pro Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp
385 390 395 400

Gly Ser Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp
405 410 415

Glu Ala Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His
420 425 430

Asn His His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
435 440 445

<210> 348
<211> 33
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of F184C7 light chain CDR

<400> 348
cgagcaagtg agaatatatta cagaaattta gca 33

<210> 349
<211> 21
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of F184C7 light chain CDR

<400> 349
gctgcaacaa acttagcaga t 21

<210> 350
<211> 27
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of F184C7 light chain CDR

<400> 350
caacattttt gggggactcc gctcacg 27

<210> 351
 <211> 11
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 light chain CDR
 <400> 351

Arg Ala Ser Glu Asn Ile Tyr Arg Asn Leu Ala
 1 5 10

<210> 352
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 light chain CDR
 <400> 352

Ala Ala Thr Asn Leu Ala Asp
 1 5

<210> 353
 <211> 9
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 light chain CDR
 <400> 353

Gln His Phe Trp Gly Thr Pro Leu Thr
 1 5

<210> 354
 <211> 22
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of F184C7 heavy chain CDR

<400> 354
 attcagtagc tcctggatga ac

22

<210> 355
 <211> 51
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of F184C7 heavy chain CDR

<400> 355
 cggatttatc ctggagatgg agatactaac tacaatgaga agttcaaggg c 51

<210> 356
 <211> 39
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of F184C7 heavy chain CDR

<400> 356
 gaggtacta cggtagtggc cccgtactac tttgactac 39

<210> 357
 <211> 7
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 heavy chain CDR

<400> 357
 Phe Ser Ser Ser Trp Met Asn
 1 5

<210> 358
 <211> 17
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 heavy chain CDR

<400> 358
 Arg Ile Tyr Pro Gly Asp Gly Asp Thr Asn Tyr Asn Glu Lys Phe Lys
 1 5 10 15

Gly

<210> 359
 <211> 13
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of F184C7 heavy chain CDR

<400> 359
 Glu Ala Thr Thr Val Val Ala Pro Tyr Tyr Phe Asp Tyr
 1 5 10

<210> 360

<211> 642
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D10A3 light chain

<400> 360
 aatattgtgc tgacccagac tcccaaattc ctgcttgat cagcaggaga cagggtttcc 60
 ataacctgca aggccagtca gcgtgtgaat aatgatgtag cttggtacca acagaagcca 120
 gggcagtctc ctaaactgct gatatactat gcatccaatc gctacactgg agtccctgat 180
 cgcttcactg gcagtggata tgggacggat ttcactttca ccatcagcac tgtgcaggct 240
 gaagacctgg cagtttattt ctgtcagcag gattatagct ctccattcac gttcggctcg 300
 gggacaaaagt tggaaataaa acgggctgat gctgcaccaa ctgtatccat cttcccacca 360
 tccagtgagc agttaacatc tggaggtgcc tcagtcgtgt gcttcttgaa caacttctac 420
 cccaaagaca tcaatgtcaa gtggaagatt gatggcagtg aacgacaaaa tggcgtcctg 480
 aacagttgga ctgatcagga cagcaaagac agcacctaca gcatgagcag caccctcacg 540
 ttgaccaagg acgagtatga acgacataac agctatacct gtgaggccac tcacaagaca 600
 tcaacttcac ccattgtcaa gagcttcaac aggaatgagt gt 642

<210> 361
 <211> 214
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D10A3 light chain

<400> 361

Asn Ile Val Leu Thr Gln Thr Pro Lys Phe Leu Leu Val Ser Ala Gly
 1 5 10 15

Asp Arg Val Ser Ile Thr Cys Lys Ala Ser Gln Arg Val Asn Asn Asp
 20 25 30

Val Ala Trp Tyr Gln Gln Lys Pro Gly Gln Ser Pro Lys Leu Leu Ile
 35 40 45

Tyr Tyr Ala Ser Asn Arg Tyr Thr Gly Val Pro Asp Arg Phe Thr Gly
 50 55 60

Ser Gly Tyr Gly Thr Asp Phe Thr Phe Thr Ile Ser Thr Val Gln Ala
 65 70 75 80

Glu Asp Leu Ala Val Tyr Phe Cys Gln Gln Asp Tyr Ser Ser Pro Phe
 85 90 95

PCTIL2016050600-seq1-000001-EN

Thr Phe Gly Ser Gly Thr Lys Leu Glu Ile Lys Arg Ala Asp Ala Ala
100 105 110

Pro Thr Val Ser Ile Phe Pro Pro Ser Ser Glu Gln Leu Thr Ser Gly
115 120 125

Gly Ala Ser Val Val Cys Phe Leu Asn Asn Phe Tyr Pro Lys Asp Ile
130 135 140

Asn Val Lys Trp Lys Ile Asp Gly Ser Glu Arg Gln Asn Gly Val Leu
145 150 155 160

Asn Ser Trp Thr Asp Gln Asp Ser Lys Asp Ser Thr Tyr Ser Met Ser
165 170 175

Ser Thr Leu Thr Leu Thr Lys Asp Glu Tyr Glu Arg His Asn Ser Tyr
180 185 190

Thr Cys Glu Ala Thr His Lys Thr Ser Thr Ser Pro Ile Val Lys Ser
195 200 205

Phe Asn Arg Asn Glu Cys
210

<210> 362
<211> 1332
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D10A3 heavy chain

<400> 362
gagggtccagc tgcaacagtt tggaactgag ctgggtgaagc ctggggccttc agtgaagata 60
tcctgcaagg cttctggcta cacattcact gactacaaca tggactgggt gaagcagagc 120
catggaaaaga gccttgagtg gattggagat attaatccta actatgatac tactacctac 180
aaccagaagt tcaagggaaa ggccacattg actgtagaca agtcctccag cacagcctac 240
atggagctcc gcagcctgac ttctgaggac actgcagtct ttactgtgc aagaaggaac 300
tatggtaact acgtgggggt tgacttctgg ggccaaggca ccaactctcac agtctcctca 360
gccaaaacga caccatc tgtctatcca ctggcccctg gatctgctgc ccaaactaac 420
tccatggtga ccctgggatg cctggtcaag ggctatttcc ctgagccagt gacagtgacc 480
tggaactctg gatccctgtc cagcgggtgtg cacaccttcc cagctgtcct gcagtctgac 540
ctctacactc tgagcagctc agtgactgtc ccctccagca cctggcccag cgagaccgtc 600

PCTIL2016050600-seq1-000001-EN

```

acctgcaacg ttgcccaccc ggccagcagc accaaggtgg acaagaaaat tgtgcccagg      660
gattgtgggt gtaagccttg catatgtaca gtcccagaag tatcatctgt cttcatcttc      720
ccccaaagc ccaaggatgt gctcaccatt actctgactc ctaaggtcac gtgtgttggt      780
gtagacatca gcaaggatga tcccgaggtc cagttcagct ggtttgtaga tgatgtggag      840
gtgcacacag ctcagacgca accccgggag gagcagttca acagcacttt ccgctcagtc      900
agtgaacttc ccatcatgca ccaggactgg ctcaatggca aggagttcaa atgcagggtc      960
aacagtgcag ctttccctgc ccccatcgag aaaaccatct ccaaaaccaa aggcagaccg     1020
aagggtccac aggtgtacac cattccacct cccaaggagc agatggccaa ggataaagtc     1080
agtctgacct gcatgataac agacttcttc cctgaagaca ttactgtgga gtggcagtg      1140
aatgggcagc cagcggagaa ctacaagaac actcagccca tcatggacac agatggctct     1200
tacttcgtct acagcaagct caatgtgcag aagagcaact gggaggcagg aaatactttc     1260
acctgctctg tgttacatga gggcctgcac aaccaccata ctgagaagag cctctccac      1320
tctcctggta aa                                1332

```

<210> 363
 <211> 444
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D10A3 heavy chain
 <400> 363

Glu Val Gln Leu Gln Gln Phe Gly Thr Glu Leu Val Lys Pro Gly Ala
 1 5 10 15

Ser Val Lys Ile Ser Cys Lys Ala Ser Gly Tyr Thr Phe Thr Asp Tyr
 20 25 30

Asn Met Asp Trp Val Lys Gln Ser His Gly Lys Ser Leu Glu Trp Ile
 35 40 45

Gly Asp Ile Asn Pro Asn Tyr Asp Thr Thr Thr Tyr Asn Gln Lys Phe
 50 55 60

Lys Gly Lys Ala Thr Leu Thr Val Asp Lys Ser Ser Ser Thr Ala Tyr
 65 70 75 80

Met Glu Leu Arg Ser Leu Thr Ser Glu Asp Thr Ala Val Phe Tyr Cys
 85 90 95

Ala Arg Arg Asn Tyr Gly Asn Tyr Val Gly Phe Asp Phe Trp Gly Gln
 100 105 110

PCTIL2016050600-seq1-000001-EN

Gly Thr Thr Leu Thr Val Ser Ser Ala Lys Thr Thr Pro Pro Ser Val
115 120 125

Tyr Pro Leu Ala Pro Gly Ser Ala Ala Gln Thr Asn Ser Met Val Thr
130 135 140

Leu Gly Cys Leu Val Lys Gly Tyr Phe Pro Glu Pro Val Thr Val Thr
145 150 155 160

Trp Asn Ser Gly Ser Leu Ser Ser Gly Val His Thr Phe Pro Ala Val
165 170 175

Leu Gln Ser Asp Leu Tyr Thr Leu Ser Ser Val Thr Val Pro Ser
180 185 190

Ser Thr Trp Pro Ser Glu Thr Val Thr Cys Asn Val Ala His Pro Ala
195 200 205

Ser Ser Thr Lys Val Asp Lys Lys Ile Val Pro Arg Asp Cys Gly Cys
210 215 220

Lys Pro Cys Ile Cys Thr Val Pro Glu Val Ser Ser Val Phe Ile Phe
225 230 235 240

Pro Pro Lys Pro Lys Asp Val Leu Thr Ile Thr Leu Thr Pro Lys Val
245 250 255

Thr Cys Val Val Val Asp Ile Ser Lys Asp Asp Pro Glu Val Gln Phe
260 265 270

Ser Trp Phe Val Asp Asp Val Glu Val His Thr Ala Gln Thr Gln Pro
275 280 285

Arg Glu Glu Gln Phe Asn Ser Thr Phe Arg Ser Val Ser Glu Leu Pro
290 295 300

Ile Met His Gln Asp Trp Leu Asn Gly Lys Glu Phe Lys Cys Arg Val
305 310 315 320

Asn Ser Ala Ala Phe Pro Ala Pro Ile Glu Lys Thr Ile Ser Lys Thr
325 330 335

Lys Gly Arg Pro Lys Ala Pro Gln Val Tyr Thr Ile Pro Pro Pro Lys
340 345 350

Glu Gln Met Ala Lys Asp Lys Val Ser Leu Thr Cys Met Ile Thr Asp

355

360

365

Phe Phe Pro Glu Asp Ile Thr Val Glu Trp Gln Trp Asn Gly Gln Pro
 370 375 380

Ala Glu Asn Tyr Lys Asn Thr Gln Pro Ile Met Asp Thr Asp Gly Ser
 385 390 395 400

Tyr Phe Val Tyr Ser Lys Leu Asn Val Gln Lys Ser Asn Trp Glu Ala
 405 410 415

Gly Asn Thr Phe Thr Cys Ser Val Leu His Glu Gly Leu His Asn His
 420 425 430

His Thr Glu Lys Ser Leu Ser His Ser Pro Gly Lys
 435 440

<210> 364
 <211> 33
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D10A3 light chain CDR

<400> 364
 aaggccagtc agcgtgtgaa taatgatgta gct

33

<210> 365
 <211> 21
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D10A3 light chain CDR

<400> 365
 tatgcatcca atcgctacac t

21

<210> 366
 <211> 27
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D10A3 light chain CDR

<400> 366
 cagcaggatt atagctctcc attcacg

27

<210> 367
 <211> 11
 <212> PRT
 <213> Artificial sequence

<220>
<223> Amino Acid sequence of D10A3 light chain CDR

<400> 367

Lys Ala Ser Gln Arg Val Asn Asn Asp Val Ala
1 5 10

<210> 368
<211> 7
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of D10A3 light chain CDR

<400> 368

Tyr Ala Ser Asn Arg Tyr Thr
1 5

<210> 369
<211> 9
<212> PRT
<213> Artificial sequence

<220>
<223> Amino Acid sequence of D10A3 light chain CDR

<400> 369

Gln Gln Asp Tyr Ser Ser Pro Phe Thr
1 5

<210> 370
<211> 15
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D10A3 heavy chain CDR

<400> 370

gactacaaca tggac

15

<210> 371
<211> 51
<212> DNA
<213> Artificial sequence

<220>
<223> Nucleic Acid sequence of D10A3 heavy chain CDR

<400> 371

gatattaatc ctaactatga tactactacc tacaaccaga agttcaaggg a

51

<210> 372

<211> 33
 <212> DNA
 <213> Artificial sequence

<220>
 <223> Nucleic Acid sequence of D10A3 heavy chain CDR

<400> 372
 aggaactatg gtaactacgt ggggtttgac ttc

33

<210> 373
 <211> 5
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D10A3 heavy chain CDR

<400> 373

Asp Tyr Asn Met Asp
 1 5

<210> 374
 <211> 17
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D10A3 heavy chain CDR

<400> 374

Asp Ile Asn Pro Asn Tyr Asp Thr Thr Thr Tyr Asn Gln Lys Phe Lys
 1 5 10 15

Gly

<210> 375
 <211> 11
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Amino Acid sequence of D10A3 heavy chain CDR

<400> 375

Arg Asn Tyr Gly Asn Tyr Val Gly Phe Asp Phe
 1 5 10

<210> 376
 <211> 163
 <212> PRT
 <213> homo sapiens

<400> 376

PCTIL2016050600-seq1-000001-EN

Met Lys Trp Lys Ala Leu Phe Thr Ala Ala Ile Leu Gln Ala Gln Leu
1 5 10 15

Pro Ile Thr Glu Ala Gln Ser Phe Gly Leu Leu Asp Pro Lys Leu Cys
20 25 30

Tyr Leu Leu Asp Gly Ile Leu Phe Ile Tyr Gly Val Ile Leu Thr Ala
35 40 45

Leu Phe Leu Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr
50 55 60

Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg
65 70 75 80

Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met
85 90 95

Gly Gly Lys Pro Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn Glu
100 105 110

Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met Lys
115 120 125

Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly Leu
130 135 140

Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala Leu
145 150 155 160

Pro Pro Arg

<210> 377
<211> 164
<212> PRT
<213> homo sapiens
<400> 377

Met Lys Trp Lys Ala Leu Phe Thr Ala Ala Ile Leu Gln Ala Gln Leu
1 5 10 15

Pro Ile Thr Glu Ala Gln Ser Phe Gly Leu Leu Asp Pro Lys Leu Cys
20 25 30

Tyr Leu Leu Asp Gly Ile Leu Phe Ile Tyr Gly Val Ile Leu Thr Ala
35 40 45

PCTIL2016050600-seq1-000001-EN

Leu Phe Leu Arg Val Lys Phe Ser Arg Ser Ala Asp Ala Pro Ala Tyr
50 55 60

Gln Gln Gly Gln Asn Gln Leu Tyr Asn Glu Leu Asn Leu Gly Arg Arg
65 70 75 80

Glu Glu Tyr Asp Val Leu Asp Lys Arg Arg Gly Arg Asp Pro Glu Met
85 90 95

Gly Gly Lys Pro Gln Arg Arg Lys Asn Pro Gln Glu Gly Leu Tyr Asn
100 105 110

Glu Leu Gln Lys Asp Lys Met Ala Glu Ala Tyr Ser Glu Ile Gly Met
115 120 125

Lys Gly Glu Arg Arg Arg Gly Lys Gly His Asp Gly Leu Tyr Gln Gly
130 135 140

Leu Ser Thr Ala Thr Lys Asp Thr Tyr Asp Ala Leu His Met Gln Ala
145 150 155 160

Leu Pro Pro Arg

<210> 378
<211> 123
<212> PRT
<213> homo sapiens

<400> 378

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Asn Lys Ile Leu Val Lys Gln Ser Pro Met Leu Val Ala Tyr
20 25 30

Asp Asn Ala Val Asn Leu Ser Trp Lys His Leu Cys Pro Ser Pro Leu
35 40 45

Phe Pro Gly Pro Ser Lys Pro Phe Trp Val Leu Val Val Val Gly Gly
50 55 60

Val Leu Ala Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile Phe
65 70 75 80

Trp Val Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met Asn
85 90 95

PCTIL2016050600-seq1-000001-EN

Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr
100 105 110

Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
115 120

<210> 379
<211> 101
<212> PRT
<213> homo sapiens

<400> 379

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Lys His Leu Cys Pro Ser Pro Leu Phe Pro Gly Pro Ser Lys
20 25 30

Pro Phe Trp Val Leu Val Val Val Gly Gly Val Leu Ala Cys Tyr Ser
35 40 45

Leu Leu Val Thr Val Ala Phe Ile Ile Phe Trp Val Arg Ser Lys Arg
50 55 60

Ser Arg Leu Leu His Ser Asp Tyr Met Asn Met Thr Pro Arg Arg Pro
65 70 75 80

Gly Pro Thr Arg Lys His Tyr Gln Pro Tyr Ala Pro Pro Arg Asp Phe
85 90 95

Ala Ala Tyr Arg Ser
100

<210> 380
<211> 220
<212> PRT
<213> homo sapiens

<400> 380

Met Leu Arg Leu Leu Leu Ala Leu Asn Leu Phe Pro Ser Ile Gln Val
1 5 10 15

Thr Gly Asn Lys Ile Leu Val Lys Gln Ser Pro Met Leu Val Ala Tyr
20 25 30

Asp Asn Ala Val Asn Leu Ser Cys Lys Tyr Ser Tyr Asn Leu Phe Ser
35 40 45

PCTIL2016050600-seq1-000001-EN

Arg Glu Phe Arg Ala Ser Leu His Lys Gly Leu Asp Ser Ala Val Glu
50 55 60

Val Cys Val Val Tyr Gly Asn Tyr Ser Gln Gln Leu Gln Val Tyr Ser
65 70 75 80

Lys Thr Gly Phe Asn Cys Asp Gly Lys Leu Gly Asn Glu Ser Val Thr
85 90 95

Phe Tyr Leu Gln Asn Leu Tyr Val Asn Gln Thr Asp Ile Tyr Phe Cys
100 105 110

Lys Ile Glu Val Met Tyr Pro Pro Pro Tyr Leu Asp Asn Glu Lys Ser
115 120 125

Asn Gly Thr Ile Ile His Val Lys Gly Lys His Leu Cys Pro Ser Pro
130 135 140

Leu Phe Pro Gly Pro Ser Lys Pro Phe Trp Val Leu Val Val Val Gly
145 150 155 160

Gly Val Leu Ala Cys Tyr Ser Leu Leu Val Thr Val Ala Phe Ile Ile
165 170 175

Phe Trp Val Arg Ser Lys Arg Ser Arg Leu Leu His Ser Asp Tyr Met
180 185 190

Asn Met Thr Pro Arg Arg Pro Gly Pro Thr Arg Lys His Tyr Gln Pro
195 200 205

Tyr Ala Pro Pro Arg Asp Phe Ala Ala Tyr Arg Ser
210 215 220

<210> 381
<211> 255
<212> PRT
<213> homo sapiens

<400> 381

Met Gly Asn Ser Cys Tyr Asn Ile Val Ala Thr Leu Leu Leu Val Leu
1 5 10 15

Asn Phe Glu Arg Thr Arg Ser Leu Gln Asp Pro Cys Ser Asn Cys Pro
20 25 30

Ala Gly Thr Phe Cys Asp Asn Asn Arg Asn Gln Ile Cys Ser Pro Cys
35 40 45

PCTIL2016050600-seq1-000001-EN

Pro Pro Asn Ser Phe Ser Ser Ala Gly Gly Gln Arg Thr Cys Asp Ile
50 55 60

Cys Arg Gln Cys Lys Gly Val Phe Arg Thr Arg Lys Glu Cys Ser Ser
65 70 75 80

Thr Ser Asn Ala Glu Cys Asp Cys Thr Pro Gly Phe His Cys Leu Gly
85 90 95

Ala Gly Cys Ser Met Cys Glu Gln Asp Cys Lys Gln Gly Gln Glu Leu
100 105 110

Thr Lys Lys Gly Cys Lys Asp Cys Cys Phe Gly Thr Phe Asn Asp Gln
115 120 125

Lys Arg Gly Ile Cys Arg Pro Trp Thr Asn Cys Ser Leu Asp Gly Lys
130 135 140

Ser Val Leu Val Asn Gly Thr Lys Glu Arg Asp Val Val Cys Gly Pro
145 150 155 160

Ser Pro Ala Asp Leu Ser Pro Gly Ala Ser Ser Val Thr Pro Pro Ala
165 170 175

Pro Ala Arg Glu Pro Gly His Ser Pro Gln Ile Ile Ser Phe Phe Leu
180 185 190

Ala Leu Thr Ser Thr Ala Leu Leu Phe Leu Leu Phe Phe Leu Thr Leu
195 200 205

Arg Phe Ser Val Val Lys Arg Gly Arg Lys Lys Leu Leu Tyr Ile Phe
210 215 220

Lys Gln Pro Phe Met Arg Pro Val Gln Thr Thr Gln Glu Glu Asp Gly
225 230 235 240

Cys Ser Cys Arg Phe Pro Glu Glu Glu Glu Gly Gly Cys Glu Leu
245 250 255

<210> 382
<211> 199
<212> PRT
<213> homo sapiens

<400> 382

Met Lys Ser Gly Leu Trp Tyr Phe Phe Leu Phe Cys Leu Arg Ile Lys
1 5 10 15

PCTIL2016050600-seq1-000001-EN

Val Leu Thr Gly Glu Ile Asn Gly Ser Ala Asn Tyr Glu Met Phe Ile
20 25 30

Phe His Asn Gly Gly Val Gln Ile Leu Cys Lys Tyr Pro Asp Ile Val
35 40 45

Gln Gln Phe Lys Met Gln Leu Leu Lys Gly Gly Gln Ile Leu Cys Asp
50 55 60

Leu Thr Lys Thr Lys Gly Ser Gly Asn Thr Val Ser Ile Lys Ser Leu
65 70 75 80

Lys Phe Cys His Ser Gln Leu Ser Asn Asn Ser Val Ser Phe Phe Leu
85 90 95

Tyr Asn Leu Asp His Ser His Ala Asn Tyr Tyr Phe Cys Asn Leu Ser
100 105 110

Ile Phe Asp Pro Pro Pro Phe Lys Val Thr Leu Thr Gly Gly Tyr Leu
115 120 125

His Ile Tyr Glu Ser Gln Leu Cys Cys Gln Leu Lys Phe Trp Leu Pro
130 135 140

Ile Gly Cys Ala Ala Phe Val Val Val Cys Ile Leu Gly Cys Ile Leu
145 150 155 160

Ile Cys Trp Leu Thr Lys Lys Lys Tyr Ser Ser Ser Val His Asp Pro
165 170 175

Asn Gly Glu Tyr Met Phe Met Arg Ala Val Asn Thr Ala Lys Lys Ser
180 185 190

Arg Leu Thr Asp Val Thr Leu
195

<210> 383
<211> 277
<212> PRT
<213> homo sapiens

<400> 383

Met Cys Val Gly Ala Arg Arg Leu Gly Arg Gly Pro Cys Ala Ala Leu
1 5 10 15

Leu Leu Leu Gly Leu Gly Leu Ser Thr Val Thr Gly Leu His Cys Val
20 25 30

PCTIL2016050600-seq1-000001-EN

Gly Asp Thr Tyr Pro Ser Asn Asp Arg Cys Cys His Glu Cys Arg Pro
 35 40 45
 Gly Asn Gly Met Val Ser Arg Cys Ser Arg Ser Gln Asn Thr Val Cys
 50 55 60
 Arg Pro Cys Gly Pro Gly Phe Tyr Asn Asp Val Val Ser Ser Lys Pro
 65 70 75 80
 Cys Lys Pro Cys Thr Trp Cys Asn Leu Arg Ser Gly Ser Glu Arg Lys
 85 90 95
 Gln Leu Cys Thr Ala Thr Gln Asp Thr Val Cys Arg Cys Arg Ala Gly
 100 105 110
 Thr Gln Pro Leu Asp Ser Tyr Lys Pro Gly Val Asp Cys Ala Pro Cys
 115 120 125
 Pro Pro Gly His Phe Ser Pro Gly Asp Asn Gln Ala Cys Lys Pro Trp
 130 135 140
 Thr Asn Cys Thr Leu Ala Gly Lys His Thr Leu Gln Pro Ala Ser Asn
 145 150 155 160
 Ser Ser Asp Ala Ile Cys Glu Asp Arg Asp Pro Pro Ala Thr Gln Pro
 165 170 175
 Gln Glu Thr Gln Gly Pro Pro Ala Arg Pro Ile Thr Val Gln Pro Thr
 180 185 190
 Glu Ala Trp Pro Arg Thr Ser Gln Gly Pro Ser Thr Arg Pro Val Glu
 195 200 205
 Val Pro Gly Gly Arg Ala Val Ala Ala Ile Leu Gly Leu Gly Leu Val
 210 215 220
 Leu Gly Leu Leu Gly Pro Leu Ala Ile Leu Leu Ala Leu Tyr Leu Leu
 225 230 235 240
 Arg Arg Asp Gln Arg Leu Pro Pro Asp Ala His Lys Pro Pro Gly Gly
 245 250 255
 Gly Ser Phe Arg Thr Pro Ile Gln Glu Glu Gln Ala Asp Ala His Ser
 260 265 270
 Thr Leu Ala Lys Ile
 275

PCTIL2016050600-seq1-000001-EN

<210> 384
<211> 9
<212> PRT
<213> Artificial Sequence

<220>
<223> short peptide

<400> 384

Asp Leu Met Gly Tyr Ile Pro Leu Val
1 5