




(12) **DEMANDE DE BREVET CANADIEN
CANADIAN PATENT APPLICATION**

(13) **A1**

(86) Date de dépôt PCT/PCT Filing Date: 2017/09/12	(51) Cl.Int./Int.Cl. <i>C12N 5/0781</i> (2010.01), <i>A61K 35/17</i> (2015.01), <i>C07K 14/705</i> (2006.01), <i>C12N 15/11</i> (2006.01), <i>C12N 15/52</i> (2006.01), <i>C12N 15/85</i> (2006.01), <i>C12N 15/867</i> (2006.01), <i>C12N 15/87</i> (2006.01), <i>C12N 5/10</i> (2006.01)
(87) Date publication PCT/PCT Publication Date: 2018/03/15	(71) Demandeurs/Applicants: REGENT OF THE UNIVERSITY OF MINNESOTA, US; MORIARITY, BRANDEN S., US; HUNZEKER, JOHN, US
(85) Entrée phase nationale/National Entry: 2019/03/12	(72) Inventeurs/Inventors: MORIARITY, BRANDEN, S., US; JOHNSON, MATTHEW, US; LAOHARAWEE, KANUT, US;
(86) N° demande PCT/PCT Application No.: US 2017/051182	
(87) N° publication PCT/PCT Publication No.: 2018/049401	
(30) Priorité/Priority: 2016/09/12 (US62/393,512)	

(54) Titre : LYMPHOCYTE B PRIMAIRE RESULTANT D'UNE EDITION GENIQUE ET PROCEDES DE PREPARATION ET D'UTILISATION
(54) Title: GENOME EDITED PRIMARY B CELL AND METHODS OF MAKING AND USING

Figure 5



(57) **Abrégé/Abstract:**
Genome-edited primary B cells, methods of making genome-edited primary B cells, a therapeutic cassette that can be introduced into primary B cells, and methods of using the genome-edited primary B cells and the therapeutic cassette.

(72) Inventeurs(suite)/Inventors(continued): MORIARITY, BRANDEN S., US; HUNZEKER, JOHN, US

(74) Agent: SMART & BIGGAR

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property
Organization
International Bureau

(43) International Publication Date
15 March 2018 (15.03.2018)



(10) International Publication Number
WO 2018/049401 A1

(51) International Patent Classification:

A61K 31/7088 (2006.01) *C12N 5/0781* (2010.01)
A61K 31/7115 (2006.01) *C12N 15/11* (2006.01)
A61K 38/17 (2006.01) *C12N 15/67* (2006.01)
A61K 38/43 (2006.01) *C12N 15/87* (2006.01)

(21) International Application Number:

PCT/US2017/051182

(22) International Filing Date:

12 September 2017 (12.09.2017)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

62/393,512 12 September 2016 (12.09.2016) US

(71) Applicant: **REGENT OF THE UNIVERSITY OF MINNESOTA** [US/US]; 600 McNamara Alumni Center, 200 Oak Street SE, Minneapolis, MN 55455 (US).

(72) Inventors; and

(71) Applicants: **MORIARTY, Branden, S.** [US/US]; Cancer Cardiovascular Research Building, 3-128, 2231 6th Street SE, Minneapolis, MN 55455 (US). **HUNZEKER, John** [US/US]; c/o Katrina Schweiker, CMR 489 Box 1467, APO AE, 09751 (US). **JOHNSON, Matthew** [US/US]; Cancer

Cardiovascular Research Building, 3-128, 2231 6th Street SE, Minneapolis, MN 55455 (US). **LAOHARAWEE, Kanut** [TH/US]; 321 Church St SE, 6-160 Jackson Hall, Minneapolis, MN 55455-0250 (US).


(74) Agent: **ARNESON, Laura, N.**; Muetting, Raasch & Gebhardt, P.A., P.O. Box 581336, Minneapolis, MN 55458-1336 (US).

(81) Designated States (*unless otherwise indicated, for every kind of national protection available*): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DJ, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JO, JP, KE, KG, KH, KN, KP, KR, KW, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (*unless otherwise indicated, for every kind of regional protection available*): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,

(54) Title: GENOME EDITED PRIMARY B CELL AND METHODS OF MAKING AND USING

Figure 5



(57) Abstract: Genomically-edited primary B cells, methods of making genome-edited primary B cells, a therapeutic cassette that can be introduced into primary B cells, and methods of using the genome-edited primary B cells and the therapeutic cassette.

[Continued on next page]

WO 2018/049401 A1

WO 2018/049401 A1

MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
KM, ML, MR, NE, SN, TD, TG).

Published:

- *with international search report (Art. 21(3))*
- *with sequence listing part of description (Rule 5.2(a))*

GENOME EDITED PRIMARY B CELL AND METHODS OF MAKING AND USING

5

CONTINUING APPLICATION DATA

This application claims the benefit of U.S. Provisional Application Serial No. 62/393,512, filed September 12, 2016, which is incorporated by reference herein.

10

SEQUENCE LISTING

This application contains a Sequence Listing electronically submitted to the United States Patent and Trademark Office via EFS-Web as an ASCII text file entitled "110-05460201_ST25.txt" having a size of 90.3 kilobytes and created on September 12, 2017. Due to the electronic filing of the Sequence Listing, the electronically submitted Sequence Listing serves as both the paper copy required by 37 CFR § 1.821(c) and the CRF required by § 1.821(e). The information contained in the Sequence Listing is incorporated by reference herein.

15

BACKGROUND

B lymphocytes are a component of the adaptive immune system described as a population of cells that express clonally diverse cell surface immunoglobulin (Ig) receptors recognizing specific antigenic epitopes. The process of B cell maturation appears to be largely conserved between humans and mice. Dysregulation of normal B cell development can lead to congenital immunodeficiencies, autoimmune diseases, and even leukemia or lymphoma. B cells can generate protective antibodies that last for decades after initial antigen exposure. After immunization, antigen-reactive Ig are detectable for many years due to the generation of long-lived plasma cells. These long-lived plasma cells can arise from long-lived antibody producing cells that do not proliferate or cells that arise from germinal centers during stages of antibody maturation. These plasma cells are believed to live for many years and potentially even decades.

25

30

SUMMARY OF THE INVENTION

This disclosure describes genome-edited primary B cells, methods of making genome-edited primary B cells, a therapeutic cassette that can be introduced into primary B cells, and methods of using the genome-edited primary B cells and the therapeutic cassette.

In one aspect, this disclosure describes a genome-edited primary B cell. In some embodiments, the B cell includes a cell expressing at least one of CD19, IgM, IgD, CD27, CD21, and CXCR5.

5 In some embodiments, the B cell includes a cell isolated from peripheral blood, umbilical cord cells, ascites, or a solid tumor. In some embodiments, the B cell includes a non-clonal cell, a proliferating cell, a mammalian cell, and/or a human cell.

In some embodiments of the genome-edited primary B cell, an endogenous gene is deleted, a gene includes a point mutation, and/or the cell includes an exogenous gene. The gene can include a nucleic acid encoding at least a portion of a B cell receptor (BCR).

10 In some embodiments, the B cell exhibits decreased expression of an endogenous B cell receptor (BCR) relative to a non-genome edited primary B cell.

In some embodiments, the B cell includes a modification that alters expression or activity of CD19. In some embodiments, the B cell includes a modification of a noncoding region of the genome.

15 In some embodiments, the genome-edited primary B cell exhibits increased survival relative to a non-genome edited primary B cell.

In another aspect, this disclosure describes a method that includes administering to the subject a composition comprising a genome-edited primary B cell. In some embodiments, the method includes treating or preventing a disease in a subject; the disease can include, for example,
20 an enzymopathy, a cancer, a precancerous condition, an infection with a pathogen, or a viral infection.

In another aspect, this disclosure describes a therapeutic cassette that includes a nucleic acid encoding a B cell receptor (BCR) and a nucleic acid encoding a gene to be overexpressed. The B cell receptor can include a transmembrane region. The gene to be overexpressed can include a
25 nucleic acid encoding an enzyme. In some embodiments, the enzyme includes an enzyme lacking in a subject having an enzymopathy or having been diagnosed with an enzymopathy. In some embodiments, the nucleic acid encoding the BCR and the nucleic acid encoding the gene to be overexpressed are transcriptionally linked, translationally linked, or both.

In some embodiments, the therapeutic cassette includes a promoter that drives transcription
30 of the nucleic acid encoding the BCR and the nucleic acid encoding the gene to be overexpressed.

In another aspect, this disclosure describes a cell that includes the therapeutic cassette. In some embodiments, the cell includes a B cell, and/or a long-lived plasma cell. The cell can include a modification of a nucleic acid encoding the endogenous B cell receptor (BCR).

5 In a further aspect, this disclosure describes a method that includes administering a cell that includes the therapeutic cassette. In some embodiments, the method can also include administering an antigen to the subject, wherein the BCR of the therapeutic cassette is specific to the antigen.

In yet another aspect, this disclosure describes a method including editing a genome of a primary B cell. The primary B cell can include a cell expressing CD19; a cell expressing IgM or IgD, or a combination thereof; a CD27⁺ cell; a CD21⁺ cell; and/or a CXCR5⁺ cell. In some
10 embodiments, the primary B cell can include a cell isolated from peripheral blood, umbilical cord cells, ascites, or a solid tumor; a non-clonal cell; a proliferating cell; a mammalian cell; and/or a human cell.

In some embodiments, the method includes introducing an exogenous protein or nucleic acid into the primary B cell. The method can include electroporation of the cell. In some embodiments,
15 the method includes introducing a targeted nuclease or a nucleic acid encoding a targeted nuclease (including, for example, Cas9 or a nucleic acid encoding Cas9). In some embodiments, the method includes introducing a guide RNA (gRNA). The gRNA can include a chemically modified gRNA. A chemically modified gRNA can include 2'-O-methyl (M), 2'-O-methyl-3'-phosphorothioate (MS), or 2'-O-methyl-3'-thiophosphonoacetate (MSP).

20 In some embodiments, the method includes introducing *Natronobacterium gregoryi* Argonaute (NgAgo) and a guide DNA (gDNA).

In some embodiments, editing the genome includes editing a gene including, for example, a nucleic acid encoding for CD19; editing a nucleic acid encoding a portion of a B cell receptor (BCR); and/or editing a noncoding region of the genome.

25 In some embodiments, the method further includes selecting a B cell. In some embodiments, selection is performed after editing the genome. In some embodiments, the B cell is selected for an edited genome.

In some embodiments, the method includes subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step.

30 The words “preferred” and “preferably” refer to embodiments of the invention that may afford certain benefits, under certain circumstances. However, other embodiments may also be preferred, under the same or other circumstances. Furthermore, the recitation of one or more

preferred embodiments does not imply that other embodiments are not useful, and is not intended to exclude other embodiments from the scope of the invention.

The terms “comprises” and variations thereof do not have a limiting meaning where these terms appear in the description and claims.

5 Unless otherwise specified, “a,” “an,” “the,” and “at least one” are used interchangeably and mean one or more than one.

Also herein, the recitations of numerical ranges by endpoints include all numbers subsumed within that range (e.g., 1 to 5 includes 1, 1.5, 2, 2.75, 3, 3.80, 4, 5, etc.).

10 For any method disclosed herein that includes discrete steps, the steps may be conducted in any feasible order. And, as appropriate, any combination of two or more steps may be conducted simultaneously.

All headings are for the convenience of the reader and should not be used to limit the meaning of the text that follows the heading, unless so specified.

15 Unless otherwise indicated, all numbers expressing quantities of components, molecular weights, and so forth used in the specification and claims are to be understood as being modified in all instances by the term “about.” Accordingly, unless otherwise indicated to the contrary, the numerical parameters set forth in the specification and claims are approximations that may vary depending upon the desired properties sought to be obtained by the present invention. At the very least, and not as an attempt to limit the doctrine of equivalents to the
20 scope of the claims, each numerical parameter should at least be construed in light of the number of reported significant digits and by applying ordinary rounding techniques.

Notwithstanding that the numerical ranges and parameters setting forth the broad scope of the invention are approximations, the numerical values set forth in the specific examples are reported as precisely as possible. All numerical values, however, inherently contain a range
25 necessarily resulting from the standard deviation found in their respective testing measurements.

The above summary of the present invention is not intended to describe each disclosed embodiment or every implementation of the present invention. The description that follows more particularly exemplifies illustrative embodiments. In several places throughout the application,
30 guidance is provided through lists of examples, which examples can be used in various combinations. In each instance, the recited list serves only as a representative group and should not be interpreted as an exclusive list.

BRIEF DESCRIPTION OF THE FIGURES

Figure 1 shows delivery of mRNA encoding eGFP into stimulated primary human B cells. **(A)** Histograms depicting the percent eGFP positive B cells after gating on live cells. **(B)** Flow plots quantifying viability of B cells depicted in panel A based on APC e-Fluor 780 Fixable Viability Dye.

Figure 2 shows exemplary results of a surveyor nuclease assay from stimulated primary human B cells treated with chemically modified gRNAs and Cas9 mRNA or protein. DNA was extracted 3 days after transfection. Lanes without gene modification rates are not labeled for simplicity but represent 0% editing. Lanes are numbered 1-5 (left to right) with the key denoting conditions used. Target genes are noted in brackets below each image.

Figure 3 shows a schematic of some exemplary embodiments of targeted gene integration at the BCR heavy chain locus. **(A)** Diagram of the BCR heavy chain locus depicting the enhancers, D, J, and constant exons. A proposed site of transgene integration is indicated. **(B)** Diagram of two embodiments for cargo design for gene delivery at the BCR heavy chain locus. P2A: ribosomal skip sequence to link cDNAs transcriptionally, pA: polyadenylation sequence, Splice acc: strong splice acceptor element.

Figure 4 shows exemplary results of lentiviral transduction of primary human B cells. Contour plots depict the percent of eGFP-expressing B cells after gating on live cells based on APC e-Fluor780 Fixable Viability Dye. BaEV-psuedotyped (Fusil et al., Molecular Therapy, 2015, 23(11):1734-47) (left column), VSVg-psuedotyped (middle column), and no lentivirus controls (right column) were tested in acutely stimulated (top row), chronically stimulated (center row), and unstimulated (bottom row) B cell cultures, as described in Example 2. B cells were more efficiently transduced across all conditions using the BaEV psuedotype virus compared to cells transduced with the standard VSVg psuedotype.

Figure 5 shows exemplary cell surface expression of CD19 protein following knockout of the CD19 gene in primary human B cell cultures. The CD19 locus was targeted by electroporating Cas9 mRNA and chemically modified gRNA (TriLink) into stimulated B cells using the NEON Transfection System (1400 volts, 10 milliseconds (ms), 3 pulses). Cas9 mRNA without gRNA, and no-electroporation samples were included to demonstrate control levels of CD19. CD19 expression was measured by flow cytometry five days after electroporation. **(A)** Histograms depicting CD19 expression in Cas9+gRNA treated cells (solid line) vs. Cas9 alone treated cells (dashed line) and no-

electroporation controls (solid grey background). **(B)** CD19 cell surface expression decreased from 96-98% in cells treated with Cas9 alone and in no electroporation controls to 38% in B cells treated with Cas9 and CD19 gRNA.

Figure 6 shows exemplary vector constructs of plasmids encoding therapeutic cassettes used to engineer primary human B cells to express antibodies. These plasmids allow for expression of a membrane-bound B cell receptor (BCR) or a secreted antibody, depending on the maturation state of the B cells. **(A)** Schematic of a lentiviral vector constructed to express anti-PE heavy chain and light chain and codon-optimized alpha-L-iduronidase (coIDUA) under regulation of MND promoter. Co-expression of the heavy chain, the light chain and the coIDUA was obtained by introducing the P2A peptide sequences. Sequence is provided in Table 3. **(B)** Schematic of FAM1 and FAM2 lentiviral vectors (originally described in Fusil et al., Molecular Therapy, 2015, 23(11):1734-47) modified to express an anti-PE B cell receptor (BCR)/antibody. Sequences are provided in Tables 6 and 8. **(C)** Schematic of a lentiviral vector constructed to express B12 heavy chain and light chain and codon-optimized IDUA (coIDUA) under regulation of MND promoter. Co-expression of the heavy chain, the light chain and the coIDUA was obtained by introducing the P2A peptide sequences. Sequence is provided in Table 4. **(D)** Schematic of FAM1 and FAM2 lentiviral vectors (originally described in Fusil et al., Molecular Therapy, 2015, 23(11):1734-47) modified to express a B12 B cell receptor (BCR)/antibody. Sequences are provided in Tables 5 and 7.

Figure 7 shows the impact of exemplary electroporation settings on the efficacy of transfecting DNA or RNA encoding eGFP into primary human B cells using the NEON Transfection System. **(A)** List of the conditions tested – voltage (volts); widths (milliseconds (ms)), and number of pulses are shown. **(B)** The impact of the electroporation conditions on transfection efficacy (top row), cell viability (middle row), and total cell counts (bottom row) were tested using either a GFP-encoding plasmid (left column) or GFP-encoding mRNA (right column).

Figure 8 shows exemplary results of indel formation at the BCL2 locus using the Alt-R CRISPR-Cas9 system, as described in Example 2. Primary human B cells were electroporated using Neon Transfection System (1400 Volts, 10 ms, 3 pulses) with Alt-R CRISPR-Cas9 system (Integrated DNA Technology, Coralville, IA) targeting the BCL-2 locus. Sequencing analysis using TIDE program (available on the world wide web at tide.nki.nl) showed 11.3% total editing efficiency ($R^2 = 0.89$). The majority of editing was observed to include either insertion of one nucleotide or deletion of 9 nucleotides.

Figure 9 shows the impact of cell density on the growth and expansion of mature naïve-like B cells from CD19⁺ cells isolated from peripheral blood mononuclear cells following activation with CD40L crosslinking antibody (Miltenyi Biotech, Inc., San Diego, CA) and IL-4. Cells plated at a high-density concentration (1x10⁶ cells/mL) in HSC Expansion Media (Miltenyi Biotech, Inc., San Diego, CA) showed minimal expansion by day 14 compared to the 30-fold increase observed in cells plated at a low-density concentration (2x10⁵ cells/mL).

Figure 10 shows exemplary (A) intracellular and (B) secreted IDUA activity of HEK 293T cell 3-day post-electroporation, as further described in Example 2.

DETAILED DESCRIPTION

Because B cells can become long lived and inherently have the ability to generate large quantities of protein (i.e. antibody), B cells could provide an ideal platform for gene therapy including, for example, for treatment of enzymopathies. B cells are also readily available in peripheral blood (making up 1-7% of all leucocytes), and methods to expand the cells are readily available. Moreover, data suggest that cells cross the blood brain barrier more readily than proteins, potentially making cellular therapies for enzymopathies with brain involvement more desirable than enzyme replacement therapy. Yet the delivery of therapeutic genes to B cells using genome-engineering approaches or the use of any targeted nuclease in primary human B cells has not previously been reported.

This disclosure describes a genome-edited primary B cell; methods of making the genome-edited primary B cell; and methods of using the genome-edited primary B cell including, for example, administering the cell. This disclosure further describes a therapeutic cassette that can be introduced into a primary B cell, methods of making the therapeutic cassette, methods of making a B cell including the therapeutic cassette, and methods of using the therapeutic cassette.

B cell

In some embodiments, the B cell can be a CD19⁺ cell. In some embodiments, the B cell can be a primary B cell. As used herein, a “primary B cell” is a non-immortalized B cell. In some embodiments, a “primary B cell” is a B cell that is freshly isolated. In some embodiments, the B cell can be isolated from peripheral blood mononuclear cells (PBMCs). In some embodiments, the B cell can be derived from an iPSC. In some embodiments, the B cell can be derived from a population of CD34⁺ cells.

In some embodiments, a “primary B cell” is a B cell that has undergone up to 5 replications or divisions after being isolated, up to 10 replications or divisions after being isolated, up to 15 replications or divisions after being isolated, up to 20 replications or divisions after being isolated, up to 25 replications or divisions after being isolated, up to 30 replications or divisions after being isolated, up to 35 replications or divisions after being isolated, or up to 40 replications or divisions after being isolated.

In some embodiments, a “primary B cell” is a B cell that has undergone up to 5 replications or divisions after being derived, up to 10 replications or divisions after being derived, up to 15 replications or divisions after being derived, up to 20 replications or divisions after being derived, up to 25 replications or divisions after being derived, up to 30 replications or divisions after being derived, up to 35 replications or divisions after being derived, or up to 40 replications or divisions after being derived.

In some embodiments, the primary B cell is a non-clonal cell. In some embodiments, primary B cell is a proliferating cell. In some embodiment the B cell is preferably cultured in the presence of CD40L.

In some embodiments, the B cell can be a naïve B cell. In some embodiments, a “naïve B cell” is CD19⁺, IgD⁺, IgM⁺, CD27⁺, CD21⁺, and/or CXCR5⁺. In some embodiments, the B cell can be a memory B cell. In some embodiments, a “memory B cell” is CD19⁺, IgD⁺, CD27⁺, CD21⁺, and/or CXCR5⁺. In some embodiments, the B cell can be an activated memory B cell. In some embodiments, an “activated memory B cell” is CD19⁺, IgD⁺, CD27⁺, CD21⁺, and/or CXCR5⁺. In some embodiments, the B cell can be a natural effector B cell. In some embodiments, a “natural effector B cell” is CD19⁺, IgD⁺, IgM⁺, and/or CD27⁺. In some embodiments, the B cell can be a plasmablast. In some embodiments, a “plasmablast” is CD19⁺, CXCR5⁺, CD38⁺, CD27⁺, and/or CD20⁺.

In some embodiments, the B cell may be a B cell that has undergone class-switch recombination. In some embodiments, the B cell may be a B cell that has not undergone class-switch recombination.

In some embodiments, the B cell is a mammalian cell. In some embodiments, the B cell is preferably a human cell. In some embodiments, the B cell is a mouse cell.

Genome Edited Primary B cell

A primary B cell is “genome edited” if the primary B cell includes a modification to its genome compared to a non-genome edited B cell. In some embodiments, a non-genome edited B cell is a wild-type B cell. In some embodiments, a non-genome edited B cell is a freshly isolated B cell.

5 In some embodiments, the genome edited primary B cell includes a modification of a noncoding region of the genome and/or a coding region of the genome (e.g., a gene). In some embodiments, the noncoding region of the genome can include a sequence for a small, regulatory noncoding RNA, including, for example, a microRNA (miRNA). In some embodiments, the noncoding region of the genome is preferably involved in regulating the function, activation, and/or survival of the B cell.

In some embodiments, a portion of genomic information and/or a gene can be deleted. In some embodiments, a portion of genomic information and/or a gene can be added. In some embodiments, the genomic information and/or the gene that is added is exogenous. In some embodiments, “exogenous” genomic information or an “exogenous” gene can be genomic information or a gene from a non-B cell. In some embodiments, “exogenous” genomic information or an “exogenous” gene can be an additional copy of genomic information or a gene already present in the B cell. In some embodiments, “exogenous” genomic information or an “exogenous” gene can be genomic information or a gene from a cell of another species than the B cell being modified. In some embodiments, “exogenous” genomic information or an “exogenous” gene can be artificially generated including, for example, a nucleic acid encoding a chimeric antigen receptor. In some embodiments, a portion of genomic information and/or a gene can be altered, for example, by a point mutation.

In some embodiments, a genome edited primary B cell preferably includes a modification that alters expression or activity of the genome edited primary B cell relative to a non-genome edited primary B cell. For example, in some embodiments, the genome edited primary B cell may include a therapeutic cassette, as further described below.

In some embodiments, a genome edited primary B cell preferably includes a modification of a nucleic acid encoding the endogenous B cell receptor (BCR). In some embodiments, the modification results in a modification of the expression of the endogenous BCR. For example, expression of the endogenous BCR may be abrogated relative to a non-genome edited primary B cell. In some embodiments, the expression of the endogenous BCR may be enhanced relative to a non-genome edited primary B cell. In some embodiments, a genome edited primary B cell includes

a modification of a nucleic acid encoding CD19. In some embodiments, a genome edited primary B cell includes a modification of a nucleic acid encoding a light chain.

In some embodiments, a genome edited primary B cell includes a modification of a nucleic acid encoding a cytokine. The cytokine can include, for example, IL-10, IL-4, IL-7, IL-2, IL-15, IL-6, or IFN- γ , or combinations thereof.

In some embodiments, a genome edited primary B cell includes a modification of a nucleic acid encoding a member of the Bcl-2 family including, for example BAX, also known as bcl-2-like protein 4, and bcl-2. In some embodiments, the modification of a nucleic acid encoding a member of the Bcl-2 family allows for increased survival of the genome edited primary B cell including, for example, increased survival in culture.

In some embodiments, a genome edited primary B cell includes a modification of a nucleic acid encoding a B cell inhibitory receptor including, for example, FC γ RII, CD22, PD-1, CD5, CD66a, LAIR1, ILT2, or CD72, or combinations thereof. In some embodiments, the modification alters expression or activity of the inhibitory receptor relative to a non-genome edited primary NK cell. For example, expression of the inhibitory receptor can be decreased.

In some embodiments, a genome edited primary B cell includes a modification that affects the frequency or rate with which a B cell undergoes affinity maturation. In some embodiments, a genome edited primary B cell includes a modification of a nucleic acid encoding BCL6 and/or BLIMP1. BCL6 inhibits BLIMP1 expression, and BLIMP1 expression inhibits BCL6 expression. BCL6 expression can cause a B cell to be retained in the germinal center where it continues to undergo affinity maturation. BLIMP1 drives B cells to differentiate into plasma cells (both short lived and long lived). In some embodiments, the modification of a nucleic acid encoding BCL6 and/or BLIMP1 could be used to affect the frequency or rate with which a B cell undergoes affinity maturation.

In some embodiments, a genome edited primary B cell includes a modification in a nucleic acid encoding a member of an endoplasmic-reticulum (ER) stress response pathway including, for example, IRE1, PERK, or ATF6, or combinations thereof, under a temporary block of caspase-dependent cell death during their initial differentiation. In some embodiments, the modification in a nucleic acid encoding a member of an ER stress response pathway may affect the survival of the genome edited primary B cell and may, for example, increase survival in culture.

In some embodiments, the genome-edited primary B cell preferably includes a modification that alters survival of the genome edited primary B cell relative to a non-genome edited primary B

cell. In some embodiments, the gene-edited primary B cell exhibits increased capacity to expand relative to a non-genome edited primary B cell. The expansion can be, for example, *in vivo* or *in vitro*. In some embodiments, the expansion can be *in vitro* after co-culturing with a cytokine, an antibody, an antigen, a cell expressing an antigen, or a combination thereof.

5

Genome Editing of the B cell

This disclosure also describes a method of making a genome-edited B cell including a genome-edited primary B cell.

10 In some embodiments, the method includes a technique to introduce a protein or nucleic acid into the primary B cell. Any suitable method of introducing a protein or nucleic acid may be used. In some embodiments, the method preferably includes electroporation of a primary B cell to introduce genetic material including, for example, DNA, RNA, and/or mRNA. As used herein, electroporation may include nucleofection. In some embodiments, the genetic material may be introduced via transduction with a virus including, for example adeno-associated virus (AAV), an
15 integrase-deficient lentivirus (IDLV), etc. An adeno-associated virus can include any suitable serotype including, for example, AAV2, AAV3, AAV4, AAV5, AAV6), etc. Because plasmid DNA can be toxic to B cells, in some embodiments, mRNA or protein based approaches of genome editing are preferred. In some embodiments, a technique to introduce a protein or nucleic acid can include introducing a protein or nucleic acid via electroporation; microinjection; viral delivery;
20 exosomes; liposomes; biolistics; jet injection; hydrodynamic injection; ultrasound; magnetic field-mediated gene transfer; electric pulse-mediated gene transfer; use of nanoparticles including, for example, lipid-based nanoparticles; incubation with a endosomolytic agent; use of cell-penetrating peptides; etc. In some embodiments, the method preferably includes electroporation of a primary B cell using a NEON transfection system.

25 In some embodiments, the method includes editing a gene. Editing a gene can include introducing one or more copies of the gene, altering the gene, deleting the gene, upregulating expression of the gene, downregulating expression of the gene, mutating the gene, methylating the gene, demethylating the gene, acetylating the gene, and/or deacetylating the gene. Mutating the gene can include introducing activating mutations, introducing inactivating and/or inhibitory
30 mutations, and/or introducing point mutations.

In some embodiments, the method preferably includes inducing double stranded breaks in the genome of the primary B cell. Double stranded breaks may be introduced using a targeted

nuclease including, for example, a transcription activator-like effector nucleases (TALEN), a zinc finger nuclease (ZFN), a CRISPR-associated nuclease, etc. In some embodiments, double stranded breaks are preferably introduced using the CRISPR/Cas9 system. In some embodiments, the method preferably includes introducing a CRISPR nuclease (including, for example, Cas9 and/or Cpf1) or DNA or RNA encoding a CRISPR nuclease (including, for example, DNA or RNA encoding Cas9 or Cpf1). The method can, in some embodiments, include introducing a guide RNA (gRNA).

In some embodiments, the method includes introducing a DNA-guided DNase. In some embodiments, the method includes introducing *Natronobacterium gregoryi* Argonaute (NgAgo). In some embodiments, NgAgo can be used as a DNA-guided endonuclease. (Gao et al., *Nature Biotechnology*, 2016, doi:10.1038/nbt.354.) The method can further include, for example, introducing a guide DNA (gDNA).

The gRNA target or gDNA target can include any suitable target. In some embodiments, the target includes a portion of the B cell genome including, for example, a gene or a portion of a gene. In some embodiments, the targeted gene or portion of the gene enhances B cell function. For example, a gRNA target or gDNA target can include a B cell receptor, including, for example, a heavy chain gene, a light chain gene, or CD79; CD19; a B cell developmental regulator including, for example, BLIMP1 or BCL6; adeno-associated virus integration site 1 (AAVS1); a B cell inhibitory receptor (e.g., FCyRII, CD22, PD1, CD5, CD66a, LAIR1, ILT2, CD72, etc.); and/or a member of the ER stress response pathways (e.g., IRE1, PERK, ATF6, etc.).

In some embodiments, where transfection may be used to deliver the CRISPR/Cas9 system, the gRNA may preferably include a chemically modified gRNA. In some embodiments, the chemical modification to the gRNA preferably decreases a cell's ability to degrade the RNA. In some embodiments, a chemically modified gRNA includes one or more of the following modifications: 2'-fluoro (2'-F), 2'-O-methyl (2'-O-Me), S-constrained ethyl (cEt), 2'-O-methyl (M), 2'-O-methyl-3'-phosphorothioate (MS), and/or 2'-O-methyl-3'-thiophosphonoacetate (MSP). In some embodiments, the chemically modified gRNA can include a gRNA and/or a chemical modification described in Hendel et al, *Nature Biotechnology*, 2015, 33(9):985-989 or Rahdar et al., *PNAS*, 2015, 112(51):E7110-7.

In such embodiments, the genome editing may occur via homologous recombination (HR) and/or non-homologous end joining (NHEJ) pathways including, for example, by microhomology-mediated end joining (MMEJ).

In some embodiments, the method includes selecting a B cell. In some embodiments, the selection is performed after editing a gene. A B cell can, in some embodiments, be selected using one or more of the following methods: flow sorting (including, for example, for GFP expression); magnetic bead separation (including, for example, targeting a cell-surface marker); transient drug resistance gene expression (including, for example, antibiotic resistance). In some embodiments, the selection may be for a B cell that has an edited genome.

In some embodiments, the method includes expanding an edited B cell. In some embodiments, the expansion can be performed after selecting the B cell. In some embodiments, a B cell can be expanded by co-incubation with an antigen recognized by the B cell receptor or a cell expressing an antigen recognized by the B cell receptor. In some embodiments, a B cell can be expanded by co-incubation with a cytokine or ligand including, for example, CD40L and/or IL-4.

Methods of Transfection

In some embodiments, the primary B cells at the time of electroporation or transfection are preferably stimulated cells, that is, the cells have been subjected to an activation, a stimulation, and/or a proliferation step.

In some embodiments, the B cell can be stimulated for at least 12 hours, at least 18 hours, at least 1 day, at least 2 days, at least 3 days, at least 4 days, at least 5 days, at least 6 days, or at least 7 days. In some embodiments, the B cell can be stimulated for up to 1 day, up to 2 days, up to 3 days, up to 4 days, up to 5 days, up to 6 days, up to 7 days, up to 8 days, up to 9 days, up to 10 days, up to 12 days, up to 14 days, up to 3 weeks, up to 4 weeks, or up to two months. In some embodiments, the B cell is preferably stimulated for 14 days.

In some embodiments, the B cell can be stimulated with cytokines. The cytokines can include, for example, IL-4, IL-7, IL-21, and/or B cell activating factor (BAFF). In some embodiments, the B cell can be stimulated by cross-linking a cell surface receptor, including, for example, CD40 (ligated and/or crosslinked, for example, by CD40L or anti-CD40 antibody).

In some embodiments, the B cell is preferably transfected via electroporation. The electroporation protocols may be optimized including, for example, by altering the number of B cells per reaction (e.g., 0.1 million, 0.5 million cells, 1 million cells, 2 million cells, 3 million cells, 4 million cells, or 5 million cells), the number of pulses (e.g., 1, 2, 3, 4, 5, 6, 7, or 8), the voltage (e.g., 1000 volts, 1100 volts, 1200 volts, 1300 volts, 1500 volts, or 1600 volts), the amount of nucleic acid (e.g., 0.5 µg, 1 µg, 2 µg, 5 µg, 10 µg, 15 µg, 20 µg, 25 µg, 30 µg, 35 µg, 40 µg, 45 µg,

or 50 µg) and the duration of the pulse(s) (e.g., 2 ms, 5 ms, 7 ms, 9 ms, 10 ms, 11 ms, 13 ms, or 15 ms).

In some embodiments, the B cell can be electroporated using an AMAXA nucleofector or NEON system. In some embodiments, 1 million B cells per reaction may be electroporated using the NEON platform, 25 µg mRNA, and a protocol of 3 pulses, 1400 volts, and 10 ms duration.

In some embodiments, transfection levels are preferably tested 48 hours post-transfection. In some embodiments, transfection levels are preferably tested 72 hours post-transfection. In some embodiments, transfection levels are preferably tested using transfection of eGFP mRNA and by performing flow cytometry analysis at 48 hours and/or 72 hours post transfection to assess eGFP expression levels and cell viability.

In one embodiment, to test the efficiency and toxicity of mRNA delivery to primary human B cells, peripheral blood mononuclear cells were isolated from leukopaks using standard Ficoll-Paque separation. B cells were then isolated from PBMCs using the EasySep Human CD19 Positive Selection Kit (Stem Cell Technologies, Vancouver, Canada) and cultured in X-VIVO 20 media (Lonza Group, Ltd, Allendale NJ) with 10% Human Serum. B cells were electroporated with *in vitro* transcribed mRNA encoding eGFP (TriLink BioTechnologies, San Diego, CA) using either the AMAXA or NEON electroporation platform. Preliminary results using this approach were disappointing with fewer than 6% EGFP⁺ B cells being detected at 48 hours post-electroporation, as measured by flow cytometry analysis.

In contrast, when the primary B cells were stimulated and expanded prior to electroporation, including, for example, using a seven-day culture with IL-4 and CD40L (Miltenyi Biotech, Inc., San Diego, CA), an increase in the percentage of eGFP positive cells 72 hours post-electroporation was observed, up to 97.6% EGFP⁺ B cells, along with a viability of up to 68.6%.

A major barrier to the application of CRISPR/Cas9 technology is the low rate of gene modification in some types of cells including hard-to-transfect cells, primary cells of various kinds, and other cells that cannot be cloned (i.e., propagated from single isolated cells). For example, initial attempts using unmodified gRNAs were unable to induce detectable double strand breaks in primary human T cells or CD34⁺ cells.

To determine if using the CRISPR/Cas9 system would allow for targeted gene delivery gene delivery to B cells either homologous recombination (HR) or non-homologous end joining (NHEJ) pathways, double strand break (DSB) induction was examined. Using gRNAs synthesized as RNA oligonucleotides containing 3 tandem 2-*O*-methyl-3-phosphorothioate modified bases on the 5' and

3' ends and Cas9 mRNA or protein, gene modification was induced (Figure 2). These data demonstrate that targeted double strand breaks can be induced in B cells.

Therapeutic Cassette

5 In some embodiments, the genome edited primary B cell may include a therapeutic cassette. In some embodiments, the therapeutic cassette preferably includes a nucleic acid encoding a BCR and a nucleic acid encoding a gene to be overexpressed. In some embodiments, the gene to be overexpressed preferably includes a nucleic acid encoding an enzyme. The nucleic acid encoding the BCR and the nucleic acid encoding the gene to be overexpressed are preferably transcriptionally
10 and/or translationally linked.

In some embodiments, it may be desired to inactivate the endogenous BCR as it could interfere with the functionality of a BCR transgene. In some embodiments, it may be preferable to insert a therapeutic cassette at the endogenous BCR heavy chain locus. In some embodiments, it may be preferable to edit the endogenous BCR by the transfection methods described herein.
15 Because VDJ recombination removes some regions of the endogenous heavy chain locus, in some embodiments, genome editing, including, for example, insertion of a therapeutic cassette, can be targeted to near an enhancer found in the constant region. In some embodiments, the therapeutic cassette can be targeted to the region show in Figure 3A, a region that is retained in nearly all heavy chain recombination events.

20 In some embodiments, the therapeutic cassette preferably includes a nucleic acid encoding a BCR. In some embodiments, the BCR is specific to an antigen that can be administered to a subject via immunization. In some embodiments, the BCR preferably includes a transmembrane region and/or a membrane bound-antibody. As used herein, a BCR may include either a membrane-anchored BCR or a soluble Ig or both.

25 In some embodiments, the therapeutic cassette includes a nucleic acid that encodes a heavy chain. In some embodiments, the transcription of the nucleic acid encoding a heavy chain can be driven by an endogenous promoter. In some embodiments, the transcription of the nucleic acid encoding a heavy chain can be driven by an exogenous promoter. In some embodiments, the promoter can include, for example, a MND promoter, a CMV promoter, a CAG promoter, a PGK
30 promoter, a EF1A promoter, a FEEK promoter, etc. In some embodiments, the nucleic acid encoding the heavy chain preferably encodes a single variable segment, a single diversity segment, a single joining segment, and a single C-region. In some embodiments, the nucleic acid encoding

the heavy chain preferably encodes a transmembrane region including, for example, an M1 and/or an M2 domain.

10 In some embodiments, the therapeutic cassette can include a nucleic acid encoding a light chain. In some embodiments, the transcription of the nucleic acid encoding a light chain can be driven by an endogenous promoter. In some embodiments, the transcription of the nucleic acid encoding a light chain can be driven by an exogenous promoter. In some embodiments, the promoter can include, for example, a MND promoter, a CMV promoter, a CAG promoter, a PGK promoter, a EF1A promoter, a FEEK promoter, etc. In some embodiments, the nucleic acid encoding the light chain preferably encodes a single variable segment, a single joining segment, and a single C-region.

15 In some embodiments, expression of the nucleic acid encoding the light chain can be transcriptionally or translationally linked to expression of the nucleic acid encoding the heavy chain including, for example, by internal ribosomal entry sites (IRESs), a 2A peptide sequence, a “2A-like” sequence, ribosomal skipping, and/or a CHYSEL (cis-acting hydrolase element) sequence. The 2A peptide sequence impairs normal peptide bond formation through a mechanism of ribosomal skipping, allowing the expression of more than one protein without introducing an internal ribosome entry sites (IRES) or an additional promoters. In some embodiments, 2A peptide can be derived from the porcine teschovirus-1 (P2A), the foot and mouth disease virus (F2A), or the *Thosea asigna* virus (T2A).

20 In some embodiments, the heavy chain and/or the light chain of the therapeutic cassette is specific to an antigen that can be administered to a subject via immunization. For example, in some embodiments, the heavy chain and/or the light chain can be specific for phycoerythrin (PE). In another example, in some embodiments, the heavy chain and/or the light chain can be specific for B12, an anti-HIV envelope protein.

25 The therapeutic cassette includes a nucleic acid encoding a gene to be overexpressed. In some embodiments, transcription of the nucleic acid encoding the gene to be overexpressed is preferably driven by the same promoter that drives transcription of at least one of the heavy chain or the light chain of the BCR. In some embodiments, transcription of the nucleic acid encoding the gene to be overexpressed can be driven by a different promoter than the promoter that drives transcription of at least one of the heavy chain or the light chain of the BCR.

30 When, for example, transcription of the nucleic acid encoding the gene to be overexpressed is driven by the same promoter that drives transcription of at least one of the heavy chain or the

light chain of the BCR, overexpression of the gene can be controlled by immunizing a subject for the antigen recognized by the exogenous BCR. Moreover, in some embodiments, whether the therapeutic cassette produces a membrane anchored-form of the BCR or a soluble Ig-form of the BCR is dependent on the maturation state of the B cell into which the therapeutic cassette is targeted.

In some embodiments, the therapeutic cassette can include the components shown in Figure 3B. In some embodiments, the therapeutic cassette can include the components arranged as shown in Figure 3B. In some embodiments, the therapeutic cassette can include the components shown in at least one panel of Figure 6. In some embodiments, the therapeutic cassette can include the components arranged as shown in at least one panel of Figure 6.

In some embodiments, expression of the nucleic acid encoding the enzyme can be transcriptionally or translationally linked to BCR expression including, for example, by internal ribosomal entry sites (IRESs), a 2A peptide sequence, a "2A-like" sequence, ribosomal skipping, and/or a CHYSEL (cis-acting hydrolase element) sequence. In some embodiments, a splice acceptor approach or a constitutive promoter can be used to drive a nucleic acid encoding BCR linked to a nucleic acid encoding a therapeutic enzyme.

In some embodiments, the gene to be overexpressed preferably includes an enzyme and/or a therapeutic enzyme. A therapeutic enzyme can include, for example, an enzyme lacking in a subject having an enzymopathy. The enzymopathy can include, for example, Gaucher disease, Fabry disease, MPS I, MPS II (Hunter syndrome), MPS VI, Glycogen storage disease type II, Adenosine Deaminase Deficiency, or Pompe disease. In some embodiments, the therapeutic enzyme includes alpha-L-iduronidase (IDUA), an enzyme essential for the breakdown of glycosaminoglycans (GAGs). A therapeutic enzyme can additionally or alternatively include, for example, an enzyme whose expression increases the health of a subject.

In some embodiments, the therapeutic cassette includes a nucleic acid encoding a marker gene including, for example, a gene for GFP or a gene for drug resistance.

In some embodiments, a nucleic acid encoding a heavy chain, a nucleic acid encoding a light chain, and a nucleic acid encoding a gene to be overexpressed are included in the therapeutic cassette and are transcriptionally linked. In some embodiments, the therapeutic cassette further includes one or more 2A peptides that are transcriptionally linked to the nucleic acid encoding a heavy chain, the nucleic acid encoding a light chain, and the therapeutic enzyme.

The therapeutic cassette may be encoded by a vector construct. In some embodiments, the vector construct includes a plasmid. In some embodiments, the vector may include a lentiviral vector including, for example, a BaEV-psuedotype lentiviral vector, a VSVg-psuedotype lentiviral vector, a FAM1 lentiviral vector, and/or a FAM2 lentiviral vector (see Fusil et al., Molecular Therapy, 2015, 23(11):1734-47). In some embodiments, the vector may include a cis-acting DNA element including, for example, a gene encoding the posttranscriptional regulatory element of woodchuck hepatitis virus (WPRE), a gene encoding murine intracisternal type A particle, one or more copies of a gene encoding a constitutive transport element (CTE) originating from different simian retroviruses, etc.

Genome-Edited Plasma Cell and Methods of Differentiating a Genome-Edited Primary B Cell into a Genome-Edited Plasma Cell

This disclosure further provides a genome-edited plasma cell and methods for differentiating a genome-edited primary B cell into a long-lived plasma cell.

In some embodiments, the genome-edited primary B cell and the genome-edited plasma cell preferably include a modification of a nucleic acid encoding the endogenous B cell receptor (BCR). In some embodiments, the expression of the endogenous BCR is abrogated relative to a non-genome edited primary B cell and the expression of an exogenous BCR is enhanced relative to a non-genome edited primary B cell.

In some embodiments, the BCR of the genome-edited primary B cell is specific to an antigen that can be administered to a subject via immunization. For example, in some embodiments, the B cell receptor can be specific for phycoerythrin (PE). In another example, in some embodiments, the B cell receptor can be specific for B12, an anti-HIV envelope protein.

In some embodiments, the subject including genome-edited primary B cell is exposed to an antigen recognized by the BCR. In some embodiments, administering an antigen to a subject via immunization where the BCR of the genome-edited primary B cell is specific to the antigen results in the generation of long lived-plasma cells. A BCR can be considered specific to an antigen when the antigen binding site of the BCR binds to the antigen.

Replacing the endogenous B cell receptor with a B cell receptor of known specificity allows for the transcriptional regulation of a nucleic acid under the same promoter as the components of the B cell receptor.

For example, a genome-edited primary B cell including a B cell receptor specific for phycoerythrin (PE) and including a nucleic acid encoding alpha-L-iduronidase (IDUA) could be introduced into a subject. The subject could be IDUA deficient. Immunizing the subject with PE could result in differentiation of the genome-edited primary B cell into a long-lived plasma cell and transcription of the nucleic acid encoding IDUA, thereby increasing the expression of IDUA in the genome-edited B cell and body-wide in the patient for cross correction of the disease. In other embodiments, the B cell specificity may be altered and/or the nucleic acid encoding a gene to be overexpressed can be modified.

10 Administration

This disclosure further provides methods for using the genome-edited primary B cell described herein. For example, a genome-edited primary B cell can be used to treat or prevent a disease in a subject. A method can include administering to the subject a composition that includes the genome-edited primary B cell described herein or produced by a method described herein. The disease could include, for example, an enzymopathy, a cancer, a precancerous condition, infection with a pathogen (including, for example, malaria), or infection with a virus.

A genome-edited primary B cell can be administered to a subject alone or in combination with one or more other therapies. For example, a genome-edited primary B cell can be administered to a subject in combination a pharmaceutical composition that includes the active agent and a pharmaceutically acceptable carrier and/or in combination with a cellular therapy including, for example, a chimeric antigen receptor T cell (CAR-T). The B cell can be administered to a patient, preferably a mammal, and more preferably a human, in an amount effective to produce the desired effect. The B cell can be administered by a variety of routes, including, for example, intravenously, intratumorally, intraarterially, transdermally, via local delivery by catheter or stent, via a needle or other device for intratumoral injection, subcutaneously, etc. The B cell can be administered once or multiple times. A physician having ordinary skill in the art can determine and prescribe the effective amount and dosing of a genome-edited primary B cell and, optionally, the pharmaceutical composition required.

The cancer may include, for example, bone cancer, brain cancer, breast cancer, cervical cancer, cancer of the larynx, lung cancer, pancreatic cancer, prostate cancer, skin cancer, cancer of the spine, stomach cancer, uterine cancer, hematopoietic cancer, and/or lymphoid cancer, etc. A hematopoietic cancer and/or lymphoid cancer may include, for example, acute myelogenous

leukemia (AML), acute lymphoblastic leukemia (ALL), myelodysplastic syndromes (MDS), non-Hodgkin lymphoma (NHL), chronic myelogenous leukemia (CML), Hodgkin's disease, and/or multiple myeloma. The cancer can be a metastatic cancer.

5 In a further aspect, a genome-edited primary B cell can be administered to inhibit the growth of a tumor in a subject. In some embodiments, the tumor can include a solid tumor.

The virus can include, for example, a herpes virus, including for example, CMV, Varicella zoster virus (VZV), Epstein-Barr virus (EBV), a herpes simplex virus (HSV) or Kaposi's sarcoma-associated herpesvirus (KSHV); a virus of the family Flaviviridae including for example, Dengue or Zika virus; or a lentivirus, including for example, human immunodeficiency virus (HIV).

10 The enzymopathy can include, in some embodiments, an enzymopathy that is currently treated with enzyme replacement therapy including, for example, Gaucher disease, Fabry disease, MPS I, MPS II (Hunter syndrome), MPS VI, Glycogen storage disease type II, Adenosine Deaminase Deficiency, or Pompe disease. The enzymopathy can include, in some embodiments, an enzymopathy that is currently treated with gene therapy.

15 A genome-edited primary B cell can be administered or prepared in a subject before, during, and/or after other treatments. Such combination therapy can involve administering a genome-edited primary B cell before, during, and/or after the use of other anti-cancer agent, other anti-viral agents, or a combination of other anti-cancer agent and other anti-viral agents. Such agents can include, for example, a cytokine; a chemokine; a therapeutic antibody including, for example, a high affinity
20 anti-CMV IgG antibody; an NK cell receptor ligand, including, for example, BiKE or TRiKE; an adjuvant; an antioxidant; a chemotherapeutic agent; and/or radiation. The administration or preparation of the genome-edited primary B cell can be separated in time from the administration of other anti-cancer agents and/or other anti-viral agents by hours, days, or even weeks. Additionally or alternatively, the administration or preparation can be combined with other biologically active
25 agents or modalities such as, but not limited to, an antineoplastic agent, and non-drug therapies, such as, but not limited to, surgery.

In some embodiments, a genome-edited primary B cell including a B cell receptor of known specificity can be administered to a subject before the subject is immunized with antigen recognized by the B cell receptor. In such embodiments, immunization with the antigen can allow for the
30 transcriptional regulation of a nucleic acid under the same promoter as the components of the B cell receptor.

For example, a genome-edited primary B cell including a B cell receptor specific for an antigen and including a nucleic acid encoding an enzyme could be introduced into a subject. The subject could be enzyme deficient. Immunizing the subject with the antigen is expected to result in differentiation of the genome-edited primary B cell into a long-lived plasma cell and transcription
5 of the nucleic acid encoding the enzyme, thereby increasing the expression of enzyme in the genome-edited B cell.

Illustrative Embodiments of a Genome-Edited Primary B Cell

1. A genome-edited primary B cell.
- 5 2. The genome-edited primary B cell of embodiment 1, wherein the B cell comprises a cell expressing CD19.
3. The genome-edited primary B cell of either of embodiments 1 or 2, wherein the B cell comprises a cell expressing IgM or IgD, or a combination thereof.
- 10 4. The genome-edited primary B cell of any one of embodiments 1 to 3, wherein the B cell comprises a CD27⁺ cell.
5. The genome-edited primary B cell of any one of embodiments 1 to 4, wherein the B cell
15 comprises a CD21⁺ cell.
6. The genome-edited primary B cell of any one of embodiments 1 to 5, wherein the B cell comprises a CXCR5⁺ cell.
- 20 7. The genome-edited primary B cell of any one of embodiments 1 to 6, wherein the B cell comprises a cell isolated from peripheral blood, umbilical cord cells, ascites, or a solid tumor.
8. The genome-edited primary B cell of any one of embodiments 1 to 7, wherein the B cell comprises a non-clonal cell.
- 25 9. The genome-edited primary B cell of any one of embodiments 1 to 8, wherein the B cell comprises a proliferating cell.
10. The genome-edited primary B cell of any one of embodiments 1 to 9, wherein the B cell is a
30 mammalian cell.

11. The genome-edited primary B cell of any one of embodiments 1 to 10, wherein the B cell is a human cell.
12. The genome-edited primary B cell of any one of embodiments 1 to 11, wherein an endogenous
5 gene of the genome-edited primary B cell is deleted.
13. The genome-edited primary B cell of any one of embodiments 1 to 12, wherein an endogenous of the genome-edited primary B cell comprises a point mutation.
- 10 14. The genome-edited primary B cell of any one of embodiments 1 to 13, the genome-edited primary B cell comprising an exogenous gene.
15. The genome-edited primary B cell of any one of embodiments 12 to 14, wherein the gene comprises a nucleic acid encoding at least a portion of a B cell receptor (BCR).
- 15 16. The genome-edited primary B cell of any one of embodiments 1 to 15 wherein the B cell exhibits decreased expression of an endogenous B cell receptor (BCR) relative to a non-genome edited primary B cell.
- 20 17. The genome-edited primary B cell of any one of embodiments 1 to 16, wherein the B cell comprises a modification that alters expression or activity of CD19.
18. The genome-edited primary B cell of any one of embodiments 1 to 17, wherein the B cell comprises a modification of a noncoding region of the genome.
- 25 19. The genome-edited primary B cell of any one of embodiments 1 to 18, wherein the genome-edited primary B cell exhibits increased survival relative to a non-genome edited primary B cell.
20. The genome-edited primary B cell of any one of embodiments 1 to 19, wherein the genome-
30 edited primary B cell comprises a therapeutic cassette comprising a nucleic acid encoding a B cell receptor (BCR) and a nucleic acid encoding a gene to be overexpressed.

21. A method for treating or preventing a disease in a subject, the method comprising:
 administering to the subject a composition comprising the genome-edited primary B cell of
 any one of embodiments 1 to 20.

5 22. The method of embodiment 21, wherein the disease comprises an enzymopathy, a cancer, a
 precancerous condition, an infection with a pathogen, or a viral infection.

Illustrative Therapeutic Cassette Embodiments

10 1. A therapeutic cassette comprising a nucleic acid encoding a B cell receptor (BCR) and a nucleic
 acid encoding a gene to be overexpressed.

2. The therapeutic cassette of embodiment 1, wherein the BCR comprises a transmembrane region.

15 3. The therapeutic cassette of embodiment 1 or embodiment 2, wherein the gene to be
 overexpressed comprises a nucleic acid encoding an enzyme.

4. The therapeutic cassette of embodiment 3, wherein the enzyme comprises an enzyme lacking in a
 subject having an enzymopathy.

20 5. The therapeutic cassette of embodiment 4, wherein the enzyme comprises alpha-L-iduronidase
 (IDUA).

6. The therapeutic cassette of any one of embodiments 1 to 5, wherein the nucleic acid encoding the
 25 BCR and the nucleic acid encoding the gene to be overexpressed are transcriptionally linked,
 translationally linked, or both.

7. The therapeutic cassette of any one of embodiments 1 to 6, wherein the therapeutic cassette
 comprises a promoter that drives transcription of the nucleic acid encoding the BCR and the nucleic
 30 acid encoding the gene to be overexpressed.

8. The therapeutic cassette of any one of embodiments 1 to 7, wherein the BCR comprises a BCR specific for phycoerythrin (PE).
9. The therapeutic cassette of any one of embodiments 1 to 7, wherein the BCR comprises a BCR specific for B12.
10. A vector comprising the therapeutic cassette of any one of embodiments 1 to 9.
11. The vector of embodiment 10, wherein the vector comprises a lentiviral vector.
12. The vector of either of embodiment 10 or embodiment 11, wherein the vector comprises at least one of a BaEV-psuedotype lentiviral vector, a VSVg-psuedotype lentiviral vector, a FAM1 lentiviral vector, and a FAM2 lentiviral vector.
13. The vector of any one of embodiments 10 to 12, wherein the vector comprises a cis-acting DNA element.
14. A cell comprising the therapeutic cassette of any one of embodiments 1 to 9.
15. A cell comprising the vector of any one of embodiments 10 to 13.
16. The cell of either of embodiment 14 or embodiment 15, wherein the cell comprises a modification of a nucleic acid encoding an endogenous B cell receptor (BCR).
17. The cell of embodiment 16, wherein the modification comprises a modification that reduces expression of the endogenous BCR.
18. The cell of any one of embodiments 15 to 17, wherein the cell comprises a B cell.
19. The cell of any one of embodiments 15 to 18, wherein the cell comprises a long-lived plasma cell.

20. A method comprising administering the cell of any one of embodiments 14 to 19 to a subject.

21. The method of embodiment 20, the method further comprising administering an antigen to the subject, wherein the BCR of the therapeutic cassette is specific to the antigen.

5

Illustrative Embodiments of Methods of Editing a Genome of a Primary B Cell

1. A method comprising editing a genome of a primary B cell.

10 2. The method of embodiment 1, wherein the primary B cell comprises a cell expressing CD19.

3. The method of either of embodiments 1 or 2, wherein the primary B cell comprises a cell expressing IgM or IgD, or a combination thereof.

15 4. The method of either of embodiments 1 or 3, wherein the primary B cell comprises a CD27⁺ cell.

5. The method of any one of embodiments 1 to 4, wherein the primary B cell comprises a CD21⁺ cell.

20 6. The method of any one of embodiments 1 to 5, wherein the primary B cell comprises a CXCR5⁺ cell.

7. The method of any one of embodiments 1 to 6, wherein the primary B cell comprises a cell isolated from peripheral blood, umbilical cord cells, ascites, or a solid tumor.

25

8. The method of any one of embodiments 1 to 7, wherein the primary B cell comprises a non-clonal cell.

9. The method of any one of embodiments 1 to 8, wherein the primary B cell comprises a
30 proliferating cell.

10. The method of any one of embodiments 1 to 9, wherein the primary B cell is a mammalian cell.

11. The method of any one of embodiments 1 to 10, wherein the primary B cell is a human cell.
12. The method of any one of embodiments 1 to 11, the method comprising introducing an
 5 exogenous protein or nucleic acid into the primary B cell.
13. The method of any one of embodiments 1 to 12, the method comprising electroporation of the cell.
- 10 14. The method of any one of embodiments 1 to 13, the method comprising introducing a targeted nuclease or a nucleic acid encoding a targeted nuclease.
15. The method of any one of embodiments 1 to 14, the method comprising introducing a guide RNA (gRNA).
- 15 16. The method of embodiment 15, wherein the gRNA comprises a chemically modified gRNA.
17. The method of embodiment 16, wherein the chemically modified gRNA comprises 2'-*O*-methyl (M), 2'-*O*-methyl-3'-phosphorothioate (MS), or 2'-*O*-methyl-3'-thiophosphonoacetate (MSP).
- 20 18. The method of any one of embodiments 1 to 17, the method comprising introducing *Natronobacterium gregoryi Argonaute* (NgAgo) and a guide DNA (gDNA).
19. The method of any one of embodiments 1 to 18, wherein editing the genome comprises editing a
 25 gene for CD19.
20. The method of any one of embodiments 1 to 19, wherein editing the genome comprises editing a nucleic acid encoding a portion of a B cell receptor (BCR).
- 30 21. The method of any one of embodiments 1 to 20, wherein editing the genome comprises editing a noncoding region of the genome.

22. The method of any one of embodiments 1 to 21, wherein the method further comprises selecting a B cell.

23. The method of embodiment 22, wherein the selection is performed after editing the genome.

5

24. The method of either of embodiments 22 or 23, wherein the B cell is selected for an edited genome.

25. The method of any one of embodiments 1 to 24, wherein the method further comprises
10 subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step.

26. The method of embodiment 25, wherein subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step comprises exposing the B cell to cytokines.

15 27. The method of either of embodiments 25 or 26, wherein subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step comprises exposing the B cell to CD40L.

28. The method of any one of embodiments 25 to 27, wherein the primary B cell is subjected to at least one of an activation, a stimulation, and a proliferation step prior to introducing an exogenous
20 protein or nucleic acid into the primary B cell.

29. The method of any one of embodiments 1 to 28, wherein the method further comprises introducing into the primary B cell a therapeutic cassette comprising a nucleic acid encoding a B cell receptor (BCR) and a nucleic acid encoding a gene to be overexpressed.

25

The present invention is illustrated by the following examples. It is to be understood that the particular examples, materials, amounts, and procedures are to be interpreted broadly in accordance with the scope and spirit of the invention as set forth herein.

EXAMPLES

Example 1

5 **Medias**

Culturing media:

- X-VIVO 20 (Lonza Group, Ltd, Allendale, NJ)

- 10% Human Serum

or

10 - HSC Expansion Media XF (Miltenyi Biotec, San Diego, CA)

- 5% Human Serum

Freezing Media:

- 45 mL fetal bovine serum (FBS) (heat inactivated)

15 - 5 mL DMSO

Methods*Design and construction of guide RNAs*

Guide RNAs (gRNAs), shown in Table 1, were designed to the desired region of a gene
 20 using the CRISPR Design Program (Zhang Lab, MIT 2015). Multiple gRNAs were chosen based on
 the highest ranked values determined by off-target locations. The gRNAs were ordered in
 oligonucleotide pairs: 5'-CACCG-gRNA sequence-3' and 5'-AAAC-reverse complement gRNA
 sequence-C-3'. The gRNAs were cloned together using a modified version of the target sequence
 cloning protocol (Zhang Lab, MIT). The oligonucleotide pairs were phosphorylated and annealed
 25 together using T4 PNK (NEB) and 10X T4 Ligation Buffer (NEB) in a thermocycler with the
 following protocol: 37°C 30 minutes, 95°C 5 minutes and then ramped down to 25°C at
 5°C/minute. pENTR1 vector digested with FastDigest *BbsI* (Fermentas), FastAP (Fermentas) and
 10X Fast Digest Buffer are used for the ligation reaction. The digest pENTR1 vector was ligated
 together with the phosphorylated and annealed oligo duplex (dilution 1:200) from the previous step
 30 using T4 DNA Ligase and Buffer (NEB). The ligation was incubated at room temperature for at
 least 1 hour and then transformed and mini-prepped (GeneJET Plasmid Miniprep Kit, Life
 Technologies). The plasmids were sequenced to confirm the proper insertion.

Table 1.

gRNA Name	gRNA Sequence	
BAX gRNA 1 Oligo 1	GCGGCGGTGATGGACGGGTCC	SEQ ID NO:1
BAX gRNA 2 Oligo 1	GCGGCGGTGATGGACGGGTC	SEQ ID NO:2
BAX gRNA 3 Oligo 1	GTCTCGCCGGGTCCGCGCGGG	SEQ ID NO:3
BAX gRNA 4 Oligo 1	GCCTCTCGCCGGGTCCGCGC	SEQ ID NO:4
BAX gRNA 5 Oligo 1	GCGGACCCGGCGAGAGGCGG	SEQ ID NO:5
BAX gRNA 6 Oligo 1	GTCCCGCCGCCGCTCTCGCC	SEQ ID NO:6
Lair1 gRNA 1 Oligo 1	GTCCTTGCAATTGGTGCGCCTC	SEQ ID NO:7
Lair1 gRNA 2 Oligo 1	GCCTGAGGCGCACCAATGCA	SEQ ID NO:8
Lair1 gRNA 3 Oligo 1	GCAGAGTTCTGTCCTTGCA	SEQ ID NO:9
Lair1 gRNA 4 Oligo 1	GCATTGGTGCGCCTCAGGCC	SEQ ID NO:10
Lair1 gRNA 5 Oligo 1	GCTAGGCCAGGAGGGCGGTG	SEQ ID NO:11
Lair1 gRNA 6 Oligo 1	GTCAGGCCAGGCTGCACTGCT	SEQ ID NO:12
BCL2 gRNA 1 Oligo 1	GCTTCTAGCGCTCGGCACCGG	SEQ ID NO:13
BCL2 gRNA 2 Oligo 1	GCAGCGCGGGCTTCTAGCGCT	SEQ ID NO:14
BCL2 gRNA 3 Oligo 1	GGGCTTCTAGCGCTCGGCAC	SEQ ID NO:15
BCL2 gRNA 4 Oligo 1	GTTCTAGCGCTCGGCACCGGC	SEQ ID NO:16
BCL2 gRNA 5 Oligo 1	GAAATGAAGGCAGGACGCGCC	SEQ ID NO:17
BCL2 gRNA 6 Oligo 1	GTCATTTATCCAGCAGCTTTT	SEQ ID NO:18
CD19 gRNA 1	GAAGCGGGGACTCCCGAGACC	SEQ ID NO:19
CD19 gRNA 2	GTTCAACGTCTCTCAACAGAT	SEQ ID NO:20
CD19 gRNA 3	GGGGCCTCATGTGGATTCCC	SEQ ID NO:21
CD19 gRNA 4	GCTGTGCTGCAGTGCCTCAA	SEQ ID NO:22
CD19 gRNA 5	GCTTCTACCTGTGCCAGCCG	SEQ ID NO:23
CD19 gRNA 6	GTCTCAGAGGGGGGGCCCCGGC	SEQ ID NO:24
CD19 Cell For	TACCCTCTCTGAGCCTCCAT	SEQ ID NO:25
CD19 Cell Rev	CCTCTCTCCAGCTCCATTGT	SEQ ID NO:26
hIGKC gRNA 1	GGTGGATAACGCCCTCCAAT	SEQ ID NO:27
hIGKC gRNA 2	TCAACTGCTCATCAGATGGC	SEQ ID NO:28
hIGKC gRNA 3	ATCCACCTTCCACTGTACTT	SEQ ID NO:29
hIGKC gRNA 4	ATTCAGCAGGCACACAACAG	SEQ ID NO:30
hIGKC gRNA 5	CCTGCTCTGTGACACTCTCC	SEQ ID NO:31
hIGKC gRNA 6	TCTCCTGGGAGTTACCCGAT	SEQ ID NO:32

Validation of gRNAs

- 5 293T cells were plated out at a density of 1×10^5 cells per well in a 24 well plate. 150 μ L of Opti-MEM medium was combined with 1.5 μ g of gRNA plasmid, 1.5 μ g of Cas9 plasmid and 100 ng of GFP. Another 150 μ L of Opti-MEM medium was combined with 5 μ L of Lipofectamine 2000 Transfection reagent (Invitrogen, Life Technologies). The solutions were combined together

and incubated for 10 minutes to 15 minutes at room temperature. The DNA-lipid complex was added dropwise to one well of the 24 well plate. Cells were incubated for 3 days at 37°C and then genomic DNA was collected using the GeneJET Genomic DNA Purification Kit (Thermo Scientific). Activity of the gRNAs was quantified by a Surveyor Digest, gel electrophoresis, and densitometry (Guschin et al. *Methods Mol Biol.* 2010, 649:247-56).

Isolation of peripheral blood mononuclear cells (PBMCs) from a leukopak

Human PBMC (Stem Cell Technologies, Vancouver Canada) were diluted 3:1 with chilled 1X PBS. The diluted blood was added dropwise (very slowly) over 15 mL of Lymphoprep (Stem Cell Technologies, Vancouver, Canada) in a 50 mL conical. Cells were spun at 400 x g for 25 minutes with no brake. The buffy coat was removed and placed into a new conical. The cells were washed with chilled 1X PBS and spun for 400 x g for 10 minutes (with brake). The supernatant was removed, cells resuspended in freeze media, counted and frozen.

Isolation of CD19⁺ B cells

PBMCs were thawed and counted; the cell density was adjusted to 1×10^8 cells/mL, and cells were transferred to a 14 mL polystyrene round-bottom tube. B cells were selected using the EasySep Human CD19 Positive Selection Kit (Stem Cell Technologies, Vancouver, Canada), following manufacturers' protocol. Collected cells were spun at 400 x g for 5 minutes and resuspended in growth medium.

Activation and Stimulation of CD19⁺ B cells

To stimulate B cells, the isolated CD19⁺ B cells were counted and plated out at a density of 1×10^6 cells/mL in a 24-well plate. Cells were plated with CD40L and IL-4 following manufacturer's protocol (Miltenyi Biotec Inc, San Diego, CA). Cells were incubated for 1 week at 37°C and then counted using a hemocytometer.

NEON transfection of CD19⁺ B cells

Unstimulated or stimulated B cells were electroporated using the NEON Transfection System (100 μ L Kit, ThermoFisher Scientific, Inc., Waltham, MA) according to manufacturer instructions except for any variations described below. Cells were counted and resuspended at a density of 1×10^6 cells in 100 μ L of Resuspension Buffer T. 5 μ g of GFP plasmid or mRNA or 15

µg Cas9 and 10 µg of plasmid or mRNA gRNA (in molecular water) were added to the cell mixture. Cells were electroporated at 1400 V, 10 ms, 3 pulses. After transfection, cells were plated in a 2 mL culturing media in a 6 well plate.

Unstimulated or stimulated B cells were nucleoporated according to manufacturer instructions using the AMAXA NUCLEOFECTOR and the Human B Cell NUCLEOFECTOR Kit (Lonza Cologne GmbH, Cologne, Germany).

Flow cytometry

Electroporated B cells were analyzed by flow cytometry 24 to 72 hours after transfection for expression of GFP. Cells were prepped by washing with chilled 1X PBS with 0.5% FBS and stained with Viability Dye eFlour 780 (eBiosciences, San Diego, CA). Cells were analyzed using a LSR II (BD Biosciences, San Jose) and FlowJo v.9.

Homologous recombination in CD19+ B cells

Stimulated CD19⁺ B cells were electroporated using the NEON transfection system (100 µL Kit, ThermoFisher Scientific, Inc., Waltham, MA). Cells were counted and resuspended at a density of $1.0-3.0 \times 10^6$ cells in 100 µL of Resuspension Buffer T. 15 µg mRNA Cas9 (TriLink BioTechnologies, San Diego, CA), 10 µg mRNA gRNA (TriLink BioTechnologies) and 10 µg of homologous recombination (HR) targeting vector were used for to examine HR. 10 µg of HR targeting vector alone or 15 µg Cas9 with 10 µg mRNA gRNA were used as controls. After electroporation, cells were plated in 2 mL of culturing medium in a 6 well plate. Cells were counted using a Countess II Automated Cell Counter (ThermoFisher Scientific, Inc., Waltham, MA) every three days to monitor growth under these various conditions. In order to monitor for HR, cells were analyzed by flow cytometry and tested by PCR. For flow cytometry, cells were analyzed once a week for three weeks. B cells were stained with Fixable Viability Dye eFluor 780 (eBiosciences, San Diego). Cells were analyzed using a LSR II (BD Biosciences, San Jose, CA) and FlowJo v.9. To test for HR by PCR, gDNA was isolated from B cells and amplified by PCR using accuprime taq DNA polymerase, high fidelity (ThermoFisher Scientific, Inc., Waltham, MA). Primers, shown in Table 2 were designed to both the CCR5 gene and to both ends of the HR targeting vector to look for proper homologous recombination.

Table 2.

5' HR Primer Forward	TGC ATG TTC TTT GTG GGC TA	SEQ ID NO:33
5' HR Primer Reverse	CAC GGC GAC TAC TGC ACT TA	SEQ ID NO:34
3' HR Primer Forward	GGG AGG ATT GGG AAG ACA AT	SEQ ID NO:35
3' HR Primer Reverse	TGT CTT TTC TCC CCA TAG CAA	SEQ ID NO:36

Results are shown in Figures 1 to 2.

Example 2

Methods

5 *Validation of gRNAs*

293T cells were plated out at a density of 1×10^5 cells per well in a 24 well plate. 150 microliters (μL) of Opti-MEM medium was combined with 1.5 micrograms (μg) of gRNA plasmid, 1.5 μg of Cas9 plasmid, and 100 nanograms (ng) of GFP. Another 150 μL of Opti-MEM medium was combined with 5 μL of Lipofectamine 2000 Transfection reagent (Invitrogen, Carlsbad, CA; 10 Life Technologies, Carlsbad, CA). The solutions were combined and incubated for 10 to 15 minutes at room temperature. The DNA-lipid complex was added dropwise to one well of the 24 well plate. Cells were incubated for 3 days at 37°C and then genomic DNA was collected using the GeneJET Genomic DNA Purification Kit (Thermo Fisher Scientific, Waltham, MA).

For Figures 5 and 8, activity of the gRNAs was quantified by the Tracking of Indels by 15 Decomposition (TIDE) algorithm (available on the world wide web at tide.nki.nl). Briefly, the edited region was amplified by PCR using region-specific primers, and sent to ACGT, Inc. (Wheeling, IL) for Sanger Sequencing. Chromatogram files returned from ACGT, Inc. were uploaded to the TIDE website for analysis of editing efficiency.

20 *Production and Titration of Lentiviral Vectors*

BaEV-psuedotype and VSVg-psuedotype lentiviral vectors were generated by transient transfection of 293T cells using Lipofectamine 2000 Transfection Reagent (Invitrogen, Waltham, MA) in accordance with the manufacturer's instructions. 15 μg of BaEV glycoprotein (Fusil et al., Molecular Therapy, 2015, 23(11):1734-47) or 15 μg of VSV glycoprotein were combined with 20 25 μg of a gagpol packaging plasmid and cargo plasmid to construct BaEV-psuedotype or VSVg-psuedotype viruses, respectively. Eighteen hours after transfection, media was replaced with Dulbecco's Modified Eagle Media (DMEM) containing 10% FBS and 1x penicillin-streptomycin. Viral titers were harvested after 24 hours and filtered to remove cellular debris. Lentiviral titers were determined using a qPCR Lentivirus Titration Kit (Applied Biological Materials Inc., 30 Vancouver, Canada) in accordance with manufacturer's instructions. Results are shown in Figure 4.

Two additional lentiviral vectors were constructed to expressed either B12 heavy chain and light chain or anti-PE heavy chain and light chain and codon-optimized IDUA (coIDUA) under

regulation of a MND promoter (a synthetic promoter that contains the U3 region of a modified MoMuLV LTR with myeloproliferative sarcoma virus enhancer). Co-expression of the heavy chain, the light chain, and the colDUA was obtained by introducing the P2A peptide sequences. These vectors use alternative splicing of mRNA transcripts to induce the expression of functional BCR in mature naive B cells or functional soluble antibody in plasma cells; thus, the expression of either BCR or soluble antibody is dependent on the maturation state of the B cell. Schematics of the vectors are shown in Figure 6. Sequences of the vectors are shown in Tables 3 to 8.

Acute and Chronic Activation of B cells

Both acute and chronically activated B cells were activated with a B Cell Expansion Kit (Miltenyi Biotec Inc, San Diego, CA) which activates B cells via crosslinking of CD40. Acutely activated cells were stimulated for 12 hours before application of the lentiviral constructs; chronically activated cells were activated for 14 days before application of the lentiviral constructs.

Targeted knockout of CD19 expression

CD19 expression was knocked out in primary human B cells using a CRISPR/Cas9 system. Chronically activated B cells were transfected with 1.5 µg of chemically modified mRNA coding for Cas9 protein (TriLink BioTechnologies, San Diego, CA) and 1 µg of chemically modified CD19 gRNA 4 oligo 1 (TriLink Biotechnologies) with the NEON Transfection System (1400 volts, 10 ms, 3 pulses). The combination of Cas9 protein and CD19 gRNA creates a double stranded break, which in turn leads to indel formation and frameshift mutations which eliminates gene expression and protein levels.

Evaluation of CD19 expression

Five days following electroporation, engineered primary human B cells were stained with APC e-Fluor780 Fixable Viability Dye and anti-CD19 antibody conjugated to BV421 (BioLegend, San Diego, CA). Cells were run on a LSRII flow cytometer (BD Biosciences), and data was analyzed using FlowJo Version 9 (Tree Star, Ashland, OR). Results are shown in Figure 5.

Testing of electroporation conditions in B cells

B cells activated for 14 days were electroporated with the NEON transfection under a variety of voltages, widths, and pulse settings (Figure 7A) with either 1 µg of plasmid DNA or

mRNA encoding eGFP. Percent transfection was determined by eGFP expression 2 days post electroporation and measured on a LSRII flow cytometer. Cell counts and cell viability were determined by Trypan Blue exclusion. Results are shown in Figure 7B.

5 *Gene Knockout in CD19⁺ B cells*

Stimulated CD19⁺ B cells were electroporated using the NEON Transfection Kit and System (Invitrogen, Carlsbad, CA). Gene editing at the BCL2 locus (gRNA 6 Oligo 1) was done using Alt-R CRISPR-Cas9 reagents from Integrated DNA Technologies (Coralville, IA). In brief, 1.1 uL of 200 uM Alt-R CRISPR-Cas9 crRNA, 1.1 uL Alt-R tracrRNA, and 2.8 uL nuclease-free duplex
10 buffer were incubated at 95°C for 5 minutes, then allowed to cool down at room temperature (RT) to form a crRNA:tracrRNA duplex. 0.5 uL of 22 picomolar (pmol) crRNA:tracrRNA duplex and 0.5 uL of 18 pmol Alt-R Cas9 enzyme were incubated at RT for 20 min to form the Alt-R CRISPR-Cas9 system. This Alt-R CRISPR-Cas9 system was combined with Electroporation enhancer (Invitrogen, Carlsbad, CA) and then added to 360,000 chronically activated B cells to a final
15 volume was 12 µL in T buffer. A 10 µL pipette tip was used to electroporate the cells at 1400 Volts, 10 ms, 3 pulses. The electroporated cells were cultured for 5 days before gene editing was measured using TIDE analysis as described as above. Results are shown in Figure 8.

B cell expansion

20 Sorted CD19⁺ B cells were expanded using a B cell expansion kit (Miltenyi Biotec Inc, San Diego, CA) in accordance with the manufacturer's protocols for 14 days. Both a low density starting B cell concentration (1x10⁵ cells/mL) and a high density starting B concentration (1x10⁶ cells/mL) were tested. Trypan Blue exclusion was used to determine cell counts at indicated timepoints. Results are shown in Figure 9.

25

IDUA activity

293T cells were electroporated using NEON System (1400 Volts, 10 ms, 3 pulses) with either GFP mRNA alone (control) or GFP mRNA together with pLL MND B12-IDUA expression plasmid. The pLL MND B12-IDUA expression plasmid includes the expression cassette shown in
30 Figure 6C.

To measure intracellular IDUA activity, the cells were harvested 3 days post electroporation. IDUA activities (nmol/hour/mg protein) were measured using IDUA assay described in Ou et al.

2014, Mol Genet Metab., 2014;111(2):113-5. The HEK 293T cells that received pLL MND B12-IDUA expression plasmid showed significantly higher intracellular IDUA activities (40-fold higher) than control. Results are shown in Figure 10A.

5 To measure IDUA activity in the cell media, media was collected 3 days post electroporation. IDUA activities (nmol/hour/mL) were measured using IDUA assay described in Ou et al. 2014, Mol Genet Metab., 2014;111(2):113-5. The culture media that contained HEK 293T cells received pLL MND B12-IDUA expression plasmid showed significantly higher IDUA activities (14-fold higher) than control. Results are shown in Figure 10B.

The complete disclosure of all patents, patent applications, and publications, and electronically available material (including, for instance, nucleotide sequence submissions in, e.g., GenBank and RefSeq, and amino acid sequence submissions in, e.g., SwissProt, PIR, PRF, PDB, and translations from annotated coding regions in GenBank and RefSeq) cited herein are
5 incorporated by reference. In the event that any inconsistency exists between the disclosure of the present application and the disclosure(s) of any document incorporated herein by reference, the disclosure of the present application shall govern. The foregoing detailed description and examples have been given for clarity of understanding only. No unnecessary limitations are to be understood therefrom. The invention is not limited to the exact details shown and described, for variations
10 obvious to one skilled in the art will be included within the invention defined by the claims.

Table 3. Coding sequence for Anti-PE heavy chain/light chain/coldUA lentiviral co-expression cassette (SEQ ID NO:37). Long terminal repeats (LTRs) are highlighted in gray. MND promoter is highlighted in gray and underlined. Anti-PE heavy chain, light chain, and coldUA are capitalized and underlined. P2As are italicized and highlighted in dark gray.

LTR

gggtctctctggtagaccagatctgagcctgggagctctctggctaaactaggggaacccactgcttaagcctcaataaagcttgccctgag
 tgcttcaagtagtgtgtgcccgtctgtgtgtgactctggtaactagagatccctcagaccccttttagtcagtggtgaaaatctctagcagtg
 gcgcccgaacagggacttgaaagcgaaaggggaaaccagaggagctctctcgacgcaggactcggcttgctgaagcgcgcacggcaag
 aggcgagggggcggcgactggtagtacgcaaaaattttgactagcggaggctagaaggagagagatgggtgagagagcgctcagtatt
 aagcggggggagaattagatcgcgatgggaaaaaattcggttaaggccaggggggaaagaaaaaatataaattaaaacatatagtatgg
 gcaagcagggagctagaacgattcgagttaatcctggcctgtagaacaatcagaaggctgtagacaaatactgggacagctacaac
 catcccttcagacaggatcagaagaacttagatcattatataatacagtagcaaccctctattgtgtgcatcaaaggatagagataaaag
 acaccaaggaagcttttagacaagatagaggaagagcaaaacaaaagtaagaccaccgcacagcaagcggccggccgcgctgatcttc
 agacctggaggaggagatatgagggacaattggagaagtgaattatataaatataaagtagtaaaaattgaaccattaggagtagcac
 ccaccaaggcaaagagaagagtgggtgcagagagaaaaaagagcagtggggaataggagctttgttccttgggttcttgggagcagcagg
 aagcactatgggcgagcgatcaatgacgctgacggtagcaggccagacaattattgtctggtatagtgagcagcagaacaatttgctga
 gggctattgagggcgcaacagcatctgttgcaactcacagctctggggcatcaagcagctccaggcaagaatcctggctgtggaagatac
 ctaaaggatcaacagctcctggggatttgggggtgctctggaaaactcatttgcaccactgctgtgccttggaatgctagttggagtaata
 aatctctggaacagatttggaatcacacgacctggatggagtgggacagagaaattaacaattacacaagcttaatacactccttaattg
 aagaatcgcaaaaccagcaagaaaagaatgaacaagaattattggaattagataaatgggcaagtttggtgaattggttaacataac
 aaattggctgtggtatataaaattattcataatgatagtaggaggcttggtaggtttaagaatagtttttgctgtactttctatagtgaaatag
 agttaggcagggatattcaccattatcgtttcagacccacctcccaaccccgagggggacccgacaggcccgaaggaatagaagaagaa
 ggtggagagagagacagagacagatccattcgattagtgaaacggatcggcactgcgtgcgccaattctgcagacaaatggcagttattca
 tcacaaattttaaaagaaaaggggggattgggggggtacagtgcaggggaaagaatagtagacataatagcaacagacatacaaaacta

aagaattacaaaaacaaattacaaaaattcaaaattttcgggtttattacagggacagcagagatccagtttggttagtaccgggcccgc
 tctagagatccgacgccgccatctctaggccccgcgccggccccctcgcacagacttgtgggagaagctcggctactcccctgccccggtt
 aatttgcataataatatttcctagtaactatagaggcttaatgtgcgataaaagacagataatctgttcttttaatactagctacattttaca
 tgataggcttggatttctataagagatacaataactaaattatttttaaaaaacagcacaaaaggaaactcacctaactgtaaagta
 attgtgtgttttgagactataaatatcccttggagaaaagccttgttaacgcgcggtgaccctcgaggctcgacgggtatcgataagctcgctt
 cacgagattccagcaggtcgagggacctaataacttcgtatagcatacattatacgaagttatattaagggttccaagcttaagcggccg
 MND promoter
 cgtggataaccgtattaccgccatgcata

atgaatcagcagactagcctcgagaagcttgatcgaattccacggggttgacgcgtctta
attaaggatccaaggctaggaacagagaaacaggagaatattgggccaacaggatattctgttgtaagcagtttctgccccggctcagg
gccaagaacagttggaacagcagaatatgggccaacaggatattctgttgtaagcagtttctgccccggctcagggccaagaacagat
ggtccccagatgcgggtccccgcccctcagcagtttctagagaaccatcagatgtttccagggtgcccccaaggacctgaaatgacctgtgctt
tatttgaactaaccaatcagttcgcttctcgcttctgttgcgcgcttctgctccccgagctctatataagcagagctcgtttagtgaaccgtc
agatcgccctggagacgccatccagcgtgttttgacctccatagaagacaccgactctagaggatcgatccccgggctgcaggaattcaa

Anti-PE Heavy Chain

gcgagaagacaagggcagaaagcaccgctagccaagtttgtacaaaaagcaggctgccaccATGGAAGTACAGCTGGAACA
GAGTGGTGCAGAGTTGGCAAGACCAGGGGCCAGCGTGAAACTCTCTTGCAAGGCGAGTGGATATACCTTTACA
AGTTACGGTATTTCTTGGGTAAACAGAGGACGGGGCAGGGTCTGGAATGGATAGGTGAAATTTACCCTAAAT
CCGGCAATACATACTATAATGAAAAATTCAAAGGACGAGCGACACTTACCGCTGATAAGTCTAGTTCCACTGCG
TATATGGAAGTCCGAAGCCTTACCAGCGAGGACTCCACAGTGTATTTTTGCGCGCGACAGGGGTACTATGCAAA
TTCACAATTCACGTAAGTGGGGTCAAGGGACACTTGTAACAGTAAGCGCAGCCAGTACTAAGGGGCCGAGCGTCT
TTCCTCTGGCTCCTAGCTCAAAATCCACATCCGGCGGTACCGCAGCGCTCGGATGTCTTGTTAAAGATTATTTTCC
AGAACCTGTCACAGTCAGTTGGAATAGCGGCGCTTTGACTTCCGGGGTCCATACGTTTCCGGCGGTGCTGCAATC

ATCCGGCCTCTATTCCCTCAGCTCTGTTGTTACAGTGCCGAGCTCCTCTCTGGGCACTCAGACTTATATTTGCAAC

GTAAACCACAAGCCATCTAACACAAAAGTGGATAAGAAGGTAGAACCTAAGAGCTGTGACAAGACGCATACAT

GCCCGCCGTGCCCTGCCCCAGAACTGCTCGGAGGACCATCCGTATTCTCTTTCCCCCAAGCCCAAAGACACCCT

GATGATTTCAAGAACGCCGGAGGTGACGTGTGTTGTTGTAGATGTCTCCACGAAGACCCCGAAGTAAAGTTTA

ATTGGTATGTTGATGGCGTGGAAGTCCACAACGCCAAAACCAAGCCTAGAGAAGAGCAGTACAATTCAACATA

TAGAGTAGTGAGTGTATTGACTGTCCTTCACCAGGACTGGCTCAATGGTAAGGAGTATAAGTGCAAGGTGAGC

AACAAGGCGCTCCCCGCTCCTATAGAAAAAACTATCAGTAAAGCAAAAGGTCAACCGAGAGAGCCTCAGGTCT

ATACACTCCCCCCCAGCCGGGATGAACTGACGAAAAATCAGGTCTCACTTACGTGTCTGGTTAAAGGTTTCTATC

CGTCTGATATTGCGGTGGAATGGGAATCAAATGGTCAGCCAGAAAACAATTACAAAACGACGCCCCCAGTGCT

GGACTCCGATGGCTCTTTCTTCCTTTATTCCAACTTACAGTAGATAAGTCAAGATGGCAACAAGGGAACGTGTT

TAGTTGCAGCGTTATGCATGAAGCACTCCATAATCACTATACCCAAAAGAGCTTGTCCCTTTCCCAGAGCTTCAA

CTGGAGGAGTCTTGCGCAGAGGCACAGGATGGTGAGCTGGATGGGTTGTGGACGACAATAACCATCTTTATAA

CACTTTTCCTTCTGTCTGTCTGCTACAGCGCTACTGTTACCTTTTTCAAAGTTAAGTGGATATTCAGTTCAGTTGTC

GATTTGAAACAGACTATCATCCCAGACTATCGGAACATGATAGGCCAAGGCGCCCagagccaaaagaagtgggtctggc

P2A

Anti-PE light chain

gcgacgaatttttgcttaagcaagccggagatgtggagggaattctggatcgATGGACATTGTGTTGACCCAGACA

CCGGCTATTATGTCTGCCTCACTCGGCGAAAGAGTAACGATGACTTGACCGCGAGTTCTAGCGTCAGCTCTAGC

TACCTTCATTGGTTTCAGCAAAAACCCGGGTCAAGTCCAAAGCTCTGGATCTACTCTACATCAAATCTGGCATCC

GGTGTTCTGGTAGGTTCTCCGGCTCCGGCAGCGAACTTCTTATTCCCTGATTATTGGCTCCCTCGAGACAGAA

GATGCCGCAACCTACTACTGTCACCAATATCACCGGAGCCCGCCACATTTGGAGGAGGAACTAAATTGGAAAT

CAAGACAGTTGCAGCGCCTAGCGTATTTATTTTCCCACCCTCAGATGAGCAACTGAAATCCGGGACCGCATCTGT
TGTCTGTCTGCTGAACAACCTTCTATCCCCGAGAGGGCCAAAGTTCAGTGGAAAGTGGACAATGCGCTTCAATCTG
GTAACCTCTCAAGAATCCGTCACCTGAGCAGGATTCTAAGGATTCTACATATAGTCTTTCATCAACCCTTACACTTAG
TAAGGCGGACTATGAAAAACACAAAGTGTACGCATGTGAGGTAACCTCACCAGGGGCTGCGCTCCCCGGTTACC
AAAAGTTTTAATCGAGGGGAGTGC ^{P2A} agagccaaaagaagtggttctggcgcgcgcgaatttttagtttgcttaagcaagccggag
atgtggggggaaaatcttggaccg ^{colDUA} ATGAGGCCGCTCAGACCGAGGGCTGCTCTTCTCGCCCTTCTTGCATCCTTGCTGG
CCGCCCCCCTGTGCGACCCGCTGAAGCCCCACACCTCGTACACGTGGATGCTGCGCGCGCGCTGTGGCCATTGC
GCCGATTTTGGAGGAGCACAGGGTTCTGTCCTCCCTTGCCCCACTCTCAAGCGGACCAATACGTCCTCAGTTGGG
ACCAGCAACTTAACCTGGCCTACGTTGGGGCAGTGCCACATAGAGGCATAAAACAGGTTCTGAACCCACTGGCTG
CTGGAGTTGGTAACTACACGCGGCAGTACCGGTCGAGGTCTCTCATACAATTTTACTCATCTCGACGGATACCTT
GACTTGCTGAGGGAAAACCAACTGTTGCCCGGTTTCGAACTGATGGGTAGCGCATCCGGCCACTTTACTGATTTC
GAGGACAAACAACAAGTTTTTTGAATGGAAGGATTTGGTAAGCAGCCTGGCGAGAAGATATATCGGGCCGATACG
GGCTCGCGCACGTGTCTAAATGGAATTTTGAAACGTGGAACGAACCTGACCATCACGATTTTGACAACGTCAGC
ATGACAATGCAGGGGTTCTTAACCTATTACGACGCGTGTCTGAAGGTTTGAGAGCGGCTTCCCCTGCACTCCGC
TTGGGAGGGCCCGGGGACAGCTTCCATACCCCCCGCGGTACCGTTGTCATGGGGCCTCTTGCGGCACTGTCAT
GATGGCACAAATTTTTTTTACGGGAGAAGCCGGTGTGAGACTGGATTACATTAGTCTCCACCGAAAGGGAGCCCG
CTCAAGCATTAGTATCCTGGAACAAGAGAAAGTGGTTGCTCAGCAGATTCGGCAATTGTTCCCAAATTCGCTG
ACACGCCAATATATAACGATGAAGCTGACCCCTTGGTGGGGTGGAGTCTTCCTCAACCTTGGCGCGCCGATGTA
ACGTACGCTGCAATGGTGGTAAAGGTCATAGCCCAACATCAGAACCTGCTCCTCGCCAATACGACAAGTGCCTTT

CCCTACGCGCTTTTGTCCAATGATAACGCGTTTCTGAGCTACCACCCTACCCGTTTGCTCAGCGAACATTGACCG
CTAGGTTCCAAGTGAATAATACACGACCGCCCCACGTCCAACCTTTGCGCAAACCTGTTCTTACCGCGATGGGGC
TCCTCGCTCTTCTCGACGAAGAGCAACTCTGGGCAGAAGTATCCCAAGCGGGCACTGTGCTGGACTCCAACCATA
CTGTAGGCGTGCTGGCCTCCGCCCCACCGCCCCAGGGACCAGCAGACGCGTGAGGGGCTGCGGTTCTGATATAT
GCCAGTGACGACACAAGGGCGCACCCGAATAGGTCAGTCGCTGTGACTTTGCGGCTGAGAGGGGTCCCACCGG
GTCCTGGACTGGTTTATGTAACGAGATACCTGGACAATGGTCTTTGCTCCCCGATGGCGAGTGGCGGAGGCTG
GGGAGGCCCGTATTTCCGACTGCTGAACAGTTTCGACGAATGCGAGCAGCTGAAGATCCCGTAGCAGCAGCACC
ACGCCCTCTTCCTGCTGGAGGTAGACTTACGTTGCGACCGGCCCTCCGCTTCCTTCACTGCTCCTCGTACATGTCT
GCGCACGCCCCGAGAAGCCACCAGGCCAGGTCACTCGACTCCGAGCCCTTCGCTCACCCAAGGACAGCTCGTCC
TTGTCTGGTCTGACGAGCATGTCGGTAGCAAATGCCTTTGGACGTACGAGATACAGTTTAGCCAGGACGGTAAG
GCATATACTCCTGTTAGTAGGAAGCCATCTACTTTTAACCTTTTTGTATTAGTCCCGACACGGGTGCTGTCAGCG
GGTCTTACCGGGTCCGCGCCCTGGATTATTGGGCCAGACCCGGACCTTTCTCCGATCCTGTCCCCTATCTCGAGGT
GCCCGTGCCAAGGGGGCCTCCCAGCCCCGGCAATCCATAATGAaccagctttcttgtaaaagtgggtgtacaagtagga
 attcgtcgagggaacctaataacttcgtatagcatacattatacgaagttatacatgtttaagggttccggttccactaggtacaattcgata
 tcaagcttatcgataatcaacctctggattacaaaatttgtgaaagattgactgggtattcttaactatgttgctccttttacgctatgtggata
 cgctgctttaatgcctttgtatcatgctattgcttcccgtatggctttcattttctcctccttgataaatcctgggtgctgtctctttatgaggag
 ttgtggcccgttgtcaggcaacgtggcgtgggtgtgactgtgtttgctgacgcaacccccactgggtggggcattgccaccacctgtcagct
 cctttccgggactttcgctttccccctccctattgccacggcggaactcatcgccgcctgccttgccgctgctggacaggggctcggctgtt
 gggcactgacaattccgtgggtgttgcggggaaatcatcgctcctttccttggctgctgcctgtgttgccacctggattctgcgcgggacgtc
 cttctgctacgtcccttcggccctcaatccagcggaccttccttcccgcggcctgtgccggctctgcggcctcttccgcgtcttcgccttcgc

cctcagacgagtcggatctccctttgggcccgcctccccgcatcgataccgtcgacctcgatcgagacctagaaaaacatggagcaatcac
aagtagcaatacagcagctaccaatgctgattgtgcctggctagaagcacaagaggaggaggagggtgggttttccagtcacacctcagg
tacctttaagaccaatgacttacaaggcagctgtagatcttagccactttttaaaagaaaaggggggactggaagggttaattcactccc
aacgaagacaagatatccttgatctgtggatctaccacacacaaggctacttcctgattggcagaactacacaccagggccagggtac
agatatccactgacctttggatgggtgctacaagctagtaccagttgagcaagagaaggtagaagaagccaatgaaggagagaacaccc
gcttgttacaccctgtgagcctgcatgggatggatgacccggagagagaagtattagagtggagggttgacagccgcctagcatttcac
LTR
acatggcccagagagctgcatccggactgtactgggtctctctgggttagaccagatctgagcctgggagctctctggctaactaggggaacc
cactgcttaagccccaataaagcttgccctgagtgcttcaagtagtgtgtgcccgtctgtgtgtgactctggtaactagagatccctcaga
cccttttagtcagtggtggaaaatctctagca

Table 4. Coding sequence for B12 heavy chain/light chain/coldUA lentiviral co-expression cassette (SEQ ID NO:38). Long terminal repeats (LTRs) are highlighted in gray. MND promoter is highlighted in gray and underlined. B12 heavy chain, light chain, and coldUA are capitalized and underlined. P2As are italicized and highlighted in dark gray.

LTR

```

gggtctctctggtagaccagatctgagcctgggagctctctggctaaactagggaaacccactgcttaagcctcaataaagcttgccctgag
tgcttcaagtagtgtgtgcccgtctgtgtgtgactctggtaactagagatccctcagacccttttagtcagtggtggaaaatctctagcagtg
gcgcccgaacagggacttgaaagcgaaagggaaaccagaggagctctctcgacgcaggactcggcttgctgaagcgcgacggcaag
aggcgagggggcgggcactgggtgagtacgcaaaaaattttgactagcggaggctagaaggagagagatgggtgagagagcgtcagtatt
aagcggggggagaattagatcgcgatgggaaaaaattcggttaaggccagggggaaagaaaaatataaattaaaacatatagtatgg
gcaagcagggagctagaacgattcgagttaatcctggcctgttagaaacatcagaaggctgtagacaaatactgggacagctacaac
catcccttcagacaggatcagaagaacttagatcattatataatacagtagcaaccctctattgtgtgcatcaaaggatagagataaaag
acaccaaggaagcttttagacaagatagaggaagagcaaaacaaaagtaagaccaccgcacagcaagcggccggccgcgctgatcttc
agacctggaggaggagatatgagggacaattggagaagtgaattatataaaatataaagtagtaaaaattgaaccattaggagtagcac
ccaccaaggcaaagagaagagtgggtgcagagagaaaaaagagcagtggggaataggagctttgttccttgggttcttgggagcagcagg
aagcactatgggcgagcgtcaatgacgctgacgggtacaggccagacaattattgtctgggtatagtgacgagcagcagaacaatttgctga
gggctattgaggcgcaacagcatctgttgcaactcacagtctggggcatcaagcagctccaggcaagaatcctggctgtggaaagatac
ctaaaggatcaacagctcctggggatttgggggttgctctggaaaactcatttgcaccactgctgtgccttggaatgctagttggagtaata
aatctctggaacagatttggaatcacacgacctggatggagtgggacagagaaattaacaattacacaagcttaatacactccttaattg
aagaatcgcaaaaccagcaagaaaagaatgaacaagaattattggaattagataaatgggcaagtttgtggaattggtttaacataac
aaattggctgtggtatataaaattattcataatgatagtaggaggcttggtagggttaagaatagtttttgctgtactttctatagtgaaatag
agttaggcagggatattcaccattatcgtttcagacccacctcccaaccccgagggggacccgacaggcccgaaggaatagaagaagaa
ggtaggagagagagacagagacagatccattcgattagtgaacggatcggcactgcgtgcgccaattctgcagacaaatggcagttattca
tccacaatttttaaagaaaaggggggattgggggggtacagtgaggggaaagaatagtagacataatagcaacagacatacaaaacta

```

aagaattacaaaaacaaattacaaaaattcaaaattttcgggtttattacagggacagcagagatccagtttggttagtaccgggcccgc
 tctagagatccgacgccgccatctctaggccccgcgccggccccctcgcacagacttggtgggagaagctcggctactcccctgccccggtt
 aatttgcataataatttcctagtaactatagaggcttaatgtgcgataaaagacagataatctgttcttttaatactagctacattttaca
 tgataggcttggtttctataagagatacaataactaaattatttttaaaaaacagcacaaaaggaaactcacctaactgtaaagta
 attgtgtgttttgagactataaatatcccttggagaaaagccttgtaaaccgcggtgaccctcgaggctcgacgggtatcgataagctcgctt
 cacgagattccagcaggtcgagggacctaataacttcgtatagcatacattatacgaagttatattaagggttccaagcttaagcggccg
 MND promoter

cgtggataaccgtattaccgccatgcatacgcacagagactagcctcgagaagcttgatcgaattccacggggttgagcgcgtctta
 attaaggatccaaggctaggaacagagaaaacaggagaatatgggccaacaggatatctgttgtaagcagttcctgccccggctcagg
 gccagaacagttggaacagcagaatatgggccaacaggatatctgttgtaagcagttcctgccccggctcagggccagaacagat
 ggtccccagatgcgggtccccgcccctcagcagtttctagagaaccatcagatgtttccaggggtgccccaggacctgaaatgacctgtgcct
 tatttgaactaaccaatcagttcgcttctcgcttctgttcgcgcgttctgtctccccgagctctatataagcagagctcgtttagtgaaccgtc
 agatcgccctggagacgccatccacgcgtttttgacctccatagaagacaccgactctagaggatcgatccccgggctgcaggaattcaa
 B12 heavy chain
 gcgagaagacaagggcagaaagcaccgctagccaagtttgtacaaaaaagcaggctgccaccATGCAAGTCCAAGTGGTACAA

TCCGGAGCTGAAGTGAAAAAACAGGGGCATCCGTGAAAGTCTCATGCCAAGCCTCCGGTTACCGATTAGTAA

CTTTGTGATACTGGGTTCGGCAAGCCCCAGGACAAAGATTCGAGTGGATGGGCTGGATAAACCATATAATG

GTAACAAAGAATTCTCAGCTAAATTCCAAGACCGGGTAACATTTACGGCGGATACTTCAGCTAACACTGCATAC

ATGGAAGTTCGCAGCTTGAGGTCCGCGGACACAGCCGTATATTACTGCGCGAGGGTTGGCCCATATAGCTGGGA

CGACAGTCCGCAGGACAATTATTACATGGACGTGTGGGGGAAGGGTACGACCGTAATAGTCAGTAGTGCGTCC

ACTAAAGGTCCCTCTGTCTTCCCATTGGCACCGAGTTCTAAGTCTACGTCTGGTGGCACAGCTGCACTGGGCTGT

CTGGTCAAAGACTATTTCCCCGAACAGTTACGGTTAGTTGGAACAGCGGAGCCCTGACAAGCGGAGTGCACAC

GTTTCCGGCGGTTCTTCAATCTAGTGGACTCTATAGCCTCTCATCCGTAGTAACGGTTCATCCTCATCTCTTGA

ACGCAAACGTATATTTGTAACGTTAATCATAAGCCTTCTAATACTAAGGTTGACAAAAAGGTAGAGCCTAAATCT
TGCGATAAGACGCACACCTGCCCGCCCTGTCCTGCACCCGAACTTTTGGGGGGTCCATCAGTTTTCTGTTTCCTC
CAAAGCCAAAAGATACTCTGATGATCTCCAGAACGCCAGAGGTAACCTGCGTCGTAGTCGATGTTTCTCACGAA
GACCCTGAAGTGAAATTTAACTGGTACGTAGATGGTGTGGAAGTGCACAATGCGAAAATAAACCGCGCGAAG
AACAGTACAACCTCTACTTACCGAGTCGTGTCCGTCCTCACGGTCCTCCATCAGGACTGGCTTAACGGAAAAGAAT
ACAAATGTAAAGTCAGCAACAAAGCGCTCCAGCGCCCATAGAAAAAACGATTAGTAAGGCGAAAGGTCAACC
TAGAGAGCCACAGGTATACACTCTCCACCTTCACGGGACGAACTTACGAAAAACCAGGTTTCACTCACATGTTT
GGTGAAAGGATTTTATCCTAGCGATATTGCTGTAGAATGGGAGAGTAACGGGCAACCTGAGAACAAATTATAAG
ACAACACCTCCTGTATTGGATTACAGACGGTAGTTTTTTCTTGTATAGCAAATTGACTGTTGACAAGTCCCGGTGG
CAACAGGGGAATGTCTTCTCCTGCTCTGTCATGCATGAAGCCCTTCACAACCATTACACCCAGAAAAGTTTGTCCC
TCTCTCCCGAACTTCAGCTGGAAGAGTCCTGCGCCGAAGCACAAGATGGAGAACTCGATGGCCTGTGGACGACC
ATAACTATCTTCATCACTCTCTTCTTGCTGAGTGTGTGCTACAGCGCCACCGTTACTTTTTCAAGGTAAAATGGA
TATTCTCCAGCGTGGTCGATCTCAAACAGACAATCATTCCGGATTACAGAAACATGATTGGGCAGGGCGCTtagag

P2A
B12 light chain

ccaaaagaagtggttctggcgcgcgcgaatttttggtttgcttaagcaagccggagatgtggagggaattctggaccgATGGAAA
TTGTGTTGACTCAGAGCCCCGGAACCTCTGTCCCTCAGTCCCGGCGAAAGGGCAACATTAGTTGTAGGTCTTCCC
ATTCAATTCGAAGTAGGCGCGTTGCGTGGTACCAACACAAACCCGGCCAAGCTCCACGCCTGGTGATCCACGGG
GTGTCAAATAGGGCATCTGGGATCTCCGATAGGTTTTAGGGTCAGGATCAGGTACGGATTTACCCCTTACCATC
ACACGGGTGAACCCGAGGATTTGCCCTTTATTACTGCCAGGTATATGGGGCGAGCAGTTATACGTTTGGTCA
GGGGACCAAGCTCGAGCGAAAACGGACCGTCGCGGGCCCCAAGCGTCTTTATCTTCCACCCCTCTGACGAACAGC

TCAAATCCGGTACAGCTTCTGTAGTTTGCTTGCTCAACAACCTTTTACCCACGGGAGGCGAAAGTTCAATGGAAAG

TGGATAATGCCCTTCAATCCGGGAACAGCCAAGAAAGTGTGACGGAACAGGACAGCAAAGACTCTACCTATTC

ACTCAGTAGCACTCTGACTTTGTCCAAGGCCGATTATGAAAAACATAAGGTTTACGCGTGCGAGGTTACACACC

P2A

AAGGTCTGCGAAGCCCAGTAACAAAATCCTTCAATAGGGGTGAGTGC*Cagagccaaaagaagtggttctggcgcgacga*

colDUA

*atttagtttgcttaagcgaagccgggaatgtggaggggaatcctggcccg*ATGAGGCCGCTCAGACCGAGGGCTGCTCTTC

TCGCCCTTCTTGATCCTTGCTGGCCGCCCCCCTGTCGCACCCGCTGAAGCCCCACACCTCGTACACGTGGATGC

TGCGCGCGCGCTGTGGCCATTGCGCCGATTTTGGAGGAGCACAGGGTTCTGTCTCCCTTGCCCCACTCTCAAGC

GGACCAATACGTCCTCAGTTGGGACCAGCAACTTAACCTGGCCTACGTTGGGGCAGTGCCACATAGAGGCATAA

AACAGGTTCTGAACCCACTGGCTGCTGGAGTTGGTAACTACACGCGGCAGTACCGGTCTGAGGTCTCTCATACAAT

TTTACTCATCTCGACGGATACCTTGACTTGCTGAGGGAAAACCAACTGTTGCCCGGTTTCGAACTGATGGGTAGC

GCATCCGGCCACTTTACTGATTTGAGGACAAACAACAAGTTTTTGAATGGAAGGATTTGGTAAGCAGCCTGGC

GAGAAGATATATCGGCCGATACGGGCTCGCGCACGTGTCTAAATGGAATTTTGAAACGTGGAACGAACCTGAC

CATCACGATTTTGACAACGTCAGCATGACAATGCAGGGGTTCTTAACCTATTACGACGCGTGTTCTGAAGGTTTG

AGAGCGGCTTCCCCTGCACTCCGCTTGGGAGGGCCCCGGGGACAGCTTCATACCCCCCGCGGTACCGTTGTCA

TGGGGCCTCTTGCGGCACTGTCATGATGGCACAAATTTTTTTACGGGAGAAGCCGGTGTGAGACTGGATTACAT

TAGTCTCCACCGAAAGGGAGCCCGCTCAAGCATTAGTATCCTGGAACAAGAGAAAGTGGTTGCTCAGCAGATTC

GGCAATTGTTCCCAAATTCGCTGACACGCCAATATATAACGATGAAGCTGACCCCTTGGTGGGGTGGAGTCTT

CCTCAACCTTGGCGCGCCGATGTAACGTACGCTGCAATGGTGGTAAAGGTCATAGCCCAACATCAGAACCTGCT

CCTCGCCAATACGACAAGTGCCCTTCCCTACGCGCTTTTGTCCAATGATAACGCGTTTCTGAGCTACCACCCTCAC

CCGTTTGCTCAGCGAACATTGACCGCTAGGTTCCAAGTGAATAATACACGACCGCCCCACGTCCAACCTCTTGCGC
AAACCTGTTCTTACCGCGATGGGGCTCCTCGCTCTTCTCGACGAAGAGCAACTCTGGGCAGAAGTATCCCAAGCG
GGCACTGTGCTGGACTCCAACCATACTGTAGGCGTGCTGGCCTCCGCCCACCGCCCCCAGGGACCAGCAGACGC
GTGGAGGGCTGCGGTTCTGATATATGCCAGTGACGACACAAGGGCGCACCCGAATAGGTCAGTCGCTGTGACTT
TGCGGCTGAGAGGGGTCCCACCGGGTCCTGGACTGGTTTATGTAACGAGATACCTGGACAATGGTCTTTGCTCC
CCCGATGGCGAGTGGCGGAGGCTGGGGAGGCCCGTATTTCCGACTGCTGAACAGTTTCGACGAATGCGAGCAG
CTGAAGATCCCGTAGCAGCAGCACCACGCCCTCTTCCTGCTGGAGGTAGACTTACGTTGCGACCGGCCCTCCGCC
TTCCTTCACTGCTCCTCGTACATGTCTGCGCACGCCCCGAGAAGCCACCAGGCCAGGTCACCTCGACTCCGAGCCCT
TCCGCTCACCCAAGGACAGCTCGTCCTTGTCTGGTCTGACGAGCATGTCGGTAGCAAATGCCTTTGGACGTACGA
GATACAGTTTAGCCAGGACGGTAAGGCATATACTCCTGTTAGTAGGAAGCCATCTACTTTTAACCTTTTTGTATTC
AGTCCCGACACGGGTGCTGTCAGCGGGTCTTACCGGGTCCGCGCCCTGGATTATTGGGGCCAGACCCGGACCTTTC
TCCGATCCTGTCCCCTATCTCGAGGTGCCCGTGCCAAGGGGGCCTCCAGCCCCGGCAATCCATAATGAaccagc
 tttctgtacaaagtgggtgtacaagtaggaattcgtcgaggacctaataacttcgtatagcatacattatacgaagttatacatgtttaa
 gggttcgggtccactaggtacaattcgatatcaagcttatcgataatcaacctctggattacaaaatttgtgaaagattgactggattctt
 aactatgttgctccttttacgctatgtggatacgtgctttaatgcctttgtatcatgctattgcttccgtagtgctttcatttctcctccttgt
 ataaatcctgggtgctgtctctttatgaggagttgtggccggtgtcaggcaacgtggcgtgggtgtgactgtgtttgctgacgcaaccccc
 actggttggggcattgccaccacctgtcagctcctttccgggactttcgctttccccctccctattgccacggcggaactcatcgccgctgc
 cttgcccgtgctggacaggggctcggctgttgggcactgacaattccgtgggtgtgtcggggaaatcatcgtcctttccttggctgctcgc
 ctgtgttgccacctggattctgcgcgggacgtccttctgctacgtcccttcggccctcaatccagcggaccttccttcccgcggcctgtgcc
 ggctctgcggcctcttccgcgtcttcgccttcgcccctcagacgagtcggatctccctttggggccgctccccgcacatcgataccgtcgacctcg

atcgagacctagaaaaacatggagcaatcacaagtagcaatacagcagctaccaatgctgattgtgcctggctagaagcacaagagga
ggaggaggtggggtttccagtcacacctcaggtacctttaagaccaatgacttacaaggcagctgtagatcttagccactttttaaaagaa
aaggggggactggaagggttaattcactcccaacgaagacaagataccttgatctgtggatctaccacacacaaggctacttccctgat
tggcagaactacacaccagggccagggatcagatatccactgacctttggatgggtgctacaagctagtaccagttgagcaagagaaggt
agaagaagccaatgaaggagagaacacccgcttggttacaccctgtgagcctgcatgggatggatgacccggagagagaagtattagag
LTR
tggaggtttgacagccgcctagcatttcacatggcccgagagctgcatccggactgtactgggtctctctgggttagaccagatctgag
cctgggagctctctggctaactagggaaacccactgcttaagcctcaataaagcttgccctgagtgcttcaagtagtggtgcccgtctgttg
tgtgactctggtaactagagatccctcagacccttttagtcagtggtggaaaatctctagca

Table 5. Coding sequences for FAM1 B12 vector (SEQ ID NO:39). WPRE, woodchuck hepatitis virus posttranscriptional regulatory element; FEEK, B cell specific promoter; T2A, 2A peptide from *Thosea asigna* virus; M1 and M2, transmembrane coding regions.

tgtgtaattgtaattttctctgtcccactccatccaggctcgtgtgattccaaatctgttccagagatttattactccaactagcattccaaggc
 acagcagtggtgcaaatagagttttccagagcaaccccaaatacccaggagctgttgatccttttaggtatctttccacagccaggattcttg
 cctggagctgcttgatgccccagactgtgagttgcaacagatgctgttgcgccatagccctcagcaaattgttctgctgctgactata
 ccagacaataattgtctggcctgtaccgtcagcgtcattgacgctgcgcccatagtgcttctgctgctccaagaaccaaggaacaaa
 gctcctattcccactgctctttttctctctgcaccactcttctctttgccttggtgggtgctactcctaattggttcaatttttactactttatatt
 atataattcacttctccaattgtccctcatatctctctccaggctcgaagatcagcgccgcttgctgtgcggtggtcttacttttgtttgc
 tcttctctatcttgtctaaagcttccttggtgtcttttatctctatcctttgatgcacacaatagagggttgctactgtattatataatgatcta
 agttcttctgatncctgtctgaagggatggtttagctgtcccagtatgttctacagccttctgatgtttctaacaggccaggattaactgc
 gaatcgttctagctccctgcttgcccatactatatgttttaatttatatttttctttccccctggccttaaccgaattttttcccatcgcgatcta
 atttcccccgcttaatactgacgctctcgcacccatctctctcttctagcctccgctagtcaaaaattttggcgtactcaccagtcgcccgc
 cctcgctcttgccgtgcgcttcagcaagccgagtcctgcgtcgagagagctcctctggtttccctttcgctttcaagtcctgttcgggc
 gccactgctagagattttccacactgactaaaagggtctgagggatctctagttaccagagtcacacaacagacgggacacactacttg
 aagcactcaaggcaagctttattgaggcttaagcagtggttccctagtttagccagagagctcccaggctcagatctggtctaaccagag
 agaccagtacaggcaaaacgcgctgcttatatagacctcccaccgtacacgcctaccgcccatttgctcaatggggcgaggattgttac
 gacattttggaaagtcccgttgattttggtgccaaaacaaactcccattgacgtcaatgggggtggagacttggaatccccgtgagtcaa
 accgctatccacgcccattgatgtactgccaaaaccgcatcaccatggtaatagcgatgactaatacgtagatgtactgccaaagtaggaa
 agtcccataaggctcatgtactgggcataatgccaggcgggcccatttaccgtcattgacgtcaatagggggcgctacttggtcatatgataca
 cttgatgtactgccaaagtgggcagtttaccgtaataactccaccattgacgtcaatggaaagtccctattggcgttactatgggaacata
 cgtcattattgacgtcaatgggcgggggtcgttgggcggtcagccaggcgggcccatttaccgtaagttatgtaacgcggaactccatata
 gggctatgaactaatgaccccgtaattgattactattaataactagtcataatcaatgtcaacgcgtatatctggcccgtacatcgcgaa

gcagcgcaaaacgcctaaccctaagcagattcttcatgcaattgtcgggtcaagccttgcttgtttagcttaaattttgctcgcgcactac
tcagcgacctccaacacacaagcagggagcagatactggcttaactatgcggcatcagagcagattgtactgagagtgcaccataggg
gatcgggagatctcccgatccgtcgacgtcaggtaggcacitcttcggggaaatgtgcgcggaacccctatttgtttatttttctaaatacattc
aaatatgtatccgctcatgagacaataaccctgataaatgcttcaataatattgaaaaaggaagagtatgagtattcaacatttcggtgc
gcccttattcccttttttgcggcatitctgccttcctgtttttgctcaccagaaaacgctggtagaaagtaaaagatgctgaagatcagttgggt
gcacgagtgggttacatcgaactggatctcaacagcggtaagatccttgagagttttcgccccgaagaacgttttccaatgatgagcactt
ttaaagttctgctatgtggcgcggtattatcccgatttgacgccgggcaagagcaactcggctcgccgcatacactattctcagaatgacttg
gttgagtactcaccagtcacagaaaagcatcttacggatggcatgacagtaagagaattatgcagtgctgccataaccatgagtataa
cactgcggccaacttacttctgacaacgatcggaggaccgaaggagctaaccgctttttgcacaacatgggggatcatgtaactcgcctt
gatcgttgggaaccggagctgaatgaagccataccaaacgacgagcgtgacaccacgatgcctgtagcaatggcaacaacgttgcgca
aactattaactggcgaactacttactctagcttcccggcaacaattaatagactggatggaggcggataaagttgcaggaccacttctgc
gctcggcccttccggctggctggtttattgctgataaatctggagccggtgagcgtgggtctcgcggtatcattgcagcactggggccaga
tggtgaagccctcccgtatcgtagttatctacacgacggggagtcaggcaactatggatgaacgaaatagacagatcgtgagataggtg
cctcactgattaagcattggtaactgtcagaccaagtttactcatatatacttttagattgatttaaaacttcatttttaatttaaaaggatcta
ggtgaagatcctttttgataatctcatgacaaaaatcccttaacgtgagttttcgttccactgagcgtcagaccccgtagaaaagatcaaa
ggatcttcttgagatccttttttctgcgcgtaatctgctgcttgcaaacaaaaaaaccaccgctaccagcgggtggtttgtttgccggatcaa
gagctaccaactctttttccgaaggtaactggcttcagcagagcgcagataccaaatactgttcttctagtgtagccgtagttaggccacc
acttcaagaactctgtagcaccgcctacatacctcgctctgctaatacctgttaccagtggctgctgccagtggcgataagtcgtgtcttacc
gggttggactcaagacgatagttaccggataaggcgcagcggctcgggctgaacgggggggttcgtgcacacagcccagcttggagcgaa
cgacctacaccgaactgagatacctacagcgtgagctatgagaaagcgccacgcttcccgaaggggagaaaggcggacaggtatccggt
aagcggcaggggtcggaaacaggagagcgcacgagggagcttccaggggggaaacgcctgggtatctttatagtcctgtcgggtttcgccacc
tctgacttgagcgtcgattttttgtgatgctcgtcaggggggcgagcctatggaaaaacgccagcaacgcggcctttttacggttcctggc

cttttgctggccttttgctcacatgttctttcctgcgttatcccctgattctgtggataaccgtattaccgcctttgagtgagctgataccgctc
gccgcagccgaacgaccgagcgcagcgagtcagtgagcgaggaagcggaagagcgcccaatacgcgaaccgcctctccccgcgcgtt
ggccgattcattaatgcagctggcacgacagggtttcccgactggaaagcgggcagtgagcgcaacgcaattaatgtgagttagctcactc
attaggcaccccaggctttacactttatgcttccggctcgtatgttgtgtggaattgtgagcggataacaatttcacacaggaaacagctat
gacatgattacgccaagctctagctagaggtcgacgggtatacagacatgataagatacattgatgagtttgacaaaaccacaactaga
atgcagtgaaaaaaatgctttatttgtgaaatttgtgatgctattgctttatttgaaccattataagctgcaataaacaagttgggggtggg
cgaagaactccagcatgagatccccgcgtggaggatcatccagccggcgtcccggaacgattccgaagcccaacctttcatagaag
gcggcgggtggaatcgaaatctcgtagcacgtgtcagtcctgctcctcgccacgaagtgcacgcagttgccggccgggtcgcgagggc
gaactccccccccacggctgctcgccgatctcggtcatggccggcccgaggcgtcccggaagttcgtggacacgacctccgaccactc
ggcgtacagctcgtccaggccgcgacccacacccaggccagggtgttgcggcaccacctggctcctggaccgcgctgatgaacaggg
tcacgtcgtcccgaccacacccggcgaagtcgtcctccacgaagtcccgggagaaacccgagccgggtcgggtccagaactcgaccgctccg
gcgacgtcgcgcgcggtgagcaccggaacggcactgggtcaacttgccatggtttagttcctcaccttgcgtattatactatgccgatata
ctatgccgatgattaattgtcaacacgtgctgatcagatccgaaaatggatatacaagctcccgggagcttttgcaaaagcctaggcctc
caaaaaagcctcctcactacttctggaatagctcagaggcagaggcggcctcggcctctgcataaataaaaaaaattagtcagccatgg
ggcggagaatgggcggaactgggcggagttaggggcgggatgggcggagttaggggcgggactatggttgctgactaattgagatgca
tgctttgcatacttctgcctgctggggagcctggggactttccacacctggttgctgactaattgagatgcatgctttgcatacttctgcctgc
tggggagcctggggactttccacaccctaactgacacacattccacagaattaattcgcttaaattttgttaaatacagctcatttttaac
caataggccgaaatcggcaaaatcccttataaatcaaaagaatagaccgagatagggttgagtggttccagtttgaacaagagtc
actattaaagaacgtggactccaacgtcaaagggcgaaaaaccgtctatcagggcgatggccactacgtgaaccatcacctaataca
gttttttggggtcgaggtgccgtaaagcactaaatcggaaccctaagggagccccgatttagagcttgacggggaaagccggcgaac
gtggcgagaaaggaagggaagaaagcgaaaggagcgggcgctagggcgctggcaagtgtagcggtcacgctgcgcgtaaccaccac
acccgccgcgcttaatgcgccgtacagggcgcgtggggataccccctagagccccagctgggttctttccgcctcagaagccatagagcc

caccgcatccccagcatgcctgctattgtcttcccaatcctcccccttgctgtcctgccccacccccccccagaatagaatgacacctac
tcagacaatgcgatgcaatttcctcattttattaggaaaggacagtgggagtgggcaccttcagggtcaaggaaggcacgggggagggg
caaacaacagatggctggcaactagaaggcacagtcgaggctgatcagcgggtttaaacgggcccctgctagagattttccacactgact
aaaagggtctgagggatctctagttaccagagtcacacaacagacggggcacacactacttgaagcactcaaggcaagctttattgaggc
ttaagcagtgggttccctagttagccagagagctcccagggtcagatctgggtctaaccagagagaccagtagcagtcaggatgcagctct
cgggccatgtgatgaaatgctaggcgggtgtcaaacctccactctaatacttctctctccgggtcatccatcccatgcagggtcacagggt
gtaacaagcgggtgttctctcttcatcttggttcttctaccttctcttgctcaactggtagctttagcaccatccaaagggtcagtgata
tctgatccctggccctgggtgtgtagttctgccaatcagggaagtagccttgtgtgtgtagatccacagatcaaggatatcttgtcttcgttg
ggagtgaattagcccttcagtcccccctttcttttaaaaagtggctaagatctacagctgccttgtaagtcattgggtcttaagggtacctg
agggtgtgactggaaaaccacctcctcctccttctgtgcttctagccaggcacaatcagcattggtagctgctgtattgctacttgtgattgc

WPRE

tccatgtttttctaggtctcgatcgaggctcgacgggtatcgatgcggggaggcggcccaaaggagatccgactcgictgaggggcgaaggc
gaagacgcggaaggaggccgcagagccggcagcaggccgcgggaagggaagggtccgctggattgaggggccgaaggggacgtagcagaa
ggacgtcccgcgcagaatgcagggtggcaacacaggcggagcagccaagggaaggacgatgatttccccgacaacaccacgggaattgtc
agtgcccaacagccgagcccctgtccagcagcgggcaaggcaggcggcgatgagttccgcccgtggcaataggggagggggaaagcgaa
agtcgccggaaggagctgacaggtgggtggcaatgcccccaaccagtggggggttgcgtcagcaaacacagtgacaccacggccacgttgc
ctgacaacggggccacaactcctcataaagagacagcaaccaggatttatacaaggaggagaaaatgaaagccatacgggaagcaata
gcatgatacaaaggcattaaagcagcgtatccacatagcgtaaaaggagcaacatagtttaagaataccagtcattctttcacaattttg
taatccagagggtgattatcgataagcttgatatcgaaattgggaggggactagagtcgcggccgctttacttgtacagitttaacatctcgag

FEEK

ccataaagatggttaattaacccacccaagatctaaaccgggtgagtttcatgggttacttgcctgagaagattaaaaaaagtaatgctacct
tatgaggggagagtcccagggaaccaagatagcaactgtcatagcaaccgtcacactgctttgggtcaaggagaagaccctttggggaaactg
aaaacagaaccttgagcacatctgttgccttccctccatcctcctccaacagggtcgggtggagcactccacacctttcaccgggtcgta

cggctcagccagagtaaaaaatcacacccatgaccctggccacaggggcttgatcaattcacttgaatttggcattaaataccattaaggt
 atattaactgattttaaaataagatatattcgtgaccatgttttaactttcaaaaatgtagctgccagtggtgattttatttcagttgtaca
 aaataictaaacctatagcaatgtgattaaataaaaacttaaacataattttccagtagccttaattctgtgataggaaaattttaatctgagta
 ttttaatttcataatctctaaaatagtttaatgatttgcattgtgttgctgtcgtttaccccagctgatctcaaaagtgatatttaaggagatt
 attttggctctgcaacaacttgatagggtcagccctctcccacccaacgggtggaatccccagagggggatttccaagaggccacctggc
 agttgctgagggtcagaagtgaaggtagccacttctcttaggcaggtggccaagattacagttgacccgtacgtgcagctgtgccagc
 ctgccccatccccctgctcatttgcattgttcccagagcacacacctctgccccgaagccttattaalaggctgggtcacactttgtgcaggagtc

B12 light chain

agactcagtcaggacacagctacgaagcttggtagcagctcggatctccaccccgtatGCCACCatgggtgtgcccactcaggtcctg
 gggttgctgctgctgtggcttacagatgccagatgtgagatcgaggaaattgtgttgactcagagccccggaactctgtccctcagtcctg
 gcgaaagggaacattcagttgttaggtcttccattcaattcgaagtaggcgcttgcgttggtaccaacacaaacccggccaagctccac
 gcctggatccacgggggtgtcaaatagggcattctgggatctccgatagggttttcagggtcaggatcaggtacggatttcacccctaccat
 cacacgggttgaacccgaggatttcgccctttattactgccaggtatatggggcgagcagttatacgtttgggtcaggggaccaagctcga
 gcgaaaacggaccgtcgcggccccaagcgtctttatcttcccacccctctgacgaacagctcaaatccgggtacagcttctgtagtttgccttgc
 tcaacaacttttaccacgggaggcgaaagttcaatggaaagtggataatgcccttcaatccgggaacagccaagaaagtgtagcga
 acaggacagcaaagactctacattcactcagtagcactctgactttgtccaaggccgattatgaaaaacataagggtttacgcgtgcga

T2A site

ggttacacaccaaggctcgcgaagcccagtaacaaaatccttcaatagggggtgagtgcgaggggcagaggaagtctgttaacatgcggt

B12 Heavy Chain

gacgtcaggagaaatcctggccccacaagtccaactgggtacaatccggagctgaagtgaaaaaaccagggggcatccgtgaaagtctcat
 gccaaagcctccggttaccgatttagtaactttgtgatacactgggttcggcaagccccaggacaaagattcgagtggtgggtggataa
 acccatataatggtaacaaagaattctcagctaaattccaagaccgggtlaacatttacggcggatacttcagctaacactgcatacatgg
 aacttcgcagcttgaggctcgcggacacagccgtatattactgcgcgagggttggcccatatagctgggacgacagtcgcgaggacaatt
 attacatggacgtgtgggggaagggtacgaccgtaatagtcagtagtgctagcaccaaggggcccatcggtcttccccctggcacccctct

ccaagagcaccctctgggggacacagcgccctgggctgectgggtcaaggactacttccccgaaccgggtgacgggtgicgtggaactcaggc
 gccctgaccagcggtgacacaccttcccggtgtctctacagtcctcaggactctactccctcagcagcggtggtagccgtgccctccagca
 gcttgggcacccagacctacatctgcaacgtgaatcacaagccagcaacaccaagggtggacaagaaagttgagcccaaatcttgtgac
 aaaactcacacatgccaccgtgccagcaccctgaactcctgggggggaccgtcagttcttcttcccccaaaaaccaaggacaccctc
 atgatctcccgaccctgagggtcacatgctgtgggtggtagcgtagccacgaagaccctgagggtcaagttcaactgggtatgttgacggc
 gtggagggtgcataatgccaaagacaagccgctggggaggagcagtacaacagcagctaccgtgtgggtcagcgctctcaccgtctgcacc
 aggactggctgaatggcaaggagtacaagtgaagggtctccaacaaagccctccagcccccatcgagaaaaccatctccaaagccaa
 agggcagccccgagaaccacaggtgtacacctgcccccatcccggtatgagctgaccaagaatcaagtcagcctgacctgctgggtca
 aaggcttctatcccagcgacatcgccgtggagtgaggagagcaatgggcagccggagaacaactacaagaccacgcctcccgctgtgga
 ctccgacggctcttcttcttctactcaaaactcaccgtggacaagagcaggtggcagcaggggaacgtcttctcatgctccgtgatgcat
 gaggctctgcacaaccactacacacagaagagcctctccctgtctccgggtaaatgagtgccacggccggcaagcccccgctccccagg
 ctctcgggggtcgcgcgaggatgcttggcacgtaccccggtgtacatacttcccaggcaccagcatggaaataaagcaccagcgcttccc
 tgggccccctgcgagactgtgatggttcttccacgggtcaggccgagctctgaggcctgagtggtcatgaggaggcagagtggttccact
 gtccccacactggcccaggctgtggtggggagctgacctcaggacattgttggcccatcccggccgggccctacatcctgggtcctgccac

M1

agagggaatcacccccagaggcccaagcccagggggacacagcactgaccaccccccttctgtccagagctgcaactggaggagagc
 tgtgcggaggcgcaggacggggagctggacgggctgtggacgacctcaccatcttcatcacactcttctgttaagcgtgtgctacag

M2

tgccaccgtcaccttcttcaagggtgaagtggatcttctctcgggtgggtggacctgaagcagacctcatctccgactacaggaacatgac
 ggacagggggcctaggggccaccctctgcgggggtgtccagggcgcgccaataaaatatctttattttcattacatctgtgtgttggtttttgt
 gtgaatcgatagtactaacatacgctctccatcaaaacaaaacgaaacaaaacaaactagcaaaataggctgtccccagtgcagtgc
 aggtgccagaacatttctctatttaaagtctagaattaaccaaactggatctctgtgtccctgtaataaaccgaaaattttgaattttgt
 aatttgttttgttaattcttagttgtatgtctgttgctattatgtctactattcttccctgcactgtaccccccaatcccccttttcttttaa

aattgtggatgaatactgccatttgtctgcagaattggcgcacgcagtgccgatccgttcactaatcgaatggatctgtctctgtctctctct
ccaccttcttcttctattccttcgggcctgtcgggtcccctcgggggtgggaggtgggtctgaaacgataatggatgaatatccctgcctaact
ctattcactatagaaagtacagcaaaaactattcttaaacctaccaagcctcctactatcattatgaataatttatataccacagccaatt
tggtatgttaaaccaattccacaaacttgcccatttatctaattccaataattcttggtcattctttcttgctgggtttgcgattcttcaattaa
ggagtgtattaagct

Table 6. Coding sequences for FAM1 anti PE vector (SEQ ID NO:40). WPRE, woodchuck hepatitis virus posttranscriptional regulatory element; FEEK, B cell specific promoter; T2A, 2A peptide from *Thosea asigna* virus; M1 and M2, transmembrane coding regions.

tgtgtaattgtaattttctctgtcccactccatccaggtcgtgtgattccaaatctgttccagagatttattactccaactagcattccaaggc
 acagcagtggtgcaaatagagttttccagagcaaccccaaatacccaggagctgttgatccttttaggtatctttccacagccaggattcttg
 cctggagctgcttgatgccccagactgtgagttgcaacagatgctgttgcgctcaatagccctcagcaaattgttctgctgctgcactata
 ccagacaataattgtctggcctgtaccgtcagcgtcattgacgctgcgccccatagtgttctctgctgctccaagaaccaaggaacaaa
 gctcctattcccactgctctttttctctctgcaccactcttctctttgccttggtgggtgctactcctaattggttcaatttttactactttatatt
 atataattcacttctccaattgtccctcataatctcctcctccaggtctgaagatcagcggccgcttgctgtgcggtggtcttacttttgtttgc
 tcttctctatcttgtctaaagcttccttggtgtcttttatctctatcctttgatgcacacaatagagggttgctactgtattatataatgatcta
 agttcttctgatncctgtctgaagggtggtttagctgtcccagatatttgtctacagccttctgatgtttctaacaggccaggattaactgc
 gaatcgttctagctccctgcttgcccatactatatgttttaatttatatttttctttccccctggccttaaccgaatttttcccatcgcgatcta
 atttcccccgcttaatactgacgctctcgcacccatctctctccttctagcctccgctagtcaaaatttttggcgtactcaccagtcgcccgc
 cctcgctcttgccgtgcgcttcagcaagccgagtcctgcgtcgagagagctcctctggtttccctttcgctttcaagtcctgttcgggc
 gccactgctagagattttccacactgactaaaagggtctgagggtatcttagttaccagagtcacacaacagacgggacacactacttg
 aagcactcaaggcaagctttattgaggcttaagcagtggttccctagtttagccagagagctcccaggctcagatctggtctaaccagag
 agaccagtacaggcaaaacgcgctgcttatatagacctcccaccgtacacgcctaccgcccatttgctcaatggggcgagttgttac
 gacattttggaaagtcccgttgattttggtgccaaaacaaactcccattgacgtcaatgggggtggagacttggaaatccccgtgagtcaa
 accgctatccacgcccattgatgtactgccaaaaccgcatcaccatggtaatagcgatgactaatacgtagatgtactgccaaagtaggaa
 agtcccataaggctcatgtactgggcataatgccaggcgggcccatttaccgtcattgacgtcaatagggggcgctacttggcatatgataca
 cttgatgtactccaagtgggcagtttaccgtaaatactccaccattgacgtcaatggaaagtcctattggcgttactatgggaacata
 cgtcattattgacgtcaatggggcgggggtcgttgggcgggtcagccaggcgggcccatttaccgtaagttatgtaacgcggaactccatata
 gggctatgaactaatgaccccgtaattgattactattaataactagtcaataatcaatgtcaacgcgtatatctggcccgctacatcgcgaa

gcagcgcaaaacgcctaaccctaagcagattcttcatgcaattgtcgggtcaagccttgcttgtttagcttaaattttgctcgcgcactac
tcagcgacctccaacacacaagcagggagcagatactggcttaactatgcggcatcagagcagattgtactgagagtgcaccataggg
gatcgggagatctcccgatccgtcgacgtcaggtaggcacitcttcggggaaatgtgcgcggaacccctatttgtttatttttctaaatacattc
aaatatgtatccgctcatgagacaataaccctgataaatgcttcaataatattgaaaaaggaagagtatgagtattcaacatttcctgtgc
gcccttattcccttttttgcggcatitctgccttcctgtttttgctcaccagaaaacgctggtagaaagtaaaagatgctgaagatcagttgggt
gcacgagtgggttacatcgaactggatctcaacagcggtaagatccttgagagttttcgccccgaagaacgtttccaatgatgagcactt
ttaaagttctgctatgtggcgcggtattatcccgatttgacgccgggcaagagcaactcggctcgccgcatacactattctcagaatgacttg
gttgagtactcaccagtcacagaaaagcatcttacggatggcatgacagtaagagaattatgcagtgctgccataaccatgagtataa
cactgcggccaacttacttctgacaacgatcggaggaccgaaggagctaaccgctttttgcacaacatgggggatcatgtaactcgcctt
gatcgttgggaaccggagctgaatgaagccataccaaacgacgagcgtgacaccacgatgcctgtagcaatggcaacaacgttgcgca
aactattaactggcgaactacttactctagcttcccggaacaattaatagactggatggaggcggataaagttgcaggaccacttctgc
gctcggcccttccggctggctggtttattgctgataaatctggagccggtgagcgtgggtctcgcggtatcattgcagcactggggccaga
tggtgaagccctcccgatcgtagttatctacacgacggggagtcaggcaactatggatgaacgaaatagacagatcgtgagataggtg
cctcactgattaagcattggtaactgtcagaccaagtttactcatatatacttttagattgatttaaaacttcatttttaatttaaaaggatcta
ggtagaatcctttttgataatctcatgacaaaaatcccttaacgtgagttttcgttccactgagcgtcagaccccgtagaaaagatcaaa
ggatcttcttgagatccttttttctgcgcgtaatctgctgcttgcaaacaaaaaaaccaccgctaccagcggtaggtttgtttgccggatcaa
gagctaccaactctttttccgaaggtaactggcttcagcagagcgcagataccaaatactgttcttctagttagccgtagttaggccacc
acttcaagaactctgtagcaccgcctacatacctcgctctgctaatacctgttaccagtggctgctgccagtggcgataagtcgtgtcttacc
gggttggactcaagacgatagttaccggataaggcgcagcggctcgggctgaacgggggggttcgtgcacacagcccagcttgagcgaa
cgacctacaccgaactgagatacctacagcgtgagctatgagaaagcgccacgcttcccgaaggagaaaggcggacaggtatccggt
aagcggcaggggtcggaaacaggagagcgcacgaggggagcttcagggggaaacgcctggtagcttttatagtcctgtcgggtttcgccacc
tctgacttgagcgtcgatttttgtgatgctcgtcaggggggagcagcctatggaaaaacgccagcaacgcggcctttttacggttcctggc

cttttgctggccttttgctcacatgttctttcctgcgttatcccctgattctgtggataaccgtattaccgcctttgagtgagctgataccgctc
gccgcagccgaacgaccgagcgcagcgagtcagtgagcgaggaagcggaagagcgcccaatacgcgaaccgcctctccccgcgcgtt
ggccgattcattaatgcagctggcacgacagggtttcccgactggaaagcgggcagtgagcgcaacgcaattaatgtgagttagctcactc
attaggcaccccaggctttacactttatgcttccggctcgtatgttgtgtggaattgtgagcggataacaatttcacacaggaaacagctat
gacatgattacgccaagctctagctagaggtcgacgggtatacagacatgataagatacattgatgagtttgacaaaaccacaactaga
atgcagtgaaaaaaatgctttatttgtgaaatttgtgatgctattgctttatttgtaccattataagctgcaataaacaagttgggggtggg
cgaagaactccagcatgagatccccgcgtggaggatcatccagccggcgtcccggaacgattccgaagcccaacctttcatagaag
gcggcgggtggaatcgaaatctcgtagcacgtgtcagtcctgctcctcgccacgaagtgcacgcagttgccggccgggtcgcgagggc
gaactccccccccacggctgctcgccgatctcggtcatggccggcccgaggcgtcccggaagttcgtggacacgacctccgaccactc
ggcgtacagctcgtccaggccgcgacccacacccaggccagggtgttgtccggcaccacctggctcctggaccgcgctgatgaacaggg
tcacgtcgtcccgaccacacccggcgaagtcgtcctccacgaagtcccgggagaaacccgagccgggtcgggtccagaactcgaccgctccg
gcgacgtcgcgcgcggtgagcaccggaacggcactgggtcaacttgccatggtttagttcctcaccttgcgtattatactatgccgatata
ctatgccgatgattaattgtcaacacgtgctgatcagatccgaaaatggatatacaagctcccgaggagcttttgcaaaagcctaggcctc
caaaaaagcctcctcactacttctggaatagctcagaggcagaggcggcctcggcctctgcataaataaaaaaaattagtcagccatgg
ggcggagaatgggcggaactgggcggagttaggggcgggatgggcggagttaggggcgggactatggttgctgactaattgagatgca
tgctttgcatacttctgcctgctggggagcctggggactttccacacctggttgctgactaattgagatgcatgctttgcatacttctgcctgc
tggggagcctggggactttccacaccctaactgacacacattccacagaattaattcgcttaaattttgttaaatacagctcatttttaac
caataggccgaaatcggcaaaatcccttataaatcaaaagaatagaccgagatagggttgagtgttgttccagtttgaacaagagtc
actattaaagaacgtggactccaacgtcaaagggcgaaaaaccgtctatcagggcgatggccactacgtgaaccatcacctaataca
gttttttggggtcgaggtgccgtaaagcactaaatcggaaccctaaaggagccccgatttagagcttgacggggaaagccggcgaac
gtggcgagaaaggaagggaagaaagcgaaaggagcgggcgctagggcgctggcaagtgtagcggtcacgctgcgcgtaaccaccac
acccgccgcgcttaatgcgccgtacagggcgcgtggggataccccctagagccccagctgggttctttccgcctcagaagccatagagcc

caccgcatccccagcatgcctgctattgtcttcccaatcctcccccttgctgtcctgccccacccccccccagaatagaatgacacctac
tcagacaatgcgatgcaatttcctcattttattaggaaaggacagtgggagtgggcaccttcagggtcaaggaaggcacgggggagggg
caaacaacagatggctggcaactagaaggcacagtcgaggctgatcagcgggtttaaacgggcccctgctagagattttccacactgact
aaaagggtctgagggatctctagttaccagagtcacacaacagacggggcacacactacttgaagcactcaaggcaagctttattgaggc
ttaagcagtggggtccctagttagccagagagctcccagggtcagatctgggtctaaccagagagaccagtagcagtcaggatgcagctct
cgggccatgtgatgaaatgctaggcgggtgtcaaacctccactctaatacttctctctccgggtcatccatcccatgcagggtcacagggt
gtaacaagcgggtgttctctcttcatcttggtcttcttaccttctcttgctcaactggtagctttagcaccatccaaagggtcagtgata
tctgatccctggccctgggtgtgtagttctgccaatcagggaagtagccttgtgtgtggtagatccacagatcaaggatatcttgtcttcgttg
ggagtgaattagcccttcagtcccccctttcttttaaaaagtggctaagatctacagctgccttgtaagtcattgggtcttaagggtacctg
agggtgtgactggaaaaccacctcctcctccttctgtgcttctagccaggcacaatcagcattggtagctgctgtattgctacttgtgattgc

WPRE

tccatgtttttctaggtctcgatcgagggtcgacgggtatcgatgcggggaggcggcccaaaggagatccgactcgictgaggggcgaaggc
gaagacgcgggaaggaggccgcagagccggcagcaggccgcgggaagggaagggtccgctggattgaggggccgaagggaagcgtagcagaa
ggacgtcccgcgcagaatgcagggtggcaacacaggcggagcagccaagggaaggacgatgatttccccgacaacaccacgggaattgtc
agtgcccaacagccgagcccctgtccagcagcgggcaaggcaggcggcgatgagttccgcccgtggcaatagggaaggggggaaagcgaa
agtcgccggaaggagctgacaggtgggtggcaatgcccccaaccagtggggggttgcgtcagcaaacacagtgacaccacggccacgttgc
ctgacaacggggccacaactcctcataaagagacagcaaccaggatttatacaaggaggagaaaatgaaagccatacgggaagcaata
gcatgatacaaaggcattaaagcagcgtatccacatagcgtaaaaggagcaacatagtttaagaataccagtcattctttcacaattttg
taatccagaggttgattatcgataagcttgatatcgaattgggaggggactagagtcgcggccgctttacttgtacagitttaacatctcgag

FEEK

ccataaagatggttaattaacccacccaagatctaaaccgggtgagtttcatgggttacttgcctgagaagattaaaaaaagtaatgctacct
tatgaggagagatcccagggaaccaagatagcaactgtcatagcaaccgtcacactgctttgggtcaaggagaagaccctttggggaaactg
aaaacagaaccttgagcacatctgttgccttccctccatcctcctccaacagggtcgggtggagcactccacacctttcaccgggtcgta

cggctcagccagagtaaaaaatcacacccatgaccctggccacagagggcttgatcaattcacttgaatttggcattaaataccattaaggt
 atattaactgattttaaaataagatatattcgtgaccatgttttaactttcaaaaatgtagctgccagtggtgattttatttcagttgtaca
 aaataictaaacctatagcaatgtgattaaataaaaacttaaacatattttccagtagccttaattctgtgataggaaaattttaatctgagta
 ttttaatttcataatctctaaaatagtttaatgatttgcattgtgttgctgtcgtttaccccagctgatctcaaaagtgaattttaaggagatt
 attttggctcgaacaacttgatagggtcagccctctccacccaacgggtggaatccccagagggggatttccaagaggccacctggc
 agttgctgagggtcagaagtgaaggtagccacttctcttaggcaggtggccaagattacagttgacccgtacgtgcagctgtgccagc
 ctgccccatccccctgctcatttgcattgttcccagagcacaacctctgccccgaagccttattaalaggctgggtcacactttgtgcaggagtc

Anti-PE light chain

agactcagtcaggacacagctacgaagcttggtaccgagctcggatctccaccccgtagCCACCatgggtgtgcccactcaggtcctg
 gggttgctgctgctgtggcttacagatgccagatgtgagatcgagGACATTGTGTTGACCCAGACACCGGCTATTATGTC
 TGCCTCACTCGGCGAAAGAGTAACGATGACTTGCACCGCGAGTTCTAGCGTCAGCTCTAGCTACCTTCAT
 TGGTTTCAGCAAAAACCCGGGTCAAGTCCAAAGCTCTGGATCTACTCTACATCAAATCTGGCATCCGGTG
 TTCCTGGTAGGTTCTCCGGCTCCGGCAGCGAAACTTCTTATTCCTGATTATTGGCTCCCTCGAGACAGA
 AGATGCCGCAACCTACTACTGTCACCAATATCACCGGAGCCCCGCCACATTTGGAGGAGGAACTAAATT
 GGAAATCAAGACAGTTGCAGCGCCTAGCGTATTTATTTCCACCCCTCAGATGAGCAACTGAAATCCGG
 GACCGCATCTGTTGTCTGTCTGCTGAACAACTTCTATCCCCGAGAGGCCAAAGTTCAGTGGAAAGTGGA
 CAATGCGCTTCAATCTGGTAACTCTCAAGAATCCGTCACTGAGCAGGATTCTAAGGATTCTACATATAGT
 CTTTCATCAACCCTTACACTTAGTAAGGCGGACTATGAAAAACACAAAGTGTACGCATGTGAGGTAACTC

T2A site

ACCAGGGGCTGCGCTCCCCGGTTACCAAAAGTTTTAATCGAGGGGAGTGCgagggcagaggaagtctgttaac

Anti-PE Heavy Chain

atgcggtgacgtcgaggagaatcctggcccaGAAGTACAGCTGGAACAGAGTGGTGCAGAGTTGGCAAGACCAG
 GGGCCAGCGTGAAACTCTCTTGCAAGGCGAGTGGATATACCTTTACAAGTTACGGTATTTCTTGGGTAA
 AACAGAGGACGGGGCAGGGTCTGGAATGGATAGGTGAAATTTACCCTAAATCCGGCAATACATACTAT

AATGAAAAATTCAAAGGACGAGCGACACTTACCGCTGATAAGTCTAGTTCCACTGCGTATATGGAACTC
 CGAAGCCTTACCAGCGAGGACTCCACAGTGTATTTTGGCGCGGACAGGGGTACTATGCAAATTCACAA
 TTCACGTACTGGGGTCAAGGGACACTTGTAACAGTAAGCGCAGctagcaccaaggsgcccatcggtcttccccctggc
 accctctccaagagcacctctgggggacacagcgccctgggctgctgggtcaaggactacttccccgaaccggtgacgggtgctggtgaa
 ctgaggcgccctgaccagcggtgacacaccttcccggtgctctacagtcctcaggactctactccctcagcagcggtgggtgaccgtgccc
 tccagcagcttgggacccagacctacatctgcaacgtgaatcacaagccagcaacaccaagggtggacaagaaagttagcccaaaf
 ctgtgacaaaactcacacatgcccaccgtgcccagcacctgaactcctggggggaccgtcagtccttcttcccccaaaaaccaagg
 acacctctcatgatctcccgaccctcgagggtcacatgctgtgggtgggtgacgtgagccacgaagaccctgagggtcaagttcaactggtatg
 ttgacggcggtggagggtgcataatgccaaagacaaagccgcgggaggagcagtacaacagcacgtaccgtgtgggtcagcgtctctaccgt
 cctgcaccaggactgggtgaatggcaaggagtacaagtgaagggtctccaacaagccctcccagcccccatcgagaaaacctctcc
 aaagccaaagggtcagccccgagaaccacaggtgtacacctgcccccatcccggtatgagctgaccaagaatcaagtcagcctgacct
 gcctgggtcaaaggcttctatcccagcgacatcgccgtggagtgggagagcaatgggacagccggagaacaactacaagaccacgcctcc
 cgtgctggactccgacgggtcttcttctctactcaaaaactcaccgtggacaagagcagggtggcagcaggggaacgtcttctcatgctcc
 gtgatgcatgaggctctgcacaaccactacacacagaagagcctctccctgtctccgggtaaatgagtgcacgggccgggaagcccccg
 ctccccaggctctcggggtcgcgcgaggatgcttggcacgtaccccggtgtacatacttcccaggcaccagcatggaaataaagcaccca
 gcgttccctgggccccctgcgagactgtgatgggtctttccacgggtcaggccgagctcgaggcctgagtggtcatgaggaggagcagagt
 ggtccactgtccccacactggcccaggctgtgtgggtggggagctgacctcaggacattgttggcccatcccgccggggccctacatcctgg
 gtcttgccacagagggaatcacccccagaggcccaagcccagggggacacagcactgaccaccccccttctgtccagagctgcaactg
 gagggagagctgtgcggaggcgacggacggggagctggacgggctgtggacgaccatcacctcttcatcacactcttctgttaagcg

M1

M2

tgtgctacagtgccaccgtcaccttcttcaagggtgaagtggatcttctctcggtgggtggacctgaagcagaccatcatccccgactacag
 gaacatgatcggacagggggccctaggggccaccctctgcggggtgtccaggcgcgccaataaaaatatctttattttcattacatctgtgtg

ttggtttttgtgtgaatcgatagtagtactaacatacgctctccatcaaaacaaaacgaaacaaaacaaactagcaaaataggctgtcccca
gtgcaagtgaggtgccagaacatttctctatttaaagtctagaattaaccaaactggatctctgctgtccctgtaataaacccgaaaattt
tgaatttttgaatttgttttgaattctttagtttgiatgtctgttgctattatgtctactattctttcccctgcactgtaccccccaatcccc
tttcttttaaaattgtggatgaatactgccatttgtctgcagaattggcgacgcagtgccgatccgttcactaatcgaatggatctgtctct
gtctctctccaccttcttcttctattcttcgggcctgtcgggtcccctcgggggtgggaggtgggtctgaaacgataatggatgaatatccc
tgcctaactctattcactatagaaagtagcaaaaaactattcttaaacctaccaagcctcctactatcattatgaataatttatatacca
cagccaatttgttatgttaaaccaattccacaaacttgccatttatctaattccaataattctgttcattctttcttgctgggtttgcgattc
ttcaattaaggagtgtattaagct

Table 7. Coding sequences for FAM2 B12 vector (SEQ ID NO:41). WPRE, woodchuck hepatitis virus posttranscriptional regulatory element; FEEK, B cell specific promoter; T2A, 2A peptide from *Thosea asigna* virus; M1 and M2, transmembrane coding regions.

tgtgtaattgtaatttctctgtcccactccatccaggctcgtgtgattccaaatctgttccagagatttattactccaactagcattccaaggc
 acagcagtggtgcaaagtgagtttccagagcaaccccaaatacccaggagctgttgatcctttaggtatctttccacagccaggattcttg
 cctggagctgcttgatgccccagactgtgagttgcaacagatgctgttgcgcctcaatagccctcagcaaattgttctgctgctgactata
 ccagacaataattgtctggcctgtaccgtcagcgtcattgacgctgcgcccatagtgcttctgctgctccaagaaccaaggaacaaa
 gctcctattcccactgctctttttctctctgcaccactcttctctttgccttggtgggtgctactcctaattggttcaatttttactactttatatt
 atataattcacttctccaattgtccctcatatctcctcctccaggctctgaagatcagcgccgcttgctgtgcggtggtcttacttttgtttgc
 tcttctctatcttgtctaaagcttccttggtgtcttttatctctatcctttgatgcacacaatagagggttgctactgtattatataatgatcta
 agttcttctgatcctgtctgaagggatggttgtagctgtcccagatattgtctacagccttctgatgtttctaacaggccaggattaactgcg
 aatcgttctagctccctgcttgccatactatatgttttaatttatatttttcttccccctggccttaaccgaatttttcccatcgcgatctaa
 ttctccccgcttaatactgacgctctcgcacccatctctctccttctagcctccgctagtcaaaattttggcgtactcaccagtcgcccgc
 ctgcctcttgccgtgcgcgcttcagcaagccgagtcctgcgtcgagagagctcctctggtttccctttcgctttcaagtccctgttcgggcg
 ccactgctagagattttccacactgactaaaagggtctgagggatctctagttaccagagtcacacaacagacgggacacactacttga
 agcactcaaggcaagctttattgaggcttaagcagtggttccctagtttagccagagagctccaggctcagatctggtctaaccagaga
 gaccagtacaggcaaaacgcgctgcttatatagacctccaccgtacacgcctaccgcccatttgctcaatggggcgagggtgttacg
 acattttggaaagtcccggtgattttggtgccaaaacaaactcccattgacgtcaatgggggtggagacttggaatccccgtgagtcaaac
 cgctatccacgcccattgatgtactgccaaaaccgcatcaccatggtaatagcgatgactaatacgtagatgtactgccaaagtaggaaag
 tcccataaggctcatgtactgggcataatgccaggcgggcccatttaccgtcattgacgtcaatagggggcgctacttggcatatgatacactt
 gatgtactgccaaagtgggcagtttaccgtaaaatactccaccattgacgtcaatggaaagtcctattggcgttactatgggaacatacgt
 cattattgacgtcaatgggcgggggtcggttggcggtcagccaggcgggcccatttaccgtaagttatgtaacgcggaactccatatatgg
 gctatgaactaatgaccccgttaattgattactattaataactagtcaataatcaatgtcaacgcgtatatctggcccgtacatcgcggaagc

agcgcaaaacgcctaaccctaagcagattcttcatgcaattgtcgggtcaagccttgccctgtttagcttaaattttgctcgcgcactactc
agcgacctccaacacacaagcagggagcagatactggcttaactatgcggcatcagagcagattgtactgagagtgcaccatagggga
tcgggagatctccgatccgtcgacgtcaggtggcacttttcggggaaaatgtgcgcggaacccctatttgtttatcttaatacattcaa
atatgtatccgctcatgagacaataaccctgataaatgcttcaataatattgaaaaaggaagagtatgagtattcaacatttccgtgtcgc
ccttattcccttttttgcggcattttgccttctgtttttgctcaccagaaaacgctgggtgaaagtaaaagatgctgaagatcagttgggtgc
acgagtgggttacatcgaactggatctcaacagcggtaagatccttgagagttttcgccccgaagaacgtttccaatgatgagcactttt
aaagttctgctatgtggcgcggtattatcccgtattgacgccgggcaagagcaactcgggtcgccgcatacactattctcagaatgacttgg
ttgagtactcaccagtcacagaaaagcatcttacggatggcatgacagtaagagaattatgcagtgctgccataaccatgagtataac
actgcggccaacttacttctgacaacgatcggaggaccgaaggagctaaccgctttttgcacaacatgggggatcatgtaactcgcctt
gatcgttgggaaccggagctgaatgaagccataccaaacgacgagcgtgacaccacgatgcctgtagcaatggcaacaacgttgcgca
aactattaactggcgaactacttactctagcttcccggcaacaattaatagactggatggaggcggataaaagttgcaggaccacttctgc
gctcggcccttccggctggctggtttattgctgataaatctggagccggtgagcgtgggtctcgcggtatcattgcagcactggggccaga
tggtgaagccctcccgtatcgtagttatctacacgacggggagtcaggcaactatggatgaacgaaatagacagatcgtgagataggtg
cctcactgattaagcattggtaactgtcagaccaagtttactcatatatacttttagattgatttaaaacttcatttttaatttaaaaggatcta
ggtgaagatcctttttgataatctcatgacaaaaatcccttaacgtgagttttcgttccactgagcgtcagaccccgtagaaaagatcaaa
ggatcttcttgagatccttttttctgcgcgtaatctgctgcttgcaaacaaaaaaaccaccgctaccagcgggtggtttgtttgccggatcaa
gagctaccaactctttttccgaaggtaactggcttcagcagagcgcagataccaaatactgttcttctagtgtagccgtagttaggccacc
acttcaagaactctgtagcaccgcctacatacctcgctctgctaatacctgttaccagtggctgctgccagtggcgataagtcgtgtcttacc
gggttggactcaagacgatagttaccggataaggcgcagcggctcgggctgaacgggggggttcgtgcacacagcccagcttggagcgaa
cgacctacaccgaactgagatacctacagcgtgagctatgagaaaagcgccacgcttcccgaaggagaaaggcggacaggtatccggt
aagcggcaggggtcggaaacaggagagcgcacgagggagcttccaggggggaaacgcctgggtatctttatagtcctgtcgggtttcgccacc
tctgacttgagcgtcgatttttgtgatgctcgtcaggggggcgagcctatggaaaaacgccagcaacgcggcctttttacggttcctggc

cttttgctggccttttgctcacatgttctttcctgcgttatcccctgattctgtggataaccgtattaccgcctttgagtgagctgataccgctc
gccgcagccgaacgaccgagcgcagcgagtcagtgagcgaggaagcggaagagcgcccaatacgcgaaccgcctctccccgcgcgtt
ggccgattcattaatgcagctggcacgacagggtttcccgactggaaagcgggcagtgagcgcaacgcaattaatgtgagttagctcactc
attaggcaccccaggctttacactttatgcttccggctcgtatgttgtgtggaattgtgagcggataacaatttcacacaggaaacagctat
gacatgattacgccaagctctagctagaggtcgacgggtatacagacatgataagatacattgatgagtttgacaaaaccacaactaga
atgcagtgaaaaaaatgctttatgttgaaattgtgatgctattgctttatgttaaccattataagctgcaataaacaagttgggggtggg
cgaagaactccagcatgagatccccgcgtggaggatcatccagccggcgtcccggaacgattccgaagcccaacctttcatagaag
gcggcgggtggaatcgaaatctcgtagcacgtgtcagtcctgctcctcgccacgaagtgcacgcagttgccggccgggtcgcgagggc
gaactccccccccacggctgctcgccgatctcggtcatggccggcccgaggcgtcccggaagttcgtggacacgacctccgaccactc
ggcgtacagctcgtccaggccgcgacccacacccaggccagggtgttgcggcaccacctggctcctggaccgcgctgatgaacaggg
tcacgtcgtcccgaccacacccggcgaagtcgtcctccacgaagtcccgggagaaacccgagccgggtcgggtccagaactcgaccgctccg
gcgacgtcgcgcgcggtgagcaccggaacggcactgggtcaacttgccatggtttagttcctcaccttgcgtattatactatgccgatata
ctatgccgatgattaattgtcaacacgtgctgatcagatccgaaaatggatatacaagctcccgggagcttttgcaaaagcctaggcctc
caaaaaagcctcctcactacttctggaatagctcagaggcagaggcggcctcggcctctgcataaataaaaaaaattagtcagccatgg
ggcggagaatgggcggaactgggcggagttaggggcgggatgggcggagttaggggcgggactatggttgctgactaattgagatgca
tgctttgcatacttctgcctgctggggagcctggggactttccacacctggttgctgactaattgagatgcatgctttgcatacttctgcctgc
tggggagcctggggactttccacaccctaactgacacacattccacagaattaattcgcttaaattttgttaaatacagctcatttttaac
caataggccgaaatcggcaaaatcccttataaatcaaaagaatagaccgagatagggttgagtggttccagtttgaacaagagtc
actattaaagaacgtggactccaacgtcaaagggcgaaaaaccgtctatcagggcgatggccactacgtgaaccatcacctaataca
gttttttggggtcgaggtgccgtaaagcactaaatcggaaccctaaaggagccccgatttagagcttgacggggaaagccggcgaac
gtggcgagaaaggaagggaagaaagcgaaaggagcgggcgctagggcgctggcaagtgtagcggtcacgctgcgcgtaaccaccac
acccgccgcgcttaatgcgccgtacagggcgcgtggggataccccctagagccccagctgggttctttccgcctcagaagccatagagcc

caccgcatccccagcatgcctgctattgtcttcccaatcctcccccttgctgtcctgccccacccccccccagaatagaatgacacctac
tcagacaatgcgatgcaatttcctcattttattaggaaaggacagtgggagtggtcaccttcagggtcaaggaaggcacgggggagggg
caaacaacagatggctggcaactagaaggcacagtcgaggctgatcagcgggtttaaacgggcccctgctagagattttccacactgact
aaaagggtctgagggatctctagttaccagagtcacacaacagacgggacacactacttgaagcactcaaggcaagctttattgaggc
ttaagcagtgggttccttagttagccagagagctcccaggctcagatctggtctaaccagagagaccagtacagtccggatgcagctct
cgggccatgtgatgaaatgctaggcggctgtcaaacctccactctaatacttctctcctcgggtcatccatcccatgcaggctcacagggt
gtaacaagcgggtgttctctcttcattggcttcttctaccttctcttgctcaactggtactagctttagcaccatccaaaggctcagtggata
tctgatccctggccctggtgtgtagttctgccaatcagggaagtagccttgtgtgtggttagatccacagatcaaggatatcttgtcttcgttg
ggagtgaattagcccttcagtcccccctttcttttaaaaagtggctaagatctacagctgccttgtaagtcattgggtcttaagggtacctg
agggtgtgactggaaaaccacctcctcctccttctgtgcttctagccaggcacaatcagcattggtagctgctgtattgctacttgtgattgc

WPRE

tccatgtttttctaggtctcgatcgaggctcgacgggtatcgatgcggggaggcggcccaaggagatccgactcgictgaggggcgaaggc
gaagacgcgggaaggaggccgcagagccggcagcaggccgcgggaagggaagggtccgctggattgaggggccgaagggaagctagcagaa
ggacgtcccgcgcagaatgcagggtggcaacacaggcggagcagccaagggaaggacgatgatttccccgacaacaccacgggaattgtc
agtgcccaacagccgagcccctgtccagcagcgggcaaggcaggcggcgatgagttccgcccgtggcaatagggaagggggaaagcgaa
agtcccggaaggagctgacaggtgggtggcaatgcccccaaccagtgggggttgctcagcaaacacagtgcacaccacggccagttgc
ctgacaacggggccacaactcctcataaagagacagcaaccaggatttatacaaggaggagaaaatgaaagccatacgggaagcaata
gcatgatacaaaggcattaaagcagcgtatccacatagcgtaaaaggagcaacatagtttaagaatnccagtcattctttcacaatttt
gtaatccagaggttgattatcgataagcttgatatcgaattgggagggactagagtcgcgccgcttacttgtacagtttaacatctcga

FEEK

gccataaagatgggttaattaacccacccaagatctaaaccgggtgagtttcatggttacttgcctgagaagattaaaaaaagtaatgctac
cttatgaggagagatcccagggaaccaagatagcaactgtcatagcaaccgtcacactgctttggtcaaggagaagaccctttgggggaa
tgaaaacagaaccttgagcacatctgttgccttcgtcccatcctcctccaacagggtgggtggagcactccacacccctttaccgggtcgt

acggctcagccagagtaaaaaatcacacccatgacctggccactgagggcttgatcaattcacttgaatttggcattaaataccattaag
gtataattaactgatitttaaaataagatatattcgtgacctggttttaactttcaaaaatgtagctgccagtggtgtgattttatttcagttgta
caaaatatctaaacctatagcaatgtgattaataaaaaacttaaacatattttccagfaccttaattctgtgataggaaaattttaatctgag
tattttaatttcataatctctaaaatagtttaatgatttgcattgtgttgctgtcgtttaccccagctgatctcaaaagtgatatttaaggag
attattttggctcgaacaacttgatagggctcagccctctccacccaacgggtggaatccccagagggggatttccaagaggccacct
ggcagttgctgaggggtcagaagtgaagctaggcacttcccttaggcaggtggccaagattacagttgacctgtacgtgcagctgtgccc
agcctgccccatccccctgctcatttgcattgttcccagagcacaaacctctgccccgaagccttattaataggctgggtcacactttgtgcagg

B12 light chain

agtcagactcagtcaggacacagctacgaagcttggtaccgagctcggatctccaccccgtatGCCACCatgggtgtgccactcaggt
cctgggggttgctgctgctgtggcttacagatgccagatgtgagatcgaggaaattgtgttgactcagagccccggaactctgtccctcagt
ccccggcgaaagggcaacattcagttgtaggtcttcccatccaattcgaagtaggcgcgttgctgttggtactaacacaaaacccggccaagct
ccacgcctggatccacgggggtgtcaaatagggcactctgggatctccgataggttttcagggtcaggatcaggtacggatttcaccccta
ccatcacacgggttgaacccgaggatttcgccctttattactgccaggtatattggggcgagcagttatacgtttggtcagggggaccaagct
cgagcgaaaacggaccgtcgcgcccccaagcgtctttatcttccacccctctgacgaacagctcaaatccggtacagcttctgtagtttgc
ttgctcaacaacttttaccacggggaggcgaaagttcaatggaaagtggaataatgcccttcaatccgggaacagccaagaaagtgtgac
ggaacaggacagcaaagactctacatttactcagtagcactctgactttgtccaaggccgattatgaaaaacataaggtttacgcgtg

T2A site

cgaggttacacaccaaggtctgcgaagcccagtaacaaaatccttcaataggggtgagtgcgagggcagaggaagtctgttaacatgc

B12 Heavy Chain

ggtgacgtcgaggagaatcctggcccacaagtccaactgggtacaatccggagctgaagtgaacaaaccaggggcatccgtgaaagct
catgccaaagcctccggttacggatttagtaactttgtgatacactgggttcggcaagccccaggacaaagattcgagtggatgggctgga
taaacccatataatggtaacaaagaattctcagctaaattccaagaccgggtaacatttacggcggatacttcagctaacactgcataca
tggaacttcgcagcttgagggtccgcggacacagccgtatattactgcgcgaggggttgcccatatagctgggacgacagtcgcgaggac
aattattacatggacgtgtgggggaagggtacgaccgtaatagtcagtagtgctagcaccaaggggcccatcggtcttccccctggcaccc

tctccaagagcaccctctgggggacacagcggccctgggctgcttggtcaaggactacttccccgaaccggtgacgggtgctgtggaactca
 ggcgacctgaccagcggcggtgcacaccttccggctgtcttacagtcttcaggactctactccctcagcagcgtgggtgaccgtgccctcca
 gcagcttgggcacccagacctacatctgcaacgtgaatcacaagcccagcaacaccaagggtggacaagaaagttgagcccaaactctgt
 gacaaaactcacacatgccaccgtgccagcacctgaactcctggggggaccgtcagttctcttccccccaaaacctcaaggacacc
 ctcatgatctcccgaccctgagggtcacatgcgtgggtgggtggacgtgagccacgaagaccctgagggtcaagttcaactgggtatgtgac
 ggcgtggagggtgcataatgccaaagacaaagccgcgaggaggagcagtacaacagcacgtaccgtgtgggtcagcgtctcaccgtcctgc
 accaggactggctgaatggcaaggagtacaagtgcaagggtctccaacaaagccctcccagcccccatcgagaaaacctctccaaagc
 caaagggcagccccgagaaccacaggtgtacacctgcccccatcccggtatgagctgaccaagaatcaagtcagcctgacctgcctg
 gtcaaaggcttctatcccagcgacatcgccgtggagtgggagagcaatgggcagccggagaacaactacaagaccacgcctcccgctgc
 tggactccgacgggtccttcttcttactcaaaactcaccgtggacaagagcaggtggcagcaggggaacgtcttctcatgctccgtgat
 gcatgaggctctgcacaaccactacacacagaagagcctctccctgtctccgggtaaatgagtgccacggccggcaagcccccgctccc
 caggctctcggggctcgcgcgaggatgcttggcacgtaccccggtgtacatacttcccaggcaccacagcatggaaataaagcaccacagcgc
 tccccgggccccctgcgagactgtgatgggtcttccacgggtcaggccgagctgaggcctgagtggtcatgaggagggcagagtgggtc
 ccactgtccccacactggcccaggctgtggtggggagctgacctcaggacattgttggcccatcccgccggggccctacatcctgggtcct

M1

gccacagagggaatcacccccagaggcccaagcccagggggacacagcactgaccaccccccttctgtccagagctgcaactggagga
 gagctgtgcggaggcgcaggacggggagctggacgggctgtggacgaccatcaccatcttcatcacactcttctgttaagcgtgtgcta

Intron

cagtgccaccgtcaccttcttcaaggctcggccgcacgttgtccccagctgtccttgacattgtcccccattgctgtcacaactgtctctgac
 actgtcccacaggctgtccccacctgtccctgacgctgcgggtgggtgggccttgggggcagagaggtggcctcagtgccctgaggggt

M2

ggggtggggctcgggggcagggtgtggcctcgctcaccctgtgtgtgccttgccctacagggtgaagtggatcttctcctcggtgggtggac
 ctgaagcagaccatcatccccgactacaggaacatgatcggaacagggggcctaggggccaccctctgcggggtgtccagggcgcgccaa

taaaatatctttatcttcattacatctgtgtgttggtttttgtgtgaatcgatagtagtactaacatacgctctccatcaaaacaaaacgaaaca
aaacaaactagcaaaataggctgtccccagtgcaagtgcaagtgccagaacatttctctatttaaatgctagaattaaccaaactggatc
tctgctgtccctgtaataaaccgaaaattttgaatttttgtaatttggttttgtaattcttttagttgtatgtctgttgctattatgtctactattc
ttccctgcactgtaccccccaatcccccttttcttttaaaattgtggatgaatactgccatttgtctgcagaattggcgcacgcagtgcc
gatccgttcactaatcgaatggatctgtctctgtctctctctccaccttcttcttctatttcttcgggcctgtcgggtcccctcgggggtgggag
gtgggtctgaaacgataatggtgaatatccctgcctaactctattcactatagaaagtacagcaaaaactattcttaaacctaccaagcct
cctactatcattatgaataattttatataccacagccaatttggttatgttaaaccaattccacaaacttgccatttatctaattccaataatt
cttggtcattcttttcttgctgggttttgcgattcttcaattaaggagtgtattaagct

Table 8. Coding sequences for FAM2 anti PE vector (SEQ ID NO:42). WPRE, woodchuck hepatitis virus posttranscriptional regulatory element; FEEK, B cell specific promoter; T2A, 2A peptide from *Thosea asigna* virus; M1 and M2, transmembrane coding regions.

tgtgtaattgtaatttctctgtcccactccatccaggtcgtgtgattccaaatctgttccagagatttattactccaactagcattccaaggc
 acagcagtggtgcaaagtgagtttccagagcaaccccaaatacccaggagctgttgatcctttaggtatcttccacagccaggattcttg
 cctggagctgcttgatgccccagactgtgagttgcaacagatgctgttgcgcctcaatagccctcagcaaattgttctgctgctgactata
 ccagacaataattgtctggcctgtaccgtcagcgtcattgacgctgcgcccatagtgcttctgctgctccaagaaccaaggaacaaa
 gctcctattcccactgctctttttctctctgcaccactcttctctttgccttggtgggtgctactcctaattggttcaatttttactactttatatt
 atataattcacttctccaattgtccctcatatctcctcctccaggtctgaagatcagcgccgcttgctgtgcggtggtcttacttttgtttgc
 tcttctctatcttgtctaaagcttccttggtgtcttttatctctatcctttgatgcacacaatagagggttgctactgtattatataatgatcta
 agttcttctgatcctgtctgaagggtggttgtagctgtcccagatattgtctacagccttctgatgtttctaacaggccaggattaactgcg
 aatcgttctagctccctgcttgccatactatatgttttaatttatatttttcttccccctggccttaaccgaatttttcccatcgcgatctaa
 ttctccccgcttaatactgacgctctcgcacccatctctctccttctagcctccgctagtcaaaattttggcgtactcaccagtcgcccgc
 ctgcctcttgccgtgcgcttcagcaagccgagtcctgcgtcgagagagctcctctggtttccctttcgctttcaagtccctgttcgggcg
 ccactgctagagattttccacactgactaaaagggtctgagggtctctagttaccagagtcacacaacagacgggacacactacttga
 agcactcaaggcaagctttattgaggcttaagcagtggttccctagtttagccagagagctccaggctcagatctggtctaaccagaga
 gaccagtacaggcaaaacgcgctgcttatatagacctccaccgtacacgcctaccgcccatttgctcaatggggcgagggtgttacg
 acattttggaaagtcccggtgattttggtgccaaaacaaactcccattgacgtcaatgggggtggagacttggaatccccgtgagtcaaac
 cgctatccacgcccattgatgtactgccaaaaccgcatcaccatggtaatagcgatgactaatacgtagatgtactgccaaagtaggaaag
 tcccataaggctcatgtactgggcataatgccaggcgggcccatttaccgtcattgacgtcaatagggggcgctacttggcatatgatacatt
 gatgtactgccaaagtgggcagtttaccgtaaatactccaccattgacgtcaatggaaagtcctattggcgttactatgggaacatacgt
 cattattgacgtcaatgggcgggggtcggttggcggtcagccaggcgggcccatttaccgtaagttatgtaacgcggaactccatatatgg
 gctatgaactaatgaccccgtaattgattactattaataactagtcaataatcaatgtcaacgcgtatatctggcccgtacatcgcggaagc

agcgcaaaacgcctaaccctaagcagattcttcatgcaattgtcgggtcaagccttgccctgtttagcttaaattttgctcgcgcactactc
agcgacctccaacacacaagcagggagcagatactggcttaactatgcggcatcagagcagattgtactgagagtgcaccatagggga
tcgggagatctccgatccgtcgacgtcaggtggcacttttcggggaaaatgtgcgcggaacccctatttgtttatcttaatacattcaa
atatgtatccgctcatgagacaataaccctgataaatgcttcaataatattgaaaaaggaagagtatgagtattcaacatttccgtgtcgc
ccttattcccttttttgcggcattttgccttctgtttttgctcaccagaaaacgctgggtgaaagtaaaagatgctgaagatcagttgggtgc
acgagtgggttacatcgaactggatctcaacagcggtaagatccttgagagttttcgccccgaagaacgtttccaatgatgagcactttt
aaagttctgctatgtggcgcggtattatcccgtattgacgccgggcaagagcaactcgggtcgccgcatacactattctcagaatgacttgg
ttgagtactcaccagtcacagaaaagcatcttacggatggcatgacagtaagagaattatgcagtgctgccataaccatgagtataac
actgcggccaacttacttctgacaacgatcggaggaccgaaggagctaaccgctttttgcacaacatgggggatcatgtaactcgcctt
gatcgttgggaaccggagctgaatgaagccataccaaacgacgagcgtgacaccacgatgcctgtagcaatggcaacaacgttgcgca
aactattaactggcgaactacttactctagcttcccggcaacaattaatagactggatggaggcggataaaagttgcaggaccacttctgc
gctcggcccttccggctggctggtttattgctgataaatctggagccggtgagcgtgggtctcgcggtatcattgcagcactggggccaga
tggtgaagccctcccgtatcgtagttatctacacgacggggagtcaggcaactatggatgaacgaaatagacagatcgtgagataggtg
cctcactgattaagcattggtaactgtcagaccaagtttactcatatatacttttagattgatttaaaacttcatttttaatttaaaaggatcta
ggtgaagatcctttttgataatctcatgacaaaaatcccttaacgtgagttttcgttccactgagcgtcagaccccgtagaaaagatcaaa
ggatcttcttgagatccttttttctgcgcgtaatctgctgcttgcaaacaaaaaaaccaccgctaccagcgggtggtttgtttgccggatcaa
gagctaccaactctttttccgaaggtaactggcttcagcagagcgcagataccaaatactgttcttctagtgtagccgtagttaggccacc
acttcaagaactctgtagcaccgcctacatacctcgctctgctaatacctgttaccagtggctgctgccagtggcgataagtcgtgtcttacc
gggttggactcaagacgatagttaccggataaggcgcagcggctcgggctgaacgggggggttcgtgcacacagcccagcttggagcgaa
cgacctacaccgaactgagatacctacagcgtgagctatgagaaaagcgccacgcttcccgaaggggagaaaggcggacaggtatccggt
aagcggcaggggtcggaaacaggagagcgcacgagggagcttccaggggggaaacgcctgggtatctttatagtcctgtcgggtttcgccacc
tctgacttgagcgtcgattttttgtgatgctcgtcaggggggcgagcctatggaaaaacgccagcaacgcggcctttttacggttcctggc

cttttgctggccttttgctcacatgttctttcctgcgttatcccctgattctgtggataaccgtattaccgcctttgagtgagctgataccgctc
gccgcagccgaacgaccgagcgcagcgagtcagtgagcgaggaagcggaagagcgcccaatacgcgaaccgcctctccccgcgcgtt
ggccgattcattaatgcagctggcacgacagggtttcccgactggaaagcgggcagtgagcgcaacgcaattaatgtgagttagctcactc
attaggcaccccaggcctttacactttatgcttccggctcgatgttggttggaattgtgagcggataacaatttcacacaggaaacagctat
gacatgattacgccaagctctagctagaggtcgacgggtatacagacatgataagatacattgatgagtttgacaaaaccacaactaga
atgcagtgaaaaaaatgctttatttgtgaaatttgtgatgctattgctttatttgaaccattataagctgcaataaacaagttgggggtggg
cgaagaactccagcatgagatccccgcgtggaggatcatccagccggcgtcccggaacgattccgaagcccaacctttcatagaag
gcggcgggtggaatcgaaatctcgtagcacgtgtcagtcctgctcctcgccacgaagtgcacgcagttgccggccgggtcgcgagggc
gaactccccccccacggctgctcgccgatctcggtcatggccggcccgaggcgtcccggaagttcgtggacacgacctccgaccactc
ggcgtacagctcgtccaggccgcgacccacacccaggccagggtgttgctccggcaccacctggctcctggaccgcgctgatgaacaggg
tcacgtcgtcccgaccacacccggcgaagtcgtcctccacgaagtcccgggagaacccgagccgggtcgggtccagaactcgaccgctccg
gcgacgtcgcgcgcggtgagcaccggaacggcactgggtcaacttgcccatggtttagttcctcaccttgctgtattatactatgccgatata
ctatgccgatgattaattgtcaacacgtgctgatcagatccgaaaatggatatacaagctcccgggagcttttgcaaaagcctaggcctc
caaaaaagcctcctcactacttctggaatagctcagaggcagaggcggcctcggcctctgcataaataaaaaaaattagtcagccatgg
ggcggagaatgggcggaactgggcggagttaggggcgggatgggcggagttaggggcgggactatggttgctgactaattgagatgca
tgctttgcatacttctgcctgctggggagcctggggactttccacacctggttgctgactaattgagatgcatgctttgcatacttctgcctgc
tggggagcctggggactttccacaccctaactgacacacattccacagaattaattcgcttaaattttgttaaatacagctcatttttaac
caataggccgaaatcggcaaaatcccttataaatcaaaagaatagaccgagatagggttgagtggttccagtttgaacaagagtc
actattaaagaacgtggactccaacgtcaaagggcgaaaaaccgtctatcagggcgatggccactacgtgaaccatcacctaataca
gttttttggggtcgaggtgccgtaaagcactaaatcggaaccctaaaggagccccgatttagagcttgacggggaaagccggcgaac
gtggcgagaaaggaagggaagaaagcgaaaggagcgggcgctagggcgctggcaagtgtagcggtcacgctgcgcgtaaccaccac
acccgccgcgcttaatgcgccgtacagggcgcgtggggataccccctagagccccagctgggttctttccgcctcagaagccatagagcc

caccgcatccccagcatgcctgctattgtcttcccaatcctcccccttgctgtcctgccccacccccccccagaatagaatgacacctac
tcagacaatgcgatgcaatttcctcattttattaggaaaggacagtgggagtggtcaccttcagggtcaaggaaggcacgggggagggg
caaacaacagatggctggcaactagaaggcacagtcgaggctgatcagcgggtttaaacgggcccctgctagagattttccacactgact
aaaagggtctgagggatctctagttaccagagtcacacaacagacgggacacactacttgaagcactcaaggcaagctttattgaggc
ttaagcagtgggttccttagttagccagagagctcccagggtcagatctggtctaaccagagagaccagtagcagtcaggatgcagctct
cgggccatgtgatgaaatgctaggcgggtgtcaaacctccactctaatacttctctcctcgggtcatccatcccatgcagggtcacagggt
gtaacaagcgggtgttctctcttcattggcttcttctaccttctcttgctcaactggtagctttagcaccatccaaagggtcagtgata
tctgatccctggccctgggtgtgtagttctgccaatcagggaagtagccttggtgtgtgtagatccacagatcaaggatatcttgcttctgtg
ggagtgaattagcccttcagtcccccctttcttttaaaaagtggctaagatctacagctgccttgtaagtcattgggtcttaagggtacctg
agggtgtgactggaaaaccacctcctcctccttctgtgcttctagccaggcacaatcagcattggtagctgctgtattgctacttgtgattgc

WPRE

tccatgtttttctaggtctcgatcgagggtcgacgggtatcgatgcggggaggcggcccaaaggagatccgactcgictgaggggcgaaggc
gaagacgcgggaaggaggccgcagagccggcagcaggccgcgggaagggaagggtccgctggattgaggggccgaaggggacgtagcagaa
ggacgtcccgcgcagaatgcagggtggcaacacaggcggagcagccaagggaaggacgatgatttccccgacaacaccacgggaattgtc
agtgcccaacagccgagccctgtccagcagcgggcaaggcaggcggcgatgagttccgcccgtggcaataggggagggggaaagcgaa
agtcccggaaggagctgacaggtgggtggcaatgcccccaaccagtgggggttgctcagcaaacacagtgcacaccacggccacgttgc
ctgacaacggggccacaactcctcataaagagacagcaaccaggatttatacaaggaggagaaaatgaaagccatacgggaagcaata
gcatgatacaaaggcattaaagcagcgtatccacatagcgtaaaaggagcaacatagtttaagaatnccagtcattctttcacaatttt
gtaatccagaggttgattatcgataagcttgatatcgaattgggagggactagagtcgcgccgcttacttgtacagtttaacatctcga

FEEK

gccataaagatgggttaattaacccaccaagatctaaaccgggtgagtttcatggttacttgcctgagaagattaaaaaaagtaatgctac
cttatgaggagagatcccagggaaccaagatagcaactgtcatagcaaccgtcacactgctttgggtcaaggagaagaccctttgggggaa
tgaaaacagaaccttgagcacatctgttgccttccgtcccatcctcctccaacagggtcgggtggagcactccacacccctttaccgggtcgt

acggctcagccagagtaaaaaatcacacccatgacctggccactgagggcttgatcaattcacttgaatttggcattaaataccattaag
gtatattaactgatitttaaaataagatatattcgtgacctggttttaactttcaaaaatgtagctgccagtggtgtgattttatttcagttgta
caaaatatctaaacctatagcaatgtgattaataaaaaacttaaacatattttccagfaccttaattctgtgataggaaaattttaatctgag
tattttaatttcataatctctaaaatagtttaatgatttgcattgtgttgctgtcgtttaccccagctgatctcaaaagtgatatttaaggag
attattttggctcgaacaacttgatagggctcagccctctccacccaacgggtggaatccccagagggggatttccaagaggccacct
ggcagttgctgaggggtcagaagtgaagctaggcacttccctcttaggcaggtggccaagattacagttgacctgtacgtgcagctgtgccc
agcctgccccatccccctgctcatttgcattgttcccagagcacaaacctctgccccgaagccttattaataggctgggtcacactttgtgcagg

Anti-PE light chain

agtcagactcagtcaggacacagctacgaagcttggtaccgagctcggatctccaccccgtagccaccatggggtgtgccactcaggt
cctgggggttgctgctgctgtggcttacagatgccagatgtgagatcgagGACATTGTGTTGACCCAGACACCGGCTATTAT
GTCTGCCTCACTCGGCGAAAGAGTAACGATGACTTGACCCGCGAGTTCTAGCGTCAGCTCTAGCTACCTT
CATTGGTTTTCAGCAAAAACCCGGGTCAAGTCCAAAGCTCTGGATCTACTCTACATCAAATCTGGCATCCG
GTGTTCCCTGGTAGGTTCTCCGGCTCCGGCAGCGAAACTTCTTATTCCCTGATTATTGGCTCCCTCGAGAC
AGAAGATGCCGCAACCTACTACTGTCACCAATATCACCGGAGCCCCGCCACATTTGGAGGAGGAACTAA
ATTGGAAATCAAGACAGTTGCAGCGCCTAGCGTATTTATTTCCACCCCTCAGATGAGCAACTGAAATCC
GGGACCGCATCTGTTGTCTGTCTGCTGAACAACTTCTATCCCCGAGAGGCCAAAGTTCAGTGGAAAGTG
GACAATGCGCTTCAATCTGGTAACTCTCAAGAATCCGTCACTGAGCAGGATTCTAAGGATTCTACATATA
GTCTTTCATCAACCCTTACACTTAGTAAGGCGGACTATGAAAAACACAAAGTGTACGCATGTGAGGTAA

T2A site

CTCACCAGGGGCTGCGCTCCCCGGTTACCAAAAGTTTAAATCGAGGGGAGTGCgaggggcagaggaagtctgtt

Anti-PE Heavy Chain

aacatgcggtgacgtcgaggagaatcctggcccaGAAGTACAGCTGGAACAGAGTGGTGCAGAGTTGGCAAGACC
AGGGGCCAGCGTGAAACTCTCTTGCAAGGCGAGTGGATATACCTTTACAAGTTACGGTATTTCTTGGGT
AAAACAGAGGACGGGGCAGGGTCTGGAATGGATAGGTGAAATTTACCCTAAATCCGGCAATACATACT

ATAATGAAAAATTCAAAGGACGAGCGACACTTACCGCTGATAAGTCTAGTTCCACTGCGTATATGGAAC
 TCCGAAGCCTTACCAGCGAGGACTCCACAGTGTATTTTTCGCGCGACAGGGGTACTATGCAAATTCAC
 AATTCACGTACTGGGGTCAAGGGACACTTGTAACAGTAAGCGCAGctagcaccaagggcccatcggtcttccccctg
 gcacctctctccaagagcacctctgggggcacagcgccctgggctgctggtcaaggactacttccccgaaccggtgacgggtgctgg
 aactcaggcgccctgaccagcggtgcacaccttccggctgtctacagtcctcaggactctactccctcagcagcggtggtgaccgtgc
 cctccagcagctgggacccagacctacatctgcaacgtgaatcacaagcccagcaacaccaaggtggacaagaaagttgagcccaa
 atcttgtgacaaaactcacacatgcccaccgtgccagcacctgaactcctggggggaccgtcagttcttcttcccccaaaaccaag
 gacacctcatgatctcccgacccctgaggtcacatgcgtggtggtggacgtgagccacgaagaccctgaggtcaagttcaactggtat
 gttgacggcgtggaggtgcataatgccaagacaaagccgcgggaggagcagtacaacagcacgtaccgtgtggtcagcgtcctcacg
 tcttgcaccaggactggctgaatggcaaggagtacaagtgaaggtctccaacaagccctcccagcccccatcgagaaaaccatctcc
 aaagccaaagggcagccccgagaaccacaggtgtacacctgcccccatccgggatgagctgaccaagaatcaagtcagcctgacct
 gcctggtcaaaggcttctatcccagcgacatcgccgtggagtgggagagcaatgggcagccggagaacaactacaagaccacgcctcc
 cgtgctggactccgacggctccttcttcttactcaaaactcacctggacaagagcaggtggcagcaggggaacgtcttctcatgctcc
 gtgatgcatgaggctctgcacaaccactacacacagaagagcctctccctgtctccgggtaaatgagtgccacggccggcaagcccccg
 ctcccaggctctcggggtcgcgcgaggatgcttggcacgtaccccggtgtacatacttcccaggcaccagcatggaaataaagcaccca
 gcgcttccctgggcccctgcgagactgtgatggttctttccacgggtcaggccgagctctgaggcctgagtggtgcatgaggaggcagagtg
 ggtcccactgtccccacactggcccaggctgtggtggggagctgacctcaggacattgttggcccatcccgccggggccctacatcctgg

M1

gtctgccacagaggggaatcacccccagaggcccaagcccagggggacacagcactgaccaccccttctgtccagagctgcaactg
 gaggagagctgtgcggaggcgaggacggggagctggacgggctgtggacgaccatcaccatcttcacacacttctctgtaagcgt
 gtgctacagtgccaccgtcaccttcttcaaggtcggccgcacgttgtccccagctgtccttgacattgtcccccatgctgtcacaactgtc
 tctgacactgtcccacaggctgtccccacctgtccctgacgctgcgggtgggtgggccttgggggcagagaggtggcctcagtgccctga

Intron

gggggtgggtggggctcgggggcagggctgtggcctcgctcaccctgtgctgtgccttgccacaggtgaagtggatcttctcctcggtgg
tggacctgaagcagaccatcatccccgaclacaggaacatgatcggacagggggcctlagggccaccctctgcgggggtgtccagggcgc
gccaataaaaatatctttattttcattacatctgtgtgttggtttttgtgtgaatcgatagtactaacatacgctctccatcaaaacaaaacg
aaacaaaacaaactagcaaaaataggctgtccccagtgcaagtgccaggtgccagaacatttctctatttaaagtctagaattaaccaaact
ggatctctgctgtccctgtaataaaccgaaaattttgaatttttgtaatttgttttgtaattctttagtttgatatgtctgttgctattatgtcta
ctattctttccctgcactgtaccccccaatcccccttttcttttaaaattgtggatgaatactgccatttgctcgcagaattggcgcacgca
gtgccgatccgttcactaatcgaatggatctgtctctgtctctctccaccttcttcttctattccttcgggcctgtcgggtccctcgggggtt
gggaggtgggtctgaaacgataatgggtgaatatccctgcctaactctattcactatagaaagtacagcaaaaactattcttaaacctacc
aagcctcctactatcattatgaataattttatataccacagccaatttgttatgttaaaccaattccacaaacttgcccatttatctaattcca
ataattcttggttcattcttttcttgctgggtttgcgattcttcaattaaggagtgattaaagct

What is claimed is:

1. A genome-edited primary B cell.
2. The genome-edited primary B cell of claim 1, wherein the primary B cell comprises a cell expressing at least one of CD19, IgM, IgD, CD27⁺, CD21⁺, and CXCR5⁺.
3. The genome-edited primary B cell of either of claims 1 or 2, wherein the primary B cell comprises a cell isolated from peripheral blood, umbilical cord cells, ascites, or a solid tumor.
4. The genome-edited primary B cell of any one of claims 1 to 3, wherein the primary B cell comprises a non-clonal cell.
5. The genome-edited primary B cell of any one of claims 1 to 4, wherein the primary B cell comprises a proliferating cell.
6. The genome-edited primary B cell of any one of claims 1 to 5, wherein the primary B cell is a mammalian cell.
7. The genome-edited primary B cell of any one of claims 1 to 6, wherein an endogenous gene is deleted.
8. The genome-edited primary B cell of any one of claims 1 to 7, wherein an endogenous gene comprises a point mutation.
9. The genome-edited primary B cell of any one of claims 1 to 8, the primary B cell comprising an exogenous gene.
10. The genome-edited primary B cell of any one of claims 7 to 9, wherein at least one of the endogenous gene and the exogenous gene comprises a nucleic acid encoding at least a portion of a B cell receptor (BCR).

11. The genome-edited primary B cell of any one of claims 1 to 10, wherein the primary B cell exhibits decreased expression of an endogenous B cell receptor (BCR) relative to a non-genome edited primary B cell.
12. The genome-edited primary B cell of any one of claims 1 to 11, wherein the primary B cell comprises a modification that alters expression or activity of CD19.
13. The genome-edited primary B cell of any one of claims 1 to 12, wherein the primary B cell comprises a therapeutic cassette comprising a nucleic acid encoding a B cell receptor (BCR) and a nucleic acid encoding a gene to be overexpressed.
14. A method comprising administering to the subject a composition comprising the genome-edited primary B cell of any one of claims 1 to 13.
15. The method of claim 14, wherein the method comprises treating or preventing a disease in a subject, and the disease comprises an enzymopathy, a cancer, a precancerous condition, an infection with a pathogen, or a viral infection.
16. A therapeutic cassette comprising a nucleic acid encoding a B cell receptor (BCR) and a nucleic acid encoding a gene to be overexpressed.
17. The therapeutic cassette of claim 16, wherein the gene to be overexpressed comprises a nucleic acid encoding an enzyme.
18. The therapeutic cassette of claim 17, wherein the enzyme comprises an enzyme lacking in a subject having an enzymopathy.
19. The therapeutic cassette of any one of claims 16 to 18, wherein the nucleic acid encoding the BCR and the nucleic acid encoding the gene to be overexpressed are transcriptionally linked, translationally linked, or both.

20. The therapeutic cassette of any one of claims 16 to 19, wherein the therapeutic cassette comprises a promoter that drives transcription of the nucleic acid encoding the BCR and the nucleic acid encoding the gene to be overexpressed.
21. A vector comprising the therapeutic cassette of any one of claims 16 to 20.
22. The vector of claim 20, the vector comprising a lentiviral vector.
23. The vector of either of claims 21 or 22, wherein the vector comprises at least one of a BaEV-psuedotype lentiviral vector, a VSVg-psuedotype lentiviral vector, a FAM1 lentiviral vector, and a FAM2 lentiviral vector.
24. A cell comprising the therapeutic cassette of any one of claims 16 to 20.
25. The cell of claim 24, wherein the cell comprises a primary B cell.
26. A method comprising administering the cell of either of claims 24 or 25 to a subject.
27. The method of claim 26 further comprising administering an antigen to the subject, wherein the BCR of the therapeutic cassette is specific to the antigen.
28. A method comprising editing a genome of a primary B cell, wherein the primary B cell comprises a cell expressing at least one of CD19, IgM, IgD, CD27⁺, CD21⁺, and CXCR5⁺.
29. The method of claim 28, the method comprising introducing an exogenous protein or nucleic acid into the primary B cell.
30. The method of either of claims 28 or 29, the method comprising electroporation of the cell.
31. The method of any one of claims 28 to 30, the method comprising introducing a targeted nuclease or a nucleic acid encoding a targeted nuclease.

32. The method of any one of claims 28 to 31, wherein the method further comprises subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step.

33. The method of claim 32, the method comprising:

subjecting the primary B cell to at least one of an activation, a stimulation, and a proliferation step; and

electroporation of the cell to introduce an exogenous protein or an exogenous nucleic acid into the primary B cell.

1/12

Figure 1




Figure 2





Figure 3



4/12

Figure 4




Figure 5





Figure 6

A



B





Figure 6 (cont.)

C



D




Figure 7





Figure 8



10/12

Figure 9




Figure 10




Figure 10 (cont.)




Figure 5

