

(12) STANDARD PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 2009242584 B2**

- (54) Title
Method and apparatus for providing player incentives
- (51) International Patent Classification(s)
A63F 13/00 (2006.01)
- (21) Application No: **2009242584** (22) Date of Filing: **2009.04.30**
- (87) WIPO No: **WO09/135045**
- (30) Priority Data
- | | | |
|-------------------|-------------------|--------------|
| (31) Number | (32) Date | (33) Country |
| 61/049,144 | 2008.04.30 | US |
- (43) Publication Date: **2009.11.05**
(44) Accepted Journal Date: **2015.03.19**
- (71) Applicant(s)
GameLogic Inc.
- (72) Inventor(s)
Herrmann, Mark E.
- (74) Agent / Attorney
Spruson & Ferguson, L 35 St Martins Tower 31 Market St, Sydney, NSW, 2000
- (56) Related Art
US 2007/0254736
US 2004/0176158

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
5 November 2009 (05.11.2009)

PCT

(10) International Publication Number
WO 2009/135045 A1

(51) International Patent Classification:
A63F 13/00 (2006.01)

(21) International Application Number:

PCT/US2009/042377

(22) International Filing Date:

30 April 2009 (30.04.2009)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/049,144 30 April 2008 (30.04.2008) US

(71) Applicant (for all designated States except US): **GAME-LOGIC INC.** [US/US]; 411 Waverley Oaks Road, Suite 312, Waltham, MA 02452 (US).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **HERRMANN, Mark, E.** [US/US]; 79 Fairbanks Avenue, Wellesley, MA 02481 (US).

(74) Agent: **GRADY, Matthew, H.**; Lowric, Lando & Anastasi, Llp, One Main Street, Eleventh Floor, Cambridge, MA 02142 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GI, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR),

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR PROVIDING PLAYER INCENTIVES




FIG. 1

(57) Abstract: A system and method is provided for incentivizing players to visit a gambling location. In one aspect, a qualified person is invited to play an electronic game which has a plurality of outcomes, at least one of which is a winning outcome. One aspect relates to accumulating outcomes. Another relates to incentives provided to player program member(s). In some embodiments, the person does not need to be qualified. In one embodiment, the person may be required to redeem the outcome at the gambling location, in another at a redemption location. In one embodiment, a player is required to take an action in order to redeem an outcome. In some embodiments, game play and/or redemption and/or any action must occur in a specified time, respectively. In one embodiment the electronic game is not located at a gambling location, in another it is not located at a redemption location.

WO 2009/135045 A1



OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG). **Published:**

— *with international search report (Art. 21(3))*

METHOD AND APPARATUS FOR PROVIDING PLAYER INCENTIVES

Field of the Invention

5 The field of the invention relates generally to gaming, and more particularly to providing incentives to players.

Related Art

10 People enjoy playing games and often regard a prize won by playing a game to be more valuable than that of the prize itself. The well-known Publisher's Clearing House sweepstakes offers the chance to win large sums of money just by returning a form which is entered into a future sweepstakes drawing for the cash prizes. Games which require a purchase are also well-known. For example, to play slot machines or gaming tables in Las Vegas, people are required to make a wager. In addition, casinos sometimes issue free or reduced price wagers to entice people to visit a casino location. For example, an
15 enticement of \$20 in free play might be included in a direct mail piece. While such offers are enticing, they often are not strong enough to overcome the effort of returning to the casino and often times, people simply forget about the offer and do not return within the allotted time to collect their incentive.

20 Player tracking systems, such as International Game Technology's Advantage system and Bally Technology's Slot Management System and Table Management System are also well known. Player tracking systems are useful for automating some or all of the tasks required to provide additional incentives for frequent or loyal play. For example, points may be awarded for every unit of wagers made and those points may be redeemed for prizes.

25 All card readers and displays associated with the player tracking systems are connected via a network to one or more central servers where account records are kept. Player tracking systems are well-known in the gambling industry. Example player tracking system architectures are found in United States Patent Number 5,429,361 entitled "Gaming machine information, communication and display system" and United States
30 Patent Number 5,655,961 entitled "Method for operating networked gaming devices," both of which are herein incorporated by reference.

- 2 -

Player tracking systems are also used to automatically provide awards to players as described in United States Patent Number 6,712,697 entitled "Method for crediting a player of an electronic gaming device" which is also incorporated by reference herein.

Although gambling is a popular activity, a great percentage of the worldwide
5 populations do not gamble. This is true even after excluding underage persons, those with insufficient disposable income and those with a religious or other belief that prevents them from gambling as recreation. It is expensive for the casino to market to the general population because so many people are unqualified for gambling because of age restrictions or the biases of personal belief. And the burden of making a first-ever visit to
10 the casino are comparatively high in terms of comfort and convenience, so incentives must be disproportionately large. As a result of these factors, most gambling venues, such as casinos, find it prohibitively expensive to recruit new players to the extent desired.

There are many different types of games that can be provided for entertainment separate from the casino environment. For instance, lottery tickets are sold through
15 retailers using machines referred to as point of sale (POS) terminals to permit players to play such games. These tickets are generally printed at the POS terminal, and are usually issued for some lottery drawing to be performed at a later time. Examples of these types of lottery games of chance include traditional state lottery drawings and multi-state lottery drawings (e.g., PowerBall). Another well-known drawing-based game includes the game
20 of Keno. Further, there are many online games that can be played using a computer system coupled to a communication network (e.g., the Internet). These games may include traditional games of chance, games of skill, and casino-type games, among others, some of which may involve online gambling.

As with frequent flyer programs and other types of incentive programs, typical
25 goals of the casino frequent player program include increasing player loyalty, providing incentives to a player to visit the associated casinos as often as possible, and encouraging the player to spend as much money in the associated establishments as possible. To further improve the effectiveness of player loyalty programs, there is a present and recurring need for new methods to provide incentives to frequent player program
30 members.

Summary of the Invention

New and more interesting game formats are needed for lottery and casino type games that keep players' interest and therefore result in continued and/or return players. According to one aspect of the present invention, a method is disclosed for providing additional incentives for a player to visit a gambling location (e.g., a land-based casino or other gaming establishment).

A first aspect of the present disclosure provides a system for managing a player incentive program, the system comprising: a bonus play gaming interface configured to present bonus play games to a player outside of the gambling location, wherein the bonus play gaming interface is further configured to generate an award; a redemption component configured to redeem the award at a gambling location; and a validation component configured to receive redemption information, and further configured to validate a redemption.

A further aspect provides a method for providing player incentives, the method comprising: providing at least one device associated with redemption of bonus play awards to a gambling location operator; providing an entry to a player to a bonus play game; permitting the player to play a bonus play game away from a gambling location; determining an award won by the player in the bonus play game; requiring that redemption of the bonus play prize occur at the gambling location; providing for identifying the entry at the gambling location using the at least one device; accepting redemption information relating to the entry; validating the redemption information; identifying the bonus play prize associated with the redemption information; and transmitting bonus play prize information to the redemption location.

According to a further aspect of the present disclosure, it is appreciated that it may be desirable to create games that provide prizes that provide people the opportunity to play games for free, a specific fee or at a discounted fee at locations away from the casino in order to win incentives that will encourage them to visit a casino or other gambling location. It is also desirable to invite qualified persons to either return to or initially visit a gambling location based upon their projected interest in gambling and their projected worth as a gambling customer. It is further desirable to automate some or all of the monitoring and fulfillment process using computer networks such as those found within the Internet infrastructure and the gambling location's player tracking infrastructure.

According to another aspect, it is realized that significant time, energy, and investment has been made and continues to be made in identifying and providing player incentives to player populations to increase player presence and gaming at various gambling locations (e.g., land-based casinos, racetracks, racino, riverboat gambling, other legal gambling establishments, point of sale locations, etc.). Various methods (discussed in greater detail herein) include providing

bonus type games that a player receives during a visit to a gambling location. Some bonus type games provide for a player to play the bonus game away from the gambling location, and provide an incentive for the player to return by requiring redemption of any bonus award at the gambling location. Other methods include providing bonus entries outside a gambling location, but again require the player to redeem any award at the gambling location. Some other bonus games are targeted at potential customers to encourage them to visit the gambling location.

Such systems typically rely heavily on the systems, networks, and operations of gaming establishments (for example gambling locations) to (1) provide proper payouts to player participants (2) police payouts (i.e., discourage fraudulent redemptions) (3) return information to the bonus gaming operation, which typically includes entities and operations separate from gaming location(s). According to one aspect, it is realized that

- 4 -

communication between the gaming location(s) and the bonus game operation are difficult to maintain. Also, there is a great deal of effort expended by some bonus game providers to integrate their bonus games with the systems and procedures used by casino operators. Further, gambling locations are reluctant to allow such integration and expose proprietary
5 information to outside companies. For instance, casinos are reluctant to permit access to player club information, for example, and are even more hesitant to allow an outside operator access to internal tracking systems, such as those used for the purpose of determining redemptions, for which most outside bonus game providers get paid. Thus, if redemptions cannot be accurately tracked by the outside bonus game provider, revenue
10 may be lost.

It is realized that a more efficient and reliable system for facilitating bonus gaming incentives includes a better communication interface to bonus gaming entities. Certain embodiments employing improved communication systems to the bonus gaming operation may provide some advantages over conventional technology. In particular,
15 where the bonus gaming operation can reliably track participation, the bonus gaming entity can perform the majority of tasks associated with the bonus game operation, including determining payouts, tracking player awards, tracking player participation, providing direction to the operators of gambling locations, etc. This represents a shift in some of the operating burden in promotional activities away from the gambling location,
20 which may facilitate the activities and may provide cost efficiencies.

In one example game format consistent with principles of the present invention, a player participating in a frequent player program is provided a prize to encourage the player to return to the casino or other establishment. The prize may be in the form of, for example, a non-cashable credit for playing additional games, a complimentary offer,
25 and/or promotional prizes. In this way, the casino or other establishment generally can increase revenue as the number of return players increases. In one example game format, the player is presented the non-cashable credit, complimentary offer, and/or promotional prize in an interface of a computer system. For instance, the player may be revealed the awarded prize(s) in a computer system coupled to the Internet that communicates with a
30 website of an operator.

The player may be incentivized to visit the gambling location of the operator by receiving a coupon to redeem on the operator's property. The coupon may be associated

- 5 -

with a frequent player program identifier (e.g., an account number, name, etc.) that is assigned to the player. In one embodiment, the player may be permitted to reveal the prize associated with the coupon in the interface of the computer system. In one form, the prize may be revealed during play of an online computer-based game.

5 As discussed, the prize may be redeemed on the operator's property, thereby encouraging the player to return to the gambling location. In another example, the prize is awarded after the player's experience on the operator's property, increasing the likelihood that the player will return to the operator's property to redeem the prize. The prize, in one embodiment, may include a non-cashable credit for playing additional games, and thus,
10 the play of additional games may increase revenue for the gaming operator. Other prizes (e.g., complimentary offers, promotional prizes, etc.) separate from the casino may be provided which enhance the player's experience and encourage return.

 In another aspect of the present invention, a player's participation in the frequent player program coupled with continued play by the player may increase the player's
15 chances of winning a prize, thereby encouraging continued play. In one embodiment, the prize may be an entry in a sweepstakes, and increased play of the player on the operator property may increase the chances of the player to win the sweepstakes. Players may be awarded increased chances for particular types of behavior, such as, for example, length of play on a particular device, amount of money spent within a period of time, or other
20 parameter associated with types of game play that the operator wishes to encourage.

 According to another aspect of the present invention, a player is incentivized to return to a casino or other gambling location through the play of an online game.
 According to another aspect of the present invention, the game may be an online game that provides one or more revealed outcomes to a player during play of the online game
25 (referred hereinafter as a "reveal-based game"). To this end, various aspects of the present invention may be facilitated using a reveal-based game conducted over a communication network such as, for example, the Internet. According to one aspect of the present invention, a player may be awarded a prize during play of the reveal-based game, wherein the player may be required to return to the casino or other gambling location to redeem the
30 award. In this way, the online game is used to incentivize players to return to the gambling location, increasing the opportunity to increase revenues.

 According to yet another embodiment of the present invention, it is appreciated

- 6 -

there is a great deal of effort and expense to introduce additional games, especially in the casino area. In particular, as each game is introduced, its features are scrutinized by regulators prior to introduction. It therefore would be beneficial to be able to reduce the regulatory effort in introducing new games that are exciting to players to play. To this
5 end, according to one aspect of the present invention, a system is provided having two games, one of which is already approved by regulators whose outcomes are used to drive outcomes of another game. Because the outcome determination and odds of winning the other game are driven by a previously-approved game, the regulatory hurdles associated with releasing the other game are reduced.

10 In one aspect of the present invention, the player is permitted to play a computer-based game (referred to hereinafter as a "primary" game) during which the game playing system reveals results of another game (referred to hereinafter as a "secondary" game) such as a reveal-based game in an online game experience as discussed above. Also as discussed, the primary game may be used to reveal one or more awards to the player.
15 Such awards may be predetermined based on selection criteria of an award to the player (e.g., based on action(s) of the player, information about the player, or any other player-related criteria). However, in some cases, the player may be entered in a sweepstakes or drawing which may be determined at a later time as a result of a secondary game.

This secondary game may be a casino or lottery-based game and, according to one
20 embodiment, this secondary game is already approved by regulators. One such game is the well-known game of Keno. However, it should be appreciated that the secondary game may be any other type of game (e.g., a lottery game). The primary game may be any type of computer-based game, including games of skill and/or chance, such as card games, casino games, video games or any other type of game through which a result from another
25 game may be revealed. In one aspect of the present invention, the play of the primary game that the player plays does not affect the outcome of the secondary game. In another aspect of the present invention, the secondary game result does not affect the outcome of the primary game played by the player.

In one example, the primary game involves some level of influence by the player
30 on the outcome of the primary game. For instance, the primary game may be a game of skill. However, it should be appreciated that the primary game be a game based on chance, or combination of skill and chance, and that any type of game can be used to

- 7 -

reveal an award to the player. In one example, the primary game may be similar to the well-known game of COLLAPSE (COLLAPSE is a trademark of GameHouse, Inc., Seattle WA) and its variations. As is known, COLLAPSE is a game of skill that allows the player to earn points by removing elements from a game grid. COLLAPSE and
5 similar games involve a window having a grid having colored elements where new lines of the grid are fed into the bottom of the grid periodically. A player removes groups of three or more similarly-colored elements by selecting them within the grid. The player may be permitted to play the game of COLLAPSE (or similar game), during which the result of the primary game is revealed over one or more instances of the COLLAPSE-type game.
10 However, it should be appreciated that the result (or any other indication) may be revealed to the player during, before, or after play of any instance of an online game.

According to one aspect of the present invention, the COLLAPSE-type game is combined with a second level game. Play of the second level game may proceed after some achievement level in the COLLAPSE-type game. For instance, points may be
15 awarded in the COLLAPSE-type game, and in one embodiment, the second level may proceed after the player achieves a particular point total as further discussed below. Alternatively, the player may play the COLLAPSE-type game until completion, and at the end of the COLLAPSE-type game, the player begins playing the second level game.

According to one aspect of the present invention, the result of the primary game is
20 stored on a server coupled to a computer system upon which the game is played. In one example, the result is downloaded to the computer system prior to game play. The result may be in the form of intermediate results of each game instance that are displayed to the player at various points during game play. For instance, intermediate results may be displayed to a user during an instance of a COLLAPSE-type game.

25 In one embodiment of the present invention, the traditional game of COLLAPSE or similar game is coupled with a second level game. Further, during the play of the COLLAPSE-type game, one or more items are awarded to the player for use in the second level game. For instance, items are awarded when particular one(s) of the elements are removed from the grid. In the example of the COLLAPSE-type game, there may be an
30 indication that one or more of the elements of the grid contains an item (e.g., one that may be used with a second level game). This indication may be, for example, a graphical, textual, or other symbolic indication that the element contains an item. In one example,

- 8 -

this indication may be the same or similar element used to indicate that there is a hidden item associated with the element. The type of hidden item may not, according to one embodiment, be known by the user until the hidden item is revealed during game play. In one example, when the element having the hidden item is selected (or removed from the grid), the game program displays the item to the player.

In another example, the grid may contain more than one hidden item, and these items may be collected by the player as hidden items are revealed. When the game has ended, the player may use the one or more collected items in the second level game. In one example game, the items revealed during the game of COLLAPSE are used to open hidden items in a second level game. For instance, the second level game includes a series of safes (or other element type) which are opened (and their hidden items revealed) with items collected during the play of the COLLAPSE-type game. In one example, the items are representations of sticks of dynamite that are used by the user to open the safe. However, it should be appreciated that the items may be any type of item that can be used in a second level game.

Hidden items revealed during the second level of play may be, for example, a cash prize awarded for a particular game. It should be appreciated, however, that other prizes may be awarded (e.g., merchandise, credit, free play, etc.) and that the invention is not limited to any particular prize type.

According to one aspect of the present invention, prizes revealed during the second level game may be stored in a database of the server and downloaded to the client prior to play. In this example, the player may be allowed, when a invitation is received (e.g., when a ticket is purchased at a POS, the player receives an e-mail invitation, etc.), the ability to play a number of instances of the game. Prizes may be awarded, for example, at each instance of the second level of the online game. To this end, the result of each prize may be stored in the database of the server, and may be indexed by an identifier of the invitation (e.g., a ticket identifier). For example, the identifier may be a serial number or other identifying information.

According to one aspect of the present invention, prizes are only awarded in the second level game. In another example, after a prize is revealed (or not) in the second level game, the player is permitted to play any remaining instances of the primary game (e.g., a slot-machine type game or COLLAPSE-type game). According to another

- 9 -

embodiment, the player may not be permitted to replay game instances after they have been played. To this end, a game-playing system may maintain a status of the game instances played by the player. The game-playing system may maintain other information, such as game play information, how prizes are revealed to the player, and other
5 information that may be useful for assessing or auditing game play and playing experiences of the player.

Each instance of the game may include an associated prize (or not), and these prizes may be combined for an overall prize associated with the ticket. In one example, the prize associated with the first instance of the COLLAPSE-type game and its second
10 level is \$10.

Each instance of the game may include an associated prize (or not), and these prizes may be combined for an overall prize associated with the ticket. In one example, the prize associated with the first instance of the COLLAPSE-type game and its second level is \$10. A prize associated with a second instance of the COLLAPSE-type game and
15 its second level is \$15. The prizes associated with each instance of the COLLAPSE-type game and its second level may be stored as an entry in the database of the server.

Alternatively, the result of each prize for each instance of the game may be determined dynamically by the client computer. For example, if the overall prize (e.g., \$25) for the ticket is known, the client can determine (e.g., randomly) a distribution of
20 winnings of the overall prize among game instances. In the example above, a play of the ticket on one computer could award a \$25 prize among two game instances as follows: \$5 prize for the first game instance and \$20 for the second game instance. Another play of the ticket on the same or different computer may award a \$25 prize differently among the two game instances (e.g., \$10 for the first game instance, \$15 for the second game
25 instance, etc.). It should be appreciated, however, that the game may include any number of game instances, and the prize associated with each game instance may be stored in any storage location (e.g., at the client computer, at the server, etc.).

In another example system, prizes may be awarded in association with each item collected in the game (e.g., a stick of dynamite in a COLLAPSE-type game). Therefore,
30 prizes may be distributed among hidden items in the game grid as well as being distributed among game instances. As discussed, prize distribution may be stored in a database of the server, may be determined by the client (e.g., randomly), or may be stored at any location

- 10 -

or be determined by any manner by the client.

According to another aspect of the present invention, an improved game experience is provided for revealing the result of an online game. As discussed above, a player purchases a ticket or other game piece at a POS or other location. On the ticket,
5 multiple plays of an associated online game are provided with each ticket or other game piece. The player can play those multiple plays across a set of games. For instance, the set of games may include, for example, games of skill and/or chance as discussed above. Certain games may include one or more attempts (or opportunities) for winning prizes. These opportunities for winning may be associated with one or more prizes. For example,
10 a player playing a slot machine may be awarded a certain number of opportunities to play a game (e.g., a game instance (or game play) or other opportunity to win a prize when playing a particular game instance). In the case of a slot machine game, the player may be given a particular number of spins of the slot machine game, and, as a result of each spin, the player may be awarded (or not) a prize. In one embodiment, the result of the overall
15 game is predetermined, and a game experience is determined for each opportunity (e.g., spin) that results in a contribution to the result of the overall game.

According to one embodiment of the present invention, the type of game that is played is immaterial to the outcome revealed to the player. More particularly, the same outcomes associated with a particular ticket may be used to drive multiple types of games.
20 This allows, for example, the gaming operator to offer multiple types of games with a single ticket, and allows the player to select which game(s) to play to reveal the outcomes associated with the particular ticket. For instance, the player may elect to play a slot machine game for a first game instance of a ticket, and for a second instance, play a COLLAPSE-type game. Of course, it should be appreciated that any type of game and
25 other combinations of games are possible. In this manner, the player may be provided the flexibility to play particular games in which the player is interested, thereby increasing his/her interest and participation in the game. Further, the game operator is provided additional flexibility as new games may be introduced/substituted that are associated with the same ticket or other game piece.

30 According to one embodiment of the present invention, the outcome of the game is predetermined at the time of ticket printing, issuance, or purchase or shortly thereafter. That is, the game outcome associated with a particular ticket is available prior to, at the

- 11 -

same time, or shortly thereafter the ticket is provided to the player, after which time the player is permitted to play any games to reveal the predetermined outcome. In another embodiment, outcomes associated with tickets issued to the player are determined some time after the ticket issuance (i.e., outcomes are "post-determined"). Such is the case with

5 Keno or other drawing-based games wherein game outcomes are determined after ticket issuance. In such a game, players are permitted to obtain the outcome at a predetermined time, usually after the player has purchased the ticket. In one aspect of the invention, it may be beneficial to have a later activation of tickets, especially in the case of a ticket-based game where tickets are issued in some other gaming environment (e.g., a casino). It

10 may be desirable to only permit the player to play such a game outside the gaming environment so as not to compete with other games. Additionally, it may be desirable to require the player to revisit the gaming environment to redeem the ticket and increase the chances that the player will purchase additional tickets or play other types of games offered in the gaming environment.

15 Also, according to another aspect of the present invention, a first game may be used to reveal the result of a second game. As discussed above, this second game may be one which is already approved by regulators. Such a system may be, for example, a game whose results are driven by a random number generator (or RNG as referred to in the art). One such game is the well-known game of Keno. Another game that may be used is the

20 well-known game of bingo. Other games may be used to drive the result of an online game.

In one example, a Keno game and its associated system are used to generate reveal results which are revealed to a player during play of an online game. To this end, a Keno-based system may be used in conjunction with an online gaming system to present new

25 and interesting online games whose outcomes are driven by results provided by the Keno system. In one particular example, a Keno system provides a correlation of a ticket identifier to a Keno game which is held at some predetermined time. As the Keno numbers are drawn, an outcome is produced associated with the particular ticket identifier and provided to an online gaming system. The online gaming system uses the produced

30 outcome to render a new and interesting gaming experience within an online gaming environment. As discussed, such an environment may include online play of one or more online games of skill, chance, or combination thereof.

- 12 -

According to one embodiment of the present invention, wins are optimized across game instances associated with a ticket. For instance, a ticket may have a predetermined outcome (for example, awarding a prize of \$50), that may be allocated across the game instances associated with that ticket. For example, in the case of winning \$50 on a 5-play
5 (5 game instances) ticket, it may be desired to allocate the wins across game instances to provide a particular game experience. For instance, the game experience of winning \$50 may be distributed across five game instances (e.g., five separate games, respectively winning \$5, \$0, \$0, \$5, \$40) to provide the player an early indication of winning. Also, the remaining game play of the game instances may be scripted to build the drama of the
10 game experience while still retaining player interest. Such a scripted outcome is more interesting, according to one embodiment, as the player is presented an outcome in a way such that retains interest in the game. This is beneficial, as an overall result includes extending scratch-type games or other type of game experience beyond the point of sale, and beyond the instant (but fleeting) gratification associated with scratch-type or other
15 instant ticket game experiences.

According to one embodiment, a player is permitted to wager and redeem bets at authorized locations (e.g., legal jurisdictions such as lottery retail establishments, casinos, and the like) while the online portion of the game may be played in any locale or jurisdiction. In such a case, the casino or lottery experience is extended to locations where
20 otherwise lottery and/or casino games are not available. Thereafter, players return to the lottery or casino establishment to redeem their tickets thereby providing yet another opportunity to entertain the player. According to one embodiment, the player is required to return to the lottery or casino location to redeem their award.

According to yet another aspect of the present invention, winning results may be
25 split across opportunities to win. One embodiment of the present invention relates generally to how wins are shown to the player across win opportunities. In one specific example, one embodiment relates to a method for revealing wins to a player across a play of multiple game instances that build excitement for the player and which holds the interest of the player in continuing to play the game. It is appreciated that the game
30 experience may be made more compelling if wins are distributed among win opportunities in an interesting way.

Another method for maintaining the interest of players includes awarding

- 13 -

additional opportunities to win with each ticket. For instance, one of the prizes awarded with a particular opportunity to win (e.g., during the play of the game instance) may be one or more additional opportunities to win. For instance, in a slot machine game, an issued ticket may be associated with five (5) spins. One of the prizes awarded with the ticket may include additional spins. At the time of initial ticket activation, it may be predetermined that the ticket is associated with these additional opportunities to win, and these additional opportunities may be associated with the issued ticket. The player, when playing the game, will obtain additional satisfaction in playing because the number of game instances to be played by the player are increased, and therefore, their opportunity to win is also increased. This may be beneficial to create a more realistic gaming experience (such as in casino slots) where additional spins may be awarded during casino play. However, unlike casino play wherein slot play can be continued from an online account or by placing additional bets to create a more continuous game experience, the additional spins are awarded to a single ticket.

In the case where an online game system is a Keno-based or other drawing-based systems wherein results are not predetermined, additional opportunities to win may be associated with the ticket in the form of additional numbers selected by a computer system and associated with the ticket at the time of a drawing. This may be performed, for example, by assigning one or more additional drawing entries as a prize itself in the pay table associated with the Keno or other drawing-based game. More particularly, the drawing entries may be awarded as prizes, which themselves are indexes into other entries in the same pay table. Such additional entries may correspond to one or more prizes. For example, when the drawing occurs, the additional plays are awarded to the drawing numbers associated with the ticket. These drawing numbers may be associated with a particular game instance, of which there may be many associated with one ticket. At the point when the ticket is activated by the result of the drawing and play of the online game is permitted, the player, upon the beginning of play of the ticket or a particular game instance, the player is awarded the additional plays (and therefore, any prizes) associated with these additional plays. The additional plays may be played as additional game instances, which themselves have additional reveal opportunities. Alternatively, additional reveal opportunities may be added to one or more other game instances to make game play more exciting.

- 14 -

According to another aspect of the present invention, a method is presented for providing players an enhanced gaming experience. According to one embodiment, it is appreciated that it is beneficial to enhance players' interest in playing games, particularly losing ones. In one embodiment, an illusion is presented to players to provide the illusion of being very close to winning a particular game. For instance, in the case of a slot machine, the slot machine result may indicate, in a three-wheel slot machine, that the player received a winning combination of two of the first wheels, and only with the revealing of the last wheel does the player realize that he/she has lost the game. According to one aspect, it is realized that the losing game experience should compel the player to continue playing the game.

In another example system, prizes may be awarded in association with each item collected in the game (e.g., number of points in a slot machine type game). Therefore, prizes may be distributed among elements or levels during play as well as being distributed among game instances. As discussed, prize distribution may be stored in a database of the server, may be determined by the client (e.g., randomly), or may be stored at any location or be determined by any manner by the client.

According to another aspect of the invention, it is appreciated that conventional methods for playing online games of chance are not secure. In particular, because the result or outcome of the game or predetermined sequence of game states may be encoded on a ticket, the lottery game may be compromised if the winning codes are deciphered. Such a deciphering could occur, for example, by hacking a computer system associated with the online lottery and obtaining a list of winning tickets, or reverse engineering software (e.g., on a PC) where the winning codes or sequence of game states may be stored. Further, it is realized that in such conventional systems, the lottery ticket or the online game software and its data are single points of security failures in the system.

One aspect of the present invention relates to a method for conducting a game of chance. According to one embodiment, a more secure method is provided by which an online game may be played. Instead of placing a game seed that determines a sequence of game states on a ticket (e.g., an instant scratch or lottery ticket), the game states or outcomes may not be placed on the ticket. Rather, the outcomes may be stored in an online database. To this end, a code may be stored on the ticket, the code being used as a decryption key used to find the outcome stored in the database. In particular, there may be

- 15 -

a mapping between an outcome code and a corresponding decryption key that is printed on the ticket.

Because the decryption key is placed on the ticket, unauthorized access to the online game is not permitted without the physical ticket. In another embodiment, a portion of the decryption key is placed on the ticket, and another portion is stored in a database associated with the online game. In this manner, security cannot be breached without having both portions of the key (either having the issued ticket portion or the online portion). Thus, a hacker may not compromise a lottery ticket database without the ticket, and, by virtue of having a winning ticket, other winning ticket numbers may not be determined. Access to the online portion of the key may be obtained, for example, by providing some other information (e.g., a serial number printed on the ticket). However, it should be appreciated that the information used to gain access to the online portion of the key need not be printed on the ticket – the information may be provided on some other medium or by another method.

The ticket may be, for example, a scratch-type lottery or “instant” ticket, pull-tab, or type of pre-printed ticket type. Alternatively, the ticket may be a printed lottery ticket as is known in the art, which is a ticket printed at a Point of Sale (POS), usually in the form of a lottery drawing ticket (e.g., PowerBall or other type lottery drawing game). Also, the ticket may be an electronic ticket issued by a computer system. It should be appreciated that the ticket may be any type of ticket issued in any form, and the invention is not limited to any particular ticket type method of issuing a ticket.

According to one aspect of the present invention, a method to provide incentive for a person to take an action in at least one gambling location is provided. The method comprises acts of a) inviting a qualified person to play an electronic game not located at the gambling location; b) permitting, within a specified time period, the qualified person to complete electronic game play which has a plurality of outcomes, at least one of which is a winning outcome; and c) permitting the qualified person to redeem an outcome, wherein the qualified person must take an action in at least one redemption location within a specified time period.

According to one embodiment of the present invention, the at least one redemption location includes the gambling location. According to another embodiment, the method further comprises an act of qualifying the person to play the electronic game.

- 16 -

According to another embodiment, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person. According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person in the gambling location.

According to another embodiment, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location. According to another embodiment, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player.

According to another aspect of the present invention, a method to provide incentive for a person to take an action in at least one gambling location is provided, the method comprising acts of a) inviting a qualified person to play an electronic game not located at the gambling location; b) permitting the qualified person to play the electronic game, the game having a plurality of outcomes, at least one of which is a winning outcome; and c) permitting the qualified person to redeem an outcome in at least one redemption location. According to one embodiment, the at least one redemption location includes the gambling location. According to another embodiment, the method further comprises an act of qualifying the person to play the electronic game.

According to another embodiment, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person. According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person in the gambling location. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location. According to another embodiment,

- 17 -

the act of inviting is responsive to an act of an event occurring within the gambling location.

According to another embodiment, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player.

According to another aspect of the present invention, a method to provide incentive for a person to take an action in at least one gambling location is provided, the method comprising acts of: a) inviting a qualified person to play an electronic game not located at the gambling location; b) permitting the qualified person to play the electronic game; c) revealing an outcome to the player during play of the electronic game; and c) permitting the qualified person to redeem an outcome in at least one gambling location. According to one embodiment, the at least one redemption location includes the gambling location.

According to another embodiment, the method further comprises an act of qualifying the person to play the electronic game. According to another embodiment, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person. According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person in the gambling location.

According to another embodiment, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location. According to another embodiment, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment, the act of qualifying the person further comprises an

- 18 -

act of determining a status of the player based at least in part on current game play by the player.

According to another aspect of the present invention, a method to provide incentive for a person to take an action in at least one gambling location is provided, the method comprising acts of: a) inviting a qualified person to play an electronic game not located at the gambling location; b) permitting the qualified person to play the electronic game, the game having a plurality of outcomes, at least one of which is a winning outcome; and c) accumulating a plurality of winning outcomes including the at least one winning outcome, the plurality of winning outcomes being capable of being redeemed. According to one embodiment, the method further comprises an act of permitting the qualified person to redeem the plurality of winning outcomes in at least one redemption location.

According to another embodiment, the at least one redemption location includes the gambling location. According to another embodiment, the method further comprises an act of correlating the plurality of winning outcomes with at least one non-cashable credit that can be used by the qualified person at the gambling location. According to another embodiment, the method further comprises an act of qualifying the person to play the electronic game. According to another embodiment, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person.

According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person in the gambling location. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location. According to another embodiment, the act of inviting is responsive to an act of an event occurring within the gambling location.

According to another embodiment, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment,

- 19 -

the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player.

According to another aspect of the present invention, a method is provided for conducting a game. The method comprises acts of inviting a person to play an electronic game not located at the redemption location, the game having a plurality of outcomes, at least one of which being a winning outcome; permitting the person to play the game to obtain at least one of the plurality of outcomes; and if the at least one of the plurality of outcomes is a winning outcome, requiring the person to redeem the at least one outcome at the redemption location. According to one embodiment, the person is required to play the game to obtain the at least one of the plurality of outcomes within a specified time period.

According to another embodiment, the method further comprises an act of qualifying the person to play the computer-based game. According to another embodiment, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player.

According to another embodiment, the act of qualifying the person further comprises an act of determining a type of gambler the person may be. According to another embodiment, the plurality of outcomes is based at least in part on the qualification. According to another embodiment, the method further comprises an act of determining whether to perform the act of inviting based on a qualification of the person.

According to another embodiment, the method further comprises an act of determining a set of possible outcomes based on the qualification. According to another embodiment, the redemption location includes a gambling location. According to another embodiment, the method further comprises an act of redeeming the at least one outcome in response to an action performed by the person at the redemption location. According to another embodiment, the electronic game is played by the person on an electronic system separate from gambling systems associated with the gambling location.

- 20 -

According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the method further comprises an act of collecting personal information from the person. According to another embodiment, the method further comprises an act of obtaining information related to the person from at least one database using at least a portion of the collected personal information. According to another embodiment, the method further comprises an act of requiring the person to redeem the at least one outcome within a specified time period.

According to another embodiment, permitting the person to play the game to obtain at least one of the plurality of outcomes includes an act of purchasing an entry to play the electronic game. According to another embodiment, the each of the plurality of outcomes is a winning outcome, and wherein an amount of value provided by each of the winning outcomes is greater than a cost to purchase the entry to play the electronic game. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person in the gambling location. According to another embodiment, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location.

According to another embodiment, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment, the method further comprises an act of identifying the person. According to another embodiment, the method further comprises an act of identifying the person using an identifier of a frequent player program.

According to another aspect of the present invention, a method for conducting a game is provided. The method comprises acts of inviting a person outside of a gambling location to play an electronic game, the game having a plurality of outcomes, at least one of which being a winning outcome, permitting the person to play the game to obtain at least one of the plurality of outcomes, and if the at least one of the plurality of outcomes is a winning outcome, requiring the person to redeem the at least one outcome in the gambling location. According to one embodiment of the present invention, the at least one outcome is redeemed for non-cashable credits that may be used by the person at the gambling location. According to another embodiment of the invention, the method further comprises an act of redeeming the at least one outcome. According to another embodiment of the invention, the method further comprises an act of crediting the player

- 21 -

using a player tracking system. According to another embodiment of the invention, the method further comprises, an act of identifying the person using a frequent player identifier. According to another embodiment of the invention, the method further comprises an act of qualifying the person to play the electronic game. According to
5 another embodiment of the invention, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person.

According to one embodiment of the present invention, the method further comprises an act of identifying the person. According to another embodiment of the invention, the act of inviting is responsive to an act of performing an action by the person
10 in the gambling location. According to another embodiment of the invention, the act of inviting is responsive to an act of performing an action by the person at a location outside the gambling location. According to another embodiment of the invention, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment of the invention, the act of qualifying the person
15 includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment of the invention, the act of qualifying the
20 person further comprises an act of determining a status of the player based at least in part on current game play by the player. According to another embodiment of the invention, the method further comprises an act of revealing the at least one of a plurality of outcomes to the player during play of the electronic game. According to another embodiment of the invention, the method further comprises an act of permitting the player to play the
25 electronic game, the electronic game communicating to a game play server through a communication network. According to another embodiment of the invention, the communication network includes the Internet.

According to one aspect of the present invention, a method for conducting a game is provided. The method comprises acts of permitting a person to take one or more actions
30 within a gambling location, in response to the person taking the one or more actions, inviting the person to play an electronic game separate from games offered in a gambling environment at the gambling location, the game having a plurality of outcomes, at least

- 22 -

one of which being a winning outcome, permitting the person to play the game to obtain at least one outcome, and if the at least one of the plurality of outcomes is a winning outcome, requiring the person to redeem the at least one outcome at the gambling location.

According to another embodiment of the invention, the one or more actions
5 includes an act of purchasing an entry to play the electronic game. According to another embodiment of the invention, the each of the plurality of outcomes is a winning outcome, and wherein an amount of value provided by each of the winning outcomes is greater than a cost to purchase the entry to play the electronic game. According to another
10 embodiment of the invention, the at least one outcome is redeemed for non-cashable credits that may be used by the person at the gambling location. According to another embodiment of the invention, the method further comprises an act of redeeming the at least one outcome. According to another embodiment of the invention, the method further
15 comprises an act of crediting the player using a player tracking system. According to another embodiment of the invention, the method further comprises an act of identifying the person using a frequent player identifier. According to another embodiment of the invention, the method further comprises an act of qualifying the person to play the
20 electronic game. According to another embodiment of the invention, the method further comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person.

20 According to one embodiment of the present invention, the method further comprises an act of identifying the person. According to another embodiment of the invention, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment of the invention, the act of
25 qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous
30 play by the player. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player. According to another embodiment of the invention, the method further comprises an act of revealing the at least one outcome to the player during play of the electronic game. According to another embodiment of the

- 23 -

invention, the method further comprises an act of permitting the player to play the electronic game, the electronic game communicating to a game play server through a communication network. According to another embodiment of the invention, the communication network includes the Internet.

5 According to another aspect of the present invention, a method for conducting a game is provided. The method comprises acts of permitting a person to take one or more actions within a gambling location, in response to the person taking the one or more actions, inviting the person to play an electronic game separate from games offered in a gambling environment at the gambling location, the game having a plurality of outcomes,
10 at least one of which being a winning outcome, permitting the person to play the game to obtain at least one outcome, and if the at least one of the plurality of outcomes is a winning outcome, requiring the person to redeem the at least one outcome at a redemption location. According to one embodiment of the present invention, the redemption location includes the gambling location in which the one or more actions were taken.

15 According to another embodiment of the invention, the one or more actions includes an act of purchasing an entry to play the electronic game. According to another embodiment of the invention, the each of the plurality of outcomes is a winning outcome, and wherein an amount of value provided by each of the winning outcomes is greater than a cost to purchase the entry to play the electronic game. According to another
20 embodiment of the invention, the at least one outcome is redeemed for non-cashable credits that may be used by the person at the gambling location. According to another embodiment of the invention, the method further comprises an act of redeeming the at least one outcome. According to another embodiment of the invention, the method further comprises an act of crediting the player using a player tracking system. According to
25 another embodiment of the invention, the method further comprises an act of identifying the person using a frequent player identifier. According to another embodiment of the invention, the method further comprises an act of qualifying the person to play the electronic game.

 According to one embodiment of the present invention, the method further
30 comprises an act of determining whether to perform the act of inviting responsive to the act of qualifying of the person. According to another embodiment of the invention, the method further comprises an act of identifying the person. According to another

- 24 -

embodiment of the invention, the act of inviting is responsive to an act of an event occurring within the gambling location. According to another embodiment of the invention, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the
5 demographical information. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player. According to
10 another embodiment of the invention, the method further comprises an act of revealing the at least one outcome to the player during play of the electronic game. According to another embodiment of the invention, the method further comprises an act of permitting the player to play the electronic game, the electronic game communicating to a game play server through a communication network. According to another embodiment of the
15 invention, the communication network includes the Internet.

According to another aspect of the present invention, a method for conducting a game is provided. The method comprises acts of permitting a person to take one or more actions within a gambling location, in response to the person taking the one or more actions, inviting the person to play an electronic game separate from games offered in a
20 gambling environment at the gambling location, the game having a plurality of outcomes, at least one of which being a winning outcome, permitting the person to play the game to obtain at least one of the plurality of outcomes, and if the at least one of the plurality of outcomes is a winning outcome, requiring the person to redeem the at least one outcome in at least one gambling location. According to one embodiment of the present invention, the
25 gambling location and the at least one gambling location are the same location. According to another embodiment of the invention, the one or more actions includes an act of purchasing an entry to play the electronic game. According to another embodiment of the invention, the each of the plurality of outcomes is a winning outcome, and wherein an amount of value provided by each of the winning outcomes is greater than a cost to
30 purchase the entry to play the electronic game. According to another embodiment of the invention, the at least one outcome is redeemed for non-cashable credits that may be used by the person at the gambling location. According to another embodiment of the

- 25 -

invention, the method further comprises an act of redeeming the at least one outcome.
According to another embodiment of the invention, the method further comprises an act of
crediting the player using a player tracking system. According to another embodiment of
the invention, the method further comprises an act of identifying the person using a
5 frequent player identifier. According to another embodiment of the invention, the method
further comprises an act of qualifying the person to play the electronic game.

According to one embodiment of the present invention, the method further
comprises an act of determining whether to perform the act of inviting responsive to the
act of qualifying of the person. According to another embodiment of the invention, the
10 method further comprises an act of identifying the person. According to another
embodiment of the invention, the act of inviting is responsive to an act of an event
occurring within the gambling location. According to another embodiment of the
invention, the act of qualifying the person includes acts of obtaining demographical
information related to the person, and determining a status of the person based on the
15 demographical information. According to another embodiment of the invention, the act of
qualifying the person further comprises an act of determining a status of the player based
at least in part on previous play by the player. According to another embodiment of the
invention, the act of qualifying the person further comprises an act of determining a status
of the player based at least in part on current game play by the player. According to
20 another embodiment of the invention, the method further comprises an act of revealing the
at least one outcome to the player during play of the electronic game. According to
another embodiment of the invention, the method further comprises an act of permitting
the player to play the electronic game, the electronic game communicating to a game play
server through a communication network. According to another embodiment of the
25 invention, the communication network includes the Internet.

According to one aspect of the present invention, a method for conducting a game
is provided. The method comprises acts of qualifying a person to play an electronic game,
in response to the person playing the electronic game, inviting the person to play another
electronic game separate from games offered in a gambling environment at the gambling
30 location, the game having a plurality of outcomes, at least one of which being a winning
outcome, and requiring the person to redeem the at least one outcome at the gambling
location. According to one embodiment of the present invention, the act of qualifying the

- 26 -

person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play by the player. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player.

According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person in response to actions performed by the person at a website. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on an income of the person. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on one or more of the group comprising an occupation of the person, an age of the person, a gender of the person, an employment history of the player, and personal information of the player.

According to one embodiment of the present invention, the method further comprises an act of determining, based on the act of qualifying, a qualification level of the person. According to another embodiment of the invention, the method further comprises an act of determining the at least one outcome based, at least in part, on the qualification level of the person. According to another embodiment of the invention, the method further comprises acts of storing information relating to the person in a memory of a computer system, and determining, based at least in part on the stored information, a qualification of the player. According to another embodiment of the invention, the method further comprises an act of collecting current information associated with the person, and wherein the method further comprises an act of determining the qualification based at least in part on the stored information and the collected information. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person responsive to the occurrence of an event at the gambling location. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on a relation of the person to another person. According to another embodiment of the invention, the relation of the person includes at least one of a familial relation or an acquaintance relation. According to another

- 27 -

embodiment of the invention, the act of qualifying is responsive to an act of receiving a referral from an acquaintance of the person.

According to another aspect of the present invention, a method for providing an incentive to a person to visit a gambling location is provided. The method comprises acts of qualifying a person, and in response to the act of qualifying the person, performing acts of providing an award to the qualified person, and inviting the person to visit a gambling location to redeem the award. According to one embodiment of the present invention, the act of qualifying the person includes acts of obtaining demographical information related to the person, and determining a status of the person based on the demographical information. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on previous play of at least one game by the player. According to another embodiment of the invention, the act of qualifying the person further comprises an act of determining a status of the player based at least in part on current game play by the player. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person in response to actions performed by the person at a website. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on an income of the person. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on one or more of the group comprising an occupation of the person, an age of the person, a gender of the person, an employment history of the player, and personal information of the player.

According to one embodiment of the present invention, the method further comprises an act of determining, based on the act of qualifying, a qualification level of the person. According to another embodiment of the invention, the method further comprises an act of determining the at least one outcome based, at least in part, on the qualification level of the person. According to another embodiment of the invention, the method further comprises acts of storing information relating to the person in a memory of a computer system, and determining, based at least in part on the stored information, a qualification of the player. According to another embodiment of the invention, the method further comprises an act of collecting current information associated with the person, and wherein the method further comprises an act of determining the qualification based at least

- 28 -

in part on the stored information and the collected information. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person responsive to the occurrence of an event at the gambling location. According to another embodiment of the invention, the act of qualifying further comprises an act of qualifying the person based, at least in part, on a relation of the person to another person. According to another embodiment of the invention, the relation of the person includes at least one of a familial relation or an acquaintance relation. According to another embodiment of the invention, the act of qualifying is responsive to an act of receiving a referral from an acquaintance of the person.

According to another aspect of the present invention, a method for providing an incentive to a person to visit a gambling location is provided. The method comprises acts of determining a status of the person comprising evaluating one or more parameters that are indicative of a value of the person as a player in a gambling environment, determining an award to the person based at least in part on the determined status, and providing the award to the person. According to one embodiment of the present invention, the method further comprises an act of requiring the person to redeem the award at the gambling location. According to another embodiment of the invention, the act of determining a status further comprises an act of evaluating a plurality of parameters related to the person. According to another embodiment of the invention, the plurality of parameters includes at least one of the group comprising past play performance of the person, personal attributes, and current play performance. According to another embodiment of the invention, the method further comprises an act of comparing the plurality of parameters related to the person with a plurality of parameters with another person known to gamble at a particular volume. According to another embodiment of the invention, the method further comprise an act of identifying the person as a particular type of gambler based at least in part on a result of the act of comparing.

According to another aspect of the present invention, a method for conducting a game played by a player is provided. The method comprises acts of notifying the player of an opportunity to win a prize, accessing of the operator's website by the player, notifying the player of any prize won by the player, providing for the player to play a game(s) on the operator's website, and providing a computer-based game to be played by the player which reveals the prize won by the player. According to one embodiment of the

- 29 -

present invention, the method further comprises an act of storing, on a server, the prize won by the player. According to another embodiment of the invention, a coupon is provided with the notification of an opportunity to win the prize. According to another embodiment of the invention, the coupon includes an access code, and the method
5 comprises an act of permitting the player to enter the access code into a website of the operator to gain access. According to another embodiment of the invention, the notification occurs in response to a player performing at least one of the group comprising entering frequent player information, and swiping a frequent player card at a kiosk. According to another embodiment of the invention, the notification occurs by at least one
10 of the group comprising mail, an e-mail, a telephone, and a fax. According to another embodiment of the invention, the prize won by the player in each game is predetermined. According to another embodiment of the invention, the total prize won by the player in all games played with the game credits is predetermined.

According to one embodiment of the present invention, the game credits provided
15 to a player is predetermined. According to another embodiment of the invention, the sequence of reveals is predetermined. According to another embodiment of the invention, the reveals are randomly determined by the client. According to another embodiment of the invention, the sequence of reveals is stored in a database of a server. According to another embodiment of the invention, the method further comprises an act of providing a
20 player an opportunity to enter a sweepstake. According to another embodiment of the invention, the method further comprises an act of entering the sweepstake by the player. According to another embodiment of the invention, the player is immediately notified of winning or losing the sweepstake. According to another embodiment of the invention, the player is entered into at least one of a next drawing, one or more future drawings, and a
25 limited number of future drawings. According to another embodiment of the invention, the prize includes a non-cashable credit. According to another embodiment of the invention, the prize includes a complimentary offer. According to another embodiment of the invention, the prize includes a promotional prize. According to another embodiment of the invention, the non-cashable credit is used by the player at a gambling location of the
30 operator. According to another embodiment of the invention, the non-cashable credit is used to obtain a free play of a game located at a gambling location of the operator.

According to one embodiment of the present invention, the non-cashable credit can

- 30 -

be used only at the gambling location of the operator. According to another embodiment, the complimentary offer is redeemed only at the gambling location of the operator.

According to another embodiment of the invention, the promotional prize is redeemed only at the gambling location of the operator. According to another embodiment of the invention, the act of notifying the player is performed using information associated with a frequent player membership. According to another embodiment of the invention, an amount of the prize awarded to the player is limited by a predetermined range. According to another embodiment of the invention, the amount of the prize is randomly selected by a computer system, the randomly selected amount being limited by the predetermined range.

According to one aspect of the invention, a method for conducting an incentive program is provided. The method comprises acts of permitting at least one frequent player program member of the incentive program to submit identification information associated with the at least one frequent player program member, and providing at least one special incentive to the at least one frequent player program member in response to the remote entry of the identification information associated with the at least one frequent player program member. According to one embodiment of the invention, the act of permitting further comprises an act of permitting the user to remotely swipe a membership card identifying the at least one frequent player program member. According to another embodiment, the act of remotely swiping a membership card is performed by the member entering a unique identifier. According to another embodiment, the act of remotely swiping a membership card is performed by the member additionally entering at least one of a password and a passcode.

According to one embodiment of the invention, the at least one special incentive includes at least one of a prize and an award. According to another embodiment, the at least one of a prize and an award is won by a frequent player program member through a sweepstake. According to another embodiment, the member is not informed of a win until the player visits the gambling location. According to another embodiment, the member must go to the gambling location to receive the at least one of the prize and the award. According to another embodiment, the member must go to the gambling location to receive the at least one of the prize and the award within a specified time period. According to another embodiment, the method further comprises an act of providing to the member a unique identifier.

- 31 -

According to one embodiment of the invention, the method further comprises an act of providing to the member at least one of a password and a passcode. According to another embodiment, the act of remotely swiping the membership card is performed by at least one of a video-enabled, audio-enabled, and card reader-containing device. According to another embodiment, the device includes at least one of a kiosk, a personal computer, a handheld device, a telephone, and a wireless telephone. According to another embodiment, the at least one of the prize and the award includes at least one of money, a credit, merchandise, and loyalty points. According to another embodiment, the at least one of the prize and the award includes money, and wherein the method further comprises an act of paying out money including an act of providing at least one of cash, a check, a debit card, and an account credit. According to another embodiment, the at least one of the prize and the award includes loyalty points, and the method further comprises an act of paying out loyalty points including providing at least one of a loyalty program credit and an account credit.

According to another aspect of the present invention, a method is provided for conducting a game comprising acts of providing an incentive to a player to return to a gaming establishment, and displaying an indication of the incentive to the player in an interface of a remote computer system. According to one embodiment, the remote computer system is located outside of the gaming establishment. According to another embodiment, the computer system is not part of the gaming establishment.

According to another embodiment, the method further comprises an act of associating the incentive with an identification of the player. According to another embodiment, the identification of the player includes frequent player identification. According to another embodiment, the act of displaying includes an act of displaying the incentive to the player during play of an online game.

According to another embodiment, the act of providing an incentive is performed periodically. According to another embodiment, the method further comprises an act of determining an incentive periodically and displaying an active incentive to the player in the interface of a remote computer system. According to another embodiment, the act of determining an incentive periodically further comprises determining a time period for the active incentive such that the player is motivated to periodically view the interface.

- 32 -

According to one embodiment, the interface includes a browser-based interface. According to another embodiment, the remote computer system is coupled to the gaming establishment via a communication network. According to another embodiment, the communication network includes the Internet. According to another embodiment, the method further comprises an act of requiring the player to return to the gaming establishment to redeem the incentive. According to another embodiment, the method further comprises an act of requiring the player to redeem the incentive within a predetermined time period.

According to one embodiment, the gaming establishment includes a gambling location. In another embodiment, the association is performed by a computer system of the gaming establishment. According to another embodiment, the method further comprises an act of tracking a winning of the incentive by the player according to the identification of the player. According to another embodiment, the act of tracking includes tracking the winning of the incentive using the frequent player identification. According to another embodiment, the computer system of the gaming establishment includes at least one of a player tracking system, a gaming machine, a kiosk, and a casino management system.

According to one aspect of the invention, a method for conducting an incentive program is provided. The method comprises acts of permitting at least one frequent player program member of the incentive program to submit identification information associated with the at least one frequent player program member, and providing at least one special incentive to the at least one frequent player program member in response to the remote entry of the identification information associated with the at least one frequent player program member. According to one embodiment of the invention, the act of permitting further comprises an act of permitting the user to remotely swipe a membership card identifying the at least one frequent player program member. According to another embodiment, the act of remotely swiping a membership card is performed by the member entering a unique identifier. According to another embodiment, the act of remotely swiping a membership card is performed by the member additionally entering at least one of a password and a passcode.

According to one embodiment of the invention, the at least one special incentive includes at least one of a prize and an award. According to another embodiment, the at

- 33 -

least one of a prize and an award is won by a frequent player program member through a sweepstake. According to another embodiment, the member is not informed of a win until the player visits the gambling location. According to another embodiment, the member must go to the gambling location to receive the at least one of the prize and the award.

- 5 According to another embodiment, the member must go to the gambling location to receive the at least one of the prize and the award within a specified time period. According to another embodiment, the method further comprises an act of providing to the member a unique identifier.

- According to one embodiment of the invention, the method further comprises an act of providing to the member at least one of a password and a passcode. According to 10 another embodiment, the act of remotely swiping the membership card is performed by at least one of a video-enabled, audio-enabled, and card reader-containing device. According to another embodiment, the device includes at least one of a kiosk, a personal computer, a handheld device, a telephone, and a wireless telephone. According to another 15 embodiment, the at least one of the prize and the award includes at least one of money, a credit, merchandise, and loyalty points. According to another embodiment, the at least one of the prize and the award includes money, and wherein the method further comprises an act of paying out money including an act of providing at least one of cash, a check, a debit card, and an account credit. According to another embodiment, the at least one of 20 the prize and the award includes loyalty points, and the method further comprises an act of paying out loyalty points including providing at least one of a loyalty program credit and an account credit.

- According to another aspect of the present invention, a method is provided for conducting a game comprising acts of providing an incentive to a player to return to a 25 gaming establishment, and displaying an indication of the incentive to the player in an interface of a remote computer system. According to one embodiment, the remote computer system is located outside of the gaming establishment. According to another embodiment, the computer system is not part of the gaming establishment.

- According to another embodiment, the method further comprises an act of 30 associating the incentive with an identification of the player. According to another embodiment, the identification of the player includes frequent player identification.

- 34 -

According to another embodiment, the act of displaying includes an act of displaying the incentive to the player during play of an online game.

According to another embodiment, the act of providing an incentive is performed periodically. According to another embodiment, the method further comprises an act of
5 determining an incentive periodically and displaying an active incentive to the player in the interface of a remote computer system. According to another embodiment, the act of determining an incentive periodically further comprises determining a time period for the active incentive such that the player is motivated to periodically view the interface.

According to one embodiment, the interface includes a browser-based interface.
10 According to another embodiment, the remote computer system is coupled to the gaming establishment via a communication network. According to another embodiment, the communication network includes the Internet. According to another embodiment, the method further comprises an act of requiring the player to return to the gaming establishment to redeem the incentive. According to another embodiment, the method
15 further comprises an act of requiring the player to redeem the incentive within a predetermined time period.

According to one embodiment, the gaming establishment includes a gambling location. In another embodiment, the association is performed by a computer system of the gaming establishment. According to another embodiment, the method further
20 comprises an act of tracking a winning of the incentive by the player according to the identification of the player. According to another embodiment, the act of tracking includes tracking the winning of the incentive using the frequent player identification. According to another embodiment, the computer system of the gaming establishment includes at least one of a player tracking system, a gaming machine, a kiosk, and a casino
25 management system.

According to one aspect of the present invention, a method for providing player incentives is provided. The method comprises providing at least one device associated with redemption of bonus play awards to a gambling location operator, providing an entry
to a player to a bonus play game, permitting the player to play a bonus play game away
30 from a gambling location, determining an award won by the player in the bonus play game, requiring that redemption of the bonus play prize occur at the gambling location, providing for identifying the entry at the gambling location using the at least one device,

- 35 -

accepting, by a bonus game operator's computer, redemption information relating to the entry, validating, by the bonus game operator's computer, the redemption information, identifying the bonus play prize associated with the redemption information; and transmitting bonus play prize information to the redemption location. According to one
5 embodiment of the present invention, the method further comprises an act of providing a printable coupon with a bar code, wherein the bar code encodes information associated with the bonus game. According to another embodiment of the invention, the act of providing for identifying includes an act of scanning the bar code. According to another embodiment of the invention, the method further comprises an act of conducting the
10 sweepstakes drawing. According to another embodiment of the invention, the method further comprises an act of entering at least one losing sweepstake participant into at least one additional sweepstakes drawing.

According to one embodiment of the present invention, the method further comprises an act of entering at least one sweepstake participant into at least another
15 sweepstakes drawing. According to another embodiment of the invention, the sweepstake drawing is periodic. According to another embodiment of the invention, the bonus play prize comprises at least one additional bonus play entry. According to another embodiment of the invention, the method further comprises an act of permitting the gambling location operator to provide additional incentives to the player. According to
20 another embodiment of the invention, the additional incentives comprise a custom currency. According to another embodiment of the invention, the bonus play prize comprises at least one entry into a sweepstakes drawing. According to another embodiment of the invention, the bonus play prize comprises at least one of a group comprising a cash prize, frequent player program points, custom currency, services, and
25 merchandise. According to another embodiment of the invention, providing for identifying the entry at the gambling location using the at least one device includes acts of identifying an identity of the player and the determined award. According to another embodiment of the invention, the method further comprises an act of providing the bonus play prize to the player.

30 According to one aspect of the present invention, a system for managing a player incentive program is provided. The system comprises a bonus play gaming interface configured to present bonus play games to a player outside of the gambling location,

- 36 -

wherein the bonus play gaming interface is further configured to generate an award, a redemption component configured to redeem the award at a gambling location; and a validation component configured to receive redemption information, and further configured to validate a redemption. According to one embodiment of the present invention, the redemption component is independent of the gambling location systems. According to another embodiment of the invention, the redemption component is operatively connected to a communication network of the gambling location. According to another embodiment of the invention, the entry into the sweepstakes is represented by a printed coupon having a bar code for redemption of a bonus play prize. According to another embodiment of the invention, the redemption component further comprises a bar code scanner configured to scan a bar code from a coupon, wherein the bar code scanner is operated at a gambling location, and a communication component operatively connected to the bar code scanner configured to communicate with a bonus game operator.

According to one embodiment of the present invention, the redemption component is configured to redeem the entry without use of redemption systems controlled by the gambling location. According to another embodiment of the invention, the redemption component is configured to report a redemption in real time to a bonus game operator. According to another embodiment of the invention, the redemption component is configured to transmit redemption information to a bonus game operator. According to another embodiment of the invention, the award comprises at least one entry into a sweepstakes drawing. According to another embodiment of the invention, the award comprises at least one of a group comprising a cash prize, frequent player program points, custom currency, services, and merchandise. According to another embodiment of the invention, the redemption component is configured to identify an identity of the player and the determined award.

According to one aspect of the present invention, a computer-readable medium having computer-readable instructions stored thereon that define instructions that, as a result of being executed by a computer, instruct the computer to perform a method for providing player incentives is provided. The method comprises the acts of providing at least one device associated with redemption of bonus play awards to a gambling location operator, providing an entry to a player to a bonus play game, permitting the player to play a bonus play game away from a gambling location, determining an award won by the

- 37 -

player in the bonus play game, requiring that redemption of the bonus play prize occur at the gambling location, providing for identifying the entry at the gambling location using the at least one device, accepting, by a bonus game operator's computer, redemption information relating to the entry, validating, by the bonus game operator's computer, the redemption information, identifying the bonus play prize associated with the redemption information; and transmitting bonus play prize information to the redemption location. According to one embodiment of the present invention, the method further comprises an act of providing a printable coupon with a bar code, wherein the bar code encodes information associated with the bonus game. According to another embodiment of the invention, the act of providing for identifying includes an act of scanning the bar code. According to another embodiment of the invention, the method further comprises an act of conducting the sweepstakes drawing. According to another embodiment of the invention, the method further comprises an act of entering at least one losing sweepstake participant into at least one additional sweepstakes drawing.

According to one embodiment of the present invention, the method further comprises an act of entering at least one sweepstake participant into at least another sweepstakes drawing. According to another embodiment of the invention, the sweepstake drawing is periodic. According to another embodiment of the invention, the bonus play prize comprises at least one additional bonus play entry. According to another embodiment of the invention, the method further comprises an act of permitting the gambling location operator to provide additional incentives to the player. According to another embodiment of the invention, the additional incentives comprise a custom currency. According to another embodiment of the invention, the bonus play prize comprises at least one entry into a sweepstakes drawing. According to another embodiment of the invention, the bonus play prize comprises at least one of a group comprising a cash prize, frequent player program points, custom currency, services, and merchandise.

According to one embodiment of the present invention, the act of providing for identifying the entry at the gambling location using the at least one device includes acts of identifying an identity of the player and the determined award. According to another embodiment of the invention, the method further comprises an act of providing the bonus play prize to the player.

- 38 -

The function and advantage of these and other embodiments of the present invention will be more fully understood from the examples described below. The following examples are intended to illustrate the benefits of the present invention, but do not exemplify the full scope of the invention.

5 Further features and advantages of the present invention as well as the structure and operation of various embodiments of the present invention are described in detail below with reference to the accompanying drawings. In the drawings, like reference numerals indicate like or functionally similar elements. Additionally, the left-most one or two digits of a reference numeral identifies the drawing in which the reference numeral
10 first appears.

Brief Description of the Drawings

The accompanying drawings are not intended to be drawn to scale. In the drawings, each identical or nearly identical component that is shown in various figures is
15 represented by a like numeral. For the purpose of clarity, not every component may be labeled in every drawing. In the drawings:

Figure 1 shows a process for providing player incentive according to one embodiment of the present invention;

20 Figure 2 shows a process for providing player incentive according to another embodiment of the present invention;

Figure 3 shows an environment suitable for implementing various aspects of the present invention;

Figure 4A shows another environment suitable for implementing various aspects of the present invention;

25 Figure 4B shows one process for providing a player incentive according to another embodiment of the present invention;

Figure 5 is a block diagram of a system for conducting a game according to one embodiment of the present invention;

30 Figure 6 is an example ticket that may be issued in association with a game according to one embodiment of the present invention;

Figure 7 is a flow chart of a process for conducting a game according to one embodiment of the present invention;

- 39 -

Figure 8 is a flow chart of a process for conducting a game according to another embodiment of the present invention;

Figure 9 is a system for conducting a game according to according to one embodiment of the present invention;

5 Figure 10 is a game interface according to one embodiment of the present invention;

Figure 11 is a block diagram showing an example of a system according to one embodiment of the present invention;

10 Figure 12 is a block diagram showing an example of a system according to another embodiment of the present invention;

Figure 13 is a block diagram showing an example of a system according to another embodiment of the present invention.

Figure 14 is a block diagram of a general-purpose computer system upon which various embodiments of the invention may be implemented;

15 Figure 15 is a block diagram of a computer data storage system with which various embodiments of the invention may be practiced;

Figure 16 is a diagram showing example components of a remote special incentives computer system according to one embodiment of the invention;

20 Figure 17 is a diagram showing components of a remote entry subsystem according to one embodiment of the invention;

Figure 18 is a diagram showing components of a payout subsystem according to one embodiment of the invention;

Figure 19 is a diagram showing components of a special incentives subsystem according to one embodiment of the invention;

25 Figure 20 shows a process for redeeming an award earned in a bonus play game according to one embodiment of the present invention;

Figure 21 is a diagram showing example components of a bonus play and redemption environment according to one embodiment of the invention;

30 Figure 22 shows a process for associating a winning outcome with an identifier according to one embodiment of the present invention;

Figure 23 shows a process for redeeming a bonus award according to one embodiment of the present invention; and

- 40 -

Figure 24 is a diagram showing example components of a special redemption subsystem according to one embodiment of the present invention.

Detailed Description

5 One aspect of the present invention relates generally to inviting qualified people to play an electronic game which has a plurality of outcomes, at least one of which is a winning outcome. Outcomes or winnings are redeemed by an entity, usually a person (referred to as a player) that takes an action in at least one specified gambling location or affiliated location. Time limits may constrain when the game can be played, when
10 winnings are redeemable and when the specified task must be completed.

 According to another aspect of the present invention, the electronic game may be an online game that is offered over the Internet, for example. In one instance, the game may be an online game that provides one or more revealed outcomes to a player during play of the online game. To this end, various aspects of the present invention may be
15 facilitated using a reveal-based online game.

 Another aspect of the present invention relates to inviting a qualified person, where there is a determination of the qualification of that person. The term “qualified” as used herein indicates that a person or persons are placed, based on a variety of criteria, into specific categories and each qualified category may be eligible for a different game, or
20 combination of games, different outcomes, different likelihoods of reaching a given outcome, different award schedules, different visit requirements for redemption and/or different task completion requirements for redemption. For example, specific time limits may be imposed based upon player categories, game types, winning outcome redemptions, award size and task completion requirements.

25 According to one aspect, it is appreciated that qualification may be based, for instance, upon a person’s answers to questions, the person’s activity at a website—length of visit, page views, games played, play strategy, etc.—the amount of money the person has available to play with or other criteria which relate to the person’s instant condition. Alternatively, or in combination with instant qualification criteria, the person’s record of
30 information that was previously obtained and stored in association with the person’s identification may be used to determine qualification.

- 41 -

Qualification can be important because a relatively few people are responsible for a disproportionately large amount of play. This concept is sometimes referred to as the 5-50 rule because, in approximation, 5% of players of casino games, for example, are typically responsible for 50% of total revenues. According to one aspect of the present invention, a system and method is provided for qualifying people according to their perceived worth. For example, such qualification may be based upon criteria such as player performance history, current play levels or even projected play levels based upon the details of a potential player's occupation, income level, age, gender, background, personal preferences, location of residence, employment history and/or other such criteria, including personal information such as birthday or anniversary, either alone or in combination.

Further, qualification may be based upon taking an action, attending an event or visiting a location on a particular date. For example, a verbal invitation could be extended to each person that purchases a Cadillac. A printed invitation is given to all people over the age of 21 that attended a concert or an invitation could be extended to anyone that visits a particular website or physical location. These qualifications may be made based solely upon the individual or based in whole or in part, on criteria applied to the spouse, family member, friend or peer group.

According to another aspect of the present invention, the qualification may depend at least in part, on a player taking an action within a gambling location (e.g., in a casino), or within an online gaming environment (e.g., over the Internet). In at least one instance, the action may involve the player using an identifier of a frequent player program. In one case, for example, the player may swipe his or her frequent player program card at a casino location, which causes the player to become qualified to play the electronic game. In another example, the player may "swipe" or otherwise enter their frequent player identifier in an online environment, causing him/her to become qualified. To this end, various aspect of the invention may be facilitated using a frequent player tracking system.

According to another aspect, tracking of redemptions by bonus play participants can be important. In particular, according to some embodiments, generating accurate and timely redemption information provides advantages to a bonus game operator. Typically redemption information provides the vehicle by which a bonus game operator determines success of a particular incentive offer, and may also control amount of payments made to a

- 42 -

bonus game operator to the organization requesting the incentive program. In a typical setting, a bonus game operator provides incentive offers to casino patrons in order to stimulate visits to a particular gambling location(s). The incentive offers can be tailored to stimulate visits to underperforming locations, and can be tailored to increase visitation
5 during a particular time period, and/or event. Often the only measure of success of such promotional activity is provided to the bonus game operator by the gambling location in question. Often the same information provides the basis for compensating the bonus game operator for the promotion. For example, each redemption may trigger a payment, the number of redemptions may be tracked and for each a payment accumulated, etc. The
10 provided information may not include the requisite detail to fully appreciate the effectiveness of the promotion, moreover, delay in reporting can impact the ability of a bonus game operator to fine tune promotions.

According to another aspect, providing redemption systems that operate independently from gaming redemption systems provides advantages in accurate and
15 timely tracking of redemptions of bonus play awards. In some examples, independent systems provide better communication to bonus gaming operations and provide for shifting operating burden associated with bonus game redemptions away from gambling locations, for example.

In yet another example, a player may receive an invitation to play an electronic
20 game during a new player promotion that may be conducted at the gambling location (e.g., at the casino). In one instance, a player may receive, as part of a new player promotion, an invitation to play an electronic game when the player leaves the gambling location. For example, the player may receive a brochure which includes a ticket that allows the player to access the electronic game via an access code. The access code, when entered by the
25 player, may permit the player to play a number of plays or credits with the electronic game, and play of the game by the player may earn points, credits or other award types that can be redeemed at the gambling location, thus encouraging the return of the player to the gambling location. In this manner, a single visit by a player is converted into two-or-more visits by the player by extending one or more invitations, which in themselves may
30 earn the player awards that are required to be redeemed at one or more gambling locations. Such invitations lead to a ping-pong effect whereby the player plays games at the

- 43 -

gambling location, receives invitations to play one or more electronic games, and is awarded prizes that need to be redeemed at the gambling location or affiliated location.

Another action that may cause a player to receive an invitation may include a player referring a "friend" who should receive an invitation. Such a program may be beneficial in identifying potential gamblers, as a personal reference of who is likely to be receptive to an invitation may be more likely to accept the invitation rather than a mass mailing to a particular group of people. In this way, an action by a current player may cause an invitation to be extended to another player. This invitation may or may not include any additional qualifications of the new player, including a qualification based on the demographic of the new player, or play of the player in one or more online games, historical play at casinos or other gambling locations, or any other qualifications that may be performed for the new player. An existing player may refer a new player by providing, for example, information about the new player including, but not limited to his e-mail address, residence address, phone number, name or other identifying information of the new player.

According to one aspect, it is appreciated that the projection or estimation of future worth of a person is especially important to identifying valued players and all such methods of worth projection or estimation may be used herein. Persons may be valued by any number of criteria such as, for example, demographic information, historical performance of other related activities that show a propensity towards gambling or otherwise indicate persons with disposable income, among other information that may be correlated to the person's potential worth as a gambler.

According to one embodiment, persons may not be considered qualified if they are explicitly barred from gambling by government regulation, gambling location policy or self-exclusion. Governments sometimes ban a specific person or group of persons if their presence in a gambling location causes harm. Nevada, for example, maintains a "black book" listing persons which are not allowed, by law, to visit a gambling location within that state. Individual casinos sometimes ban persons caught cheating or engaging in undesirable activity. Sometimes individuals ban themselves from visiting a gambling location in order to prevent themselves from engaging in excessive gambling. There may be many reasons why and methods for barring or banishing a person or groups of persons

- 44 -

from a gambling location and all such reasons and methods can be used as criteria for whether a person is qualified for a particular category as used herein.

The term “identifier” as used herein indicates a device, code or technique used to recognize a particular person. The identifier may simply be a number or code associated with the person, such as a magnetic stripe card or a smart card which contains electronic or other circuitry. The identifier may also be biometric, such as voice-print, handwriting recognition, fingerprint, hand shape recognition or eye-pattern recognition. It should be appreciated that there are many different ways to identify a person uniquely, or as a member of a group, and all such techniques are anticipated as being useful for implementing various aspects of the present invention.

The term “invitation” as used herein refers to a request extended to a qualifying person to participate. Examples range from a printed invitation to a website offering a place to play a game or take some other action. Invitations may be communicated by any means, including but not limited to, electronic, written and verbal means. It should be appreciated that there is a wide range of ways to invite a person uniquely, or as a member of a group, and any such way of inviting a person may be used.

The term “specified time period” as used herein indicates a period before or after a specific time and date or a period within a beginning and ending time and date. A specified time period may be unbounded as in “any” time or may be more limited. The term may, for example, include a recurring time period, such as every Wednesday, every Tuesday afternoon between the hours of 2 and 5 PM, the last Monday of each month, every Fourth of July, this coming Fourth of July, amongst others. The term may also be construed as any type of time period that can be specified by one or more parameters. It should be appreciated that there are many other permutations and combinations of one-time and recurring time restrictions that can be useful in various embodiments and representation of all such permutations and combinations is intended by the term “specified time period” and its variants.

The term “gambling location” as used herein refers to any location where free or fee-based gambling is allowed. Examples of gambling locations include, but are not limited to, casinos, racinos, dog-racing tracks, horse racing tracks, sports books, lottery point-of sale locations, clubs or pubs where gambling is conducted, amongst others. Gambling locations may be at physical locations such as the Mirage casino in Las Vegas,

- 45 -

a range of locations, such as “any MGM-owned casino in the United States, or a virtual location such as an Internet-based gambling site. It should be appreciated that there are many possible types of gambling location and all such locations are contemplated for use in various embodiments.

5 The term “affiliated location” as used herein refers to any location that is not a gambling location. Affiliated locations are places identified by gambling locations or their representatives at which a person may receive an invitation, qualify to receive an invitation or accomplish all or part of a redemption element, when invitation, qualification or redemption does not involve any element of gambling.

10 The term “general location” as used herein refers to any location that is either a gambling location or an affiliated location.

 The term “redemption location” as used herein refers to the location, which may be either a gambling location or an affiliated location, where the awards gained by playing an electronic game are redeemed or acted upon.

15 The term “game” as used herein is meant to encompass all types of games including those of physical or mental skill, chance, or games with outcomes that are already known before play begins, such as those disclosed in U.S. Patent Application Serial Number 11/001,775 filed November 30, 2004, entitled “METHOD AND APPARATUS FOR CONDUCTING A GAME OF CHANCE” and includes games which
20 require a wager of a financial value and a wager of consideration, as well as games which do not require wagers of any value to play. Games may be played against another player or players such as in a sweepstakes or tournament. Games may also be played against the “house”—i.e. the game host—and the house may be represented by a person or a device such as a computer, gaming machine or other device. It should be appreciated that there
25 are a vast number of games and more are created with each passing day. Various aspects of the invention are contemplated for use with any type of game.

 The term “electronic game” as used herein refers to any game which is at least partially implemented on an electronic device. For example, all or part of a game may be conducted on a personal computer, a computer terminal, a cell phone such as the well-
30 known Palm Treo 700W or 700P, a music player such as the well-known Apple iPod, a personal data assistant such as a Palm Pilot or a home video game such as the well-known Nintendo Wii game console or the well-known Microsoft Xbox 360. It should be

- 46 -

appreciated that there is a wide array of electronic devices which could be adapted for convenient game play with more being developed every day and all such devices are contemplated for use with various embodiments of the present invention.

An electronic game could also be conducted on a purpose-built electronic device
5 such as a slot machine, a video poker machine or other electronic gaming or lottery machine, including such devices as electronic bingo minders and other devices.

Within this specification, the phrase "electronic game" is referred to herein to allow inclusion of game play elements or stages which are not electronic. For example, an electronic game is used for a portion of game play but each person is also provided a
10 printed scratch-off ticket that provides clues or elements of information which are entered into the electronic game to further play. Conversely, results of electronic play may provide guidance as to which elements of a scratch-off ticket are to be removed for the highest likelihood of winning or to win the most valuable prize.

Other non-electronic elements that could be used, in part to conduct electronic
15 game play, include manually tracked bingo cards, pull-tabs, game boards, card games and crossword puzzles. One of skill in the art recognizes there are many desirable ways to combine manual game elements with electronic game play and we include all such manual game elements within the scope of the meaning of "electronic game". Moreover, optical and biological computing devices are in development that perform the equivalent work of
20 today's electronic devices. It should be appreciated that aspects of the present invention are useful with such technologies and it is our intention to include them within the definition of "electronic game".

The term "redeem" indicates the redemption of an outcome which may result in the award of prizes. Some outcomes may result in opportunity to play additional games which
25 have at least one outcome that awards a prize or enhances the value of an initial prize. It should be appreciated that there are a wide variety of ways, both manual and automated, by which persons may be allowed to redeem outcomes and more are being created with each passing day. All such methods are contemplated for use with various embodiments of the invention.

30 Prizes may include, for example, cash, merchandise, points, free or reduced cost of games, non-cashable credits (credits which may be wagered in a game but not converted to cash), cashable credits (credits which may be wagered in a game or converted to cash),

- 47 -

coupons (including physical, such as paper, and electronic), gift certificates, entry into other games, qualification for other games, entry into tournaments, qualification for tournament entry, or other such methods. It should be appreciated that there are a wide variety of prizes and more are created with each passing day. All such forms of prizes are contemplated for use with various embodiments of the invention.

Also, in one embodiment in which credits are non-cashable, credits may be limited to a specific denomination of play, may be limited to games of a specific type or in a specific location. Also in which credits are given on existing player club account, credits are given on machine readable paper coupon, credits are given in cash, credits are given in electronics credits transferred directly to a game, credits are given as table game chips, amongst others. It should be appreciated that prizes (such as cashable credits) may be provided to or redeemed by the person in any manner.

Further, a person may be awarded a prize that is a multiplier and not an actual prize amount. For instance, the person could be awarded a multiplier prize which has the effect of multiplying the value of some yet unearned jackpot. For example, a player wins a 2X multiplier prize by playing an Internet-based game. If the player visits a gambling location and strikes a jackpot of at least \$X (and/or at most \$Y), the prize may be doubled. According to one embodiment, the gambling location visit and win must occur within a specified time and/or wager amount. It should be appreciated that any form of providing a prize which is real or relative to another prize or purchase may be used according to various aspects of the present invention.

One embodiment of the invention is implemented as a process including acts of invitation, identification, qualification, play and action, as represented in Fig. 1. Step 110 is invitation, wherein a person is invited to participate.

Step 120 is identification, where the person's identity is ascertained. Step 130 is a test of qualification, wherein the person is measured against predefined criteria to determine if they are eligible to participate.. If the person is unqualified, she is excluded from play 140.

Qualified persons are presented an opportunity to play all or portions of an electronic game 150, which includes a plurality of outcomes, at least one of which is a winning outcome. When electronic game play concludes, depending on outcome, the person may be offered an opportunity to take an action 160. Awards earned by taking the

- 48 -

action are then redeemed 170. In one embodiment of the invention, the steps of action 160 and redemption 170 may be combined into a single step.

While Fig. 1 shows at least one example of the present invention which represents the steps of invitation, identification, qualification, play, action and redemption as occurring in a specific order, it should be appreciated that the order of these steps may be altered and remain within the scope and spirit of the present invention. Fig. 2 illustrates another sequence of steps in which the first step of invitation 210 is immediately followed by play of at least a portion of an electronic game or games 220. The steps of identification 230 and qualification 240 occur only if at least one outcome with award occurs during game play and is then followed by action step 250. This revised sequence is useful in cases where people may not feel motivated to perform the chores of identification just to play a game (e.g., on the Internet as an unidentified user, or where a player chooses to remain anonymous, or when the invitation is extended to a group, amongst others). In Fig. 2, people can play the game and then undergo the steps of identification and qualification only if a winning outcome occurs, which provides the person with additional motivation.

Other embodiments of the present invention may place the steps of invitation, identification, qualification, play and action in any order. In some embodiments, the person may have to complete a step multiple times. For example, a person might have to accomplish identification before being allowed to play an electronic game on the Internet and must again submit to the identification process before being allowed to take an action or redemption. In another embodiment one or more of the steps may be eliminated or combined with other steps. For example, the steps of action and redemption may be combined, redemption may be allowed without an action or an action may be required without a redemption possibility. Embodiments of the invention include all orders, permutations and combinations of the steps of invitation, identification, qualification, play and action, including the repetition of one or more of those steps and the division of one or more of the steps into partial accomplishment.

In addition, each step may include restrictions based upon one or more of the following criteria: specified time period, gambling location, affiliated location, location of games within the gambling location upon which an action is to be taken, games within the

- 49 -

gambling location upon which an action is to be taken, perception of worth, amongst others.

Further, various aspects of the present invention as described herein may be used in association with those described in U.S. Patent Application Serial Number 60/838,234
5 entitled "METHOD AND APPARATUS FOR CONDUCTING A GAME OF CHANCE"
filed August 17, 2006, and U.S. Patent Application Serial Number 11/704,144 entitled
"METHOD AND SYSTEM FOR REMOTE ENTRY IN FREQUENT PLAYER
PROGRAMS" filed February 8, 2007, each of which applications are incorporated by
reference herein.

10

Example Internet Infrastructure

According to various embodiments, an Internet-based system may be provided to facilitate various aspects of the present invention. As discussed, various aspects of the invention may be implemented on an Internet-based system, generally involving a website
15 infrastructure. As is known in the art, a basic website infrastructure logically contains web
server(s), application server(s) and database server(s). All servers may be located on the
same computer hardware or may be separated onto different computer hardware at various
locations depending on processing or security requirements. Networking equipment is
also required to connect the servers to the Internet and to interconnect servers when they
20 are implemented on separate computer hardware.

A web server is used to handle requests and delivery of content from and to the browsers of website visitors. The web server also dispatches requests and data to the application servers.

The application server is used to control the website processes and to supply
25 dynamic content back to the web servers. The application server performs all data
dependent procedures at the website.

The database server manages the storage of all data required by the website. It responds to requests (storage and retrieval) for data from the application server. Various
embodiments of the present invention may be implemented in a gaming system as
30 described, for example, in U.S. Patent Application Serial Number 11/001,775 filed
November 30, 2004, entitled "METHOD AND APPARATUS FOR CONDUCTING A
GAME OF CHANCE" to which priority is claimed and is incorporated herein by

- 50 -

reference. However, it should be appreciated that other gaming system infrastructures may be used. For example, the infrastructures as described below with reference to Figures 3 and 4 may be used, either alone or in combination with other infrastructures or elements thereof. Also, infrastructures referred to in Figures 5, 9, 16-19 may be used
5 either alone or in combination to implement various aspects of the present invention.

Incentives Awarded From Website Play

According to one embodiment of the invention, parameters are established by which persons are invited to play an electronic game at a website. Parameters may
10 include, but are not limited to, terms of invitation, qualification, game play type, quantity and outcome schedule, required actions, time periods and redemptions. All invited persons may be grouped into a single category with shared parameters or various classes of persons may be created with each category given a specific set of parameters which may be different from parameters assigned to other categories.

15 According to one embodiment, invited persons that visit the website during a specified time period are allowed to play electronic games where awards may be earned and then redeemed at a gaming location within a specified time period.

For example, qualified persons are selected from a general list (e.g. white pages, third party email lists, direct mail lists), targeted lists (based on demographic, geographic,
20 or economic criteria) or from the gambling location's frequent player database and invited to play an electronic game.

Each invited person is assigned a quantity of game plays in which the outcome is predetermined, either for each individual game play or for a collective of multiple game plays, before that person is actually invited to play. Records indicating the quantity of
25 games and their outcome are stored in a database along annotated to indicate the games are yet unplayed. Each record is linked to an identifier unique to the player to whom the games are assigned. In this example the identifier is the person's player tracking identifier. Next, the invitation is sent to the player, in this example via email or regular mail.

30 When the invited person visits the website, she identifies herself by entering her player tracking identifier which links the website game chosen by the person to her pre-assigned outcomes and those outcomes are revealed to the person as each game play

- 51 -

concludes. The database record for that person is annotated to indicate each game that has been played.

The person then visits a designated gambling location and redeems associated awards. If the award is game play credit, she may redeem at a gambling machine by
5 inserting her player tracking card into the machine's card reader, after which the award is transferred to the gambling machine's credit meter, after which the person may use the credits to gamble.

If the award cannot be redeemed as game credits at the machine directly, the person may visit a player club center and present identification, after which the award is
10 manually or otherwise given. In other redemption alternatives the person may visit a redemption kiosk, a restaurant, a gift shop, a hotel representative or other place where the award may be redeemed.

Regardless of which manner of redemption is used, the database is annotated to indicate that the redemption was fulfilled so as to prevent multiple redemptions for one
15 award.

In another embodiment of the invention, qualified persons are separated into categories wherein each category may offer at least one parameter which is different in value from a parameter offered to persons in another category.

As an example, a universe of players is divided, based upon historical play levels
20 of each individual persons, into five categories. The highest tier, Tier 1, contains persons with an average daily theoretical loss, also known as Average Daily Theoretical or ADT, of at least \$2,000. Tier 2 includes persons with an ADT of at least \$1,200, while Tier 5 contains those persons with an ADT of at least \$200. Tiers are not populated equally in this example, because far more persons reach the \$200 ADT level than the number that
25 reaches an ADT of \$2,000.

The electronic games for all 5 tiers have possible outcomes of \$100, \$50, \$25 and \$0 but the likelihood of winning each specific award is different for each tier. Table 1 below indicates each award amount and its likelihood of occurrence for each tier. Of course, this is but one example of such a structure. It should be appreciated that,
30 according to one aspect of the present invention, any number of tiers, and any number of persons per tier, and assignment of any number of outcome amounts with a probability of occurrence set to any desired value from 0% to 100% to each tier may be used. Further,

- 52 -

other parameters may be included within such a table of category parameters and in any combination.

Tier #	\$100	\$50	\$25	\$0
1	30%	50%	15%	5%
2	20%	50%	20%	10%
3	10%	40%	30%	20%
4	10%	30%	30%	30%
5	1%	25%	44%	30%

5

Table I

In this example, each game outcome is determined by a random number generator, as is well known to those of skill in the art, which is selected as each game is played in accordance with the probabilities specified in parameters for the player's assigned category.

10

The awards of \$100, \$50 and \$25 are paid as non-cashable credits, which are amounts of credit which may be gambled in a gambling location but may not be converted directly to cash. Awards won by wagering the non-cashable credits may be converted to cash or replayed in additional wagers.

15

Qualified persons are then invited to play electronic games on the Internet. The invitation may be extended through mail, email, personal invitation or other method.

Figure 3 shows an environment suitable for implementing various aspects of the present invention. As illustrated in Figure 3, an invited person may then play electronic games at their home computer 310, Internet enabled cell phone 320 or other Internet device 330. When the invited person first arrives at the website, she identifies herself by entering her player ID number, which is also assigned to the player tracking account at the gambling location. This identifier is used to index the player database 340, where the

20

- 53 -

person's electronic game parameters are stored in accordance to the category to which that person is qualified.

A small application program is downloaded to the person's computer, cell phone or other Internet enabled device. This application randomly determines each electronic
5 game's outcome according to the database parameters for that person. Award amounts from each outcome are stored in database 340 along with annotations showing that an electronic game was completed. The person continues electronic game play until she exhausts her supply of electronic games, again according to parameters stored in database 340.

10 To redeem the awards won, the player visits a designated gambling location and inserts her player tracking card into the card reader 355 of any connected gambling device 350. The gambling location's player tracking server 360 reads the identity code from the inserted card and requests the identified person's award record from database 340. The player tracking server then transfers the appropriate amount of non-cashable credit to the
15 gambling device 350, which makes said noncashable credits available for play. As each non-cashable credit is wagered, it is deducted from the award balance maintained on database 340. According to one embodiment, when all non-cashable credits are exhausted, or time period parameters are exceeded, no additional non-cashable credit play is allowed.

20 As discussed above, various aspects of the present invention may be implemented within various environments. For example, instead of downloading an application to the person's computer, the game could be entirely resident on a server-based network. Further, the game could be accessed by the player through an interface such as the interface of the well-known Internet Explorer browser program or the well-known Firefox
25 browser program available from Mozilla.

Figure 4A shows another environment suitable for implementing various aspects of the present invention. In particular, Figure 4A shows a distributed system 400 in which a user or customer (item 402) receives an invitation to play one or more electronic games. At block 403, the system may deliver an invitation to the player. The invitation may be
30 delivered using any of the methods previously described herein.

According to one embodiment, the player may receive an invitation to play the electronic game, and may play the electronic game on a computer (e.g., a personal

- 54 -

computer (PC)). However, it should be appreciated that the user may access the electronic game on other types of computing systems, and the invention is not limited thereto.

As discussed, the user may play a game over a distributed network such as the Internet (item 401). As discussed above with reference to Figure 3, the game may be a web-based game that implements one or more server systems, such as web/application server 406 and/or database server 405. However, it should be appreciated that other types of Internet architectures may be used.

Further, according to one embodiment, the user that is provided the invitation may be identified in a player tracking system or another casino system. For instance, the user may be identified in a casino player tracking system 404 as shown in Figure 4A. Although player tracking systems are implemented in casinos, it should be appreciated that various aspects of the invention may be applied to player tracking systems implemented in other environments (e.g., slot parlors, racinos, amongst others).

Figure 4B shows an example process for providing incentives according to one embodiment of the present invention. As shown, a player tracking system 410 may be used to conduct a promotion at a gambling location, such as a casino.

The promotion may be extended, for example, to players identified in a frequent player database or other list or data source. For instance, as shown in Figure 4B, a patron list 411 may be maintained which include an account number for the player (e.g., a frequent player identifier), the name of the player, information about the player (e.g., date of birth (DoB), email address) and any other information related to the player or determined by the casino about the player (e.g., the player rating, ranking, historical performance, etc.).

Based on the information maintained in patron list 411 and/or any other information (e.g., action(s) taken by the player), a promotion (e.g., a bonus play promotion 412) may be conducted that reviews the list 411 and determines, based on the information relating to the players, a resulting promotion with associated prizes. As shown in Figure 4B, prize data 414 may be determined which associates the determined prize with the player. This could be accomplished, for example, by associating an identifier of the player (e.g., a player ID, frequent player account number, etc.) with a determined prize (or class of prizes) to be awarded to the player.

- 55 -

Bonus play promotion setup 412 may also occur independent of player tracking system 410 and patron list 411. Bonus play promotion setup can occur based off of information derived from 410 and 411, for example, characteristics of patron list 411 can be extracted and used to establish prize data 414 that may or may not be earned by a particular player.

Prize data 414 may include, for example, the account number of the player, any award or winnings associated with the promotion that are determined for the player (or class of prizes the player may win), a coupon or other code associated with the promotion, and expiration information (if any) associated with the promotion. Such data may be used to conduct a validation process by the gambling location (e.g., a casino) when such awards are redeemed by players. Alternatively, a validation process (e.g. 413) may occur outside of the casino or gambling location, and in one example, a validation process may be performed by a bonus game operator.

Further, such prize data 414 may be provided to an online game provider in order to conduct an online gaming experience. To this end, the casino may transmit or otherwise provide data 414 to a Internet website system to be used to conduct the online experience. The website may store the data in a website database 417. Thereafter, the player proceeds to play the online game.

As discussed, the award may either be predetermined, may be determined later through a sweepstakes or drawing, may be determined when the online experience is conducted, or at any time after the invitation is extended to the player. Actual revealed prize data 416 may be maintained that tracks what prizes were awarded to which players. Such data may assist in the redemption and/or validation processes. Data 416 may include, for example, the account number of the player, any actual awards or winnings determined for the player, and any coupon and/or expiration data associated with the promotion.

During or after the online game experience, the award may be revealed to the player, and the player is then required to return to the gambling location to redeem the award. At this point, a redemption process 415 may be conducted (e.g., at the casino location). As a result of this process, redemption data 418 may be generated which tracks the players who have redeemed their awards. Such data 418 may include, for example, the

- 56 -

player account information, the actual awards or winnings determined for the player, and any coupon data, and the redemption date and time.

As discussed above, based on an event that occurs (e.g., an action taken by the player, an occurrence with the gambling location, amongst others), an invitation may be generated and delivered to the user. As discussed further below, the invitation may be generated in response to an action.

Incentives Awarded Based on Specific Gambling Location Activity

According to another embodiment of the invention, the person must first take an action or participate in an activity at a gambling location or affiliated location in order to receive an invitation to play the electronic game. The action or activity can include, for example: wagering a proscribed amount of money, winning or losing a proscribed amount of money, activating a player club or frequent player account, reaching a bonus round on an electronic gaming machine, being awarded a mystery bonus from an electronic gaming machine, being present in the casino when another event occurs, playing specific casino games or electronic gaming machines, purchasing merchandise, attending an event, withdrawing money from a casino ATM, redeeming winnings, or any other action by a player. It should be appreciated that there is a wide range of ways that a person may take an action or participate in an activity at the gambling location or affiliated location, and such actions are contemplated for use with various embodiments.

The achievement of a qualifying action may be recorded automatically by a system such as a player tracking system, ATM machines, or gaming machines, or manually by casino personnel that observe the occurrence of the qualifying action or other method.

Invitations may be issued to qualifying persons by mail, email, personal invitation or other methods. Once a person receives an invitation, he/she may proceed to play electronic games and redeems any awards won, in the manner described above.

For example, a person wagering on a Wheel-of-Fortune slot machine may be provided an invitation when another person wagering at another Wheel-of-Fortune slot machine wins a spin of the wheel. In one example implementation, each time a wheel spin is won, all eligible Wheel-of-Fortune machines, being actively played, automatically issue an invitation for electronic game play. In this example, tickets may be printed by a ticket printer associated with the Wheel-of-Fortune gambling device, although it should be

- 57 -

appreciated that the invitation may take other forms that may not be printed (e.g., an electronic invitation). Each printed ticket may include a code unique to that ticket. Among other parameters, the ticket code may directly or indirectly indicate the time, date, place, gambling device identifier and winning event that triggered the award.

5 The person holding the ticket may then visit a designated website where, after entering the invitation code, he/she is awarded a number of credits for electronic game play and presented with a list of electronic games on which she may spend the credits to play.

Each electronic game is associated with a pre-assigned category containing an
10 award schedule and outcome probability. In one embodiment, some awards may be different for each category, and these awards may be assigned to all players of the category. Alternatively, each category could contain award values selected specifically for an individual person or a category of personal attributed. Other assignments (e.g., random) methods may be used that are alternative or used with the method discussed
15 above. Credits are deducted for each game played and any awards won are accumulated in a record associated with the ticket or invitation identifier.

The person may be required to visit a designated gambling location and redeem the awards by presenting the same ticket or code used for electronic game play or a new ticket or code obtained after completion of electronic game play. As discussed, the player may
20 be required to redeem the award at the casino or other gambling location, including any affiliated locations, such as, for example, a restaurant, gift shop, hotel, other gambling location or any other business affiliate of the gambling location. In one example, the coupon or code may entitle the holder to an amount of credit in one or more of the restaurants associated with the gambling location and the ticket or code is given as full or
25 partial payment for a restaurant purchase. Other award/redemption combinations involving one or more gambling locations and affiliated locations are envisioned and are part of various aspects of the present invention.

In another embodiment of the invention, a person may initiate play at a specific website and win an outcome that may only be redeemed at a different website or a virtual
30 world such as within Linden Lab's "Second Life" virtual world. A winning outcome there may require a person to then visit a specific place of business which may be a gambling site to redeem the outcome.

- 58 -

Purchase of Electronic Game Play

In another embodiment of the invention, qualified persons may purchase access to electronic games with outcomes that award prizes which may be redeemed in gambling locations, including any affiliated locations. For example, a person may pay \$75 to access one or more electronic games where he can win awards of hotel stays, gambling currency, merchandise credit, or other prize. In a preferred embodiment, the player is guaranteed to win at least a minimum amount above the prize of entry. For example, by paying a \$75 entry fee, a qualified person is guaranteed to win an award worth \$125, though he could win even more.

Such prizes may be redeemed at a particular gambling location, affiliated location or group of gambling locations or affiliated locations. Other prizes may be redeemed at any gambling location or affiliated location. As discussed above and as used herein, the term "gambling location" should be construed generally to include any type of gambling location where wagering is permitted, including, but not limited to a land-based or other type of casino, a racetrack, racino, riverboat gambling, Internet gambling or any other environment can be placed.

The qualified person may elect to, or be required to, choose a specific gambling location, group of locations or affiliated location or groups of affiliated locations at which prizes will be redeemed before electronic game play begins. Alternately, qualified person may elect to, or be required to, choose a specific gambling location, group of locations, affiliated location or groups of affiliated locations at which prizes will be redeemed during electronic game play or after electronic game play is completed. In another embodiment of the invention, qualified persons may be allowed to begin electronic game play without cost but be required during, or after, game play to pay a fee.

One of skill in the art appreciates that collecting a fee from qualified persons makes a wider range of electronic game play economically feasible and realizes there are many possible permutations and combinations of when fees are paid, the value of prizes awarded and the locations at which prizes may be redeemed. All such permutations and combinations are useful within the scope of the invention.

- 59 -

Incentives Awarded In Multiple Steps

The process by which a person receives an invitation and/or redeems an outcome may include multiple interim steps of invitations and redemptions. In this case, the initial invitation process (as described in the section above describing incentives awarded from website play) may be initiated by the casino operator or as a result of an action taken at a gambling location or affiliated location (as described in the section above describing incentives awarded based on specific gambling location activity). In both these cases the process continues as described above, respectively. At the point where the electronic game is played, the outcome may include the invitation to play another electronic game or to take an action at a gambling location or affiliated location. At the point where the person is taking the action at the gambling location or affiliated location, the result may include the invitation to play another electronic game or to take another action, including an action to redeem an outcome. It should be appreciated that the processes and steps described in the selections above describing incentives awarded from website play and incentives awarded based on specific gambling location activity may be incorporated into this method, and in one example, are incorporated. It should be appreciated that the iterations could continue in a back-and-forth manner multiple times.

One aspect of the present invention relates to encouraging the person to continue to participate in the multiple, interim steps. In one example, the possible outcomes increase in value with subsequent iterations. The person may also be allowed to redeem an outcome at a certain point or to parlay that outcome for the chance to win something of higher value. Similarly, to encourage the person to continue to participate, there may be interim outcomes of value for the person to redeem that are additive to the final outcome.

Player Qualification: Data Provided or Action Taken

A player may also be qualified to receive an invitation based upon data provided or actions taken in response to a separate invitation. The player may first be invited to play games for entertainment only (no redeemable outcomes). In order to play the games, the player would be required to register and provide personal information (name, address, date of birth, etc). From that personal information, the system would qualify the player for an invitation to play an electronic game which has a plurality of outcomes that could be redeemed at the gambling location or affiliated location.

- 60 -

The system could do this by comparing the personal information provided with a database of similar information. The database could include a correlation of demographic information with categories of player value to the gambling location. As an example, the system could utilize a database of median income by address to determine the potential value of the player. The system could also utilize algorithms to analyze the personal information to determine categories of player value to the gambling location. As an example, using an algorithm, the system could determine the distance between the gambling location and the player's home address. Players living closer to the gambling location may have a higher likelihood to visit the gambling location.

The qualification of the player may also be based on actions taken while playing the games for entertainment only. As an example, players choosing to play specific electronic games (i.e. slot machines) may be considered more valuable to the gambling location. For those players, a different invitation with different possible outcomes may be provided. Qualifying actions could be based on games played, game strategies employed, or duration of play.

The first invitation is not limited to the play of electronic games for entertainment only. The invitation to take an action may be to sign up for a gambling location's frequent player card or any activity that solicits player personal information that could be used to estimate the player's value to the gambling location.

A qualification of the player may also be provided based upon gathered data, without the need for a player action. For instance, an invitation may be extended to the player based on player demographics without having the player play a game for pure entertainment. In one example, the player may be presented to receive an award based on information collected about the player such as location or income level.

Player Qualification: Indicators Other Than Past Performance in a Gambling Location

Introducing players with a propensity to enjoy the activity of gambling to gambling locations is a valuable action, particularly if that person and the financial means and time to gamble in significant volume. One aspect of the invention relates generally to estimating the worth of an untested person, or group of persons, by comparing their personal attributes or historical conduct with those of persons known to gamble at a particular volume. If the comparison yields enough matching characteristics, the untested

- 61 -

person is considered to be qualified to receive inducements to gamble, so that a relationship between that person and a gambling location can be initiated.

The offered inducement may be the chance to play a game or electronic game. Alternatively, one embodiment of the invention includes an offer of inducement that does not involve playing a game or electronic game but that simply invites the person to visit the gambling location and is particularly valuable when the gambling location has no relationship or communication with the person, outside of this invitation. Finding qualified persons, especially those with a likelihood of enjoying the activity of gambling that have not visited, phoned or contacted the gambling location is a valuable benefit and the invitation alone may be sufficient inducement, or the person or persons may be offered an appearance fee, free or reduced airfare to travel to the location, free or reduced cost gambling at the location, free or reduced cost food, beverage, room or other such inducements, whether alone or in combination. It should be appreciated that there are many such inducements that may be offered, and all such inducements are anticipated as useful within the scope of the invention.

In one example, it is determined that persons with personally managed brokerage accounts often have an affinity for gambling. A list of persons with such brokerage accounts is obtained but it is too expensive to extend an attractive inducement to all members of that list because a significant portion of them do not have an affinity for gambling. However, it is believed that persons that reside in certain zip codes tend to have a greater amount of disposable income than the average of all people with qualifying brokerage accounts. A new list is created including only of those persons with a qualifying brokerage account that also live within one of the qualifying zip code areas and only those so qualified persons are offered the inducement.

One embodiment of the invention begins with a list of people that might have an affinity for gambling and then compares the persons on that list to one or more additional lists that also contain persons that might have an affinity for gambling. If the same person appears on two, or more lists, their likelihood of enjoying a gambling relationship with a gambling location is higher than for those appearing on a single list and therefore are more worthy of a particular inducement than the general population or persons that are members of fewer lists.

- 62 -

In another embodiment, a list of persons that currently do not play at a particular gambling location(s) is obtained. Invitations may be extended to them as a chance to play games on the Internet for prizes, at least some of which will incite the person to visit a gambling location. In one example, the games and prizes may be scaled according to a
5 perceived value of player.

There are many other ways and methods by which to start with a list of people believed to have, as a group, a more likely affinity for gambling than the general population. There are many other ways to further qualify members of this initial list based upon other factors, to create a new list of people that will, on average, have a higher
10 likelihood of an affinity for gambling in sufficient volume as to make them attractive candidate customers for gambling locations, and therefore worth the cost of providing an inducement in an effort to initiate a relationship between the person or persons and the gambling location.

In one embodiment, those qualified persons are invited to play a game using the
15 structures outlined in Figs. 1 and 2. Qualified persons of a given category may be provided different inducements than qualified persons of other categories. They may be offered a chance to participate in unique electronic games, the outcomes of which, determines the specific inducement offered. They may also or alternatively be offered a different set of game outcomes, different outcome award structures, different redemption
20 opportunities or other differentiated offers in relationship to their category of qualification. It should be appreciated that there are many ways in which various aspects of the invention may be used to offer inducements based upon the category of qualification of a person or persons and the invention should not be limited to just the examples described herein.

25

Reveal-Based Gaming System Used to Provide Incentives

As discussed above, various aspects of the present invention may be implemented using an Internet-based computer system. One such system includes a reveal-based gaming system that may be used according to various embodiments, to provide additional
30 incentive for a player to return to a gambling location. Such a system may be used to play one or more online games, which may be then used to incentivize a player to return to a gambling location (such as a casino). The game may be initiated by a player accessing a

- 63 -

website by a gaming operator, after which the game may be played.

As discussed, the player may be invited to play the online game. Such an invitation may come from a direct mail invitation, email, website advertisement, issued ticket, coupon or other type of invitation. The invitation may, for example, include a code that permits the player to access the online game. The invitation may include any number of identifying information, including codes that may be associated with the player to which the invitation was extended. In some cases, there may not be a hard association of the invitation to the player (e.g., when advertising to a group of people), and the player when redeeming the invitation may be required to provide additional information identifying the player.

Figure 6 shows an example ticket 601 that may be issued to a player, although it should be appreciated that an invitation may be extended to a player in other forms, and the invitation need not come in printed form. Rather, according to one aspect of the present invention, the player may need to be correlated to a particular invitation to permit the player to redeem any winnings, if awarded. Such a correlation may be effected using one or more codes, either printed or not, gaming pieces, any out-of-band messaging (e.g., a phone call) or other methods, and the invention is not limited to any particular form of an invitation unless explicitly recited in the claims.

In the case where the player is issued a scratch-type ticket, the player may scratch a surface of the ticket to reveal one or more indications. These indications may include, for example, a serial number of the ticket, an access code, or other indication (or combination thereof) that may be used to access the online game. Alternatively, the ticket may be a pull-tab ticket or other ticket type suitable for presenting indications to a player. In other embodiments, the player may be permitted to access a website to receive an invitation, may receive an e-mail, or may receive an invitation in a non-printed form as discussed above.

In the case where the ticket is printed, the ticket may include other indications (e.g., a decryption key or portion thereof as described above that may be used to decrypt game results). Also, the ticket may indicate to a player the number of plays of a second game (e.g., as played by the player on a computer system). For instance, in the case of a slot machine game, the ticket may indicate the number of spins that a player may be awarded by the ticket. In the case of a COLLAPSE-type game, the ticket may indicate the

- 64 -

number of game instances (or plays) of the COLLAPSE-type game that can be played by the player. Further, as discussed above, the player may be permitted to play any one of a number of offered games, and the player may select different games to play to reveal results associated with game instances. For instance, the player may be permitted to play a
5 number of different games, including, but not limited to games of chance, games of skill and chance, games of skill, casino games, card games, or any other type of game. In one embodiment, the player may be awarded during the online experience, an award which may be redeemed at the gambling or other redemption location (e.g., a POS location).

In one embodiment of the invention where a physical ticket is printed, ticket 601
10 includes a code 602 printed on a surface of the ticket that provides access to outcomes (e.g., prizes) stored on the server. Ticket 601, may be provided through a printing device associated with a player's computer system, for example as a result of a bonus play award, obtained through a web-site visited by the player. As discussed, code 602 may also include, as an optional feature to increase security, a key that may be used to decrypt the
15 outcome. This outcome may be stored in a database stored on a server system. In one example, a server system is operated by a bonus game operator. Ticket 601 may also include a ticket identifier 603 used to identify the ticket, and which may be used to identify the outcome associated with the ticket. Further, ticket 601 may include a game indication 604 that relates information relevant to a game played on a computer system.
20 For example, there may also be stored, on the ticket, an identifier that indicates, to the player, the number of plays associated with an online game. In one example, a player is provided a ticket (e.g., for free) or otherwise purchases a ticket at a retailer or other POS location (e.g., in a casino). In the case where there is no physical ticket associated with the invitation, the invitation may itself have an identifier associated with the invitation. The
25 invitation identifier may be unique to a particular player, or may be unique to a particular group of players to which the invitation is extended.

The player then proceeds to play a game on a computer system. Figure 5 shows an example system 500 according to one embodiment of the invention upon which a game may be played. The user (a player) 510 plays a game through an interface of a host
30 computer system (e.g. host 501). Host 501 may be any type of computer system that is capable of playing a game. The host may be, for example, a general-purpose computer system (e.g., a personal computer (PC)) that connects to a network (e.g., the Internet).

- 65 -

Other general purpose computer system types (e.g., a PDA, a cell phone, set-top box, or other system type) may be used to play the game. In one alternative, a ticket can be provided to a player after play of a game on a computer system.

5 The computer system may be coupled to a server system 503 through one or more communication networks 502, including, but not limited to, the Internet. The server may provide a game program 509 that is executed by host 501 for playing the game. More particularly, game program 509, when executed, may provide an online game that can be played by a user through an interface associated with host 501. This online game may be, for example, a video slot machine, blackjack, or other online or casino-type game.

10 The game program may be stored, for example, in a computer-readable medium (e.g., a memory, storage, or other media) associated with server 503 that provides game programs. For instance, the game program may be stored on a web server and downloaded to a client computer over the Internet. Game program 509 may be one of a number of game programs associated with an online game experience. Different game
15 programs may be selectively downloaded to the client, based on the type of game ticket issued, the game selected for play by the user, the type of client used, or other criteria.

Server 503 may also be a general-purpose computer system, or any other type of computer system capable of authenticating tickets, providing game programs, and performing other game-related functions. Further, it should be appreciated that various
20 game functions may be performed by one or more server systems. Server 503 generally includes a processor 504 for executing server-based game functions. Server 503 may also include a memory 505 for storing data associated with game programs. Server 503 may also include one or more network interfaces 506 that couple server 503 to network 502, which permit server 503 to communicate with one or more hosts. Further, server 503 may
25 include one or more storage entities 507, including disks or other media for storing data. In one embodiment, storage 507 is adapted to store one or more game programs 509 as discussed above. Server 503 may have any number or type of processor that executes an operating system and one or more application programs. In one embodiment, server 503 provides web server content to one or more clients for the purpose of accessing and
30 playing the game.

Server 503 may also include a database 108 that is adapted to store one or more outcomes associated with a ticket or other gaming piece. As discussed, the outcome may

- 66 -

be indexed using an identifier of the ticket. The indexing may occur after a result of the game is determined.

A bonus game operator may host server 503, and provide access to bonus game play. The bonus game operator can permit users to receive bonus play awards through a server, e.g. 503. A server 503, may be operatively connected to the Internet and an on-line interface to server 503 can be accessible through a url (uniform resource locator) and/or a uri.(uniform resource identifier). Figure 7 shows one example process for conducting a game according to one embodiment of the present invention. At block 701, process 700 begins. At block 702, a player is issued a ticket or is otherwise provided an invitation to play an online game (e.g., using any of the invitation methods described above). In one embodiment, a player may purchase or is otherwise provided a ticket at a retailer, casino, or other POS location. In another embodiment, the invitation is provided free of charge. As discussed, the invitation may be provided based on some qualification of the player.

At some later time and/or location, the player may play an online game on one or more computer systems (e.g., a PC or other computer system capable of playing games). For instance, at block 703, a host computer system (e.g., host 501) executes a game program. The game program may be, for example, an online game that includes one or more components downloaded over a communication network (e.g., the Internet).

As discussed, the ticket may include a code which is used to access the outcome of a game. This code may be printed on a face of the ticket as discussed above with reference to Figure 6. In one example system, the player accesses a website that includes an interface in which the player may enter the code at block 704. In the case where no physical ticket is issued, there may be other methods for associating a invitation to a particular player or group of players and an outcome of an award to be provided to the player and/or group of players.

This interface may be, for example, used to access the game, or may be any other interface (e.g., an interface used to access a download website used for downloading game software (e.g., game program 509)). The interface may be programmed in one or more computer languages (e.g., an HTML, Java, Macromedia Flash, or other type interface) and may include a text entry box in which the player can input the code. The interface may include other ways of entering a code or other parameter (e.g., a glyph printed on a ticket) that allows the user to gain access to the game. It should be appreciated that the invention

- 67 -

is not limited to any particular method for entering the code, or any format of the code, and that any type of code or method of entry may be used.

The player enters the code, and an outcome is determined at block 705 based on the code. More particularly, there may be a mapping between the code printed on the ticket and an outcome stored on the server. This code may be stored, for example, in a database structure stored in database 508 of the server. Database 508 may be, for example, a relational database, object database, flat file database, or other organizational entities used to store and maintain data. Further a listing of winning codes may be furnished to an organization that provides the game (such as, for example, a state-run lottery commission, casino operator, etc.). The code may, as discussed above, include an optional decryption key that decrypts an entry stored on the server. This entry may indicate one or more outcomes of game instances.

The outcome of the game is then used by the online game to determine play of the game by the player at block 706. For instance, if the stored outcome is "Win \$50," the online game may present an outcome to the player that indicates that the player won a \$50 prize. This presentation may be in the form of one or more reveals presented to the player while playing the online game at block 707. The presentation may be progressive, in that the ultimate outcome (e.g., "Win \$50") is achieved through a set of reveals or progressions through the online game. For example, in the case where a COLLAPSE-type game is played wherein items are collected for playing in a second level game, such reveal outcomes of each instance of the COLLAPSE-type game may be stored on the server.

As discussed, prizes may be distributed over game instances and/or items (or more generally, win opportunities) to maximize game interest and to entice the player to play each game instance associated with a particular ticket. For example, one approach may include providing to the player an early (relative in the series of game instances) indication of winning to keep the player interested. As the player plays more game instances, the magnitude of the prizes may be adjusted such that a level of game "drama" is increased. That is, prize values are adjusted among later game instances to provide relatively higher prize values in later games. Other approaches/distributions may be provided for increasing or maintaining game interest.

Once played, the player may redeem the ticket at the point of sale or other redemption location (e.g., a gambling location such as a casino) at block 708.

- 68 -

Alternatively, the player may be permitted to redeem the ticket without playing the game. Redemption may be permitted, for example, after a predetermined time. For instance, the player may be permitted to redeem a ticket after a set time (e.g., 10 PM), a particular time period after ticket purchase (e.g., 24 hours) or other absolute or relative time. This may be the case for a Keno or lottery-based system, where a Keno or lottery result is made available at a set time after the ticket or other type of invitation was provided to the player. Alternatively, tickets may be redeemed immediately after they are provided to the player to entice the player to remain at the gambling location. According to one embodiment, the player may be permitted to redeem the ticket (and winning result) any time after accessing the game. At block 709, process 700 ends.

Payouts may be determined by a pay table associated with the game. The number of tickets may be determined *a priori*, and a pay table that determines payouts may be allocated to the tickets. This allocation may be determined, for example, by shuffling the pay table and allocating results to tickets. The following is an example of a pay table that may be used with a game according to one embodiment of the invention:

Number of Tickets Issued: 2000

Ticket Price: \$5

Table II – Example Payout Table

	<u>Number of Tickets</u>	<u>Payout</u>
	1	\$100
	700	\$10
25	500	\$5
	100	\$1
	600	\$0

Game Operator Return: \$300 (3%) - expenses

As shown in the example above, a certain number of tickets may be allocated as winning tickets having a particular payout (e.g., an outcome). Some tickets may have no payout associated with them, and some may only have a nominal payout (e.g., a small award amount, free ticket, etc.). A small number of tickets may include a large payout as

- 69 -

compared to the magnitude of other payouts. It should be appreciated, however, that payouts are not limited to money, but other types of prizes may be awarded including merchandise, credit, loyalty points or any other representation of value. As discussed above, it is appreciated that it would be beneficial to provide a great enough reward to encourage the player to return to the gaming location. Thus, according to one embodiment, the player may be provided an appropriate award that properly incentivizes the player to redeem their award (and return to the gambling location).

The odds of winning may be the type of odds experienced in actual (rather than computer-based) games. Alternatively, the odds of winning may not necessarily be “natural” odds of winning any particular type of game, but rather, the odds may be adjusted to obtain the outcome desired (e.g., by the gaming operator). The odds of winning, number of winning tickets, amount of payout per ticket, or other payout parameter may be any amount or number, and the invention is not limited to any particular odds of winning, number of winning tickets, payout amount or type of payout. However, according to one embodiment, the overall odds of winning, amount and type of payout, etc. may be similar to a game previously approved by regulators (e.g., scratch ticket games, Keno, bingo, etc.) so that the use of an additional game to display an outcome associated with the previously-approved game is scrutinized much less by regulators, and as a result, the approval of the additional game is less burdensome. To this end, a system associated with the previously-approved game may provide ticket and outcome information to a system conducting an online game (e.g. server 503).

The code stored on the server (e.g., server 503) may be used to determine game play as played on the computer system. For instance, the game outcome may be “Win \$50.” In the case of a slot machine-type game, the ticket may indicate that the player receives 10 spins of the slot machine. The outcome of each spin may be predetermined, and the game may retrieve information from the server indicating a predetermined sequence of game play as discussed above. In the case of a slot machine-type game, the predetermined sequence may indicate the winnings associated with each of the spins. In the case of a COLLAPSE-type game, the outcome of each instance of the second level game may be stored on the server and retrieved prior to game play.

In another example, only the overall outcome is predetermined (e.g., the total winning associated with the ticket), and the sequence of game play may be determined

- 70 -

when the game is played. In the example above where the player is indicated as winning \$50 over 10 spins, the \$50 winnings (and any intermediate losses) may be allocated to the player at any point over the 10 spins. In the case of the COLLAPSE-type game, winnings may be allocated across game instances. In a further example, winnings may be allocated
5 across items collected while playing the COLLAPSE-type game. Because the number of items collected may vary depending on the skill of the player, the distribution of prizes among collected items may be determined during game play by the game playing system. Thus, according to one embodiment, the player's skill (or lack thereof) does not affect the overall outcome of the game.

10 This allocation may be determined by the server, the game software executing on the client, or a combination thereof. Further, the game play may be randomized in that a further play using the same ticket may yield a different sequence of game states leading to the same outcome. For example, in the case of a slot machine game as described above, a player may be indicated as winning \$50, but the sequence by which the player attains the
15 \$50 winning outcome may be different depending on various factors. Such factors may include a randomization function that determines results of individual game plays (e.g., in the case of a series of "spins," the result of each spin), or some other function. The series of intermediate outcomes may be stored in a database associated with the server as discussed above with respect to game outcomes. Also, the outcomes may be adjusted
20 using a formula or rule-based approach during execution of the game to increase the game drama and heighten the game playing experience.

According to another aspect of the present invention, a player may purchase a ticket at a point of purchase (e.g., a convenience store) and the indication of a win/no win condition of the ticket is revealed on a different medium. For instance, a player purchases
25 a scratch ticket in a convenience or other type of store. The prize that the player wins is not revealed on the scratch card itself, but rather the prize is revealed through another medium (e.g., on a home computer system, PDA, cell phone, etc.).

For instance, as discussed above, the player may be presented another game (e.g., a slot machine or COLLAPSE-type game as described above) that reveals at least a portion
30 of the prize. The underlying prizes available via the reveals may be predetermined, in that the outcome of the game may be stored in one or more systems. The scratch ticket may reveal different numbers of plays (e.g., pulls in the case of a slot-machine type game, or

- 71 -

game instances of a COLLAPSE-type game) the player receives. As discussed, the game could be any type of game, and the type and number of plays may be any number and may be selected according to the type of online game being played.

In one aspect of the present invention wherein a physical ticket is issued, the ticket
5 may include authentication information that is used to obtain the reveals. In one example, the scratch ticket contains a secret key which is used to decrypt the results that are revealed to the player. That is, according to one aspect, it is impossible to determine if and what a particular ticket wins without having possession of the ticket (and therefore the secret key). In another example, the scratch ticket could contain only a portion of the
10 secret key. The other portion of the key may be stored, for example, on a server and retrieved from a database (e.g., file, relational database, etc.) based on, for example, the serial number of the card. Mappings of serial numbers of tickets to encrypted results can be provided to the lottery, casino, or other provider for additional audit control.

A process for performing secure access to outcomes is shown in Figure 8. At
15 block 801, process 800 begins. A server (e.g., server 503) may store a number of outcomes in encrypted form, each of which outcomes can be accessed by a respective code. These outcomes may be encrypted, for example, using any encryption method (e.g., symmetric, asymmetric encryption) as is known in the art. At block 802, a code is provided to the server (e.g., server 503).

20 This code may be, for example, a secret code (e.g., a symmetric key, a private key) printed on a ticket and provided to the server by a user through an interface of a computer system as discussed above. The received code may be transmitted between systems using a secure transmission method (e.g., SSL) as is known in the art. The received code is used at block 803 to decrypt the outcome stored on the server. This code may be any
25 decryption key type that may be used to decode data, and may be of any format or length. The decrypted outcome may then be presented to a player at block 805. The outcome may be displayed using any method. For example, as discussed above, the outcome may be presented through one or more reveals presented to the player during play of an online game. At block 805, process 800 ends. In another example, a code may be read off of a
30 ticket using an image processing device, for example a bar code scanner, the imaging device provides the code over a communication network to a bonus game operator

Another aspect of the present invention relates to a lottery-based, casino-based, or

- 72 -

any other type of software game that can be played over a network, such as the Internet. According to one embodiment, the system includes a purchase of a scratch-based or printed ticket by a player at a point of service (POS). A POS may be, for example, a place at which lottery tickets may be sold, including convenience stores or other locations where lottery products are provided. In an alternative system provided at a casino or other gaming establishment, a ticket may be sold to a player at the casino for play at a later time. In yet another embodiment, the ticket or other invitation type need not be purchased. Also as discussed, the invitation need not be printed and according to another embodiment, may be provided to the player with or without purchase.

10 The player receives the ticket or other form of invitation at the POS or other location (e.g., a casino), and proceeds to play a computer-based game at another location to reveal a result (or outcome) of the game. The computer-based game may be, for example, a casino-type game (e.g. slot machine, video poker) or other type of game, including amusement games or games of chance. In the case of the scratch or printed ticket, the result is not apparent to the player until the player plays the computer-based game. This game may be, for example, a software program that is downloaded and played over the Internet. Alternatively, other ways of accessing the online portion of the game may be used (e.g., PDA, cell phone or other method).

20 The ticket includes a code by which a player gains access to a result stored on a server that stores ticket information and results associated with each ticket. Such information may be predetermined at the time of ticket sale, or the results may not be known until a later time, after the ticket is issued to the player (e.g., in the case of a Keno, bingo, or other drawing-based system). The result may be determined by any number of factors, including but not limited to, data regarding the player (e.g., income, residence, etc.), the player's historical play at a gambling location, the player's play performance in an online game, or any other criteria that may be used to determine an award.

30 According to one embodiment, the code is an access key (or a portion thereof) that is used to access the result stored on the server. Further, the result (stored in the server) may be encrypted. For example, the code may be a private key or a symmetric key. The key may be transmitted by a client computer system to the server for the purpose of decrypting the result using SSL or any other secure method.

Because the decryption key is stored on the ticket, the gaming system is safer, as a

- 73 -

breach of security of either the tickets or the server does not provide access to result information. More particularly, access to the lottery ticket database or other database type may not be accomplished without the ticket (used to decrypt the result). Further, the tickets may not be correlated to results without the lottery ticket database (because the results are stored in the database, not on the tickets).

In another example of the system, a portion of the key used to decrypt results of the game is stored on the ticket, and another portion is stored in the database of the server. In this manner, it is assured that possession of either portion of the key may not compromise the results.

However, it should be appreciated that the system does not require SSL or any other encryption/decryption method, a decryption key on the ticket, or the stored result on the server to be encrypted. Rather, the game can be implemented with or without these features. That is, access to the outcome stored at the server may be performed using only the serial number or other ticket identifier provided on the ticket or with the invitation.

The scratch-based or printed ticket may also include a second serial number or other identifier (e.g., an access code) in addition to the serial number or other identifier which is correlated to results on the server. A ticket may include both a serial number and a ticket identifier used by the system. According to one embodiment, it is appreciated that there may be security issues with using the serial number of a printed ticket (as printed on the ticket) to correlate to win outcomes. That is, in the case of a lottery-based system, the lottery provider may not allow any entity outside of the lottery system to have the ability to correlate outcomes to serial numbers. To this end, another identifier (e.g., a separate ticket identifier or access code) may be provided on a ticket to allow the system to index into an outcome database.

In one example system that works in association with a lottery system, outcomes for a game may be predetermined to comply with lottery rules. In this case, outcomes are predetermined and stored in a database. In an alternative environment where results are not permitted to be predetermined (e.g., in a casino), but rather are determined at a later time (e.g., by a drawing or other method), a ticket issued by a system in such an environment may have an associated drawing time when a game may be played. It should be appreciated however, that the award provided to a player may either be predetermined or not, and if not predetermined, may be the result of some later determination, such as a

- 74 -

drawing, the result of a random number generator, etc.

Also, according to one embodiment, the player may be entered into a sweepstake or any other later-determined award based on an action that is performed in the gambling location. As discussed, the player may swipe his/her frequent player program number at a gambling location (e.g., a casino) and as a result, be entered into a sweepstake or other type of later-determined result. The result may be then later-determined (e.g., when the player participates in an online gaming environment), is presented the result of the sweepstakes which includes an award that may be redeemed upon return of the player to the gambling location.

In the specific case where the online game system is driven by a Keno game result, each ticket may be associated with a set of numbers in the Keno game, and the result of the Keno game is provided as the result for the online game. In one example, a computer system automatically picks numbers associated with the ticket at the point when the ticket is issued. Thereafter, when the Keno game occurs, the result of the Keno draw is provided to an online game system, which translates the Keno result to a game experience within another game (e.g., COLLAPSE, slot machine, etc.). It should be appreciated, however, that although the game of Keno may be used to drive an online game experience, other games (e.g., bingo) may be used.

The server (e.g., server 503) may be capable of accepting, from the user, an input of the serial number and decryption key, and in response, providing the results associated with the particular ticket. The result or outcome of the game may be displayed to the player in an interface of the computer system (e.g., a client computer system such as a personal computer (PC)) used to play the computer-based game. For example, the outcome of a series of plays associated with the ticket may be stored in the server, and provided to the client, and the series of outcomes may be presented to the player during play of the computer-based game.

In another embodiment of the system, a payout of the ticket may be encoded on the ticket. For instance, if the ticket is a \$5 winner, the amount of the win may be encoded on the ticket. In the case of the casino-based version of the system, the payout may not be stored on the ticket (as the payout is not predetermined), but rather the purchase price of the ticket may be stored on the ticket, or some other identifier of the ticket.

As shown in Figure 9, a system 900 may be provided having more than one server.

- 75 -

For instance, a server 902 provided at the point of sale 901 is primarily responsible with issuing tickets to a user/player 906. To this end, server 902 may issue preprinted tickets or may issue tickets printed from an associated printer 905. Such tickets may include one or more identifiers as discussed above with reference to Figure 6. As discussed, another
5 system such as a Keno or lottery-based system may be used to provide results to an online game system.

In one version of system 900, the win/loss determination of a ticket may be driven by a later-occurring drawing. For example, a Keno-based, bingo-based, or other type lottery draw system may be used wherein the outcome of a particular game is not known
10 until a future time (e.g., when a drawing occurs). In this case, the ticket identifier stored on the ticket may be an access code generated from ticket identifiers in the Keno-based system (e.g., by an intermediate system or the Keno server itself that can translate a Keno ticket identifier into another type of identifier).

Generation of an identifier separate from the Keno ticket identifier may be
15 necessary for security reasons relating to the Keno system. More particularly, access to the Keno ticket identifiers may not be permitted by the system (e.g., the Keno server). In one example, a Keno system translates Keno ticket identifiers into access codes and results that are stored on the game server (e.g., server 903). Thereafter, clients (e.g., hosts 904A, 904B) access results stored on the server based on their respective access codes.

20 As discussed above, one or more hosts 904A, 904B (e.g., general purpose computer systems) may communicate with a server 903 over a network for the purpose of conducting a game. In one example, a host 904A renders a browser window by executing a browser program (e.g., the Internet Explorer browser program available from the Microsoft Corporation). A user/player 906 enters a URL address specified by an issued
25 ticket in a window of the browser interface, and is directed to a website associated with server 903. This website may be rendered by, for example, a WWW server process (e.g., server 907) associated with server 903.

Player 906 may be instructed to enter an access code (and/or any other required information) to access one or more games in an interface presented through the browser.
30 As discussed, server 903 may validate the received access code, and provide any results stored in a database associated with server 910. Once validated by server 903, the user may be permitted to play one or more games. These game may be, for example, be

- 76 -

programmed using one or more programming languages (e.g., Macromedia Flash) and may be downloaded to host 904A and executed.

Also, outcomes associated with any games may be downloaded prior to game play. As discussed, examples of games include those that may be of the lottery-type (e.g.,
5 having a predetermined outcome) and those that are casino-based (e.g., having an outcome that is not determined at the time of sale of the ticket). In the case where a later drawing affects an outcome, a player may not be permitted to play the game until the drawing occurs (and until results are available at server 903). In the case of a drawing that affects outcomes, drawing results can be communicated from server 902 to server 903. In
10 addition, server 902 may maintain a mapping from a ticket identifier (e.g., a serial number) to an access code provided on the ticket, and provide a mapping of outcome to access code when the drawing occurs. As discussed, such outcome information may be maintained in a database 910 associated with server 903 and may be accessed through a database server process 909.

15 As discussed, the payout of the award may be displayed to a player in a number of ways. For instance, the payout of the ticket may be presented to the player through one or more reveals presented to a player during one or more plays of an online game.

For instance, in the case of a slot machine game, a player may be permitted, with the issue of a single scratch or printed ticket, a series of spins of the slot machine. The slot
20 machine may, as the result of each of the spins, produce results that contribute to the overall payout to the player. For instance, after a single spin, a player may be presented an indication that he/she has won \$5. The payout to the player as provided from the server database may be, for the series of spins, \$50 overall, with particular outcomes for each spin. Additional spin results may provide the additional \$45 that the player will receive.
25 Additional spins may add, subtract, or have no affect on the contribution to the outcome of the game. These results of each spin of the slot machine game may be stored in the database of the server indexed by the ticket identifier, or may be randomly determined by the game program that renders the game. Further, as discussed above, the results of each spin may be "scripted" such that the game experience is more exciting to the player.

30 For example, in the case where the results of each spin are stored on the server, the series of results may be downloaded to the client at the beginning of the game as a series of entries, and the client may reveal each result as the player progresses through the series

- 77 -

of spins. In the random method, results for each individual spin are not predetermined, but rather are determined by the client in a random manner. For instance, the actual outcomes of each spin may be randomly chosen among the possible combination of outcomes that may produce the required payout. In either case, the outcomes for each spin of the slot
5 machine game is not stored on the ticket, but rather is stored at the server and downloaded just prior or during game play, or is determined randomly by the client. Alternatively, the client may determine the game experience based on a predetermined set of rules or formulas that, when an overall outcome is provided, allows the client to determine intermediate outcomes in a dynamic way. Because the game play and outcome are
10 scripted, a player may also not play the game (and possible secondary games) to actually win. A player may purchase a ticket, wait until the ticket may be redeemed, and go to a POS to find out (and if necessary, receive) his/her winnings. A ticket may be allowed to be redeemed after a predetermined period of time after the drawing independent of whether the player has played the game. A ticket may be able to be redeemed after a
15 predetermined period of time, from almost immediately to seconds to days or any predetermined time. For tickets with results dependent upon results of a particular Keno game or other event, the ticket may not be redeemed until after the event has passed.

In another alternative, the game results achieved by the online portion of the game may be separate from the award that is redeemed in the gambling location. For instance,
20 the game may be a game for pure entertainment, having a result that is not correlated with the award provided to the player. However, the player may be required to play the online game to reveal the award.

Finally, after play of the online game, the player is permitted to validate the ticket or invitation at any gambling location (e.g., POS 901 (for example, a lottery agent, casino,
25 or other gaming establishment)) to redeem his/her winnings as indicated during the online portion of the game. According to one embodiment, the player redeems an award of non-cashable credits, cash, or other type of award that can only be redeemed at the redemption location, encouraging the player to return to the redemption location.

According to one embodiment, players are permitted to redeem their winnings only
30 after playing the online portion of the game. The player, by playing the online portion of the game, sets status information at the server (e.g., server 903). When the player attempts to redeem the ticket at the gambling location (e.g., POS 901), the status information may

- 78 -

be checked, and the player is permitted to redeem his/her winnings. To this end, server 903 may communicate information back to server 902 relating to game play.

For instance, server 903 may collect information that indicates the sequence of game play performed at the client, and other player tracking information. In one example, tickets may be associated with a particular player, and the player may be awarded loyalty points or other credit for playing the game. Because the inventive game may award prizes such as, for example, a non-cashable credit for playing additional games, a complimentary offer, and/or promotional prizes, the inventive game may be used as a method for providing additional player incentives to return to a gambling location or other gaming establishment.

Online Reveal-Based Game Implementation

As discussed, various aspects of the present invention may be implemented in an electronic game. For instance, a player may be invited to play one or more instances of an online game (e.g., played over the Internet) in which the player may be awarded one or more prizes which may be redeemed at the gambling location. Such games may include games of chance, skill, or combination thereof. In one example, the game may include one or more instances of a COLLAPSE-type game as discussed above, however, it should be appreciated that any other game type may be used.

Taking a COLLAPSE-type game, a player is issued a ticket at a POS to play one or more instances of the COLLAPSE-type game. The ticket indicates an access code, and the player uses this access code to gain access to the system (e.g., from a host coupled to server 903 through the Internet). The player enters the access code in a user interface, and, once validated, is permitted to play the COLLAPSE-type game. As discussed, the COLLAPSE-type game is a version of the well-known game of COLLAPSE, which is a game of skill-based puzzle game. Optionally, the player is permitted to play, based on a single access code (and ticket), any one of a number of games available from server 903. Such an option may allow a player to play different games for each game instance associated with the ticket.

Figure 10 shows an example game interface 1000 according to one embodiment of the present invention. The COLLAPSE-type game involves an interface 1000 that has a grid 1001 of elements (e.g., element 1002). Similar elements within grid 1001 may be

- 79 -

identified by color, shape, or any other indication. One or more new lines of elements (e.g., line 1003) are fed into the bottom of the grid periodically.

A player removes groups of similar elements by selecting them within the grid, and the player is awarded points based on the number of elements removed. For example, similar elements may be indicated by color, and groups of similarly-colored elements may be removed from the grid. In one example, groups of three elements can be removed. Removal of larger groups of similarly-indicated elements may provide more points than smaller groups. It should be appreciated, however, that elements may have one or more indications that represent that they are similar, and the invention is not limited to any particular indication(s). Further, it should be appreciated that any number of elements may be removed as part of a group, and the invention is not restricted to any minimum number of element that may be removed.

Lines are moved into a preview area 1005 associated with interface 1000 that permits the player to anticipate what element types are being placed into grid 1001. Lines of elements may be moved into the grid at a predetermined rate, and the rate may be adjusted from time to time during game play. In one example, elements may be fed into the preview area from left to right, and when a line of elements is complete, the line of elements is pushed into grid 1001. The COLLAPSE-type game ends when the grid overflows with elements or a final line (e.g., of a predetermined number of lines) is fed into grid 1001. As an additional option, a player may bypass play of the COLLAPSE-type game by selecting a "Reveal All" element 1004 within interface 1000. Selection of element 1004 may cause the COLLAPSE-type game to end and may allow the player to progress to a second level game.

As discussed above, the second level of the game may be played with items collected during the COLLAPSE-type game. Also, as discussed, these items may be hidden within elements of the grid (e.g., grid 1001) and released as elements are removed. In one version of the game, items such as spins of a wheel or sticks of dynamite (a.k.a. "hotsticks") are located within elements in the grid. Items (spins, sticks, etc.) are accumulated and used in the second reveal-type game to reveal a payout or other type of prize. As shown in interface 1000, there may be a prize window 1006 in which prizes are awarded.

Window 1006 may indicate a number of available prizes, and may include an

- 80 -

interface control (e.g., spin control 1007) that allows the player to initiate the second level of the game. Window 1006 may be a part of or separate from a window that includes grid 1001. After the player selects control 1007, window 1006 indicates what, if any, prize is won. Interface 1000 may also include an indication of the number of spins or other items
5 remaining to be played by the player in the second level game.

In the example game discussed above having one or more elements containing hidden items (e.g., safes), sticks of dynamite or other items collected may be used to uncover the hidden prizes in the second level portion of the game. For instance, winnings (e.g., cash prizes) revealed within opened safe elements are awarded to the player. In one
10 example, the reveal of the number of sticks awarded to a player may be randomized by the client computer, with at least one stick awarded to the player to allow the player to open at least one safe.

After play of the second level game, game play is returned to another instance of the first level game (e.g., the COLLAPSE-type game). The player may, however, choose
15 to play a different game (e.g., a card game or other game) at the conclusion of any particular game instance. The player may be permitted to play further instances of the COLLAPSE-type game, with each level of the Collapse-type game leading to a second level wherein prizes are revealed. These intermediate prize amounts that are revealed with each instance of the COLLAPSE-type game, as discussed above, may be stored in a
20 database of the server, and provided to the client prior to or during game play. Alternatively, intermediate prize amounts may be determined at the client in a random manner (e.g., by randomly selecting a possible combination of intermediate prize amounts that total the overall prize awarded to the player). In another example, a game may be determined dynamically by the game system or client based on one or more rules. These
25 rules may be tailored so that the overall result is revealed by the game system in an interesting way.

For instance, the ticket may have an overall prize value of \$50, and the prize awarded at each instance of the COLLAPSE-type game may accumulate to form the \$50 prize. There may be a finite number of combinations based on the number of game
30 instances to achieve a \$50 prize, and the actual game experience presented to the player may be a random selection of the finite outcomes. In any case, the result of each game instance is either stored at the server or is determined randomly or dynamically by the

- 81 -

client as discussed above.

According to one aspect of the present invention, it is realized that the time at which a ticket or other invitation type is activated (and therefore, may be played) is important. In the case of a casino-based game, where an invitation is provided at the casino (e.g., in the form of a ticket or other invitation type), it may be beneficial to include a delay between the time that the invitation is provided (e.g., purchase of a ticket at the casino) and a possible redemption of the ticket (on a return visit of the player to the casino) so that the game play associated with the ticket does not compete against other games offered by the casino (e.g., floor games). For example, in the case of a slot machine game, it may be preferable that such a game be activated after the player leaves the casino, or otherwise is not playable while in the casino so as not to compete with other types of slot machine games or other game types offered by the casino.

Further, another benefit of introducing a delay between ticket issuance and activation includes increasing the likelihood that the player plays the game at another location (e.g., at home), requiring the return of the player to the ticket redemption location to redeem his/her winnings. Because the player needs to return to the redemption location (which may be a casino), the possibility that the player will purchase additional tickets or play other types of games offered at the redemption location is increased.

According to one embodiment of the present invention, a COLLAPSE-type game is conducted that may include the following additional aspects, either alone or in combination:

- The game begins with a fixed number of lines of colored elements already positioned on the game grid (e.g., grid 1001) and available to be selected by the user (or player).
- New elements fill the bottom and/or the top of the screen, from left to right, one at a time, but are not available to be selected. When a row is complete, the line of elements is pushed onto the game grid and added to those elements in active play. Alternatively, new elements may fill the game grid from any edge, including from the right and/or left side.
- Selecting the preview area as lines are being formed causes the preview area to fill with elements and the elements to be added to the active play area.
- The user can clear elements from the active area by selecting any three or more same-

- 82 -

colored elements that are touching.

- When a user positions a selection device (e.g., a mouse pointer) over a group of elements that are eligible to be cleared, the group of elements changes in appearance.
- When elements are cleared, the elements above fall downward and toward the center to fill any void created by removed elements.
- When the user clears an element that contains a dynamite stick (or other item) in it, that stick is placed to the right of the game board for use in the second level game (e.g., a prize round).
- When the stack of elements comes within a predetermined number (e.g., three) of rows of the top of the game area, a warning area flashes.
- If the elements reach the top of the game area, the COLLAPSE-type game ends and the user is taken to the second level game.
- If the user collects a predetermined number (e.g., six) of dynamite sticks, the COLLAPSE-type game ends, and the user is taken to the second level game.
- The user begins the game with one dynamite stick collected for him/her.
- At the second level game, the user is presented with a grid, 6 by 6, of safes.
- The user selects a button and the first dynamite stick is used.
- The stick begins at the top left most safe and moves over each safe in turn, from left to right, top to bottom, one at a time.
- The safe that the stick stops at is blown open to reveal either a cash amount or other prize type or an indication that no prize is awarded.
- If multiple sticks are available for use, each subsequent stick starts at the safe immediately after the safe that was blown open.
- The sticks skip over safes that have already been opened.
- At the conclusion of the game, the user is presented an indication that the second level game is over and an indication of any prize(s) awarded.

The overall result (e.g., payout) for purchasing a ticket may be predetermined (as in a scratch or other type of instant lottery game) or may be determined by a later event (such as a lottery, Keno, or bingo draw) that occurs after ticket issuance.

- 83 -

Frequent Player Tracking System Implementation

As discussed above, various aspects of the invention relate to providing incentives using a frequent player program. Frequent player programs for casinos generally involve players using frequent player program credits at the casino or affiliated establishment.

5 Therefore, the player must visit the casino or other gambling location in order to use the rewards or incentives that the individual may obtain. However, there is no actual additional pull for getting the player to visit the gambling location.

Additionally, it is appreciated that constantly visiting a casino at a physical location may be inconvenient for a bettor, especially if the location is located far away
10 from the bettor. However, with the advent of Internet-based betting sites and online casinos, land-based casinos and other gambling locations are at a disadvantage to obtaining bettors that can have other betting opportunities that are more readily available.

One aspect of the present invention relates to a method for providing additional incentives to a frequent player program member to visit a casino or other type of gambling
15 location. One such method combines the ease of using the Internet or other remote communication technologies with the advantages of a frequent player program. In one embodiment of the present invention, each frequent player program member has a unique identifier (e.g., number or account name) and a password or passcode. In another embodiment of the present invention, the frequent player program member may be
20 presented with special incentives for remotely swiping his or her frequent player program card (or by remotely entering his or her unique identifier and password) in a manner that the casino's frequent player program recognizes. A member may be able to remotely swipe their frequent player program card (or enter his or her unique identifier and password) using an audio-enabled, video-enabled, or card reader-containing device. For
25 instance, a kiosk, telephone having a display, television, computer or handheld device may be used. This additional incentive, according to one embodiment, may require the member to return to the casino to redeem the incentive. The incentive may, for example, be in the form of a prize, credit, or other incentive that has value to the member.

The special incentive may be any program that is targeted exclusively to members
30 that remotely swipe or otherwise use their frequent player program cards. The special incentive program may include, for example, extra prizes or rewards that are awarded to frequent player program members when they remotely swipe or otherwise use their

- 84 -

frequent player program card. In one embodiment of the invention, the extra prizes or rewards are not provided to the member until he or she visits the gambling location. In another embodiment of the invention, the member must visit the gambling location within a specified period of time to obtain the extra prizes or rewards. For instance, the specified
5 time period may be determined to be within a set time period of the membership card being swiped or within a set time period for the special incentive. For example, a player may be required to visit a gambling location within one week or two months of having swiped his or her membership card. In another example, the player may be required to visit the casino by a set date (e.g., February 28, 2006) when the special incentive expires.

10 In another embodiment, the player is encouraged to swipe or otherwise use their membership card remotely as frequently as possible. In one example implementation, a system (e.g., system 300) may determine incentives periodically (e.g., daily) which are then displayed to the player. These incentives are displayed to the player as indication of a win in the display of a remote system. Because the incentives are determined in a periodic
15 manner, continued return by the player to the remote system interface is encouraged. For instance, if the period for determining an incentive is once a day, a player will be encouraged to use the remote system to see if they have won any incentive(s). In this way, both return to the casino and the remote interface is encouraged.

In one embodiment of the invention, a bonusing message may be presented to the
20 player when the player swipes his or her frequent player card at the kiosk and a paper or electronic coupon may be activated for the player (Fig. 12). The bonusing message may indicate, for instance, that the player may be eligible to receive a prize (e.g., to be revealed online). The player may then proceed to an operator's website either on-site or off-site from the casino. When the player logs in, the coupon is activated to reveal the number of
25 game credits a player has received.

Using the awarded game credits, the player may then proceed to play the game. As the player plays the game(s), the player reveals a prize (e.g., one or more non-cashable credits, complimentary offer(s), and/or promotional prize(s)) won by the player. When revealed, the prizes may be printed onto a coupon. In another embodiment, the prize may
30 also have an expiration date, before which the prize may need to be redeemed (e.g., at a land-based or other type of casino or gambling location). In this manner, the player is incentivized to return to the gambling location to redeem the award or prize.

- 85 -

In one embodiment, the prize may be predetermined. For instance, the amount of non-cashable credits may be a predetermined number stored in a database. In another example, the prize may be limited within a predetermined range (e.g., number of credits, monetary value, etc.), and the actual awarded prize may be randomly selected from within the range. In this way, the award may appear to the player to be randomly determined.

In the case where the prize includes non-cashable credits, the player may then proceed to the land-based casino or other gambling location and use the non-cashable credits in any manner acceptable to the operator. An acceptable manner of use may include allowing the player to play standard casino games, slot machines, or any other type of game. Generally, non-cashable credits may be used for playing casino-based gaming machines.

In another embodiment of the invention, a player may receive an offer for game play or any other invitation by direct mail, e-mail, telephone, pager, fax or any other communication method (Fig. 11) rather than receiving a bonusing message by swiping a frequent player card. Such an offer for game play may, for example, direct the player to the operator's website and provide the appropriate information for logging into the website to play the game.

In yet another embodiment of the invention, a player may enter a sweepstake to win game play(s). The player may be informed whether they won or lost at the time of entry. Preferably, the player is entered into a sweepstake with a specified time of drawing. In another example, the player may be entered into only the next sweepstake drawing, a specified number of sweepstakes drawings or all future sweepstakes drawings.

Figure 11 shows one example of a method for providing incentives to a player. As shown in Figure 11, the player may receive an offer or invitation via direct mail or direct email. In one embodiment, the player is provided a code (e.g., a coupon code) which permits the player to play an online game. The bonus or other award may be determined by the operator based on one or more parameters.

For instance, the operator may determine a number of players that are to receive a number of invitations to play the game. In one embodiment, players may be selected from a database (e.g., as identified by a frequent player account) and may be invited to play an online game. As discussed above, the amount bonused or awarded to the player may be determined based on a player's historical performance, information specific to the player

- 86 -

(e.g., income, residence address, position, etc.). Further, to encourage the player to return to the gambling location or gambling property, an expiration date of the offer may be determined by an operator which encourages return to the property within a specific timeframe. Further, redemption instructions may be determined based on the bonus or invitation provided to the player.

According to one embodiment, various aspects of the invention are implemented on a casino management system or other type of gaming management system. According to one embodiment, the casino management system associates the invitation or bonus with an identifier of the player, such as for example, a frequent player program identifier. The casino management system or CMS may store a number of elements related to the invitation such as, for example, a player card ID, bonus amount, expiration date, a unique code associated with the offer (e.g., a coupon code), or other miscellaneous information related to the invitation extended to the player.

The CMS or other type of gambling management system may be coupled to other types of servers that are used to conduct the online gaming experience (e.g., server 903 as discussed above with reference to Figure 9). According to one embodiment, such servers may be operated by another entity referred to herein as the backroom operator or the backoffice operator. The backoffice operator may be, for example, a service provider to the casino or other gambling establishment that conducts the online game experience. In one embodiment, the CMS communicates a set of information to the backoffice operator such that the online gaming experience may be conducted. The backoffice operator may have a number of systems (e.g., backoffice operator (BO) servers) that perform a number of functions associated with the online gaming experience. In one embodiment, the backoffice operator and its systems receive information relating to the bonus offer or invitation that is sent to one or more players. Based on this information, the BO system may tailor the online gaming experience accordingly. The BO system may perform functions associated with authenticating particular players, obtaining additional information from the player such as, for example email address, revealing outcomes of the offer or any other game outcomes, and displaying and/or printing any coupons or other item that can be redeemed by the player upon return to the gambling property.

A player receiving the offer visits the operator's website or other facility for presenting the game to the player. In one embodiment, the player logs into the bonus play

- 87 -

game from the operator's website. Thereafter, the player plays an online game. In one particular embodiment, the player may receive bonus play game credits that may be used to play one or more online games. As discussed above, the games presented during the online game experience may be any type of game, including but not limited to games of skill, games of skill and chance, or pure games of chance. In one embodiment, the games provided online similar to those offered on the casino property. In one particular case, the offer extended to the player is based at least in part on the play of the player of the online game. At some point during the online gaming experience, the player is provided a unique code (e.g., a unique coupon code) indicating the award provided to the player. Such an award may indicate, for example, the amount bonused to the player, the expiration date of the bonus, and any redemption instructions that are associated with the offer.

The player is incentivized by receipt of the offer to return to the gambling location (e.g., a casino property) so that the player can redeem the award. For instance, the player may redeem the award at a rewards desk located in the casino, or may be provided some other method for redeeming the award. For instance, the award may be a complimentary offer which can be redeemed at a hotel located on the casino property, the award may be non-cashable credits which can be associated with a frequent player account which are then redeemed at a gambling device, or any other appropriate method for redeeming the award at the gambling location. The operator may perform one or more actions associated with the redemption offer such as recording the redemption of the particular offer (e.g., recording the provided coupon code), voiding the coupon code for further redemption, crediting a player account on a casino management system, or any other function.

As discussed above, the invitation to play an online game may be provided in any manner and in any location. For instance, as shown in Figure 12, the player, during a first visit of a gambling location receives an offer to play an online game. For instance, the player may take one or more actions at the gambling location (e.g., swiping a frequent player card at a kiosk) that initiates the presentation of an invitation to play the online game. For instance, a bonusing message may be displayed to the player, and the player may be provided a coupon which is associated with the frequent player identifier of the player. According to one embodiment, the bonus coupon is activated by the act of the player swiping his/her frequent player card at the property. Additionally, the player may play one or more games at the gambling location.

- 88 -

After the player leaves the gambling environment (e.g., the player returns home, leaves the gambling property, etc.) the player may be permitted to play the online game. Further, as discussed above, the player may be presented a bonus or other award that incentivizes the player to return to the gambling location. For instance, as shown in Figure 5 12, the player during a second visit to the gambling location may be awarded credits to be used at the casino property during the second visit.

In yet another embodiment of the invention as shown in Figure 13, the player may receive an entry into a sweepstakes during a first visit to the gambling location. The sweepstakes entries may be initiated upon one or more actions during the first visit of the 10 player. Such actions may include, for example, a swipe of a frequent player card, one or more gambling activities performed by the player at the gambling location, or other player action. In one embodiment, the sweepstakes entries may be for a drawing that occurs at some later time. For instance, there may be drawings daily, nightly, etc. that may encourage the player to either remain on the gambling location property, or otherwise 15 return to the gambling location after receiving the sweepstakes results.

In one embodiment, a computer system may be used to perform one or more remote operations. A computer system may be a single computer that may include a minicomputer, a mainframe, a personal computer, or combination thereof. The computer system may include any type of system capable of performing remote computing 20 operations (e.g., cell phone, PDA, set-top box, or other system). A computer system used to run the operation may also include any combination of computer system types that cooperate to accomplish system-level tasks. Multiple computer systems may also be used to run the operation. The computer system also may include input or output devices, displays, or storage units. It should be appreciated that any computer system or systems 25 may be used, and the invention is not limited to any number, type, or configuration of computer systems.

A computer system that executes operations according to various embodiments of the invention may include, for example, one or more system components. For instance, one system component may handle remote entry by frequent player program members. 30 Another system component may handle the special incentives and a third system may handle payouts. Such a system may also be connected (e.g., by direct line or network) to other computer systems including systems for handling casino or hotel loyalty programs,

- 89 -

reservations, in-room television viewing, gambling floor kiosks, or other systems. Connections to other computer systems may be performed using one or more of the system components described below.

5 A remote entry component may include one or more of a number of well-known systems. For example, a bettor may be able to enter remotely through an off-casino kiosk or other system that is connected to the remote entry computer system through an interface. In the computer, data may be stored in a database that is stored in the memory of a computer system. As used herein, a “data structure” is an arrangement of data defined by computer-readable signals. These signals may be read by a computer system, stored on
10 a medium associated with a computer system (e.g., in a memory, on a disk, etc.) and may be transmitted to one or more other computer systems over a communications medium such as, for example, a network. Also as used herein, a “user interface” or “UI” is an interface between a human user and a computer that enables communication between a user and a computer. Examples of UIs that may be implemented with various aspects of
15 the invention include a graphical user interface (GUI), a display screen, a mouse, a keyboard, a keypad, a track ball, a microphone (e.g., to be used in conjunction with a voice recognition system), a speaker, a touch screen, a game controller (e.g., a joystick) etc, and any combinations thereof.

Frequent player program member information may also be entered into a remote
20 entry system component. Member information that may be input may include, for example, member name, address, telephone number and age, and payment information may include credit or debit card number or loyalty account information. Based upon the member information, the call center representative may verify that the member information is accurate.

25 Various remote entry systems and one or more user interfaces may be located on computer systems coupled by a network with the computer system(s) storing data having member, account and subscription information. As used herein, a “network” or a “communications network” is a group of two or more devices interconnected by one or more segments of transmission media or active communications equipment on which
30 communications may be exchanged between the devices.

One aspect of the present invention relates to a method for providing additional incentives to a frequent player program member to encourage them to visit a land-based

- 90 -

casino or other gambling location. One implementation combines the ease of using the Internet or other remote communication technologies with the advantages of a frequent player program. More particularly, a frequent player program member may be provided an incentive to return to the casino or other gambling location in a more convenient
5 location to the member (e.g., at home, on a cell phone, PDA, etc.).

In another embodiment of the invention, extra prizes or rewards may be won through a sweepstake. In one example, the frequent player program member may be informed whether they won or lost at the time of entry. Preferably, the member is not informed of their winnings until he or she visits the gambling location to encourage more
10 members (even losing ones) to visit the gambling location.

In one implementation, a computer system of a casino may automatically determine when a remote frequent player program member is a winner. Such a result may be automatically authenticated and verified by the computer system. In this instance, the computer system may then notify the member that he or she has won and what the
15 winnings are. Notification of winning to a member may occur, for example, by mail, e-mail, Internet or other network, telephone, television, pager, fax, kiosk or any other method. In one implementation, the player may be advised of their winning during play of an online game. For instance, during play of an online game in which winnings are displayed to the player, the game program may be configured to reveal an indication of a
20 win of an incentive. Displaying of the indication may occur, for example, within the game, or the display may occur within play of another game (e.g., a secondary game to the online game).

After a winner is authenticated and verified, the computer system may then notify other members of the win. Additionally, the computer system may display the member's
25 identity and/or payout.

A member may be able to remotely swipe their frequent player program card (or otherwise enter his or her unique identifier and password) using an audio-enabled, video-enabled, or card reader-containing device. For instance, a kiosk, telephone having a display, television, computer or handheld device may be used. However, it should be
30 appreciated that any other entry method may be used (e.g., by entering a member identifier manually into a computer system).

- 91 -

In one embodiment, a computer system may be used to operate most of this remote operation. A computer system may be a single computer that may be a supercomputer, a minicomputer, a mainframe, or a personal computer. A computer system used to run the operation may also include any combination of computer system types that cooperate to
5 accomplish system-level tasks. Multiple computer systems may also be used to run the operation. The computer system also may include input or output devices, displays, or storage units. It should be appreciated that any computer system or systems may be used, and the invention is not limited to any number, type, or configuration of computer systems.

10 A computer system (e.g., system 1600) that executes game operations according to various embodiments of the invention may include, for example, one or more system components as shown in Fig. 16. One system component may handle remote entry by frequent player program members. Another system component may handle the special incentives and yet another system may handle payouts. Such a system may also be
15 connected (e.g., by direct line or network) to other computer systems including systems for handling casino or hotel loyalty programs, reservations, in-room television viewing, gambling floor kiosks, or other systems. Connections to other computer systems may be performed using one or more of the system components described below.

A remote entry component (e.g., system 1602) may include one or more of a
20 number of well-known systems (e.g., as shown in Figure 17). For example, a bettor may be able to enter remotely through an off-casino kiosk or other method (e.g., cell phone) is connected to the remote entry computer system through an interface. In the computer, data may be stored in a database that is stored in the memory of a computer system. As used herein, a “data structure” is an arrangement of data defined by computer-readable
25 signals. These signals may be read by a computer system, stored on a medium associated with a computer system (e.g., in a memory, on a disk, etc.) and may be transmitted to one or more other computer systems over a communications medium such as, for example, a network. Also as used herein, a “user interface” or “UI” is an interface between a human user and a computer that enables communication between a user and a computer.

30 Examples of UIs that may be implemented with various aspects of the invention include a graphical user interface (GUI), a display screen, a mouse, a keyboard, a keypad, a track ball, a microphone (e.g., to be used in conjunction with a voice recognition system), a

- 92 -

speaker, a touch screen, a game controller (e.g., a joystick) etc, and any combinations thereof.

Frequent player program member information may also be entered into a remote entry system component (e.g., system 1602). Member information that may be input
5 includes name, address, telephone number and age, and payment information may include a credit or debit card number or loyalty account information. Based upon the member information, the call center representative may verify that the member information is accurate.

Various remote entry systems and one or more user interfaces may be located on
10 computer systems coupled by a network with the computer system(s) storing data having member, account, and subscription information. As used herein, a "network" or a "communications network" is a group of two or more devices interconnected by one or more segments of transmission media or active communications equipment on which communications may be exchanged between the devices. One example of a network
15 includes the Internet, at least a portion of which may be used to remotely access incentive information.

The above examples are merely illustrative embodiments of a remote entry system component. It should be appreciated that an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the remote
20 entry system, for example, variations for remote entry method, are possible and are intended to fall within the scope of the invention. For example, the remote entry system may include using pay-per-view systems associated with interactive television in an off-site hotel or the remote entry engine may additionally deliver a receipt to the member by either e-mail or mail. None of the claims set forth below are intended to be limited to any
25 particular implementation of a remote entry system unless such claim includes a limitation explicitly reciting a particular implementation.

Payout systems are also well-known. Any of a number of standard systems or payout engines for making payouts for winning may be used. For example, a standard application programming interface such as 'Quicken' (available commercially from Intuit
30 Inc., Mountain View, California, USA) may be used to write and mail checks or credit a debit card, credit card (if legal in the jurisdiction of play) or loyalty account. 'Quicken' may obtain the payout information by accessing a payout data structure across a network.

- 93 -

As used herein, an “application programming interface” or “API” is a set of one or more computer-readable instructions that provide access to one or more other sets of computer-readable instructions that define functions, so that such functions can be configured to be executed on a computer in conjunction with an application program.

5 ‘Quicken’ is merely an illustrative embodiment of a payout system. Such an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the payout system, for example, variations of online payout, are possible and are intended to fall within the scope of the invention. Additionally, a cashier may also have access to payout information using a user interface
10 to the payout data structure through a network; the cashier then makes a payment to the winning player based upon the accessed information. None of the claims set forth below are intended to be limited to any particular implementation of a pay system unless such claim includes a limitation explicitly reciting a particular implementation.

15 Special Incentives System

A special incentives system (e.g., system 1606) according to one embodiment of the invention may comprise of a number of components for performing specific functions as shown in Figure 19. These components may include, for example, a storage component that stores data structures having information relating to special incentive programs and
20 odds. For example, such information may include program dates, time, and location, member’s betting and win history, and program odds. A remote incentives system may also include components to access remote entry and payout data structures.

A special incentives system, according to one embodiment, may also include an incentives engine. An incentives engine may perform, for example, any or all functions
25 required to administer the special incentives program(s) for remote entry frequent player program members. The frequent player program member’s winnings of the incentives may be stored and tracked by a computer system of the casino.

In one example, a management system (e.g., a casino management system) may generate incentives and assign them to players. Alternatively, the incentives engine may
30 assign incentive and communicate those assignments to the management system. However, it should be appreciated that there may be many different systems that are capable of generating and/or assigning incentives to a player.

- 94 -

The player's winnings may be displayed on one or more interfaces of one or more systems, including, but not limited to, a game playing computer system on which the player is playing, a player tracking system or casino management system that tracks player wins/losses, or other system (e.g., a player kiosk) that allows different people (casino
5 manager, player, teller, etc.) to view the status of the incentive awards. Such incentives may be tracked by the frequent player identifier or other unique identifier associated with the player.

The processes described above are merely illustrative embodiments of a method for providing special incentives to frequent player program members. Such an illustrative
10 embodiment is not intended to limit the scope of the invention, as any of numerous other implementations for performing the invention. None of the claims set forth below are intended to be limited to any particular implementation of a method of providing special incentives, unless such claim includes a limitation explicitly reciting a particular implementation.

Processes and methods associated with various embodiments, acts thereof and various embodiments and variations of these methods and acts, individually or in combination, may be defined by computer-readable signals tangibly embodied on a computer-readable medium, for example, a non-volatile recording medium, an integrated circuit memory element, or a combination thereof. Such signals may define instructions,
20 for example, as part of one or more programs, that, as a result of being executed by a computer, instruct the computer to perform one or more of the methods or acts described herein, and/or various embodiments, variations and combinations thereof. Such instructions may be written in any of a plurality of programming languages, for example, Java, Visual Basic, C, C#, or C++, Fortran, Pascal, Eiffel, Basic, COBOL, etc., or any of a
25 variety of combinations thereof. The computer-readable medium on which such instructions are stored may reside on one or more of the components of a general-purpose computer described above, and may be distributed across one or more of such components.

The computer-readable medium may be transportable such that the instructions
30 stored thereon can be loaded onto any computer system resource to implement the aspects of the present invention discussed herein. In addition, it should be appreciated that the instructions stored on the computer-readable medium, described above, are not limited to

- 95 -

instructions embodied as part of an application program running on a host computer. Rather, the instructions may be embodied as any type of computer code (e.g., software or microcode) that can be employed to program a processor to implement the above-discussed aspects of the present invention.

5 It should be appreciated that any single component or collection of multiple components of a computer system, for example, the computer system described below in relation to Fig. 14, that perform the functions described above with respect to describe or reference the method can be generically considered as one or more controllers that control the above-discussed functions. The one or more controllers can be implemented in
10 numerous ways, such as with dedicated hardware, or using a processor that is programmed using microcode or software to perform the functions recited above.

 Another component of the special incentives system may include a software component (e.g., a driver) that streams video via a broadband, satellite or wireless medium to a user interface. If the remote access is completely automatic, the user interface may be
15 merely a video terminal including television with no user input means. Viewing access may be controlled by standard methods for conditional access including using set top box addresses, telephone numbers or internet protocol (IP) addresses.

 The above is merely an illustrative embodiment of a special incentives system. Such an illustrative embodiment is not intended to limit the scope of the invention, as any
20 of numerous other implementations of a special incentives system, for example, variations of conditional access, are possible and are intended to fall within the scope of the invention. None of the claims set forth below are intended to be limited to any particular implementation of a special incentives system unless such claim includes a limitation explicitly reciting a particular implementation.

25 System 1600, and components thereof such as the payment, payout and betting engines, may be implemented using software (e.g., C, C#, C++, Java, or a combination thereof), hardware (e.g., one or more application-specific integrated circuits, processors or other hardware), firmware (e.g., electrically-programmed memory) or any combination thereof. One or more of the components of 1600 may reside on a single system (e.g., the
30 payment subsystem), or one or more components may reside on separate, discrete systems. Further, each component may be distributed across multiple systems, and one or more of the systems may be interconnected.

- 96 -

Further, on each of the one or more systems that include one or more components of 1600, each of the components may reside in one or more locations on the system. For example, different portions of the components of 1600 may reside in different areas of memory (e.g., RAM, ROM, disk, etc.) on the system. Each of such one or more systems
5 may include, among other components, a plurality of known components such as one or more processors, a memory system, a disk storage system, one or more network interfaces, and one or more busses or other internal communication links interconnecting the various components.

System 1600 may be implemented on a computer system described below in
10 relation to Figs. 14 and 15.

System 1600 is merely an illustrative embodiment of the remote entry system. Such an illustrative embodiment is not intended to limit the scope of the invention, as any of numerous other implementations of the remote entry system, for example, variations of 1600, are possible and are intended to fall within the scope of the invention. For example,
15 interactive television may also be used to view the available bets. None of the claims set forth below are intended to be limited to any particular implementation of the betting system unless such claim includes a limitation explicitly reciting a particular implementation.

Various embodiments according to the invention may be implemented on one or
20 more computer systems. These computer systems may be, for example, general-purpose computers such as those based on Intel PENTIUM-type processor, Motorola PowerPC, Sun UltraSPARC, Hewlett-Packard PA-RISC processors, or any other type of processor. It should be appreciated that one or more of any type computer system may be used to partially or fully automate play of the described game according to various embodiments
25 of the invention. Further, the software design system may be located on a single computer or may be distributed among a plurality of computers attached by a communications network.

For example, various aspects of the invention may be implemented as specialized software executing in a general-purpose computer system 1400 such as that shown in
30 Figure 14. The computer system 1400 may include a processor 1403 connected to one or more memory devices 1404, such as a disk drive, memory, or other device for storing data. Memory 1404 is typically used for storing programs and data during operation of the

- 97 -

computer system 1400. Components of computer system 1400 may be coupled by an interconnection mechanism 1405, which may include one or more busses (e.g., between components that are integrated within a same machine) and/or a network (e.g., between components that reside on separate discrete machines). The interconnection mechanism
5 1405 enables communications (e.g., data, instructions) to be exchanged between system components of system 1400. Computer system 1400 also includes one or more input devices 1402, for example, a keyboard, mouse, trackball, microphone, touch screen, and one or more output devices 1401, for example, a printing device, display screen, and/or speaker. In addition, computer system 1400 may contain one or more interfaces (not
10 shown) that connect computer system 1400 to a communication network (in addition or as an alternative to the interconnection mechanism 1405).

The storage system 1406, shown in greater detail in Fig. 15, typically includes a computer readable and writable nonvolatile recording medium 1501 in which signals are stored that define a program to be executed by the processor or information stored on or in
15 the medium 1501 to be processed by the program. The medium may, for example, be a disk or flash memory. Typically, in operation, the processor causes data to be read from the nonvolatile recording medium 1501 into another memory 1502 that allows for faster access to the information by the processor than does the medium 1501. This memory 1502 is typically a volatile, random access memory such as a dynamic random access
20 memory (DRAM) or static memory (SRAM). It may be located in storage system 1406, as shown, or in memory system 1404, not shown. The processor 1403 generally manipulates the data within the integrated circuit memory 1404, 1502 and then copies the data to the medium 1501 after processing is completed. A variety of mechanisms are known for managing data movement between the medium 1501 and the integrated circuit
25 memory element 1404, 1502, and the invention is not limited thereto. The invention is not limited to a particular memory system 1404 or storage system 1406.

The computer system may include specially-programmed, special-purpose hardware, for example, an application-specific integrated circuit (ASIC). Aspects of the invention may be implemented in software, hardware or firmware, or any combination
30 thereof. Further, such methods, acts, systems, system elements and components thereof may be implemented as part of the computer system described above or as an independent component.

- 98 -

Although computer system 1400 is shown by way of example as one type of computer system upon which various aspects of the invention may be practiced, it should be appreciated that aspects of the invention are not limited to being implemented on the computer system as shown in Fig. 14. Various aspects of the invention may be practiced
5 on one or more computers having a different architecture or components that that shown in Fig. 14.

Computer system 1400 may be a general-purpose computer system that is programmable using a high-level computer programming language. Computer system 1400 may be also implemented using specially programmed, special purpose hardware. In
10 computer system 1400, processor 1403 is typically a commercially available processor such as the well-known Pentium class processor available from the Intel Corporation. Many other processors are available. Such a processor usually executes an operating system which may be, for example, the Windows 95, Windows 98, Windows NT, Windows 2000 (Windows ME), Windows XP, or Windows Vista operating systems
15 available from the Microsoft Corporation, MAC OS System X available from Apple Computer, the Solaris Operating System available from Sun Microsystems, or UNIX available from various sources. Many other operating systems may be used.

The processor and operating system together define a computer platform for which application programs in high-level programming languages are written. It should be
20 understood that the invention is not limited to a particular computer system platform, processor, operating system, or network. Also, it should be apparent to those skilled in the art that the present invention is not limited to a specific programming language or computer system. Further, it should be appreciated that other appropriate programming languages and other appropriate computer systems could also be used.

25 One or more portions of the computer system may be distributed across one or more computer systems (not shown) coupled to a communications network. These computer systems also may be general-purpose computer systems. For example, various aspects of the invention may be distributed among one or more computer systems configured to provide a service (e.g., servers) to one or more client computers, or to
30 perform an overall task as part of a distributed system. For example, various aspects of the invention may be performed on a client-server system that includes components distributed among one or more server systems that perform various functions according to

- 99 -

various embodiments of the invention. These components may be executable, intermediate (e.g., IL) or interpreted (e.g., Java) code which communicate over a communication network (e.g., the Internet) using a communication protocol (e.g., TCP/IP).

- 5 It should be appreciated that the invention is not limited to executing on any particular system or group of systems. Also, it should be appreciated that the invention is not limited to any particular distributed architecture, network, or communication protocol. Various embodiments of the present invention may be programmed using an object-oriented programming language, such as SmallTalk, Java, C++, Ada, or C# (C-Sharp).
- 10 Other object-oriented programming languages may also be used. Alternatively, functional, scripting, and/or logical programming languages may be used. Various aspects of the invention may be implemented in a non-programmed environment (e.g., documents created in HTML, XML or other format that, when viewed in a window of a browser program, render aspects of a graphical-user interface (GUI) or perform other functions).
- 15 Various aspects of the invention may be implemented as programmed or non-programmed elements, or any combination thereof.

Example Redemption Processes and Systems

- Conventionally redemption systems rely heavily on the systems, networks, and
- 20 operations of the gaming establishments to (1) provide proper payouts to player participants (2) police the payouts (i.e., discourage fraudulent redemptions) (3) return information to the bonus gaming operation, which typically includes entities and operations separate from the gambling location. According to one aspect, it is realized that communication between the gambling location and the bonus game operation are difficult
- 25 to maintain. Also, there is a great deal of effort expended by some bonus game providers to integrate their bonus games with the systems and procedures used by casino operators. Further, gambling locations are reluctant to allow such integration and expose proprietary information to outside companies. For instance, casinos are reluctant to permit access to player club information, for example, and are even more hesitant to allow an outside
- 30 operator access to internal tracking systems, such as those used for the purpose of determining redemptions, for which most outside bonus game providers get paid. Thus, if

- 100 -

redemptions cannot be accurately tracked by the outside bonus game provider, revenue may be lost.

According to one embodiment, a redemption process and/or system is provided that is independent of existing redemption systems of a casino or other gambling location provider. Because, according to one embodiment, a bonus game format is provided that is
5 independent of, for example a casino's systems, there is little to no integration cost and time delay in rolling out bonus games by a bonus game provider.

In another embodiment, a bonus game provider provides an independent system that can be used to perform redemptions at the gambling location (e.g., to be used by
10 gambling location personnel), but the redemption activity is performed independent of the gambling location redemption systems. Thus, according to one aspect, fulfillment is shifted outside of the casino or other gambling location, where such activity may be more accurately tracked and observed (e.g., in near-real time). In conventional situations, casino operators may provide gross statistics (e.g., the number of redemptions) regarding
15 redemptions within a particular period (usually at a delayed time) to outside game providers. Because fulfillment can be tracked more closely to real-time, bonus game programs may be modified to more adequately suit the players. Also, by permitting the fulfillment operations to be controlled by the game provider, more detailed data and a higher visibility into the fulfillment performance is provided.

20 In one example of such a system, the system includes the use of bar code scanner or other identification device installed at gambling locations. Such a device may be used to uniquely identify a ticket, entry or player associated with the bonus game (and any potential prize), and to permit redemption of any award. As discussed, such an identification device may be provided by the bonus game operator. Such a device may
25 include a bar code scanner that reads printed tickets, but it should be appreciated that any system may be used to uniquely identify the player or entry. For instance, a magnetic card reader, kiosk for entering player information (e.g., username/password), optical character recognition, biometric reader (e.g., fingerprint scanner), or other identifying system may be used. Also, it should be appreciated that any identifier may be used to represent and
30 identify an entry in the bonus game. For instance, a bonus game entry and result may be associated with a frequent player identifier used by many gambling locations. Other identifiers such as codes, either printed or in magnetic form may be used.

- 101 -

In one particular example of a system, the bonus game operator ensures communication to the bonus game system, by providing the hardware that records, accepts, and identifies bonus awards. A bar code scanner or other device or system may read bonus tickets (or other player, entry, game piece, or identifier) that may be provided to a player of the bonus game. In one embodiment, a player who wins the bonus game is provided an option of printing a ticket recording the win.

The winning player is instructed to redeem the printable ticket (or other entry type) at a gambling location. In one embodiment, the gambling location is the same gambling location that provided an entry into the bonus game, although it should be appreciated that a player may redeem the ticket or other entry type at other gambling locations. In another embodiment, the ticket or other entry type may be redeemed at an affiliated location (e.g., not a gambling location) where the player is permitted to redeem the entry, but not perform additional acts of gambling.

In one embodiment, the bar code scanner (or other device or system type) and communication hardware is connected to the communication network of the gambling location operation, and is located in the gambling location. In another embodiment, the scanner and communication hardware operates independently from the gaming operator's network.

In one example, the bar code scanner and the computer system are connected to a communication network, such as, for example, the Internet. However, it should be appreciated that the scanner and computer system may be connected through any type and number of networks. The bonus game operator receives information regarding the player who is seeking to redeem a ticket. In one embodiment the bar code encodes information about the player and the/any award won. In one embodiment the bar code further encodes an access code, used to validate bonus awards.

The bonus game operator uses a database (e.g., list, lookup table, DBMS or other data storage mechanism) to correlate the ticket (or other entry type) with an award, and returns a message to the gambling location indicating the amount of the award. In one example, the award includes an entry into a sweepstakes. The number of entries may be varied according to parameters set up by the bonus game operator, by the gambling location operator, or by agreement between the two operators.

- 102 -

Awards may include, for instance, cash prizes. However, an award may be any type of award, including, but not limited to, cash, sweepstakes entries, frequent player or other type of program points, services, merchandise or any other type of award having value. According to one embodiment, it is appreciated that such an independent fulfillment system may work especially well with prizes that are not redeemed instantly (e.g., an award of frequent player program points that might be accessed by a player some period of time after the points are awarded), or are of a nominal value (e.g., small cash awards (i.e., \$10)) that minimize the interaction and effect on casino operations. Optionally, the casino or gambling location may provide their own customized award that may further their own branding and interests (e.g., frequent player points in the particular casino's system, a comp award in a casino property, customized currency, etc.).

According to one aspect, multiple chances are provided to a player to win in the bonus game setting. In one example, a winning player who redeems an award in the bonus game by visiting a gambling location to redeem the bonus award is entered into a sweepstakes. In one example, sweepstakes drawings are performed on a daily basis. In another embodiment, a player who does not win the daily drawing may be automatically entered into a following weekly drawing, and/or monthly drawing, up to some threshold of entries. Such a threshold may be predetermined or may be determined dynamically. Although daily, weekly, and monthly drawings may be performed, it should be appreciated that other drawing periods and hierarchies of periods may be used.

In one example, the only requirement for automatic entry in subsequent drawings is not winning the prior or a prior drawing. One should appreciate that a player may be entered into any number of follow up drawings, and the particular number of drawings and their frequencies should not be interpreted as limiting. In another example of a bonus gaming system, a player who achieved and redeemed a bonus award to gain an entry into a sweepstakes need not be precluded from participation in later sweepstakes drawings even if the player wins a sweepstakes drawing. In one example, even the winner of the daily drawing is entered in subsequent sweepstakes, for example, weekly and/or monthly sweepstakes drawings, and the winners of those drawings may also participate in subsequent drawings up until a final drawing.

In another example, a gambling location operator can provide additional awards through the bonus gaming system. According to one embodiment, a gambling location

- 103 -

operator may customize its own form of currency to use as an award to players returning to the gambling location to redeem bonus awards. The customized award presented to returning players may take the form of a spinning wheel, which has indicia indicating the form of the customized currency that the player may receive.

5 One implementation of such a system includes the following features:

- a bonus play game with cash sweepstakes prize pool
- where a bonus play win generates an award of an entry into a sweepstakes
- winners get a printable (printed) coupon with bar code
- bar code encodes player info, total # sweeps won, access code, and may
10 include other information
- players are required to redeem a ticket with bar code at casino/player club
- gambling location operator staff scans the bar code, transmitting information to bonus game operator
- the bar code system may be independent of the gambling location system
- 15 - Other embodiments may permit a gambling location to piggyback custom rewards on top of sweepstakes awards.
- Custom awards may take the form of a currency customized to a particular gambling location
- Custom currency awards need not be tied to the bar code system of the bonus
20 game operator, and may be triggered independently of bonus game awards/redemption.
- In one embodiment, the use of the bar code insures transfer of information to a bonus game operator

In another implementation, a bonus gaming system provides for the timely
25 gathering of accurate redemption data without having to rely on a client's systems (e.g., casino management system, server based gaming system, promotional system etc.). In one example, the bonus play provides awards in the form of only a cash sweepstakes prize, although other embodiments augment the potential prizes. Bonus Play coupons, awarded to bonus game winners, may contain a bar code that is scanned at, for example, the player
30 club desk of a gambling location, which transmits data back to the bonus game operator via a wireless bar code scanner. Other devices may be employed as discussed above,

- 104 -

including "hard wired" scanners, which may be connected to various communication devices for transmitting information to the bonus game operator.

Gambling location operators are provided an opportunity to introduce, customized prizes to the bonus game players, and in one example, gambling location operators
5 introduce their own currency as a prize. The customized currency need not be tied to a bar code. Tracking of the customized awards may also take place through the bar code, even where the award of customized currency is independent from the bar code.

In one example, players enter bonus play, and receive a standard number of bonus game credits to play. The number of credits to give to any particular player may be
10 standard for all players, may include enhancements for player standing and/or any other criteria. In another example, a standard 20 game credits are given to a player to use in playing in the bonus game.

The prizes awarded in the bonus game include sweepstakes entries into a cash sweepstakes. Some embodiments, allow for a single sweepstakes, others provide for a
15 daily, weekly and/or monthly sweepstakes, with one or multiple winners chosen for each. In one example, all players earn entries into the daily sweepstakes when they win on bonus play. After each daily drawing, the non-winning sweepstakes entries will roll over into the up-coming weekly drawing. (Note, in one embodiment this may be performed on a ticket basis. If one of the player tickets is the winner, any other "losing" tickets will be
20 rolled over.)

In another example, after each weekly drawing, all non-winning entries may be rolled over into the up-coming monthly drawing. After the monthly drawing, nonwinning entries may be wiped out and the process starts over.

According to one aspect, the drawing provides for the award of other prizes via the
25 drawing. For example, N people are drawn from the daily sweeps pool and award each a ticket to a special multiplayer game (e.g., bingo, blackjack tournaments etc.). In another example, a ticket into another bonus play game is awarded. Winning one of these secondary prizes does not disqualify a player from having their sweeps entries roll over into weekly or monthly pools. One should appreciate that the periodicity of the prize pool
30 may be altered and the invention should not be limited to daily, weekly, and monthly drawings. Winners in the bonus game are presented with a printable coupon, through an interface of the bonus game. For example, a player may access the bonus game through a

- 105 -

standard web browser (e.g. Internet Explorer, Mozilla, FireFox, as some examples) although a standardized browser is not necessary, and any browsing interface capable of rendering a graphical display of a gaming session would be appropriate.

The printable coupon has a bar code that includes, for example, the following
5 information: player's name, player's card number, total number of sweepstakes won, and access code associated with ticket. Alternatively, the code may reference directly or indirectly a database that has this information.

A winning player receives instructions to bring the printed coupon to the player club desk at, for example, the casino that issued the bonus play credits. Alternatively, the
10 player need not be provided a printed coupon, but rather the entry may be associated with the player. For instance, at the casino or other gambling location, the player may be identified (e.g., by providing an identification, frequent player ID, biometric data, name/password, etc.) and the player may be permitted to redeem the award associated with their identity (e.g., as stored in a database). Information regarding the redemption may be
15 sent back to the bonus game operator.

In another embodiment, a bonus game operator will provide to each casino a wireless bar code scanner or other type of device or system to identify the printed coupon, and in some examples, the player. The bar code scanner or other device or system transmits information regarding the redemption back to the bonus game operator. Player
20 Club personnel at the gambling location may scan the bar code which causes the associated data to be transmitted to the bonus game operator. In one example using printed coupons, the casino (gambling location) keeps the paper coupon to maintain an audit trail.

Some fraud protection measures may include requiring the player to present a photo ID and sign the printed coupon. Another option may include having the casino
25 personnel mark the coupon with the time and date of redemption. In one example, the bonus game operator keeps a log of all entries, including time and date of redemption.

The bonus game operator may also provide an interface to allow players to receive information related to sweepstakes that have been conducted, as well as future sweepstakes.

30 Winners may be randomly chosen by the bonus game operator. In one instance, the awards may be randomly determined at the point of redemption (so the result may not be predetermined and associated with a particular entry). In another example, the prize may

- 106 -

be predetermined and associated with the entry. In another example game format, the indication of a "winner" may be predetermined, but the actual prize may be awarded in a random manner at the redemption location.

In the case where the prize award and/or amount is not predetermined, there can be one or more parameters that influence the prize awarded. For instance, awards may be varied according to the location where they are redeemed (e.g., winning card redeemed at a location on the strip is worth less, off strip is worth more, incentives provided for under-utilized casino locations, etc.) so as to influence the redemption behavior of the player. Also, awards may be varied according to what kind of game is played (e.g., slots vs. table games, etc.). In such a case, for example, the operator may wish to influence the player to play under-utilized game formats (or more lucrative game formats). Awards may also be varied based on the time period that they are redeemed (e.g., increase award value responsive to the date and time that they are redeemed, i.e. provide a higher value if the entry is redeemed on a Tuesday rather than a Saturday). Other parameters for determining prize value may be used.

In one example, a player may receive a notification via email or other electronic communication method (e.g., a text message), with instructions to visit the casino to redeem their prize. In an alternate example, of the case of winning tickets into other bonus play games, players are informed of their award and how to redeem the credits for additional bonus play.

A notification e-mail may be automatically sent by the bonus gaming system. The bonus game operator and the gambling location operator may also cooperate to provide a feedback loop regarding winners of the sweepstakes and/or any customized awards. In one example, a casino takes pictures of winning players, such pictures are provided to the bonus game operator, to post on, or in association with a bonus game interface.

In one embodiment, sweepstakes winners are printed on a welcome screen. The most recent winner may be displayed, and in embodiment, only the most recent winner is displayed, and replaced when the next winner is drawn and the prize redeemed. In one example, for a monthly sweeps, the winner of the drawing will remain listed until the next month's winner is drawn.

In another embodiment, information regarding sweepstakes results may be made accessible to the player (e.g., on the Internet) to permit the player to track their entry or

- 107 -

entries. In conventional sweepstakes, a player will enter a sweepstakes (either a primary or second chance entry) and never hear of the result again. According to one embodiment, an interface may be provided that allows a user to access their entry (e.g., by the unique identifier of the entry, frequent player program number, or other identifier) so that they
5 may review and track the status of their entries. Such an interface provides additional player loyalty and opportunity for the casino or other gambling location to attract the player back to the gambling location. Further, the player may be contacted in other ways (e.g., email, text, page, call, voice recording) by the bonus play system to indicate that the player has received or is eligible for a prize that can be redeemed at the gambling location.

10 According to another aspect, the idea of rolling sweepstakes participants into further drawings may be described as providing a second chance. The second chance facilitates player satisfaction, as even in light of a loss, the player may perceive an advantage in being entered into another drawing. Subsequent drawings may include larger potential awards, furthering the idea that a loss in the daily or even weekly drawing may
15 be advantageous. Also, as discussed above, the status of a player's particular entry in a series of drawings may be stored and shown to the player in a tracking system as discussed above.

In one alternative, second chances may be provided to winners also. In one embodiment, bonus play may be entered using bonus play credits. In one example, rather
20 than received a standard number of credits, or a predefined number of credits, players may be provided an opportunity to spin a prize wheel to determine how many bonus play credits they receive. A player may be limited to one bonus play spin per day, per visit, or to some other limitation on number of spins.

According to another aspect, gambling location operators (e.g., a casino operator)
25 can add their own currency to the prizes won by players. In one example, players enter and play bonus games as described above and based on the casino's prize matrix, some or all players will be given additional bonus game credits to use and their bonus play experience will continue. In some embodiments, rather than receive a final results message after winning a sweepstakes entry, players destined to continue are presented with a wheel to
30 spin to determine what currency they will be playing for, as well as how many credits they will receive.

- 108 -

Credits may be used as discussed, including the possibility to play a second chance game. In one example, when a player's credits are used, the player is shown a final results message, listing all prizes won during the entire session.

In one example, the sweepstakes may be provided in association with a bonus
5 play system and/or games as discussed more particularly in U.S. Patent Application
Serial No. 11/840,262 entitled "METHOD AND APPARATUS FOR PROVIDING
PLAYER INCENTIVES" filed August 17, 2007, incorporated herein by reference in its
entirety.

Figure 1 illustrates one example of a process for providing bonus play to a player
10 according to some aspects of the invention. The process shown in Figure 1, may be used
to provide for a player to redeem a bonus award. In one embodiment, an example process
includes acts of invitation, identification, qualification, play and action. At step 110 is
invitation, wherein a person is invited to participate, for example, through a web-site, a
notification delivered via e-mail, during the course of gaming, during the course of
15 gambling, at the conclusion of gaming and/or gambling, at initiation of gaming and/or
gambling, where the gaming and/or gambling occur at a gambling location or at an
affiliated location, among other options.

Step 120 includes identification, where the person's identity is ascertained. The
player may be identified as a participant in a frequent player program, as a member of an
20 affiliate program, a subscriber to a web-site, etc. Although one should appreciate that the
steps in Figure 1, may occur in different order, some steps may be consolidated, and some
steps can be omitted. In one particular example, identification may not be required until
redemption is attempted. Step 130 is a test of qualification, wherein the person is
measured against predefined criteria to determine if they are eligible to participate. If the
25 person is unqualified, she is excluded from play 140. Predefined criteria may take many
forms are discussed in greater detail above. In some examples, qualification may include
membership to a particular web-site, for example, a gaming web-site.

Qualified persons are presented an opportunity to play all or portions of an
electronic game 150, which includes a plurality of outcomes, at least one of which is a
30 winning outcome. When electronic game play concludes, depending on outcome, the
person may be offered an opportunity to take an action 160. Awards earned by taking the
action are then redeemed 170. In one embodiment of the invention, the steps of action 160

- 109 -

and redemption 170 may be combined into a single step. Tickets may be used with invitations to play bonus games, and additionally may be used in conjunction with redemption of bonus awards.

In one example, bonus play invitations are delivered without requiring tickets, and
5 at a determination that a winning outcome was achieved, a ticket and/or coupon is generated to permit the player to redeem the award. Awards can take many forms as discussed herein (nominal monetary awards, large monetary awards, entries into other games, free gambling awards, free gambling awards redeemable at certain times and/or locations and/or on certain games, etc.). Other processes may be used in conjunction with
10 redemption tickets, to first provide access to bonus play, for example, Fig. 2. Illustrates another example process. Redemption tickets and/or coupons are specifically configured to permit redemptions to occur through participation of a bonus game operator. In some examples special redemptions systems are provided to a gaming establishment to facilitate bonus operator participation in the redemption process.

15 According to some embodiments of redemption a process and/or system, the initial steps of providing entry into a bonus game are not important. Upon determination of an award that may be redeemed according to the bonus play setup parameters, it can be the linking of the award to bonus game operator's system(s) that facilitates the accurate and timely communication of redemptions information to the bonus game operator.

20 Figure 20 illustrates one example of a process, 2000, for redeeming an award earned in a bonus play game, although one should appreciate that the process is an example and the order of the steps should not be interpreted as limiting, in addition, certain steps may be consolidated into one providing for different process flows.

At step 2002, it is determined that the player has earned a bonus play win, in a
25 bonus play game. Automatic printing of a redemption ticket may occur, 2010, if automatic printing is configured 2004 (YES) on a device being used by the player to participate in the bonus play game. Devices used by a player may include a home computer system with an attached printer, such home computer systems may be general purpose computer systems as described in Fig. 14 and 15, for example general purpose
30 computer systems 1400 and/or 2110. Often a player device may be configured in a client server relationship with a web page being hosted on a server system, that provides access to a player device (client system) although one should appreciate that other architectures

- 110 -

may be employed. Automatic printing may be preconfigured on a player device through preferences associated with a particular player using for example a user profile with user name and password. Automatic printing may occur by generating a print request for a default printer, for systems where a default printed is attached, the print request may
5 occur automatically. In some player devices, the player must affirmatively provide authorization for the bonus play game to print on the device automatically. For systems where automatic printing is not configured 2004 (NO), the bonus play game interface can display instructions at 2006, for printing a coupon and/or ticket for redeeming the award. At 2008, the player selects print according to the instructions provided and at 2010 a
10 coupon and/or ticket is printed. Step 2002 may include for example, sub-process, 2200, for associating a winning outcome with an identifier.

Although, one should appreciate that process 2200, can be implemented separately, and/or in conjunction with other processes. At 2202 a bonus game system provides a winning outcome to a player, and at 2204, the bonus game system (which can be for
15 example a general purpose computer system, 1400) associates the winning outcome with an identifier. The identifier and associated outcome may be stored on the same system that provides the bonus game for a player to play, or the identifier and associated outcome may be stored on a separate system. Typically, the identifier and outcome can be stored in a database. In alternative, outcomes can be predetermined, and the association already
20 stored. In one example, once a predetermined outcome is presented the record may be updated to reflect that that particular outcome has been accessed and is valid for redemption. In some embodiments, where a redemption coupon and/or ticket is generated, the bonus game system transmits information configured for retrieving the outcome, at 2206, for example to a player's system. The information may be printed on a redemption
25 coupon as for example a bar code. The bar code can be scanned at a location specified in the instructions provided redemption, at 2208, and a request can be communicated to bonus game operator systems with the information encoded in the bar code. In response to the request a bonus game operator's system can communicate an award/outcome.

Referring again to Fig. 20, a player can redeem a printed coupon at a gaming
30 location. In some embodiments, the coupon includes a bar code for retrieving a bonus play award, in other embodiments the coupon is generated with an identifier for retrieving the bonus play award. In other embodiments the identifier can be used to retrieve a

- 111 -

portion of an encryption key, that in conjunction with the identifier can be used to retrieve an award. At 2014, personal at a gaming location (e.g. a gambling location), can process the coupon, for example by scanning the bar code. In one alternative, the player may process the coupon themselves at a kiosk configured to process coupons. At 2016, the
5 processing device (e.g. a bar code scanner system, magnetic card reader system, etc.) communicates to the bonus game operator to retrieve the bonus play awards referenced by the identifier on the coupon and/or ticket. AT 2018, any bonus award is determined by the bonus game operator's systems, which communicates back to the processing location any bonus award. The communication back to the processing location can occur directly to the
10 processing system, can occurs to location operator's system(s), among other options. In response to the communication of the bonus play award, the player is provide the award, 2020.

As discussed above, bonus awards may take many forms, for example, the awards may be an entry into a sweepstake. At 2022 (YES) the award is an entry into a
15 sweepstake, and at 2024, the player is entered into a sweepstake according to the sweepstake's rules. In one example, a winning player who redeems an award in the bonus game by visiting a gambling location to redeem the bonus award is entered into a sweepstakes, at 2024. The sweepstakes drawings can be are performed on a daily basis. In another embodiment, a player who does not win the daily drawing may be automatically
20 entered into a following drawing at 2026, which can be a weekly drawing, and/or monthly drawing, up to some threshold of entries. Such a threshold may be predetermined or may be determined dynamically. The threshold can be determined in association with information about the player, for example, a player with a higher determined value and/or standing may received a higher threshold for entries. Although daily, weekly, and
25 monthly drawings may be performed, it should be appreciated that other drawing periods and hierarchies of periods may be used.

In one example, the only requirement for automatic entry in subsequent drawings is not winning the prior or a prior drawing. One should appreciate that a player may be entered into any number of follow up drawings, and the particular number of drawings and
30 their frequencies should not be interpreted as limiting. In another example of a bonus gaming system, a player who achieved and redeemed a bonus award to gain an entry into a sweepstakes need not be precluded from participation in later sweepstakes drawings even

- 112 -

if the player wins a sweepstakes drawing. In one example, even the winner of the daily drawing is entered in subsequent sweepstakes, for example, weekly and/or monthly sweepstakes drawings, and the winners of those drawings may also participate in subsequent drawings up until a final drawing.

5 Other awards may be provided, at 2022 (NO) more bonus play can be awarded. At 2028 (YES) additional bonus play is awarded to the player, which can be additional bonus credits, at 2030, for use in bonus play games provided at the redemption location or outside the redemption location. Bonus play credits can be used as describe in greater detail above with respect to credits, and further can be accumulated by a player and
10 associated with a player identifier. At 2028 (NO), the bonus award can take the form of a location custom award 2032 (YES). At 2034 a custom award is delivered to a player, and the delivery of the award is tracked. Tracking can occur through the bonus game operator's systems and can occur through the redemption location's systems, and can also be performed by both systems. A customized award can further a location's own branding
15 and interests (e.g., frequent player points in the particular casino's system, a comp award in a casino property, customized currency, etc.). A custom award can take the form of a spinning wheel, which has indicia indicating the form of the customized currency that the player may receive. Additionally a spinning wheel can present different amounts of the customized currency the player may receive. If the award is not a customized award, 2032
20 (NO), the players receives a combination award at 2036, that is delivered to the player, and the redemption of the bonus award is tracked. Tracking may occur through bonus game operator's systems, may occurs through processing systems associated with the location, and may include a combination of both systems.

 Figure 21 illustrates one example of a block diagram of a system
25 implementing certain aspects of the invention, although it should be appreciated that more or less components may be used, and different components may be substituted for those shown. Shown in Figure 21 is an example of a bonus play and redemption environment, 2100. At 2101 shown is a bonus game server, connected to a communication network 2106, through which a player 2116 can connect to the bonus play server 2102,
30 through for example a general purpose computer 2110. A bonus game interface, 2108, can be displayed on 2110 that permits a player to select from a plurality of bonus game. The interface can permit a player to access a single game or select from multiple games. The

- 113 -

bonus game interface 2108 may be displayed in response to a player accessing a web site, through which a bonus game server 2102 is accessed. Communication network 2106 can be operatively connected to other communication networks, for example, the Internet, permitting any player 2116 to access bonus games for play. In some embodiments, 5 general purpose computer 2110 is connected to a printer 2114. The printer can be used to print redemption coupons 2112 and/or redemption ticket for players who achieve an award in the a bonus play game. In one embodiment, a coupon is printed with a bar code that is used to retrieve any bonus award, in response to redemption. A coupon can be generated in response to information provided by the bonus game server 2102, and further the 10 information used to retrieve an award may be stored in database 2104 for later access. In one example the information is accessed in response to the player redeeming the award. In one alternative, bonus game server may be associated with a plurality of bonus games stored for example in database 2104. In another example, database 2104 is used to stored associations with bonus awards, and in another example, database 2104 is use to store the 15 awards themselves. In another alternative, bonus game server 2102 is part of a bonus game operator's system, and other computer systems within the bonus game operator system may be used to process and/or store award information for later redemption.

Redemption of bonus awards can occur at a gaming location 2128. Gaming location 2128 may be a gambling establishment with its own processing and gaming 20 systems, and may also include a CMS. A processing system is used when processing redemptions, for example, bar code processing system 2122, which includes a bar code scanner and a communication device 2124. Communication device 2124 can be a wireless communication device, and can be a wired communication device. Communication device 2124 can be operatively connected to the gaming location's communication 25 network, 2118, wirelessly and can be hard wired into 2118. In one example, both options are used to provide redundancy. In another example communication device can communicate to a another communication device, e.g. 2120, wireless communication device, that is operatively connected to communication network 2106. One should appreciate that operatively connected should be read to include the use of other networks, 30 multiple networks, etc, and should not be limited to a direct connection to a network on which bonus game server 2102 is connected.

- 114 -

Player 2116, processing a redemption ticket and/or redemption coupon, e.g. 2112 coupon with bar code, at gaming location 2128. In one example, a process for redeeming a bonus award, is shown in Figure 23. At 2302, redemption information is presented, for example as a coupon with a bar code. Bar code processing system retrieves the
5 information on the redemption coupon and/or ticket and transmits the information using communication device 2124, at 2304. In one embodiment, information is transmitted to a bonus game operator system, for example at 2102, bonus game server. The transmitted information is used to retrieve a bonus award, at 2306, which may be stored on the bonus game operator's system, for example within database 2104. The retrieved award
10 information is transmitted to a redemption location at step 2308, for example back to the gaming location 2128, and the award is provided to the player at step 2310.

Special Redemption System

A special incentives system (e.g., system 2402) according to one embodiment of
15 the invention may comprise of a number of components for performing specific functions as shown in Figure 24. These components may include, for example, a storage component that stores data structures having information relating to special redemption programs and odds. For example, such information may include redemption program dates, time, and location, a member's betting and win history, and program odds. A redemption system
20 may also include components to access remote bonus award data structures.

A special redemption system, according to one embodiment, may also include a redemption engine. A redemption engine may perform, for example, any or all functions required to process a bonus award redemption for a player. The player's bonus awards may be stored and tracked by a computer system, as well as other information associated
25 with the player. In one example, a redemption system (e.g., typically independent from a gaming location's management system) may process bonus award redemptions and provide the awards to players. Alternatively, the redemption engine may process bonus award redemptions and provide the awards to players. However, it should be appreciated that there may be many different systems that are capable of processing bonus award
30 redemptions and/or providing the awards to a player.

Sweepstakes Examples

According to another aspect of the invention, bonus awards may come in a number of forms including entries into sweepstakes. In some embodiments the type and nature of the sweepstake award can be important. In one example a player can be permitted to earn sweepstakes multipliers. In another example, a player can be permitted to bank sweepstake entries. In one embodiment, banking of entries can be used in conjunction with sweeps entry multipliers and the number of sweeps entries awarded to a player can be multiplied permitting a player to bank additional sweeps entries. In some embodiments, the player determines how many entries s/he wishes to bank, permitting a player to bank some, all, or none of multiplied sweeps entries. In some embodiment, a player is permitted to select from a plurality of sweepstakes games, in for example a user interface displayed on a computer system. In one example, a player is able to assign sweepstakes entries to any of the displayed plurality of sweepstakes games, and in another example, the player is permitted to assign multiple entries in some or all of the plurality of sweepstakes games.

According to another embodiment, entries are awarded into a sweepstakes that itself provides entries in another game as a prize(s) for winning the sweepstakes. In one example, entries in the sweepstakes can be accumulated, and/or banked to increase chance of winning an entry in the another game.

According to another embodiment, a player is provided an account for accumulation of entries into sweepstakes games. Certain entries can be displayed in groups, for example, unlimited sweeps entries can be presented together. Unlimited sweeps entries include for example, sweepstakes entries without a time period for redemption, without a required redemption location, among other examples. The groups may include groupings based on the number of limitation, or on commonly limited entries. In one example, entries that will expire within a certain time can be presented together. In one embodiment, all entries that expire within one week are presented together. Other grouping can be used and be displayed within larger groups, for example, expires in one week and must be redeemed at a specific location.

According to another aspect, accumulated entries can be transferred to other players. In one embodiment, a group of players is permitted to aggregate their entries and enter into sweepstakes games as a group. In another embodiment, a player is permitted to

- 116 -

exchange sweeps entries with another player. In one example, a player with entries that expire this week may desire to trade with a player who has entries that expire in a month, to coincide with a visit to a redemption location.

In some embodiments, a sweepstakes game has a limited number of permitted
5 entries. By accumulating entries, a player can capture all of the entries into a sweepstakes game, guarantying a prize. In some embodiments, sweeps entries can be associated with a time period. In some example, the time period controls expiration. In some examples, the time period controls the value of the entry. The sweeps entry award can be related for example to 100 entries if redeemed within a certain time period, afterwards the number of
10 entries is reduced. Similarly reductions in the number of entries can be performed at stated intervals, week, month, day, etc. The number of associated entries can begin at for example 100, and be reduced at each interval by 25, to 75 at week 1, 50 at week 2, etc. One should appreciate that any start value could be used and any increment used to reduce the start value number of entries based. The invention should not be read as limited to any
15 start value, decrement value, or interval.

In one example, a system employs:

- Sweeps entry multipliers
- sweeps to win entry into another game
- sweeps entries bank
- 20 ○ limited entry sweepstakes that permit a person could bank for example 1,000 entries and win.
- sweeps entry degradation - use the sweeps in the first week, they are worth 100; second week 75; third week 50... providing some erosion in the number as they are retained in any bank

25

User Controlled Sweepstakes Entries Examples

According to one aspect, example systems and methods provide the capability for a player/sweepstakes participant to monitor their entries into a specific drawing or set of drawings. In some embodiment, the participant is permitted to see total entries into the
30 drawing and winners from previous drawings. User interfaces can be provide to insure participant are able to review this information in near-real time and facilitates a much better sweepstakes experience for any participant.

- 117 -

In some embodiments, these capabilities are implemented in a system where the participant is allowed to take an action, such as redeeming a coupon, that then awards the participant sweepstakes entries for current or future sweepstakes drawings of his/her choosing. The participant can be presented a user interface on a computer system with a
5 listing of the current sweepstakes that are accepting entries along with any entries the participant may already have entered into those sweepstakes. In one example, the participant elects to defer the choice of entering one of the current sweepstakes and places their entries into a repository for future use. Sweepstakes entries can have associated expiration or use policies (e.g. expiration date, only good for certain promotions, variable
10 effective value). In some embodiments, the expiration and/or use policies include requirements on location at which redemption is permitted, and in other embodiments, the location of redemption may influence the other expiration or use policies, providing for a longer and/or shorter expiration period depending on the location selected at which to redeem, among other options.

15 In some embodiments, the repository tracks expiration and use policies for all sweepstakes entries being stored in the repository. The participant is permitted to monitor (manually or via a rules-based proxy) current and future sweepstakes to determine if/when to assign sweepstakes entries to a specific sweepstakes.

One example, implementation includes:

- 20 - Rules-based proxy for assigning entries
 - o In one example, a player is permitted to configure their account to play entries into sweepstakes based on preferences they select
- Display of current/future sweepstakes
 - o In one example, a player is permitted to manually select current and
25 future sweepstakes on which to use entries
- Display management feature
 - o In one example, permits player to customize display to filter out sweeps that don't meet a minimum value, and/or maximum value
 - o In one example, permits player to customize display to present sweeps
30 only with a minimum value, and/or maximum value
 - o In one example, permits player to customize display to show only sweeps with specific win/loss/odds characteristics

- 118 -

- Repository system
 - o In one example, a repository includes balance statements, maintenance fees, and the ability to trade entries
- Entries are associated with expiration and use policies
 - 5 o In one example, entries include variable valuations

Having now described some illustrative embodiments of the invention, it should be apparent to those skilled in the art that the foregoing is merely illustrative and not limiting, having been presented by way of example only. Numerous modifications and other illustrative embodiments are within the scope of one of ordinary skill in the art and are contemplated as falling within the scope of the invention. In particular, although many of the examples presented herein involve specific combinations of method acts or system elements, it should be understood that those acts and those elements may be combined in other ways to accomplish the same objectives. Acts, elements and features discussed only in connection with one embodiment are not intended to be excluded from a similar role in other embodiments. Further, for the one or more means-plus-function limitations recited in the following claims, the means are not intended to be limited to the means disclosed herein for performing the recited function, but are intended to cover in scope any means, known now or later developed, for performing the recited function.

As used herein, whether in the written description or the claims, the terms “comprising”, “including”, “containing”, “characterized by” and the like are to be understood to be open-ended, i.e., to mean including but not limited to. Only the transitional phrases “consisting of” and “consisting essentially of”, respectively, shall be closed or semi-closed transitional phrases, as set forth, with respect to claims, in the United States Patent Office Manual of Patent Examining Procedures (Eighth Edition 2nd Revision, May 2004), Section 2111.03.

Use of ordinal terms such as “first”, “second”, “third”, “a”, “b” “c” etc., in the claims to modify or otherwise identify a claim element does not by itself connote any priority, precedence, or order of one claim element over another or the temporal order in which acts of a method are performed, but are used merely as labels to distinguish one claim element having a certain name from another element having a same name (but for use of the ordinal term) to distinguish the claim elements.

- 119 -

CLAIMS

1. A method for providing player incentives, the method comprising:
providing at least one device associated with redemption of bonus play awards to
5 a gambling location operator;
providing an entry to a player to a bonus play game;
permitting the player to play a bonus play game away from a gambling location;
determining an award won by the player in the bonus play game;
requiring that redemption of the bonus play prize occur at the gambling location;
10 providing for identifying the entry at the gambling location using the at least one
device;
accepting, by a bonus game operator's computer, redemption information relating
to the entry;
validating, by the bonus game operator's computer, the redemption information;
15 identifying the bonus play prize associated with the redemption information; and
transmitting bonus play prize information to the redemption location.
2. The method according to claim 1, further comprising an act of providing a
printable coupon with a bar code, wherein the bar code encodes information associated
20 with the bonus game.
3. The method according to claim 2, wherein the act of providing for identifying
includes an act of scanning the bar code.
- 25 4. The method of claim 1, further comprising an act of conducting the sweepstakes
drawing.
5. The method of claim 4, further comprising an act of entering at least one losing
sweepstake participant into at least one additional sweepstakes drawing.
- 30 6. The method of claim 4, further comprising an act of entering at least one
sweepstake participant into at least another sweepstakes drawing.

- 120 -

7. The method of claim 1, wherein the sweepstake drawing is periodic.
8. The method of claim 1, wherein the bonus play prize comprises at least one additional bonus play entry.
- 5 9. The method of claim 1, further comprising an act of permitting the gambling location operator to provide additional incentives to the player.
- 10 10. The method of claim 9, wherein the additional incentives comprise a custom currency.
11. The method according to claim 1, wherein the bonus play prize comprises at least one entry into a sweepstakes drawing.
- 15 12. The method according to claim 1, wherein the bonus play prize comprises at least one of a group comprising:
a cash prize;
frequent player program points;
custom currency;
20 services; and
merchandise.
13. The method according to claim 1, wherein providing for identifying the entry at the gambling location using the at least one device includes acts of identifying an
25 identity of the player and the determined award.
14. The method according to claim 1, further comprising an act of providing the bonus play prize to the player.
- 30 15. A system for managing a player incentive program, the system comprising:
a bonus play gaming interface configured to present bonus play games to a player outside of the gambling location, wherein the bonus play gaming interface is further

- 121 -

configured to generate an award;

a redemption component configured to redeem the award at a gambling location;

and

a validation component configured to receive redemption information, and further
5 configured to validate a redemption.

16. The system according to claim 15, wherein the redemption component is independent of the gambling location systems.

10 17. The system according to claim 15, wherein the redemption component is operatively connected to a communication network of the gambling location.

18. The system according to claim 15, wherein the entry into the sweepstakes is represented by a printed coupon having a bar code for redemption of a bonus play prize.

15

19. The system according to claim 18, wherein the redemption component further comprises:

a bar code scanner configured to scan a bar code from a coupon, wherein
the

20 bar code scanner is operated at a gambling location; and

a communication component operatively connected to the bar code scanner
configured to communicate with a bonus game operator.

20. The system according to claim 15, wherein the redemption component is
25 configured to redeem the entry without use of redemption systems controlled by the gambling location.

21. The system according to claim 15, wherein the redemption component is configured to report a redemption in real time to a bonus game operator.

30

22. The system according to claim 15, wherein the redemption component is configured to transmit redemption information to a bonus game operator.

23. The system according to claim 15, wherein the award comprises at least one entry into a sweepstakes drawing.

24. The system according to claim 15, wherein the award comprises at least one of a group comprising:

- a cash prize;
- frequent player program points;
- custom currency; services; and
- merchandise.

25. The system according to claim 15, wherein the redemption component is configured to identify an identity of the player and the determined award.

26. The system according to claim 15, wherein the bonus play prize includes an entry into a sweepstakes game.

27. The system according to claim 26, further comprising a repository component configured to accumulate entries into the sweepstakes game.

28. The system according to claim 27, further comprising an entry component configured to permit the player to selectively redeem entries into the sweepstakes game, and further configured to permit the player to select at least one sweepstakes game to enter from a plurality of sweepstakes games.

GameLogic Inc.

Patent Attorneys for the Applicant

SPRUSON & FERGUSON

1/24




FIG. 1

2/24




FIG. 2




FIG. 3

4/24




FIG. 4A

5/24




FIG. 4B

6/24




FIG. 5

7/24




FIG. 6

8/24


Process
700 →

FIG. 7

9/24




FIG. 8

10/24




FIG. 9

11/24




FIG. 10




FIG. 11

13/24




FIG. 12

14/24




FIG. 13

15/24




FIG. 14

16/24




FIG. 15

17/24

1600 →




FIG. 16




FIG. 17




FIG. 18




FIG. 19

21/24




FIG. 20

22/24




FIG. 21

23/24




FIG. 22




FIG. 23

24/24




FIG. 24