



(51) International Patent Classification:
G06F 19/00 (2011.01)

(21) International Application Number:
PCT/US2012/059609

(22) International Filing Date:
10 October 2012 (10.10.2012)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/545,480 10 October 2011 (10.10.2011) US
61/622,930 11 April 2012 (11.04.2012) US
61/623,032 11 April 2012 (11.04.2012) US
61/712,153 10 October 2012 (10.10.2012) US

(71) Applicant (for all designated States except US): **ABBOTT BIOTECHNOLOGY LTD.**; Clarendon House, 2 Church Street, Hamilton, HM11 (BM).

(72) Inventors; and

(71) Applicants (for US only): **STUECKEMANN, Peter, Carl** [US/US]; 1991 Countryside Drive, Libertyville, IL 60048 (US). **DUBEY, Pankaj** [IN/US]; 37001 N. Fernview Lane, Lake Villa, IL 60046 (US). **LANIER, Richard, F.** [US/US]; 1144 Carberry Circle, Inverness, IL 60067 (US). **VENKATARAMANAN, Prakash** [IN/US]; 4536 W. Hill Avenue, Waukegan, IL 60085 (US). **JINDAL, Vaibhav** [IN/US]; 1250 S. White Oak Drive, Apt. 1336, Waukegan, IL 60085 (US). **SWORD, Shannon,**

Marie [US/US]; 17698 W. Running Creek Court, Gurnee, IL 60031 (US).

(74) Agent: **HULSEBERG, Daniel, J.**; Baker Botts LLP, 30 Rockefeller Plaza, New York, NY 10112-4498 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report (Art. 21(3))

[Continued on next page]

(54) Title: MANAGING HEALTHCARE SERVICES




FIG. 1

(57) Abstract: System and method for facilitating a medical order/prescription of a prescription product, including a memory device to store predefined forms for the prescription product corresponding to a plurality of providers. A receiver receives prescription product information for the prescription product, patient intake information for the patient, including provider information for the patient, and a benefits summary related to the patient. A transmitter transmits the benefits verification request. A processor can be configured to generate the benefits verification request for the patient based on the patient intake information, select one of the predefined forms based on at least the patient provider information, populate at least one field of the selected predefined form based on the user intake information, and release the populated predefined form to facilitate a medical order/prescription of the prescription product to the patient.

WO 2013/055828 A1

- *before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))*

MANAGING HEALTHCARE SERVICES

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is related to U.S. Provisional Application Serial No. 61/712,153, filed on October 10, 2012, U.S. Provisional Application Serial No. 61/623,032, filed April 11, 2012, U.S. Provisional Application Serial No. 61/622,930, filed April 11, 2012, and U.S. Provisional Application Serial No. 61/545,480, filed October 10, 2011, each of which is incorporated herein by reference in its entirety and from which priority is claimed.

BACKGROUND

10 The disclosed subject matter relates to healthcare services and, more particularly, to facilitating, coordinating, or managing healthcare products and/or services, such as pharmaceutical products, drugs, medical devices, or other prescribed medical treatments.

When a patient is consulting with a healthcare providers (HCP), such as a doctor or a nurse practitioner, the healthcare providers may prescribe a specific healthcare product or service to the patient (e.g., as a part of the patient's diagnosis or treatment). As an example, the healthcare providers may prescribe a medication (e.g., a pharmaceutical or biologic product) or a medical device (e.g., an oxygen cart) to the patient. As another example, the healthcare providers may refer the patient to another healthcare provider who is a specialist in a specific field (e.g., a general practice doctor may refer the patient to a cardiologist).

If the patient has medical insurance, sometimes, the patient's medical insurance provider may be obligated to pay for part or all of the cost of the product or service the healthcare providers has prescribed to the patient. However, for some types of prescription products or services, an insurance provider may require a specific type of authorization or approval, often referred to as "prior authorization" (PA), before it is willing to pay for the products or services prescribed to a patient.

Some prescription product sellers (e.g., pharmacies) or prescription service providers permit a healthcare provider to transmit a prescription electronically for a product or service to the product sellers or service providers (e.g., via fax, electronic prescription, electronic document sharing site, file transfer protocol (FTP) site,

electronic transmission, transmission of an image, or electronic mail (email)). For example, a doctor may electronically transmit a prescription for a pharmaceutical drug to a pharmacy to be filled. Upon receiving insurance information from the patient for whom the pharmaceutical prescription is written, the pharmacy may need to contact the patient's insurance provider to determine if the insurance provider requires prior authorization for the prescribed pharmaceutical drug before the insurance provider agrees to pay for the drug. As used herein, the term pharmaceutical prescription shall be understood to include drugs, pharmaceutical products, medical devices, medical therapies as well as other products that require a prescription from a licensed HCP.

Furthermore, a healthcare provider may issue a medical order, such as for a treatment or the like. If PA is required, the patient's insurance provider sends the appropriate PA form to the HCP who has written the prescription and the HCP completes and signs the form. The HCP then transmits or sends the completed PA form or request for products and/or services to the patient's insurance provider. Upon receipt and approval of the PA form by the patient's insurance provider, the insurance provider transmits an approval of benefits to the pharmacy, at which time the pharmacy may fill the prescription and dispense the product to the patient.

Such a process for obtaining prior authorization for a prescription product or service is inconvenient, time consuming, and requires numerous people to process and transfer the necessary paperwork as well as potentially exposes multiple people to the patient's confidential health information. Due to this complex system, the risk arises that prescriptions may go unfilled due to lost paperwork, or lack of access to financial or training materials. Thus, under the current system, many patients today may not have access to necessary medical treatment.

Moreover, various services and/or benefits may be available to a patient from third parties. If the patient is unaware of these services and benefits, the patient may not be able to take advantage of such available benefits and may not fulfill the prescription due to financial constraints or lack of understanding on how to use the product and/or service. Further, the third parties may not be able to directly contact the patient without the patient's prior consent.

SUMMARY

In one aspect of the disclosed subject matter, a system for facilitating a medical order/prescription of a prescription product for a patient covered by a provider includes at least one memory device to store a plurality of predefined forms for the prescription product. The plurality of predefined forms can correspond to a plurality of providers. The system includes a receiver to receive prescription product information for the prescription product and patient intake information for the patient. The patient intake information comprises provider information for the patient. The receiver further receives a benefits summary related to the patient in response to a benefits verification request. The system includes a transmitter to transmit the benefits verification request, and a processor configured to generate the benefits verification request for the patient based on the patient intake information. The processor is also configured to select one of the predefined forms based on at least the patient provider information, populate at least one field of the selected predefined form based on the user intake information, and release the populated predefined form to facilitate the medical order/prescription of the prescription product to the patient.

As embodied herein, for illustration, facilitating the medical order/prescription can include facilitating a prescription of the prescription product or facilitating approval of a payment for the prescription product. The provider can include an insurance carrier, a governmental agency, or other third party payor. The prescription product can include a medical product, a medical service, or an administration of a medical product. The prescription product can include a biologic product, such as adalimumab. The predefined forms can include at least one prior authorization form. Additionally, the at least one memory device can store a second plurality of predefined forms for a second prescription product, the second plurality of predefined forms corresponding to a plurality of providers. In an exemplary embodiment, the processor can be configured to automatically select one of the predefined forms based on the patient provider information.

Furthermore, as embodied herein, for illustration, the transmitter can be configured to transmit the benefits verification request to a benefits verifier, and the receiver can be configured to receive the benefits verification summary from the benefits verifier. In an exemplary embodiment, the receiver can be configured to receive information about the predefined forms from the benefits verifier, and the processor can be configured to select one of the predefined forms based on the patient

provider information and further based on the information about the predefined forms received from the benefits verifier. The transmitter can be further be configured to transmit a request for additional patient information, and the processor can be further configured to receive the additional patient information and populate at least one field of the selected predefined form with the additional patient information. The additional patient information can include information required for the selected predefined form and not included in the patient intake information or the prescription product information for the prescription product. The processor can be configured to release the populated predefined form to the provider of the patient. The processor can further be configured to generate a prescription document from at least a portion of the prescription product information and the patient intake information, and release the prescription document to a pharmacy.

As embodied herein, for illustration, the system can further include at least one user device to introduce the patient intake information and prescription product information to the receiver. In an exemplary embodiment, the transmitter and receiver can be connected to a network, and the transmitter can be configured to transmit markup language describing a user interface over the network. The user interface can include fields for entry of the patient intake information and the prescription product information.

A user device, such as a tablet, mobile phone, or laptop, can be connected to the network, and can include a memory for storing data and a processor configured to parse the markup language and display the user interface, store in the memory the patient intake information and prescription product information entered into the fields of the user interface, and transmit the patient intake information and prescription product information to the receiver. In an exemplary embodiment, the processor of the user device can be further configured to receive a healthcare provider signature and generate a prescription document from the prescription product information. Additionally, the processor of the user device can be configured to transmit the prescription documents to a pharmacy. In an exemplary embodiment, the system can further include a scanning device communicatively coupled to the at least one user device, the processor of which can be configured to receive one or more images of a patient information document, such as a license or a medical insurance card, from the scanning device, extract at least part of the patient intake information from the image

of the patient information document, and automatically populate at least one field of the user interface.

In another aspect of the disclosed subject matter, a method for facilitating a medical order/prescription of a prescription product for a patient covered by a provider includes providing at least one memory having stored therein a plurality of predefined forms for the prescription product, the plurality of predefined forms corresponding to a plurality of providers. The method includes receiving patient intake information comprising provider information of the patient and prescription product information for the prescription product and generating, by a processor, a benefits verification request for the patient based on the patient intake information. A benefits summary can be obtained based on the benefits verification request. One of the predefined forms can be selected, by a processor, based on at least the patient provider information and the benefits summary, and at least one field of the selected predefined form can be populated based on the patient information. The method includes facilitating the medical order/prescription of the prescription product to the patient with the selected predefined form.

Furthermore, as embodied herein, facilitating the medical order/prescription can include facilitating a prescription of the prescription product or facilitating approval of a payment for the prescription product. The provider can include an insurance carrier, a governmental agency, or other third party payor. The prescription product can include a medical product, a medical service, or an administration of a medical product. The prescription product can include a biologic product, such as adalimumab. The predefined forms can include at least one prior authorization form. Additionally, the method can further include selecting a prescription product from a number of possible prescription products, the memory having stored therein a plurality of predefined forms for each possible prescription product. In an exemplary embodiment, selecting one of the predefined forms can include automatically selecting, by the processor, one of the predefined forms.

As embodied herein, for illustration, obtaining the benefits summary can include transmitting the benefits verification request to a benefits verifier and receiving the benefits summary from the benefits verifier. In an exemplary embodiment, the method can include receiving information about the predefined forms from the benefits verifier, and selecting one of the predefined forms based on

the information about the predefined forms received from the benefits verifier. In an exemplary embodiment, the method can further include requesting additional patient information. Additionally, additional patient information can be received and at least one empty field of the selected predefined form can be populated with the additional patient information. The additional patient information can include information required for the selected predefined form and not included in the patient intake information or prescription product information for the prescription product. The populated predefined form can be released to the provider of the patient.

As embodied herein, for illustration, the method can further include receiving a healthcare provider signature, generating a prescription document from the prescription product information, and releasing the prescription document to a pharmacy. In an exemplary embodiment, method can include transmitting markup language describing a user interface over a network. The user interface can include fields for entry of the patient intake information and the prescription product information.

As further embodied herein, for illustration, the method can include, at a user device, such as a tablet, mobile phone, laptop, or desktop computer, parsing the markup language and displaying the user interface, storing in the memory the patient intake information and prescription product information entered into the fields of the user interface, and transmitting the patient intake information and prescription product information to the receiver. Additionally or alternatively, the method can include, at the user device, generating a prescription document from at least a portion of the prescription product information and the patient intake information, and receiving a healthcare provider signature prior to generating the prescription document. The prescription document can be transmitted to a pharmacy. Additionally or alternatively, the method can include, at the user device, receiving one or more images of a patient identification document, such as a license or an insurance card, from a scanning device communicatively coupled to the device, extracting at least part of the patient intake information from the image of the patient identification document, and automatically populating at least one field of the user interface.

In another aspect of the disclosed subject matter, a non-transitory computer readable medium contains computer-executable instructions that when executed cause

one or more user devices to perform a method of facilitating the medical order/prescription of a prescription product for a patient covered by a provider.

It is to be understood that both the foregoing general description and the following detailed description are exemplary and are intended to provide further explanation of the disclosed subject matter.

The accompanying drawings, which are incorporated in and constitute part of this specification, are included to illustrate and provide further understanding of the disclosed subject matter. It will be appreciated that the drawings are not to scale, and are provided for purposes of illustration only. Together with the description, the drawings serve to explain the principles of the disclosed subject matter.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a block diagram of an exemplary system for facilitating the medical order/prescription of a prescription product in accordance with an embodiment of the disclosed subject matter.

Fig. 2 is a flow diagram of an exemplary method for facilitating the medical order/prescription of a prescription product in accordance with an embodiment of the disclosed subject matter.

Fig. 3A is a block diagram of a server architecture in accordance with an embodiment of the disclosed subject matter.

Fig. 3B is another block diagram of a server architecture in accordance with an embodiment of the disclosed subject matter.

Fig. 3C illustrates an exemplary configuration of a server computer device in accordance with an embodiment of the disclosed subject matter.

Fig. 4 illustrates an exemplary configuration of a user device in accordance with an embodiment of the disclosed subject matter.

Fig. 5 illustrates exemplary embodiments of a user device in accordance with embodiments of the disclosed subject matter.

Fig. 6 is a block diagram of an exemplary system for facilitating the medical order/prescription of a prescription product in accordance with another embodiment of the disclosed subject matter.

Fig. 7 illustrates an example method for obtaining insurance authorizations on prescription products or services.

Figs. 8-47, including **Figs. 22B, 24B, 33B, 39B, 44B, 45b, 45C, 46B, and 47B**, are exemplary screenshots of embodiments of a computer program implementing the systems and methods of the disclosed subject matter.

Figs. 48-65 are exemplary screenshots of other embodiments of a computer program implementing the systems and methods of the disclosed subject matter.

Fig. 66 is a flow block diagram of a drug medical order/prescription management system in accordance with an embodiment of the disclosed subject matter.

Fig. 67 is a flow diagram of a patient intake process using the drug medical order/prescription management system of **Fig. 66**.

Fig. 68 is a flow diagram of a patient opt-in process in accordance with an embodiment of the disclosed subject matter.

Fig. 69 is a flow diagram of a process configured to generate a benefit verification (BV) and E-Prescription in accordance with one embodiment of the disclosed subject matter.

Fig. 70 is a flow diagram of a prior authorization (PA) process in accordance with an embodiment of the disclosed subject matter.

Fig. 71 is a flow diagram of administrator activities to register a facility, staff member, and physician into the drug medical order/prescription management system of **Fig. 66** in accordance with an embodiment of the disclosed subject matter.

Fig. 72 is a system diagram of a computer system in accordance with an embodiment of the disclosed subject matter

Fig. 73 is an exemplary screenshot of a registration window of an embodiment in accordance with the disclosed subject matter.

Fig. 74A-E is a diagrammatical map of an exemplary computer program implementing the system and methods of an embodiment in accordance with the disclosed subject matter.

Fig. 75 is a diagrammatical map of another exemplary computer program implementing the system and methods of an embodiment in accordance with the disclosed subject matter.

Figs. 76-81 are exemplary screenshots of another embodiment of a computer program implementing the systems and methods of the disclosed subject matter.

Throughout the drawings, the same reference numerals and characters, unless otherwise stated, are used to denote like features, elements, components or portions of the illustrated embodiments. Moreover, while the disclosed subject matter will now be described in detail with reference to the figures, it is done so in connection with the illustrative embodiments.

DETAILED DESCRIPTION

The disclosed subject matter relates to techniques for facilitating the medical order/prescription of a prescription product for a patient covered by a provider. The purpose and advantages of the disclosed subject matter will be set forth and apparent from the description that follows. Additional advantages of the disclosed subject matter will be realized and attained by the methods, apparatus, and devices particularly pointed out in the written description and claims thereof, as well as from the appended drawings.

Sometimes, when a patient is visiting and consulting with a healthcare providers (HCP) (e.g., a doctor, a nurse practitioner, or the like) and the healthcare providers prescribes/orders a prescription product (e.g., a prescription medication) and/or service (e.g., a treatment, a referral to a specialist) to the patient, the insurance provider of the patient may require prior authorization for the prescription product or service before the insurance provider agrees to pay for a part or all of the cost of the prescription product or service. To obtain the necessary authorization from the insurance provider, the healthcare providers may need to fill and sign a predefined form, such as a prior authorization form, and send the form to the insurance provider of the patient. The authorization form may include fields for various pieces of information concerning the patient, the prescription product and/or service, and the healthcare provider. The insurance provider may then decide whether it is willing to pay for the prescribed product and/or service based on the information submitted in the authorization form. If the insurance provider approves the prior authorization for the prescription product and/or service, the insurance provider may send an approval of benefits in response.

In accordance with the disclosed subject matter herein, the system for facilitating a medical order/prescription of a prescription product for a patient covered by a provider generally includes at least one memory device to store a plurality of

predefined forms for the prescription product. The plurality of predefined forms can correspond to a plurality of providers. The system includes a receiver to receive prescription product information for the prescription product and patient intake information for the patient. The patient intake information comprises provider information for the patient. The receiver further receives a benefits summary related to the patient in response to a benefits verification request. The system includes a transmitter to transmit the benefits verification request, and a processor configured to generate the benefits verification request for the patient based on the patient intake information. The processor is also configured to select one of the predefined forms based on at least the patient provider information, populate at least one field of the selected predefined form based on the user intake information, and release the populated predefined form to facilitate the medical.

In accordance with the disclosed subject matter, the method for facilitating a medical order/prescription of a prescription product for a patient covered by a provider generally includes providing at least one memory having stored therein a plurality of predefined forms for the prescription product, the plurality of predefined forms corresponding to a plurality of providers. The method includes receiving patient intake information comprising provider information of the patient and prescription product information for the prescription product and generating, by a processor, a benefits verification request for the patient based on the patient intake information. A benefits summary can be obtained based on the benefits verification request. One of the predefined forms can be selected, by a processor, based on at least the patient provider information and the benefits summary, and at least one field of the selected predefined form can be populated based on the patient information. The method includes facilitating the medical order/prescription of the prescription product to the patient with the selected predefined form.

The accompanying figures, where like reference numerals refer to identical or functionally similar elements throughout the separate views, serve to further illustrate various embodiments and to explain various principles and advantages all in accordance with the disclosed subject matter. For purpose of explanation and illustration, and not limitation, exemplary embodiments of the method and system for facilitating a medical order/prescription of a prescription product for a patient covered by a provider in accordance with the disclosed subject matter are described below,

with reference to **Fig. 1** and **Fig. 2**. For purposes of clarity, the method and the system are described concurrently and in conjunction with each other, wherein reference numbers to the method illustrated in **Fig. 2** will be made with parenthesis (), and reference to the system depicted **Fig. 1** will be made without parenthesis.

5 As embodied herein, for illustration, and with reference to **Fig. 1** and **Fig. 2**, techniques for facilitating a medical order/prescription of a prescription product for a patient covered by a provider **40** can include the use of a “prescription manager” **10**. The prescription manager **10** can include at least one memory device **20** and at least one processor. For example, the prescription manager **10** can be implemented on one
10 or more computer systems (a stand alone computer, a server, a server cluster, a distributed computing system, a cloud based computing system, or the like), for example as depicted in **Fig. 3** and discussed in more detail below.

 In an exemplary embodiment, the prescription manager **10** can, for example, be implemented as a web-based software application hosting a corresponding website
15 that includes a number of web pages (e.g., screens). One of ordinary skill in the art will appreciate that web-based software can transmit a user interface to a web-browser using, e.g., markup language such as HTML, XML, or the like, and can communicate with a web browser, e.g., using HTTPS, POST and/or GET requests. Moreover, one of ordinary skill in the art will appreciate that web-based software can be
20 implemented as one or more web-services, and can employ REST, JSON, or the like. The software application can be stored on a non-transitory computer readable medium, such as a CD-ROM, DVD, Magnetic disk, ROM, RAM, or the like, the instructions of which can be read into a memory coupled to the one or more processors of the prescription manager **10**. When executed, the software can instruct
25 the processor to perform a particular function. As described herein below, for purposes of clarity, functionality of the prescription manager **10** may be described generally, without recitation that the processor of the prescription manager **10** is configured to perform the functionality. Alternatively, the prescription manager **10** can be implemented in hard-wired circuitry in place of, or in combination with,
30 software instructions for implementation of the presently disclosed subject matter. Thus, embodiments of the presently disclosed subject matter are not limited to any specific combination of hardware and software, provided such hardware and software are configured to perform the method as disclosed herein.

As embodied herein, the prescription manager **10** facilitates a medical order or the prescription of a prescription product. That is, for example and as described in more detail below, the prescription manager **10** can facilitate the process of prescribing a prescription product to a patient by a healthcare provider, which can include facilitating benefits verification, prior authorization, and/or the generation and/or transmission of a medical order/prescription. Alternatively, the prescription manager **10** can facilitate the approval of payment for a prescription product, including, for example, facilitating prior authorization and/or facilitating approval of a reimbursement for a prescription product. As disclosed herein, a prescription product can include, but is not limited to, a medical product, a medical service, or the administration of a medical product. For example, the prescription product can be a medical product such as a drug, pharmaceutical, biologic, medical device. Additionally or alternatively, the prescription product can be a medical service, such as for example injection training, an eye examination, a spinal alignment, or the like. Additionally or alternatively, the prescription product can be the administration of a medical product, such as for example, the injection of a biologic at the office of a healthcare provider. As disclosed herein, a “medical order/prescription” can include either or both a prescription and a medical order, such as for example, the prescription of a controlled medication, or the medical order of a treatment or the like that need not require a prescription. For purposes of clarity, and not limitation, the description below is made primarily with reference to the process of a prescription. However, one of ordinary skill in the art will appreciate that the description regarding a prescription below can be equally applicable to a medical order. The system can be configured to facilitate only one particular prescription product and/or medical order, or allow for the selection of a prescription product and/or order from a number as stored in the system as further described.

The prescription manager **10** can manage predefined forms for the prescription product and/or service, for example as required by a plurality of providers **40**. For example, the prescription manager **10** can maintain a list of authorization forms corresponding to a plurality of insurance providers **40**. Additionally or alternatively, the prescription manager **10** can maintain a list of predefined forms used by different healthcare providers for different prescription products and/or services. Such

predefined forms can be stored in electronic format (e.g., as Adobe Portable Document Format (PDF) files), in at least one memory device **20**.

The prescription manager **10** can manage the acquisition of certain patient intake information (**21**) (e.g., with one or more suitably configured processors). The prescription manager **10** can include a receiver to receive certain information, such as prescription product information for the prescription product, patient intake information for the patient (including, for example, provider information), and a benefits verification summary. The prescription manager **10** can also include a transmitter for transmitting certain information, such as a benefits verification request. For example, in an exemplary embodiment, the prescription manager **10** can be connected to a network, such as the internet or an intranet, and the transmitter and receiver can include one or more network interface cards adapted to communicate via the network. In this manner, the transmitter and receiver can communicate with, for example, a user device **60**, which can be operated by a healthcare provider and/or a patient. Additionally, the transmitter and receiver can communicate with one or more providers **40**, prescription product sellers **50**, and/or benefits verifiers **30**. Additionally or alternatively, the transmitter and receiver and include input and output ports for communication with hardware adapted to provide data and/or receive and display data. For example, a keyboard and display device can be locally coupled to the prescription manager **10**. As disclosed herein, the terms “transmit” and “receive” can include any means of electronic communications, including for example, TCP/IP, UDP, HTTP, facsimile, or the like. In like manner, the terms “transmitter” and “receiver” can include any device configured to transmit or receive electronic information, such as a network interface card (NIC), fax machine, or the like.

The prescription manager **10** can also manage the verification of benefits (including generation of a benefits verification request and acquisition of a benefits verification summary) for a patient (**31**) (e.g., with one or more suitably configured processors). The one or more processors of the prescription manager **10** can be configured to generate a benefits verification request for a patient based on at least patient intake information. For example, the benefits verification request can be generated based on biographical information, provider information, diagnosis information, and the like transmitted to (received by) the receiver (for example, by user device **60**), as well as information from external sources which need not be

received by the receiver. For example, certain patient intake information can be stored in the at least one memory device **20**. Moreover, in an exemplary embodiment, the benefits verification request can be generated based on prescription product information for the prescription product, which can also be received by the receiver and/or stored in the at least one memory device **20**. In an exemplary embodiment, the benefits verification request can be transmitted to a benefits verifier **30**. The benefits verifier **30** can include any entity that can provide a summary of benefits a patient is entitled to for one or more patient providers **40**. For example, the benefits verifier **30** can include a “pharmacy benefits manager” or “specialty pharmacy services provider,” (which can collectively be referred to herein as “pharmacy receiver”) which can independently generate a benefits verification summary for the patient. The benefits verification summary can be transmitted to (received by) the receiver of the prescription manager **10**.

The prescription manager **10** can manage the selection, population, and release of certain predetermined forms, such as prior authorization forms, for a patient (**51**) (e.g., with one or more suitably configured processors). The one or more processors of the prescription manager **10** can be configured to select one of the predefined forms based on patient provider information (which can be included in the patient intake information), and populate at least one field of the selected predefined form based on the user intake information. For example, the processor can be configured to select the proper prior authorization form required by the patient’s insurance provider and automatically populate fields that correspond to the patient intake information. In an exemplary embodiment, the prescription manager **10** can further be configured to transmit a request for additional patient information and receive additional patient information, for example to and from user device **60**. For example, the additional patient information can include information required for the selected predefined form but not included in the patient intake information or the prescription product information.

The one or more processors can be configured to release the populated predefined form to facilitate the medical order/prescription of the prescription product to the patient. For example, the populated predefined form can be released to an insurance provider **40** of the patient. Alternatively, the populated predefined form can

be released to the benefits verifier **30**, which can in an exemplary embodiment further release the populated predefined form to an insurance provider **40** of the patient.

In an exemplary embodiment, the prescription manager **10** can manage the generating of (**41**) and transmission (**61**) of a prescription document or medical order document for the prescription product for the patient (e.g., with one or more suitably configured processors). For example, the one or more processors can be configured to receive a doctor's signature and generate a prescription document or medical order based on the prescription product information. Furthermore, the one or more processor can instruct the transmitter to transmit the generated prescription document to, for example, a prescription product seller **50**. Moreover, in an exemplary embodiment, the prescription manager **10** can manage certain post-prescription processes (**71**), such as monitoring the status of a patient's prescription or providing the patient with certain additional or supplemental features, as described in more detail below.

Additional or alternative embodiments of the prescription manager **10** are described below, with reference to **Fig. 3**, for purposes of illustration, and not limitation.

With reference to **Fig. 3A**, an exemplary embodiment of the prescription manager, referred to herein as "server system" **112**, can further include database server **116**, an application or transaction server **124**, a web server **126**, a fax server **128**, a directory server **130**, and a mail server **132**. A storage device **134** can be coupled to database server **116** and directory server **130**. Servers **116**, **124**, **126**, **128**, **130**, and **132** can be coupled in a local area network (LAN). a plurality of client sub-systems (also referred to as client systems **114**) can be connected to server system **112**. For example, the client sub-systems **114** can include a user device **60**, which can be operated by a healthcare provider or a patient. Additionally, or alternatively, the client sub-systems **114** can include a computer device operated by a benefits verifier **30**. In an exemplary embodiment, client systems **114** can be computers including a web browser, such that server system **112** is accessible to client systems **114** using the Internet or an intranet. In an exemplary embodiment, client systems **114** are tablet computing devices or any suitable mobile computing device, such as a tablet computer, a notebook computer, a netbook computer, a mobile phone, or the like.

Client systems **114** can be interconnected to the Internet through many interfaces including a network, such as a local area network (LAN) or a wide area network (WAN), dial-in-connections, cable modems, cellular networks, and special high-speed ISDN lines. Client systems **114** could be any device capable of
5 interconnecting to the Internet including a web-based phone, personal digital assistant (PDA), tablet computer, or other web-based connectable equipment.

A database server **116** can be connected to memory device, storage device, or database (for example, storage device **134**), which contains information on a variety of matters, as described below in greater detail. As embodied herein, for illustration,
10 a centralized database is stored on server system **112** and can be accessed by logging onto server system **112** through one of client systems **114**. In an alternative embodiment, a database is stored remotely from server system **112** and may be non-centralized. The database can store patient data, healthcare provider (HCP) data, health insurance company data, pharmacy data, forms, system usage data, audit trail
15 data, and the like.

For purposes of illustration and not limitation, **Fig. 3B** depicts an exemplary server architecture for server system **112**. Server system **112** can be connected to the Internet or other network through a collection of security appliances and/or software. In an exemplary embodiment, the collection can include threat manager **160**, a pair
20 of firewall appliances **162A** and **162B** (collectively firewall appliances **162**), and a pair of load balancers **164A** and **164B** (collectively load balancers **164**). Threat manager **160** can provide vulnerability assessment and intrusion detection for server system **112**. Threat manager **160** can be implemented in hardware, software, or a combination of hardware and software. Firewalls **162** generally permit or deny
25 network transmissions based upon a set of rules to protect server system **112** from unauthorized access while permitting legitimate communications to pass. Firewalls **162** can be implemented in hardware, software, or a combination of hardware and software. Load balancers **164** can facilitate balancing traffic and sharing workload among components of system **112**. Load balancers **164** can be implemented in
30 hardware, software, or a combination of hardware and software.

A pair of digital signature appliances **166A** and **166B** (collectively digital signature appliances **166**) can be connected on the protected side of server system **112**. Digital signature appliances **166** can provide digital signature capture and

security capabilities for the system disclosed herein. Digital signature appliances **166** can be implemented in hardware, software, or a combination of hardware and software. In the illustrated embodiment, server system **112** further includes four application servers **124A**, **124B**, **124C**, and **124D** (collectively servers **124**), two database servers **116A** and **116B** (collectively servers **116**), and a training server **168**.
5 Servers **116A**, **124A**, and **124B** are servers virtualized by a first hypervisor **170A**. Similarly, servers **116B**, **124C**, **124D**, and **168** virtualized by a second hypervisor **170B**. In other embodiments, servers **116**, **124**, and **170** are separate, physical, server machines.

10 **Fig. 3C** illustrates an exemplary configuration of a server computer device **275** such as server system **112** and prescription manager **10** (as shown in **Fig. 1**). Server computer device **275** can include, but is not limited to, database server **116**, transaction server **124**, web server **126**, fax server **128**, directory server **130**, and mail server **132**.

15 Server computer device **275** includes a processor **280** for executing instructions. Instructions can be stored in a memory area **285**, for example. Processor **280** can include one or more processing units (e.g., in a multi-core configuration).

Processor **280** can be operatively coupled to a transmitter and receiver, i.e., a communication interface **290**, such that server computer device **275** is capable of
20 communicating with a remote device such as computer device **202** or another server computer device **275**. For example, communication interface **290** can receive requests from client systems **114** via the Internet.

Processor **280** can also be operatively coupled to at least one memory, such as storage device **134**. Storage device **134** can be any computer-operated hardware
25 suitable for storing and/or retrieving data. In an exemplary embodiment, storage device **134** is integrated in server computer device **275**. For example, server computer device **275** can include one or more hard disk drives as storage device **134**. In other embodiments, storage device **134** is external to server computer device **275** and can be accessed by a plurality of server computer devices **275**. For example,
30 storage device **134** can include multiple storage units such as hard disks or solid state disks in a redundant array of inexpensive disks (RAID) configuration. Storage device **134** can include a storage area network (SAN) and/or a network attached storage (NAS) system.

In an exemplary embodiment, processor **280** can be operatively coupled to storage device **134** via a storage interface **295**. Storage interface **295** can be any component capable of providing processor **280** with access to storage device **134**. Storage interface **295** can include, for example, an Advanced Technology Attachment (ATA) adapter, a Serial ATA (SATA) adapter, a Small Computer System Interface (SCSI) adapter, a RAID controller, a SAN adapter, a network adapter, and/or any component providing processor **280** with access to storage device **134**.

Memory areas **210** and **285** can include, but are not limited to, random access memory (RAM) such as dynamic RAM (DRAM) or static RAM (SRAM), read-only memory (ROM), erasable programmable read-only memory (EPROM), electrically erasable programmable read-only memory (EEPROM), and non-volatile RAM (NVRAM). The above memory types are exemplary only, and are thus not limiting as to the types of memory usable for storage of a computer program.

Additional or alternative embodiments of user device **60** are described below, with reference to **Fig. 4**, for purposes of illustration, and not limitation.

Fig. 4 illustrates an exemplary configuration of a user device **202** operated by user **201** such as client systems **114** (shown in **Fig. 3**) and user device **60** (shown in **Fig. 1**). User device **202** can be, for example, any device in communication with the prescription manager **10**.

Computer device **202** can include a processor **205** for executing instructions. In an exemplary embodiment, executable instructions are stored in a memory **210**. Processor **205** can include one or more processing units (e.g., in a multi-core configuration). Memory area **210** can be any device allowing information such as executable instructions and/or other data to be stored and retrieved. Memory area **210** may include one or more computer readable media.

Computer device **202** can also include at least one media output component **215** for presenting information to user **201**. Media output component **215** can be any component capable of conveying information to user **201**, such as a video adapter and/or an audio adapter. An output adapter can be operatively coupled to processor **205** and operatively couplable to an output device such as a display device (e.g., a liquid crystal display (LCD), organic light emitting diode (OLED) display, cathode ray tube (CRT), or “electronic ink” display) and/or an audio output device (e.g., a speaker or headphones).

In an exemplary embodiment, computer device **202** includes an input device **220** for receiving input from user **201**, such as, for example, a keyboard, a scanner, a pointing device, a mouse, a stylus, a touch sensitive panel (e.g., a touch pad or a touch screen), a gyroscope, an accelerometer, a position detector, camera, or an audio input device. A single component such as a touch screen can function as both an output device of media output component **215** and input device **220**. Moreover, computer device **202** can include more than one input device **220** for receiving input from user **201**. For example, computer device can include the combination of a keyboard, a touch sensitive panel, and a scanner.

Computer device **202** can also include a communication interface **225**, which is communicatively couplable to a remote device such as server system **112** (e.g., prescription manager **10**). Communication interface **225** can include, for example, a wired or wireless network adapter or a wireless data transceiver for use with a mobile phone network (e.g., Global System for Mobile communications (GSM), Code Division Multiple Access (CDMA), 3G, 4G or Bluetooth) or other mobile data network (e.g., Worldwide Interoperability for Microwave Access (WIMAX)).

Stored in memory area **210** are, for example, computer readable instructions for providing a user interface to user **201** via media output component **215** and, optionally, receiving and processing input from input device **220**. A user interface may include, among other possibilities, a web browser and client application. Web browsers enable users, such as user **201**, to display and interact with media and other information typically embedded on a web page or a website from server system **112**. A client application allows user **201** to interact with a server application from server system **112**.

Additional or alternative embodiments of user device **50** are described below, with reference to **Fig. 5**, for purposes of illustration, and not limitation.

Fig. 5 depicts exemplary user devices for use by a healthcare provider (“HCP”), operable as, for example, client systems **114** (shown in **Fig. 3**) and user device **60** (shown in **Fig. 1**). As embodied herein, for illustration, computing device **502** can include a display **506** and a keyboard **508**. Computing device **502**, also referred to herein as a remote input computer, includes a processor (not shown) for executing instructions. In an exemplary embodiment, executable instructions are stored in a memory area (not shown). For purpose of example, and not limitation,

computing device **502**, a tablet computing device, where display **506** is a touch screen display device operable to display images and data to a user and to receive input from the user via contact by the user (or an implement, such as a stylus, controlled by the user) with display **506**. Rather than include an attached keyboard, the computing device **502** can include a virtual keyboard displayed on display device **506**. In an exemplary embodiment, computing device **502** does not include an integrated physical keyboard, but is connectable, such as via mechanical connection, wireless connection, etc., to a physical keyboard. Moreover, in an exemplary embodiment, computing device **502** includes, or is attachable to a physical keyboard, and includes a virtual keyboard. Computing device **502** includes at least one communication interface (not shown), which is communicatively couplable to a remote device, such as server system **112**. The communication interface may include, for example, a wired or wireless network adapter or a wireless data transceiver for use with a mobile phone network (e.g., Global System for Mobile communications (GSM), 3G, 4G or Bluetooth) or other mobile data network (e.g., Worldwide Interoperability for Microwave Access (WIMAX)). Moreover, computing device **502** can include more than one communication interface, e.g. a wired network adapter and a wireless network adapter and/or a wireless data transceiver.

Additionally or alternatively, for purpose of illustration, user device (such as user device, for example, **7340**) can include a computer **502** and a scanner **504** coupled together. The computer, such as a notebook computer **502**, includes a display **506** and a keyboard **508**. As disclosed herein, for illustration, display **506** may be a touch-sensitive device (e.g., a touch screen) that is capable of detecting input from a user (e.g., the healthcare provider) when the user touches display **506** with, for example, a finger or a stylus. For example, the user can single or double tap on a user-interface component on touch-sensitive display **506** to select or activate that component. The user may pinch open or pinch close a user-interface component on touch-sensitive display **506** with two fingers to zoom in or zoom out or open or close that component. The user can swipe across touch-sensitive display **506** (e.g., swiping left, right, up, or down) to view a series of user-interface components. As disclosed herein, for illustration, the user can sign his/her name on touch-sensitive display **506** (e.g., with a stylus or a finger), and the user's signature can be captured and stored in

electronic format (e.g., as an image). In addition, the user can provide input to notebook computer **502** using keyboard **508** (e.g., typing characters).

As disclosed herein, for illustration, a web browser can be installed and executed on notebook computer **502**. The healthcare provider can access prescription manager **7310** using the web browser. In this case, prescription manager **7310** can
5 implement a web-based application (e.g., a website including a number of web pages), and the healthcare provider may access the website corresponding to prescription manager **7310** by inputting the correct uniform resource locator (URL) for the website in the web browser. Information transmitted between notebook computer **502** and
10 prescription manager **7310** can be encrypted and sent over a secure network connection in order to protect, for example, patient privacy.

For example, with reference to **Fig. 5B**, HCP system **500** can include a computing device **502** and a scanning device **504**. Scanning device **504** can be communicatively coupled to computing device **502** to transmit data (e.g., images) to
15 computing device **502**. Scanning device **504** can be operable to scan, or image, items placed in proximity to a scanning window **510**. In an exemplary embodiment, scanning device **504** and/or user device **500** can be configured (either alone or collectively), such as via instructions stored in a memory device, to perform OCR on scanned images and transmit the recognized characters to computing device **502**. As
20 described herein, scanning device **504** can be used to scan a patient identification document, such as for example a license, medical insurance card, prescription benefits card, or the like.

In an exemplary embodiment, with reference to **Fig. 5A**, computing device **502** is a tablet computing device, optionally including a camera **524**. In an exemplary
25 embodiment, display **522** is a touch screen display device operable to display images and data to a user and to receive input from the user via contact by the user (or an implement, such as a stylus, controlled by the user) with display **522**. Alternatively, for purpose of illustration, tablet **520** can be coupled to a card scanner (e.g., scanner **504** in **Fig. 5**). Touch-sensitive display **522** is capable of detecting input from a user
30 (e.g., the healthcare provider) when the user touches display **522** with, for example, a finger or a stylus. As disclosed herein, for illustration, the user can sign his/her name on touch-sensitive display **522** (e.g., with a stylus or a finger), and the user's signature can be captured and stored in electronic format (e.g., as an image). In addition or

alternatively, a pre-captured signature can be retrieved from a data store. For purpose of illustration, camera **524** can be used to take digital photos of an object, such as a patient's identification card, driver's license, or insurance card(s). For example, the patient or the healthcare provider can hold a card in front of camera **524** and push the control button. Alternatively, for purpose of illustration, the card scanner coupled to tablet **520** can be used to scan the card, as described above in connection with **Fig. 5**. OCR or image recognition techniques, implemented as software executing on tablet **520**, can help extract information provided on the card, convert the information to electronic format, and store the information in individual fields.

10 In an exemplary embodiment, computing device **502** is configured to capture an electronic signature. Computing device **502** is configured to display a signature block on display **506** when capture of an electronic signature is desired. The user, e.g., the HCP, can sign his or her signature in the signature block on the display **506** utilizing a touch screen stylus. In an exemplary embodiment, the user's signature can be captured and stored in electronic format (e.g., as an image). Additionally, as embodied herein, for example in jurisdictions that disallow the use of electronic signatures, the HCP can sign his or her signature on a printed form using a visible medium writing implement such as an ink pen, a pencil, a marker, or the like. In other embodiments, the HCP can align a printed form with display **506** and sign his or her signature on the printed form using a special writing device that includes both a visible medium writing implement as well as an electronic writing implement, such that an electronic signature is captured by the system in addition to the physical signature. In such embodiments, a visible, physical, handwritten signature results on the printed form and computing device **502** captures a digital representation of the physical, handwritten signature as an electronic signature substantially simultaneously. In an exemplary embodiment, computing device **502** displays registration marks indicating to the user how to align the paper form against display **506**. Furthermore, scanning device **504** can be configured, additionally or alternatively, to capture an electronic signature in a manner similar to computing device **502**. Moreover, a user device system **500** operated by an HCP can include a separate signature capture device (not shown) operable as described herein to capture a digital representation of a handwritten signature. In another embodiment, the HCP can utilize a scanning device or digital capture device, such as a digital camera, to

capture an image of their physical signature. The captured image can then be transmitted to the system through various transmission means.

Computing device **502** can include a user interface to permit computing device **502**, and HCP user device system **500** in general, to function in accordance with the medical treatment coordination systems and methods described herein. The user interface can be stored in a memory device and/or can be stored remotely (such as on server system **112**) and accessed by computing device **502**, such as via a web browser. Moreover, the exemplary computing device **502** can store data input to the user interface in a memory device of computing device **502**, and/or can store the input data remotely, such as in a database.

Additional or alternative embodiments of the techniques described above are described in detail below, with reference to **Fig. 6**, for purposes of illustration, and not limitation.

Fig. 6 illustrates an exemplary system **7300** that is operable to facilitate healthcare providers and their patients obtain insurance authorizations for products or services the healthcare providers prescribe to their patients. In an exemplary embodiment, system **7300** can include a prescription manager **7310** for managing authorization forms for prescription products and/or services required by insurance providers and for helping healthcare providers fill the necessary forms in order to obtain authorizations for prescription products and/or services from insurance providers. For example, and not limitation, prescription manager **7310** can maintain a list of authorization forms required by different insurance providers or used by different healthcare providers for different prescription products and/or services. These authorization forms can be updated as needed (e.g., new forms can be added; existing forms can be modified; expired forms can be deleted; or the like). For example, an insurance authorization form in paper format can be scanned (e.g., using a document scanner), converted to a fill-able form (e.g., using an optical character recognition (OCR) program), and stored. Additionally or alternatively, system **7300**, and more specifically, prescription manager **7310**, can be communicatively or electronically linked with various insurance providers, and the insurance providers can electronically upload and update respective forms into system **7300**. When needed, prescription manager **7310** can select appropriate forms required by specific insurance providers for specific prescription products and/or services, fill the fields in

the selected forms based on information available to or obtained by prescription manager **7310**, and send the completed forms to healthcare providers for review and signatures.

In addition, for purpose of illustration, prescription manager **7310** can help a healthcare provider manage prescriptions of his/her patients. For example, prescription manager **7310** can send reminders to the healthcare provider if the healthcare provider does not review and sign completed insurance authorization forms after receiving them from prescription manager **7310** for some period of time. Prescription manager **7310** can notify the healthcare provider when specific prescriptions have been filled. For purpose of illustration, prescription manager **7310** can help a patient use his/her prescriptions. For example, prescription manager **7310** can provide instructions (e.g., videos or audio instructions) on how to take a prescription medication, frequently asked questions (FAQ) and answers relating to possible side effects of the prescription medication, or the like. Additionally, prescription manager **7310** can provide notifications to the patient indicating status of his/her prescription (e.g., if the patient's prescription is ready to be picked up or shipped, if the patient's prescription has been denied, or if the healthcare provider has not completed the prescription/authorization process)

As disclosed herein, for illustration, prescription manager **7310** can implement a user interface so that its users can access various functions provided by prescription manager **7310** with relative ease. The user interface can include any number of screens. For purpose of illustration, the user interface can be a web-based user interface, implemented as a web-based software application hosting a corresponding website that includes a number of web pages (i.e., screens). For example, a healthcare provider or patient can access the corresponding website using a web browser executing on a user device.

Additionally, prescription manager **7310** can be implemented on one or more computer systems (e.g., servers), as described in more detail above. **Fig. 3** (described in more detail above) illustrates a exemplary servers, which can be used to implement prescription manager **7310**. The operations or functions performed by prescription manager **7310** can be implemented as computer software, which can be stored in non-transitory computer-readable medium and executed on the computer systems. As disclosed herein, for illustration, prescription manager **7310** can have various types of

users (e.g., doctors, nurses, office staff, patients, pharmacists, or the like). Some of the functions performed by prescription manager **7310** can be commonly applicable to all types of users, while other functions can be applicable to specific types of users (e.g., functions in connection with proscribing a product or service can be applicable specifically to doctors).

As disclosed herein, for illustration, prescription manager **7310** can include or be communicatively linked to one or more data stores **7312** so that information stored in each data store **7312** is accessible to prescription manager **7310**. Data stores **7312** can be used to store any applicable information. For example, as described above with reference to **Fig. 1**, the insurance authorization forms can be stored in data stores **7312** in electronic format (e.g., as PDF, text, extensible markup language (XML), binary data, comma separated data, or any other applicable electronic formats). Other information, such as information concerning patients (e.g., patient records, such as names, addresses, medical histories, insurance providers, or the like of the patients), healthcare providers (e.g., names, practice fields, specializations, hospital or medial facility affiliations, or the like of the healthcare providers), or prescription products or services (e.g., recommended dosages, possible side effects, treatment procedures, manufactures, or the like of the prescription products) can also be stored in data stores **7312**. A data store **7312** can be any applicable type of storage device, such as internal or external or network drives. As disclosed herein, for illustration, data store **7312** can further include an electronic medical record system (EMR). The EMR can contain patient data, such as medical records, test results, or the like, and such data can be shared with prescription manager **7310** as contemplated herein.

As disclosed herein, for illustration, a user device **7340** can be associated with a healthcare provider. The healthcare provider can access prescription manager **7310** via user device **7340**. In addition, while a patient is visiting the healthcare provider, the patient can also access prescription manager **7310** via user device **7340**, with consent from the healthcare provider. For example, the healthcare provider or the patient can send patient information to prescription manager **7310** using user device **7340**. The healthcare provider can prescribe a specific product or service to the patient and communicate the prescription to prescription manager **7310** using user device **7340**. If an insurance authorization form is needed for the prescription product or service, then prescription manager **7310** can send a completed insurance

authorization form for the prescription product or service to user device **7340** so that the healthcare provider can review and sign the form. For purpose of illustration, the healthcare provider can have an account with prescription manager **7310**. Information relevant to the healthcare provider (e.g., patients, prescriptions, pending insurance authorization forms, reminders, or the like) can be included in the healthcare provider's account. The healthcare provider can log into his/her account with prescription manager **7310** to review available information and perform other related activities.

For purpose of illustration, and not limitation, user device **7340** can be a mobile device, such as a tablet or notebook computer or a smart telephone, and can include various sensors. User device **7340** can communicate with prescription manager **7310** over a computer or communication network via a wireless connection to the network (e.g., using the WiFi or 3G or 4G connection available at the office of the healthcare provider). Information transmitted between user device **7340** and prescription manager **7310** can be encrypted (e.g., to protect patient privacy) and optionally compressed (e.g., to reduce data size). As disclosed herein, for illustration, user device **7340** is capable of sending electronic mails (emails), texts, faxes, and/or electronic data to specific email addresses, fax numbers, and/or data stores (e.g., data store **7312**). In the case of sending electronic faxes, user device **7340** can be connected to a telephone line. There can be a fax software application installed and executed on user device **7340** for sending faxes to specific fax numbers over the telephone line. Alternatively, electronic faxes can be sent over a computer network, in which case the telephone line is not required.

As disclosed herein, for illustration, and as noted above, the prescription manager can be implemented as a web-based application, and a user device **7340** can include a web browser for accessing the prescription manager and displaying the user interface. Additionally, as noted above, scanner **504** can be a card scanner capable of scanning various types of cards, such as a patient's identification card, driver's license, or insurance card. Scanner **504** can capture information on such cards (e.g., the patient's name, address, birth date, gender, driver's license or identification number, insurance provider, insurance number, or the like). For purpose of illustration, the information captured from scanning the patient's cards can be stored in individual fields, where each field can have a field name and a field value. For

example, for patient “John Smith”, there can be a field for his name, where the field name is “patient name” and the field value is “John Smith”. There can be a second field for his birth date, where the field name is “patient birth date” and the field value is “15 June 1971”. There can be a third field for his insurance provider, where the field name is “insurance provider” and the field value is “Blue Shield of California”. There can be a fourth field for his insurance number, where the field name is “insurance number” and the field value is “54917850”.

Furthermore, the data representing each piece of information captured by user device **7340** as described above can be tagged with a unique identifier. For example, the patient’s first name can be tagged with “F-Name” as its identifier, and the patient’s last name can be tagged with “L-Name” as its identifier. As insurance authorization forms are added to system **7300**, fields within the forms can be tagged with these unique identifiers as well. Therefore, as the data are captured (e.g., by user device **7340**) or retrieved from a data store (e.g., from data store **7312**), the tagged fields within each authorization form can be automatically populated with the necessary data. For purpose of illustration, system **7300** can include a technical user interface, where newly uploaded forms can be edited (e.g., by a system administrator or system user) to include data tags, thereby adding the ability to keep system **7300** and the insurance authorization forms up to date.

As embodied herein, OCR technique can be used to extract information from scanned images of the cards. There can be software implementing OCR functions. In some cases, the OCR software can be part of and executed on notebook computer **502**. In other cases, the OCR software can be part of and executed on scanner **504**. In addition, the patient or the healthcare provider can review the scanned information and manually input or correct individual field values if necessary (e.g., typing information into notebook computer **502** using keyboard **508**).

Furthermore, a user device **7350** can be associated with a patient. The patient can access prescription manager **7310** via user device **7350**. For purpose of illustration, the patient can have an account with prescription manager **7310**. The patient can log into his/her account using user device **7350** and review information concerning his/her prescription products or services. For example, the patient can access the website corresponding to prescription manager **7310** using a web browser installed and executing on user device **7350**.

User device **7350** can be a mobile device, such as a tablet or notebook computer or smart telephone, or a stationary device, such as a desk computer. User device **7350** can communicate with prescription manager **7310** over a computer or communication network via a wireless (e.g., WiFi, 3G, 4G) or wired (e.g., Ethernet) connection to the network. Information transmitted between user device **7350** and prescription manager **7310** can be encrypted (e.g., to protect patient privacy) and optionally compressed (e.g., to reduce data size).

As embodied here, system **7300** can include one or more prescription product sellers **7320** (e.g., a pharmacy for selling prescription medications). In addition or alternatively, As disclosed herein, for illustration, system **7300** can include one or more prescription service providers **7330** (e.g., a specialist for providing healthcare services in a specific field, such as a cardiologist or a brain surgeon). The healthcare provider can communicate with prescription product sellers **7320** and/or prescription service providers **7330**, as appropriate, via user device **7340**. For example, the healthcare provider can send electronic mails (emails) or faxes to prescription product sellers **7320** or prescription service providers **7330**. The prescription product seller **7320** or prescription service provider **7330** can be associated with a user device (not shown), such as a computing device connected to a network, for accessing the Internet and optionally for communicating with other entities (e.g., sending and receiving emails).

As disclosed herein, for illustration, there can be one or more data stores **7360** for storing patient records (e.g., electronic medical records system). Data stores **7360** can or can not be part of system **7300**. For example, a data store **7360** can be associated with a prescription service provider **7330**, in which case it can be part of system **7300**. Alternatively, a data store **7360** can be associated with an independent third party (e.g., a hospital), in which case it can not be part of system **7300**. In some cases, prescription manager **7310** can be able to access data stores **7360** to retrieve information (e.g., medical records) of the patient.

As disclosed herein, for illustration, the patient can have one or more insurance providers **7370**. In some case, a patient can have just one insurance provider **7370**. In other cases, a patient can have multiple instance providers **7370** (e.g., a primary provider and one or more secondary or supplemental providers). Prescription product sellers **7320** or prescription service providers **7330** can

communicate with each insurance provider **7370** of the patient through any applicable means (e.g., telephone, fax, email, or the like) to obtain authorization from each insurance provider **7370** for products or services prescribed to the patient (e.g., by the healthcare provider).

5 Sometimes, an insurance provider **7370** can have one or more designated prescription product seller(s) **7380** and/or prescription service provider(s) **7390**, which are not part of system **7300**. In this case, the patient is required to obtain the prescribed product or service from prescription product seller(s) **7380** or prescription service provider(s) **7390** associated with insurance provider **7370** in order for
10 insurance provider **7370** to agree to pay for the prescribed product or service.

 As disclosed herein, for illustration, whenever applicable, system **7300** (e.g., its operations and functionalities) complies with the requirements from health Insurance Portability and Accountability Act (HIPAA). For example, if certain type of information should not be accessible to a specific party (e.g., a prescription product
15 manufacturer or service provider) according to HIPAA requirements or other confidentiality concerns, system **7300** can implement information-control or information-protection measures that ensure the specific party cannot access that type of information. As another example, to protect patient privacy, information transmitted over a computer or communication network (e.g., the Internet), such as
20 information transmitted between prescription manager **7310** and user device **7340** or **7350**, can be encrypted.

 As disclosed herein, for illustration, in order to use system **7300**, a healthcare provider is required to first register and establish a user account with prescription manager **7310** (e.g., at the corresponding website). Once an account has been
25 established, information concerning the healthcare provider can be stored with prescription manager **7310** in the healthcare provider's account. For purpose of illustration, a user account of a healthcare provider can be identified with a unique user name and protected by a password, which can be used to log into the account. In addition, a user account of a healthcare provider can have any number of authorized
30 users. As an example, an account established for a doctor can have the doctor as one of its users. It can also have nurses or office staff working for the doctor as its other authorized users. The nurses or office staff can log into the account and perform various actions with the permission and under the supervision of the doctor. As

another example, multiple doctors and their staff members sharing the same clinic can establish and share a single user account. For purpose of illustration, there can be a designated user (e.g., an account administrator) who is responsible for managing the account. The administrator can be able to modify the information associated with the
5 account.

In accordance with another aspect of the disclosed subject matter, the user interface provided by prescription manager **7310** can include a series of screens (e.g., web pages), accessible with a user device (e.g., user device **7340**) associated with a healthcare provider, to guide the healthcare provider or the designated account
10 administrator through the account registration process. At various screens, the healthcare provider can input various types of information to be saved with prescription manager **7310** in the healthcare provider's account. For example, **Figs. 10-20** illustrate a representative series of screens for guiding a healthcare provider to register and establish a user account (**11**) with prescription manager **7310**, which can
15 include, for example, entering information about the HCP, such as names, affiliations, locations, staff, and electronic signature information. Additionally, **Figs. 25-30** illustrate example screens to guide a healthcare provider to scan a patient's cards in order to extract the necessary patient information automatically when performing the intake process (**21**) for a patient (e.g., using user device **7340** that includes a card
20 scanner). Additionally, as described in more detail below, benefits verification (**31**) and prior authorization (**51**) can be performed, and a medical order/prescription can be generated (**41**) and transmitted (**61**) via a series of screens.

For purpose of illustration and not limitation, detailed description will now be made of various additional and alternative embodiments of the method for facilitating
25 medical order and/or prescription of a prescription product disclosed herein. As noted above, the prescription manager can facilitate the medical order/prescription of a prescription product for a patient, which can include setting up user accounts (**11**), such as for the patient, HCP, and/or other third parties such as a benefits verifier **30**. Patient intake information can be received (**21**), benefits verification (**31**) and prior
30 authorization (**51**) can be performed, and a medical order/prescription can be generated (**41**) and transmitted (**61**).

As noted above, prescription manager (including, for example and without limitation, various embodiments of the prescription manager, depicted in the figures

as **10, 7310, and 112**) can manage account information for a variety of users of the system (**11**), either alone or in combination with one or more user devices (including, for example and without limitation, various embodiments of the user devices, depicted in the figures as **60, 500, 522, and 114**). Different users of the system can 5 certain categories of accounts. For example, an HCP can have an HCP account, and administrator can have an administrator account, patients can have patient accounts, and certain benefits verifiers (such as, for example, a pharmacy receiver) can have an account. In this manner, each party can access the systems disclosed herein through, for example, the one or more user devices described herein.

Figs. 10-20 illustrate an example series of screens for guiding a healthcare provider to register and establish a user account (**11**) with prescription manager **7310**, which can include, for example, entering information about the HCP, such as names, affiliations, locations, staff, and electronic signature information. For purpose of illustration, information in a healthcare provider's account can be organized into 15 categories and displayed based on its relatedness. For example, from "My Profile" tab **1002** illustrated in **Fig. 10**, a healthcare provider can enter his/her name, user name, password, and contact information (e.g., telephone numbers). Alternatively, the administrator of the account can enter his/her information through tab **1002**. From "Location of Service" tab **1100** illustrated in **Fig. 11**, the healthcare provider can enter 20 the facilities with which he/she is affiliated, or his/her office location. From "HCP Profile" tab **1200** illustrated in **Figs. 12 and 13**, the authorized users of the account, who are healthcare providers (e.g., doctors, nurses), can be displayed and entered. From "Office Staff Profile" tab **1400** illustrated in **Figs. 14 and 15**, the authorized users of the account, who are staff members, can be displayed and entered. From 25 "Associations" tab **1600** illustrated in **Figs. 16 and 17**, associations of the healthcare provider can be displayed and entered. From "Signature" tab **1804** illustrated in **Figs. 19 and 20**, the healthcare provider can have an electronic signature stored with his/her account or on user device **7340**. To do so, the healthcare provider can sign his/her name using, for example, a stylus on the touch-sensitive screen of user device **7340**.

30 As disclosed herein, for illustration, in order to use system **7300**, a patient can be required to first register and establish a user account (**11**) with prescription manager **7310** (e.g., at the corresponding website). Once an account has been established, information concerning the patient can be stored with prescription

manager **7310** in the patient's account. For purpose of illustration, a user account of a patient can be identified with a unique user name and protected by a password.

A patient can register a user account with prescription manager **7310** on his/her own (e.g., using user device **7350** associated with the patient), or can do so when visiting a healthcare provider (e.g., at the healthcare provider's office, using user device **7340** associated with the healthcare provider). For example, when the patient is visiting the healthcare provider and the healthcare provider decides to prescribe a product or service to the patient that requires insurance authorization, if the patient does not already have a user account with prescription manager **7310** and if the patient agrees, the healthcare provider can initiate an intake process (**21**) for the patient at that time and input the patient's information into prescription manager **7310** using user device **7340**. This causes a record of the patient to be established with prescription manager **7310**. For purpose of illustration, once the intake process is completed, a user account can be established for the patient.

Fig. 73 is a screenshot of an exemplary HCP registration window **600** typically displayed on display device **506** of HCP system **500** (shown in **Fig. 5**). In other embodiments, HCP registration window **600** can be displayed on any other suitable display device, such as a display device on client systems **114**, workstations **138, 140, 142, 146, or 154**, mobile device **158**, or the like. Registration window **600** includes a contact information window **602**, an office information window **604**, and a login information window **606**. To register a HCP in an exemplary embodiment of the system disclosed herein, the physician contact information (e.g., name, license number, or the like) is entered in contact information window **602**, office information (e.g., name, address, or the like) is entered in office information window **604**, and login information (e.g., username, password, or the like) is entered in login information window **606**. Once the relevant information is entered, a submit button **608** can be selected to register the HCP with the system disclosed herein. As embodied herein, registration with the system disclosed herein is performed using exemplary HCP system **500**. In other embodiments, registration with the system disclosed herein is performed separate from HCP system **500**, such as via a portal function.

Figs. 74A-74E illustrate a diagrammatical map **700** of an exemplary user interface in connection with the system disclosed herein implemented according to the

systems and methods of the present disclosure. **Fig. 74B** depicts a diagram of an exemplary user interface for an administrator. On path **702** the administrator is presented with several administrative options. **Figs. 10-17** are screenshots of windows along path **702**.

5 **Fig. 10** is a screenshot of an administrator profile window **1000**.

Administrator profile window **1000** displays general profile information about the currently logged-in administrator. The administrator can be a practice administrator authorized to administrate the system embodied herein with respect to one or more portions (including all) of a practice, and or a system administrator who is authorized
10 to administrate the system disclosed herein with respect to an entire practice or practices, including setting up profiles, credentials, or the like for one or more practice administrators. The profile information can be edited and saved to update/change the user's profile information. Profile window **1000** can be displayed by the administrator at any time by selecting profile tab **1002**. If the user selects a tab other
15 than profile tab **1002**, a different window, described below, is displayed.

Selection of location of service tab **1004** causes display of location of service (LOS) window **1100**, shown in **Fig. 11**. LOS window **1100** displays information about one or more facilities. Thus, for example, a medical practice that includes more than one office can have each facility name, address, telephone number, fax number,
20 or the like stored and displayed in LOS window **1100**. In an exemplary embodiment, the stored information is used to populate one or more forms by the system disclosed herein.

Figs. 12 and 13 are screenshots of an HCP window **1200** accessible by selecting HCP profile tab **1006**. HCP window **1200** displays information, about one
25 or more HCPs. This information is presented in summary form in HCP window **1200**. More detailed information can be edited for HCPs already entered into the system disclosed herein and/or entered when adding a new HCP to the system disclosed herein. **Fig. 13** is a screenshot of HCP window **1200** expanded by selection to add a new HCP to show detailed information about an HCP that can be entered including,
30 for example, name, address, LOS, work and cell phone numbers, specialties, license numbers, or the like. The same information can be edited from HCP window **1200** for an HCP already entered in an exemplary embodiment of the system disclosed herein by selecting an existing HCP and selecting to edit the HCP profile.

Profiles for HCP staff members can also be viewed, created and edited by the administrator by selecting office staff profile tab **1008**. This selection accesses staff profile window **1400**, shown in **Figs. 14** and **15**. Summary staff profile information is displayed in staff profile window **1400**. More detailed information can be edited for staff already entered into the system disclosed herein and/or entered when adding a new staff member to the system. **Fig. 15** is a screenshot of staff profile window **1400** expanded by selection to add a new office staff member to show detailed information about an staff member that can be entered including, for example, name, address, email address, work phone number, and cell phone number. The same information can be edited from staff profile window **1400** for an office staff member already entered in the system by selecting an existing office staff member and selecting to edit the profile.

Associations within a practice can be viewed, added and/or edited by selecting association tab **1010**. Associations within the practice include which staff members work at which location of the practice and with which HCPs. The selection of association tab **1010** accesses association window **1600**, shown in **Figs. 16** and **17**. Summary association information is displayed in association window **1600**. More detailed information can be edited and/or newly entered. **Fig. 17** is a screenshot of association window **1600** expanded by selection to add a new association. From the expanded association window **1600**, the administrator can select an office staff member, select which location(s) at which the staff member works, and select the HCP(s) with whom the staff member works. The same information can be edited from association window **1600** for an office staff member for whom associations have already been entered by selecting an existing office staff member and selecting to edit the associations.

As noted above, **Fig. 73** is an exemplary HCP registration window. When the user is a registered HCP or office staff member, the user can be presented different options to the user than are presented to the administrator. In general, the user is presented with the option to proceed down profile path **704** (shown in **Fig. 74C**) to the user's profile, proceed to dashboard path **706** (shown in **Fig. 74C**), or to proceed to new patient path **708** (shown in **Fig. 74D**). Within each path **704-708** some pages are accessible only by HCP, some pages are accessible only by office staff, and some pages are accessible by staff and the HCP. **Figs. 18-20** are screenshots of some of the

windows along profile path **704** when the user is logged in as an HCP, while **Fig. 21** is a screenshot of a window along path **704** when the user is logged in as an office staff member.

Fig. 18 is a screenshot of an HCP profile window **1800** displayed to an HCP user of the system disclosed herein when the user selects profile button **1802**. HCP profile window **1800** displays information about the logged in HCP. The information includes, for example, name, address, LOS, DEA number, password, work and cell phone numbers, specialties, license numbers, or the like. Information may be edited by the HCP and/or entered when not already entered into the system. In an exemplary embodiment, associated office staff and LOS information may not be edited by the HCP and is only displayed to the HCP on profile window **1800**. Changes to and entry of such information can be made by the administrator.

By selecting signature tab **1804**, the user can access a signature window **1900** shown in **Fig. 19**. From signature window **1900**, the user can view and/or create an electronic signature that may be attached to documents created using the system disclosed herein including, for example, pharmacy referrals, prescription documents, and PA forms. As used herein, an electronic signature is an electronic representation of a handwritten signature. The currently stored electronic signature, if applicable, is displayed in signature window **1900**. If the user desires to create a new signature, either for the first time or to replace the currently saved signature, the user selects to capture the signature and pop-up window **2000**, shown in **Fig. 20**, appears over signature window **1900**. The user can then physically sign his/her signature for capture by the system, such as on display **506** utilizing a touch screen stylus. In other embodiments, the user can physically sign on a separate signature capture device, and/or can sign using a device other than a touch screen stylus. The captured signature is displayed in pop-up window **2000**. The captured signature displayed in pop-up window **2000** may be accepted and saved, or the user can clear the signature and capture his/her signature again. In another embodiment, the user can capture a signature using a digital imaging device such as a digital camera and upload the captured signature image to the system.

Fig. 21 is a screenshot of a staff profile window **2100** displayed to a staff user of the system when the user selects profile button **1802**. Staff profile window **2100** displays information about the logged in staff member. The information includes, for

example, name, user ID, password, email address, work and cell phone numbers, LOS, associated HCPs, HCPs for whom the staff member is authorized to sign documents, or the like. Information can be edited by the staff member and/or entered when not already entered into the system. In the exemplary embodiment, associated HCPs, LOS information, and HCPs for whom he staff member is authorized to sign may not be edited by the staff member and is only displayed to the staff member on profile window **2100**. Changes to and entry of such information are made by the administrator. For purposes of illustration and not limitation, **Fig. 75** illustrates another exemplary diagrammatical map of an exemplary user interface in connection with the system disclosed herein implemented according to the systems and methods of the present disclosure.

As noted above, prescription manager (including, for example and without limitation, various embodiments of the prescription manager, depicted in the figures as **10**, **7310**, and **112**) can also manage the acquisition of certain patient information (“patient intake”) (**21**), either alone or in combination with one or more user devices (including, for example and without limitation, various embodiments of the user devices, depicted in the figures as **60**, **500**, **522**, and **114**).

As disclosed herein, for illustration, to establish a record or account for the patient (**11**), various types of information concerning the patient can be required, which can be referred to as “patient intake” (**21**). Patient information can include, for example and without limitation, name, address, gender, birth date, social security number, insurance provider, insurance number, preferred pharmacy, preferred healthcare facility (e.g., hospital or clinic), name of the primary care physician, and so on. There are various ways to obtain the necessary patient information. As an example, suppose that a patient wishes to establish an account with prescription manager **7310** when visiting a healthcare provider (e.g., having the healthcare provider perform the intake process for the patient using user device **7340**). If user device **7340** includes a card scanner, the patient’s driver’s license, identification card, and/or insurance card(s) can be scanned (e.g., front and/or back of the card or both sides) and the patient’s information can be extracted from the scanned images automatically (e.g., using OCR). As another example, if user device **7340** includes a camera, digital photos of the patient’s driver’s license, identification card, of the patient (e.g., the patient’s face), and/or insurance card(s) can be taken, and the

patient's information can be extracted from the digital photos automatically (e.g., using image recognition). As used herein, the term "scanning device" can refer to, for example, an optical scanner, such as a card scanner, as well as a camera suitable to acquire digital photos. One of ordinary skill in the art will appreciate that such a scanning device need not be directly coupled to a particular user device (e.g., user device **7340**). For example, the scanning device can be coupled to any suitable computing device or processor, which can be coupled to the user device **7340** so as to transmit the scanned images. As a third example, the patient's information can be manually typed into user device **7340** (e.g., using a virtual or physical keyboard).

10 As disclosed herein, for illustration, the user interface provided by prescription manager **7310** can include a series of screens (e.g., web pages), accessible with a user device (e.g., user device **7340** or **7350**), that guides the healthcare provider through the patient intake process (**21**) or guides the patient through the account registration process. At various screens, the healthcare provider or the patient can input various types of information to be saved with prescription manager **7310** in the patient's account or transmitted to an EMR to be saved in the patient's record(s) there (e.g., in data store **7360**).

Figs. 25-30 illustrate example screens that guide a healthcare provider to scan a patient's identification documents in order to extract the necessary patient information automatically when performing the intake process for a patient (e.g., using user device **7340** that includes a card scanner). For example, the healthcare provider can activate "Scan" icon **2504** illustrated in FIG **25** to begin the card scanning process. In **Fig. 26**, icons **2602** and **2604** can guide the healthcare provider to scan both the front and back of the patient's driver's license. In **Figs. 28** and **29**, the healthcare provider can be guided to scan the front and/or back or both sides of the patient's medical insurance card or prescription card. The information extracted from these cards can be used to automatically populate (i.e., fill in) the various fields **2502** illustrated in **Fig. 25** and fields **2802** illustrated in **Fig. 28**, which relate to the patient's information. The patient can review the individual field values to make sure that the information is correctly extracted from the scanned images of the cards, and manually correct any field values when needed.

30 Once the patient's information is entered into user device **7340**, user device **7340** can encrypt and send the patient's information to prescription manager **7310**.

Prescription manager **7310** can in turn create an account for the patient and store the patient's information in the account (e.g., in data stores **7312**). The information can be stored in an encrypted format, and can be temporarily decrypted for display or processing purposes, as disclosed herein. The patient can use the user name and password associated with the account to log into his/her account in the future. In addition, the healthcare provider can access the patient's information through his/her own account (e.g., from screen **2202** illustrated in **Fig. 22**).

For purpose of illustration and not limitation, reference is now made to a situation where a patient is visiting a healthcare provider (e.g., doctor, nurse, or other types of medical profession), and the healthcare provider decides to prescribe the patient a prescription medication (i.e., a prescription product), such as HUMIRA® developed and manufactured by Abbott Biotechnology Ltd, or refer the patient to another healthcare provider (i.e., a prescription service), such as a specialist, which is supported by the system and method disclosed herein. The healthcare provider can utilize system and method to obtain authorization from the patient's insurance provider for the prescription product or service, when needed.

As described above, As disclosed herein, for illustration, in order to utilize system **7300**, both the healthcare provider and the patient would need to establish their respective user accounts with prescription manager **7310**. Upon deciding to prescribe a specific product or service to the patient, the healthcare provider can log into his/her account with prescription manager **7310**. To do so, the healthcare provider can, for example, access a login screen (e.g., a login web page at the website corresponding to prescription manager **7310**) using user device **7340**, and provide his/her user name and password associated with the account. An example login screen **800** is illustrated in **Fig. 8**, which can be part of the web-based user interface provided by prescription manager **7310**. Once logged into his/her account, the healthcare provider can access functions implemented and supported by prescription manager **7310** to perform various patient-care activities. As for the patient, again, if the patient does not already have an account with prescription manager **7310** at the time visiting the healthcare provider, the healthcare provider can log into his/her own account and then perform the intake process for the patient as needed to establish a user account for the patient. On the other hand, if the patient has already been inputted into system **7300** and has a user account with prescription manager **7310**, it is

not necessary to perform an intake process for the patient. Instead, As disclosed herein, for illustration, the healthcare provider can log into his/her own account and retrieve the patient's information through his/her account (e.g., from screen **2202** in **Fig. 22**) and verify the information stored with prescription manager **7310** with the
5 patient.

As embodied herein, screens (e.g., web pages) can be provided by prescription manager **7310**, as part of its web-based user interface, to allow the healthcare provider to browse or search for patients in system **7300**. **Fig. 22** illustrates an example patient-information screen **2202**. In this case, patients whose intake processes are in
10 progress can be listed in area **2204**. Patients who have open referrals can be listed in area **2206**. In addition, the healthcare provider can search for a specific patient by inputting the patient's name in text field **2210**. Once the patient's record in system **7300** has been located, the healthcare provider can continue with the prescription process. For purposes of illustration and not limitation, **Fig. 22B** illustrates another
15 exemplary patient information screen including a signature requirement in accordance with an embodiment of the disclosed subject matter.

As disclosed herein, for illustration, the healthcare provider can input information concerning the prescribed product or service using user device **7340**. For purpose of illustration, screens can be provided by prescription manager **7310**, as part
20 of its web-based user interface, to guide the healthcare provider to input prescription information. **Figs. 30-35** illustrate example screens that guide the healthcare provider to enter prescription information in user device **7340**. For example, the healthcare provider select the "Location of Service" and "HCP Name" (i.e., the name of the healthcare provider) for the patient from screen **3000** illustrated in **Fig. 30**. This can
25 be the healthcare provider's own office location and name. From screen **3100** illustrated in **FIG 31**, the healthcare provider can type in or select from a pre-established list (e.g., a pull-down menu) the patient's diagnosis and the specific product or service to be prescribed to the patient. The system and method can be configured to support only one prescribed product, or allow for the selection from a
30 number of different prescribed products. If the healthcare provider prescribes a medication to the patient, there can be a recommended dosage displayed on screen **3100** illustrated in **Figs. 32** and **33**. The healthcare provider can select the recommended dosage or override it and enter a different dosage. Similarly, there can

be a recommended frequency for administering the medication displayed on screen **3100** illustrated in **Fig. 33**, which the healthcare provider can override if he/she so chooses. There can be safety considerations displayed on screen **3100** illustrated in **Fig. 31**. The healthcare provider can select or specify the form of the medication (e.g., pills, injections, or the like). The healthcare provider can specify whether this is a medication newly prescribed to the patient, a continuing prescription, or the patient is restarting on the medication after a break. The patient can, through the healthcare provider, select a preferred pharmacy where the patient can purchase and pick up the medication. If the healthcare provider refers the patient to a specialist, the healthcare provider can specify the name and location of the specialist, the practice field of the specialist, or the treatment needed for the patient. In addition, the patient can provide one or more telephone numbers (e.g., as illustrated in **Fig. 35**) or other contact information (e.g., an email address) so that the pharmacy or the specialist may contact the patient (e.g., when the medication is ready for pickup or set up an appointment with the specialist).

For purpose of illustration, the healthcare provider can discuss optional services, which can be relevant to the patient's treatment, with the patient. Again, screens can be provided by prescription manager **7310** to guide the healthcare provider through such a discussion. **Figs. 36-40** illustrate example screens that guide the healthcare provider to discuss optional services with the patient. For example, the screens can display those optional services specifically available or relevant to the patient (e.g., product support services provided by the manufacturer of the medication prescribed to the patient), as illustrated in **Fig. 36**. The patient can select and sign up for specific services, with help from the healthcare provider using user device **7340**, as illustrated in **Fig. 40**, and give the necessary content required by these services, as illustrated in **Fig. 39**. In an exemplary embodiment, optional services can be discussed, and or displayed via guiding screens, at any number of instances. For example, optional services can be discussed after entry of prescription information, before or after generating and/or transmission of a prescription document or medical order document, before or after benefits verification and/or prior authorization, as discussed in more detail below.

In some cases, the healthcare provider can allow the patient to enter information directly into user device **7340**. For example, from screen **3500** illustrated

in **Fig. 35**, the patient can enter his/her contact information (e.g., telephone numbers). The patient can select a specific pharmacy from where the patient prefers to obtain the prescription medication. If desired, when the healthcare provider hands user device **7340** to the patient, the patient can be locked out of certain screens as a security measure. For example, the patient can not be able to access those screens where the healthcare provider specifies prescription medications and their dosages for the patient. This prevents the patient from changing (e.g., increasing) the dosages of the prescription medications or changing the medications or adding other medications for himself/herself. For purpose of illustration, there can be a button on user device **7340** or an icon included in one of the screens that once activated, causes certain screens to be locked from further access. Before handing user device **7340** to the patient, the healthcare provider can activate the button or the icon. Once, the patient returns user device **7340** back to the healthcare provider, the healthcare provider can unlock these screens (e.g., by inputting user name and password to user device **7340**).

With reference to **Fig. 7**, As disclosed herein, for illustration, at **7411**, user device **7340** can collect all the information entered into it by the healthcare provider and optionally by the patient, which can include information concerning the patient (e.g., the patient's name, insurance number, or user name), the healthcare provider (e.g., the healthcare provider's name or user name), and the prescription product or service. At **7413**, user device **7340** can optionally encrypt the information and send the information to prescription manager **7310** (e.g., through a HTTPS connection). For example, the healthcare provider can click a "SUBMIT" button displayed on one of the screens to cause user device **7340** to begin sending the information to prescription manager **7310**.

For purposes of illustration and not limitation, new patient intake using an exemplary embodiment of the system disclosed herein will be described with reference to **Figs. 24-43**. This process can be performed by the HCP, a staff member, or a combination of the HCP and one or more staff members. Accordingly for **Figs. 24-43**, unless otherwise specified, a user can be an HCP or a staff member.

Referring initially to **Fig. 24**, when the user selects new patient button **2400**, new patient page **2402** is displayed. New patient page **2402** includes a patient information tab **2404**, an insurance information tab **2406**, an HCP information tab **2408**, a diagnosis information tab **2410**, a patient contact information tab **2412**, and an

HCP decision and signature tab **2414**. These six tabs access windows applicable to six steps in the new patient intake process. In the exemplary embodiment, computing device **502** (shown in **Fig. 5**) enters a first input mode. In the first input mode, computing device **502** receives data entered by HCP. For purposes of illustration and not limitation, **Fig. 24B** illustrates another exemplary patient information screen in accordance with an embodiment of the disclosed subject matter.

Selecting patient information tab **2404** opens patient information window **2500** shown in **Fig. 25**. Patient information window **2500** includes fields **2502** for patient information (e.g., name, address, or the like). Information can be manually input into patient information window **2500** using, for example, keyboard **508** and/or touch screen display **506**. Alternatively, or additionally, the user can select to scan a patient identification document, e.g., a driver's license, to acquire the information and populate fields **2502** with the information. When the user selects scan button **2504**, scanning pop-up **2600**, shown in **Fig. 26**, is displayed over patient information window **2600**. Scanning pop-up **2600** instructs the user how to scan the identification document using, for example, scanning device **504**. The user scans the front and back of the identification document by placing the document on scanning device **504** and selecting a scan front button **2602** and a scan back button **2604**. In the exemplary embodiment, scanning device **504** delivers the scanned image(s) of the identification document to computing device **502**. Computing device **502** performs optical character recognition on the scanned images to the needed information for fields **2406** from the images of the identification document. In other embodiments, a different component of the system, such as scanning device **504**, performs the optical character recognition. Additionally or alternatively, the information can be extracted by other than optical character recognition. For example, in an exemplary embodiment, a bar code or other visual data encoding element is read by the system. In still other embodiments, a non-visual data storage element, such as a magnetic stripe, an RFID chip, or the like, in the identification document is read to extract the patient information. The extracted information is used in connection with an exemplary embodiment of the system disclosed herein to automatically populate fields **2502**. In the exemplary embodiment, the system stores the captured images of the identification document and displays one or more of the images in patient information

window **2500**. In yet another embodiment, the information can be imported into the system from an electronic medical records system.

If the user attempts to enter patient information, whether manually or via an ID scan, for which a patient profile already exists in the system, a duplicate profile pop-up **2700** is displayed. Identification information for the preexisting patient profile is displayed in pop-up **2700**. The user can select to use the identified patient profile or ignore the existing profile and continue to create a new patient profile.

When the user selects insurance information tab **2406** or selects to continue from patient information window **2500**, insurance window **2800** is displayed, as shown in **Fig. 28**. Insurance window **2800** includes fields **2802** for the patient's insurance information, also referred to herein as insurance data. More specifically, insurance window **2800** includes fields for prescription insurance information, medical insurance information, and prescription protection plan information. Not all patients will have all types of insurance and some can have more than one of a particular type of insurance. Information can be manually input into insurance window **2800** using, for example, keyboard **508** and/or touch screen display **506**. Alternatively, or additionally, the user can select to scan insurance identification document(s) to acquire the information and populate fields **2802** with the information. As with scanning of a patient identification document, when the user selects to scan an insurance identification document, a scanning pop-up **2900**, shown in **Fig. 29**, is displayed over insurance information window **2800**. Scanning pop-up **2900** instructs the user how to scan the particular document using, for example, scanning device **504**. The user scans the front and back of the identification document as instructed by scanning pop-up **2900**. In the exemplary embodiment, scanning device **504** delivers the scanned image(s) of the identification document to computing device **502**. Computing device **502** performs optical character recognition on the scanned images to the needed information for fields **2802** from the images. In other embodiments, a different component of the system, such as scanning device **504**, performs the optical character recognition. Moreover, if desired, the information can be extracted by other than optical character recognition. For example, in an exemplary embodiment, a bar code, QR code, or other visual data encoding element is read by the system. In still other embodiments, a non-visual data storage element, such as a magnetic stripe, an RFID chip, or the like, in the identification document is read to extract the patient

information. The extracted information can be used by the system to automatically populate fields **2802**. In the exemplary embodiment, the system stores the captured images of the identification document, and displays one or more of the images in insurance window **2800**.

5 Selecting to continue causes an HCP information window **3000** to be displayed, as shown in **Fig. 30**. The user can select the location of service and HCP for the patient from pull down menus. Detailed information for the selected HCP is displayed in HCP information window **3000** after a selection is made.

Fig. 31 is a screenshot of a diagnosis window **3100** displayed after a user
10 selects to continue from HCP information window **3000**. Information, e.g., indications, safety considerations, or the like, concerning the drug to be prescribed is displayed in diagnosis window **3100**. Also displayed is a link **3102** to full prescribing information for the drug. In the exemplary embodiment, the prescribing HCP's specialty is preselected in a pull down menu **3104** based on the HCP's profile. In
15 other embodiments, a specialty is not preselected and the user must select a specialty from pull down menu **3104**. In the exemplary embodiment, the specialties available in pull down menu **3104** are limited to specialties for which the drug to be prescribed is prescribed. In other embodiments, additional specialties may be available and/or the particular HCP's specialty may be the only specialty available for selection. In
20 **Figs. 32-34** rheumatology has been selected as the specialty for explanatory purposes only and is not intended to limit the exemplary embodiment to rheumatology. After the HCP's specialty is selected, diagnosis window **3100** expands as shown in **Fig. 32**. The patient's diagnosis is selected from a list of diagnoses **3200** for which the drug may be prescribed. As shown in **Fig. 33**, the user selects the dosing mode from pull
25 down menu **3202**, and the system disclosed herein can populate the details of the pharmaceutical product for the selected diagnosis and dosing mode. In the example embodiment, the available dosing modes, also referred to as delivery devices, include syringes and injection pens. In other embodiments, any other appropriate dosing mode can be selectable and/or insertable. Appropriate dosing modes can include, for
30 example, infusion pumps, injection pens, syringes, pills, capsules, suppositories, ingestible liquids, topical applications (including creams, lotions, patches, or the like), pumps, wearable pumps, or the like. In the exemplary embodiment, the user enters the usage frequency for the prescribed product. In other embodiments, the usage

frequency can be selected by the system based on patient data, the selected dosing, and/or the selected diagnosis. The user also selects a quantity to be prescribed from pull down menu **3300** and inserts the number of refills to be prescribed in box **3302**. For purposes of illustration and not limitation, **Fig. 33B** illustrates another exemplary diagnosis information screen in accordance with an embodiment of the disclosed
5 subject matter.

Certain embodiments of the system inform the user of important information, requests additional information, and/or limits available options to user based on the details of a particular case/patient. The trigger for such limitations can vary based on
10 the particular pharmaceutical product being prescribed. Triggers can include, for example, age of patient, weight of the patient, adult/juvenile status of the patient, or the like. For example, when, based on the patient's profile and/or the diagnosis, the patient is determined to be a juvenile, the system requests additional information, such as the weight of the patient. The particular information can vary based on the
15 particular pharmaceutical product being prescribed. In the exemplary embodiment, the system limits the prescription options available to the user based on the suggestions and/or requirements for prescribing the pharmaceutical product to juveniles. In other embodiments and/or for other pharmaceutical products, the system can warn the user without limiting the available prescription options, may not warn
20 the user, and/or may suggest a prescription option without limiting other available options.

If desired, the system can permit the user to enter a diagnosis other than the listed diagnoses. As shown in **Fig. 34**, when the user selects "Other" as the diagnosis, a pop-up window **3400** is displayed over diagnosis window **3100** advising the user to refer to the drug's prescribing information for approved indications. In the exemplary
25 embodiment, after closing pop-up window **3400**, the user can enter an "other" diagnosis and proceed. In other embodiments, the system can prohibit entry of a diagnosis other than as listed in diagnosis window **3100**. Similarly, when the user selects to enter a dosing other than one of the selectable dosing choices, a pop-up window (not shown) warns the user to refer to the drug's prescribing information for approved dosing. In the exemplary embodiment, after closing the pop-up window,
30 the user can enter an "other" dosing and proceed. In other embodiments, the system

can prohibit entry of a dosing other than as listed in diagnosis window **3100** or can not provide a warning to the user.

As embodied herein, in connection with some pharmaceutical products and/or specialties, there may be different indications, requirements, dosing, etc. depending on whether it is a new prescription for the product or a continuing prescription. For example, if the specialty is rheumatology, the system disclosed herein can provide a drop down to choose one of the following choices: New, Continuing. The system disclosed herein can provide an option for selection of the diagnosis for which prescription product is being prescribed. The diagnoses can vary depending on the specialty, pharmaceutical product, etc. For the rheumatology specialty, for example, embodiments of the system can provide an option to select the following diagnosis options using Multiselect Check Boxes: “Rheumatoid Arthritis (714.0)”; “Psoriatic Arthritis (696.0)”; “Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30)”; “Ankylosing Spondylitis (720.0)”; and “Other (include code):_____.”

Moreover, the patient’s age can affect indications, prescribing requirements, dosing, etc. For example, the system can prevent the user from selecting any other diagnosis information if “Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30)” is selected. If the diagnosis is Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30), the system can prompt the user to enter patient’s weight in pounds. If the diagnosis is Polyarticular JIA and the patient’s weight is between 15 kg (33 lbs) to <30 kg (66 lbs) and the patient is 4 years of age or older, the dosing and frequency can be auto populated and not editable. The quantity and number of refills can be selectable by the user. If the user selects “Any Other Dosing” check box, the system can display a pop up with the warning message stating: “Please refer to the [Prescription Product Name] Prescribing Information for approved dosing regimens. Click here for full Prescribing Information.” Upon clicking of the full Prescribing information link, an external link to the full prescribing information can be opened in a new window. If the user selects OK in the pop up, the system can close the pop up and allow the user to enter any other dosing. The system can flag the referral as off label in database. If the user clicks on continue button, the system can save the referral. The system can check that the mandatory fields are filled in retain the referral status as “Patient Intake – In Progress”.

Additionally or alternatively, for example, if the user enters a weight ≥ 30 kg (66 lbs) and the diagnosis is Rheumatoid Arthritis, Ankylosing Spondylitis, Psoriatic Arthritis, or Polyarticular JIA, the system disclosed herein can prompt the user to select a dosing mode. The system can provide a mandatory drop down with the applicable dosing modes. The available dosing modes can vary according to the particular drug being prescribed, and can include one or more of syringe, pen, tablet, liquid, or the like. After the dosing mode is selected, the system can auto populate the dosing and frequency. The fields can disallow editing by the user. The quantity and number of refills can be selectable by the user. If the user selects “Any Other Dosing” check box, the system can display a pop up with a warning message as described above, including an external link to the full prescription information, and can proceed as described above.

Additionally, as embodied herein, if the user selects other headers before completing the Diagnosis Information, the system can provide a pop up to the user to confirm the action. The pop up can read, for example, “Save Referral Information” with “Yes” and “No” buttons. If the user clicks the Yes button, the system can save the information entered by the user and retain the status of referral as “Patient Intake – In Progress”. If the user clicks the No button, the system can end the session without saving information.

Fig. 35 is a screenshot of a patient contact information window **3500** displayed after the user continues from diagnosis window **3100**. The patient’s phone number and alternate phone number are entered into patient contact information window **3500**. In an exemplary embodiment, one or more of the phone numbers are prefilled based on patient information, such as the patient’s profile, stored in the system.

In the exemplary embodiment, the user can optionally use the system to display information concerning optional services related to the pharmaceutical product being prescribed after completion of the patient contact information window. In other embodiments, the optional services information can be presented at a different stage of the process. **Fig. 36** shows a selection screen asking if the user would like to use subsequent screens to discuss optional service with the patient. Other embodiments proceed directly to **Fig. 37** without presenting an option to the user regarding whether or not to discuss optional services with the patient, although

the patient can decline to accept or consider any optional services. **Figs. 37-40** are screenshots of the optional services pages for review and completion by the patient. The time period while the patient completes and reviews the various optional services pages can be referred to as a patient interaction period. In the exemplary

5 embodiment, during the patient interaction period, computing device **502** (shown in **Fig. 5**) enters a second mode, also referred to as a patient interaction mode, in which computing device **502** is prohibited from displaying data entered by the HCP. Accordingly, patients are prevented from viewing confidential and/or medical information entered by the HCP.

10 When the user selects, in **Fig. 36**, to discuss the optional services with the patient, a welcome page **3700** (shown in **Fig. 37**) is displayed for the patient. Welcome page **3700** explains briefly about the purpose of the subsequent pages, i.e., to offer optional services to the patient, and allows the patient to select whether or not to get started reviewing and/or signing up for optional services.

15 **Fig. 38** is a screenshot of an exemplary information page **3800** about an optional support services program shown to the patient after selecting to get started on welcome page **3700**. In other embodiments, other optional services can be presented, additionally or alternatively, to the patient. Information page **3800** includes the benefits that can be received from the support services program and provides links

20 **3802** to additional information about the drug prescribed for the patient. The benefits can include, for example, training in the pharmaceutical product by registered nurses, disposal of syringes and/or other medical items, ongoing informational services, and after-hours access to a registered nurse for questions about the pharmaceutical product. For purposes of illustration and not limitation, **Fig. 78** illustrates an

25 exemplary nurse injection training request form in accordance with an embodiment of the disclosed subject matter.

If the user elects to enroll in the support services program, consent pop-up **3900**, shown in **Fig. 39**, is displayed over information page **3800**. Consent pop-up **3900** provides the patient the ability to consent to or deny the disclosure of health

30 information to the third parties providing the support service. For purposes of illustration and not limitation, **Fig. 39B** illustrates another exemplary consent pop-up in accordance with an embodiment of the disclosed subject matter. If the patient consents to the disclosure, the system displays a sign-up page **4000** for the support

services program to the patient, as shown in **Fig. 40**. In the exemplary embodiment, at least some of patient information fields **4002** are pre-filled by the system based on the patient's profile information created as described above. Additional information not collected by the system, but needed for registration with the support services program is manually entered by the patient. If desired, the registration for the support service program occurs outside the system, such as through a website of the support services group. In such embodiments, the system can open the appropriate registration page in a separate window, program, tab, or the like, or can open the registration page within the system such that the registration page appears to be integrated within the system.

In the exemplary embodiment, the optional services are provided by a manufacturer of the pharmaceutical product prescribed for the patient. In other embodiments, services offered by one or more other third parties can be, additionally or alternatively, offered to the patient using the system.

Following completion of registration for any desired optional service, or refusal to register for any such services, the intake process resumes with the HCP or office staff user. To continue the intake process, the HCP or office staff user indicates that the patient interaction period is complete. In the exemplary embodiment, the user is required to reenter his/her username and password to continue following the patient's review of the optional services. **Fig. 41** is a screenshot of an HCP decision and signature window **4100** that is next displayed. The user confirms that certain information about the HCP in a confirmation section **4102** is correct. The user can also enter any known drug allergies of the patient into an allergy section **4104**. In a handling section **4106**, the user can select whether or not to allow substitution. Moreover, the user can select to have the prescription being created held, i.e., not filled, and only have a benefits verification run based on the prescription. Other optional services can also be selected in the handling section **4106**. For example, in the exemplary embodiment, in which the pharmaceutical product is an injectable drug, the user can optionally request injection training of the patient by a registered nurse.

As described above, the patient intake procedure can include a number of discrete steps, partitioned into a set of screens for each step, including the general categories of "patient information," "insurance information," "HCP information,"

“diagnosis information,” “patient contact information,” and “HCP decisions and signature.” Alternatively, the patient intake procedure can be grouped into a smaller number of discrete steps. For example, patient intake can be partitioned into the general categories of “patient information,” “insurance information,” “HCP
5 information,” and “diagnosis information.” In this alternative embodiment, the four discrete steps can include acquisition of the same information as acquired in the embodiments described above. Moreover, as described in more detail below in connection with the generation of a medical order/prescription, in an exemplary embodiment a HCP signature need not be required upon patient intake.

10 As noted above, the prescription manager (including, for example and without limitation, various embodiments of the prescription manager, depicted in the figures as **10**, **7310**, and **112**) can also manage the verification of benefits (**31**), either alone or in combination with one or more user devices (including, for example and without
15 limitation, various embodiments of the user devices, depicted in the figures as **60**, **500**, **522**, and **114**). For example, a benefits verification request can be generated based upon information acquired during patient intake (**21**), including prescription information. The system can route the information to a “benefits verifier” in the form of a benefits verification request with or without a prescription referral. For example, in an exemplary embodiment benefits verification (**31**) can be preformed prior to
20 generation of a prescription document or medical order document (**41**). In certain other embodiments, a medical order/prescription document can be generated prior to at least a portion of the benefits verification process, as described herein.

In an exemplary embodiment, the “benefits verifier” can be a “pharmacy receiver.” The pharmacy receiver can receive the information submitted by the HCP,
25 including for example the benefits verification request. For example, in an exemplary embodiment, the pharmacy receiver can access the prescription manager via one or more user devices to receive the information submitted by the HCP. Alternatively, the prescription manager can transmit, for example via fax, secure email, or the like, the information to the pharmacy receiver. The pharmacy receiver can be, for
30 example, a licensed pharmacy (whether or not the licensed pharmacy is the pharmacy that will fill the prescription), a pharmacy service company, a pharmacy support company, and/or pharmacy intermediary. The pharmacy receiver can verify benefits and, in an exemplary embodiment, identify any prior authorization (PA) requirements.

The pharmacy receiver can electronically provide a benefits verification summary to the HCP (and, in an exemplary embodiment, the proper PA form required by the patient's insurer) via the medical treatment coordination system disclosed herein. The medical treatment coordination system can be configured to notify the HCP of the availability of the benefits verification and/or PA form. Such notification can be in the form of a preferential selection of an email notification, an SMS text notification, an icon, an alert, a phone call, or a change of status within the medical treatment coordination system. The PA form can be provided to the HCP by any suitable method of making the PA form available to the HCP. For example, the PA form can be made available by transmission from a computing device associated with the pharmacy receiver to a computing device associated with the HCP, by placing the PA form in the system and associating it with the patient, HCP, and/or incident, and/or by making the PA form available for download by the HCP. Moreover, as embodied herein, different entities can perform the tasks described herein. For example, one pharmacy receiver can perform the benefits verification, while a second entity can identify any needed PA.

As embodied herein, the pharmacy receiver can generate a benefits verification summary to summarize benefits provided to the patient by the patient's insurance provider. The summary can include, but is not limited to, deductible amount(s), co pay amounts, lifetime limits, whether three month supply prescriptions are covered and the applicable deductibles or co pay amounts, the availability of online and/or mail-order prescriptions, the insurance provider's preferred and/or mandatory pharmacy, duration of prior authorization, time period limitations for the prescription, pharmacy restrictions for filling the prescription, and/or other pertinent information related to the patient's insurance coverage. The information included in the benefits verification summary can vary based on the amount of information that the insurance provider will provide to the pharmacy receiver. In an exemplary embodiment, the pharmacy receiver generates a benefits verification summary if possible and transmits the benefits verification summary to the HCP or the patient. In other embodiments, a benefits verification summary may not be generated. Moreover, as embodied herein, different entities can perform the tasks described herein. For example, one pharmacy receiver can perform the benefits verification, while a second pharmacy receiver can identify any needed PA.

As further embodied herein, the HCP and/or the patient can be notified of the availability of the benefits verification summary and/or PA form, such as via an email notification, an SMS text notification, an icon, alert, phone call, or change of status within the system, or the like. With reference back to **Fig. 22**, as embodied herein, the status of the cases within open referral section **2206** indicates when a PA form and/or benefits verification (BV) summary have been received from the pharmacy receiver(s) in response to a submitted referral. Moreover, the pending action column of the open referral section **2206** for those cases for which a PA form has been received, but not yet completed, indicate the pending action is to fill out the PA form, as described in more detail below.

Figs. 51-64 include screenshots of various exemplary tabs of a benefits verification request window **5100**. Benefits verification request window **5100** can be presented to a user after the user registers a new patient, or after the user selects an existing patient. Benefits verification request window **5100** includes a patient information tab **5102**, an insurance information tab **5104**, a diagnosis information tab **5106**, a training/support tab **5108**, and a consent tab **5110**. The consent tab **5110** can further include a patient consent tab **5112** and a physician consent tab **5114** as shown in **Figs. 61** and **62**.

Once all information has been input into the benefits verification request window **5100**, and the patient and physician have executed consent forms **5120** and **5122**, the user can select a submission button **5130**. Selection of submission button **5130** transmits a benefits verification request to the licensed pharmacy and/or equivalent provider. The benefits verification request includes the information from benefits verification request window **5100**. As shown in **Fig. 63**, the benefits verification request window **5100** can also include a physician information tab **5160**. Physician information tab includes physician information and a signature space **5162** for a physician signature, as well as submission button **5130**. After submission button **5130** is selected, as shown in **Fig. 64**, a submission confirmation **5170** is displayed.

Fig. 65 is a screenshot of a benefits verification window **6500** as viewed by a pharmacy receiver upon receipt of the benefits verification request. A user can view and input benefits verification information (e.g., deductibles, out-of-pocket expenses, or the like) into a benefits verification tab **6502**. By selecting an add document button **6504**, the user can attach the appropriate prior authorization (PA) form for transmittal

to the HCP. If desired and/or appropriate, the system disclosed herein can automatically identify and attach the appropriate PA form based on at least some of the information in the benefits verification request. Once the benefits verification information has been input and the appropriate PA form has been attached, a user
5 selects a PA submission button **6506**, and the PA form is transmitted to the HCP. In an exemplary embodiment, the PA form transmitted to the HCP is selected from a plurality of PA forms stored in a database, such as database **20** (shown in **Fig. 1**). Each PA form can be associated with a different insurance provider, as different insurance providers typically have different, distinct PA forms.

10 For purposes of illustration and not limitation, **Fig. 79-81** illustrate exemplary screens for a benefits verifier (e.g., pharmacy receiver) in connection with access by the benefits verifier to the system disclosed herein. **Fig. 79** illustrates an exemplary dashboard screen in accordance with an embodiment of the disclosed subject matter. **Fig. 80** illustrates an exemplary screen for selecting a PA form in accordance with an
15 embodiment of the disclosed subject matter. **Fig. 81** illustrates an exemplary screen for entering pharmacy details in accordance with the disclosed subject matter.

As noted above, the prescription manager (including, for example and without limitation, various embodiments of the prescription manager, depicted in the figures as **10**, **7310**, and **112**) can manage the selection, population, and release of certain
20 predetermined forms, such as prior authorization forms, for a patient (**51**), either alone or in combination with one or more user devices (including, for example and without limitation, various embodiments of the user devices, depicted in the figures as **60**, **500**, **522**, and **114**).

As disclosed herein, for illustration, upon receiving the information from user
25 device **7340**, prescription manager **7310** can optionally decrypt the information. At **7421**, prescription manager **7310** can select one or more insurance authorization forms for the prescription product or service, as well as determine the procedures to be followed, as required by the insurance provider(s), to obtain a prior authorization. Sometimes, different insurance providers or healthcare providers use different
30 authorization forms and/or procedures for different prescription products or services. Prescription manager **7310** can select, from the authorization forms stored with prescription manager **7310**, an appropriate authorization form for a specific prescription product or service based on, for example, the identity of the healthcare

provider proscribing the product or service, the facility (e.g., hospital or clinic) with which the healthcare provider is affiliated, the type of product or service prescribed to the patient, or the insurance provider of the patient. As disclosed herein, for illustration, prescription manager **7310** can determine some of the information needed from the information sent by user device **7340** at **7413**. For example, the identities of the healthcare provider and the patient and the type of product or service prescribed to the patient can be extracted from the information received from user device **7340** at **7413**. In addition, prescription manager **7310** can retrieve some of the information needed from the information stored in the user account of the healthcare provider or the patient. For example, the facility with which the healthcare provider is affiliated can be retrieved from the healthcare provider's account or from the information sent by user device **7340** at **7413**. The patient's insurance provider can be retrieved from the patient's account determined based on the patient's identify.

If the patient has multiple insurance providers, each insurance provider can require its own authorization form and/or procedure. As embodied herein, prescription manager **7310** can select, from the authorization forms stored with prescription manager **7310**, multiple insurance authorization forms (e.g., one for each insurance provider of the patient).

Each insurance authorization form can include any number of fields, each field corresponding to a different piece of information that needs to be filled. As disclosed herein, for illustration, at **7423**, for each authorization form selected for the prescription product or service, prescription manager **7310** can automatically fill in the required fields in the form based on the information available to prescription manager **7310**, which can include information from the healthcare provider's user account and the patient's user account with prescription manager **7310**, information received from user device **7340**, information provided by the manufacturer or seller of the prescribed product, or information provided by the prescription service provider. In addition, if prescription manager **7310** has access to an electronic medical records system, prescription manager **7310** can retrieve relevant information (e.g., the patient's record) from the electronic medical records system.

Fig. 43 illustrates a page of an example insurance authorization form. For example, the form can include a section for the patient's information, a section for the healthcare provider's (i.e., the prescriber's) information, a section for the patient's

insurance information, and two sections relating to the prescribed product or service. Each section can include a number of fields. For example, under the “Patient Information” section, there are fields corresponding to the patient’s first name, middle initial, last name, date of birth, gender, address, phone numbers, and drug allergies.

5 Under the “Insurance Information” section, there are fields corresponding to the patient’s primary insurance and secondary information, such as phone number, cardholder identification number, group number, policy holder name, or the like. Information needed for filling these fields can be retrieved from a data store (e.g., data store **7312** and/or data store **7360**), for example, from the patient’s user account or the

10 patient’s record from an electronic medical records system or information received from user device **7340** at **7413**. The information is then populated into the authorization form automatically by system **7300** (e.g., specifically by prescription manager **7310**). In the instance of multiple authorization forms (e.g., corresponding to multiple insurance providers), prescription manager **7310** can automatically

15 populate the appropriate fields (e.g., in each authorization form). In addition, there are fields relating to the healthcare provider (i.e., the prescriber), the patient’s diagnosis, prescription drug, or the like. Information needed for filling these fields can be retrieved, for example, from the healthcare provider’s user account or information received from user device **7340** at **7413** or information supplied by the

20 manufacturer or seller of the drug.

As disclosed herein, for illustration, at **7425**, once the insurance authorization form or forms have been filled out, prescription manager **7310** can, optionally, encrypt the form(s) (e.g., for patient’s privacy protection), and send the completed form(s) to user device **7340** associated with the healthcare provider. As appropriate,

25 the insurance authorization form(s) can be selected and to allow the completed form(s) can be sent back to user device **7340** in sufficient time to allow the healthcare provider to receive the completed form(s) while the patient is still consulting with the healthcare provider. In this case, the healthcare provider can, as appropriate, review the form(s) with the patient and sign them. Other times, the completed form(s) can be

30 sent back to user device **7340** after (e.g., a few hours or within a day) the patient’s consultation with the healthcare provider). Additionally, prescription manager **7310** can conduct a quality/spelling check to ensure that each authorization form is filled in completely and the information entered into the form is spelled properly or correctly.

In **7416**, an HCP can save the populated insurance authorization form, for example by clicking a “save” button, at which time the prior authorization form can be saved in data store **7312**.

As disclosed herein, for illustration, at **7415**, the completed forms can be presented to the healthcare provider on user device **7340** for review and signing. To review a completed insurance authorization form, the healthcare provider can log into his/her account with prescription manager **7310**. All the pending insurance authorization forms (i.e., corresponding to products or services prescribed to various patients) can be found in the healthcare provider’s account. The healthcare provider can select a specific insurance authorization forms for review and signing.

For purpose of illustration, there can be screens provided by prescription manager **7310**, as part of its user interface, that guide the healthcare provider through the review and signing process. For example, **Fig. 42** illustrates an example screen from which the healthcare provider can enter a user name and password in order to insert an electronic signature (e.g., stored with the healthcare provider’s account or on user device **7340**) into a completed insurance authorization form. Sometimes, a jurisdiction (e.g., a state) does not allow electronic signatures to be used on insurance authorization forms. In such cases, the healthcare provider can need to print a physical copy of the form and sign it on paper.

As disclosed herein, for illustration, at **7417**, the healthcare provider can send a signed insurance authorization form to a prescription product seller **7320** (e.g., a pharmacy selected by the patient) or a prescription service provider **7330**. Optionally, the healthcare provider can send other relevant documents, such as the patient’s chart, along with the signed insurance authorization form. The form and optionally, the additional documents, can be sent using any applicable means, such as via fax or email.

For purpose of illustration, screens can be provided by prescription manager **7310**, as part of its user interface, to guide the healthcare provider to send a signed insurance authorization form to an appropriate recipient. **Figs. 46-47** illustrate example screens that guide the healthcare provider to fax a signed insurance authorization form. For example, from screen **4600** illustrated in **Fig. 46**, the healthcare provider can specify one or more additional documents, if needed, that can be sent together with the signed insurance authorization form. From screen **4700**

illustrated in **Fig. 47**, the healthcare provider can enter a fax number of the recipient (e.g., a pharmacy or an insurance provider) for faxing the signed form and the additional documents.

For example, reference is made to the situation wherein the healthcare provider sends a completed and signed authorization form for a prescription medication to a pharmacy (i.e., a prescription product seller **7320**) or an insurance provider that is a part of system **7300**. As embodied herein, for illustration, the pharmacy can then forward the authorization form to the patient's insurance provider. If the patient's insurance provider approves the prescription medication, the insurance provider can notify the pharmacy of the approval. The pharmacy can then fill the prescription and contact the patient (e.g., telephone the patient using the phone number provided by the patient or notifying the patient through prescription manager **7310**) so that the patient can pick up the medication at the pharmacy.

Sometimes, the patient's insurance provider can have a designated pharmacy that is not a part of system **7300** (i.e., a prescription product seller **7380**). However, in order for the patient to receive payment benefit from the insurance provider, the patient can be required to obtain the actual medication from the insurance provider's designated pharmacy. In this case, even though the insurance provider has received the prescription and/or the authorization form from one pharmacy or insurance provider that is a part of system **7300** (i.e., a prescription product seller **7320**), the patient's insurance provider can send the approval to another pharmacy that is not a part of system **7300** (e.g., its own designated pharmacy). The insurance provider's designated pharmacy can then fill the prescription and notify the patient. If the patient wishes for his/her insurance provider to pay for the medication, the patient can be required to pick the medication up at the insurance provider's designated pharmacy. Of course, the patient always has the option of paying for the prescription himself/herself, in which case the patient can be free to choose from which pharmacy to purchase the medication.

In an exemplary embodiment prior authorization (**51**) can be preformed prior to generation of a prescription document or medical order document (**41**). In certain other embodiments, a medical order/prescription document can be generated prior to at least a portion of the prior authorization process, as described herein.

Moreover, in an exemplary embodiment, one or more processors of the prescription manager (e.g., prescription manager **10** or **7310**) can be configured to automatically select an appropriate prior authorization form, as described above. Alternatively, in an exemplary embodiment, the prior authorization form can be selected by the benefits verifier (such as, e.g., a pharmacy receiver) using the prescription manager **10**. In an exemplary embodiment, the selection of the prior authorization form by the benefits verifier can be guided by a series of screens, as disclosed herein. For example, the benefits verifier can log into the system **7300**, and the prescription manager can provide a user interface for the selection of a prior authorization form based on the patient provider information.

For example, and not limitation, after a referral and a prescription form is submitted to the pharmacy receiver, the pharmacy receiver can verify the patient's insurance benefits and identifies any prior authorization (PA) requirements. If desired, the pharmacy receiver prepares and submits a test claim for the prescription to the patient's insurance provider. The test claim can include the completed prescription form and a request to adjudicate payment for the prescribed product. If the claim is denied, the pharmacy receiver determines why the claim was denied. In particular, the pharmacy receiver determines if prior authorization from the insurance provider is required. If prior authorization is required, the pharmacy receiver determines the correct PA form for the patient's insurance provider. In other embodiments, the pharmacy receiver can directly contact the insurance provider, without submitting a test claim, to determine the insurance provider's claim requirements, the correct PA form (if applicable), the benefits provided by the insurance provider to the patient, or the like. In still other embodiments, data identifying the correct PA form(s) for particular insurance providers, benefits and requirements data concerning particular plans offered by insurance providers, or the like. can be used to automatically determine if a PA form is needed, which is the correct PA form, and/or benefits provided by the insurance provider to the patient. For example, the insurance provider can indicate the reason for the denial in a response to a test claim, and the PA form can be selected based on the reason for the denial.

If the correct form is already included in the system, the system automatically provides the correct PA form to the patient's HCP. In the exemplary embodiment, the

PA form is an electronic PA form that includes a plurality of data fields. If the correct PA form is not included in the system, the pharmacy receiver prepares the PA form for inclusion in the system by, for example, creating a version of the form having the same document type as other forms in the system, e.g., a portable document format (PDF) document, and mapping the fields on the PA form to data available in the system to permit auto-population of the PA form by the system. The prepared PA form is then loaded into system by, for example, storing the PA form to a server such as server computer device **275**. The PA form can be provided to the HCP by any suitable means for making the PA form available to the HCP. In the exemplary embodiment, the pharmacy receiver makes the correct PA form available to HCP via the system by associating the form with the particular patient and case to which it applies. In other embodiments, the pharmacy receiver can transmit the PA form to the HCP by making the form available for download by the HCP, by transmission to the HCP via electronic transmission, such as secure email or secure file transfer protocol (SFTP), or other transmission, such as via facsimile transmission.

As embodied herein, at least some PA forms that can be transmitted to the HCP include at least one electronically ‘tagged’ field that enables a processing device, such as computing device **502**, to auto-populate the tagged field. The data used to auto-populate the PA form can include patient information (e.g., name, address, or the like), physician contact information (e.g., name, license number, or the like), information input into the benefits verification request window **5100** (shown in **Fig. 51**), office information (e.g., name, address), insurance information for the patient (e.g., company, plan number, or the like), and/or any other information pertinent to the fields of the PA form.

After the PA form is provided to the HCP (e.g., after the HCP accesses the PA form via the prescription manager), the HCP can manually populate the PA form with the required data, allow the system to automatically populate the form with the previously-provided information, or manually populate some portions of the PA form while allowing the system to automatically populate other portions of the PA form. The HCP can manually complete any fields that may not be auto-populated by the system, such as by providing additional medical information including lab results, previous treatments, or previous prescriptions. If required by the particular PA form, the HCP, and specifically the prescriber, signs the PA form electronically. In the

example embodiment, the electronic signature is a digital representation of a physical signature by the HCP. The electronic signature can be captured at the time the physician is signing a particular PA form or may have been previously captured. If the electronic signature of the physician was previously captured, the physician can
5 attach the existing electronic signature to the PA form to satisfy the requirement of signing the form. If desired, attachment of an existing electronic signature can require confirmation of the identity of the physician, such as via re-entry of a user ID and password. Moreover, if desired, one or more office staff members can be authorized to attach a physician's existing electronic signature to the PA form. Confirmation of
10 the identity of the office staff member and his/her authorization to attach the signature can be confirmed prior to permitting the attachment.

The medical treatment coordination system then enables the HCP to submit the PA form to the insurer. The PA form can be electronically transmitted directly to a system maintained by the insurer, transmitted to a fax machine of the insurer,
15 transmitted by secure email to the insurer, or transmitted to the insurer by any other appropriate method of transmission. In an exemplary embodiment, the PA form is submitted in a digital format. For example, the PA form can be submitted in an electronic PA (ePA) standard format. As mentioned above, the medical treatment coordination system presents optional services available to the patient for patient opt-
20 in during the process. If the patient agrees to participate in one or more of these support services, third parties, including the drug manufacturer, that provide such services can proactively contact the patient to discuss financial assistance options, training, education, or support options. The contact can occur within hours of the initial engagement in the physician's office. The information to guide the discussion
25 is transmitted, subject to the patient having opted-in, by the medical treatment coordination system to the service provider. In an exemplary embodiment, PA information typically included on the PA form is sent to the insurer in a format other than a form. Further, if desired, the PA form and/or PA information are sent using an electronic data interchange or a web service.

30 In an exemplary embodiment, and with reference to **Fig. 44**, by selecting to fill a PA form in dashboard window **2202**, a PA window **4400** is opened, as shown in **Fig. 44**. PA window **4400** displays the PA form **4402** received from the pharmacy receiver in a PA form window **4404**. PA form **4402** is a fillable form, in which

information can be entered by selecting a field, e.g., patient name, patient address, HCP name, HCP address, and diagnosis, and typing in the desired value for the field. In the exemplary embodiment, PA form can additionally or alternatively be filled by selecting a fill button **4406**. If fill button **4406** is selected, the fields of PA form **4402** can be populated by the system disclosed herein with the appropriate information gathered in system **100** as described above. Specifically, the system can identify one or more data field in PA form **4402**, maps corresponding data fields of stored patient and/or insurance data to the identified data fields, and populates the identified data fields with the stored patient and/or insurance data using the mapping. PA form **4402** can be partially completed by auto-populating the form and partially filled out manually, can be completely filled out automatically by the system, or can be completely filled out manually. In an exemplary embodiment, the system, or the PA form itself, can indicate PA form data fields where information is missing to alert the user that such data is required to complete the PA form. Further, in an exemplary embodiment, the system can prohibit saving and/or submitting a PA form until all required data fields have been completed. PA form **4402** can be signed by selecting, by the HCP or authorized staff member, a sign button **4408** and attachment of a signature as described above with reference to **Fig. 41**. In an exemplary embodiment, the HCP can create an electronic representation of the HCP's handwritten signature at the time of completion of PA form **4402** instead of attaching a previously stored electronic representation of the HCP's handwritten signature. For purposes of illustration and not limitation, **Fig. 44B** illustrates another exemplary PA screen in accordance with an embodiment of the disclosed subject matter.

An intake details window **4410** displays a summary of information for the particular case including the patient name, the drug being prescribed, the diagnosis, the patient's insurance provider, and the HCP's name. Each of these items is selectable to view additional details. For example, if the user selects the patient's name, a patient information window **4500**, shown in **Fig. 45** is displayed over PA window **4400**. Patient information window **4500** includes additional details about the patient, such as gender, date of birth, address, and the scanned image of the patient's identification document. For purposes of illustration and not limitation, **Fig. 45B** and **Fig. 45C** illustrate another exemplary patient information window in accordance with an embodiment of the disclosed subject matter.

If the user desires to submit additional supporting documents to the patient's insurance provider and/or the pharmacy that will fill the patient's prescription in addition to the PA form, the user can do so by selecting to add a new document to a documents window **4412**. This selection opens a document addition window **4600**,
5 shown in **Fig. 46**, in which the user can locate additional documents, such as lab results, benefits verification summaries, additional notes and/or support for the diagnosis, etc. The selected documents are added to document window **4412** in preparation for submission along with PA form **4402**. For purposes of illustration and not limitation, **Fig. 46B** illustrates another exemplary document addition window in
10 accordance with an embodiment of the disclosed subject matter.

When the user is ready to send PA form **4402** to the insurance provider, the user selects a fax button **4414** (shown in **Fig. 44**), thereby opening a fax documents window **4700**, shown in **Fig. 47**. For purposes of illustration and not limitation, **Fig. 47B** illustrates another exemplary fax documents window in accordance with an
15 embodiment of the disclosed subject matter. In an exemplary embodiment, using contact information stored on the system and/or entered by the user, the PA form and associated documents are sent by facsimile transmission to the insurance provider and the patient's preferred or designated pharmacy for filling the prescription. In other embodiments, the PA form and documents are transmitted to one or both of the
20 pharmacy and the insurance company by other means including, for example, via secure email, direct electronic transmission, printing for mailing, etc. If desired, PA information typically included on the PA form is sent to the insurer in a format other than a form. Further, if desired, the PA form, PA information, and/or additional documents are sent using an electronic data interchange or a web service. Moreover,
25 if desired, information typically included in the additional documents (e.g., lab results, benefits verification summaries, additional notes and/or support for the diagnosis) is sent to the insurer in a format other than a document and/or sent using an electronic data exchange or a web service.

Additionally, the PA form and additional documents can be transmitted to an
30 electronic medical record system for inclusion into the patient's record. Fax documents window **4700** displays the name of the patient's insurance provider and the insurance provider's fax number. In the exemplary embodiment, the user can select which documents to send to the insurance provider. All documents included in

document window **4412** are displayed in fax documents window **4700** for selection for transmission to the insurance provider. In other embodiment, one or more documents can be preselected and/or mandatory for transmission to the insurance provider. Fax documents window **4700** also displays the name and fax number of the patient's preferred pharmacy for filling of the prescription. In the exemplary embodiment, all documents included in document window **4412**, including the prescription and the PA form, are transmitted to the pharmacy. In other embodiments, one or more documents can be selectable for optional transmission to the pharmacy, including electronic prescriptions. When the user selects send button **4702**, the selected documents are faxed by an exemplary embodiment of the system disclosed herein to the patient's insurance company at the fax number listed in fax documents window **4700**, and all of the documents are also transmitted to the filling pharmacy at the listed fax number. In connection with an exemplary embodiment, when one or more documents are electronically transmitted (e.g., via fax) to either the benefits verifier (e.g., pharmacy receiver), payor (e.g., insurance provider), or prescription product seller (e.g., pharmacy), the documents can be identified as originating from the HCP practice, such as by including information about the practice or prescriber name, address, phone, and/or fax information. For example, when sent via fax, the practice name and fax number appear on the header of the fax.

As noted above, in an exemplary embodiment, the prescription manager (including, for example and without limitation, various embodiments of the prescription manager, depicted in the figures as **10**, **7310**, and **112**) can manage the generating of (**41**) and execution (**61**) of a medical order/prescription document for the prescription product for the patient, either alone or in combination with one or more user devices (including, for example and without limitation, various embodiments of the user devices, depicted in the figures as **60**, **500**, **522**, and **114**). For example, as disclosed herein, generation (**41**) of a medical order/prescription can include the generation of a medical order/prescription document for a prescription product based on at least a portion of the patient intake information and the medical order/prescription information. That is, for example, the medical order/prescription document can be generated based on a portion of the patient intake information and/or a portion of the prescription information, individually or collectively. In an exemplary embodiment, patient intake information can include information beyond

what is required for generation of the prescription document, and as such, a subset of the patient intake information can be used.

Moreover, in an exemplary embodiment, generation (41) of the medical order/prescription can include generation of a prescription document (i.e., a document, signed by a physician, which can be used to acquire a prescription product from a prescription product seller, e.g., a pharmacy). Alternatively, generation (41) of the medical order/prescription can include generation of a medical order (i.e., an order by a healthcare provider for the provision, administration, execution, or the like of a medical service of administration of a medical product). For example, a medical order can be generated that provides for the administration of a medical product (which can, but need not, be a product for which a prescription would be necessary if a patient were to acquire it from a prescription product seller) in a facility of the healthcare provider.

In an exemplary embodiment, execution (61) of a medical order/prescription can include the transmission of a prescription document to a prescription product provider (e.g., a pharmacy), or to a provider of the patient (e.g., an insurance provider). Similarly, execution (61) of a medical order/prescription can include the transmission of a medical order document to a medical service provider, healthcare provider (e.g., for the administration of a medical product), prescription product provider (e.g., a pharmacy, for example where the prescription product does not require a prescription), and/or a provider of the patient (e.g., an insurance provider). Moreover, execution (61) of a medical order/prescription can include the administration of a medical product or the provision of a medical service. For example, execution of a medical order/prescription can include the injection of a biologic product. As noted above, as used herein the term “transmission” (or “transmit”) can include any means of electronic transmission, such as by fax, email, electronic access via one or more user devices, HTTPS transmission, or the like.

Description will now be made, for purposes of example and illustration and not limitation, of certain exemplary embodiments in accordance with the disclosed subject matter in connection with the generation of a prescription for a prescription product. However, one of ordinary skill in the art will appreciate that the description below can enable the generation and execution of a medical order in like manner, and

as such, the presently disclosed subject matter is not to be limited to generation and transmission of a prescription product.

To complete a prescription for a prescription product, a signature of the HCP can be required. In an exemplary embodiment, the electronic signature of the HCP created previously (and described herein) can be attached to complete the
5 prescription. In other embodiments, the HCP's signature can be attached by contemporaneously capturing an electronic representation of the HCP's handwritten signature. In an exemplary embodiment, if the logged-in user of the system disclosed herein is the HCP, the user can attach the HCP's electronic signature. In an
10 exemplary embodiment, if the user is a staff member authorized to sign for the HCP, the user can attach the HCP's electronic signature. Upon selecting to attach the HCP's signature, the user can be required to reenter his/her login credentials, i.e. username and password. An authentication pop-up **4200**, shown in **Fig. 42**, can be displayed over HCP decision and signature window **4100**. If the user enters incorrect
15 credentials or is not authorized to sign on behalf of the HCP, the user is prevented from attaching the HCP's signature. If the user enters correct login credentials and is authorized to sign on behalf of the HCP, the HCP's signature is attached and a complete prescription and referral is ready for submission to a pharmacy receiver.

From HCP decision and signature window **4100**, the user can view and/or
20 submit the referral and prescription form. **Fig. 43** is a first page of an example referral and completed prescription form **4300**. Although shown with all of its information fields empty in **Fig. 43**, in operation, prescription manager (such as, for example, prescription manager **10**, **7310**, **112**) or alternatively user device (such as, for example, user device **60**, **7340**, or **500**) can populate all fields, including attaching
25 the HCP signature (if applicable), with the information generated and/or collected as described above. In an exemplary embodiment, referral and prescription form **4300** can include additional information such as the scanned images of the patient's insurance card(s). In other embodiments, referral and prescription form **4300** can include more or less information. Moreover, the particular format and information
30 included in referral and prescription form **4300** can be varied based on, for example, the requirements and/or desired format of the pharmacy receiver to whom the referral and prescription form **4300** will be transmitted.

When, and if, the user selects to submit referral and prescription form **4300** to the pharmacy receiver, referral and prescription form **4300** can be transmitted to a pharmacy receiver. As embodied herein, for illustration, referral and prescription form **4300** can be transmitted electronically to pharmacy receiver via a network, such as via the Internet. In other embodiments, referral and prescription form **4300** can be transmitted by any suitable transmission including, for example, by facsimile transmission, attachment to a secure email transmission, electronic transmission via a wireless network, transmission via a local area network, faxed, or printed and mailed, or the like. In connection with an exemplary embodiment, when the prescription form is transmitted (e.g., via fax) to either the benefits verifier (e.g., pharmacy receiver), payor (e.g., insurance provider), or prescription product seller (e.g., pharmacy), the documents can be identified as originating from the HCP practice, such as by including information about the practice or prescriber name, address, phone, and/or fax information. For example, when sent via fax, the practice name and fax number appear on the header of the fax.

For purposes of illustration and not limitation, **Fig. 76** illustrates another prescription screen in accordance with an embodiment of the disclosed subject matter.

As disclosed herein, for illustration, prescription manager **7310** can implement and support additional functions that help healthcare providers and patients. For purpose of illustration, when the patient has received the prescribed product or service (e.g., a pharmacy has filled a prescription medication, which has been picked up by the patient or otherwise provided to the patient (e.g. mailed), or the patient has consulted with a specialist or received the prescribed treatment), a corresponding prescription product seller **7320** (e.g., the pharmacy) or a corresponding prescription service provider **7330** (e.g., the specialist) can indicate this information to prescription manager **7310** (e.g., accessing the corresponding website using an appropriate user device). Prescription manager **7310** can in turn update the information in the healthcare provider's user account so that the healthcare provider knows that the patient's prescription has been filled.

For purpose of illustration, if the healthcare provider has not signed a completed form for some time (e.g., a few days), prescription manager **7310** can send reminders to the healthcare provider to review and sign the form. The reminders can be in any applicable format. For example, prescription manager **7310** can send the

healthcare provider reminders as emails, text messages, voice messages (e.g., through automated telephone calls), or the like. Some of these reminders do not require the healthcare provider to actually log into his/her account with prescription manager **7310** in order to receive them so that the healthcare provider is reminded promptly even if he/she does not log into his/her account for some days.

For purpose of illustration, when a healthcare provider logs into his/her account, he/she can view the current status of all the insurance authorization forms of his/her patients. Visual indications (e.g., different colors) can be associated with authorization forms of different status. For example, if an insurance authorization form has not been signed for a few days, it can be displayed in yellow. However, if a form has not been signed for over a week, it can be displayed in red. On the other hand, if an insurance authorization form has already been signed and sent to the appropriate recipient, it can be displayed in green.

For purpose of illustration, when a patient logs into his/her account with prescription manager **7310**, he/she can review information relating to his/her prescription or sign up for additional support and services, through screens provided by prescription manager **7310** as part of its user interface, as illustrated in **Fig. 52**. For example, **Fig. 53** illustrates an example screen from which the patient can view training video on self injection. **Figs. 54-60** illustrate a series of screens that guides the patient to sign up for an optional service so that the patient can receive treatment information, training for administering the prescription medication, or the like. The patient can need to provide additional information and give various types of content (e.g., as illustrated in **Figs. 57 and 59**) in order to receive these services.

For purpose of illustration, when a new medication is under clinical trial and it treats a patient's condition, prescription manager **7310** can show information about the new medication to the patient when the patient logs into his/her account. If appropriate, the patient can be asked whether he/she is willing to participate in the clinical trial, and if so, there can be screens provided that guide the patient to sign up for the clinical trial and input the necessary information.

Sometimes, a patient can move from one location of residence (or work) to another location of residence (or work). While residing at the former location, the patient can have selected a nearby pharmacy or clinic as a preferred location for obtaining prescription products or services. After moving to the new location, the

previously selected pharmacy or clinic can no longer be convenient for the patient and the patient can select a new pharmacy or clinic near the patient's new residential location as the preferred location for obtaining prescription products or services. For purpose of illustration, the patient can log into his/her account with prescription manager **7310** and update his/her address. The patient can also select a new pharmacy or clinic as his/her preferred pharmacy or clinic. For purpose of illustration, prescription manager **7310** can notify the patient's healthcare provider of the patient's residence move. If desired, with the patient's consent, prescription manager **7310** can help transfer the patient's current prescription and insurance approval to the newly selected pharmacy or clinic (e.g., if the newly selected pharmacy or clinic is also a part of system **7300**). Additionally or alternatively, prescription manager **7310** can prompt the patient to select the closest available approved pharmacy or HCP based upon the patient's change of address as entered into prescription manager **7310**. For purposes of illustration and not limitation, **Fig. 77** illustrates a screen including a notification of changes made to patient details in accordance with an embodiment of the disclosed subject matter.

Figs. 22 and **23** are screenshots of pages along dashboard path **706** (shown in **Fig. 74C**). When the user selects dashboard button **2200**, dashboard window **2202** can be displayed. Dashboard window **2202** can displays overall information about the status of the cases entered into the system disclosed herein with which the user is associated. An intake section **2204** displays patients for which intake procedures have been begun, but for whom the case has not yet progressed in the system to a referral. Intake section **2204** displays the name of the patient, the date the case was created, the status of the case, and the length of time elapsed since the case was last updated. In the exemplary embodiment, the length of time elapsed is color coded to permit quick identification of the age of the elapsed time since the last update. Thus, for example, elapsed time may be colored green for cases with little time elapsed, colored yellow for cases with more than a predetermined number of days elapsed, and colored red for cases exceeding a second (and greater) predetermined number of days elapsed. In other embodiments, other color schemes may be used.

An open referral section **2206** can display patients for which an open referral exists. Open referral section **2206** displays the name of the patient, the date the case was created, the status of the case, and the length of time elapsed since the case was

last updated. Open referral section **2206** can also display any pending actions needing attention of the user. The user can select to complete the pending action from the dashboard by selecting the button for the pending action the user desires to complete. In the exemplary embodiment, the length of time elapsed since the last update is color coded to permit quick identification of the time since the last update. Thus, for example, elapsed time can be colored green for cases with little time elapsed, colored yellow for cases with more than a predetermined number of days elapsed, and colored red for cases exceeding a second (and greater) predetermined number of days elapsed. In other embodiments, other color schemes may be used.

10 A closed section **2208** can identify closed cases with which the user is associated. Closed section **2208** displays the name of the patient, the date the case was created, and the status of the case.

From dashboard window **2202**, the user can select to search for a patient using search box **2210**. The user may enter complete or partial patient information, such as a last name, or unique patient identifier such as an ID number, drivers license number, insurance number, into search box **2210** and the system will return all matching patients with which the user is associated in the system. The system will not return matching patients with whom the user is not associated (e.g., the system will not return other practices' patients who match the search term entered in search box **2210**). In the exemplary embodiment, the system only returns patients for whom the HCP is responsible or for whom an HCP with whom the staff member is associated is responsible. In other embodiments, the system returns search results for all patients associated with any HCP in the practice matching the search criteria.

The user can also select to view a summary dashboard from dashboard window **2202**. By selecting a view summary link **2212**, a dashboard summary **2300** is displayed over dashboard window **2202**, as shown in **Fig. 23**. Dashboard summary **2300** presents a summary of the number of referrals and processing time for each step in the referral process. In other embodiments, dashboard summary **2300** may be displayed as a separate form, and not overlying dashboard window **2202**.

30 In an exemplary embodiment, after the PA form and supporting documents are submitted to the patient's insurance provider and pharmacy, the user can continue to monitor the status of the prescription to determine when and if insurance provider approval is received and the prescription is filled. In an exemplary embodiment, the

insurance provider transmits an electronic confirmation message indicating prior authorization has been granted. Accordingly, the system can track a pendency period representing the period of time between when the PA form is transmitted to the insurance provider and when the electronic confirmation message is received from the insurance provider. The pendency period and/or related metrics can be displayed on computing device **502** (shown in **Fig. 5**). Similarly, the pharmacy can transmit an electronic confirmation message indicating the prescription will be filled or has been filled. After the prescription is filled, the case status can be updated to closed in the system and, more specifically, in dashboard window **2202** (shown in **Fig. 22**).

Moreover, in an exemplary embodiment, other status updates can be available. For example, a case can be updated to indicate that the insurance provider has provided the needed prior approval, updated to indicate that the prescription has actually been filled by the patient, or the like. In other embodiments, a case can be closed when the PA form and supporting documents are transmitted to the patient's insurance provider and the pharmacy. In an exemplary embodiment, a pharmacy receiver can monitor and close patient cases upon confirmation of a prescription's status. The system can additionally be communicatively coupled to an electronic medical record system, wherein updates, and documents would be transmitted to the electronic medical records system for storage and inclusion into a patient's medical record.

The system can store data concerning the prescription and fulfillment process described herein for other, non-patient specific purposes. The data can be stored in a form stripped of patient identifying information. For example, the elapsed time between submission of a referral to a pharmacy receiver and the return of a benefits verification and/or PA form can be stored for each case without inclusion of patient specific information. Data for all other time intervals in the process, e.g. between receipt of a PA form and submission of the completed PA form to an insurance provider, between submission of a PA form to an insurance provider and approval of the PA, the time between approval of the PA and filling of the prescription, or the like. The data can be collected and/or analyzed across multiple HCPs, HCP practices, pharmacy receivers, and/or filling pharmacies. However, since such data may not be generalized (i.e., it may contain identifying information) with respect to HCP, insurance provider, pharmacy receiver, and/or filling pharmacy, the data can be further analyzed to determine, for example, the diligence of various HCPs, pharmacy

receivers, and/or filling pharmacies in completing their respective tasks in the system. In other embodiments, data generated by the system can be analyzed differently and/or for different purposes. If desired, HCPs can have access to the generalized data and/or the results of such analysis.

5 For purposes of illustration and not limitation, alternative or additional embodiments of the systems and methods disclosed herein will now be described with reference to **Figs. 66-71**.

Figs. 66-71 are block diagrams of aspects of a medical treatment coordination system **6600** in accordance with the disclosed subject matter. In **Figs. 66-71**, system
10 **6600** is used to coordinate prescribing of a pharmaceutical product, referred to herein as DRUG(H), manufactured by a pharmaceutical company, referred to herein as DRUGCO. One or more pharmacy receivers may be referred to herein as PHARMACO. A support services group for providing optional support services, such as training, information, financial aid, or the like, related to DRUG(H) is referred to
15 by the name myDRUG.

Medical treatment coordination system **6600** is a technology platform that automates the capture of prescription information to accelerate approval, ensure greater accuracy, and connect patients to important on-boarding services. System **6600** includes several computing devices networked in communication with one
20 another such that system **6600** extends into the offices of HCPs, to pharmacies, to insurance providers and/or other third parties such as pharmaceutical manufacturers.

Medical treatment coordination system **6600** is configured to facilitate patient awareness of patient services associated with the managed drug including for example, a patient's ability to afford their medication and self-injection. Medical
25 treatment coordination system **6600** permits a manufacturer of the managed drug to contact new patients, with the patient's informed consent, to improve both the awareness and use of the services including Prescription Protection (PP), the injection instruction service and other myDRUG services.

Medical treatment coordination system **6600** includes a computer tablet, a
30 keyboard, and an optical scanner device. The hardware is installed in physician offices under a user agreement between the drug manufacturer and the practice. In various embodiments, this platform exclusively runs a web-based software program that allows healthcare providers (HCPs) and patients to enter all data required to

complete a valid prescription, prior authorization, and patient consent for secure on-boarding services from the drug manufacturer. Medical treatment coordination system **6600** provides an integrated data collection system that permits the healthcare provider to reuse previously entered data to streamline HCP operations. All systems are HIPAA-validated to ensure privacy and comply with all pharmacy requirements.

Fig. 67 is a flow diagram of a patient intake process **6700** using medical treatment coordination system **6600** in accordance with an exemplary embodiment of the disclosed subject matter. In the exemplary embodiment, process **6700** is configured to capture patient information from a drivers' license or other identification and/or insurance card.

Fig. 68 is a flow diagram of a patient opt-in process illustrating steps to permit a patient to opt-in to myDRUG services and capture a patient signature using medical treatment coordination system **6600**.

Fig. 69 is a flow diagram of a process configured to generate a benefit verification (BV) and a digital rendering of a paper prescription and/or an electronic prescription (E-Prescription) using medical treatment coordination system **6600**. In the exemplary embodiment, when the case information and patient signature processes have been completed, the prescriber signs the case to generate a BV. In an exemplary embodiment, a signed BV is or includes a digital rendering of a paper prescription and/or an E-Prescription, and is forwarded to a pharmacy of the patient's choice.

Fig. 70 is a flow diagram of a prior authorization (PA) process **7000** illustrating the steps involved in filling in the prior authorization form and faxing the PA form to an insurance company. After BV submission, medical treatment coordination system **6600** returns the BV and proper PA form. The office staff may populate the PA form with previously entered data.

Fig. 71 is a flow diagram of administrator activities to register a facility, staff member, and physician into medical treatment coordination system **6600**. This flow is followed once for each facility.

The exemplary system **6600** can be used for any particular prescription product or service. Moreover, medical treatment coordination system **6600** can be used in connection with a number of different prescription products and/or services.

In such embodiments, a user can select which drug system **6600** is being used with, i.e. which product or service is being prescribed or ordered, in each instance.

As embodied herein, medical treatment coordination system **6600** can integrate services provided by E-Prescription, Prior Authorization, and Patient On-Boarding services and improves the patient on-boarding rates by offering the benefits of reduced paperwork and reliable PA form completion to clinics. Medical treatment coordination system **6600** enables a higher patient opt-in to myDRUG program resulting in decreased abandonment of prescriptions at the pharmacy, improved patient compliance and consistency due to training and follow-up, and an increased use of proper starting dose.

One of ordinary skill in the art will appreciate that the exemplary screenshots depicted in the figures and described herein are provided for purposes of example and not limitation. Accordingly, the sequence and grouping of like screenshots can be modified as desired. For purpose of illustration and not limitation, **Figs. 82-260** of U.S. Provisional Application No. 61/712,153, which is incorporated herein by reference in its entirety, provide alternative screenshots in accordance with an exemplary embodiment of the disclosed subject matter.

* * *

The disclosure is described as applied to certain exemplary embodiments, including, systems and methods for facilitating and/or coordinating a medical order/prescription of a prescription product. As used herein, a medical treatment can include, but is not limited to, any medical product and/or medical service provided to a patient that requires a prescription and that may also require prior authorization from an insurance provider. Thus, a medical treatment may include drugs, pharmaceutical products, medical devices, medical therapies, physical therapy, medical supplies, or the like. Further, as used herein, a medical order/prescription can include an order, request, instruction, and/or recommendation for a medical treatment. Although the system and process described herein relates generally to facilitating and/or coordinating a medical order/prescription of a prescription product, specific embodiments of the disclosed subject matter can be used in connection with prescribing a prescription drug known as the HUMIRA® product, also known generically as adalimumab. (HUMIRA is a registered trademark of Abbott

Biotechnology Ltd., Hamilton, Bermuda.) For example, indications, diagnoses, specialties of physicians, dosing, delivery routes, or the like are described herein in the context of prescribing and obtaining prior authorization for the HUMIRA® product for a patient. However, the systems and processes described herein may also
5 be used with any other medical treatment, including other prescription drugs, and are not limited to use in connection with the HUMIRA® product.

Embodiments of the presently disclosed subject matter as described herein relate to medical treatment management methods and systems. The methods and systems described can be used to facilitate, coordinate, or manage medical treatments
10 such as medical services and/or medical products. As used herein, medical treatments include any suitable medical service or medical product. Medical products include physical devices that may be used or consumed by a patient in the course of their medical treatment. Medical services include activities that support the supply or operation of medical devices or standalone services that serve as treatment, for
15 example, but not limited to, counseling. Medical services may include, for example, one or more services related to a medical product, a pharmaceutical product, and/or a medical treatment. Moreover, medical services may also be used to facilitate education and/or training related to a particular pharmaceutical and/or healthcare in general.

20 The methods and systems described herein may be implemented using computer programming or engineering techniques including computer software, firmware, hardware or an combination or subset thereof, wherein the technical effect may include at least one of: (a) receiving patient data from a healthcare provider (HCP) including a completed prescription form for the pharmaceutical product for the
25 patient, and insurance data identifying an insurance provider of the patient, (b) storing the patient data and the insurance data within a memory device, (c) determining that an insurance provider requires a prior authorization the prescription as a prerequisite to covering a claim by the patient for the pharmaceutical product, (d) determining a current electronic prior authorization form required by the insurance provider for
30 requesting the prior authorization for the prescription, and (e) transmitting the determined prior authorization form to the HCP, wherein the HCP is prompted to complete the determined prior authorization form by automatically populating at least one data field included within the determined prior authorization form with patient

data stored within the memory device, and transmitting the determined prior authorization form completed by the HCP to the insurance provider.

Certain exemplary systems, comprise a healthcare provider (HCP) technology platform to automate the capture of prescription information, HCP information, insurance information, and/or patient information to facilitate accelerated prescription approval. Other features of the system include greater accuracy of information, and an ability to connect patients to optional services related to the prescribed medicine or to financial services, which may be available to assistance the patient in paying for the treatments.

As used herein, an HCP includes a person who provides medical services or generates valid prescriptions, and includes entities such as medical practices that include one or more medical doctor. HCP information may include identifying information, such as name, address, phone number, license numbers, and DEA numbers associated with the HCP, the HCP's employees, and others associated with the HCP. Insurance information may include information concerning an insurance company and/or a policy issued by the insurance company including, for example, name, address and contact information for the insurer, name of the insured, policy number(s), deductibles, and co-pays. Patient information may include identifying personal information concerning a patient, such as name, address, phone number, email address, driver's license numbers, and social security numbers.

Unless otherwise indicated, the functions described herein may be performed by executable code and instructions stored in computer readable memory and running on one or more processor-based systems. However, state machines, and/or hardwired electronic circuits can also be utilized. Further, with respect to the example processes described herein, not all the process states need to be reached, nor do the states have to be performed in the illustrated order.

The term processor, as used herein, refers to central processing units, microprocessors, microcontrollers, reduced instruction set circuits (RISC), application specific integrated circuits (ASIC), logic circuits, and any other circuit or processor capable of executing the functions described herein.

As will be appreciated based on the foregoing specification, the above-described embodiments of the disclosure may be implemented using computer programming or engineering techniques including computer software, firmware,

hardware or any combination or subset thereof, wherein a technical effect is one or more of receiving patient data comprising a prescription for a pharmaceutical product for a patient and an identification of the patient's insurance provider, determining whether or not a prior authorization from the patient's insurance provider is needed
5 before the prescription may be filled, and providing a prior authorization form to the patient's healthcare provider if prior authorization from the patient's insurance provider is needed. Any such resulting program, having computer-readable code means, may be embodied or provided within one or more computer-readable media, thereby making a computer program product, i.e., an article of manufacture, according
10 to the discussed embodiments of the disclosure. The computer-readable media may be, for example, but is not limited to, a fixed (hard) drive, diskette, optical disk, magnetic tape, semiconductor memory such as read-only memory (ROM), and/or any transmitting/receiving medium such as the Internet or other communication network or link. The article of manufacture containing the computer code may be made and/or
15 used by executing the code directly from one medium, by copying the code from one medium to another medium, or by transmitting the code over a network.

It should be understood that the systems and methods described herein can likewise be used with any drug, pharmaceutical product or service, medical device, and/or with any other products or services that may or may not require a prescription,
20 such as an order for a medical procedure or the like.

Herein, an element or step recited in the singular and preceded with the word "a" or "an" should be understood as not excluding plural elements or steps, unless such exclusion is explicitly recited. Furthermore, references to "one embodiment" are not intended to be interpreted as excluding the existence of additional embodiments
25 that also incorporate the recited features.

Herein, "or" is inclusive and not exclusive, unless expressly indicated otherwise or indicated otherwise by context. Therefore, herein, "A or B" means "A, B, or both," unless expressly indicated otherwise or indicated otherwise by context. Moreover, "and" is both joint and several, unless expressly indicated otherwise or
30 indicated otherwise by context. Therefore, herein, "A and B" means "A and B, jointly or severally," unless expressly indicated otherwise or indicated otherwise by context.

This disclosure encompasses all changes, substitutions, variations, alterations, and modifications to the example embodiments herein that a person having ordinary

skill in the art would comprehend. Moreover, reference in the appended claims to an apparatus or system or a component of an apparatus or system being adapted to, arranged to, capable of, configured to, enabled to, operable to, or operative to perform a particular function encompasses that apparatus, system, component, whether or not
5 it or that particular function is activated, turned on, or unlocked, as long as that apparatus, system, or component is so adapted, arranged, capable, configured, enabled, operable, or operative.

Moreover, although this disclosure describes and illustrates respective embodiments herein as including particular components, elements, functions,
10 operations, or steps, any of these embodiments may include any combination or permutation of any of the components, elements, functions, operations, or steps described or illustrated anywhere herein that a person having ordinary skill in the art would comprehend.

CLAIMS

1. A system for facilitating a medical order/prescription of a prescription product for a patient covered by a provider, comprising:
- at least one memory device to store a plurality of predefined forms for the prescription product, the plurality of predefined forms corresponding to a plurality of providers;
 - a receiver to receive prescription product information for the prescription product and patient intake information for the patient, including provider information for the patient, and to receive a benefits summary related to the patient in response to a benefits verification request;
 - a transmitter to transmit the benefits verification request; and
 - at least one processor configured to:
 - generate the benefits verification request for the patient based on the patient intake information;
 - select one of the predefined forms based on at least the patient provider information;
 - populate at least one field of the selected predefined form based on the user intake information; and
 - release the populated predefined form to facilitate a medical order/prescription of the prescription product to the patient.
2. The system of claim 1, wherein facilitating the medical order/prescription includes facilitating execution of a medical order/prescription of the prescription product or facilitating approval of a payment for the prescription product.

3. The system of claim 1, wherein the provider includes an insurance carrier, a governmental agency, or a third party payor.
4. The system of claim 1, wherein the prescription product includes a medical product, a medical service, or an administration of a medical product.
- 5 5. The system of claim 1, wherein the prescription product includes a biologic product.
6. The system of claim 5, wherein the biologic product comprises adalimumab.
7. The system of claim 1, wherein the plurality of predefined forms
10 comprise at least one prior authorization form.
8. The system of claim 1, wherein the at least one memory device stores a second plurality of forms for a second prescription product, the second plurality of predefined forms corresponding to a plurality of providers.
9. The system of claim 1, wherein the processor is configured to
15 automatically select one of the predefined forms based on the patient provider information.
10. The system of claim 1, wherein the transmitter is configured to transmit the benefits verification request to a benefits verifier, and wherein the receiver is configured to receive the benefits verification summary from the benefits
20 verifier.
11. The system of claim 10, wherein the receiver is further configured to receive information about the predefined forms from the benefits verifier, and the processor is configured to select one of the predefined forms further based on the information about the predefined forms received from the benefits verifier.

12. The system of claim 1, wherein the transmitter is further configured to transmit a request for additional patient information.

13. The system of claim 12, wherein the processor is further configured to receive the additional patient information and populate at least one field of the
5 selected predefined form with the additional patient information.

14. The system of claim 12, wherein the additional patient information includes information required for the selected predefined forms and not included in the patient intake information or the prescription product information for the prescription product.

10 15. The system of claim 1, wherein the processor is configured to release the populated predefined form to the provider of the patient.

16. The system of claim 1, wherein the processor is further configured to generate a prescription document from at least a portion of the prescription product information and the patient intake information and release the prescription document
15 to a pharmacy.

17. The system of claim 1, further comprising at least one user device to introduce the patient intake information and prescription product information to the receiver.

18. The system of claim 1, wherein the transmitter and the receiver are
20 connected to a network, and wherein the transmitter is further configured to transmit markup language describing a user interface over the network, the user interface including fields for entry of the patient intake information and the prescription product information.

19. The system of claim 18, further comprising at least one user device connected to the network, the at least one user device including a memory for storing data and a processor configured to:

parse the markup language and display the user interface;

5 store in the memory the patient intake information and prescription product information entered into the fields of the user interface; and

transmit the patient intake information and prescription product information to the receiver.

20. The system of claim 19, wherein the at least one user device includes a
10 tablet, a mobile phone, a laptop, or a desktop computer.

21. The system of claim 19, wherein the processor of the at least one user device is further configured to:

receive a healthcare provider signature; and

15 generate a prescription document from the prescription product information.

22. The system of claim 21, wherein the processor of the user device is further configured to transmit the prescription document to a pharmacy.

23. The system of claim 17, further comprising a scanning device communicatively coupled to the at least one user device, and wherein the processor of
20 the at least one user device is further configured to:

receive one or more images of a patient identification document from the scanning device;

extract at least part of the patient intake information from the patient identification document; and

25 automatically populate at least one field of the user interface.

24. The system of claim 23, wherein the patient identification document includes a license or an insurance card.

25. A method for facilitating a medical order/prescription of a prescription product for a patient covered by a provider, comprising:

5 providing at least one memory having stored therein a plurality of predefined forms for the prescription product, the plurality of predefined forms corresponding to a plurality of providers;

receiving patient intake information including provider information of the patient and prescription product information for the prescription product;

10 generating, by a processor, a benefits verification request for the patient based on the patient intake information;

obtaining a benefits summary based on the benefits verification request;

15 selecting one of the predefined forms based on at least one of the patient provider information and the benefits summary;

populating at least one field of the selected predefined form based on the patient intake information; and

facilitating, by the processor, a medical order/prescription of the prescription product to the patient with the selected predefined form.

20 26. The method of claim 25, wherein facilitating the medical order/prescription includes facilitating execution of a medical order/prescription of the prescription product or facilitating approval of a payment for the prescription product.

25 27. The method of claim 25, wherein the provider includes an insurance carrier, a governmental agency, or a third party payor.

28. The method of claim 25, wherein the prescription product includes a medical product, a medical service, or an administration of a medical product.

29. The method of claim 25, wherein the at least one prescription product includes a biologic product.

5 30. The method of claim 29, wherein the biologic product comprises adalimumab.

31. The method of claim 25, further comprising selecting a prescription product from a number of possible prescription products, the memory having stored therein a plurality of predefined forms for each possible prescription product.

10 32. The method of claim 25, wherein selecting one of the predefined forms includes automatically selecting, by the processor, one of the predefined forms.

33. The method of claim 25, wherein obtaining a benefits summary comprises:

15 transmitting the benefits verification request to a benefits verifier; and receiving the benefits summary from the benefits verifier.

34. The method of claim 30, further comprising receiving information about the predefined forms from the benefits verifier, and wherein selecting one of the predefined forms includes selecting one of the predefined forms further based on the information about the predefined forms received from the benefits verifier.

20 35. The method of claim 25, further comprising requesting additional patient information.

36. The method of claim 35, further comprising receiving additional patient information and populating at least one field of the selected predefined form with the additional patient information.

37. The method of claim 35, wherein the additional patient information includes information required for the selected predefined forms and not included in the patient intake information or the prescription product information for the prescription product.

5 38. The method of claim 25, wherein the populated predefined form is released to the provider of the patient.

39. The method of claim 25, further comprising:
receiving a healthcare provider signature;
generating a prescription document from the prescription product
10 information; and
releasing the prescription document to a pharmacy.

40. The method of claim 25, further comprising transmitting markup language describing a user interface over the network, the user interface including fields for entry of the patient intake information and the prescription product
15 information.

41. The method of claim 40, further comprising, at a user device connected to the network:
parsing the markup language and display the user interface;
storing in the memory the patient intake information and prescription
20 product information entered into the fields of the user interface; and
transmitting the patient intake information and prescription product information to the receiver.

42. The method of claim 41, wherein the at least one user device includes a tablet, mobile phone, laptop, or desktop computer.

43. The method of claim 41, further comprising, at the user device, generating a prescription document from the prescription product information, and receiving a healthcare provider signature prior to generating the prescription document.

5 44. The method of claim 43, further comprising, at the user device, transmitting the prescription document to a pharmacy.

45. The method of claim 41, further comprising, at the user device:
receiving one or more images of a patient identification document from
a scanning device communicatively coupled to the user device;

10 extracting at least part of the patient intake information from the image
of the patient identification document; and

automatically populating at least one field of the user interface.

46. The method of claim 45, wherein the patient identification document
includes a license or an insurance card.

15 47. A non-transitory computer readable medium containing computer-
executable instructions that when executed cause one or more user devices to perform
a method of facilitating a medical order/prescription of a prescription product for a
patient covered by a provider, the method comprising:

providing a memory including a plurality of predefined forms

20 corresponding to one or more providers stored therein;

receiving patient intake information including patient provider and
prescription product information for the prescription product;

generating, by a processor, a benefits verification request for the
patient based on the patient intake information;

obtaining a benefits summary based on the benefits verification request;

selecting one of the predefined forms based on at least one of the patient provider information and the benefits summary;

5 populating at least one field of the selected predefined form based on the patient intake information; and

facilitating, by the processor, a medical order/prescription of the prescription product to the patient with the selected predefined form.

48. The non-transitory computer readable medium of claim 47, wherein
10 facilitating the medical order/prescription includes facilitating execution of a medical order/prescription of the prescription product or facilitating approval of a payment for the prescription product.

49. The non-transitory computer readable medium of claim 47, wherein
the provider includes an insurance carrier, a governmental agency, or a third party
15 payor.

50. The non-transitory computer readable medium of claim 47, wherein
the prescription product includes a medical product, a medical service, or an
administration of a medical product.

51. The non-transitory computer readable medium of claim 47, wherein
20 the at least one prescription product includes a biologic product.

52. The non-transitory computer readable medium of claim 51, wherein
the biologic product comprises adalimumab.

53. The non-transitory computer readable medium of claim 47, further
comprising selecting a prescription product from a number of possible prescription

products, the memory having stored therein a plurality of predefined forms for each possible prescription product.

54. The non-transitory computer readable medium of claim 47, wherein selecting one of the predefined forms includes automatically selecting, by the processor, one of the predefined forms.

55. The non-transitory computer readable medium of claim 47, wherein obtaining a benefits summary comprises:

transmitting the benefits verification request to a benefits verifier; and receiving the benefits summary from the benefits verifier.

56. The non-transitory computer readable medium of claim 55, further comprising receiving information about the predefined forms from the benefits verifier, and wherein selecting one of the predefined forms includes selecting one of the predefined forms further based on the information about the predefined forms received from the benefits verifier.

57. The non-transitory computer readable medium of claim 47, further comprising requesting additional patient information.

58. The non-transitory computer readable medium of claim 57, further comprising receiving additional patient information and populating at least one field of the selected predefined form with the additional patient information.

59. The non-transitory computer readable medium of claim 57, wherein the additional patient information includes information required for the selected predefined forms and not included in the patient intake information or the prescription product information for the prescription product.

60. The non-transitory computer readable medium of claim 47, wherein the populated predefined form is released to the provider of the patient.

61. The non-transitory computer readable medium of claim 47, further comprising:

receiving a healthcare provider signature;

generating a prescription document from the prescription product

5 information; and

releasing the prescription document to a pharmacy.

62. The non-transitory computer readable medium of claim 47, further comprising transmitting markup language describing a user interface over the network, the user interface including fields for entry of the patient intake information

10 and the prescription product information.

63. The non-transitory computer readable medium of claim 62, further comprising, at a user device connected to the network:

parsing the markup language and display the user interface;

storing in the memory the patient intake information and prescription

15 product information entered into the fields of the user interface; and

transmitting the patient intake information and prescription product information to the receiver.

64. The non-transitory computer readable medium of claim 63, wherein the at least one user device includes a tablet, mobile phone, laptop, or desktop

20 computer.

65. The non-transitory computer readable medium of claim 63, further comprising, at the user device, generating a prescription document from the prescription product information, and receiving a healthcare provider signature prior to generating the prescription document.

66. The non-transitory computer readable medium of claim 65, further comprising, at the user device, transmitting the prescription document to a pharmacy.

67. The non-transitory computer readable medium of claim 63, further comprising, at the user device:

5 receiving one or more images of a patient identification document from a scanning device communicatively coupled to the user device;

extracting at least part of the patient intake information from the image of the patient identification document; and

automatically populating at least one field of the user interface.

10 68. The non-transitory computer readable medium of claim 67, wherein the patient identification document includes a license or an insurance card.

15




FIG. 1

2/110




FIG. 2

3/110




FIG. 3A




FIG. 3B

5/110




FIG. 3C




FIG. 4




FIG. 5A




FIG. 5B




FIG. 6





FIG. 7

10/110

800




A schematic diagram of a user login interface. It consists of a rectangular frame with a header bar at the top. Inside the header bar is a small, empty rectangular box. Below the header bar, there are two input fields side-by-side. The left field is labeled "User Name" and the right field is labeled "Password". Below these two fields is a single button labeled "Continue >".

FIG. 8

11/110

FIG. 9



0.14 Important Safety Information (Practice Administrator)

Healthcare Professionals Practice Administrator Logout Hi, <Variable Username>
[User Guide](#)

[Important Safety Information](#)
[Full Subscribing Information](#)

Important Safety Information about DRUG(H)¹

SERIOUS INFECTIONS

- _____
- _____
- _____
- _____
- _____

MALIGNANCY

- _____
- _____
- _____

HYPERSENSITIVITY

- _____
- _____

HEPATITIS B VIRUS REACTIVATION

- _____
- _____
- _____
- _____

NEUROLOGIC REACTIONS

- _____
- _____

HEMATOLOGIC REACTIONS

- _____
- _____

CONGESTIVE HEART FAILURE

- _____
- _____

AUTOIMMUNITY

- _____
- _____

IMMUNIZATIONS

- _____
- _____

ADVERSE REACTIONS

- _____

INDICATIONS¹

- _____
- _____
- _____

Click here for [Full Prescribing Information Reference](#)¹ _____

Continue

1000 → 1.0 My Profile

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
[User Guide](#)

1002 → My Profile

Important Safety Information
[Full Subscribing Information](#)

* denotes a required field

Middle Initial:
 Password Expiry Policy (Days):
 Password*:
 Cell Number:
 Practice Details:

First Name*:
 Last Name*:
 User ID:
 Work Number*:
 Email Address*:
 Practice Name:

Receive Updates via E-Mail

1004 → Location of Service

1006 → HCP Profile

1008 → Office Staff Profile

1010 → Associations

[Click here for Full Prescribing Information](#)

FIG. 10

1.1 Location of Service

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
 User Guide

My Profile [Important Safety Information](#)
[Full Subscribing Information](#)

Location of Service

Facility Name	Facility Address	Facility City	Facility Phone
<input type="checkbox"/> <Variable Facility Name>	<Variable Facility Address>	<Variable Facility City>	<Variable Facility Phone>
<input type="checkbox"/> <Variable Facility Name>	<Variable Facility Address>	<Variable Facility City>	<Variable Facility Phone>

* denotes a required field

Practice Name:

Facility Address 1*:

City*: State*:

Zip*:

Phone Number 1*:

Phone Number 2:

Preferred Specialty Pharmacy Partner:

HCP Profile

Office Staff Profile

Associations

[Click here for Full Prescribing Information](#)

1002
1004

1100

1006
1008
1010

FIG. 11

1.2 HCP Profile

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
[User Guide](#)

[Important Safety Information](#)
[Full Subscribing Information](#)

1002 → My Profile

1004 → Location of Service

1006 → HCP Profile

First Name	Last Name	Primary Specialty	Status
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Specialty>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Specialty>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Specialty>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Specialty>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Specialty>	<Variable Status>

1 2 3

1008 →

1010 → Office Staff Profile

Associations

[Click here for Full Prescribing Information](#)

FIG. 12

1.2.1 Add New HCP

<input type="checkbox"/> Healthcare Professionals - Practice Administrator		Logout	Hi, <Variable Username> User Guide
Important Safety Information Full Subscribing Information			
My Profile			
Location of Service			
HCP Profile			
<input type="checkbox"/>	<input type="checkbox"/>	First Name <Variable First Name> <Variable First Name>	Last Name <Variable Last Name> <Variable Last Name> 1 2 3
		Primary Specialty <Variable Specialty> <Variable Specialty>	Status <Variable Status> <Variable Status>
<input type="button" value="Edit"/> <input type="button" value="Delete"/>		<input type="button" value="Add New HCP"/>	
* denotes a required field			
First Name*: <input type="text"/> Last Name*: <input type="text"/> Secondary Specialty: <input type="text"/> Work Number*: <input type="text"/> Email Address*: <input type="text"/> State License #: <input type="text"/> Location of Service: <input type="text"/>		Middle Initial: <input type="text"/> Primary Specialty*: <input type="text"/> Designation*: <input type="text"/> Cell Number: <input type="text"/> NPI Number*: <input type="text"/> Issue State: <input type="text"/> EIN Expiry Date: <input type="text"/> DE A Number: <input type="text"/> DE A Expiry Date: <input type="text"/> Facility Name: <input type="text"/> DE A Number: <input type="text"/> <Variable Facility Name> <Variable DE A Number> <Variable DE A Expiry Date>	
		<input type="button" value="Save"/> <input type="button" value="Cancel"/>	
Office Staff Profile			
Associations			
Click here for Full Prescribing Information			

1002

1004

1006

1200

1008

1010

FIG. 13

1.3 Office Staff Profile

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
User Guide

Important Safety Information
Full Subscribing Information

1002 → My Profile

1004 → Location of Service

1006 → HCP Profile

1008 → Office Staff Profile

First Name	Last Name	Phone Number	Status
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/> <Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>

1 2 3

1400 →

1010 → Associations

[Click here for Full Prescribing Information](#)

FIG. 14

1.3.1 Add New Office Staff

Healthcare Professionals - Practice Administrator
Logout
Hi, <Variable Username>
User Guide

My Profile
[Important Safety Information](#)

Location of Service
[Full Subscribing Information](#)

HCP Profile

Office Staff Profile

	First Name	Last Name	Phone Number	Status
<input type="checkbox"/>	<Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/>	<Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/>	<Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/>	<Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>
<input type="checkbox"/>	<Variable First Name>	<Variable Last Name>	<Variable Phone Number>	<Variable Status>

1
2
3

* denotes a required field

First Name*:

Last Name*:

Work Number*:

Middle Initial:

Email Address*:

Cell Number:

Associations
[Click here for Full Prescribing Information](#)

1002 ~ My Profile

1004 ~ Location of Service

1006 ~ HCP Profile

1008 ~ Office Staff Profile

1400 ~

1010 ~

FIG. 15

1.4 Associations

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
User Guide

Important Safety Information
Full Subscribing Information

1002 My Profile

1004 Location of Service

1006 HCP Profile

1008 Office Staff Profile

1010 Associations

Office Staff Name	Location of Service	Associated HCPs
<input type="checkbox"/> <Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/> <Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/> <Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/> <Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>

1 2 3

1600

[Click here for Full Prescribing Information](#)

FIG. 16

1.4.1 New Association

Healthcare Professionals - Practice Administrator Logout Hi, <Variable Username>
[User Guide](#)

[Important Safety Information](#)
[Full Subscribing Information](#)

My Profile

Location of Service

HCP Profile

Office Staff Profile

Associations

	Office Staff Name	Location of Service	Associated HCPs
<input type="checkbox"/>	<Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/>	<Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/>	<Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>
<input type="checkbox"/>	<Variable Office Staff Name>	<Variable Location of Service>	<Variable Associated HCPs>

1 2 3

Select Office Staff:

Location of Service:

HCPs:

[Click here for Full Prescribing Information](#)

1600

FIG. 17

2.0 MyProfile (HCP)

Health Care Professionals | Dashboard | New Patient | **My Profile** | Logout

Hi, <Variable Username>
[User Guide](#)

Intake >> Referral Submitted >> PA & BV Received >> PA/Rx Faxed to Insurance & Pharmacy >> End

[Important Safety Information](#)
[Full Subscribing Information](#)

My Profile

* denotes a required field

First Name*:

Last Name*:

User ID:

Work Number*:

Primary Specialty*:

Email Address*:

State License Number: Issue State: SLN Expiry Date:

Location of Service & DEA Number: Associated Office Staff:

Receive Updates via E-Mail

[Click here for Full Prescribing Information](#)

Signature

1802

1800

1804

FIG. 18

2.3 Signature

Health Care Professionals | Dashboard | New Patient | **My Profile** | Logout

Hi, <Variable Username>
User Guide

Intake >> Referral Submitted >> PA & BV Received >> PA/Rx Faxed to Insurance & Pharmacy >> End

[Important Safety Information](#)
[Full Prescribing Information](#)

My Profile

Signature

1804

1900

You have registered to use the System to assist your patients. We thank-you for registering and we are looking forward to working with you. During your participation in the use of the System, there may be times when the System will need to apply your signature to:

1. Pharmacy Referral documents
2. Prescription documents
3. Insurance Prior Authorization documents

In order to decrease the time and inconvenience of obtaining your hand-signed signature each time a document in the System requires your signature, we will electronically capture and store your signature and then apply it electronically when you want to sign a document. Please be advised that the System will not utilize your signature in any other manner. You will be prompted to enter your unique User Name and Password each time before your signature is applied to confirm your intention and act of signature.

Capture the signature
<Variable HCP signature images>

By clicking the save button below, I hereby authorize the System to capture and store an electronic copy of my signature so that I can use it to electronically sign documents in the System instead of signing each one by hand, subject to the conditions of use listed above.

Click here for [Full Prescribing Information](#)

Save **Cancel**

FIG. 19

2.4 Signature Capture

Health Care Professionals | Dashboard | New Patient | My Profile | Logout | Hi, <Variable Username> User Guide

Intake >> Referral Submitted >> PA & BV Received >> PA/Rx Faxed to Insurance & Pharmacy >> End >> [Important Safety Information](#)
[Full Subscribing Information](#)

My Profile

Signature

You have registered to use the System to assist your patients. We thank-you for registering and we are looking forward to working with you. During your participation in the use of the System, there may be times when the System will need to apply your signature to:

1. Pharmacy Referral documents
2. Prescription documents
3. Insurance Prior Authorization documents

In order to decrease the time and inconvenience of the System requires your signature, we will electronically capture and then apply it electronically when you want to sign a document. Please be advised that you will be prompted to enter your unique User Name and confirm your intention and act of signature.

<Variable HCP signature images>

By clicking the save button below, I hereby authorize the System to capture and store an electronic copy of my signature so that I can use it to electronically sign documents in the System instead of signing each one by hand, subject to the conditions of use listed above.

Click here for [Full Prescribing Information](#)

X

Capture the Signature

signature each time a document is electronically captured and then apply it electronically before your signature is applied to

FIG. 20

2000

3.0 My Profile

Health Care Professionals | Dashboard | New Patient | **My Profile** | Logout

Hi, <Variable Username>
[User Guide](#)

Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

[Important Safety Information](#)
[Full Prescribing Information](#)

My Profile Edit

* denotes a required field

First Name*:

Last Name*:

User ID:

Work Number*:

Primary Specialty*:

Email Address*:

Location of Service & DEA Number:

Middle Name:

Password*:

Cell Number:

Associated HCPs:

HCPs Authorized to Sign:

Receive Updates via E-Mail

[Click here for Full Prescribing Information](#)

Save

1802

2100

FIG. 21




FIG. 22

4.6 Signature Required



Hi, <Variable User Name> | LOGOUT

DASHBOARD NEW PATIENT MY PROFILE HELP

HEALTH CARE PROFESSIONALS IMPORTANT SAFETY INFORMATION FULL PRESCRIBING INFORMATION

SEARCH

View Summary

SIGNATURE REQUIRED (#) PATIENT INTAKE (#) SUBMITTED FOR BENEFITS (#) READY FOR PA (#) READY FOR Rx (#) Rx SENT (#) CLOSED (#)

Patient Name	PA Status	Rx Status	Pharmacy	Created Date	Last Updated	Patient Services	Update Status
<Patient Name>	<PA Status>	<Rx Status>	<Pharmacy Name>	<Created Date/Time>	<# Days ago>		
<Patient Name>	<PA Status>	<Rx Status>	<Pharmacy Name>	<Created Date/Time>	<# Days ago>		

FIG. 22B

4.1 Summary Dashboard

Health Care Professionals

Dashboard

Hi, <Variable Username>
User Guide

My Profile

Logout

Intake

Referral Submitted

PA & BV Received

PA/Rx Faxed to Insurance & Pharmacy

End

X View Summary

Search for Patient:

Intake Name

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

Open Referral Name

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

<Variable Patient Name>

Summary Dashboard

	Number of Referral				Processing Time			
	Intake	Referral Submitted	PA/BV Received	PA Faxed	Referral Submitted	PA/BV Received	PA Faxed	PA Closed
This week	0	0	0	0	0	0	0	0
Last 30 days	0	0	0	0	0	0	0	0
Last 90 days	0	0	0	0	0	0	0	0
Till Date	0	0	0	0	0	0	0	0

Process Step

Average Time (Days)

Max Time (Days) Min Time (Days)

Process Step	Average Time (Days)	Max Time (Days)	Min Time (Days)
Fast update	X	X	X
Delete	X	X	X

Fast update Pending Action

Fill PA Form

Update Status

Fill PA Form

Fill PA Form

2300

FIG. 23




FIG. 24




FIG. 25




FIG. 26

5.1.2a Display Duplicate Profile

Health Care Professionals | Dashboard | **New Patient** | My Profile | Logout | Hi, <Variable Username> | [User Guide](#)

Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

Display Duplicate Profile [X] [Close] Step 1 of 6

Patient Information

Scan patient's driving demographics ma

<Variable Identification Card image>

Name: [] Gender: Male Female

Date of Birth: []

Address: []

City: [] State: [-Select-] Zip: []

[Use Patient Profile] [Ignore Patient Profile]

Insurance Information Step 2 of 6

HCP Information Step 3 of 6

Diagnosis Information Step 4 of 6

Patient Contact Information Step 5 of 6

HCP Decisions & Signature Step 6 of 6

FIG. 27

2700

5.2 Insurance Information

2200 Health Care Professionals Dashboard | 2400 New Patient | My Profile | Logout | Hi, <Variable Username> User Guide

1802 Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

Important Safety Information
Full Subscribing Information

Close

Step 1 of 6

Step 2 of 6

2406 Insurance Information

2800 Scan patient's prescription/medical insurance card(s) or type in patient insurance information manually.

Prescription Insurance Card	
Patient Name:	<input type="text"/>
Policy Holder ID:	<input type="text"/>
Rx BIN:	<input type="text"/>
Rx GRP:	<input type="text"/>
Rx PCN:	<input type="text"/>
Issuer:	<input type="text"/>
Medical Insurance Card	
Patient Name:	<input type="text"/>
Policy Holder Name:	<input type="text"/>
Payer ID:	<input type="text"/>
Card Holder ID:	<input type="text"/>
Group Number:	<input type="text"/>
Plan Number:	<input type="text"/>
Secondary Medical Insurance Card	
Patient Name:	<input type="text"/>
Policy Holder Name:	<input type="text"/>
Payer ID:	<input type="text"/>
Card Holder ID:	<input type="text"/>
Group Number:	<input type="text"/>
Plan Number:	<input type="text"/>
Protection Plan Card	
Rx ID:	<input type="text"/>
Rx BIN:	<input type="text"/>
Rx GRP:	<input type="text"/>
Rx PCN:	<input type="text"/>
SUF:	<input type="text"/>

Continue

Add Medical Insurance Card

Add Protection Plan Card

Step 3 of 6 HCP Information

Step 4 of 6 Diagnosis Information

Step 5 of 6 Patient Contact Information

Step 6 of 6 HCP Decisions & Signature

FIG. 28




FIG. 29

5.3 HCP Information
Hi, <Variable Username>
User Guide

Health Care Professionals
Dashboard
New Patient
My Profile
Logout

Intake
Referral Submitted
PA & BV Received
PA/Rx Faxed to Insurance & Pharmacy
End

[Important Safety Information](#)
[Full Subscribing Information](#)

Close

Patient Information
 Step 2 of 6

HCP Information
 Step 3 of 6

Select Location of Service and HCP

Location of Service:

HCP Name:

HCP Name <Variable HCP Name>
 Specialty <Variable Specialty>
 Designation <Variable Designation>
 State License Number <Variable State License Number>
 NPI Number <Variable NPI Number>
 DEA Number <Variable DEA Number>
 Office <Variable Office Name & Address>

Contact <Variable Email Address>
 Email

Continue

Diagnosis Information
 Step 4 of 6

Patient Contact Information
 Step 5 of 6

HCP Decisions & Signature
 Step 6 of 6

FIG. 30

3000

5.4 Diagnosis Information

Health Care Professionals | Dashboard | **New Patient** | My Profile | Logout | Hi, <Variable Username> User Guide

Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

Important Safety Information
Full Subscribing Information

Close

Patient Information Step 2 of 6

HCP Information Step 3 of 6

Diagnosis Information Step 4 of 6

Select patient's diagnosis and dosing for DRUG(H)

INDICATIONS¹

- _____
- _____
- _____
- _____

SAFETY CONSIDERATIONS¹

- Serious Infections _____
- Malignancies _____
- Other Serious Adverse Reactions _____

Click here for Full Prescribing Information ~ 3102

Reference¹ _____

Specialty: Prescription:

Continue >

Patient Contact Information Step 5 of 6

HCP Decisions & Signature Step 6 of 6

3100

3104

FIG. 31

3104

Rheumatology

HCP Information Step 3 of 6

Diagnosis Information Step 4 of 6

Select patient's diagnosis and dosing for DRUG(H) Speciality: Rheumatology Prescription: -Select-

Patient's Diagnosis -Select-

Rheumatoid Arthritis [RA] (714.0)

Psoriatic Arthritis [PSA] (696.0)

Other (Include Code)

Ankylosing Spondylitis [AS] (720.0)

Polyarticular Juvenile Idiopathic Arthritis [J] Continuing

Dosing Mode	Quantity (Pen/Syringe)	Quantity (Pen/Syringe)	Refills
<input type="checkbox"/> -Select- Any Other Dosing	<input type="checkbox"/> -Select-	<input type="checkbox"/> -Select-	<input type="checkbox"/> -Select-

INDICATIONS¹

- Rheumatoid Arthritis: _____
- Juvenile Idiopathic ...: _____

SAFETY CONSIDERATIONS¹

- Serious Infections _____
- Malignancies _____
- Other Serious Adverse Reactions _____

Click here for Full Prescribing Information ~ 3102

Reference¹ _____

3104

Rheumatology

HCP Information

Diagnosis Information

Select patient's diagnosis and dosing for DRUG(H)

Patient's Diagnosis

Rheumatoid Arthritis [RA] (714.0)

Psoriatic Arthritis [PSA] (696.0)

Other (Include Code)

Ankylosing Spondylitis [AS] (720.0)

Polyarticular Juvenile Idiopathic Arthritis [J] Continuing

Dosing Mode

Quantity (Pen/Syringe)

Quantity (Pen/Syringe)

Refills

INDICATIONS¹

• Rheumatoid Arthritis:

• Juvenile Idiopathic ...:

SAFETY CONSIDERATIONS¹

• Serious Infections

• Malignancies

• Other Serious Adverse Reactions

Click here for Full Prescribing Information ~ 3102

Reference¹

FIG. 32

Rheumatology - Pen is selected

Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

Important Safety Information
Full Subscribing Information

Patient Information Step 1 of 6

Insurance Information Step 2 of 6

HCP Information Step 3 of 6

Diagnosis Information Step 4 of 6

Select patient's diagnosis and dosing for DRUG(H) Speciality: Rheumatology Prescription: -New-
Patient's Diagnosis

Rheumatoid Arthritis [RA] (714.0) Ankylosing Spondylitis [AS] (720.0)
 Psoriatic Arthritis [PSA] (696.0) Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30)
 Other (Include Code)

Dosing Mode	DRUG(H) Pen	Quantity (Pen/Syringe)	Refills
<input type="checkbox"/> Pen	40 mg/0.8 mL NDC - 0074-4339-02	<input type="checkbox"/> -Select- <input type="checkbox"/> -Select- 2 6	<input type="checkbox"/>
Any Other Dosing			
<input type="checkbox"/> -Select-		<input type="checkbox"/>	<input type="checkbox"/>

40 mg SC inj. every other week

JIA, weight is ≥ 30 kg (66 lbs.) for 4 years of age and older


3100

3202

3300

3302

FIG. 33



DASHBOARD [NEW PATIENT](#) [MY PROFILE](#) [HELP](#)

Hi, <Variable User Name> | [LOGOUT](#)

HEALTH CARE PROFESSIONALS
IMPORTANT SAFETY INFORMATION
FULL PRESCRIBING INFORMATION

[PATIENT INFORMATION](#)
[INSURANCE INFORMATION](#)
[HCP INFORMATION](#)
DIAGNOSIS INFORMATION

[CLOSE](#)

*denotes a required field

Select patient's primary diagnosis and dosing for HUMIRA® (adalimumab).

Patient's Primary Diagnosis* Speciality* Prescription* -Select-

Crohn's Disease-Regional enteritis of small intestine (555.0)

Crohn's Disease-Regional enteritis of small intestine with large intestine (555.2)

Other (include Code) *

Crohn's Disease-Regional enteritis of large intestine (555.1)

Crohn's Disease-Regional enteritis of unspecified site (555.9)

	Dosing Mode	Starting Therapy for Moderate to Severe Crohn's Disease	Quantity (Pen/Syringe)	Refills
<input checked="" type="checkbox"/>	Pen	Crohn's Disease Starter Package HUMIRA® (adalimumab) Pen 40mg/0.8mL NDC-0074-4339-06	<input type="text" value="6"/>	<input type="text" value="No"/>
		--Select-- --Select-- Four 40mg SC inj. Day 1, Two 40mg SC inj. Day 15 Two 40mg SC inj. Day 1, Two 40mg SC inj. Day 2, Two 40mg SC inj. Day 15		

	Dosing Mode	Ongoing Therapy for Moderate to Severe Crohn's Disease	Quantity (Pen/Syringe)	Refills
<input type="checkbox"/>	--Select--		--Select--	<input type="text" value="No"/>

	Dosing Mode	Any Other Dosing	Quantity (Pen/Syringe)	Refills
<input type="checkbox"/>	--Select--	SG <input type="text"/>	<input type="text"/>	<input type="text"/>

FIG. 33B-1

39/110

INDICATIONS¹

- Rheumatoid Arthritis: HUMIRA is indicated, alone or in combination with methotrexate or other non-biologic DMARDs, for reducing signs and symptoms, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function in adult patients with moderately to severely active rheumatoid arthritis.
- Juvenile Idiopathic Arthritis: HUMIRA is indicated, alone or in combination with methotrexate, for reducing signs and symptoms of moderately to severely active polyarticular juvenile idiopathic arthritis in pediatric patients 4 years of age and older.
- Psoriatic Arthritis: HUMIRA is indicated, alone or in combination with non-biologic DMARDs, for reducing signs and symptoms, inhibiting the progression of structural damage, and improving physical function in adult patients with active psoriatic arthritis.
- Ankylosing Spondylitis: HUMIRA is indicated for reducing signs and symptoms in adult patients with active ankylosing spondylitis.
- Crohn's Disease: HUMIRA is indicated for reducing signs and symptoms and inducing and maintaining clinical remission in adult patients with moderately to severely active Crohn's disease who have had an inadequate response to conventional therapy, and reducing signs and symptoms and inducing clinical remission in these patients if they have also lost response to or are intolerant to infliximab.

FIG. 33B-2

5.4.2 Refer to Approved Indications

Insurance Information	Step 2 of 6
HCP Information	Step 3 of 6
Diagnosis Information	Step 4 of 6
Select patient's diagnosis and dosing for <u>DRUG(H)</u> Speciality: <u>Rheumatology</u> Prescription: <u>-Select-</u>	
Patient's Diagnosis <input type="checkbox"/> Ankylosing Spondylitis [AS] (720.0) <input type="checkbox"/> Rheumatoid Arthritis [RA] (714.0) <input type="checkbox"/> Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30) <input type="checkbox"/> Psoriatic Arthritis [PSA] (696.0) <input type="checkbox"/> Other (Include Code)	
<input checked="" type="checkbox"/> Other (Include Code)	<input type="checkbox"/> Other (Include Code)
Dosing Mode <u>Rheumatoid Arthri</u> JIA, weight is ≥ 3	Quantity (Pen/Syringe) <u>-Select-</u>
<input type="checkbox"/> <u>-Select-</u>	Refills <input type="text"/>
<input type="checkbox"/> <u>-Select-</u>	Refills <input type="text"/>
INDICATIONS ¹ <ul style="list-style-type: none"> • Rheumatoid Arthritis: _____ • _____ • Juvenile Idiopathic ...: _____ • _____ 	
SAFETY CONSIDERATIONS ¹ Serious Infections _____ Malignancies _____ Other Serious Adverse Reactions _____	

Refer Approved Indications

Please refer to the DRUG(H) Prescribing information for approved indications

Click here for Full Prescribing Information

3100

3400

FIG. 34

5.5 Patient Contact Information

[Intake](#)
[Referral Submitted](#)
[PA & BV Received](#)
[PA/Rx Faxed to Insurance & Pharmacy](#)
[End](#)


[Close](#)


[Important Safety Information](#)
[Full Subscribing Information](#)

[Patient Information](#) Step 1 of 6
[Insurance Information](#) Step 2 of 6
[HCP Information](#) Step 3 of 6
[Diagnosis Information](#) Step 4 of 6
[Patient Contact Information](#) Step 5 of 6

To complete prescription, the patient's home phone number is required.

* denotes a required field


 Best Phone Number to Reach Patient*


 Alternative Phone Number to Reach Patient

[Click here for Full Prescribing Information](#)

[Continue](#)

HCP Decisions & Signature Step 6 of 6

FIG. 35

3500

5.6 Welcome Page

Intake > Referral Submitted > PA & BV Received > PA/Rx Faxed to Insurance & Pharmacy > End

[Important Safety Information](#)
[Full Subscribing Information](#)

Hello, <Variable User Name>

Would you like to use the following screens to discuss optional services with your patient, <Variable Patient Name>?

FIG. 36

5.6.2 Patient Welcome Page

Dear <Variable User Name>,

You have just been working with your Health Care Professional office to obtain a prescription. Within the next 2 business days, a pharmacy called <Pharmacy Name> is going to call you to discuss your prescription, explain your insurance coverage, and find out where you'd like to get your prescription filled. Please expect this important phone call.

We also want to make you aware of some optional product support services offered by the manufacturer of the product you have been prescribed. Many patients find these services helpful when beginning treatment. These services are offered by the manufacturer and not by your Health Care Professional and you do not need to use them to receive your prescription. All of these services are available at no additional charge to you.

If you are interested, please press "Get Started" and you'll be able to enroll in just a few minutes. If you are not interested at this time, please press "Not Right Now".

Get Started

Not Right Now

3700

FIG. 37

5.8 myDRUG Information

<p>Important Safety Information</p>	<p>Patient Instructions for Use of Pen</p>	<p>Patient Instructions for Use of Syringe</p>	<p>Full Prescribing Information</p>	<p>Medication Guide</p>
---	--	--	---	---

The myDRUG program provides a wide range of services to give you the care and support you deserve throughout treatment - all at no additional cost to you:

Benefits include:

- Registered nurses who can show you how to perform an injection.
- Ability to reach an on-call registered nurse, even after hours when your doctor's office may be closed
- Pen or syringe disposal service.
- Ongoing helpful information about myDRUG, our services, and your condition

Please click here for additional [Important Safety Information](#)

Click here for [Full Prescribing Information](#), including the [Medication Guide](#) and discuss with your doctor.

Would you like to enroll in myDRUG? An Email address is required. If you do not have an email address, call 1-800-xxxxxx for registration.

3800

3802

FIG. 38

5.9 myDRUG Consent

Important Safety Information	Patient Instructions for Use of Pen	Patient Instructions for Use of Syringe	Full Prescribing Information	Medication Guide
--	---	---	--	----------------------------------

myDRUG Consent

I am aware that my Health Care Professional will be releasing my health information to DRUGCO for the purpose of receiving information about my condition, DRUG(H), the myDRUG program and myDRUG services, and other DRUGCO treatments, products, and services.

The health information to be released will be limited to the following:

- Name
- Address
- Telephone number
- Email Address
- Diagnosis
- Date of Birth
- Gender

I understand that the information I have provided will be used only DRUGCO and its contracted...

Please click here for additional [Important Safety Information](#)

Click here for [Full Prescribing Information](#), including the [Medication Guide](#) and discuss with your doctor.

3900

FIG. 39

	Important Safety Information	Patient Instructions For Use	Full Prescribing Information	Medication Guide	Close
myHUMIRA Treatment Tools					
<p>To receive the treatment tools you selected, please provide us with your information * =mandatory field</p>					
<p>I am aware that my Health Care Provider will be releasing my health information to Abbott for the purpose of receiving marketing information about my condition, HUMIRA (adalimumab), the myHUMIRA program and myHUMIRA services, and other Abbott treatments, products and services.</p> <p>The health information to be released will be limited to the following:</p> <p>Name Address Telephone number Email Address Diagnosis Date of Birth Gender</p>			<p>I understand that the information I have provided will be used only by Abbott and its contracted third parties to contact me by mail, email and phone with helpful information about my condition, HUMIRA (adalimumab), the myHUMIRA program, and other Abbott treatments, products and services. Abbott will not sell or transfer my name or contact information to any third party for their marketing use. To be removed from our mailing list or to receive a copy of this information, please contact 800.888.6260. I understand that information used or disclosed pursuant to this Authorization may be subject to re-disclosure by the recipient and no longer protected by HIPAA.</p> <p>I understand that I will not be denied services if I decline to enroll in the myHUMIRA program.</p>		
<p>First Name*: <input type="text" value="John"/></p> <p>Last Name*: <input type="text" value="Smith"/></p> <p>Email Address*: <input type="text" value="JSmith@email.com"/></p> <p>Confirm Email Address*: <input type="text" value="JSmith@email.com"/></p> <p>Street Address 1: <input type="text" value="1234 Main St"/></p> <p>Street Address 2: <input type="text"/></p> <p>City: <input type="text" value="America"/></p> <p>State: <input type="text" value="Select:"/></p> <p>Zip: <input type="text" value="55555"/></p> <p>Gender: <input checked="" type="radio"/> Male <input type="radio"/> Female</p> <p>Date of Birth: <input type="text" value="09"/> <input type="text" value="04"/> <input type="text" value="1975"/></p>			<p>I understand that the information I've provided will be used only by HUMIRA and its contracted third parties to mail (and email) me helpful information on rheumatoid arthritis, Crohn's disease and/or plaque psoriasis and related treatments, products and services, and for marketing and informational purposes. HUMIRA will not sell or transfer my name or contact information to any third party their marketing use. To be removed from our mailing list or to request a copy of this information, contact 800.888.6260.</p> <p>Please click above for Important Safety Information, including BOXED WARNING on Serious Infections and Malignancy.</p>		
<div style="border: 1px solid black; padding: 10px; width: fit-content; margin: 0 auto;"> <p style="margin: 0;">Agree</p> </div>					

FIG. 39B

5.10 myDRUG Sign-up

Important Safety Information	Patient Instructions for Use of Pen	Patient Instructions for Use of Syringe	Full Prescribing Information	Medication Guide
--	---	---	--	----------------------------------

myDRUG Sign-up

Review and add information.

Name*:

Gender*: Male Female

Date of Birth*:

Address*:

City*: State*: Zip*:

Phone Number*:

Diagnosis*:

Email*:

Confirm Email*:

Please click here for additional [Important Safety Information](#)
Click here for [Full Prescribing Information](#), including the [Medication Guide](#) and discuss with your doctor.
I understand that the information I have provided will be used only DRUGCO and its contracted...

4002

4000

FIG. 40

5.12 HCP Decisions & Signature

Health Care Professionals | Dashboard | | My Profile | Logout | Hi, <Variable Username> User Guide

Patient Information	Step 1 of 6
Insurance Information	Step 2 of 6
HCP Information	Step 3 of 6
Diagnosis Information	Step 4 of 6
Patient Contact Information	Step 5 of 6
HCP Decisions & Signature	Step 6 of 6

A. Confirm

HCP Name <Variable HCP Name>	Specialty <Variable Specialty>	Designation <Variable Designation>
Location <Variable Location>	NPI Number <Variable NPI Number>	DEA Number <Variable DEA Number>
<Variable City, State, Zip Code>	Contact <Variable Contact>	Email <Variable Email Address>

B. Complete Drug Allergies _____

C. Choose

- Dispense as written/Do not substitute
- Substitution permitted/Brand exchange permitted

D. Signature

Hold prescription & run a benefit verification only
 Nursing Services (RN) to provide subcutaneous injection training including administration by Nurse (RN)

View Rx Document for <Variable Patient Name>

Click here for [Full Prescribing Information.](#)

4100

4102

4104

4106

FIG. 41

5.12.1 Signature Authentication

Health Care Professionals | Dashboard | | My Profile | Logout | Hi, <Variable Username> User Guide

Referral Submitted >> PA & BV Received >> PA/Rx Faxed to Insurance & Pharmacy >> End >>

Patient Information Step 1 of 6
 Insurance Information Step 2 of 6
 HCP Information Step 3 of 6
 Diagnosis Information Step 4 of 6
 Patient Contact Information Step 5 of 6
 HCP Decisions & Signature Step 6 of 6

A. Confirm
 HCP Name <Variable HCP Name> Location <Variable Location> <Variable City, State, Zip
 B. Complete Drug Allergies _____
 C. Choose
 Dispense as written/Do not substitute
 Substitution permitted/Brand exchange permitted
 D. Signature

Enter your login credentials to insert HCP's signature
 User Name: _____
 Password: _____

Designation <Variable Designation>
 DEA Number <Variable DEA Number>
 Email <Variable Email Address> _____

Hold prescription & run a benefit verification only
 Nursing Services (RN) to provide subcutaneous injection training including administration by Nurse (RN) View Rx Document for <Variable Patient Name>

Click here for [Full Prescribing Information.](#)

FIG. 42

4200

5.12.2 PS Referral Form

50/110

4300

RHEUMATOLOGY	
DRUG REFERRAL AND PRESCRIPTION FORM FOR QUESTIONS, PLEASE CALL (888) XXX-XXXX	
PATIENT AND PRESCRIBER INFORMATION	PATIENT INFORMATION
	First Name: _____ MI: _____
	Last Name: _____
	DOB: _____ Sex: <input type="checkbox"/> M <input type="checkbox"/> F
	Address: _____
	City/State/Zip: _____
	Primary Phone: _____
	Alternate Phone: _____
PRESCRIBER INFORMATION <input type="checkbox"/> MD <input type="checkbox"/> DO <input type="checkbox"/> Other:	Prescriber Name: _____
	Specialty: <input type="checkbox"/> Rheum <input type="checkbox"/> Other
	NPI/Provider #: _____ State License #: _____
	Office Name: _____ Contact: _____
	Address: _____
	City/State/Zip: _____
	Phone: _____
	Fax: _____
INSURANCE INFORMATION	Fax a copy of the front and back of prescription insurance card(s) or fill in the information below
	Primary Insurance: _____ Secondary Insurance: _____
	Phone: _____ Phone: _____
	Cardholder ID #: _____ Group #: _____ Cardholder ID #: _____ Group #: _____
	PCN: _____ BIN: _____ PCN: _____ BIN: _____
	Policyholder Name: _____ Policyholder Name: _____
INJECTION TRAINING	Complete ONLY if you desire to have <u>DRUG(H)</u> Nursing Services train patients
	<input type="checkbox"/> <u>DRUG(H)</u> Nursing Services (RN) to provide SC injection training for <u>DRUG(H)</u> , including administration by Nurse (RN) Order valid for 90 days
CLINICAL AND PRESCRIPTION INFORMATION	PATIENT'S DIAGNOSIS
	<input type="checkbox"/> Rheumatoid Arthritis (714.0) <input type="checkbox"/> Psoriatic Arthritis (696.0) <input type="checkbox"/> Polyarticular Juvenile idiopathic Arthritis [JIA] (714.30)
	<input type="checkbox"/> Ankylosing Spondylitis (720.0) <input type="checkbox"/> Other (include code): _____
	PRESCRIPTION <input type="checkbox"/> New <input type="checkbox"/> Continuing
	Rheumatoid Arthritis, ...
	<input type="checkbox"/> <u>DRUG(H)</u> Pen 40 mg/0.8 mL 40 mg SC inj. every other week <input type="checkbox"/> #2 pens <input type="checkbox"/> #6 pens Refills _____
Polyarticular JIA if 15 kg (33 lbs) to <30 kg (66 lbs) only ...	
<input type="checkbox"/> <u>DRUG(H)</u> Pre-filled Syringe... 20 mg SC inj. every other week <input type="checkbox"/> #2 pens <input type="checkbox"/> #6 pens Refills _____	
Other	
<input type="checkbox"/> <u>DRUG(H)</u> _____ SIG: _____ Qty: _____ Refills _____	
If you wish to prescribe a non-biologic DRUG2 in combination with <u>DRUG(H)</u> ...	
PRESCRIBER SIGNATURE: PRESCRIBER SIGNATURE IS REQUIRED TO VALIDATE PRESCRIPTIONS	
<input type="checkbox"/> I do not want to prescribe <u>DRUG(H)</u> at this time, but please verify drug coverage	
<input type="checkbox"/> Dispense as written/Do not substitute	
<input type="checkbox"/> Substitutions permitted/Brand exchange permitted	
For states requiring...	
This information... Please see important Safety Information, including BOXED WARNING on Serious Infections and Malignancy, on next page. Please see full Prescribing Information provided and/or visit www.ourwebsite.com	

FIG. 43




FIG. 44

6.1.2 PA Fill



DASHBOARD NEW PATIENT MY PROFILE HELP

Hi, <Variable User Name> | LOGOUT

HEALTH CARE PROFESSIONALS

IMPORTANT SAFETY INFORMATION FULL PRESCRIBING INFORMATION

BENEFIT SUMMARY PRIOR AUTHORIZATION (1) PRESCRIPTION

Please save form before signing it.
 <Variable PA Form Name>

FILL SUBMIT FOR SIGNATURE SIGN NEXT

<Variable PA Form Name>

PATIENT DETAILS PATIENT DOCUMENTS

EDIT

<Variable PA Form Name>

FIG. 44B

6.4.1 Intake Details - Patient Information

Health Care Professionals | Dashboard | New Patient | My Profile | Logout | Hi, <Variable Username> | [User Guide](#)

Intake Referral Submitted PA & BV Received PA/Rx Faxed to Insurance & Pharmacy End

[Important Safety Information](#)
[Full Subscribing Information](#)

Close

PA Forms <Variable
Fill Sign

Intake Details
Patient Name: Drug: Diagnosis: Insurance: Physician: <Variable HCP Name>

Documents Add New
<Variable Rx Document for Patient.pdf>
Rx Document

<Variable Identification Card image>

Name: Gender: Male Female
Date of Birth: Address: City: State: -Select- Zip:

light
ting Fields
ave

4500

FIG. 45

STEP 2 OF 4	
<p>INSURANCE INFORMATION</p> <p>Use edit to update the insurance information.</p> <p><Variable Insurance Card Images></p>	<p>Prescription Plan Card</p> <p>Insurance Company Name <input type="text"/></p> <p>Insurance Company Phone Number <input type="text"/> <input type="text"/> <input type="text"/></p> <p>Policyholder Name <input type="text"/></p> <p>Policyholder ID <input type="text"/></p> <p>Rx BIN <input type="text"/> Rx PCN <input type="text"/></p> <p>Rx GRP <input type="text"/> Issuer <input type="text"/></p>
<input type="button" value="EDIT"/>	
<input type="button" value="ADD INSURANCE CARD"/>	
<p>If you have an active Rx window open, please refresh that page after saving to include the updated information. If you have an active PA form window open, please refresh that page after saving to include the updated information.</p>	
<input type="button" value="CANCEL"/> <input type="button" value="SAVE"/>	

FIG. 45B-2

STEP 3 OF 4

HCP INFORMATION

Use edit to change the Location or HCP Location and HCP details can be updated by the Practice Admin or the HCP in the 'My Profile' section.

Location of Service

HCP Name

HCP Name

Specialty

Designation

State License Number

NPI Number

DEA Number

Office

Contact

E-Mail

If you have an active Rx window open, please refresh that page after saving to include the updated information.
If you have an active PA form window open, please refresh that page after saving to include the updated information.

FIG. 45B-3

STEP 4 OF 4

DIAGNOSIS INFORMATION

Use edit to update the patient's diagnosis information.

*denotes a required field

Select patient's primary diagnosis and dosing for HUMIRA® (adalimumab). Prescription*

Patient's Primary Diagnosis* Specialty*

<Variable Diagnosis based on Specialty>
 <Variable Diagnosis based on Specialty>
 Other (Include Code)

	Dosing Mode	<Variable Diagnosis>	Quantity (Pen/Syringe)	Refills
<input type="checkbox"/>	<input type="button" value="v"/>	<Variable Product Variable Dosing Mode Variable NDC>	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="button" value="v"/>	<Variable Diagnosis>	<input type="button" value="--Select--"/> <input type="button" value="v"/>	<input type="text"/>
<input type="checkbox"/>	<input type="button" value="--Select--"/>	Any Other Dosing	<input type="text"/>	<input type="text"/>
<input type="checkbox"/>	<input type="button" value="--Select--"/>	SIG <input type="text"/>	<input type="text"/>	<input type="text"/>

FIG. 45C-1

58/110

INDICATIONS¹

- Rheumatoid Arthritis: HUMIRA is indicated, alone or in combination with methotrexate or other non-biologic DMARDs, for reducing signs and symptoms, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function in adult patients with moderately to severely active rheumatoid arthritis.
- Juvenile Idiopathic Arthritis: HUMIRA is indicated, alone or in combination with methotrexate, for reducing signs and symptoms of moderately to severely active polyarticular juvenile idiopathic arthritis in pediatric patients 4 years of age and older.
- Psoriatic Arthritis: HUMIRA is indicated, alone or in combination with non-biologic DMARDs, for reducing signs and symptoms, inhibiting the progression of structural damage, and improving physical function in adult patients with active psoriatic arthritis.
- Ankylosing Spondylitis: HUMIRA is indicated for reducing signs and symptoms in adult patients with active ankylosing spondylitis.
- Crohn's Disease: HUMIRA is indicated for reducing signs and symptoms and inducing and maintaining clinical remission in adult patients with moderately to severely active Crohn's disease who have had an inadequate response to conventional therapy, and reducing signs and symptoms and inducing clinical remission in these patients if they have also lost response to or are intolerant to infliximab.
- Plaque Psoriasis: HUMIRA is indicated for the treatment of adult patients with moderate to severe chronic plaque psoriasis who are candidates for systemic therapy or phototherapy, and when other systemic therapies are medically less appropriate. HUMIRA should only be administered to patients who will be closely monitored and have regular follow-up visits with a physician.

FIG. 45C-2

SAFETY CONSIDERATIONS¹

Serious Infections
Patients treated with HUMIRA are at increased risk for developing serious infections that may lead to hospitalization or death. These infections include active tuberculosis (TB), reactivation of latent TB, invasive fungal infections, and bacterial, viral and other infections due to opportunistic pathogens. Most patients who developed these infections were taking concomitant immunosuppressants such as methotrexate or corticosteroids.

Malignancies
Lymphoma, including a rare type of T-cell lymphoma, and other malignancies, some fatal, have been reported in patients treated with TNF blockers, including HUMIRA.

Other Serious Adverse Reactions
Patients treated with HUMIRA also may be at risk for other serious adverse reactions, including anaphylaxis, hepatitis B virus reactivation, demyelinating disease, cytopenia, pancytopenia, heart failure, and a lupus-like syndrome.

[Click here for full Prescribers Information.](#)

Reference: 1. HUMIRA Injection [package insert]. North Chicago, IL: Abbott Laboratories

If you have an active Rx window open, please refresh that page after saving to include the updated information.
If you have an active PA form window open, please refresh that page after saving to include the updated information.

FIG. 45C-3




FIG. 46

6.4 Patient Documents



DASHBOARD NEW PATIENT MY PROFILE HELP

Hi, <Variable User Name>

HEALTH CARE PROFESSIONALS

IMPORTANT SAFETY INFORMATION FULL PRESCRIBING INFORMATION

PATIENT DOCUMENTS FOR <VARIABLE PATIENT NAME>

Please upload any documents from your computer.

Document Name

File Browse...

PA Forms	Rx Documents	Other Documents
<Variable PA Form Document Name>	<Variable Rx Document Name>	<Variable Document Name>
		<Variable Document Name> X
		<Variable Document Name> X

FIG. 46B

6.2 Fax Documents

Health Care Professionals | Dashboard | New Patient | My Profile | Logout | Hi, <Variable Username> | [User Guide](#)

Intake Referral Submitted PA & BV Received PA/Rx Faxed to Insurance & Pharmacy End

[Important Safety Information](#)
[Full Subscribing Information](#)

Close

PA Forms

<Variable PA Form Name> Referral 238

Fill Sign Fax

Intake Details

Patient Name: <Variable Patient Name>
Drug: DRUG(H)
Diagnosis: <Variable Specialty>
Insurance: <Variable Insurance Card>
Physician: <Variable HCP Name>

Documents Add New

<Variable Rx Document for Patient.pdf>
Rx Document

Fax Documents

Select Additional Documents for Insurance

<Variable Document>
 <Variable Document>

Insurance Carrier <Variable Insurance Carrier>
Fax Number:

Prior Authorization, Rx, and any documentation you loaded will be faxed to

Insurance Carrier <Variable Insurance Carrier>
Fax Number:

Send Cancel

4700 62/110

FIG. 47

4702

6.4 Patient Documents



DASHBOARD NEW PATIENT MY PROFILE HELP

Hi, <Variable User Name> | LOGOUT

HEALTH CARE PROFESSIONALS

IMPORTANT SAFETY INFORMATION FULL PRESCRIBING INFORMATION

BENEFIT SUMMARY **PRIOR AUTHORIZATION (#)** PRESCRIPTION PATIENT DETAILS PATIENT DOCUMENTS

ADD DOCUMENTS

Please upload any documents from your computer that you would like to send with the Prior Authorization Form.

Document Name

File Browse...

Select any additional documents you would like to send.

<Variable Document Name>

The documents will be faxed to: <Variable Insurance Company Name>
 Fax Number: <Variable Fax Number>

FIG. 47B

64/110




FIG. 48

65/110




FIG. 49

66/110




FIG. 50

5100 ↗

5102 Patient Information:	5104 Insurance Information:	5106 Diagnosis Information:	5108 Injection Training/Support	5110 Consent
Date: <input type="text"/>	<input type="text"/>	<input type="text"/>	Case Number: <input type="text"/>	<input type="text"/>
First Name: <input type="text"/>	<input type="text"/>	<input type="text"/>	Last Name: <input type="text"/>	<input type="text"/>
Sex: <input type="radio"/> Male <input type="radio"/> Female	<input type="text"/>	<input type="text"/>	Age: <input type="text"/>	<input type="text"/>
DOB: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Address: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
City: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
State: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Zip Code: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
Home Phone: <input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
				Submit for BV

FIG. 51

5100 ↗

Patient Information: Insurance Information: Diagnosis Information: Injection Training/Support: Consent

DRUG(H) Nursing Services (RN) to provide SC injection training for DRUG(H)

DRUG(H) Nursing Services (RN) to provide SC injection training for DRUG(H), including administration by Nurse (RN)

HPP Card Information

RxBIN #:

RxPCN #:

RxGroup:

RxID:

Suf:

Submit for BV

5108 ↖

FIG. 51A




FIG. 52

① OOP Solutions

② Injection Training

③ myDRUG Program

Many patients are concerned about affording their medications. Regardless of your current status - employed, unemployed, insured, or uninsured - DRUGCO offers guidance and support to help you access the treatment your doctor has prescribed. Make your prescription more affordable by opting for **Out of Pocket** solutions.

Benefits

- Includes 12 months of co-pay savings and covers DRUG(H) plus two additional medications.
- Save up to \$50 toward your co-pay
- plus up to \$100 of the cost of other medications

Our representative will contact you

Your Progress
|||||

FIG. 53

Help (?)

① OOP Solutions — ② Injection Training — ③ myDRUG Program

It's normal to feel uneasy about self-injecting. myDRUG nurses can train you for FREE in person, wherever it's most convenient for you - your home, doctor's office, or one of many clinics nationwide

Please choose ONE option

- I'd like a nurse to train me over a call
- I'd like a nurse to train me at my house
- No Thank you, I will get my training at prescriber office.

Go Back

Your Progress

Continue

FIG. 54




FIG. 55

73/110

Help (?)

Your Contact Information

In order to offer these services, we need the best contact number to reach you

Preferred Contact No.

Email ID (in case we can't reach you by phone)

Go Back

Continue

Your Progress

You're almost done!!

FIG. 56

[Help \(?\)](#)

Your Authorization

In order to offer these services, HIPPA requires your written consent for the same. Please confirm the below details before signing

- ✓ Interested in **Out of Pocket Solutions**
- ✓ Interested in **myDRUG program**

Patient Signature [Click to sign](#)

By signing, you agree to the [Terms & Conditions of myDRUG program](#)

Confirmation of Signature [Click to sign](#) or [Attach Signature](#)

Staff Signature

[Go Back](#) [Print Copy](#) [Finish](#)

Your Progress

FIG. 57

Help (?)

Physician Staff Authorization

User Name:

Password:

Your Progress

FIG. 58

[Help \(?\)](#)

Your Authorization

In order to offer these services, HIPPA requires your written consent for the same. Please confirm the below details before signing

Interested in **Out of Pocket Solutions**
 Interested in **myDRUG program**

Patient Signature

By signing, you agree to the Terms & Conditions of myDRUG program

Confirmation of Signature or

Staff Signature

[Go Back](#) [Print Copy](#) [Finish](#)

Your Progress

FIG. 59

77/110




FIG. 60

5100
5112

Insurance Information:
Diagnosis Information:
Injection Training/Support
Patient Consent
Physician Consent

Patient Certification and Authorization for Disclosure of Information
 I request and authorize the sharing of any information regarding my health, treatment, and coverage that...

78/110

For Eligible Patient Assistance Patients Only:
 I understand that any assistance in the form of product at no cost is contingent upon my ability to meet the eligibility criteria for the PAP as determined by ...

Home Phone #:

Mobile Phone #:

Office Phone #:

Home

Consent As: Print Email

Email Address:

Patient's Name: _____ Signature: _____ Date: _____

FIG. 61

5100

5114

5122

79/110

5130

Submit for BV

Staff authorized to sign on behalf of doctor
 Staff Name: Location: For whom:

Physician Certification:
 Physician Signature (no stamps): _____ Date: _____
 By signing this form, I represent that I have obtained all necessary Federal and state
 authorizations and consents from my patient to allow me to release health information to ...

FIG. 62

5100

☰ ☒
Search Name 🔍

Dashboard
New Patient
Resources
My Profile

Register New Patient
Case 12345

Patient Information **NICK SAMPLE** [Modify](#)

Insurance Information **BCBC POS** [Modify](#)

Diagnosis Information **Rheumatology** [Modify](#)

Physician Information

Location of Service: ▼

Physician Name: ▼

Signature Required for
Creating Prescription
Sending a Nurse for **DRUG(H)** training

Physician Name: John Caring

Specialty: Dermatology

Designation: MD

Office: 123 ABC STREET

Contact: 123-4567

Email: johncaring@abc.com

Physician Signature:
Attached

By signing, I agree to the [Terms & Conditions](#) of this program

[Remove](#) 5162

[Submit for Benefit Summary](#) 5130

5160

5162

5130

FIG. 63




FIG. 64

6500 ↗
↖ 6502

Insurance Information:
Diagnosis Information:
Injection Training/Support
Benefits Verification
Consent

Deductible (Individual):

Deductible (Family):

Additional Information: PHARMACY is a specialty pharmacy. Please fax prescription to

Deductible (Individual): Lifetime Maximum:

Deductible (Family): Benefit Cap:

Mail Order Co-pay for Amevive: Retail Co-pay for Amevive:

Out of Pocket:

Select Pharmacy: ▼

PA Template: 6504

6506

FIG. 65

83/110




FIG. 66

84/110

6700




FIG. 67

85/110




FIG. 68

86/110




FIG. 69

87/110

7000




FIG. 70

88/110




FIG. 71

89/110




FIG. 72

90/110

<p>Contact Information Please provide the following information about yourself.</p>	
<p>Registrant's Contact Type: <input type="text"/></p>	<p>Specialty: <input type="text"/></p>
<p>First Name: <input type="text"/></p>	<p>NPI Provider #: <input type="text"/></p>
<p>Last Name: <input type="text"/></p>	<p>State License #: <input type="text"/></p>
<p>Email Address: <input type="text"/></p>	<p>Ext.: <input type="text"/></p>
<p>Confirm Email Address: <input type="text"/></p>	
<p>Phone Number: <input type="text"/></p>	
<p>Best Time to Contact: <input type="text"/></p>	
<p>Office Information Please provide the following information for your PRIMARY office location.</p>	
<p>Office Name: <input type="text"/></p>	
<p>Address 1: <input type="text"/></p>	
<p>Address 2: <input type="text"/></p>	
<p>City: <input type="text"/></p>	
<p>State: <input type="text"/></p>	<p>Zip: <input type="text"/></p>
<p>Office Phone: <input type="text"/></p>	<p>Ext.: <input type="text"/></p>
<p>Office Fax: <input type="text"/></p>	<p>Ext.: <input type="text"/></p>
<p>Tax ID: <input type="text"/></p>	
<p>Login Information</p>	
<p>User Name: <input type="text"/></p>	
<p>Start Screen: <input type="text"/></p>	
<p>Email: <input type="text"/></p>	
<p>New Password: <input type="text"/></p>	
<p>Confirm Password: <input type="text"/></p>	
<p>Email Notifications:</p>	
<p>Email Notifications: <input type="checkbox"/> BV Request</p>	
<p><input type="checkbox"/> Print PA</p>	
<p><input type="checkbox"/> Register Patient</p>	
<p><input type="text"/></p>	

602

600

604

606

608

FIG. 73




FIG. 74A

92/110




FIG. 74B




FIG. 74C

94/110




FIG. 74D

95/110




FIG. 74E




FIG. 75-1

97/110




FIG. 75-2




FIG. 75-3




FIG. 75-4

To Fig.75-6





FIG. 75-5



From Fig.75-4

FIG. 75-6

6.2 Rx



DASHBOARD NEW PATIENT MY PROFILE HELP

Hi, <Variable User Name> | LOGOUT

HEALTH CARE PROFESSIONALS IMPORTANT SAFETY INFORMATION FULL PRESCRIBING INFORMATION

BENEFIT SUMMARY > PRIOR AUTHORIZATION (#) PRESCRIPTION

PATIENT DETAILS PATIENT DOCUMENTS

Confirm Details Edit

Patient Details

<Variable Patient Name>	
<Variable Street Address>	
<Variable City>	<State> <Var. Zip>
<Variable Phone Number>	
<Variable DOB>	<Weight> <Allergies>

Health Care Professional Details

<Variable HCP Name>	
<Variable Street Address>	
<Variable City>	<State> <Var. Zip>
<Variable Phone>	

Pharmacy Details

<Variable Pharmacy Name>	
<Variable Street Address>	
<Variable City>	<State> <Var. Zip>
<Variable Phone>	
<Variable Fax>	

Drug and Dosing

<Variable Diagnosis & Therapy>	
Quantity (Pen/Syringe)	
Refills	
<Variable Product Name Dosing Mode, mg/mL NDC>	<Variable SIG>
<Variable Product Name Dosing Mode, mg/mL NDC>	<Variable SIG>
<Variable Product Name Dosing Mode, mg/mL NDC>	<Variable SIG>

FIG. 76-1

Ship To
 Patient Health Care Professional

Nurse Injection Training
Would you like to order Nurse Injection Training for your patient? Yes No

The Nurse is to provide subcutaneous injection training.
 The Nurse is to provide subcutaneous injection training, including administration by the nurse.

Create Prescription
 Dispense as written/Do not Substitute
 Substitution permitted d/Brand exchange permitted

[Click here for full Prescribing Information.](#)

FIG. 76-2

CHANGES MADE TO PATIENT DETAILS	[X] CLOSE
Pharmacy Solutions has updated Patient details. Review the changes and accept or reject them.	<input type="button" value="REJECT ALL"/> <input type="button" value="ACCEPT ALL"/>
PATIENT INFORMATION	
<Variable field name> was changed from <Original Value> to <New Value>	<input type="button" value="REJECT ALL"/> <input type="button" value="ACCEPT ALL"/>
INSURANCE INFORMATION	
<Variable field name> was changed from <Original Value> to <New Value>	<input type="button" value="REJECT ALL"/> <input type="button" value="ACCEPT ALL"/>

FIG. 77

105/110

HUMIRA® (adalimumab) Nursing Services Request Form Rheumatology

To
FIG.78-1

5

Patient Information

Name: <u>Shannon Sword</u>	
Sex (circle one): <input checked="" type="checkbox"/> F <input type="checkbox"/> M	Date of Birth: <u>2/25/1985</u>
Address: <u>17689 W Running Creek Ct</u>	
City: <u>Gurnee</u>	State: <u>IL</u> Zip: <u>60031</u>
Day Phone: <u>1234567890</u>	Evening: _____
Alternate Phone Number: _____	
Primary Language: _____	
Email Address: _____	
Personal Representative: _____	Relationship: _____

Patient's Diagnosis	
<input type="checkbox"/> Rheumatoid Arthritis (714.0)	<input type="checkbox"/> Ankylosing Spondylitis (720.0) <input checked="" type="checkbox"/> Date of Diagnosis: <u>10-08-2012</u>
<input checked="" type="checkbox"/> Psoriatic Arthritis (696.0)	<input type="checkbox"/> Polyarticular Juvenile Idiopathic Arthritis [JIA] (714.30)

Request for Nurse Injection Training (order valid for one year)	
<input type="checkbox"/> The Nurse (RN) is to provide subcutaneous injection training for HUMIRA	
<input checked="" type="checkbox"/> The Nurse (RN) is to provide subcutaneous injection training for HUMIRA, including administration by the Nurse (RN)	
<input type="checkbox"/> Follow up calls only*.	Start Date: _____
*Series of five (5) calls to foster patient confidence with self-injection topics such as storage and site care	
HUMIRA Nursing Order (this is not a prescription) (circle one):	
New to HUMIRA <input type="checkbox"/>	Restart on HUMIRA <input type="checkbox"/>
Continuing on HUMIRA <input checked="" type="checkbox"/>	
Drug Allergies: <u>Codeine</u>	
Pharmacy: <u>WALGREENS</u>	

Physician Signature (no Stamps): <u>Codeine</u>	Date: <u>10/8/2012</u>
---	------------------------

Please see Important Safety Information, including BOXED WARNING on Serious Infections and Malignancy, on next page.
 Please see full Prescribing information provided or visit www.rxabbott.com/pdf/humira.pdf.

FIG. 78-1

From
FIG.78-2

106/110

Please sign and fax this form to 866-980-1066
For questions, please call 800-448-6472

Physician Information

Physician Name:	<u>Crazy Santhosh</u>	(circle one):	<input checked="" type="checkbox"/> MD	<input type="checkbox"/> DO	<input type="checkbox"/> Other:
Office Name:	<u>TCT</u>				
Address:	<u>Gandhi Nagar Bhuj</u>				
City:	<u>Bhopal</u>	State:	<u>NV</u>	Zip:	<u>383058</u>
State License #:	<u>1234567890</u>	<u>1234567890</u>	<u>1234567890</u>	NPI #:	<u>1234567890</u>
	<u>1234567890</u>	<u>123456</u>		<u>1234567890</u>	<u>1234567890</u>
Email Address:	<u>santhoshkumar.perumal@abbott.com</u>				
Office Contact:	<u>Crazy Santhosh</u>				
Phone:	<u>4805280528</u>	Fax:	<u>093583058</u>		

Disease Therapies (this is not a prescription)			
Rheumatoid Arthritis, Ankylosing Spondylitis, Psoriatic Arthritis, and Polyarticular JIA if ≥ 30 kg (66 lbs)			
<input checked="" type="checkbox"/>	HUMIRA Pen 40 mg/0.8 mL	40mg SC inj. every other week, #2 pens	Refills: <u>2</u>
<input type="checkbox"/>	HUMIRA Prefilled Syringe 40 mg/0.8 mL	40mg SC inj. every other week, #2 syringes	Refills: <u> </u>
Polyarticular JIA if 15 kg (33 lbs) to <30 kg (66 lbs) only			
<input type="checkbox"/>	HUMIRA Prefilled Syringe 20 mg/0.4 mL	20 mg SC inj. every other week, #2 syringes	Refills: <u> </u>
OTHER			
<input type="checkbox"/>	HUMIRA <u> </u>	Sig: <u> </u>	Qty: <u> </u> Refills: <u> </u>

HUMIRA is indicated, alone or in combination with methotrexate or other non-biologic DMARDs, for reducing signs and symptoms, inducing major clinical response, inhibiting the progression of structural damage, and improving physical function in adult patients with moderately to severely active rheumatoid arthritis. HUMIRA is indicated, alone or in combination with methotrexate, for reducing signs and symptoms of moderately to severely active polyarticular juvenile idiopathic arthritis in pediatric patients 4 years of age and older. HUMIRA is indicated, alone or in combination with non-biologic DMARDs, for reducing signs and symptoms, inhibiting the progression of structural damage, and improving physical function in adult patients with active psoriatic arthritis. HUMIRA is indicated for reducing signs and symptoms in adult patients with active ankylosing spondylitis.

Serious Infections

Patients treated with HUMIRA are at increased risk for developing serious infections that may lead to hospitalization or death. These infections include active tuberculosis(TB), reactivation of latent TB, invasive fungal infections, and bacterial, viral, and other infections due to opportunistic pathogens. Most patients who developed these infections were taking concomitant immunosuppressants such as methotrexate or corticosteroids.

Malignancies


Lymphoma, including a rare type of T-cell lymphoma, and other malignancies, some fatal, have been reported in patients treated with TNF blockers, including HUMIRA.

Other Serious Adverse Reactions

Patients treated with HUMIRA also may be at risk for other serious adverse reactions, including anaphylaxis, hepatitis B virus reactivation, demyelinating disease, cytopenias, pancytopenia, heart failure, and a lupus-like syndrome.

FIG. 78-2

107/110



pharmacy SOLUTIONS

Referral In Progress


Referral Processed | Logout

Hi, Shannon Pharmacy Solutions
User Guide

Search for Patient

Practice Name	HCP Name	HCP State	Patient Name	myHUMIRA Enrollment	Created Date	Time Since Last Update
<u>Formal Testing</u>	Crazy Santhosh	Illinois	Michael Moore	No	Oct 08 2012, 18:08	0 days ago
<u>Formal Testing</u>	Crazy Santhosh	Illinois	Shannon Sword	No	Oct 08 2012, 17:34	0 days ago
<u>Formal</u>	VTP HCP	Louisiana	MOUNA DEa	No	Oct 05 2012, 06:54	1 days ago
<u>Formal</u>	VTP TWO	Louisiana	Jerry rich	No	Oct 05 2012, 03:30	1 days ago
<u>V Care</u>	HCPone Validation	New Mexico	Referral Four	No	Oct 05 2012, 02:22	1 days ago
<u>V Care</u>	HCPone Validation	New Mexico	Referral Three	No	Oct 05 2012, 02:18	1 days ago
<u>V Care</u>	HCPone Validation	New Mexico	Referral Two	No	Oct 05 2012, 02:16	1 days ago
<u>V Care</u>	HCPone Validation	New Mexico	Referral One	No	Oct 05 2012, 02:12	1 days ago
<u>QA Formal</u>	HCP Two VTP SixtyFou r	Nevada	Patient Two	No	Oct 05 2012, 01:29	1 days ago
<u>QA Formal</u>	HCP One VTP SixtyFou r	California	Patient One	No	Oct 05 2012, 00:54	1 days ago
<u>Formal Testing</u>	Crazy Santhosh	Maine	Abcdefghijklmnopqrstuvwxyz Abcdefghijklm Abcdefghijklmnopqrstuvwxyz Abcdefghijkl m	No	Oct 04 2012, 16:24	2 days ago
Shann Swords	DOCTOR MARIAM	Kansas	Susan Jones	No	Oct 04 2012 12:42	2 days ago

FIG. 79



pharmacy SOLUTIONS

Referral In Progress

Referral Processed | Logout

Hi, Shannon Pharmacy Solutions

[User Guide](#)

Referral Summary

Referral ID 19380

Patient Name Shannon Sword

Diagnosis Rheumatology

Insurance Prescription Card

HCP Crazy Santhosh

Enrolled in No

myHUMIRA

PA Forms

Pharmacy

Documents [Add New](#)

BV Request Shannon Sword 10/08/2012.pdf

PA Form

[Notify Missing PA Form](#)

PA Required

Specialty

PA Document

Insurance Carrier

Therapy State



Fax Number

[Attach to Referral](#)
[Cancel](#)

[Send](#)

[Close](#)

FIG. 80

Referral In Progress | Referral Processed | Logout

Hi, Shannon Pharmacy Solutions
User Guide

Referral Summary

Referral ID 19380

Patient Name Shannon Sword

Diagnosis Rheumatology

Insurance Prescription Card


HCP Crazy Santhosh

Enrolled in No
myHUMIRA

PA Forms

Aetna_PS, RA, PSA_1.0 - Starting Therapy **X**

Pharmacy

 Documents Add New

BV Request Shannon Sword_10/08/2012.pdf

Enter Pharmacy Details

Fulfilling Pharmacy - Pharmacy Solutions No

Pharmacy Name Walgreens City

State Select Zip

Pharmacy Name	Address	City	State	Zip
<input type="radio"/> Walgreens	200 field dr	fsafs	Michigan	32432432
<input type="radio"/> WALGREENS	PO BOX 1020	BEAVERTON	Oregon	97075
<input type="radio"/> WALGREENS	4323 CHICAGO AVE	MINNEAPOLIS	Minnesota	55407
<input checked="" type="radio"/> WALGREENS	P.O. BOX 628001	ORLANDO	Florida	32862
<input type="radio"/> WALGREENS	2220 S INTERSTATE 35	ROUND ROCK	Texas	78681
<input type="radio"/> WALGREENS	3715 MECHANICSMILLE TP KE	RICHMOND	Virginia	23223
<input type="radio"/> WALGREENS	8633 W CHARLESTON BLVD.	LAS VEGAS	Nevada	89117
<input type="radio"/> WALGREENS	9775 SW GEMINI DR.	BEAVERTON	Oregon	970078
<input type="radio"/> WALGREENS	2323 L ST	OMAHA	Nebraska	68107
<input type="radio"/> WALGREENS FOR HLTH PARTNERS	1143 HIGHLAND DR.	ANN ARBOR	Michigan	48108

FIG. 81-1

110/110

*denotes a required field

Pharmacy Name* WALGREENS

Address* P.O. BOX 628001
ALTERNATE P# 888-762-8443

City* ORLANDO

State* FL

Zip* 32862

Phone Number* 8007490009

Fax Number* 8666176685

Extn

Add Cancel

FIG. 81-2

INTERNATIONAL SEARCH REPORT

International application No PCT/US2012/059609

A. CLASSIFICATION OF SUBJECT MATTER
 INV. G06F19/00
 ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
 G06Q G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
 EPO-Internal, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2005/182656 A1 (MOREY FRED R [US]) 18 August 2005 (2005-08-18) paragraph [0002] paragraph [0037] paragraph [0076] paragraph [0041] figure 7	1-68
X	----- US 7 426 475 B1 (TANGELLAPALLY MAHESH [US] ET AL) 16 September 2008 (2008-09-16) column 3, line 56 - column 4, line 27 column 8, line 45 - line 54 column 9, line 46 - line 53 column 10, line 51 - column 11, line 7 column 13, line 29 - line 39 ----- -/--	1-68

Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search 26 February 2013	Date of mailing of the international search report 04/03/2013
---	--

Name and mailing address of the ISA/ European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Fax: (+31-70) 340-3016	Authorized officer Sisk, Aisling
--	---

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2012/059609

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	<p>US 7 716 072 B1 (GREEN JR W THOMAS [US] ET AL) 11 May 2010 (2010-05-11) column 1, line 53 - line 65 column 6, line 9 - line 23 column 7, line 20 - line 56 column 8, line 3 - line 8 column 10, line 40 - line 54 column 11, line 38 - line 45 column 14, line 24 - line 27 column 16, line 66 - column 17, line 2 column 18, line 51 - line 66 column 20, line 19 - line 36 column 31, line 1 - line 28 column 25, line 42 - line 46</p> <p>-----</p>	1-68
X	<p>US 2007/100660 A1 (CAROSSO KEVIN V [US] ET AL) 3 May 2007 (2007-05-03) paragraph [0010] paragraph [0029] paragraph [0034] paragraph [0036] paragraph [0040] - paragraph [0041] paragraph [0059]</p> <p>-----</p>	1-68
A	<p>US 5 737 539 A (EDELSON JONATHAN [US] ET AL) 7 April 1998 (1998-04-07) column 4, line 17 - line 35 column 7, line 43 - line 54 column 26, line 55 - line 67 column 35, line 1 - line 22 sentence 1, paragraph 36 - sentence 10 sentence 16, paragraph 44 - sentence 10, paragraph 46</p> <p>-----</p>	1-68

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2012/059609

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 2005182656	A1	18-08-2005	NONE

US 7426475	B1	16-09-2008	NONE

US 7716072	B1	11-05-2010	US 7716072 B1 11-05-2010
			US 2011246225 A1 06-10-2011
			US 2011246226 A1 06-10-2011
			US 2011258001 A1 20-10-2011
			US 2011258002 A1 20-10-2011
			US 2011264467 A1 27-10-2011
			US 2011270630 A1 03-11-2011

US 2007100660	A1	03-05-2007	CA 2627428 A1 10-05-2007
			JP 2009514108 A 02-04-2009
			US 2007100660 A1 03-05-2007
			US 2010114600 A1 06-05-2010
			WO 2007053468 A2 10-05-2007

US 5737539	A	07-04-1998	NONE
