



(43) International Publication Date
24 May 2012 (24.05.2012)

(10) International Publication Number
WO 2012/068546 A1

(51) International Patent Classification:

C07D 235/02 (2006.01) *A61K 31/407* (2006.01)
C07D 269/02 (2006.01) *A61K 31/4168* (2006.01)
C07D 277/42 (2006.01) *A61K 31/4353* (2006.01)
C07D 277/60 (2006.01)

(21) International Application Number:

PCT/US2011/061532

(22) International Filing Date:

18 November 2011 (18.11.2011)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

61/415,685 19 November 2010 (19.11.2010) US

(71) Applicant (for all designated States except US): **LIGAND PHARMACEUTICALS INCORPORATED** [US/US]; 11085 N. Torrey Pines Road, Suite 300, San Diego, CA 92037 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **HO, Koc-kan** [US/US]; 2401 South Foothill Blvd., Salt Lake City, UT 84109 (US). **DILLER, David** [US/US]; 176 Hickory Corner Road, East Windsor, NJ 08520 (US). **LE-TOURNEAU, Jeffrey, J.** [US/US]; 6 Bristol Way, East Windsor, NJ 08520 (US). **MCGUINNESS, Brian, F.** [US/US]; 16 Adams Court, Plainsboro, NJ 08536 (US). **COLE, Andrew, G.** [GB/US]; 21 Abby Court, Robbinsville, NJ 08691 (US). **ROSEN, David** [US/US]; 31 Paul Avenue, Kendall Park, NJ 08824 (US). **VAN OEVEREN, Cornelis, A.** [US/US]; 6590 Edmonton Avenue, San Diego, CA 92122 (US). **PICKENS, Jason, C.** [US/US]; 2615 Vancouver Avenue, San Diego, CA 92104 (US). **ZHI, Lin** [US/US]; 3988 Via Cangrejo, San Diego, CA 92130 (US). **SHEN, Yixing** [US/US]; 1790 Shadow Mountain Drive, Encinitas, CA 92024 (US). **PEDRAM,**

Bijan [US/US]; 5472 Renaissance Avenue, San Diego, CA 92122 (US).

(74) Agent: **MALLON, Joseph, J.**; Knobbe Martens Olson & Bear LLP, 2040 Main Street, Fourteenth Floor, Irvine, CA 92614 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— of inventorship (Rule 4.17(iv))

Published:

— with international search report (Art. 21(3))

— before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments (Rule 48.2(h))

(54) Title: HETEROCYCLE AMINES AND USES THEREOF

(57) Abstract: Compounds and methods in the fields of chemistry and medicine are disclosed. Some of the disclosed embodiments include compounds, compositions and methods of using heterocycle amines. Some of the disclosed embodiments include heterocycle amines useful to treat inflammatory disorders.



WO 2012/068546 A1

HETEROCYCLE AMINES AND USES THEREOF

RELATED APPLICATIONS

[0001] This is a non-provisional application claiming the benefit of U.S. Provisional Application No. 61/415,685 filed November 19, 2010 entitled "HETEROCYCLE AMINES AND USES THEREOF" which is incorporated herein by reference in its entirety.

FIELD OF THE INVENTION

[0002] Compounds and methods in the fields of chemistry and medicine are disclosed. Some of the disclosed embodiments include compounds, compositions and methods of using heterocycle amines. Some of the disclosed embodiments include heterocycle amines useful to treat inflammatory disorders.

BACKGROUND

[0003] The recruitment of immune cells to sites of injury involves the concerted interactions of a large number of soluble mediators. Several cytokines appear to play roles in these processes, for example, IL-1 and TNF. Both cytokines are derived from mononuclear cells and macrophages along with other cell types. Physiologically, they produce many of the same proinflammatory responses, including fever, sleep, anorexia, mobilization and activation of polymorphonuclear leukocytes, induction of cyclooxygenase and lipoxygenase enzymes, increase in adhesion molecule expression, activation of B-cells, T-cells and natural killer cells, and stimulation of production of other cytokines. Other actions include a contribution to the tissue degeneration seen in chronic inflammatory conditions, such as stimulation of fibroblast proliferation, induction of collagenase, etc. They have also been implicated in the process of bone resorption and adipose tissue regulation. Thus, these cytokines play key roles in a large number of pathological conditions, including rheumatoid arthritis, inflammatory bowel disease, multiple sclerosis, diabetes, obesity, cancer, and sepsis.

[0004] The role of IL-1 in inflammation has been demonstrated by the ability of the highly specific IL-1 receptor antagonist protein (IL-1 Ra, or IRAcP) to relieve inflammatory conditions. IL-1 treatment of cells induces the formation of a complex consisting of the two IL-1 receptor chains, IL-1RI and IL-1RAcP, and the resulting heterodimer recruits an adaptor molecule designated as MyD88. MyD88 binds to a protein designated IRAK (Interleukin-1


Receptor-Associated Kinase). IRAK is subsequently phosphorylated and released from the receptor complex to interact with a tumor necrosis factor receptor-associated factor, TRAF6, which transduces the signal to downstream effector molecules. TRAF6 can trigger the NIK/IKK kinase cascade to activate the transcription factor NF- κ B. NF- κ B regulates a number of genes that, in turn, regulate immune and inflammatory responses.

[0005] Four IRAKs have been identified: IRAK-1, IRAK-2, the monomyeloid cell-specific IRAK-M, also known as IRAK-3, and IRAK-4. IRAK proteins have been shown to play a role in transducing signals other than those originating from IL-1 receptors, including signals triggered by activation of IL-18 receptors and LPS receptors. Overexpression of IRAK-2 and IRAK-M has been shown to be capable of reconstituting the response to IL-1 and LPS in an IRAK deficient cell line.

SUMMARY OF THE INVENTION

[0006] Compounds, compositions and methods of using heterocycle amines are disclosed. Some of the disclosed embodiments include heterocycle amines useful to treat inflammatory disorders.

[0007] Some embodiments include a compound of Formula (I):



(I)

or a salt, ester, amide, or prodrug thereof,

wherein

== is a single or double bond;

W is selected from CH, CH-CH, O, S, NR⁶, and CO;

Y is N or CR⁹;

Z is N or C, and Z is N if W is CH and Y is CR⁹;

R⁴ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆

heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, SO₂R⁶ and SO₂NR⁷R⁸;

R⁵ is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

or R⁴ and R⁵ are linked to form an optionally substituted non-aromatic ring;

each R⁶ is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, and an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, and an optionally substituted C₁-C₁₀ heteroalkyl;

each R⁷ and R⁸ is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, an optionally substituted C₁-C₁₀ alkenyl, an optionally substituted C₁-C₁₀ alkynyl, and an optionally substituted C₁-C₁₀ heteroalkyl, or R⁷ and R⁸ are linked to form an optionally substituted non-aromatic ring;

R⁹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, and SO₂NR⁷R⁸;

A is an optionally substituted aryl or an optionally substituted heteroaryl group;


each optionally substituted group is either unsubstituted or substituted with one or more groups independently selected from alkyl, heteroalkyl, alkenyl, alkynyl, haloalkyl, heterohaloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, =O, =S, amino, and protected derivatives of amino groups.

[0008] In some embodiments, R^4 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, CO_2R^6 , SO_3R^6 , SO_2R^6 and $SO_2NR^7R^8$

[0009] In some embodiments, if R^4 is pyrazolyl, the pyrazolyl is not substituted with aryl or heteroaryl groups.

[0010] In some embodiments, if R^4 is oxazolyl, isoxazolyl, or imidazolyl, the oxazolyl, isoxazolyl, or imidazolyl radical is not substituted with aryl or heteroaryl groups.

[0011] Some embodiments include a compound represented by Formula (I-A):



(I-A)

or a salt, ester, amide, or prodrug thereof,


wherein

X is N or $CR^{5'}$, wherein $R^{5'}$ is selected from hydrogen, halogen, OR^6 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 haloheteroalkyl, an optionally substituted C_1 - C_6 alkenyl, and an optionally substituted C_1 - C_6 alkynyl;

R^1 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , $CH_2NR^7R^8$, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, an optionally substituted C_1 - C_6 heteroalkyl, CO_2R^6 , $CONR^7R^8$, SO_3R^6 , and $SO_2NR^7R^8$;

R^2 and R^3 are independently selected from hydrogen, halogen, OR^6 , NR^7R^8 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, and an optionally substituted C_1 - C_6 heteroalkyl.


[0012] Some embodiments include a compound represented by Formula (II):



(II)

or a salt, ester, amide, or prodrug thereof.

[0013] Some embodiments include a compound represented by Formula (III):



(III)

or a salt, ester, amide, or prodrug thereof,

wherein

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸;

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

[0014] In some embodiments, W is S.

[0015] In some embodiments, X is N.


[0016] In some embodiments, Y is CR⁹.

[0017] In some embodiments, R⁴ is selected from the group consisting of pyridyl, pyrazolyl, cyano, triazolyl, and oxazolyl.

[0018] In some embodiments, Y is N.

[0019] In some embodiments, R⁴ is selected from the group consisting of pyridyl, pyrazolyl, pyrimidinyl, pyridazinyl, and C₁-C₆ alkyl.

[0020] Some embodiments include a compound represented by Formula (IV):



(IV)

[0021] or a salt, ester, amide, or prodrug thereof,

[0022] wherein:

[0023] X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

[0024] R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸; and

[0025] R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

[0026] In some embodiments, X is N.

[0027] Some embodiments include a pharmaceutical composition comprising a compound provided herein and a pharmaceutically acceptable carrier.

[0028] Some embodiments include a method of treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction comprising administering to a subject in need thereof an effective amount of a compound provided herein.

[0029] In some embodiments, the disorder is an inflammatory disorder. In some embodiments, the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

[0030] In some embodiments, the disorder is a skin disorder. In some embodiments, the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.

[0031] In some embodiments, the disorder is a respiratory disorder. In some embodiments, the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

[0032] In some embodiments, the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

[0033] Some embodiments include use of a compound provided herein in the preparation of a medicament for treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction.

[0034] In some embodiments, the disorder is an inflammatory disorder. In some embodiments, the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

[0035] In some embodiments, the disorder is a skin disorder. In some embodiments, the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.

[0036] In some embodiments, the disorder is a respiratory disorder. In some embodiments, the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

[0037] In some embodiments, the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

[0038] Some embodiments include a compound provided herein for treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction.

[0039] In some embodiments, the disorder is an inflammatory disorder. In some embodiments, the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

[0040] In some embodiments, the disorder is a skin disorder. In some embodiments, the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.


[0041] In some embodiments, the disorder is a respiratory disorder. In some embodiments, the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

[0042] In some embodiments, the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

DETAILED DESCRIPTION

[0043] Compounds and methods in the fields of chemistry and medicine are disclosed. Some of the disclosed embodiments include compounds, compositions and methods of using heterocycle amines. Some of the disclosed embodiments include heterocycle amines useful to treat inflammatory disorders.

[0044] Some embodiments include a compound of Formula (I):



(I)

or a salt, ester, amide, or prodrug thereof,

wherein

== is a single or double bond;

W is selected from CH, CH-CH, O, S, NR⁶, and CO;

Y is N or CR⁹;

Z is N or C, and Z is N if W is CH and Y is CR⁹;

R^4 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C_1-C_6 alkyl, an optionally substituted C_1-C_6 haloalkyl, an optionally substituted C_1-C_6 heteroalkyl, an optionally substituted C_1-C_6 alkenyl, an optionally substituted C_1-C_6 alkynyl, CO_2R^6 , SO_3R^6 , SO_2R^6 and $SO_2NR^7R^8$;

R^5 is selected from hydrogen, halogen, OR^6 , an optionally substituted C_1-C_6 alkyl, an optionally substituted C_1-C_6 haloalkyl, an optionally substituted C_1-C_6 heteroalkyl, an optionally substituted C_1-C_6 haloalkyl, an optionally substituted C_1-C_6 alkenyl, and an optionally substituted C_1-C_6 alkynyl;

or R^4 and R^5 are linked to form an optionally substituted non-aromatic ring;

each R^6 is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, and an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C_1-C_{10} alkyl, an optionally substituted C_1-C_{10} haloalkyl, and an optionally substituted C_1-C_{10} heteroalkyl;

each R^7 and R^8 is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C_1-C_{10} alkyl, an optionally substituted C_1-C_{10} haloalkyl, an optionally substituted C_1-C_{10} alkenyl, an optionally substituted C_1-C_{10} alkynyl, and an optionally substituted C_1-C_{10} heteroalkyl, or R^7 and R^8 are linked to form an optionally substituted non-aromatic ring;

R^9 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C_1-C_6 alkyl, an optionally substituted C_1-C_6 haloalkyl, an optionally substituted C_1-C_6 heteroalkyl, an optionally substituted C_1-C_6 alkenyl, an optionally substituted C_1-C_6 alkynyl, CO_2R^6 , SO_3R^6 , and $SO_2NR^7R^8$;

A is an optionally substituted aryl or an optionally substituted heteroaryl group;

each optionally substituted group is either unsubstituted or substituted with one or more groups independently selected from alkyl, heteroalkyl, alkenyl, alkynyl, haloalkyl, heterohaloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-


carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, =O, =S, amino, and protected derivatives of amino groups.

[0045] In some embodiments, R^4 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, CO_2R^6 , SO_3R^6 , SO_2R^6 and $SO_2NR^7R^8$.

[0046] In some embodiments, if R^4 is pyrazolyl, the pyrazolyl is not substituted with aryl or heteroaryl groups.

[0047] In some embodiments, if R^4 is oxazolyl, isoxazolyl, or imidazolyl, the oxazolyl, isoxazolyl, or imidazolyl radical is not substituted with aryl or heteroaryl groups.

[0048] Some embodiments include a compound represented by Formula (I-A):



(I-A)

or a salt, ester, amide, or prodrug thereof,

wherein


X is N or $CR^{5'}$, wherein $R^{5'}$ is selected from hydrogen, halogen, OR^6 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 haloheteroalkyl, an optionally substituted C_1 - C_6 alkenyl, and an optionally substituted C_1 - C_6 alkynyl;

R^1 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , $CH_2NR^7R^8$, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, an optionally substituted C_1 - C_6 heteroalkyl, CO_2R^6 , $CONR^7R^8$, SO_3R^6 , and $SO_2NR^7R^8$;

R^2 and R^3 are independently selected from hydrogen, halogen, OR^6 , NR^7R^8 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an

optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.


[0049] Some embodiments include a compound represented by Formula (II):



(II)

or a salt, ester, amide, or prodrug thereof.

[0050] Some embodiments include a compound represented by Formula (III):



(III)

or a salt, ester, amide, or prodrug thereof,

wherein

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸;

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

[0051] In some embodiments, W is S.

[0052] In some embodiments, X is N.


[0053] In some embodiments, Y is CR⁹.

[0054] In some embodiments, R⁴ is selected from the group consisting of pyridyl, pyrazolyl, cyano, triazolyl, and oxazolyl.

[0055] In some embodiments, Y is N.

[0056] In some embodiments, R⁴ is selected from the group consisting of pyridyl, pyrazolyl, pyrimidinyl, pyridazinyl, and C₁-C₆ alkyl.

[0057] Some embodiments include a compound represented by Formula (IV):



(IV)

or a salt, ester, amide, or prodrug thereof,

wherein:

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸; and

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

[0058] In some embodiments, X is N.

Definitions

[0059] Unless specific definitions are provided, the nomenclatures utilized in connection with, and the laboratory procedures and techniques of, analytical chemistry, synthetic organic chemistry, and medicinal and pharmaceutical chemistry described herein are

those known in the art. Standard chemical symbols are used interchangeably with the full names represented by such symbols. Thus, for example, the terms “hydrogen” and “H” are understood to have identical meaning. Standard techniques may be used for chemical syntheses, chemical analyses, pharmaceutical preparation, formulation, and delivery, and treatment of patients. Standard techniques may be used for recombinant DNA, oligonucleotide synthesis, and tissue culture and transformation (e.g., electroporation, lipofection). Reactions and purification techniques may be performed e.g., using kits according to manufacturer's specifications or as commonly accomplished in the art or as described herein. The foregoing techniques and procedures may be generally performed according to conventional methods well known in the art and as described in various general and more specific references that are cited and discussed throughout the present specification. See e.g., Sambrook et al. *Molecular Cloning: A Laboratory Manual* (2d ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor, N.Y. (1989)), which is incorporated herein by reference in its entirety for any purpose.

[0060] The term “alkyl” refers to a branched or unbranched aliphatic hydrocarbon group. An alkyl may be a “saturated alkyl,” which means that it does not contain any alkene or alkyne groups. An alkyl group may be an “unsaturated alkyl,” which means that it comprises at least one alkene or alkyne group. An alkyl, whether saturated or unsaturated, may be branched or straight chain. Alkyls may be cyclic or non-cyclic. Cyclic alkyls may include multicyclic systems including fused alkyl rings. Alkyls may be substituted or unsubstituted. Alkyls include, but are not limited to, methyl, ethyl, propyl, isopropyl, butyl, isobutyl, tertiary butyl, pentyl, hexyl, ethenyl, propenyl, butenyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, and the like, each of which may be optionally substituted.

[0061] In certain embodiments, an alkyl comprises 1 to 20 carbon atoms (whenever it appears herein, a numerical range such as “1 to 20” refers to each integer in the given range; e.g., “1 to 20 carbon atoms” means that an alkyl group may comprise only 1 carbon atom, 2 carbon atoms, 3 carbon atoms, etc., up to and including 20 carbon atoms, although the term “alkyl” also includes instances where no numerical range of carbon atoms is designated).

[0062] The term “lower alkyl” refers to an alkyl comprising 1 to 5 carbon atoms. The term “medium alkyl” refers to an alkyl comprising 5 to 10 carbon atoms. An alkyl may be designated as “C₁-C₄ alkyl” or similar designations. By way of example only, “C₁-C₄ alkyl” indicates an alkyl having one, two, three, or four carbon atoms, e.g., the alkyl is selected from methyl, ethyl, propyl, iso-propyl, n-butyl, iso-butyl, sec-butyl, and t-butyl.

[0063] The term “alkenyl” refers to an alkyl group comprising at least one carbon-carbon double bond, including by way of non-limiting example ethenyl, propenyl, and butenyl.

[0064] The term “alkynyl” refers to an alkyl group comprising at least one carbon-carbon triple bond, including by way of non-limiting example ethynyl, propynyl, and butynyl.

[0065] The term “haloalkyl” refers to an alkyl in which at least one hydrogen atom is replaced with a halogen atom. In certain of the embodiments in which two or more hydrogen atoms are replaced with halogen atoms, the halogen atoms are all the same as one another. In certain of such embodiments, the halogen atoms are not all the same as one another.

[0066] The term “heteroalkyl” refers to a branched or unbranched aliphatic hydrocarbon group comprising one or more oxygen, sulfur, nitrogen, or NH. Examples of heteroalkyls include, but are not limited to, $\text{CH}_3\text{C}(=\text{O})\text{CH}_2-$, $\text{CH}_3\text{C}(=\text{O})\text{CH}_2\text{CH}_2-$, $\text{CH}_3\text{CH}_2\text{C}(=\text{O})\text{CH}_2\text{CH}_2-$, $\text{CH}_3\text{C}(=\text{O})\text{CH}_2\text{CH}_2\text{CH}_2-$, $\text{CH}_3\text{NHC}(=\text{O})\text{CH}_2-$, $\text{CH}_3\text{C}(=\text{O})\text{NHCH}_2-$, $\text{CH}_3\text{OCH}_2\text{CH}_2-$, $\text{CH}_3\text{NHCH}_2-$, and the like.

[0067] The term “straight-chain alkoxy” refers to a group comprising the formula: $-(\text{CH}_2)_p\text{O}-$ wherein p is any integer. Straight-chain alkoxy does not include substituted or branched alkoxy groups.


[0068] The term “non-straight-chain-alkoxy-heteroalkyl” refers to any heteroalkyl that is not a straight-chain alkoxy heteroalkyl. Thus, for example, non-straight-chain-alkoxy heteroalkyls include, but are not limited to: 2,2-isopropoxy; 1,2-propoxy; 1,1-ethoxy; methylamino; ethylamino; propylamino; methylpyrrolidino; and methylpiperidino.


[0069] The term “heterohaloalkyl” refers to a heteroalkyl in which at least one hydrogen atom is replaced with a halogen atom.

[0070] The term “carbocycle” refers to a group comprising a covalently closed ring, wherein each of the atoms that forms and/or comprises the ring is a carbon atom. Carbocyclic rings may be formed by three, four, five, six, seven, eight, nine, or more than nine carbon atoms. Carbocycles may be optionally substituted.

[0071] The term “heterocycle” refers to a group comprising a covalently closed ring wherein at least one atom that forms and/or comprises the ring is a heteroatom. Heterocyclic rings may be formed by three, four, five, six, seven, eight, nine, or more than nine atoms. Any number of those atoms may be heteroatoms (i.e., a heterocyclic ring may comprise one, two, three, four, five, six, seven, eight, nine, or more than nine heteroatoms). In heterocyclic rings comprising two or more heteroatoms, those two or more heteroatoms may be the same or different from one another. Heterocycles may be optionally substituted. Binding to a

heterocycle can be at a heteroatom or via a carbon atom. For example, binding for benzo-fused derivatives, may be via a carbon of the benzenoid ring. Examples of heterocycles include, but are not limited to the following:





[0072] wherein D, E, F, and G independently represent a heteroatom. Each of D, E, F, and G may be the same or different from one another.

[0073] The term “heteroatom” refers to an atom other than carbon or hydrogen. Heteroatoms, typically, are independently selected from oxygen, sulfur, nitrogen, and phosphorus, but heteroatoms are not limited to those atoms. In embodiments in which two or more heteroatoms are present, the two or more heteroatoms may all be the same as one another, or some or all of the two or more heteroatoms may each be different from the others.

[0074] The term “aromatic” refers to a group comprising a covalently closed ring having a delocalized π -electron system. Aromatic rings may be formed by five, six, seven, eight, nine, or more than nine atoms. Aromatics may be optionally substituted. Examples of aromatic groups include, but are not limited to phenyl, naphthalenyl, phenanthrenyl, anthracenyl, tetralinyl, fluorenyl, indenyl, and indanyl. The term aromatic includes, for example, benzenoid groups, connected via one of the ring-forming carbon atoms, and optionally carrying one or more substituents selected from an aryl, a heteroaryl, a cycloalkyl, a non-aromatic ring, a halo, a hydroxy, an amino, a cyano, a nitro, an alkylamido, an acyl, a C_{1-6} alkoxy, a C_{1-6} alkyl, a C_{1-6} hydroxyalkyl, a C_{1-6} aminoalkyl, a C_{1-6} alkylamino, an alkylsulfenyl, an alkylsulfinyl, an alkylsulfonyl, a sulfamoyl, or a trifluoromethyl. In certain embodiments, an aromatic group is substituted at one or more of the para, meta, and/or ortho positions. Examples of aromatic groups comprising substitutions include, but are not limited to, phenyl, 3-halophenyl, 4-halophenyl, 3-hydroxyphenyl, 4-hydroxyphenyl, 3-aminophenyl, 4-aminophenyl, 3-methylphenyl, 4-methylphenyl, 3-methoxyphenyl, 4-methoxyphenyl, 4-

trifluoromethoxyphenyl, 3-cyanophenyl, 4-cyanophenyl, dimethylphenyl, naphthyl, hydroxynaphthyl, hydroxymethylphenyl, (trifluoromethyl)phenyl, alkoxyphenyl, 4-morpholin-4-ylphenyl, 4-pyrrolidin-1-ylphenyl, 4-pyrazolylphenyl, 4-triazolylphenyl, and 4-(2-oxopyrrolidin-1-yl)phenyl.

[0075] The term “aryl” refers to an aromatic group wherein each of the atoms forming the ring is a carbon atom. Aryl rings may be formed by five, six, seven, eight, nine, or more than nine carbon atoms. Aryl groups may be optionally substituted.

[0076] The term “heteroaryl” refers to an aromatic group wherein at least one atom forming the aromatic ring is a heteroatom. Heteroaryl rings may be formed by three, four, five, six, seven, eight, nine, or more than nine atoms. Heteroaryl groups may be optionally substituted. Examples of heteroaryl groups include, but are not limited to, aromatic C₃₋₈ heterocyclic groups comprising one oxygen or sulfur atom or up to four nitrogen atoms, or a combination of one oxygen or sulfur atom and up to two nitrogen atoms, and their substituted as well as benzo- and pyrido-fused derivatives, for example, connected via one of the ring-forming carbon atoms. In certain embodiments, heteroaryl groups are optionally substituted with one or more substituents, independently selected from halo, hydroxy, amino, cyano, nitro, alkylamido, acyl, C₁₋₆-alkoxy, C₁₋₆-alkyl, C₁₋₆-hydroxyalkyl, C₁₋₆-aminoalkyl, C₁₋₆-alkylamino, alkylsulfenyl, alkylsulfinyl, alkylsulfonyl, sulfamoyl, or trifluoromethyl. Examples of heteroaryl groups include, but are not limited to, unsubstituted and mono- or di-substituted derivatives of furan, benzofuran, thiophene, benzothiophene, pyrrole, pyridine, indole, oxazole, benzoxazole, isoxazole, benzisoxazole, thiazole, benzothiazole, isothiazole, imidazole, benzimidazole, pyrazole, indazole, tetrazole, quinoline, isoquinoline, pyridazine, pyrimidine, purine, pyrazine, furazan, 1,2,3-oxadiazole, 1,2,3-thiadiazole, 1,2,4-thiadiazole, triazole, benzotriazole, pteridine, phenoxazole, oxadiazole, benzopyrazole, quinolizine, cinnoline, phthalazine, quinazoline, and quinoxaline. In some embodiments, the substituents are halo, hydroxy, cyano, O-C₁₋₆-alkyl, C₁₋₆-alkyl, hydroxy-C₁₋₆-alkyl, and amino-C₁₋₆-alkyl.

[0077] The term “non-aromatic ring” refers to a group comprising a covalently closed ring that does not have a delocalized π -electron system in its principle and/or predominant tautomer.

[0078] The term “cycloalkyl” refers to a group comprising a non-aromatic ring wherein each of the atoms forming the ring is a carbon atom. Cycloalkyl rings may be formed by three, four, five, six, seven, eight, nine, or more than nine carbon atoms. Cycloalkyls may include multicyclic systems (e.g., fused ring systems). Cycloalkyls may be optionally

substituted. In certain embodiments, a cycloalkyl comprises one or more unsaturated bonds. Examples of cycloalkyls include, but are not limited to, cyclopropane, cyclobutane, cyclopentane, cyclopentene, cyclopentadiene, cyclohexane, cyclohexene, 1,3-cyclohexadiene, 1,4-cyclohexadiene, cycloheptane, and cycloheptene.

[0079] The term “non-aromatic ring” refers to a group comprising a non-aromatic ring moiety wherein the atoms that form and/or comprise the ring include carbon and/or heteroatoms. When heteroatoms are included in the ring, one or more such heteroatoms may be present. Non-aromatic rings also optionally include one or more carbonyl or thiocarbonyl groups as part of the ring. Non-aromatic rings may be formed by three, four, five, six, seven, eight, nine, or more than nine atoms. Non-aromatic rings may be optionally substituted. Examples of non-aromatic rings include, but are not limited to, cycloalkyls (including but not limited to cyclopropane, cyclobutane, cyclopentane, cyclopentene, cyclopentadiene, cyclohexane, cyclohexene, 1,3-cyclohexadiene, 1,4-cyclohexadiene, cycloheptane, and cycloheptene), lactams, lactones, cyclic imides, cyclic thioimides, cyclic carbamates, tetrahydrothiopyran, 4*H*-pyran, tetrahydropyran, piperidine, 1,3-dioxin, 1,3-dioxane, 1,4-dioxin, 1,4-dioxane, piperazine, 1,3-oxathiane, 1,4-oxathiin, 1,4-oxathiane, tetrahydro-1,4-thiazine, 2*H*-1,2-oxazine, maleimide, succinimide, barbituric acid, thiobarbituric acid, dioxopiperazine, hydantoin, dihydrouracil, morpholine, trioxane, hexahydro-1,3,5-triazine, tetrahydrothiophene, tetrahydrofuran, pyrroline, pyrrolidine, pyrrolidone, pyrrolidione, pyrazoline, pyrazolidine, imidazoline, imidazolidine, 1,3-dioxole, 1,3-dioxolane, 1,3-dithiole, 1,3-dithiolane, isoxazoline, isoxazolidine, oxazoline, oxazolidine, oxazolidinone, thiazoline, thiazolidine, and 1,3-oxathiolane.

[0080] The term “arylalkyl” refers to a group comprising an aryl group bound to an alkyl group.

[0081] The term “ring” refers to any covalently closed structure. Rings include, for example, carbocycles (e.g., aryls and cycloalkyls), heterocycles (e.g., heteroaryl and non-aromatic heterocyclic rings), aromatics (e.g., aryls and heteroaryl), and non-aromatic rings. Rings may be optionally substituted. Rings may form part of a ring system.

[0082] The term “ring system” refers to either a single ring or two or more rings, wherein, if two or more rings are present, the two or more of the rings are fused. The term “fused” refers to structures in which two or more rings share one or more bonds.

[0083] The substituent “R” appearing by itself and without a number designation refers to a substituent selected from alkyl, cycloalkyl, aryl, heteroaryl (bonded through a ring carbon) and non-aromatic ring (bonded through a ring carbon).

[0084] The term “O-carboxy” refers to the group consisting of formula $\text{RC}(=\text{O})\text{O}-$.

[0085] The term “C-carboxy” refers to the group consisting of formula $-\text{C}(=\text{O})\text{OR}$.

[0086] The term “acetyl” refers to the group consisting of formula $-\text{C}(=\text{O})\text{CH}_3$.

[0087] The term “trihalomethanesulfonyl” refers to the group consisting of formula $\text{X}_3\text{CS}(=\text{O})_2-$ where X is a halogen.

[0088] The term “cyano” refers to the group consisting of formula $-\text{CN}$.

[0089] The term “isocyanato” refers to the group consisting of formula $-\text{NCO}$.

[0090] The term “thiocyanato” refers to the group consisting of formula $-\text{CNS}$.

[0091] The term “isothiocyanato” refers to the group consisting of formula $-\text{NCS}$.

[0092] The term “sulfonyl” refers to the group consisting of formula $-\text{S}(=\text{O})-\text{R}$.

[0093] The term “S-sulfonamido” refers to the group consisting of formula $-\text{S}(=\text{O})_2\text{NR}$.

[0094] The term “N-sulfonamido” refers to the group consisting of formula $\text{RS}(=\text{O})_2\text{NH}-$.

[0095] The term “trihalomethanesulfonamido” refers to the group consisting of formula $\text{X}_3\text{CS}(=\text{O})_2\text{NR}-$.

[0096] The term “O-carbamyl” refers to the group consisting of formula $-\text{OC}(=\text{O})-\text{NR}$.

[0097] The term “N-carbamyl” refers to the group consisting of formula $\text{ROC}(=\text{O})\text{NH}-$.

[0098] The term “O-thiocarbamyl” refers to the group consisting of formula $-\text{OC}(=\text{S})-\text{NR}$.

[0099] The term “N-thiocarbamyl” refers to the group consisting of formula $\text{ROC}(=\text{S})\text{NH}-$.

[0100] The term “C-amido” refers to the group consisting of formula $-\text{C}(=\text{O})-\text{NR}_2$.


[0101] The term “N-amido” refers to the group consisting of formula $\text{RC}(=\text{O})\text{NH}-$.

[0102] The term “oxo” refers to the group consisting of formula $=\text{O}$.

[0103] The term “carbonyl” refers to the group consisting of formula $-\text{C}(=\text{O})\text{R}$.


[0104] The term “thiocarbonyl” refers to the group consisting of formula $-\text{C}(=\text{S})\text{R}$.

[0105] The term “dihydropyrazolyne” refers to a di-radical of an optionally substituted dihydropyrazole ring, wherein the dihydropyrazole ring has the structure:



and wherein the two radicals may be at any positions on the ring.

[0106] The term “pyrazolyl” refers to a radical of a pyrazole ring, wherein the pyrazole ring has the structure:



and wherein the radical may be at any position on the ring.

[0107] The term “ester” refers to a chemical moiety with formula $-(R)_n-COOR'$, where R and R' are independently selected from alkyl, cycloalkyl, aryl, heteroaryl (bonded through a ring carbon) and non-aromatic ring (bonded through a ring carbon), where n is 0 or 1.

[0108] The term “amide” refers to a chemical moiety with formula $-(R)_n-C(O)NHR'$ or $-(R)_n-NHC(O)R'$, where R and R' are independently selected from alkyl, cycloalkyl, aryl, heteroaryl (bonded through a ring carbon) and heteroalicyclic (bonded through a ring carbon), where n is 0 or 1. In certain embodiments, an amide may be an amino acid or form part of a peptide.

[0109] The terms “amine,” “hydroxy,” and “carboxyl” include such groups that have been esterified or amidified. Procedures and specific groups used to achieve esterification and amidification are known to those of skill in the art and can readily be found in reference sources such as Greene and Wuts, *Protective Groups in Organic Synthesis*, 3rd Ed., John Wiley & Sons, New York, NY, 1999, which is incorporated herein in its entirety.

[0110] Unless otherwise indicated, the term “optionally substituted” refers to a group in which none, one, or more than one of the hydrogen atoms has been replaced with one or more group(s) individually and independently selected from: alkyl, heteroalkyl, haloalkyl, alkenyl, alkynyl, heterohaloalkyl, cycloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, oxo, and amino, including mono- and di-substituted amino groups, and the protected derivatives of amino groups. Such protective derivatives (and protecting groups that may form such protective derivatives) are known to those of skill in the art and may be

found in references such as Greene and Wuts, above. In embodiments in which two or more hydrogen atoms have been substituted, the substituent groups may together form a ring.

[0111] Throughout the specification, groups and substituents thereof can be chosen by one skilled in the field to provide stable moieties and compounds.

[0112] The term “carrier” refers to a compound that facilitates the incorporation of another compound into cells or tissues. For example, dimethyl sulfoxide (DMSO) is a commonly used carrier for improving incorporation of certain organic compounds into cells or tissues.

[0113] The term “pharmaceutical agent” refers to a chemical compound or composition capable of inducing a desired therapeutic effect in a patient. In certain embodiments, a pharmaceutical agent comprises an active agent, which is the agent that induces the desired therapeutic effect. In certain embodiments, a pharmaceutical agent comprises a prodrug. In certain embodiments, a pharmaceutical agent comprises inactive ingredients such as carriers, excipients, and the like.

[0114] The term “therapeutically effective amount” refers to an amount of a pharmaceutical agent sufficient to achieve a desired therapeutic effect.

[0115] The term “prodrug” refers to a pharmaceutical agent that is converted from a less active form into a corresponding more active form *in vivo*.

[0116] The term “pharmaceutically acceptable” refers to a formulation of a compound that does not significantly abrogate the biological activity, a pharmacological activity and/or other properties of the compound when the formulated compound is administered to a patient. In certain embodiments, a pharmaceutically acceptable formulation does not cause significant irritation to a patient.

[0117] The term “co-administer” refers to administering more than one pharmaceutical agent to a patient. In certain embodiments, co-administered pharmaceutical agents are administered together in a single dosage unit. In certain embodiments, co-administered pharmaceutical agents are administered separately. In certain embodiments, co-administered pharmaceutical agents are administered at the same time. In certain embodiments, co-administered pharmaceutical agents are administered at different times.


[0118] The term “patient” includes human and animal subjects.

[0119] The term “substantially pure” means an object species (*e.g.*, compound) is the predominant species present (*i.e.*, on a molar basis it is more abundant than any other individual species in the composition). In certain embodiments, a substantially purified fraction is a

composition wherein the object species comprises at least about 50 percent (on a molar basis) of all species present. In certain embodiments, a substantially pure composition will comprise more than about 80%, 85%, 90%, 95%, or 99% of all species present in the composition. In certain embodiments, the object species is purified to essential homogeneity (contaminant species cannot be detected in the composition by conventional detection methods) wherein the composition consists essentially of a single species.

Certain Compounds

[0120] In certain embodiments, compounds of Formula (I) are provided:



(I)

or a salt, ester, amide, or prodrug thereof,

wherein

== is a single or double bond;

W is selected from CH, CH-CH, O, S, NR⁶, and CO;

Y is N or CR⁹;

Z is N or C, and Z is N if W is CH and Y is CR⁹;

R⁴ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, SO₂R⁶ and SO₂NR⁷R⁸;

R⁵ is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

or R⁴ and R⁵ are linked to form an optionally substituted non-aromatic ring;

each R^6 is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, and an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C_1 - C_{10} alkyl, an optionally substituted C_1 - C_{10} haloalkyl, and an optionally substituted C_1 - C_{10} heteroalkyl;

each R^7 and R^8 is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C_1 - C_{10} alkyl, an optionally substituted C_1 - C_{10} haloalkyl, an optionally substituted C_1 - C_{10} alkenyl, an optionally substituted C_1 - C_{10} alkynyl, and an optionally substituted C_1 - C_{10} heteroalkyl, or R^7 and R^8 are linked to form an optionally substituted non-aromatic ring;

R^9 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, CO_2R^6 , SO_3R^6 , and $SO_2NR^7R^8$;

A is an optionally substituted aryl or an optionally substituted heteroaryl group;


each optionally substituted group is either unsubstituted or substituted with one or more groups independently selected from alkyl, heteroalkyl, alkenyl, alkynyl, haloalkyl, heterohaloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, =O, =S, amino, and protected derivatives of amino groups.

[0121] In some embodiments, R^4 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, CO_2R^6 , SO_3R^6 , SO_2R^6 and $SO_2NR^7R^8$

[0122] In some embodiments, if R^4 is pyrazolyl, the pyrazolyl is not substituted with aryl or heteroaryl groups.

[0123] In some embodiments, if R^4 is oxazolyl, isoxazolyl, or imidazolyl, the oxazolyl, isoxazolyl, or imidazolyl radical is not substituted with aryl or heteroaryl groups.

[0124] Some embodiments include a compound represented by Formula (I-A):



(I-A)

or a salt, ester, amide, or prodrug thereof,


wherein

X is N or $CR^{5'}$, wherein $R^{5'}$ is selected from hydrogen, halogen, OR^6 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 heteroalkyl, an optionally substituted C_1 - C_6 haloheteroalkyl, an optionally substituted C_1 - C_6 alkenyl, and an optionally substituted C_1 - C_6 alkynyl;


R^1 is selected from hydrogen, halogen, OR^6 , CN, NR^7R^8 , CH_2OR^6 , $CH_2NR^7R^8$, an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, an optionally substituted C_1 - C_6 heteroalkyl, CO_2R^6 , $CONR^7R^8$, SO_3R^6 , and $SO_2NR^7R^8$;

R^2 and R^3 are independently selected from hydrogen, halogen, OR^6 , NR^7R^8 , an optionally substituted C_1 - C_6 alkyl, an optionally substituted C_1 - C_6 haloalkyl, an optionally substituted C_1 - C_6 alkenyl, an optionally substituted C_1 - C_6 alkynyl, and an optionally substituted C_1 - C_6 heteroalkyl.


[0125] Some embodiments include a compound represented by Formula (II), (III), or (IV):



(II)



(III)



(IV)

or a salt, ester, amide, or prodrug thereof,

wherein:

W is selected from O, S, NR⁶, and CO;

X is N or CR⁵;

Y is N or CR⁹;

R⁴ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, and SO₂NR⁷R⁸;

each R⁵ is independently selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

or R⁴ and R⁵ are linked to form an optionally substituted non-aromatic ring;

each R⁶ is independently selected from hydrogen, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, and an

optionally substituted C₁-C₁₀ heteroalkyl, each optionally fused with a substituted aryl or a substituted heteroaryl;

each R⁷ and R⁸ is independently selected from hydrogen, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, an optionally substituted C₁-C₁₀ alkenyl, an optionally substituted C₁-C₁₀ alkynyl, and an optionally substituted C₁-C₁₀ heteroalkyl, each optionally fused with a substituted aryl or a substituted heteroaryl, or R⁷ and R⁸ are linked to form an optionally substituted non-aromatic ring;

R⁹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, and SO₂NR⁷R⁸;

A is an optionally substituted aryl or an optionally substituted heteroaryl group;

each optionally substituted group is either unsubstituted or substituted with one or more groups independently selected from alkyl, heteroalkyl, alkenyl, alkynyl, haloalkyl, heterohaloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, =O, =S, amino, and protected derivatives of amino groups.


[0126] In some embodiments, if R⁴ is a pyrazolyl, oxazolyl, isoxazolyl, or imidazolyl radical in compounds of Formula (II), (III), or (IV), the pyrazolyl, oxazolyl, isoxazolyl, or imidazolyl radical is not substituted with aryl or heteroaryl groups.

[0127] In some specific embodiments, if R⁴ is a pyrazolyl radical in compounds of Formula (II), (III), or (IV), the pyrazolyl is not substituted with aryl or heteroaryl groups.


Certain Synthetic Methods

[0128] In certain embodiments, compounds of the present invention can be synthesized using the following Schemes.

Scheme I



[0129] Scheme I describes the synthesis of aminopyridine substituted benzothiazoles. An aminopyridine **1** is treated with a base such as NaH and reacted with 6-bromo-2-chlorobenzothiazole **2** to afford compounds of structure **3**. Palladium catalyzed coupling of structure **3** with a boronic acid affords compounds of structure **4**.

Scheme II

[0130] Scheme II describes the synthesis of aminopyridine substituted benzothiazoles. Aminopyridine **1** is converted to an isothiocyanate **5** and reacted with an aniline **6**, to give a thiourea **7**. The thiourea is oxidatively cyclized with, for example, bromine to give the benzothiazole **4**.

Scheme III

[0131] Scheme III describes the synthesis of aminopyridine substituted imidazopyridines **10**. A 2-halopyridine, such as compound **8**, is coupled with an aminoimidazopyridine, such as **9**, under the influence of a palladium catalyst and a base to furnish products **10**.

[0132] One of skill in the art will recognize that analogous synthetic schemes may be used to synthesize similar compounds. One of skill will recognize that compounds of the present invention may be synthesized using other synthesis schemes. In certain embodiments, the invention provides a salt corresponding to any of the compounds provided herein.

Certain Pharmaceutical Agents

[0133] Some embodiments include pharmaceutical agents. In some embodiments a pharmaceutical agent can include a compound and/or composition provided herein and a pharmaceutical carrier. In certain embodiments, at least one compound of Formula (I), (II), (III), or (IV), or a pharmaceutically acceptable salt, ester, amide, and/or prodrug thereof, either alone or combined with one or more pharmaceutically acceptable carriers, forms a pharmaceutical agent. Techniques for formulation and administration of compounds of the present embodiments may be found for example, in "Remington's Pharmaceutical Sciences," Mack Publishing Co., Easton, PA, 18th edition, 1990, which is incorporated herein by reference in its entirety.

[0134] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is prepared using known techniques, including, but not limited to mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping or tableting processes.

[0135] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is a liquid (*e.g.*, a suspension, elixir and/or solution). In certain of such embodiments, a liquid pharmaceutical agent comprising one or more compounds of the present embodiments is prepared using ingredients known in the art, including, but not limited to, water, glycols, oils, alcohols, flavoring agents, preservatives, and coloring agents.

[0136] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is a solid (*e.g.*, a powder, tablet, and/or capsule). In certain of such embodiments, a solid pharmaceutical agent comprising one or more compounds of the present embodiments is prepared using ingredients known in the art, including, but not limited to, starches, sugars, diluents, granulating agents, lubricants, binders, and disintegrating agents.

[0137] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is formulated as a depot preparation. Certain such depot preparations are typically longer acting than non-depot preparations. In certain embodiments, such preparations are administered by implantation (for example subcutaneously or intramuscularly) or by intramuscular injection. In certain embodiments, depot preparations are prepared using suitable polymeric or hydrophobic materials (for example an emulsion in an acceptable oil) or ion exchange resins, or as sparingly soluble derivatives, for example, as a sparingly soluble salt.

[0138] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments comprises a delivery system. Examples of delivery systems include, but are not limited to, liposomes and emulsions. Certain delivery systems are useful for preparing certain pharmaceutical agents including those comprising hydrophobic compounds. In certain embodiments, certain organic solvents such as dimethylsulfoxide are used.

[0139] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments comprises one or more tissue-specific delivery molecules designed to deliver the pharmaceutical agent to specific tissues or cell types. For example, in certain embodiments, pharmaceutical agents include liposomes coated with a tissue-specific antibody.

[0140] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments comprises a co-solvent system. Certain of such co-solvent systems comprise, for example, benzyl alcohol, a nonpolar surfactant, a water-miscible organic polymer, and an aqueous phase. In certain embodiments, such co-solvent systems are used for hydrophobic compounds. A non-limiting example of such a co-solvent system is the VPD co-solvent system, which is a solution of absolute ethanol comprising 3% w/v benzyl alcohol, 8% w/v of the nonpolar surfactant Polysorbate 80™, and 65% w/v polyethylene glycol 300. The proportions of such co-solvent systems may be varied considerably without significantly altering their solubility and toxicity characteristics. Furthermore, the identity of co-solvent components may be varied: for example, other surfactants may be used instead of Polysorbate 80™; the fraction size of polyethylene glycol may be varied; other biocompatible polymers may replace polyethylene glycol, *e.g.*, polyvinyl pyrrolidone; and other sugars or polysaccharides may substitute for dextrose.

[0141] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments comprises a sustained-release system. A non-limiting example of such a sustained-release system is a semi-permeable matrix of solid hydrophobic polymers. In certain embodiments, sustained-release systems may, depending on their chemical nature, release compounds over a period of hours, days, weeks or months.

[0142] Certain compounds used in pharmaceutical agent of the present embodiments may be provided as pharmaceutically acceptable salts with pharmaceutically compatible counterions. Pharmaceutically compatible salts may be formed with many acids, including but not limited to hydrochloric, sulfuric, acetic, lactic, tartaric, malic, succinic, etc.

[0143] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments comprises an active ingredient in a therapeutically effective amount. In certain embodiments, the therapeutically effective amount is sufficient to prevent, alleviate or ameliorate symptoms of a disease or to prolong the survival of the subject being treated. Determination of a therapeutically effective amount is well within the capability of those skilled in the art.

[0144] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is formulated as a prodrug. In certain embodiments, prodrugs are useful because they are easier to administer than the corresponding active form. For example, in certain instances, a prodrug may be more bioavailable (e.g., through oral administration) than is the corresponding active form. In certain instances, a prodrug may have improved solubility compared to the corresponding active form. In certain embodiments, a prodrug is an ester. In certain embodiments, such prodrugs are less water soluble than the corresponding active form. In certain instances, such prodrugs possess superior transmittal across cell membranes, where water solubility is detrimental to mobility. In certain embodiments, the ester in such prodrugs is metabolically hydrolyzed to carboxylic acid. In certain instances the carboxylic acid containing compound is the corresponding active form. In certain embodiments, a prodrug comprises a short peptide (polyaminoacid) bound to an acid group. In certain of such embodiments, the peptide is metabolized to form the corresponding active form.

[0145] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is useful for treating a condition or disorder in a mammal, such as a human. Suitable administration routes include, but are not limited to, oral, rectal, transmucosal, intestinal, enteral, topical, suppository, through inhalation, intrathecal, intraventricular, intraperitoneal, intranasal, intraocular and parenteral (e.g., intravenous, intramuscular, intramedullary, and subcutaneous). In certain embodiments, pharmaceutical intrathecal are administered to achieve local rather than systemic exposures. For example, pharmaceutical agents may be injected directly in the area of desired effect (e.g., in the renal or cardiac area).

[0146] In certain embodiments, a pharmaceutical agent comprising one or more compounds of the present embodiments is administered in the form of a dosage unit (e.g., tablet, capsule, bolus, etc.). In certain embodiments, such dosage units comprise a compound or composition provided herein, such as a compound or composition comprising Formula (I), (II),

(III), or (IV), in a dose from about 1 $\mu\text{g/kg}$ of body weight to about 50 mg/kg of body weight, and from about 2 $\mu\text{g/kg}$ of body weight to about 25 mg/kg of body weight, from about 10 $\mu\text{g/kg}$ of body weight to about 5 mg/kg of body weight. In certain embodiments, pharmaceutical agents are administered as needed, once per day, twice per day, three times per day, or four or more times per day. It is recognized by those skilled in the art that the particular dose, frequency, and duration of administration depends on a number of factors, including, without limitation, the biological activity desired, the condition of the patient, and tolerance for the pharmaceutical agent.

[0147] In certain embodiments, a pharmaceutical agent comprising a compound of the present embodiments is prepared for oral administration. In certain of such embodiments, a pharmaceutical agent is formulated by combining one or more compounds of the present embodiments with one or more pharmaceutically acceptable carriers. Certain of such carriers enable compounds of the present embodiments to be formulated as tablets, pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions and the like, for oral ingestion by a patient. In certain embodiments, pharmaceutical agents for oral use are obtained by mixing one or more compounds of the present embodiments and one or more solid excipient. Suitable excipients include, but are not limited to, fillers, such as sugars, including lactose, sucrose, mannitol, or sorbitol; cellulose preparations such as, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, gum tragacanth, methyl cellulose, hydroxypropylmethyl-cellulose, sodium carboxymethylcellulose, and/or polyvinylpyrrolidone (PVP). In certain embodiments, such a mixture is optionally ground and auxiliaries are optionally added. In certain embodiments, pharmaceutical agents are formed to obtain tablets or dragee cores. In certain embodiments, disintegrating agents (e.g., cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof, such as sodium alginate) are added.

[0148] In certain embodiments, dragee cores are provided with coatings. In certain of such embodiments, concentrated sugar solutions may be used, which may optionally contain gum arabic, talc, polyvinyl pyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to tablets or dragee coatings.

[0149] In certain embodiments, pharmaceutical agents for oral administration are push-fit capsules made of gelatin. Certain of such push-fit capsules comprise one or more compounds of the present embodiments in admixture with one or more filler such as lactose, binders such as starches, and/or lubricants such as talc or magnesium stearate and, optionally,

stabilizers. In certain embodiments, pharmaceutical agents for oral administration are soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. In certain soft capsules, one or more compounds of the present embodiments are dissolved or suspended in suitable liquids, such as fatty oils, liquid paraffin, or liquid polyethylene glycols. In addition, stabilizers may be added.

[0150] In certain embodiments, pharmaceutical agents are prepared for buccal administration. Certain of such pharmaceutical agents are tablets or lozenges formulated in conventional manner.

[0151] In certain embodiments, a pharmaceutical agent is prepared for administration by injection (e.g., intravenous, subcutaneous, intramuscular, etc.). In certain of such embodiments, a pharmaceutical agent comprises a carrier and is formulated in aqueous solution, such as water or physiologically compatible buffers such as Hanks's solution, Ringer's solution, or physiological saline buffer. In certain embodiments, other ingredients are included (e.g., ingredients that aid in solubility or serve as preservatives). In certain embodiments, injectable suspensions are prepared using appropriate liquid carriers, suspending agents and the like. Certain pharmaceutical agents for injection are presented in unit dosage form, e.g., in ampoules or in multi-dose containers. Certain pharmaceutical agents for injection are suspensions, solutions or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing and/or dispersing agents. Certain solvents suitable for use in pharmaceutical agents for injection include, but are not limited to, lipophilic solvents and fatty oils, such as sesame oil, synthetic fatty acid esters, such as ethyl oleate or triglycerides, and liposomes. Aqueous injection suspensions may contain substances that increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Optionally, such suspensions may also contain suitable stabilizers or agents that increase the solubility of the compounds to allow for the preparation of highly concentrated solutions.

[0152] In certain embodiments, a pharmaceutical agent is prepared for transmucosal administration. In certain of such embodiments penetrants appropriate to the barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

[0153] In certain embodiments, a pharmaceutical agent is prepared for administration by inhalation. Certain of such pharmaceutical agents for inhalation are prepared in the form of an aerosol spray in a pressurized pack or a nebulizer. Certain of such pharmaceutical agents comprise a propellant, e.g., dichlorodifluoromethane, trichlorofluoromethane, dichlorotetrafluoroethane, carbon dioxide or other suitable gas. In

certain embodiments using a pressurized aerosol, the dosage unit may be determined with a valve that delivers a metered amount. In certain embodiments, capsules and cartridges for use in an inhaler or insufflator may be formulated. Certain of such formulations comprise a powder mixture of a compound of the present embodiments and a suitable powder base such as lactose or starch.

[0154] In certain embodiments, a pharmaceutical agent is prepared for rectal administration, such as a suppositories or retention enema. Certain of such pharmaceutical agents comprise known ingredients, such as cocoa butter and/or other glycerides.

[0155] In certain embodiments, a pharmaceutical agent is prepared for topical administration. Certain of such pharmaceutical agents comprise bland moisturizing bases, such as ointments or creams. Exemplary suitable ointment bases include, but are not limited to, petrolatum, petrolatum plus volatile silicones, lanolin and water in oil emulsions such as Eucerin™, available from Beiersdorf (Cincinnati, Ohio). Exemplary suitable cream bases include, but are not limited to, Nivea™ Cream, available from Beiersdorf (Cincinnati, Ohio), cold cream (USP), Purpose Cream™, available from Johnson & Johnson (New Brunswick, New Jersey), hydrophilic ointment (USP) and Lubriderm™, available from Pfizer (Morris Plains, New Jersey).

[0156] In certain embodiments, the formulation, route of administration and dosage for a pharmaceutical agent of the present embodiments can be chosen in view of a particular patient's condition. In certain embodiments, a pharmaceutical agent is administered as a single dose. In certain embodiments, a pharmaceutical agent is administered as a series of two or more doses administered over one or more days.

[0157] In certain embodiments, a pharmaceutical agent of the present embodiments is administered to a patient between about 0.1% and 500%, 5% and 200%, 10% and 100%, 15% and 85%, 25% and 75%, or 40% and 60% of an established human dosage. Where no human dosage is established, a suitable human dosage may be inferred from ED₅₀ or ID₅₀ values, or other appropriate values derived from *in vitro* or *in vivo* studies.

[0158] In certain embodiments, a daily dosage regimen for a patient comprises an oral dose of between 0.1 mg and 2000 mg, 5 mg and 1500 mg, 10 mg and 1000 mg, 20 mg and 500 mg, 30 mg and 200 mg, or 40 mg and 100 mg of a compound of the present embodiments. In certain embodiments, a daily dosage regimen is administered as a single daily dose. In

certain embodiments, a daily dosage regimen is administered as two, three, four, or more than four doses.

[0159] In certain embodiments, a pharmaceutical agent of the present embodiments is administered by continuous intravenous infusion. In certain of such embodiments, from 0.1 mg to 500 mg of a composition of the present embodiments is administered per day.

[0160] In certain embodiments, a pharmaceutical agent of the present embodiments is administered for a period of continuous therapy. For example, a pharmaceutical agent of the present embodiments may be administered over a period of days, weeks, months, or years.

[0161] Dosage amount, interval between doses, and duration of treatment may be adjusted to achieve a desired effect. In certain embodiments, dosage amount and interval between doses are adjusted to maintain a desired concentration of compound in a patient. For example, in certain embodiments, dosage amount and interval between doses are adjusted to provide plasma concentration of a compound of the present embodiments at an amount sufficient to achieve a desired effect. In certain of such embodiments the plasma concentration is maintained above the minimal effective concentration (MEC). In certain embodiments, pharmaceutical agents of the present embodiments are administered with a dosage regimen designed to maintain a concentration above the MEC for 10-90% of the time, between 30-90% of the time, or between 50-90% of the time.

[0162] In certain embodiments in which a pharmaceutical agent is administered locally, the dosage regimen is adjusted to achieve a desired local concentration of a compound of the present embodiments.

[0163] In certain embodiments, a pharmaceutical agent may be presented in a pack or dispenser device which may contain one or more unit dosage forms containing the active ingredient. The pack may for example comprise metal or plastic foil, such as a blister pack. The pack or dispenser device may be accompanied by instructions for administration. The pack or dispenser may also be accompanied with a notice associated with the container in form prescribed by a governmental agency regulating the manufacture, use, or sale of pharmaceuticals, which notice is reflective of approval by the agency of the form of the drug for human or veterinary administration. Such notice, for example, may be the labeling approved by the U.S. Food and Drug Administration for prescription drugs, or the approved product insert. Compositions comprising a compound of the present embodiments formulated in a compatible pharmaceutical carrier may also be prepared, placed in an appropriate container, and labeled for treatment of an indicated condition.

[0164] In certain embodiments, a pharmaceutical agent is in powder form for constitution with a suitable vehicle, e.g., sterile pyrogen-free water, before use.

Certain Therapeutic Methods

[0165] Some compounds and compositions provided herein, such as compounds and/or compositions comprising Formula (I), (II), (III), and (IV) are useful for the treatment of a variety of diseases and disorders. Examples of diseases and disorders include inflammatory disorders, cell proliferative disorders, and immune-related disorders, and disorders associated with IRAK-mediated signal transduction.

[0166] Inflammation of tissues and organs occurs in a wide range of disorders and diseases and in certain variations results from activation of the cytokine family of receptors. Example inflammatory disorders associated with activation of IRAK kinases and/or disorders IRAK-mediated signal transduction include skin disorders, respiratory disorders, and other disorders with an allergic component. These disorders are treated or prevented by modulation of IRAK activity, for example, by administration of certain compounds and/or compositions provided herein. In some embodiments, methods of treating a subject in need thereof include administering an effective amount of a compound or composition provided herein. Some embodiments include treating a disorder responsive to inhibition of IRAK-mediated signal transduction.

[0167] Example skin disorders include dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, or erythemas. Examples of respiratory disorders include asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough. Other example diseases that may be treated with the compounds and compositions provided herein include osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, pain and inflammatory bowel disease. More example disorders include diabetes, obesity, allergic disease, cancer, and sepsis.

[0168] In some embodiments, the compounds and compositions provided herein can be administered in combination with an additional active agent. Examples of other active agents include anti-inflammatory agents, analgesic agents, such as: opiate agonists; lipooxygenase inhibitors; cyclooxygenase inhibitors, such as cyclooxygenase-2 inhibitors; interleukin inhibitors, such as interleukin-1 receptor antagonist; NMDA antagonists; inhibitors of nitric oxide or inhibitors of the synthesis of nitric oxide; a non-steroidal anti-inflammatory

agent; or a cytokine-suppressing anti-inflammatory agent, for example with a compound such as acetaminophen, aspirin, codeine, fentanyl, ibuprofen, indomethacin, ketorolac, morphine, naproxen, phenacetin, piroxicam, a steroidal analgesic, sufentanyl, sulindac, tenidap, and the like. In some embodiments, the instant compounds and/or compositions may be administered with: a potentiator such as caffeine, an H₂-antagonist (e.g., ranitidine), simethicone, aluminum or magnesium hydroxide; a decongestant such as phenylephrine, phenylpropanolamine, pseudophedrine, oxymetazoline, ephinephrine, naphazoline, xylometazoline, propylhexedrine, or levo-desoxy-ephedrine; an antitussive such as codeine, hydrocodone, caramiphen, carbetapentane, or dextromethorphan; a diuretic; and a sedating or non-sedating antihistamine.

[0169] More examples of additional active agents include (a) VLA-4 antagonists; (b) corticosteroids, such as beclomethasone, methylprednisolone, betamethasone, prednisone, prednisolone, dexamethasone, fluticasone and hydrocortisone, and corticosteroid analogs such as budesonide; (c) immunosuppressants such as cyclosporine (cyclosporine A, Sandimmune®, Neoral®), tacrolimus (FK-506, Prograf®), rapamycin (sirclimus, Rapamune®) and other FK-506 type immunosuppressants, and mycophenolate, e.g., mycophenolate mofetil (CellCept®); (d) antihistamines (H₁-histamine antagonists) such as brompheniramine, chlorpheniramine, dexchlorpheniramine, triprolidine, clemastine, diphenhydramine, diphenylpyraline, tripeleminamine, hydroxyzine, methdilazine, promethazine, trimeprazine, azatadine, cyproheptadine, antazoline, pheniramine, pyrilamine, astemizole, terfenadine, loratadine, cetirizine, fexofenadine, descarboethoxyloratadine, and the like; (e) non-steroidal anti-asthmatics such as β ₂-agonists (e.g., terbutaline, metaproterenol, fenoterol, isoetharine, albuterol, bitolterol and pirbuterol), theophylline, cromolyn sodium, atropine, ipratropium bromide, leukotriene antagonists (e.g., zafirlukast, montelukast, pranlukast, iralukast, pobilukast and SKB-106,203), leukotriene biosynthesis inhibitors (zileuton, BAY-1005); (f) non-steroidal antiinflammatory agents (NSAIDs) such as propionic acid derivatives (e.g., alminoprofen, benoxaprofen, bucloxic acid, carprofen, fenbufen, fenoprofen, fluprofen, flurbiprofen, ibuprofen, indoprofen, ketoprofen, miroprofen, naproxen, oxaprozin, piroprofen, pranoprofen, suprofen, tiaprofenic acid and tioxaprofen), acetic acid derivatives (e.g., indomethacin, acemetacin, alclofenac, clidanac, diclofenac, fenclofenac, fenclozic acid, fentiazac, furofenac, ibufenac, isoxepac, oxpinac, sulindac, tiopinac, tolmetin, zidometacin and zomepirac), fenamic acid derivatives (e.g., flufenamic acid, meclofenamic acid, mefenamic acid, niflumic acid and tolfenamic acid), biphenylcarboxylic acid derivative (e.g., diflunisal and flufenisal), oxicams (e.g., isoxicam, piroxicam, sudoxicam and tenoxicam), salicylates (e.g., acetyl salicylic acid,

sulfasalazine and analogs, mesalamine) and the pyrazolones (e.g., apazone, bezpiperylon, feprazone, mofebutazone, oxyphenbutazone and phenylbutazone); (g) cyclooxygenase-2 (COX-2) inhibitors such as celecoxib (Celebrex®) and rofecoxib (Vioxx®); (h) inhibitors of phosphodiesterase type IV (PDE-IV); (i) interleukin inhibitors, such as interleukin-I (IL-I) inhibitors, and chemokine receptor antagonists; (j) cholesterol lowering agents such as HMG-CoA reductase inhibitors (lovastatin, simvastatin, pravastatin, fluvastatin, atorvastatin and other statins), bile acid sequestrants (e.g., cholestyramine and colestipol), nicotinic acid (niacin), fibric acid derivatives (gemfibrozil, clofibrate, fenofibrate and benzafibrate), probucol and nitroglycerin; (k) anti-diabetic agents such as insulin, sulfonylureas (e.g., glyburide, meglitinide), biguanides, e.g., metformin (Glucophage®), α -glucosidase inhibitors (acarbose), thiazolidinone compounds, e.g., rosiglitazone (Avandia®), troglitazone (Rezulin®) and pioglitazone (Actos®); (l) preparations of interferon beta (interferon β -1 α , interferon β -1 β); (m) gold compounds such as auranofin and aurothioglucose, (n) etanercept (Enbrel®), (o) antibody therapies such as orthoclone (OKT3), daclizumab (Zenapax®), basiliximab (Simulect®), infliximab (Remicade®) and D2E6 TNF antibody, (p) lubricants or emollients such as petrolatum and lanolin, (q) keratolytic agents, (r) vitamin D3 derivatives, e.g., calcipotriene or calcipotriol (Dovonex®), (s) PUVA, (t) anthralin (Drithrocreme®), (u) etretinate (Tegison®) and isotretinoin, (v) multiple sclerosis therapeutic agents such as β -1 β (Betaseron®), interferon β -1 α (Avonex®), azathioprine (Imurek®, Imuran®), glatiramer acetate (Capoxone®), a glucocorticoid (e.g., prednisolone) and cyclophosphamide and (w) β 3 adrenergic receptor agonists, leptin or derivatives thereof, and neuropeptide Y (e.g., NPY5) antagonists; (x) other compounds such as 5-aminosalicylic acid and prodrugs thereof; (y) DNA-alkylating agents (e.g., cyclophosphamide, ifosfamide), antimetabolites (e.g., azathioprene, 6-mercaptopurine, methotrexate, a folate antagonist, and 5-fluorouracil, a pyrimidine antagonist), microtubule disruptors (e.g., vincristine, vinblastine, paclitaxel, colchicine, nocodazole and vinorelbine), DNA intercalators (e.g., doxorubicin, daunomycin and cisplatin), DNA synthesis inhibitors such as hydroxyurea, DNA cross-linking agents, e.g., mitomycin C, and hormone therapy (e.g., tamoxifen, and flutamide).

[0170] In still other particular embodiments, compounds and compositions provided herein are administered for the treatment of rheumatoid arthritis, wherein the compounds are administered either alone or in combination with a second therapeutic agent selected from

methotrexate, sulfasalazine, a COX-2 inhibitor, hydroxychloroquine, cyclosporine A, D-penicillamine, infliximab, etanercept, auranofin and aurothioglucose.


[0171] In yet other particular embodiments, the present compounds are administered for the treatment of inflammatory bowel disease wherein the compound of the invention is used alone or in combination with a second therapeutic agent selected from sulfasalazine and analogs (e.g., olsalazine) mesalamine, corticosteroids (e.g., prednisone, prednisolone) and analogs (e.g., budesonide), azathioprine, 6-mercaptopurine, cyclosporine A, methotrexate, infliximab, or an IL-1 inhibitor.

[0172] In other particular embodiments, the present methods are directed to the treatment of multiple sclerosis using a compound of the invention either alone or in combination with a second therapeutic agent selected from interferon β -1 β , interferon β -1 α , azathioprine, glatiramer acetate, a glucocorticoid (e.g., prednisolone), and cyclophosphamide.

EXAMPLES


[0173] The following examples, including experiments and results achieved, are provided for illustrative purposes only and are not to be construed as limiting the present invention. Where chemical structures depict atoms having an unfilled valency, it is to be understood that the valency is satisfied with one or more hydrogen atoms.

Example 1—Synthesis of *N*-(4-(hydroxymethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine (Compound 101, Structure 4 in Scheme I, R¹ = CH₂OH, R⁴ = 4-pyridyl)




[0174] To a solution of 4-(((*tert*-butyldimethylsilyl)oxy)methyl)pyridin-2-amine (1.92 g, 8.0 mmol, 1 eq.) in anhydrous tetrahydrofuran (THF) (100 mL) was added NaH (2.25 g, 56.0 mmol, 7.0 eq) at 0 °C, after stirring at room temperature for 30 min, a solution of 6-bromo-2-chlorobenzo[*d*]thiazole (2.0 g, 8.1 mmol, 1 eq) in THF (20 mL) was added dropwise. Then the reaction mixture was heated to 65 °C for 2 hours. After cooling, water was added, the organic layer was separated and the aqueous was extracted with EtOAc, dried and concentrated to give 6-bromo-*N*-(4-(((*tert*-butyldimethylsilyl)oxy)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-

amine (1.5 g, 37 %) which was used directly without further purification. ^1H NMR (500 MHz, CDCl_3) δ 8.03 (d, $J = 9.0$, 1H); 6.87 (d, $J = 2.6$, 1H); 6.64 (dd, $J = 9.0$, 2.6, 1H); 4.58 (t, $J = 5.2$, 1H); 3.67 (s, 3H); 3.21 (td, $J = 7.1$, 5.2, 2H); 2.31 (t, $J = 7.5$, 2H); 1.70-1.59 (m, 4H); 1.46-1.29 (m, 10H).




[0175] To a 10 mL microwave tube was added 6-bromo-*N*-(4-(((*tert*-butyldimethylsilyl)oxy)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine (400 mg, 1.03 mmol), pyridine-4-boronic acid (185 mg, 1.5 eq), K_2CO_3 (425 mg, 3.09 mmol, 3 eq), Pd(dppf)Cl_2 (25 mg, 0.03 mmol, 0.03 eq), LiCl (130 mg, 3.09 mmol, 3 eq) and 3 mL of dioxane/ H_2O (4:1). The mixture was stirred at 140 °C under microwave condition for 1 h. After cooling to room temperature (rt), the mixture was concentrated *in vacuo* and the residue was purified by flash chromatography to give 125 mg of *N*-(4-(((*tert*-butyldimethylsilyl)oxy)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine.




[0176] *N*-(4-(((*Tert*-butyldimethylsilyl)oxy)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine (1.8 g, 3.34 mmol, 1 eq.) was dissolved in 6 N HCl/MeOH (30 mL), and the suspension was stirred at room temperature for 2 hours. After completion of the reaction, the solvent was evaporated and the residue was purified by chromatography to give 1.2 g of *N*-(4-(hydroxymethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine **101**. ^1H NMR ($\text{DMSO}-d_6$, 400 MHz) δ 8.95 (d, 2H), 8.75 (s, 1H), 8.45 (d, 2H), 8.35 (d, 1H), 8.11 (d, 1H), 7.84 (d, 1H), 7.22 (s, 1H), 7.00 (d, 1H), 4.60 (s, 2H). MS (ES-API): $\text{MH}^+ = 335.0$. HPLC $t_R = 2.20$ min.

Example 2—Synthesis of 6-(pyridin-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine (Compound **102**, Structure **4** in Scheme I, $R^1 = \text{CH}_2\text{-pyrrolidin-1-yl}$, $R^4 = 4\text{-pyridyl}$)



[0177] 2-((6-(Pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-ylmethanol **101** (0.12 g, 0.36 mmol, 1 eq.) was dissolved in POCl₃ (3 mL) under N₂, and the suspension was stirred at 110 °C for 2 hours. After cooling, POCl₃ was evaporated under reduced pressure and the residue was basified with sat. Na₂CO₃ solution, then extracted with DCM, dried and concentrated in vacuo to afford N-(4-(chloromethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine (80 mg, 63%) which was used directly in the next step.








[0178] A solution of N-(4-(chloromethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine (80 mg, 0.23 mmol, 1 eq.) in 1 mL dioxane was treated with 15 mg of pyrrolidine and 20 mg DIEA. The reaction mixture was stirred at 140 °C under microwave condition for 1 h. After cooling to rt, the mixture was concentrated *in vacuo*. The residue was washed with EtOH to afford 6-(pyridin-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine **102** without further purification (67 mg). ¹HNMR (CD₃OD, 400 MHz) δ 8.83 (d, 2H), 8.60 (m, 1H), 8.54 (m, 1H), 8.46 (m, 2H), 8.10 (m, 1H), 7.92 (d, 1H), 7.52 (s, 1H), 3.37 (d, 1H), 4.53 (s, 2H), 3.62 (br s, 2H), 3.25 (m, 2H overlapping with signal from CD₃OD), 2.22 (m, 2H), 2.09 (m, 2H). MS (ES-API): MH⁺ = 388.1. HPLC t_R = 2.16 min.

Examples 3–332

[0179] Compounds 103-439 were prepared in a similar fashion as described in Examples 1-2 and their structures, names, and found molecular mass ion numbers are summarized in Table 1 (Example: E.g.; Compound: Cmpd).

TABLE 1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
3		103	6-(1H-pyrazol-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	377.1
4		104	N-(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	403.1
5		105	1-(4-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	445.1
6		106	1-(4-methylpiperazin-1-yl)-2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)ethanone	445.1
7		107	6-(5-methyl-1H-pyrazol-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	391.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
8		108	5-(1H-pyrazol-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	378.1
9		109	N-(4-morpholinopyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine	379.1
10		110	N-(4-morpholinopyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	380.1
11		111	(2-((6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methanol	324.0
12		112	N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	437.1
13		113	N-(4-((dimethylamino)methyl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	352.0
14		114	N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	448.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
15		115	N-(4-(isopropoxymethyl)pyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine	366.0
16		116	N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.2
17		117	N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	451.2
18		118	N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	451.2
19		119	N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	465.2
20		120	2-methoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	462.1
21		121	N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	468.1










E.g.	Structure	Cmpd	Name	[M+H] ⁺
22		122	2-methoxy-1-(4-((2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	476.2
23		123	2-methoxy-1-(4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	461.1
24		124	N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	482.1
25		125	(S)-N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	419.1
26		126	(R)-N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	419.1
27		127	N-(4-(isopropoxymethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	377.2
28		128	N-(4-(isopropoxymethyl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	381.1
29		129	(S)-N-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	402.1











E.g.	Structure	Cmpd	Name	[M+H] ⁺
30		130	N-(4-(isopropoxymethyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	378.1
31		131	5-(1H-pyrazol-4-yl)-N-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	475.2
32		132	N-(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	485.1
33		133	N-(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	496.0
34		134	2-methoxy-1-(4-(2-((5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	463.1
35		135	N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-amine	469.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
36		136	2-((6-methyl-4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	351.1
37		137	N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(4H-1,2,4-triazol-4-yl)benzo[d]thiazol-2-amine	378.1
38		143	2-((4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	394.9 5
39		144	5-(5-methyl-1H-pyrazol-4-yl)-N-(4-((tetrahydro-2H-pyran-4-yl)oxy)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	409.1
40		146	N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-amine	449.1
41		147	1-(4-(2-((5-ethylthiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone	413.1
42		148	1-((2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-2-one	403.1
43		149	1-((2-((5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-2-one	392.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
44		150	2-methoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperidin-1-yl)ethanone	461.1
45		151	N ² -(benzo[d]thiazol-2-yl)-N ⁴ -(bicyclo[2.2.1]heptan-2-yl)-N ⁶ -((<i>R</i>)-pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine	
46		152	N ² -(bicyclo[2.2.1]heptan-2-yl)-N ⁴ -(6-methoxybenzo[d]thiazol-2-yl)-N ⁶ -(pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine	
47		153	N ² -(bicyclo[2.2.1]heptan-2-yl)-N ⁴ -(6-chlorobenzo[d]thiazol-2-yl)-N ⁶ -(pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine	
48		154	2-((4-(bicyclo[2.2.1]heptan-2-ylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazin-2-yl)amino)benzo[d]thiazole-6-carboxylic acid	
49		155	N ² -(benzo[d]thiazol-2-yl)-N ⁴ -((1 <i>R</i> ,4 <i>S</i>)-bicyclo[2.2.1]heptan-2-yl)-N ⁶ -((<i>R</i>)-pyrrolidin-3-yl)pyrimidine-2,4,6-triamine	
50		156	2-((6-methoxybenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	370.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
51		157	2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	365.0
52		158	2-((6-chlorobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	374.0
53		159	(<i>R</i>)-2-((2-((4-(methylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazin-2-yl)amino)benzo[d]thiazol-6-yl)oxy)ethanol	
54		160	(<i>S</i>)-2-((6-methoxybenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	370.0
55		161	(<i>S</i>)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	365.0
56		162	(<i>R</i>)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	365.0
57		163	(<i>S</i>)-2-((6-chlorobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	373.9
58		164	(<i>R</i>)-2-((6-chlorobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	374.0
59		165	<i>N</i> -(2-aminoethyl)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)isonicotinamide	339.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
60		166	<i>N</i> -(4-aminobutyl)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)isonicotinamide	367.1
61		167	2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-ylmethyl)isonicotinamide	379.1
62		168	2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(piperidin-3-yl)isonicotinamide	379.1
63		169	2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-2-ylmethyl)isonicotinamide	379.0
64		170	2-((4-(3-aminopiperidine-1-carbonyl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	379.0
65		171	<i>N</i> ² -(6-methoxybenzo[d]thiazol-2-yl)- <i>N</i> ⁴ -(pyrrolidin-3-yl)pyridine-2,4-diamine	342.0
66		172	<i>N</i> ² -(6-chlorobenzo[d]thiazol-2-yl)- <i>N</i> ⁴ -(pyrrolidin-3-yl)pyridine-2,4-diamine	346.0
67		173	(<i>S</i>)-2-((6-bromobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	418.0
68		174	(<i>S</i>)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)- <i>N</i> -methyl- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide	379.0










E.g.	Structure	Cmpd	Name	[M+H] ⁺
69		175	2-((4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	337.1
70		176	(S)-2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	417.1
71		177	(S)-2-((6-(pyridin-3-yl)benzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	417.1
72		178	(S)-2-((6-(1-methyl-1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	420.1
73		179	(S)-2-((6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	406.2
74		180	2-((7-methoxybenzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	370.0
75		181	6-bromo-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	391.0
76		182	(S)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)-6-methyl-N-(pyrrolidin-3-yl)isonicotinamide	379.1
77		183	(S)-2-((7-cyanobenzo[d]thiazol-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	365.0
78		184	2-((4-(cyclopentylamino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	336.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
79		185	1-(4-((2-((6-bromobenzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	445.9
80		186	1-(4-((2-((6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	
81		187	<i>N</i> -(4-(piperidin-1-ylmethyl)pyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine	
82		188	2-((5-methyl-4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	351.1
83		189	6-(pyridin-3-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	
84		190	1-((2-((6-bromobenzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperidin-4-ol	
85		191	2-(((2-((6-bromobenzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)(methyl)amino)ethanol	
86		192	6-bromo- <i>N</i> -(4-((dimethylamino)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	
87		193	6-((6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)picolinamide	406.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
88		194	6-(1 <i>H</i> -pyrazol-5-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	
89		195	2-((4-((2-aminopropyl)amino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	325.1
90		196	2-((4-((1-aminopropan-2-yl)amino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	325.1
91		197	<i>N</i> -((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)methanesulfonamide	412.1
92		198	<i>N</i> -(4-(piperidin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	402.1
93		199	<i>N</i> -(4-((dimethylamino)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	362.1
94		200	4-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)picolinamide	406.1
95		201	6-(6-methoxypyridin-3-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	418.2
96		202	<i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	403.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
97		203	6-(pyrimidin-5-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	389.1
98		204	<i>N</i> -(4-((4-methylpiperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	417.1
99		205	6-(2-methylpyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	402.1
100		206	2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)acetic acid	363.0
101		207	1,1-dimethyl-3-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)urea	405.1
102		208	6-(3-methoxypyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	418.1
103		209	6-(2-methoxypyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	418.1
104		210	6-(2-chloropyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	422.0
105		211	6-(3-methylpyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	402.1










E.g.	Structure	Cmpd	Name	[M+H] ⁺
106		212	2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)-N-(2-(pyrrolidin-1-yl)ethyl)acetamide	459.1
107		213	N-(4-((methylamino)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	348.1
108		214	3-(2-((4-(pyrrolidin-1-yl)methyl)pyridin-2-yl)amino)benzo[d]thiazol-6-yl)benzonitrile	412.1
109		215	N-(4-morpholinopyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	390.1
110		216	N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	418.1
111		217	N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	481.0
112		218	6-(2-methoxypyrimidin-5-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	419.1
113		219	3-(piperidin-1-yl)-N-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)propanamide	473.2
114		220	6-(benzo[c][1,2,5]oxadiazol-5-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	429.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
115		221	1-methyl-4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-2-one	417.1
116		222	2-(4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanol	433.1
117		223	<i>N</i> -methyl-4-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazine-1-carboxamide	460.2
118		224	Methyl 2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)acetate	377.1
119		225	2-(methyl(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)amino)ethanol	378.1
120		226	1-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol	404.1
121		227	<i>N</i> -(4-((4-methylpiperazin-1-yl)methyl)pyridin-2-yl)-6-(pyrimidin-5-yl)benzo[d]thiazol-2-amine	418.2
123		228	2-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)amino)ethanol	364.1
124		229	7-methyl-6-(pyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	402.1











E.g.	Structure	Cmpd	Name	[M+H] ⁺
125		230	5-methyl-6-(pyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	402.1
126		231	<i>N</i> -(pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	305.0
127		232	6-(2-aminopyrimidin-5-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	404.1
128		233	2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)-1-(pyrrolidin-1-yl)ethanone	416.1
129		234	<i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(2-(trifluoromethyl)pyridin-4-yl)benzo[d]thiazol-2-amine	456.1
130		235	1-methyl- <i>N</i> -((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidine-2-carboxamide	445.1
131		236	5-(pyridin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	389.1
132		237	5-(pyrimidin-5-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	390.1
133		238	<i>N</i> -(4-(aminomethyl)pyridin-2-yl)-6-(pyrimidin-5-yl)benzo[d]thiazol-2-amine	335.1
134		239	<i>N</i> -methyl-2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)acetamide	376.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
135		240	<i>N</i> -(2-hydroxyethyl)-2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-ylacetamide	406.0
136		242	<i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(1 <i>H</i> -1,2,4-triazol-1-yl)benzo[d]thiazol-2-amine	378.1
137		243	1-(3-hydroxypyrrolidin-1-yl)-2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)ethanone	432.0
138		244	<i>N</i> -((2-((6-(pyrimidin-5-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)methanesulfonamide	413.0
139		245	<i>N</i> -(4-morpholinopyridin-2-yl)-6-(4 <i>H</i> -1,2,4-triazol-4-yl)benzo[d]thiazol-2-amine	380.1
140		246	<i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(4 <i>H</i> -1,2,4-triazol-4-yl)benzo[d]thiazol-2-amine	393.2
141		247	<i>N</i> -(4-(piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	389.1
142		248	<i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	393.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
143		249	<i>N</i> -(4-(piperazin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	379.1
144		250	6-(1 <i>H</i> -imidazol-1-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	377.2
145		251	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-morpholinopyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	393.1
146		252	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	406.1
147		253	<i>N</i> -(4-(piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	390.1
148		254	<i>N</i> -(4-(pyrrolidin-3-ylamino)pyridin-2-yl)-6-cyanobenzo[<i>d</i>]thiazol-2-amine	
149		255	<i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	392.1
150		256	<i>N</i> -(4-morpholinopyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	391.0
151		257	<i>N</i> -(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	404.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
152		258	<i>N</i> -(4-(piperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	378.0
153		259	6-(pyridazin-4-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	389.0
154		260	<i>N</i> -(4-((methylamino)methyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	337.0
155		261	<i>N</i> -(4-((dimethylamino)methyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	351.1
156		262	<i>N</i> -(pyrazin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	306.0
157		263	<i>N</i> -(4-(azetidin-1-ylmethyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	363.0
158		264	<i>N</i> -(4-(4-methyl-1,4-diazepan-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	407.1
159		265	<i>N</i> -(4-(4-benzylpiperazin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	469.1
160		266	5-(2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)thiazolo[5,4- <i>b</i>]pyridin-5-yl)pyrimidine-2-carbonitrile	415.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
161		267	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-(dimethylamino)ethanone	464.0
162		268	2-hydroxy- <i>N</i> -((2-((6-(pyridin-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)methyl)acetamide	392.0
163		269	2-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanol	423.1
164		270	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone	451.1
165		271	5-(2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)benzo[<i>d</i>]thiazol-6-yl)pyrimidine-2-carbonitrile	414.0
166		272	(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)methanol	325.0
167		273	<i>N</i> ² -(6-(pyridin-4-yl)benzo[<i>d</i>]thiazol-2-yl)pyridine-2,6-diamine	320.0
168		274	6-(1 <i>H</i> -pyrrol-3-yl)- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	376.1
169		275	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-hydroxyethanone	437.1
170		276	<i>N</i> -(4-((methylamino)methyl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	338.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
171		277	<i>N</i> -(4-(aminomethyl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	324.0
172		278	1-(2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)ethanol	338.0
173		279	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	457.1
174		280	2-(2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)propan-2-ol	352.0
175		281	<i>N</i> -(4-(methoxymethyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	338.0
176		282	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-3-(dimethylamino)propan-1-one	478.2
177		283	(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)-3-fluoropyridin-4-yl)methanol	343.0
178		284	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-3-(pyrrolidin-1-yl)propan-1-one	504.2
179		285	<i>N</i> -(4-((dimethylamino)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	365.1
180		286	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((methylamino)methyl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	351.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
181		287	<i>N</i> -(4-(aminomethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	337.0
182		288	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(piperidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	405.1
183		289	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(morpholinomethyl)pyridin-2-yl)benzo[d]thiazol-2-amine	407.2
184		290	<i>N</i> -(4-((dimethylamino)methyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	366.1
185		291	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(piperidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	406.1
186		292	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	406.1
187		293	<i>N</i> -(4-(isoindolin-2-ylmethyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	440.1
188		294	<i>N</i> -(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	422.2
189		295	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(morpholinomethyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	408.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
190		296	<i>N</i> -(4-(aminomethyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	323.1
191		297	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((methylamino)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	352.1
192		298	<i>N</i> -(4-(azepan-1-ylmethyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	420.1
193		299	<i>N</i> -(4-(((1 <i>S</i> ,4 <i>R</i>)-bicyclo[2.2.1]heptan-2-ylamino)methyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	432.2
194		300	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	468.1
195		301	<i>N</i> -(4-(azepan-1-ylmethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	419.2
196		302	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	405.2
197		303	<i>N</i> -(4-(isoindolin-2-ylmethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	439.1
198		304	<i>N</i> -(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	421.2

E.g.	Structure	Cmpd	Name	[M+H] ⁺
199		305	1-((2-((6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol	407.1
200		306	<i>N</i> -(4-(azetidin-1-ylmethyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	378.1
201		307	1-((2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol	408.1
202		308	<i>N</i> -(4-(azetidin-1-ylmethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	377.1
203		309	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	467.1
204		310	<i>N</i> -(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	464.1
205		311	<i>N</i> -(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	461.2
206		312	<i>N</i> -(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	450.2
207		313	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	484.0

E.g.	Structure	Cmpd	Name	[M+H] ⁺
208		314	<i>N</i> -(4-(aminomethyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	338.1
209		315	<i>N</i> -(4-((1 <i>S</i> ,4 <i>R</i>)-2-azabicyclo[2.2.1]heptan-2-ylmethyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	418.1
210		316	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	450.1
211		317	2-methoxy-1-(4-(2-((6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	465.0
212		318	<i>N</i> -(4-((1 <i>S</i> ,4 <i>R</i>)-2-azabicyclo[2.2.1]heptan-2-ylmethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	
213		319	<i>N</i> -(4-(((1 <i>S</i> ,4 <i>R</i>)-bicyclo[2.2.1]heptan-2-ylamino)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	
214		320	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	436.1
215		321	<i>N</i> -(4-((3,3-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	420.2

E.g.	Structure	Cmpd	Name	[M+H] ⁺
216		322	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	447.1
217		323	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	471.1
218		324	<i>N</i> -(4-((3,3-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	419.2
219		325	2-methoxy-1-(4-((2-((6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	478.2
220		326	6-(1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((pyridin-3-yloxy)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	401.0
221		327	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	467.1
222		328	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	456.1
223		329	<i>N</i> -(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	470.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
224		330	<i>N</i> -(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	471.1
225		331	2-methoxy-1-(4-(2-((6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	464.2
226		332	2-methoxy-1-(4-((2-((6-(pyridin-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	475.2
227		334	1-(4-((2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)-2-methoxyethanone	464.2
228		335	2-methoxy-1-(4-((2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	479.2
229		336	1-(4-((2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)-2-methoxyethanone	465.2
230		337	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	470.1
231		338	1-(4-(2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone	450.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
232		339	4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)-1-methylpiperazin-2-one	407.1
233		340	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	485.1
234		341	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(piperazin-1-yl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	
235		342	1-((2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol	393.1
236		343	(<i>R</i>)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[<i>d</i>]thiazol-2-amine	405.1
237		344	(<i>R</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	406.1
238		345	(<i>S</i>)- <i>N</i> -(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	421.1
239		346	(<i>R</i>)- <i>N</i> -(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	421.1
240		347	(<i>S</i>)- <i>N</i> -(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	422.1









E.g.	Structure	Cmpd	Name	[M+H] ⁺
241		348	(R)-N-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	403.2
242		349	N-(4-(isopropoxymethyl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	367.0
243		350	(S)-6-(5-methyl-1H-pyrazol-4-yl)-N-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	405.1
244		351	(R)-N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	422.1
245		352	(R)-N-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	402.1
246		353	(S)-N-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	403.1
247		354	(S)-N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	418.1
248		355	(R)-N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	418.1
249		356	N-(4-((cyclopentyloxy)methyl)pyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine	392.1
250		357	6-(1H-pyrazol-4-yl)-N-(4-(((tetrahydro-2H-pyran-4-yl)oxy)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine	408.1









E.g.	Structure	Cmpd	Name	[M+H] ⁺
251		358	(<i>S</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	406.1
252		359	<i>N</i> -(4-(isopropoxymethyl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[<i>d</i>]thiazol-2-amine	380.1
253		360	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	465.2
254		361	5-(pyridin-4-yl)- <i>N</i> -(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	486.2
255		362	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	479.2
256		363	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	489.0
257		364	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	476.2
258		365	<i>N</i> -(4-(4-(1-methoxypropan-2-yl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	465.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
259		366	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[d]thiazol-2-amine	488.1
260		367	(<i>S</i>)- <i>N</i> -(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	482.1
261		368	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	464.1
262		369	<i>N</i> -(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	499.2
263		370	2,2-dimethyl-1-(4-(2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)propan-1-one	477.1
264		371	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine	475.2
265		372	6-(pyridin-4-yl)- <i>N</i> -(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[d]thiazol-2-amine	485.1
266		373	(<i>S</i>)-2-methoxy-1-(2-methyl-4-(2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	479.2

E.g.	Structure	Cmpd	Name	[M+H] ⁺
267		374	(<i>S</i>)-2-methoxy-1-(2-methyl-4-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	476.1
268		375	(<i>S</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	485
269		376	(<i>R</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	465.1
270		377	6-(1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[d]thiazol-2-amine	474.1
271		378	<i>N</i> -(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-amine	478.2
272		379	(<i>R</i>)-2-methoxy-1-(3-methyl-4-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	479.2
273		380	(<i>R</i>)- <i>N</i> -(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	482.1
274		381	(<i>S</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	465.2











E.g.	Structure	Cmpd	Name	[M+H] ⁺
275		382	(<i>S</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.1
276		383	(<i>R</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.1
277		384	1-(4-(2-((5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-isopropoxyethanone	479.1
278		385	2-isopropoxy-1-(4-(2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	493.1
279		386	2-isopropoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	490.1
280		387	(<i>R</i>)-2-methoxy-1-(3-methyl-4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	476.1
281		388	(<i>R</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	485.1
282		389	(<i>R</i>)-2-methoxy-1-(2-methyl-4-(2-((5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	479.2







E.g.	Structure	Cmpd	Name	[M+H] ⁺
283		390	(<i>R</i>)-2-methoxy-1-(2-methyl-4-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	476.1
284		391	2-methoxy-1-(4-(2-((5-(2-methylpyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	476.1
285		392	(<i>R</i>)- <i>N</i> -(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	482.0
286		393	(<i>S</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	485.1
287		394	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(2-methylpyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.1
288		395	5-(2-methylpyridin-4-yl)- <i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	482.0
289		396	2-methoxy-1-(4-(2-((5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	463.0
290		397	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-amine	469.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
291		398	(<i>S</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.1
292		399	(<i>S</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	465.1
293		400	(<i>R</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	462.1
294		401	<i>N</i> -(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	447.1
295		402	<i>N</i> -(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	436.1
296		403	<i>N</i> ⁴ -(2-methoxyethyl)- <i>N</i> ⁴ -methyl- <i>N</i> ² -(5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)pyridine-2,4-diamine	393.1
297		404	<i>N</i> -(4-((1 <i>S</i> ,4 <i>S</i>)-5-(2-methoxyethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	463.1
298		405	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(pyridin-2-yl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	470.2


E.g.	Structure	Cmpd	Name	[M+H] ⁺
299		406	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-amine	449.1
300		407	<i>N</i> -(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	450.1
301		408	<i>N</i> ⁴ -(2-methoxyethyl)- <i>N</i> ⁴ -methyl- <i>N</i> ² -(5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)pyridine-2,4-diamine	396.1
302		409	<i>N</i> ² -(5-(1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)- <i>N</i> ⁴ -(2-methoxyethyl)- <i>N</i> ⁴ -methylpyridine-2,4-diamine	382.0
303		410	(<i>R</i>)- <i>N</i> -(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	465.2
304		411	(<i>S</i>)- <i>N</i> -(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	482.0
305		412	(<i>S</i>)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	485.1
306		413	2-((4-morpholinopyridin-2-yl)amino)benzo[<i>d</i>]thiazole-6-carbonitrile	337.9
307		414	2-((4-(pyrrolidine-1-carbonyl)pyridin-2-yl)amino)benzo[<i>d</i>]thiazole-6-carbonitrile	349.9

E.g.	Structure	Cmpd	Name	[M+H] ⁺
308		415	(2-((5-bromothiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)(pyrrolidin-1-yl)methanone	403.7 8
309		416	<i>N</i> -(4-(cyclopentyloxy)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine	390.0
310		417	<i>N</i> -(4-(cyclopentyloxy)pyridin-2-yl)-5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine	393.1
311		418	5-ethynyl- <i>N</i> -(4-(pyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	336.0
312		419	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-methylbenzo[d]thiazol-2-amine	384.0 2
313		420	2-((4,6-dimethylpyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	281.0 2
314		421	2-((4-(1,4-dioxaspiro[4.5]decan-8-yl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	394.0
315		422	2-((4-(4-oxopiperidin-1-yl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	349.9 7
316		423	<i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-[1,3]dioxolo[4',5':4,5]benzo[1,2-d]thiazol-6-amine	415.9 2


E.g.	Structure	Cmpd	Name	[M+H] ⁺
317		424	6-isopropyl- <i>N</i> -(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)benzo[d]thiazol-2-amine	412.0 1
318		425	2-((4-(4-hydroxypiperidin-1-yl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	351.9 2
319		426	2-((4-(2-methoxyethoxy)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	326.9 1
320		427	2-((4-isobutoxypyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	324.9 6
321		428	<i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-5-vinylthiazolo[5,4- <i>b</i>]pyridin-2-amine	
322		429	5-ethyl- <i>N</i> -(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	
323		430	5-(pyridin-4-yl)- <i>N</i> -(4-((tetrahydro-2 <i>H</i> -pyran-4-yl)oxy)pyridin-2-yl)thiazolo[5,4- <i>b</i>]pyridin-2-amine	406.1
324		431	<i>N</i> -(4-ethylpyridin-2-yl)-6-(1 <i>H</i> -imidazol-4-yl)benzo[d]thiazol-2-amine	321.9 2
325		432	1-(4-(2-((5-ethynylthiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone	409.0
326		433	4-(2-((5-(pyridin-4-yl)thiazolo[5,4- <i>b</i>]pyridin-2-yl)amino)pyridin-4-yl)morpholin-3-one	405.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
327		434	2-((4-ethylpyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	280.9 5
328		435	1,1-dimethyl-3-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)urea	392.1
329		436	5-(5-methyl-1H-pyrazol-4-yl)-N-(4-(4-(tetrahydro-2H-pyran-4-yl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	477.1
330		437	Methyl (2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)carbamate	379.1
331		438	2-((4-(hydroxymethyl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile	283.0
332		439	5-cyclopropyl-N-(4-(pyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine	352.1

Example 333—Synthesis of *N*-(4-ethylpyridin-2-yl)-6-(oxazol-5-yl)benzo[d]thiazol-2-amine (Compound **501**, Structure **4** in Scheme II, R¹ = ethyl, R⁴ = 5-oxazolyl)




[0180] A mixture of 4-ethylpyridin-2-amine (100 mg, 0.821 mmol) and bis(1-benzotriazolyl)methanethione (250 mg, 0.891 mmol) were dissolved in 5 mL of anhydrous N,N-dimethylacetamide. The solution was stirred at room temperature for 1 hour. 4-(Oxazol-5-yl)aniline (130 mg, 0.821 mmol) was added and the solution stirred at 50 °C for an additional hour. Water (15 mL) was then added and the resulting precipitate collected by vacuum filtration and dried under vacuum. The resulting tan powder was used without further purification. MS calculated for C₁₇H₁₆N₄OS: 325.1045; [M+H]⁺, found: 324.89.




[0181] 1-(4-Ethylpyridin-2-yl)-3-(4-(oxazol-5-yl)phenyl)thiourea (0.27 g, 0.8 mmol) was dissolved in 5 mL of acetic acid. Benzyltrimethylammonium tribromide (320 mg, 0.821 mmol) was then added directly. The mixture was stirred at 50 °C for 1 hour. The mixture was cooled to 0 °C and diluted with 15 mL of water. The resulting solution was then made basic through addition of solid KOH pellets. The resulting precipitate was collected by vacuum filtration, washed with water and dried under vacuum to afford the crude product as a tan solid. A portion of the solid was purified by rp-HPLC affording 0.6 mg of *N*-(4-ethylpyridin-2-yl)-6-(oxazol-5-yl)benzo[*d*]thiazol-2-amine **501** as a yellow solid. MS calculated for C₁₇H₁₄N₄OS: 323.0888; [M+H]⁺, found: 322.93. ¹H-NMR (400 MHz, MeOD) 8.25-8.23 (m, 2H), 8.17 (s, 1H), 7.75 (d, *J* = 8.4, 1H), 7.66 (d, *J* = 8.4, 1H) 7.50 (s, 1H), 6.97 (s, 1H), 6.88 (d, *J* = 8.4, 1H), 2.68 (q, *J* = 7.7, 2H), 1.28 (t, *J* = 7.7, 3H).

Example 334—Synthesis of 6-(1H-pyrazol-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-*a*]pyridin-2-amine (Compound **493**, structure **10** in Scheme III, R¹ = CH₂-*N*-pyrrolidinyl, R⁴ = 4-pyrazolyl)



[0182] To a solution of 6-bromoimidazo[1,2-*a*]pyridin-2-amine (200 mg; 0.94 mmol) in dry THF (4 mL) was added NaH (90 mg; 3.76 mmol) in portions at 0 °C. The reaction mixture was stirred at r.t. for half an hour. Then 2-chloro-4-(pyrrolidin-1-ylmethyl)pyridine (222 mg, 1.1 mmol) was added. The mixture was heated to 120 °C for 24 hrs. The mixture was quenched by addition of H₂O (20 mL) slowly at 0 °C, extracted with DCM (30 mL × 3). The combined organic phases were concentrated under reduced pressure and purified by column chromatography on silica (DCM:MeOH = 15:1) to obtain 6-bromo-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-*a*]pyridin-2-amine (110 mg, yield 80%) as a brown solid.



[0183] To a solution of 6-bromo-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-a]pyridin-2-amine (50 mg, 0.13 mmol) in mixed dioxane/H₂O (2 mL / 0.5 mL) was added the pinacol boronate ester (59.2 mg, 0.2 mmol), K₂CO₃ (55.6 mg, 0.4 mmol) and Pd(dppf)Cl₂ (10.8 mg, 0.013 mmol) under nitrogen atmosphere. The mixture reacted under microwave condition at 140 °C for 2 hrs. After cooling, the solvent was removed under reduced pressure, and the residue was purified by prep-TLC to afford 6-(1*H*-pyrazol-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-*a*]pyridin-2-amine **493** (8.5 mg, yield 17.7 %). ¹H NMR (400 MHz MeOD) δ 8.93 (s, 1H), 8.47-8.45 (d, *J* = 5.2 , 1H), 8.12 (s, 2H), 8.06-8.03 (dd, *J* = 9.2, 1H), 7.85-7.82 (dd, *J* = 9.6, 1H), 7.14-7.11 (m, 2H), 4.43 (s, 2H), 3.55-3.30 (m, 4H), 2.14 (s, 4H).

Examples 335–352

[0184] Compounds 484-502 were prepared in a similar fashion as described in Examples 333-334 and their structures, names, and found molecular mass ion numbers are summarized in Table 2 (Example: E.g.; Compound: Cmpd).

TABLE 2

E.g.	Structure	Cmpd	Name	[M+H] +
335		484	2-((4-(hydroxymethyl)pyridin-2-yl)amino)imidazo[1,2-a]pyridine-6-carbonitrile	
336		485	(<i>S</i>)- <i>tert</i> -butyl 3-(2-((6-cyanoimidazo[1,2-a]pyridin-2-yl)amino)isonicotinamido)pyrrolidine-1-carboxylate	448.2

E.g.	Structure	Cmpd	Name	[M+H] ⁺
337		486	(S)-2-((6-cyanoimidazo[1,2-a]pyridin-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide	348.2
338		487	2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)imidazo[1,2-a]pyridine-6-carbonitrile	319.2
339		488	6-(pyridin-3-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-a]pyridin-2-amine	371.1
340		489	1-(4-((2-((6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	428.1
341		490	1-(4-((2-((6-(pyridin-3-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	428.1
342		491	(2-((6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methanol	318.1
343		492	N-(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-amine	386.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
345		494	1-(4-((2-((6-(1 <i>H</i> -pyrazol-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone	417.7
346		495	<i>N</i> -(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)imidazo[1,2-a]pyridin-2-amine	375.1
347		496	(2-((6-(1 <i>H</i> -pyrazol-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methanol	307.1
348		497	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-amine	450.1
349		498	2-methoxy-1-(4-(2-((6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone	444.2
350		499	<i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(1 <i>H</i> -pyrazol-4-yl)imidazo[1,2-a]pyridin-2-amine	439.1

E.g.	Structure	Cmpd	Name	[M+H] ⁺
351		500	6-(5-methyl-1 <i>H</i> -pyrazol-4-yl)- <i>N</i> -(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)imidazo[1,2- <i>a</i>]pyridin-2-amine	453.1
352		502	(2-((6-(pyridin-3-yl)imidazo[1,2- <i>a</i>]pyridin-2-yl)amino)pyridin-4-yl)methanol	318.0

Examples 353-430

[0185] Compounds 503-580 were prepared in a similar fashion as described in Examples 1-2 and 333-334, and their structures and names are summarized in Table 3 (Example: E.g.; Compound: Cmpd).

TABLE 3













E.g.	Structure	Cmpd	Name
353		503	3-((5-(trifluoromethyl)benzo[<i>d</i>]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)benzamide
354		504	3-((6-nitrobenzo[<i>d</i>]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)benzamide
355		505	2-(3-(pyrrolidin-1-ylmethyl)phenylamino)-6-cyanobenzo[<i>d</i>]thiazole
356		506	(<i>R</i>)-2-(benzo[<i>d</i>]thiazol-2-ylamino)-4-(3-hydroxypropylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazine
357		507	(<i>R</i>)-2-(benzo[<i>d</i>]thiazol-2-ylamino)-4-(2-hydroxyethylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazine
358		508	(<i>R</i>)-2-(benzo[<i>d</i>]thiazol-2-ylamino)-4-methylamino-6-(pyrrolidin-3-ylamino)-1,3,5-triazine

E.g.	Structure	Cmpd	Name
359		509	2-((6-fluorobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
360		510	2-((6-hydroxybenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
361		511	2-((6-(trifluoromethyl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
362		512	2-((6-(trifluoromethoxy)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
363		513	2-((6-methoxybenzo[d]thiazol-2-yl)amino)-6-methyl- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
364		514	2-((6-(hydroxymethyl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
365		515	(<i>R</i>)-2-((6-methoxybenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
366		516	(<i>S</i>)-2-((6-phenylbenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
367		517	(<i>S</i>)-2-((6-(methylsulfonyl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
368		518	2-((quinolin-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
369		519	(<i>S</i>)-2-((6-cyanoquinolin-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
370		520	(<i>R</i>)-2-((6-(<i>N</i> -methyl- <i>N</i> -(2-methoxyethyl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide

E.g.	Structure	Cmpd	Name
371		521	(<i>R</i>)-2-((6-morpholinobenzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)isonicotinamide
372		522	2-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)-4-pyrimidinecarboxamide
373		523	5-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)nicotinamide
374		524	2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-(<i>N</i> -methyl- <i>N</i> -(2-methoxyethyl)aminomethyl)pyridine
375		525	2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-(morpholinomethyl)pyridine
376		526	2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-(4-methylpiperazinomethyl)pyridine
377		527	2-((6-(3,5-dimethylisoxazol-4-yl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
378		528	2-((6-(3-chloropyridin-4-yl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
379		529	2-((6-(3-methoxyphenyl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
380		530	2-((6-(3,5-dimethylpyrazol-4-yl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
381		531	2-((6-(2,2,2-trifluoroethyl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
382		532	2-((6-(2,2,2-trifluoroethyl)benzo[d]thiazol-2-yl)amino)-4-(4-methoxyacetyl)piperazin-1-yl)pyridine

E.g.	Structure	Cmpd	Name
383		533	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-cyanoacetyl)piperidin-4-yl)pyridine
384		534	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-cyanomethyl)piperidin-4-yl)pyridine
385		535	2-((6-(imidazol-1-yl)benzo[d]thiazol-2-yl)amino)-4-hydroxymethylpyridine
386		536	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-(4-methoxyphenyl)acetyl)piperidin-4-yl)pyridine
387		537	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-(3-cyclopentyl-1-oxopropyl)piperidin-4-yl)pyridine
388		538	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-(1-oxopropyl)piperidin-4-yl)pyridine
389		539	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-cyclopropylcarbonyl)piperidin-4-yl)pyridine
390		540	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-trifluoroacetyl)piperidin-4-yl)pyridine
391		541	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-ethylsulfonyl)piperidin-4-yl)pyridine

E.g.	Structure	Cmpd	Name
392		542	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-methoxyacetylpiperidin-4-yl)pyridine
393		543	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(piperidin-4-yl)pyridine
394		544	2-((6-(pyrazol-1-yl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
395		545	2-((6-(3-fluoropyridin-4-yl)benzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
396		546	2-((6-(pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)-4-hydroxymethyl-3-fluoropyridine
397		547	2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-hydroxymethylpyridine
398		548	2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-ethylpyridine
399		549	5-((6-cyanobenzo[d]thiazol-2-yl)amino)-3-methylisoxazole
400		550	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-5-methyl-4-phenylthiazole
401		551	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-5-(4-methoxyphenyl)-1,3,4-thiadiazol
402		552	2-((6-(oxazol-5-yl)benzo[d]thiazol-2-yl)amino)-4-(4-(2-methoxyethyl)piperazin-1-yl)pyridine
403		553	2-((6-(2-methyl-1,3,4-oxadiazol-5-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine
404		554	2-(3-hydroxymethylphenyl)amino-6-cyanobenzo[d]thiazole

E.g.	Structure	Cmpd	Name
405		555	2-((6-(1,3,4-oxadiazol-2-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine
406		556	2-((6-(1,3,4-thiadiazol-2-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine
407		557	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine
408		558	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylthiocarbonyl)pyridine
409		559	2-(3,5-dimethoxymethylphenyl)amino-6-cyanobenzo[d]thiazole
410		560	4-((6-(1 <i>H</i> -pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)- <i>N</i> -(pyrrolidin-3-yl)-6-pyrimidinecarboxamide
411		561	5-(5-methyl-1 <i>H</i> -pyrazol-4-yl)-2-(4-hydroxymethylpyridin-2-ylamino)thiazolo[5,4- <i>b</i>]pyridine
412		562	5-(pyridin-4-yl)-2-(5-isopropoxyloxymethylisoxazol-3-ylamino)thiazolo[5,4- <i>b</i>]pyridine
413		563	5-(1 <i>H</i> -pyrazol-4-yl)-2-(3-(4-methoxyacetyl)piperazin-1-ylphenyl)amino)thiazolo[5,4- <i>b</i>]pyridine
414		564	5-ethyl-2-(3-(4-methoxyacetyl)piperazin-1-ylphenyl)amino)thiazolo[5,4- <i>b</i>]pyridine
415		565	5-ethyl-2-(4-(1-methoxyacetyl)piperidin-4-ylpyridin-2-yl)amino)thiazolo[5,4- <i>b</i>]pyridine
416		566	5-ethyl-2-(4-(pyrrolidin-1-yl)pyridin-2-yl)amino)thiazolo[5,4- <i>b</i>]pyridine

E.g.	Structure	Cmpd	Name
417		567	5-(pyridine-4-yl)-2-(4-(3-dimethylamino-3-oxopropyl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
418		568	5-(1-methylimidazol-5-yl)-2-(4-(4-methoxyacetyl)piperazin-1-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
419		569	5-(pyrimidin-4-yl)-2-(4-(4-methoxyacetyl)piperazin-1-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
420		570	5-(thiazol-5-yl)-2-(4-(4-methoxyacetyl)piperazin-1-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
421		571	5-propyl-2-(4-(4-methoxyacetyl)piperazin-1-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
422		572	5-(1H-pyrazol-4-yl)-2-(2-pyrrolidon-1-ylmethylpyridin-4-yl)aminothiazolo[5,4-b]pyridine
423		573	5-(pyridin-4-yl)-2-(4-(1-methyl-2-oxopiperidin-4-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
424		574	5-(1-methylimidazol-5-yl)-2-(4-(2-dimethylaminocarbonyl)ethyl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
425		575	5-(pyridine-4-yl)-2-(4-(4-methoxyacetyl)piperazin-1-yl)pyridin-2-yl)aminothiazolo[5,4-b]pyridine
426		576	2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(1-phenylcarbonylpiperidin-4-yl)pyridine

E.g.	Structure	Cmpd	Name
427		577	6-cyano-2-(4-(4-methoxyacetyl-piperazin-1-yl)pyridin-2-ylamino)imidazo[1,2-a]pyridine
428		578	6-cyano-2-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-ylamino)imidazo[1,2-a]pyridine
429		579	6-(1H-pyrazol-4-yl)-2-(4-morpholinopyridin-2-ylamino)imidazo[1,2-a]pyridine
430		580	5-(pyridin-3-yl)-2-(4-(piperazin-1-ylmethylpyridin-2-yl)amino)thiazolo[5,4-b]pyridine

Example 431—Inhibition assay

[0186] The following assay is useful for evaluating test compounds for inhibition of IRAK-1 or IRAK-4 kinase activity. A 96-well polystyrene microtiter plates are coated with neutravidin for IRAK-1 or streptavidin for IRAK-4 (10 mg/mL in PBS, overnight at 4 °C). The coating solution is removed and in 80 μ L/well, a kinase reaction mixture is added (for IRAK-1: 20 mM Tris-HCl, pH 7.5, 10 mM MgCl₂, 2 mM EGTA, 1 mM NaF, 0.5 mM benzamidine, 1 mM DTT, 3 μ M ATP, 1 mM of biotinylated substrate peptide bio-ARFSRFAGSSPSQSSMVAR, sequence derived from IRAK-1; for IRAK-4: 20 mM Tris-HCl, pH 7.5, 10 mM MgCl₂, 2 mM EGTA, 1 mM NaF, 0.5 mM benzamidine, 1 mM DTT, 10% glycerol, 10 μ M ATP, 1 mM of biotinylated substrate peptide bio-RRRVTSPPARRS, sequence derived from GFAP).

[0187] At 10 μ L/well in DMSO test compounds are added covering a final concentration range from 1 nM to 30 mM. Recombinant, full-length IRAK-1 or IRAK-4 enzyme (baculovirus expression system) is added in 10 μ L buffer containing 20 mM Tris-HCl, pH 7.5, 2 mM EGTA, 0.5 mM benzamidine, 1 mM DTT, 10 mM MgCl₂, and glycerol 10% (IRAK-4 only) to initiate the kinase reaction. The reaction mixture is incubated at room temperature for 60 min on a shaker. During this incubation the substrate peptide is being phosphorylated by the kinase and gets captured onto the surface of the wells by neutravidin or streptavidin, respectively. The plate is washed 3x with 150 μ L distilled water to terminate the reaction and

remove components of the reaction mixture. A conventional chemiluminescent ELISA detection technique is initiated by adding 100 μ L/well primary antibody (monoclonal antibody YC10, generated to recognize the phosphorylated epitope in the substrate peptide; use at 1:20,000 dilution for IRAK-1 and 1:10,000 dilution for IRAK-4) premixed with horseradish peroxidase (HRP) conjugated anti-mouse secondary antibody (commercially available from several sources; use at 1:10,000 dilution) in PBS containing 2% BSA. The solution is incubated at room temperature for 40 min on a shaker, then washed 3x with 150 μ L of water. 100 μ L 10x diluted SuperSignal HRP substrate (from Pierce) is added and after 5 min incubation the chemiluminescent signal is captured by a Labsystems LuminoSkan luminometer. The point of 50% inhibition of IRAK-1 or IRAK-4 enzyme activity (IC_{50}) is determined. Table 4 summarizes data obtained using an assay substantially similar to the foregoing method (Compound: Cmpd).

TABLE 4

Cmpd	EC ₅₀	Cmpd	EC ₅₀	Cmpd	EC ₅₀	Cmpd	EC ₅₀
101	A	110	A	120	A	130	A
137	A	150	A	160	A	170	A
180	A	190	A	200	A	210	A
220	A	230	A	240	A	250	A
260	A	270	A	280	A	290	A
300	A	310	A	320	A	330	A
340	A	350	A	360	A	370	A
380	A	390	A	401	A	410	A
420	A	430	A	439	A	484	B
490	A	500	A	510	B	521	B
530	B	540	A	553	B	560	B
570	A	580	B				

[0188] It is to be understood that both the foregoing general description and detailed description are exemplary and explanatory only and are not restrictive of the embodiments claimed. In this application, the use of the singular includes the plural unless specifically stated otherwise. In this application, the use of “or” means “and/or” unless stated otherwise. Furthermore, use of the term “including” as well as other forms, such as “includes,” and

“included,” is not limiting. The term “comprising” as used herein is synonymous with “including,” “containing,” or “characterized by,” and is inclusive or open-ended and does not exclude additional, unrecited elements or method steps.


[0189] All references cited herein, including but not limited to published and unpublished applications, patents, and literature references, are incorporated herein by reference in their entirety and are hereby made a part of this specification. To the extent publications and patents or patent applications incorporated by reference contradict the disclosure contained in the specification, the specification is intended to supersede and/or take precedence over any such contradictory material.

[0190] All numbers expressing quantities of ingredients, reaction conditions, and so forth used in the specification are to be understood as being modified in all instances by the term “about.” Accordingly, unless indicated to the contrary, the numerical parameters set forth herein are approximations that may vary depending upon the desired properties sought to be obtained. At the very least, and not as an attempt to limit the application of the doctrine of equivalents to the scope of any claims in any application claiming priority to the present application, each numerical parameter should be construed in light of the number of significant digits and ordinary rounding approaches.

[0191] The above description discloses several methods and materials of the present invention. This invention is susceptible to modifications in the methods and materials, as well as alterations in the fabrication methods and equipment. Such modifications will become apparent to those skilled in the art from a consideration of this disclosure or practice of the invention disclosed herein. Consequently, it is not intended that this invention be limited to the specific embodiments disclosed herein, but that it cover all modifications and alternatives coming within the true scope and spirit of the invention.

WHAT IS CLAIMED IS:

1. A compound of Formula (I):



(I)

or a salt, ester, amide, or prodrug thereof,

wherein

== is a single or double bond;

W is selected from CH, CH-CH, O, S, NR⁶, and CO;

Y is N or CR⁹;

Z is N or C, and Z is N if W is CH and Y is CR⁹;

R⁴ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, SO₂R⁶ and SO₂NR⁷R⁸;

R⁵ is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

or R⁴ and R⁵ are linked to form an optionally substituted non-aromatic ring;

each R⁶ is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, and an optionally substituted non-aromatic ring, each optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, and an optionally substituted C₁-C₁₀ heteroalkyl;

each R⁷ and R⁸ is independently selected from an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, each

optionally fused with a substituted aryl or a substituted heteroaryl, hydrogen, an optionally substituted C₁-C₁₀ alkyl, an optionally substituted C₁-C₁₀ haloalkyl, an optionally substituted C₁-C₁₀ alkenyl, an optionally substituted C₁-C₁₀ alkynyl, and an optionally substituted C₁-C₁₀ heteroalkyl, or R⁷ and R⁸ are linked to form an optionally substituted non-aromatic ring;

R⁹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, and SO₂NR⁷R⁸;

A is an optionally substituted aryl or an optionally substituted heteroaryl group;


each optionally substituted group is either unsubstituted or substituted with one or more groups independently selected from alkyl, heteroalkyl, alkenyl, alkynyl, haloalkyl, heterohaloalkyl, aryl, arylalkyl, heteroaryl, non-aromatic ring, hydroxy, alkoxy, aryloxy, mercapto, alkylthio, arylthio, cyano, halo, carbonyl, thiocarbonyl, O-carbamyl, N-carbamyl, O-thiocarbamyl, N-thiocarbamyl, C-amido, N-amido, S-sulfonamido, N-sulfonamido, C-carboxy, O-carboxy, isocyanato, thiocyanato, isothiocyanato, nitro, silyl, trihalomethanesulfonyl, =O, =S, amino, and protected derivatives of amino groups.

2. The compound of Claims 1, wherein R⁴ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, an optionally substituted aryl, an optionally substituted heteroaryl, an optionally substituted non-aromatic ring, an optionally substituted carbocycle, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, CO₂R⁶, SO₃R⁶, SO₂R⁶ and SO₂NR⁷R⁸

3. The compound of Claim 1, wherein if R⁴ is pyrazolyl, the pyrazolyl is not substituted with aryl or heteroaryl groups.

4. The compound of Claim 1, wherein if R⁴ is oxazolyl, isoxazolyl, or imidazolyl, the oxazolyl, isoxazolyl, or imidazolyl radical is not substituted with aryl or heteroaryl groups.

5. The compound of Claim 1, represented by Formula (I-A):



(I-A)

or a salt, ester, amide, or prodrug thereof,


wherein

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸;

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.


6. The compound of Claim 1, represented by Formula (II):



(II)

or a salt, ester, amide, or prodrug thereof.

7. The compound of Claim 1, represented by Formula (III):



(III)

or a salt, ester, amide, or prodrug thereof,

wherein

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸;

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

8. The compound of any of Claims 1-7, wherein W is S.
9. The compound of Claim 7 or 8, wherein X is N.
10. The compound of any one of Claims 1-9, wherein Y is CR⁹.
11. The compound of any one of Claims 1-10, wherein R⁴ is selected from the group consisting of pyridyl, pyrazolyl, cyano, triazolyl, and oxazolyl.
12. The compound of any one of Claims 1-9, wherein Y is N.
13. The compound of any one of Claims 1-9 and 12, wherein R⁴ is selected from the group consisting of pyridyl, pyrazolyl, pyrimidinyl, pyridazinyl, and C₁-C₆ alkyl.
14. The compound of Claim 1, wherein the compound is selected from the group consisting of:

N-(4-(hydroxymethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

6-(pyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,

6-(1H-pyrazol-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,

N-(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

1-(4-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

1-(4-methylpiperazin-1-yl)-2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)ethanone,

6-(5-methyl-1H-pyrazol-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,

5-(1H-pyrazol-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-morpholinopyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-morpholinopyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(2-((6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methanol,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-((dimethylamino)methyl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(isopropoxymethyl)pyridin-2-yl)-6-(1H-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

2-methoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

2-methoxy-1-(4-((2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

2-methoxy-1-(4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*S*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*R*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(isopropoxymethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

N-(4-(isopropoxymethyl)-pyridin-2-yl)-5-(5-methyl-1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*S*)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

N-(4-(isopropoxymethyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

5-(1H-pyrazol-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

2-methoxy-1-(4-(2-((5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-amine,

2-((6-methyl-4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile,

N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(4H-1,2,4-triazol-4-yl)benzo[d]thiazol-2-amine,

2-((4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)amino)benzo[d]thiazole-6-carbonitrile,

5-(5-methyl-1H-pyrazol-4-yl)-N-(4-((tetrahydro-2H-pyran-4-yl)oxy)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

1-(4-(2-((5-ethylthiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone,

1-((2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-2-one,

1-((2-((5-(1H-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-2-one,

2-methoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperidin-1-yl)ethanone,

*N*²-(benzo[d]thiazol-2-yl)-*N*⁴-(bicyclo[2.2.1]heptan-2-yl)-*N*⁶-((*R*)-pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine,

*N*²-(bicyclo[2.2.1]heptan-2-yl)-*N*⁴-(6-methoxybenzo[d]thiazol-2-yl)-*N*⁶-(pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine,

*N*²-(bicyclo[2.2.1]heptan-2-yl)-*N*⁴-(6-chlorobenzo[d]thiazol-2-yl)-*N*⁶-(pyrrolidin-3-yl)-1,3,5-triazine-2,4,6-triamine,

2-((4-(bicyclo[2.2.1]heptan-2-ylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazin-2-yl)amino)benzo[d]thiazole-6-carboxylic acid,

*N*²-(benzo[d]thiazol-2-yl)-*N*⁴-((1*R*,4*S*)-bicyclo[2.2.1]heptan-2-yl)-*N*⁶-((*R*)-pyrrolidin-3-yl)pyrimidine-2,4,6-triamine,

2-((6-methoxybenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

2-((6-cyanobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

2-((6-chlorobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

(*R*)-2-((2-((4-(methylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazin-2-yl)amino)benzo[d]thiazol-6-yl)oxy)ethanol,

(*S*)-2-((6-methoxybenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

(*S*)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

(*R*)-2-((6-cyanobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

(*S*)-2-((6-chlorobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

(*R*)-2-((6-chlorobenzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,

N-(2-aminoethyl)-2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)isonicotinamide,
N-(4-aminobutyl)-2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)isonicotinamide,
 2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-ylmethyl)isonicotinamide,
 2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-*N*-(piperidin-3-yl)isonicotinamide,
 2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-2-ylmethyl)isonicotinamide,
 2-((4-(3-aminopiperidine-1-carbonyl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,
*N*²-(6-methoxybenzo[*d*]thiazol-2-yl)-*N*⁴-(pyrrolidin-3-yl)pyridine-2,4-diamine,
*N*²-(6-chlorobenzo[*d*]thiazol-2-yl)-*N*⁴-(pyrrolidin-3-yl)pyridine-2,4-diamine,
 (*S*)-2-((6-bromobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 (*S*)-2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-*N*-methyl-*N*-(pyrrolidin-3-yl)isonicotinamide,
 2-((4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,
 (*S*)-2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 (*S*)-2-((6-(pyridin-3-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 (*S*)-2-((6-(1-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 (*S*)-2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 2-((7-methoxybenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 6-bromo-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,
 (*S*)-2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-6-methyl-*N*-(pyrrolidin-3-yl)isonicotinamide,
 (*S*)-2-((7-cyanobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
 2-((4-(cyclopentylamino)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,
 1-(4-((2-((6-bromobenzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,
 1-(4-((2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

N-(4-(piperidin-1-ylmethyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

2-((5-methyl-4-(pyrrolidin-3-ylamino)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

6-(pyridin-3-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

1-((2-((6-bromobenzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperidin-4-ol,

2-(((2-((6-bromobenzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)(methyl)amino)ethanol,

6-bromo-*N*-(4-((dimethylamino)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)picolinamide,

6-(1*H*-pyrazol-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

2-((4-((2-aminopropyl)amino)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-((1-aminopropan-2-yl)amino)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

N-((2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)methanesulfonamide,

N-(4-(piperidin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((dimethylamino)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

4-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)picolinamide,

6-(6-methoxypyridin-3-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

6-(pyrimidin-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-((4-methylpiperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

6-(2-methylpyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

2-(2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)acetic acid,

1,1-dimethyl-3-((2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)urea,

6-(3-methoxypyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(2-methoxypyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(2-chloropyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(3-methylpyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

2-(2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)-*N*-(2-(pyrrolidin-1-yl)ethyl)acetamide,

N-(4-((methylamino)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

3-(2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)benzo[*d*]thiazol-6-yl)benzonitrile,

N-(4-morpholinopyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

6-(2-methoxypyrimidin-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

3-(piperidin-1-yl)-*N*-((2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)propanamide,

6-(benzo[*c*][1,2,5]oxadiazol-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

1-methyl-4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-2-one,
2-(4-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanol,
N-methyl-4-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazine-1-carboxamide,
methyl 2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)acetate,
2-(methyl(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)amino)ethanol,
1-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol,
N-(4-((4-methylpiperazin-1-yl)methyl)pyridin-2-yl)-6-(pyrimidin-5-yl)benzo[d]thiazol-2-amine,
2-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)amino)ethanol,
7-methyl-6-(pyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,
5-methyl-6-(pyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,
N-(pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,
6-(2-aminopyrimidin-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[d]thiazol-2-amine,
2-(2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)-1-(pyrrolidin-1-yl)ethanone,
N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(2-(trifluoromethyl)pyridin-4-yl)benzo[d]thiazol-2-amine,
1-methyl-*N*-((2-((6-(pyridin-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidine-2-carboxamide,
5-(pyridin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,
5-(pyrimidin-5-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,
N-(4-(aminomethyl)pyridin-2-yl)-6-(pyrimidin-5-yl)benzo[d]thiazol-2-amine,

N-methyl-2-(2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)acetamide,

N-(2-hydroxyethyl)-2-(2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)acetamide,

N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-6-(1*H*-1,2,4-triazol-1-yl)benzo[*d*]thiazol-2-amine,

1-(3-hydroxypyrrolidin-1-yl)-2-(2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)ethanone,

N-((2-((6-(pyrimidin-5-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)methanesulfonamide,

N-(4-morpholinopyridin-2-yl)-6-(4*H*-1,2,4-triazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(4*H*-1,2,4-triazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(piperazin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

6-(1*H*-imidazol-1-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-morpholinopyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(pyrrolidin-3-ylamino)pyridin-2-yl)-6-cyanobenzo[*d*]thiazol-2-amine,

N-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-morpholinopyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(piperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(pyridazin-4-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-((methylamino)methyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((dimethylamino)methyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(pyrazin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(azetidin-1-ylmethyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-methyl-1,4-diazepan-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-benzylpiperazin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridin-5-yl)pyrimidine-2-carbonitrile,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-(dimethylamino)ethanone,

2-hydroxy-*N*-((2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)acetamide,

2-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanol,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone,

5-(2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)benzo[*d*]thiazol-6-yl)pyrimidine-2-carbonitrile,

(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)methanol,

*N*²-(6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)pyridine-2,6-diamine,

6-(1*H*-pyrrol-3-yl)-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-hydroxyethanone,

N-(4-((methylamino)methyl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(aminomethyl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

1-(2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)ethanol,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

2-(2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)propan-2-ol,

N-(4-(methoxymethyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-3-(dimethylamino)propan-1-one,

(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)-3-fluoropyridin-4-yl)methanol,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-3-(pyrrolidin-1-yl)propan-1-one,

N-(4-((dimethylamino)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((methylamino)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(aminomethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(piperidin-1-ylmethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(morpholinomethyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-((dimethylamino)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(piperidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(isoindolin-2-ylmethyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(morpholinomethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(aminomethyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((methylamino)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(azepan-1-ylmethyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(((1*S*,4*R*)-bicyclo[2.2.1]heptan-2-ylamino)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(azepan-1-ylmethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(isoindolin-2-ylmethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

1-((2-((6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol,

N-(4-(azetidin-1-ylmethyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

1-((2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol,

N-(4-(azetidin-1-ylmethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((3-phenylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

N-(4-((4-(2-methoxyethyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)benzo[d]thiazol-2-amine,

N-(4-(aminomethyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-((1*S*,4*R*)-2-azabicyclo[2.2.1]heptan-2-ylmethyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

2-methoxy-1-(4-(2-((6-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-((1*S*,4*R*)-2-azabicyclo[2.2.1]heptan-2-ylmethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-(((1*S*,4*R*)-bicyclo[2.2.1]heptan-2-ylamino)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

N-(4-((3,3-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[d]thiazol-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-((3,3-dimethylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-amine,

2-methoxy-1-(4-((2-((6-(5-methyl-1*H*-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

6-(1*H*-pyrazol-4-yl)-*N*-(4-((pyridin-3-yloxy)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

2-methoxy-1-(4-(2-((6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

2-methoxy-1-(4-((2-((6-(pyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

1-(4-((2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)-2-methoxyethanone,

2-methoxy-1-(4-((2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

1-(4-((2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)-2-methoxyethanone,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

1-(4-(2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone,

4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)-1-methylpiperazin-2-one,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((4-(methylsulfonyl)piperazin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

1-((2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)pyridin-4-yl)methyl)pyrrolidin-3-ol,

(*R*)-6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

(*R*)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

(*R*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

(*S*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*R*)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(isopropoxymethyl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

(*R*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*R*)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

(*S*)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

(*R*)-*N*-(4-((3-methoxypyrrolidin-1-yl)methyl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-((cyclopentyloxy)methyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

6-(1*H*-pyrazol-4-yl)-*N*-(4-(((tetrahydro-2*H*-pyran-4-yl)oxy)methyl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

(*S*)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-((2-methylpyrrolidin-1-yl)methyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(isopropoxymethyl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(pyridin-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(1-methoxypropan-2-yl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

(*S*)-*N*-(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-(isopropylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

2,2-dimethyl-1-(4-(2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)propan-1-one,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)benzo[*d*]thiazol-2-amine,

6-(pyridin-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

(*S*)-2-methoxy-1-(2-methyl-4-(2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*S*)-2-methoxy-1-(2-methyl-4-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(S)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*R*)-*N*-(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

6-(1*H*-pyrazol-4-yl)-*N*-(4-(4-(3,3,3-trifluoropropyl)piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

N-(4-(4-(2-isopropoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-(5-methyl-1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-amine,

(*R*)-2-methoxy-1-(3-methyl-4-(2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*R*)-*N*-(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-*N*-(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-*N*-(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*R*)-*N*-(4-(4-(2-methoxyethyl)-3-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

1-(4-(2-((5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-isopropoxyethanone,

2-isopropoxy-1-(4-(2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

2-isopropoxy-1-(4-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*R*)-2-methoxy-1-(3-methyl-4-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*R*)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*R*)-2-methoxy-1-(2-methyl-4-(2-((5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*R*)-2-methoxy-1-(2-methyl-4-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

2-methoxy-1-(4-(2-((5-(2-methylpyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

(*R*)-*N*-(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*S*)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(3-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(2-methylpyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

5-(2-methylpyridin-4-yl)-*N*-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

2-methoxy-1-(4-(2-((5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridazin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*S*)-*N*-(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*S*)-*N*-(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

(*R*)-*N*-(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(1*H*-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

*N*⁴-(2-methoxyethyl)-*N*⁴-methyl-*N*²-(5-(pyridin-4-yl)thiazolo[5,4-b]pyridin-2-yl)pyridine-2,4-diamine,

N-(4-((1*S*,4*S*)-5-(2-methoxyethyl)-2,5-diazabicyclo[2.2.1]heptan-2-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-b]pyridin-2-amine,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(pyridin-2-yl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-5-(pyrimidin-5-yl)thiazolo[5,4-b]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperidin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

*N*⁴-(2-methoxyethyl)-*N*⁴-methyl-*N*²-(5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)pyridine-2,4-diamine,

*N*²-(5-(1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)-*N*⁴-(2-methoxyethyl)-*N*⁴-methylpyridine-2,4-diamine,

(*R*)-*N*-(4-(4-(2-methoxyethyl)-2-methylpiperazin-1-yl)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-*N*-(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

(*S*)-5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(2-methyl-4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

2-((4-morpholinopyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-(pyrrolidine-1-carbonyl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

(2-((5-bromothiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)(pyrrolidin-1-yl)methanone,

N-(4-(cyclopentyloxy)pyridin-2-yl)-5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(cyclopentyloxy)pyridin-2-yl)-5-(5-methyl-1*H*-pyrazol-4-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-ethynyl-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-6-methylbenzo[*d*]thiazol-2-amine,

2-((4,6-dimethylpyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-(1,4-dioxo-8-azaspiro[4.5]decan-8-yl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-(4-oxopiperidin-1-yl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

N-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)-[1,3]dioxolo[4',5':4,5]benzo[1,2-*d*]thiazol-6-amine,

6-isopropyl-*N*-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-yl)benzo[*d*]thiazol-2-amine,

2-((4-(4-hydroxypiperidin-1-yl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-(2-methoxyethoxy)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

2-((4-isobutoxypyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)-5-vinylthiazolo[5,4-*b*]pyridin-2-amine,

5-ethyl-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

5-(pyridin-4-yl)-*N*-(4-((tetrahydro-2*H*-pyran-4-yl)oxy)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-ethylpyridin-2-yl)-6-(1*H*-imidazol-4-yl)benzo[*d*]thiazol-2-amine,

1-(4-(2-((5-ethynylthiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)-2-methoxyethanone,

4-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)morpholin-3-one,

2-((4-ethylpyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

1,1-dimethyl-3-(2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)urea,

5-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(tetrahydro-2*H*-pyran-4-yl)piperazin-1-yl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

methyl (2-((5-(pyridin-4-yl)thiazolo[5,4-*b*]pyridin-2-yl)amino)pyridin-4-yl)carbamate,

2-((4-(hydroxymethyl)pyridin-2-yl)amino)benzo[*d*]thiazole-6-carbonitrile,

5-cyclopropyl-*N*-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)thiazolo[5,4-*b*]pyridin-2-amine,

N-(4-ethylpyridin-2-yl)-6-(oxazol-5-yl)benzo[*d*]thiazol-2-amine,

3-((5-trifluoromethylbenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)benzamide,

3-((6-nitrobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)benzamide,

2-(3-(pyrrolidin-1-ylmethyl)phenylamino)-6-cyanobenzo[*d*]thiazole,

(*R*)-2-(benzo[*d*]thiazol-2-ylamino)-4-(3-hydroxypropylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazine,

(*R*)-2-(benzo[*d*]thiazol-2-ylamino)-4-(2-hydroxyethylamino)-6-(pyrrolidin-3-ylamino)-1,3,5-triazine,

(*R*)-2-(benzo[*d*]thiazol-2-ylamino)-4-methylamino-6-(pyrrolidin-3-ylamino)-1,3,5-triazine,


2-((6-fluorobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-hydroxybenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-trifluoromethylbenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-trifluoromethoxybenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-methoxybenzo[*d*]thiazol-2-yl)amino)-6-methyl-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-hydroxymethylbenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*R*)-2-((6-methoxybenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*S*)-2-((6-phenylbenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*S*)-2-((6-methylsulfonylbenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((quinolin-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*S*)-2-((6-cyanoquinolin-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*R*)-2-((6-*N*-methyl-*N*-(2-methoxyethyl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
(*R*)-2-((6-morpholinobenzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)isonicotinamide,
2-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)-4-pyrimidinecarboxamide,
5-((6-(1*H*-pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)nicotinamide,
2-((6-bromobenzo[*d*]thiazol-2-yl)amino)-4-(*N*-methyl-*N*-(2-methoxyethyl)aminomethyl)pyridine,
2-((6-bromobenzo[*d*]thiazol-2-yl)amino)-4-(morpholinomethyl)pyridine,
2-((6-bromobenzo[*d*]thiazol-2-yl)amino)-4-(4-methylpiperazinomethyl)pyridine,
2-((6-(3,5-dimethylisoxazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(3-chloropyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,

2-((6-(3-methoxyphenyl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(3,5-dimethylpyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(2,2,2-trifluoroethyl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(2,2,2-trifluoroethyl)benzo[*d*]thiazol-2-yl)amino)-4-(4-methoxyacetylpiperazin-1-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-cyanoacetylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-cyanomethylpiperidin-4-yl)pyridine,
2-((6-(imidazol-1-yl)benzo[*d*]thiazol-2-yl)amino)-4-hydroxymethylpyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-(4-methoxyphenyl)acetylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-(3-cyclopentyl-1-oxopropyl)piperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-(1-oxopropyl)piperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-cyclopropylcarbonylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-trifluoroacetylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-ethylsulfonylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-methoxyacetylpiperidin-4-yl)pyridine,
2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(piperidin-4-yl)pyridine,
2-((6-(pyrazol-1-yl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(3-fluoropyridin-4-yl)benzo[*d*]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-(pyrazol-4-yl)benzo[*d*]thiazol-2-yl)amino)-4-hydroxymethyl-3-fluoropyridine,

2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-hydroxymethylpyridine,
2-((6-bromobenzo[d]thiazol-2-yl)amino)-4-ethylpyridine,
5-((6-cyanobenzo[d]thiazol-2-yl)amino)-3-methylisoxazole,
2-((6-cyanobenzo[d]thiazol-2-yl)amino)-5-methyl-4-phenylthiazole,
2-((6-cyanobenzo[d]thiazol-2-yl)amino)-5-(4-methoxyphenyl)-1,3,4-thiadiazol,
2-((6-(oxazol-5-yl)benzo[d]thiazol-2-yl)amino)-4-(4-(2-methoxyethyl)piperazin-1-yl)pyridine,
2-((6-(2-methyl-1,3,4-oxadiazol-5-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine,
2-(3-hydroxymethylphenyl)amino-6-cyanobenzo[d]thiazole,
2-((6-(1,3,4-oxadiazol-2-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine,
2-((6-(1,3,4-thiadiazol-2-yl)benzo[d]thiazol-2-yl)amino)-4-ethylpyridine,
2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylmethyl)pyridine,
2-((6-cyanobenzo[d]thiazol-2-yl)amino)-4-(pyrrolidin-1-ylthiocarbonyl)pyridine,
2-(3,5-dimethoxymethylphenyl)amino-6-cyanobenzo[d]thiazole,
4-((6-(1*H*-pyrazol-4-yl)benzo[d]thiazol-2-yl)amino)-*N*-(pyrrolidin-3-yl)-6-pyrimidinecarboxamide,
5-(5-methyl-1*H*-pyrazol-4-yl)-2-(4-hydroxymethylpyridin-2-ylamino)thiazolo[5,4-*b*]pyridine,
5-(pyridin-4-yl)-2-(5-isopropylloxymethylisoxazol-3-ylamino)thiazolo[5,4-*b*]pyridine,
5-(1*H*-pyrazol-4-yl)-2-(3-(4-methoxyacetyl)piperazin-1-ylphenyl)amino)thiazolo[5,4-*b*]pyridine,
5-ethyl-2-(3-(4-methoxyacetyl)piperazin-1-ylphenyl)amino)thiazolo[5,4-*b*]pyridine,
5-ethyl-2-(4-(1-methoxyacetyl)piperidin-4-ylpyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
5-ethyl-2-(4-(pyrrolidin-1-ylpyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
5-(pyridine-4-yl)-2-(4-(3-dimethylamino-3-oxopropyl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
5-(1-methylimidazol-5-yl)-2-(4-(4-methoxyacetyl)piperazin-1-ylpyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,

5-(pyrimidin-4-yl)-2-(4-(4-methoxyacetylpiperazin-1-yl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-(thiazol-5-yl)-2-(4-(4-methoxyacetylpiperazin-1-yl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-propyl-2-(4-(4-methoxyacetylpiperazin-1-yl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-(1H-pyrazol-4-yl)-2-(2-pyrrolidon-1-ylmethylpyridin-4-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-(pyridin-4-yl)-2-(4-(1-methyl-2-oxopiperidin-4-yl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-(1-methylimidazol-5-yl)-2-(4-(2-dimethylaminocarbonyl)ethyl)pyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine,
 5-(pyridine-4-yl)-2-(4-(4-methoxyacetylpiperazin-1-yl)pyridin-2-yl)amino)oxazolo[5,4-*b*]pyridine,
 2-((6-cyanobenzo[*d*]thiazol-2-yl)amino)-4-(1-phenylcarbonylpiperidin-4-yl)pyridine,
 6-cyano-2-(4-(4-methoxyacetyl-piperazin-1-yl)pyridin-2-ylamino)imidazo[1,2-*a*]pyridine,
 6-cyano-2-(4-(4-(2-methoxyethyl)piperazin-1-yl)pyridin-2-ylamino)imidazo[1,2-*a*]pyridine,
 6-(1H-pyrazol-4-yl)-2-(4-morpholinopyridin-2-ylamino)imidazo[1,2-*a*]pyridine,
 and
 5-(pyridin-3-yl)-2-(4-(piperazin-1-ylmethylpyridin-2-yl)amino)thiazolo[5,4-*b*]pyridine.

15. The compound of Claim 1, represented by Formula (IV):



(IV)

or a salt, ester, amide, or prodrug thereof,
 wherein:

X is N or CR^{5'}, wherein R^{5'} is selected from hydrogen, halogen, OR⁶, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ heteroalkyl, an optionally substituted C₁-C₆ haloheteroalkyl, an optionally substituted C₁-C₆ alkenyl, and an optionally substituted C₁-C₆ alkynyl;

R¹ is selected from hydrogen, halogen, OR⁶, CN, NR⁷R⁸, CH₂OR⁶, CH₂NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, an optionally substituted C₁-C₆ heteroalkyl, CO₂R⁶, CONR⁷R⁸, SO₃R⁶, and SO₂NR⁷R⁸; and

R² and R³ are independently selected from hydrogen, halogen, OR⁶, NR⁷R⁸, an optionally substituted C₁-C₆ alkyl, an optionally substituted C₁-C₆ haloalkyl, an optionally substituted C₁-C₆ alkenyl, an optionally substituted C₁-C₆ alkynyl, and an optionally substituted C₁-C₆ heteroalkyl.

16. The compound of Claim 15 or 1, wherein X is N.

17. The compound of Claim 15, wherein the compound is selected from the group consisting of:

6-(1H-pyrazol-4-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-a]pyridin-2-amine,

2-((4-(hydroxymethyl)pyridin-2-yl)amino)imidazo[1,2-a]pyridine-6-carbonitrile,
(S)-tert-butyl 3-(2-((6-cyanoimidazo[1,2-a]pyridin-2-

yl)amino)isonicotinamido)pyrrolidine-1-carboxylate,

(S)-2-((6-cyanoimidazo[1,2-a]pyridin-2-yl)amino)-N-(pyrrolidin-3-yl)isonicotinamide,

2-((4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)amino)imidazo[1,2-a]pyridine-6-carbonitrile,

6-(pyridin-3-yl)-N-(4-(pyrrolidin-1-ylmethyl)pyridin-2-yl)imidazo[1,2-a]pyridin-2-amine,

1-(4-((2-((6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

1-(4-((2-((6-(pyridin-3-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

(2-((6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-yl)amino)pyridin-4-yl)methanol,

N-(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(pyridin-4-yl)imidazo[1,2-a]pyridin-2-amine,

1-(4-((2-((6-(1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridin-2-yl)amino)pyridin-4-yl)methyl)piperazin-1-yl)ethanone,

N-(4-(piperazin-1-ylmethyl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridin-2-amine,

(2-((6-(1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridin-2-yl)amino)pyridin-4-yl)methanol,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(pyridin-4-yl)imidazo[1,2-*a*]pyridin-2-amine,

2-methoxy-1-(4-(2-((6-(pyridin-4-yl)imidazo[1,2-*a*]pyridin-2-yl)amino)pyridin-4-yl)piperazin-1-yl)ethanone,

N-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)-6-(1*H*-pyrazol-4-yl)imidazo[1,2-*a*]pyridin-2-amine,

6-(5-methyl-1*H*-pyrazol-4-yl)-*N*-(4-(4-(methylsulfonyl)piperazin-1-yl)pyridin-2-yl)imidazo[1,2-*a*]pyridin-2-amine, and

(2-((6-(pyridin-3-yl)imidazo[1,2-*a*]pyridin-2-yl)amino)pyridin-4-yl)methanol.

18. A pharmaceutical composition comprising the compound of any one of Claims 1-17 and a pharmaceutically acceptable carrier.

19. A method of treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction comprising administering to a subject in need thereof an effective amount of the compound of any one of Claims 1-17.

20. The method of Claim 19, wherein the disorder is an inflammatory disorder.

21. The method of Claim 20, wherein the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

22. The method of Claim 19, wherein the disorder is a skin disorder.

23. The method of Claim 22, wherein the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.

24. The method of Claim 19, wherein the disorder is a respiratory disorder.

25. The method of Claim 24, wherein the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

26. The method of Claim 19, wherein the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

27. Use of the compound of any one of Claims 1-18 in the preparation of a medicament for treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction.

28. The use of Claim 27, wherein the disorder is an inflammatory disorder.

29. The use of Claim 28, wherein the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

30. The use of Claim 27, wherein the disorder is a skin disorder.

31. The use of Claim 30, wherein the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.

32. The use of Claim 27, wherein the disorder is a respiratory disorder.

33. The use of Claim 32, wherein the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

34. The use of Claim 27, wherein the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

35. A compound of any one of Claims 1-17 for treating a disorder responsive to inhibition of Interleukin-1 Receptor-Associated Kinase-mediated signal transduction.

36. The compound of Claim 35, wherein the disorder is an inflammatory disorder.

37. The compound of Claim 36, wherein the inflammatory disorder is selected from the group consisting of osteoarthritis, rheumatoid arthritis, multiple sclerosis, corneal ulcers, uveitis, and inflammatory bowel disease.

38. The compound of Claim 35, wherein the disorder is a skin disorder.

39. The compound of Claim 38, wherein the skin disorder is selected from the group consisting of dermatitis, cutaneous eosinophilias, Lichen planus, urticaria, psoriasis, pruritus, angiodermas, chronic skin ulcers, conjunctivitis, vasculitides, and erythemas.

40. The compound of Claim 35, wherein the disorder is a respiratory disorder.

41. The compound of Claim 40, wherein the respiratory disorder is selected from the group consisting of asthma, rhinitis, chronic obstructive pulmonary disease, bronchitis, nasal polyposis, nasal congestion, farmer's lung, fibroid lung and cough.

42. The compound of Claim 35, wherein the disorder is selected from the group consisting of diabetes, obesity, allergic disease, cancer, and sepsis.

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2011/061532

A. CLASSIFICATION OF SUBJECT MATTER

INV. C07D235/02 C07D269/02 C07D277/42 C07D277/60 A61K31/407
A61K31/4168 A61K31/4353

ADD.

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

C07D

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EP0-Internal, CHEM ABS Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 03/082272 A1 (CHIRON CORP [US]; RENHOWE PAUL A [US]; RAMURTHY SAVITHRI [US]; AMIRI P) 9 October 2003 (2003-10-09) claim 1; example all -----	1-7, 10, 11, 13, 14, 18-42
X	WO 2008/030579 A2 (BIOGEN IDEC INC [US]; DURAND-REVILLE THOMAS [US]; JEWELL CHARLES [US];) 13 March 2008 (2008-03-13) claim 1 -----	1-7, 11-14, 18-42
X	WO 2008/030584 A2 (BIOGEN IDEC INC [US]; GUCKIAN KEVIN [US]; JEWELL CHARLES [US]; CONLAN) 13 March 2008 (2008-03-13) claim 1 -----	1-42
X	WO 2009/128520 A1 (SHIONOGI & CO [JP]; TANIYAMA DAISUKE [JP]; KANO KAZUYA [JP]; OKAMOTO K) 22 October 2009 (2009-10-22) see EP equivalent for the traduction -/--	1-7, 11-14, 18-42



Further documents are listed in the continuation of Box C.



See patent family annex.

* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

31 January 2012

Date of mailing of the international search report

07/05/2012

Name and mailing address of the ISA/

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040,
Fax: (+31-70) 340-3016

Authorized officer

Timmermans, Michel

INTERNATIONAL SEARCH REPORT

International application No
PCT/US2011/061532

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X, P	& EP 2 277 881 A1 (SHIONOGI & CO [JP]) 26 January 2011 (2011-01-26) claim 1; compounds I-27,283-290 -----	1-7, 11-14, 18-42

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US2011/061532

Box No. II Observations where certain claims were found unsearchable (Continuation of item 2 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claims Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box No. III Observations where unity of invention is lacking (Continuation of Item 3 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fees, this Authority did not invite payment of additional fees.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-7, 10, 11, 13, 14, 18-42(all partially)

Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest and, where applicable, the payment of a protest fee.
- ☐ The additional search fees were accompanied by the applicant's protest but the applicable protest fee was not paid within the time limit specified in the invitation.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. claims: 1-7, 10, 11, 13, 14, 18-42(all partially)
compounds wherein W is N, Z is C and Y is CR9

2. claims: 1-7, 11-14, 18-42(all partially)
compounds wherein W is N, Z is C and Y is N

3. claims: 1-7, 11-14, 18-42(all partially)
compounds wherein W is CH, Z is N and Y is N

4. claims: 1-5, 10, 11, 13-42(all partially)
compounds wherein W is CH , Z is N and Y is CR9

5. claims: 1-5, 10, 11, 13, 14, 18-42(all partially)
compounds wherein W is N, Z is N and Y is CR9

6. claims: 1-5, 12-14, 18-42(all partially)
compounds wherein W is N, Z is N and Y is N

7. claims: 1-14, 18-42(all partially)
compounds wherein W is O or S, Z is C or N and Y is C or N

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No

PCT/US2011/061532

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
WO 03082272	A1	09-10-2003	AP 1913 A 31-10-2008
			AT 447404 T 15-11-2009
			AU 2003226211 A1 13-10-2003
			BR 0308854 A 22-02-2005
			CA 2480638 A1 09-10-2003
			CN 1655779 A 17-08-2005
			CO 5611108 A2 28-02-2006
			DK 1499311 T3 08-03-2010
			EC SP045407 A 03-01-2005
			EP 1499311 A1 26-01-2005
			ES 2336094 T3 08-04-2010
			HK 1067945 A1 09-04-2010
			HK 1078779 A1 09-04-2010
			IL 164302 A 30-12-2010
			JP 4628678 B2 09-02-2011
			JP 2005529089 A 29-09-2005
			JP 2006193533 A 27-07-2006
			JP 2010275317 A 09-12-2010
			KR 20110015702 A 16-02-2011
			MX PA04009541 A 25-01-2005
			NO 330563 B1 16-05-2011
			NZ 535985 A 27-04-2007
			PT 1499311 E 10-03-2010
			SI 1499311 T1 31-03-2010
			WO 03082272 A1 09-10-2003
			ZA 200408386 A 31-05-2006
WO 2008030579	A2	13-03-2008	AU 2007292924 A1 13-03-2008
			CA 2663091 A1 13-03-2008
			CN 101594909 A 02-12-2009
			EP 2063962 A2 03-06-2009
			JP 2010502716 A 28-01-2010
			US 2011021513 A1 27-01-2011
			WO 2008030579 A2 13-03-2008
WO 2008030584	A2	13-03-2008	AU 2007292929 A1 13-03-2008
			CA 2663100 A1 13-03-2008
			CN 101616910 A 30-12-2009
			EP 2061786 A2 27-05-2009
			JP 2010502717 A 28-01-2010
			KR 20090049076 A 15-05-2009
			RU 2009112598 A 20-10-2010
			US 2011152260 A1 23-06-2011
			WO 2008030584 A2 13-03-2008
			ZA 200901529 A 25-11-2009
WO 2009128520	A1	22-10-2009	EP 2277881 A1 26-01-2011
			EP 2444403 A1 25-04-2012
			TW 201002715 A 16-01-2010
			US 2011105457 A1 05-05-2011
			WO 2009128520 A1 22-10-2009