

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
10 April 2003 (10.04.2003)

PCT

(10) International Publication Number
WO 03/028467 A1

(51) International Patent Classification⁷: **A01N 47/38**,
43/82 // (A01N 47/38, 47:36, 47:30, 43:76, 43:653, 43:56,
43:40, 39:02, 37:34, 37:18) (A01N 43/82, 47:36, 47:30,
43:76, 43:653, 43:56, 43:40, 39:02, 37:34, 37:18)

(21) International Application Number: PCT/EP02/10830

(22) International Filing Date:
26 September 2002 (26.09.2002)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
1783/01 27 September 2001 (27.09.2001) CH

(71) Applicant (for all designated States except US): **SYNGENTA PARTICIPATIONS AG** [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **ZOSCHKE, Andreas** [DE/CH]; Syngenta Crop Protection AG, Schwarzwaldallee 215, CH-4058 Basel (CH). **KOTZIAN, Georg, Rüdiger** [DE/CH]; Syngenta Crop Protection AG, Schwarzwaldallee 215, CH-4058 Basel (CH).

(74) Agent: **BASTIAN, Werner**; c/o Syngenta Participations AG, Intellectual Property, P.O. Box, CH-4002 Basel (CH).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: HERBICIDAL COMPOSITION

(57) Abstract: A synergistic composition for selective weed control which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of a) a compound selected from the group of compounds flucarbazone or flucarbazone-sodium, flufenacet and propoxycarbazone or propoxycarbazone-sodium, and b) at least one compound selected from the group of compounds diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyr-sulfuron-methyl (sodium), mesosulfuron, carfentrazone and its ethyl ester, pyraflufen and its ethyl ester, bifenox and beflubutamid.



WO 03/028467 A1

Herbicidal composition

The present invention relates to a novel herbicidal synergistic composition comprising a herbicidal active ingredient combination that is suitable for the selective control of weeds in crops of useful plants, for example in cereal crops.

The invention relates also to a method of controlling weeds in crops of useful plants and to the use of the novel composition for that purpose.

The compounds flucarbazone or flucarbazone-sodium and flufenacet are described as herbicides in The Pesticide Manual, 12th Edition (BCPC) 2000. Propoxycarbazone (-sodium) is known from BCPC presentations in Brighton in 1999.

Diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyr-sulfuron-methyl (sodium), carfentrazone-ethyl, pyraflufen-ethyl, bifenoxy and beflubutamid exhibit herbicidal activity, as described, for example, in The Pesticide Manual, 12th Edition (BCPC), 2000. The compound 2-[[[(4,6-dimethoxy-2-pyrimidinyl)amino]carbonyl]amino]sulfonyl]-4-[[[(methylsulfonyl)amino]methyl]-benzoic acid is known under the name mesosulfuron. Its herbicidal activity is described in EP-A-559 814 and WO 01/24633.

Surprisingly, it has now been found that a combination of variable amounts of flucarbazone or flucarbazone-sodium, flufenacet or propoxycarbazone or propoxycarbazone-sodium with at least one compound from the group diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyr-sulfuron-methyl (sodium), mesosulfuron, carfentrazone and its ethyl ester, pyraflufen and its ethyl ester, bifenoxy and beflubutamid exhibits a synergistic action that is capable of controlling, both pre-emergence and post-emergence, the majority of weeds occurring especially in crops of useful plants without causing any appreciable damage to the useful plant.

There is therefore proposed in accordance with the present invention a novel synergistic composition for selective weed control which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of

- 2 -

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, flufenacet, propoxycarbazone and propoxycarbazone-sodium, and
- b) at least one compound selected from the group of compounds diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl-sodium, bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyr-sulfuron-methyl-sodium, mesosulfuron, carfentrazone and its ethyl ester, pyraflufen and its ethyl ester, bifenox and beflubutamid.

It is extremely surprising that combinations of those active ingredients exceed the additive action on the weeds to be controlled that is to be expected in principle and thus broaden the range of action of the two active ingredients especially in two respects: firstly, the rates of application of the individual compounds are reduced while a good level of action is maintained and, secondly, the composition according to the invention achieves a high level of weed control also in those cases where the individual substances, in the range of low rates of application, have become useless from the agronomic standpoint. The result is a considerable broadening of the spectrum of weeds and an additional increase in selectivity in respect of the crops of useful plants, as is necessary and desirable in the event of an unintentional overdose of active ingredient. The composition according to the invention, while retaining excellent control of weeds in useful plants, also allows greater flexibility in succeeding crops.

The composition according to the invention can be used against a large number of agronomically important weeds, such as *Stellaria*, *Nasturtium*, *Agrostis*, *Digitaria*, *Avena*, *Setaria*, *Sinapis*, *Lolium*, *Solanum*, *Bromus*, *Apera*, *Alopecurus*, *Matricaria*, *Abutilon*, *Sida*, *Xanthium*, *Amaranthus*, *Chenopodium*, *Ipomoea*, *Chrysanthemum*, *Galium*, *Viola* and *Veronica*. The composition according to the invention is suitable for all methods of application conventionally used in agriculture, e.g. pre-emergence application, post-emergence application and seed dressing. The composition according to the invention is suitable especially for controlling weeds in crops of useful plants such as cereals and maize and more especially for controlling weeds in cereals. "Crops of useful plants" are to be understood as including those which have been made tolerant to herbicides or classes of herbicides as a result of conventional methods of breeding or genetic engineering.

The composition according to the invention comprises the said active ingredients in any mixing ratio, but usually has an excess of one component over the other. Preferred mixing ratios of the active ingredients are from 100:1 to 1:100 and from 50:1 to 1:50.

The following combinations have proved to be especially effective compositions: propoxycarbazone + diflufenican, propoxycarbazone + fenoxaprop-P-ethyl, propoxycarbazone + iodosulfuron-methyl (sodium), propoxycarbazone + ioxynil, propoxycarbazone + mesosulfuron, propoxycarbazone + amidosulfuron, propoxycarbazone + bromoxynil, propoxycarbazone + diclofop-methyl, propoxycarbazone + isoproturon and propoxycarbazone + flupyr-sulfuron-methyl (sodium), flucarbazone (sodium) + diflufenican, flucarbazone (sodium) + fenoxaprop-P-ethyl, flucarbazone (sodium) + iodosulfuron-methyl (sodium), flucarbazone (sodium) + ioxynil, flucarbazone (sodium) + mesosulfuron, flucarbazone (sodium) + amidosulfuron, flucarbazone (sodium) + bromoxynil, flucarbazone (sodium) + diclofop-methyl, flucarbazone (sodium) + isoproturon and flucarbazone (sodium) + flupyr-sulfuron-methyl (sodium), flufenacet + diflufenican, flufenacet + fenoxaprop-P-ethyl, flufenacet + iodosulfuron-methyl (sodium), flufenacet + ioxynil, flufenacet + mesosulfuron, flufenacet + amidosulfuron, flufenacet + bromoxynil, flufenacet + diclofop-methyl, flufenacet + isoproturon and flufenacet + flupyr-sulfuron-methyl (sodium).

The compositions according to the invention may also comprise safeners. There is accordingly also proposed in accordance with the invention a selectively herbicidal composition which, in addition to comprising customary inert formulation adjuvants, such as carriers, solvents and wetting agents, comprises as active ingredient a mixture of

- a compound selected from the group of compounds flucarbazone or flucarbazone-sodium, flufenacet and propoxycarbazone,
- at least one compound selected from the group of compounds diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl (sodium), bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyr-sulfuron-methyl (sodium) and mesosulfuron, and
- a safener.

Safeners especially suitable for the composition according to the invention include e.g. fen-chlorazole-ethyl, mefenpyr-diethyl and isoxadifen. The first two safeners are known from The Pesticide Manual, 12th Edition (BCPC) 2000; isoxadifen is described e.g. in DE-A-4 331 448.

Especially preferred mixtures in the context of the present invention are those comprising one of the herbicide combinations specifically mentioned above and fen-chlorazole-ethyl as safener.

Another group of preferred mixtures includes those comprising one of the herbicide combinations specifically mentioned above and mefenpyr-diethyl as safener.

A further group of preferred mixtures includes those comprising one of the herbicide combinations specifically mentioned above and isoxadifen as safener.

The rate of application may vary within wide limits and depends on the nature of the soil, the method of application (pre- or post-emergence; seed dressing; application to the seed furrow; no tillage application etc.), the crop plant, the weed to be controlled, the prevailing climatic conditions, and other factors governed by the method of application, the time of application and the target crop. The active ingredient mixture according to the invention can generally be applied at a rate of from 0.001 to 1.5 kg of active ingredient mixture per ha.

The mixtures according to the invention may be employed in unmodified form, that is to say as obtained in synthesis. Preferably, however, they are formulated in customary manner, together with the adjuvants conventionally used in formulation technology, such as solvents, solid carriers or surfactants, for example into emulsifiable concentrates, directly sprayable or dilutable solutions, wettable powders, soluble powders, dusts, granules or microcapsules, as described in WO 97/34483, pages 9 to 13. As with the nature of the compositions, the methods of application, such as spraying, atomising, dusting, wetting, scattering or pouring, are chosen in accordance with the intended objectives and the prevailing circumstances. The formulations, i.e. the media, preparations or compositions comprising the mixtures according to the invention and also, as appropriate, one or more solid or liquid formulation adjuvants, are prepared in a manner known *per se*, e.g. by intimately mixing and/or grinding the active ingredients with the formulation adjuvants, e.g. solvents or solid carriers. In addition, surface-active compounds (surfactants) may also be used in the preparation of the formulations.

Examples of solvents and solid carriers are given, for example, in WO 97/34485, page 6. Depending on the nature of the active ingredients to be formulated, suitable surface-active compounds are non-ionic, cationic and/or anionic surfactants and surfactant mixtures having good emulsifying, dispersing and wetting properties. Examples of suitable anionic, non-ionic and cationic surfactants are listed, for example, in WO 97/34485, pages 7 and 8. Also suitable for the preparation of the herbicidal compositions according to the invention are the surfactants conventionally employed in formulation technology, which are described, *inter alia*, in "McCutcheon's Detergents and Emulsifiers Annual" MC Publishing Corp., Ridgewood New Jersey, 1981, Stache, H., "Tensid-Taschenbuch", Carl Hanser Verlag, Munich/Vienna,

1981 and M. and J. Ash, "Encyclopedia of Surfactants", Vol I-III, Chemical Publishing Co., New York, 1980-81.

The herbicidal formulations usually contain from 0.1 to 99 % by weight, especially from 0.1 to 95 % by weight, of active ingredient mixture, from 1 to 99.9 % by weight of a solid or liquid formulation adjuvant, and from 0 to 25 % by weight, especially from 0.1 to 25 % by weight, of a surfactant.

Whereas commercial products are usually formulated as concentrates, the end user will normally employ dilute formulations. The compositions may also comprise further ingredients, such as stabilisers, e.g. vegetable oils or epoxidised vegetable oils (epoxidised coconut oil, rapeseed oil or soybean oil), antifoams, e.g. silicone oil, preservatives, viscosity regulators, binders, tackifiers and also fertilisers or other active ingredients. Preferred formulations have especially the following compositions:

(% = percent by weight)

Emulsifiable concentrates:

active ingredient mixture: 1 to 90 %, preferably 5 to 20 %
surfactant: 1 to 30 %, preferably 10 to 20 %
liquid carrier: 5 to 94 %, preferably 70 to 85 %

Dusts:

active ingredient mixture: 0.1 to 10 %, preferably 0.1 to 5 %
solid carrier: 99.9 to 90 %, preferably 99.9 to 99 %

Suspension concentrates:

active ingredient mixture: 5 to 75 %, preferably 10 to 50 %
water: 94 to 24 %, preferably 88 to 30 %
surfactant: 1 to 40 %, preferably 2 to 30 %

Wettable powders:

active ingredient mixture: 0.5 to 90 %, preferably 1 to 80 %
surfactant: 0.5 to 20 %, preferably 1 to 15 %
solid carrier: 5 to 95 %, preferably 15 to 90 %

Granules:

active ingredient mixture: 0.1 to 30 %, preferably 0.1 to 15 %

solid carrier: 99.5 to 70 %, preferably 97 to 85 %

The following Examples illustrate the invention further, but do not limit the invention.

<u>F1. Emulsifiable concentrates</u>	a)	b)	c)	d)
active ingredient mixture	5 %	10 %	25 %	50 %
calcium dodecylbenzenesulfonate	6 %	8 %	6 %	8 %
castor oil polyglycol ether (36 mol of ethylene oxide)	4 %	-	4 %	4 %
octylphenol polyglycol ether (7-8 mol of ethylene oxide)	-	4 %	-	2 %
cyclohexanone	-	-	10 %	20 %
arom. hydrocarbon mixture	85 %	78 %	55 %	16 %

C₉-C₁₂

Emulsions of any desired concentration can be obtained from such concentrates by dilution with water.

<u>F2. Solutions</u>	a)	b)	c)	d)
active ingredient mixture	5 %	10 %	50 %	90 %
1-methoxy-3-(3-methoxy-propoxy)-propane	-	20 %	20 %	-
polyethylene glycol MW 400	20 %	10 %	-	-
N-methyl-2-pyrrolidone	-	-	30 %	10 %
arom. hydrocarbon mixture	75 %	60 %	-	-

C₉-C₁₂

The solutions are suitable for use in the form of microdrops.

<u>F3. Wettable powders</u>	a)	b)	c)	d)
active ingredient mixture	5 %	25 %	50 %	80 %
sodium lignosulfonate	4 %	-	3 %	-
sodium lauryl sulfate	2 %	3 %	-	4 %
sodium diisobutyl-naphthalene-sulfonate	-	6 %	5 %	6 %
octylphenol polyglycol ether	-	1 %	2 %	-

- 7 -

(7-8 mol of ethylene oxide)

highly dispersed silicic acid	1 %	3 %	5 %	10 %
kaolin	88 %	62 %	35 %	-

The active ingredient is mixed thoroughly with the adjuvants and the mixture is thoroughly ground in a suitable mill, affording wettable powders which can be diluted with water to give suspensions of any desired concentration.

<u>F4. Coated granules</u>	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %
highly dispersed silicic acid	0.9 %	2 %	2 %
inorganic carrier	99.0 %	93 %	83 %

(diameter 0.1 - 1 mm)

e.g. CaCO₃ or SiO₂

The active ingredient is dissolved in methylene chloride and applied to the carrier by spraying, and the solvent is then evaporated off *in vacuo*.

<u>F5. Coated granules</u>	a)	b)	c)
active ingredient mixture	0.1 %	5 %	15 %
polyethylene glycol MW 200	1.0 %	2 %	3 %
highly dispersed silicic acid	0.9 %	1 %	2 %
inorganic carrier	98.0 %	92 %	80 %

(diameter 0.1 - 1 mm)

e.g. CaCO₃ or SiO₂

The finely ground active ingredient is uniformly applied, in a mixer, to the carrier moistened with polyethylene glycol. Non-dusty coated granules are obtained in this manner.

<u>F6. Extruder granules</u>	a)	b)	c)	d)
active ingredient mixture	0.1 %	3 %	5 %	15 %
sodium lignosulfonate	1.5 %	2 %	3 %	4 %
carboxymethylcellulose	1.4 %	2 %	2 %	2 %
kaolin	97.0 %	93 %	90 %	79 %

The active ingredient is mixed and ground with the adjuvants, and the mixture is moistened with water. The mixture is extruded and then dried in a stream of air.

<u>F7. Dusts</u>	a)	b)	c)
active ingredient mixture	0.1 %	1 %	5 %
talcum	39.9 %	49 %	35 %

- 8 -

kaolin 60.0 % 50 % 60 %

Ready-to-use dusts are obtained by mixing the active ingredient with the carriers and grinding the mixture in a suitable mill.

<u>F8. Suspension concentrates</u>	a)	b)	c)	d)
active ingredient mixture	3 %	10 %	25 %	50 %
ethylene glycol	5 %	5 %	5 %	5 %
nonylphenol polyglycol ether (15 mol of ethylene oxide)	-	1 %	2 %	-
sodium lignosulfonate	3 %	3 %	4 %	5 %
carboxymethylcellulose	1 %	1 %	1 %	1 %
37 % aqueous formaldehyde solution	0.2 %	0.2 %	0.2 %	0.2 %
silicone oil emulsion	0.8 %	0.8 %	0.8 %	0.8 %
water	87 %	79 %	62 %	38 %

The finely ground active ingredient is intimately mixed with the adjuvants, giving a suspension concentrate from which suspensions of any desired concentration can be obtained by dilution with water.

It is often more practical for the active ingredients of the mixtures according to the invention to be formulated separately and to be brought together in the desired mixing ratio in the applicator in the form of a "tank mixture" in water shortly before application.

Biological Examples:

Example B1: Pre-emergence test:

The test plants are sown in pots under greenhouse conditions. A standard soil is used as cultivation substrate. At a pre-emergence stage the herbicides are applied to the surface of the soil both alone and in admixture. The rates of application are governed by the optimum concentrations determined under field or greenhouse conditions. The tests are evaluated 2 to 4 weeks later (100% action = plant has completely died; 0% action = no phytotoxic action). The mixtures used in this test exhibit good results.

Example B2: Post-emergence test:

The test plants are raised to a post-application stage in pots under greenhouse conditions. A standard soil is used as cultivation substrate. At a post-emergence stage the herbicides

are applied to the test plants both alone and in admixture. The rates of application are governed by the optimum concentrations determined under field or greenhouse conditions. The tests are evaluated 2 to 4 weeks later (100% action = plant has completely died; 0% action = no phytotoxic action). The mixtures used in this test exhibit good results.

What is claimed is:

1. A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of
 - a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, flufenacet, propoxycarbazone and propoxycarbazone-sodium, and
 - b) at least one compound selected from the group of compounds diflufenican, fenoxaprop-P-ethyl, iodosulfuron-methyl-sodium, bromoxynil, ioxynil, amidosulfuron, diclofop-methyl, isoproturon, flupyrsulfuron-methyl-sodium, mesosulfuron, carfentrazone and its ethyl ester, pyraflufen and its ethyl ester, bifenox and beflubutamid.
2. A composition according to claim 1 comprising as additional component c) a safener.
3. A method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to claim 1 to act on the crop plant or the locus thereof.
4. A method according to claim 3, wherein the crop plant is a cereal.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/10830

<p>A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A01N47/38 A01N43/82 //(A01N47/38,47:36,47:30,43:76,43:653, 43:56,43:40,39:02,37:34,37:18),(A01N43/82,47:36,47:30,43:76, 43:653,43:56,43:40,39:02,37:34,37:18)</p> <p>According to International Patent Classification (IPC) or to both national classification and IPC</p>																				
<p>B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) IPC 7 A01N</p> <p>Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched</p> <p>Electronic data base consulted during the international search (name of data base and, where practical, search terms used) EPO-Internal, WPI Data, PAJ, CHEM ABS Data</p>																				
<p>C. DOCUMENTS CONSIDERED TO BE RELEVANT</p> <table border="1"> <thead> <tr> <th>Category °</th> <th>Citation of document, with indication, where appropriate, of the relevant passages</th> <th>Relevant to claim No.</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>DE 199 60 918 A (BAYER AG) 23 May 2001 (2001-05-23) page 6, line 68 page 7, line 16 ---</td> <td>1-4</td> </tr> <tr> <td>A</td> <td>DE 198 34 629 A (NOVARTIS AG) 3 December 1998 (1998-12-03) page 41, line 45,46 page 41, line 62 page 86, line 51,65 page 87, line 10,11,24,36,37,50 ---</td> <td>1-4</td> </tr> <tr> <td>X</td> <td></td> <td>1-4</td> </tr> <tr> <td>A</td> <td>DE 198 36 725 A (HOECHST SCHERING AGREVO GMBH) 17 February 2000 (2000-02-17) page 6, line 17,18 page 8, line 21,34,47,60 ---</td> <td>1-4</td> </tr> <tr> <td></td> <td style="text-align: center;">-/--</td> <td></td> </tr> </tbody> </table>			Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.	A	DE 199 60 918 A (BAYER AG) 23 May 2001 (2001-05-23) page 6, line 68 page 7, line 16 ---	1-4	A	DE 198 34 629 A (NOVARTIS AG) 3 December 1998 (1998-12-03) page 41, line 45,46 page 41, line 62 page 86, line 51,65 page 87, line 10,11,24,36,37,50 ---	1-4	X		1-4	A	DE 198 36 725 A (HOECHST SCHERING AGREVO GMBH) 17 February 2000 (2000-02-17) page 6, line 17,18 page 8, line 21,34,47,60 ---	1-4		-/--	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.																		
A	DE 199 60 918 A (BAYER AG) 23 May 2001 (2001-05-23) page 6, line 68 page 7, line 16 ---	1-4																		
A	DE 198 34 629 A (NOVARTIS AG) 3 December 1998 (1998-12-03) page 41, line 45,46 page 41, line 62 page 86, line 51,65 page 87, line 10,11,24,36,37,50 ---	1-4																		
X		1-4																		
A	DE 198 36 725 A (HOECHST SCHERING AGREVO GMBH) 17 February 2000 (2000-02-17) page 6, line 17,18 page 8, line 21,34,47,60 ---	1-4																		
	-/--																			
<p><input checked="" type="checkbox"/> Further documents are listed in the continuation of box C. <input checked="" type="checkbox"/> Patent family members are listed in annex.</p>																				
<p>° Special categories of cited documents :</p> <table border="0"> <tr> <td style="vertical-align: top;"> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> </td> <td style="vertical-align: top;"> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p> </td> </tr> </table>			<p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p>																
<p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p>	<p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"&" document member of the same patent family</p>																			
<p>Date of the actual completion of the international search</p> <p style="text-align: center;">20 November 2002</p>		<p>Date of mailing of the international search report</p> <p style="text-align: center;">07. 02. 03</p>																		
<p>Name and mailing address of the ISA</p> <p>European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016</p>		<p>Authorized officer</p> <p style="text-align: center;">Marie, G</p>																		

INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 02/10830

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	DE 195 46 751 A (BAYER AG) 27 June 1996 (1996-06-27) page 7, line 23-25,39-31 ---	1-4
X	WO 98 12923 A (SANTEL HANS JOACHIM ;FEUCHT DIETER (DE); BAYER AG (DE); DAHMEN PET) 2 April 1998 (1998-04-02) page 1, line 4-20 page 19, line 17-28 -----	1-4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/EP 02/10830

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. Claims Nos.:
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:

3. Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

1-4 (partially)

Remark on Protest

- The additional search fees were accompanied by the applicant's protest.
- No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

1. Claims: 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) diflufenican;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

2. Claims: claim 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) at least one of the compounds selected from

fenoxaprop-P-ethyl and diclofop-methyl;
and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

3. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) iodosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

4. Claims: claims 1-4

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
b) at least one of the compounds selected from bromoxynil and ioxynil;
and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

5. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:
a) a compound selected from flucarbazone and flucarbazone-sodium, and
b) amidosulfuron;
and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

6. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:
a) a compound selected from propoxycarbazone and propoxycarbazone-sodium, and
b) amidosulfuron;
and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

7. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:
a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
b) isoproturon;
and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

8. Claims: claims (1-4)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) a compound selected from flucarbazone and flucarbazone-sodium, and

b) flupyrsulfuron-methyl-sodium;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

9. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) a compound selected from propoxycarbazone and propoxycarbazone-sodium, and

b) flupyrsulfuron-methyl-sodium;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

10. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) a compound selected from flucarbazone and flucarbazone-sodium, and

b) mesosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

11. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) a compound selected from propoxycarbazone and propoxycarbazone-sodium, and

b) mesosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

12. Claims: claims 1-4 (partially)

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) at least one compound selected from carfentrazone and its ethyl ester;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

13. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) at least one compound selected from pyraflufen and its ethyl ester;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

14. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) bifenox;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

15. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) a compound selected from the group of compounds flucarbazone, flucarbazone-sodium, propoxycarbazone or propoxycarbazone-sodium, and
- b) beflubutamid;

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

16. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) diflufenican;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

17. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) at least one compound selected from fenoxaprop-P-ethyl and diclofop-methyl;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

18. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) iodosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

19. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) bromoxynil;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

20. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) ioxynil;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

21. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) amidosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

22. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) isoproturon;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

23. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) flupyr-sulfuron-methyl-sodium;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according to the said composition to act on the crop plant or the locus thereof.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

24. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) flufenacet, and

b) mesosulfuron;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

25. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) flufenacet, and

b) at least one compound selected from carfentrazone and its ethyl ester;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

26. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) flufenacet, and

b) at least one compound selected from pyraflufen and its ethyl ester;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

27. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

a) flufenacet, and

b) bifenoxy;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

28. Claims: claims 1-4 (partially)

A herbicidal synergistic composition which, in addition to comprising customary inert formulation adjuvants, comprises as active ingredient a mixture of:

- a) flufenacet, and
- b) beflubutamid;

and a method of controlling undesired plant growth in crops of useful plants, which comprises allowing a herbicidally effective amount of a composition according the said composition to act on the crop plant or the locus thereof.

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 02/10830

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
DE 19960918	A	23-05-2001	DE 19960918 A1	23-05-2001
			AU 1029401 A	30-05-2001
			BR 0015701 A	23-07-2002
			CN 1391439 T	15-01-2003
			CZ 20021728 A3	16-10-2002
			WO 0135741 A2	25-05-2001
			EP 1233672 A2	28-08-2002
DE 19834629	A	03-12-1998	DE 19834629 A1	03-12-1998
DE 19836725	A	17-02-2000	DE 19836725 A1	17-02-2000
			AU 5620799 A	06-03-2000
			BR 9913641 A	05-06-2001
			CA 2340241 A1	24-02-2000
			CN 1312680 T	12-09-2001
			WO 0008932 A1	24-02-2000
			EP 1104239 A1	06-06-2001
			HR 20010104 A1	28-02-2002
			HU 0103676 A2	28-02-2002
			JP 2002522456 T	23-07-2002
			PL 346048 A1	14-01-2002
			SK 2142001 A3	06-08-2001
			TR 200100458 T2	23-07-2001
			US 6486096 B1	26-11-2002
DE 19546751	A	27-06-1996	DE 19546751 A1	27-06-1996
			BR 9506064 A	23-12-1997
			CA 2165743 A1	24-06-1996
			FR 2728433 A1	28-06-1996
			IT MI952656 A1	24-06-1996
			US 5858920 A	12-01-1999
			ZA 9510896 A	15-02-1996
WO 9812923	A	02-04-1998	DE 19638887 A1	26-03-1998
			AU 719069 B2	04-05-2000
			AU 4622497 A	17-04-1998
			CN 1238663 A	15-12-1999
			CZ 9901032 A3	16-06-1999
			DE 59708835 D1	09-01-2003
			WO 9812923 A1	02-04-1998
			EP 0929221 A1	21-07-1999
			HU 9904263 A2	28-05-2000
			PL 332275 A1	30-08-1999
			SK 36899 A3	06-08-1999
			US 6316386 B1	13-11-2001
			US 2001056040 A1	27-12-2001