



(86) Date de dépôt PCT/PCT Filing Date: 2007/03/09
(87) Date publication PCT/PCT Publication Date: 2007/09/20
(85) Entrée phase nationale/National Entry: 2008/09/09
(86) N° demande PCT/PCT Application No.: US 2007/063631
(87) N° publication PCT/PCT Publication No.: 2007/106721
(30) Priorité/Priority: 2006/03/10 (US60/781,485)

(51) Cl.Int./Int.Cl. *A01N 43/42* (2006.01),
A01N 43/00 (2006.01), *A01N 43/40* (2006.01),
A01N 43/56 (2006.01), *A61K 31/37* (2006.01),
A61K 31/415 (2006.01), *A61K 31/47* (2006.01),
A61K 31/55 (2006.01), *C07D 217/00* (2006.01),
C07D 217/02 (2006.01), *C07D 217/22* (2006.01),
C07D 401/00 (2006.01)

(71) Demandeur/Applicant:
JENRIN DISCOVERY, US

(72) Inventeurs/Inventors:
MCELROY, JOHN F., US;
CHORVAT, ROBERT J., US

(74) Agent: BORDEN LADNER GERVAIS LLP

(54) Titre : ANTAGONISTES DE RECEPTEUR CANNABINOIDE/AGONISTES INVERSEES UTILES DANS LE
TRAITEMENT DE L'OBESITE

(54) Title: CANNABINOID RECEPTOR ANTAGONISTS/INVERSE AGONISTS USEFUL FOR TREATING OBESITY

(57) **Abrégé/Abstract:**

The present invention provides novel pyrazoles that are useful as cannabinoid receptor antagonists and pharmaceutical compositions thereof and methods of using the same for treating obesity, diabetes, and/or cardiometabolic disorders.



(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
20 September 2007 (20.09.2007)

PCT

(10) International Publication Number
WO 2007/106721 A3

(51) International Patent Classification:

<i>A01N 43/42</i> (2006.01)	<i>A61K 31/47</i> (2006.01)
<i>A01N 43/00</i> (2006.01)	<i>A61K 31/415</i> (2006.01)
<i>A01N 43/40</i> (2006.01)	<i>C07D 401/00</i> (2006.01)
<i>A01N 43/56</i> (2006.01)	<i>C07D 217/00</i> (2006.01)
<i>A61K 31/37</i> (2006.01)	<i>C07D 217/02</i> (2006.01)
<i>A61K 31/55</i> (2006.01)	<i>C07D 217/22</i> (2006.01)

(21) International Application Number:

PCT/US2007/063631

(22) International Filing Date: 9 March 2007 (09.03.2007)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

60/781,485 10 March 2006 (10.03.2006) US

(71) Applicant (for all designated States except US): **JENRIN DISCOVERY** [US/US]; 1193 Killarney Lane, West Chester, PA 19382 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MCELROY, John F.** [US/US]; 2515 Lori Lane North, Wilmington, DE 19810 (US). **CHORVAT, Robert J.** [US/US]; 1193 Killarney Lane, West Chester, PA 19382 (US).

(74) Agent: **VANCE, David H**; 5467 Hill Top Street, Crozet, Virginia 22932-3167 (US).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG, SK, SL, SM, SV, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, MT, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report
- before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

(88) Date of publication of the international search report:
6 November 2008

(54) Title: CANNABINOID RECEPTOR ANTAGONISTS/INVERSE AGONISTS USEFUL FOR TREATING OBESITY

(57) Abstract: The present invention provides novel pyrazoles that are useful as cannabinoid receptor antagonists and pharmaceutical compositions thereof and methods of using the same for treating obesity, diabetes, and/or cardiometabolic disorders.

WO 2007/106721 A3

CANNABINOID RECEPTOR ANTAGONISTS/INVERSE AGONISTS USEFUL FOR TREATING OBESITY

FIELD OF THE INVENTION

[0001] The present invention provides cannabinoid receptor antagonists/inverse agonists and pharmaceutical compositions thereof and methods of using the same for treating obesity, diabetes, and/or cardiometabolic disorders. More particularly, the present invention relates to a novel method for treating obesity, diabetes, and/or cardiometabolic disorders using a pyrazole.

BACKGROUND OF THE INVENTION

[0002] Obesity is associated with an increase in the overall amount of adipose tissue (i.e., body fat), especially adipose tissue localized in the abdominal area. Obesity has reached epidemic proportions in the United States. The prevalence of obesity has steadily increased over the years among all racial and ethnic groups. The most recent data from the Centers for Disease Control and Prevention, and the National Center for Health Statistics report 66% of the adult population overweight (BMI, 25.0-29.9), 31% obese (BMI, 30-39.9), and 5% extremely obese (BMI, ≥ 40.0). Among children aged 6 through 19 years, 32% were overweight and 17% were obese. This translates to 124 million Americans medically overweight, and 44 million of these deemed obese. Obesity is responsible for more than 300,000 deaths annually, and will soon overtake tobacco usage as the primary cause of preventable death in the United States. Obesity is a chronic disease that contributes directly to numerous dangerous co-morbidities, including type 2 diabetes, cardiovascular disease, inflammatory diseases, premature aging, and some forms of cancer. Type 2 diabetes, a serious and life-threatening disorder with growing prevalence in both adult and childhood populations, is currently the 7th leading cause of death in the United States. Since more than 80% of patients with type 2 diabetes are overweight, obesity is the greatest risk factor for developing type 2 diabetes. Increasing clinical evidence indicates that the best way to control type 2 diabetes is to reduce weight.

[0003] The most popular over-the counter drugs for the treatment of obesity, phenylpropanolamine and ephedrine, and the most popular prescription drug, fenfluramine, were removed from the marketplace as a result of safety concerns. Drugs

currently approved for the long-term treatment of obesity fall into two categories: (a) CNS appetite suppressants such as sibutramine and (b) gut lipase inhibitors such as orlistat. CNS appetite suppressants reduce eating behavior through activation of the 'satiety center' in the brain and/or by inhibition of the 'hunger center' in the brain. Gut lipase inhibitors reduce the absorption of dietary fat from the gastrointestinal (GI) tract. Although sibutramine and orlistat work through very different mechanisms, they share in common the same overall goal of reducing body weight secondary to reducing the amount of calories that reach the systemic circulation. Unfortunately, these indirect therapies produce only a modest initial weight loss (approximately 5% compared to placebo) that is usually not maintained. After one or two years of treatment, most patients return to or exceed their starting weight. In addition, most approved anti-obesity therapeutics produce undesirable and often dangerous side effects that can complicate treatment and interfere with a patient's quality of life.

[0004] The lack of therapeutic effectiveness, coupled with the spiraling obesity epidemic, positions the 'treatment of obesity' as one of the largest and most urgent unmet medical needs. There is, therefore, a real and continuing need for the development of improved medications that treat or prevent obesity.

[0005] The endocannabinoid system, comprised of the cannabinoid receptors (CB1 and CB2) and their endogenous ligands (e.g., anandamide, 2-AG), plays a prominent role in the control of food intake and energy metabolism. CB1 receptors are widely expressed in the brain, including cortex, hippocampus, amygdala, pituitary and hypothalamus. CB1 receptors have also been identified in numerous peripheral organs and tissues, including thyroid gland, adrenal gland, reproductive organs, adipose tissue, liver, muscle, and gastrointestinal tract. CB2 receptors are localized almost exclusively in immune and blood cells [*Endocrine Reviews* **2006**, 27, 73].

[0006] The plant-derived cannabinoid agonist Δ^9 -tetrahydrocannabinol (Δ^9 -THC), the main psychoactive component of marijuana, binds to both CB1 and CB2 receptors. Δ^9 -THC is widely reported to increase appetite and food intake (hyperphagia) in humans and in animals. This hyperphagic effect is largely blocked by pretreatment with selective CB1 receptor antagonists/inverse agonists [e.g., rimonabant (SR141716A, Acomplia®)], strongly supporting the belief that CB1 receptor activation mediates the hyperphagic effect of Δ^9 -THC, [*Endocrine Reviews* **2006**, 27, 73].

[0007] In humans, rimonabant produces a clinically meaningful weight loss in obese patients. Patients also experience improvements in associated cardiometabolic risk factors, including a decrease in fasting insulin levels and a decrease in triglyceride levels. Rimonabant also produces greater reductions in abdominal fat deposits, which are a known risk factor for diabetes and heart disease [*Science* **2006**, 311, 323]. Taken together, these improvements in adiposity and cardiometabolic risk factors produce an overall decrease in the prevalence of the metabolic syndrome [*Lancet* **2005**, 365, 1389 and *NEJM* **2005**, 353, 2121].

[0008] The beneficial effects of rimonabant on cardiometabolic risk factors such as high blood pressure, insulin resistance and elevated levels of blood lipids cannot be explained by diet and weight loss alone. For example, in patients receiving 20 mg of rimonabant, only approximately 50% of the beneficial effects on triglycerides, fasting insulin, and insulin resistance can be accounted for by weight loss. These results suggest a direct pharmacological effect of CB1 antagonists on glucose and lipid metabolism, in addition to indirect effects on metabolism secondary to hypophagia-mediated weight loss [*Science* **2006**, 311, 323 and *JAMA* **2006**, 311, 323].

[0009] The CB1 receptor is one of the most abundant and widely distributed G protein-coupled receptors in the mammalian brain. It is believed that the appetite-suppressant properties of CB1 antagonists are mediated through an interaction with CB1 receptors in the hypothalamus (regulation of food intake), and in the mesolimbic region (rewarding properties of food). However, CB1 receptors are far more broadly distributed in brain (e.g., neocortex, hippocampus, thalamus, cerebellum, and pituitary), and while interacting with targeted CB1 receptors in hypothalamus and mesolimbic regions, CB1 antagonists have ready access to non-targeted CB1 receptors that have little if any role in appetite control. Binding to non-targeted receptors can often lead to unwanted side effects of CNS drugs [*Endocrine Reviews* 2006, 27: 73]. The CB1 antagonist/inverse agonist rimonabant produces psychiatric and nervous system side effects. These include depressed mood, anxiety, irritability, insomnia, dizziness, and headache. These side effects are dose-related and are most pronounced at the most efficacious weight-reducing dose of rimonabant (*JAMA* **2006**, 311, 323). The occurrence of therapeutic efficacy (appetite suppression) and side effects over the same dose range strongly suggest that both effects are mediated through concurrent antagonism of CB1 receptors in both 'targeted' and 'non-targeted' brain regions. Brain-penetrant CB1 antagonists/inverse

agonists do not selectively target CB1 receptors in efficacy brain regions, while ignoring CB1 receptors in side effect brain regions.

[0010] The beneficial effects of the CB1 antagonist rimonabant on body weight, adiposity, and cardiometabolic risk factors such as high blood pressure, insulin resistance and elevated levels of blood lipids cannot be explained by weight loss derived from CNS-mediated appetite suppression alone [*JAMA* **2006**, 311, 323]. Approximately 50% of the non-CNS benefit is likely derived from an interaction with CB1 receptors in peripheral tissues known to play an active role in metabolism. These include adipose tissue, liver, muscle, and gastrointestinal tract.

[0011] In view of the above, it is highly desirable to find effective and highly selective CB1 receptor antagonists/inverse agonists with limited or no CNS adverse side effects, including mood disorders. Particularly, it is desirable to find compounds that preferentially target CB1 receptors in peripheral tissues (e.g., adipose tissue, liver, muscle, and gastrointestinal tract), while sparing CB1 receptors in brain. In this way, peripherally-mediated beneficial effects of CB1 antagonists/inverse agonists should be maintained, whereas CNS side effects should be reduced or eliminated. This should provide a novel opportunity to develop safer agents for the prevention or treatment of obesity, diabetes, and cardiometabolic diseases (e.g., hypertension and dyslipidemias).

SUMMARY OF THE INVENTION

[0012] Accordingly, in an aspect, the present invention provides novel pyrazoles or pharmaceutically acceptable salts thereof that are CB1 receptor antagonists/inverse agonists.

[0013] In another aspect, the present invention provides novel pharmaceutical compositions, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of at least one of the compounds of the present invention or a pharmaceutically acceptable salt form thereof.

[0014] In another aspect, the present invention provides novel methods for treating obesity, diabetes, and/or cardiometabolic disorders (e.g., hypertension, dyslipidemias, high blood pressure, and insulin resistance), comprising: administering to a mammal in need of such treatment a therapeutically effective amount of at least one of the compounds of the present invention or a pharmaceutically acceptable salt form thereof.

[0015] In another aspect, the present invention provides processes for preparing novel compounds.

[0016] In another aspect, the present invention provides novel compounds or pharmaceutically acceptable salts for use in therapy.

[0017] In another aspect, the present invention provides the use of novel compounds for the manufacture of a medicament for the treatment of obesity, diabetes, and/or cardiometabolic disorders.

[0018] These and other objects, which will become apparent during the following detailed description, have been achieved by the inventors' discovery that the presently claimed compounds or pharmaceutically acceptable salt forms thereof are expected to be effective CB1 receptor antagonists/inverse agonists.

DETAILED DESCRIPTION OF THE INVENTION


[0019] All references cited herein are hereby incorporated in their entirety herein by reference.

[0020] The present invention is based on the finding that a CB1 receptor antagonist/inverse agonist has beneficial effects on body weight, adiposity, and cardiometabolic risk factors such as high blood pressure, insulin resistance and elevated levels of blood lipids that cannot be explained by weight loss derived from CNS-mediated appetite suppression alone and that this effect is mediated, at least in part, through interaction at peripheral receptors. To this end, the present invention provides compounds that are designed to preferentially target CB1 receptors in peripheral tissues (e.g., adipose tissue, liver, muscle, and gastrointestinal tract), while sparing CB1 receptors in brain. Peripherally-mediated beneficial effects of CB1 antagonists/inverse agonists should be maintained, whereas CNS side effects should be reduced or eliminated.

[0021] The compounds of the present invention have been designed to have reduced CNS exposure by virtue of their inability or limited ability to penetrate the blood-brain barrier (BBB) or by their participation in active transport systems, thus reducing centrally mediated side-effects, a potential problem with many anti-obesity agents. It is expected that the peripherally restricted compounds of the present invention will have no or very limited CNS effects. Thus, their peripherally mediated CB1 antagonistic properties should provide therapeutic agents with greater safety.

[0022] Moreover, if the maximum dosage of a drug used in the treatment of obesity, diabetes, and/or cardiometabolic disorders (e.g., hypertension, dyslipidemias, high blood pressure, and insulin resistance) is limited as a result of CNS side effects (e.g., seizures, depression, anxiety, movement disorders, and hyperactivity), incorporation of a peripherally restricting group in such a drug would lower the brain concentration of the drug relative to the concentration in the systemic circulation, thereby affording the opportunity to increase the dosage employed to treat the peripheral disorder. The increased dosage may provide greater therapeutic efficacy, as well as a more rapid onset of therapeutic action.

[0023] [1] In an embodiment, the present invention provides novel compound AA or a stereoisomer or pharmaceutically acceptable salt thereof:



[0024] wherein:

[0025] X, Y, X', and Y' are independently selected from H, halogen, CF₃, NO₂, C₁₋₆ alkyl,

C₁₋₆ alkoxy, and phenyl;

[0026] V is H or C₁₋₆ alkyl ;


[0027] R'' is selected from H, C₁₋₆ alkyl, (CH₂)₀₋₆ aryl, and (CH₂)₀₋₆ heteroaryl;

[0028] R' is selected from H, C₁₋₆ alkyl, and a 5-7 membered cyclic amine that is unsaturated, partially saturated, or fully saturated and is substituted with 0-4 groups selected from CF₃, NO₂, C₁₋₆ alkyl, benzyl, phenyl, OH, halogen, and C₁₋₆ alkoxy;

[0029] ring R' is attached via its nitrogen atom to the amide nitrogen of AA; and

[0030] at least one of X, Y, X', Y', V, R', or R'' is suitably modified or replaced by a group capable of reducing or limiting the CNS (brain) levels of compound AA.

[0031] [2] In an embodiment, the present invention provides novel compounds of formula I or a stereoisomer or pharmaceutically acceptable salt thereof:



[0032] wherein:


[0033] X and Y are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, CO₂R, (CH₂)_nCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, CH₂O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R, NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole, CH₂NR^a(CH₂)_nC₆H₄-tetrazole, -CN, (CH₂)_mC(NH)NH₂, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂, NR^a(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, NR^aCH₂CH=CHCONR₂, -tetrazole, O(CH₂CH₂O)_pR, NR^a(CH₂CH₂O)_pR, and SO₂NR^aCH₃;

[0034] X' and Y' are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, CO₂R, (CH₂)_nCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, CH₂O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R, NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole, CH₂NR^a(CH₂)_nC₆H₄-tetrazole, -CN, (CH₂)_mC(NH)NH₂, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂,

$\text{NR}^a(\text{CH}_2)_n\text{CONR}_2$, $\text{OCH}_2\text{CH}=\text{CHCONR}_2$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCONR}_2$,
 $\text{NR}^a\text{CH}_2\text{CH}=\text{CHCONR}_2$, -tetrazole, $\text{O}(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, $\text{NR}^a(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, and
 $\text{SO}_2\text{NR}^a\text{CH}_3$;

[0035] A is selected from H, C_{1-6} alkyl, $(\text{CH}_2)_m\text{-C}_{3-6}\text{-cycloalkyl}$, $(\text{CH}_2)_m\text{-heteroaryl}$, and
 $(\text{CH}_2)_m\text{-aryl}$, wherein each aryl and heteroaryl is substituted with 0-1 groups selected
from CF_3 , halogen, C_{1-4} alkyl, $-\text{CN}$, CONR_2 , NO_2 , NR_2 , and OR;

[0036] R' is selected from H, C_{1-6} alkyl, $\text{CH}(\text{A})\text{-(CH}_2)_m\text{CO}_2\text{R}$, $\text{CH}(\text{A})\text{-(CH}_2)_m\text{CONH}_2$,
 $\text{CH}(\text{A})\text{-(CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $(\text{CH}_2)_m\text{-phenyl-(CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{-pyridyl-(CH}_2)_m\text{CO}_2\text{R}$,
 $(\text{CH}_2)_m\text{-phenyl-(CH}_2)_m\text{CONH}_2$, $(\text{CH}_2)_m\text{-pyridyl-(CH}_2)_m\text{CONH}_2$,
 $(\text{CH}_2)_m\text{-phenyl-(CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $(\text{CH}_2)_m\text{-pyridyl-(CH}_2)_m\text{(CN)NH}_2$,
 $(\text{CH}_2)_m\text{-phenyl-(CH}_2)_m\text{-tetrazole}$, and $(\text{CH}_2)_m\text{-pyridyl-(CH}_2)_m\text{-tetrazole}$;



[0037] alternatively, R' is ;

[0038] R'' is selected from H, C_{1-6} alkyl, $(\text{CH}_2)_{0-6}$ aryl, and $(\text{CH}_2)_{0-6}$ heteroaryl;

[0039] Z is selected from H, C_{1-6} alkyl, aryl, NR_2 , OR, $-\text{CN}$, $(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, CO_2R ,
 $(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{NR}^a\text{CH}(\text{A})\text{CO}_2\text{R}$,
 $\text{CH}_2\text{NR}^a\text{CH}(\text{A})\text{CO}_2\text{R}$, $\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{OCH}_2\text{CH}=\text{CHCO}_2\text{R}$,
 $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{PO}(\text{OR})_2$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{PO}(\text{OR})_2$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, CONR_2 , $(\text{CH}_2)_n\text{CONR}_2$, $\text{O}(\text{CH}_2)_n\text{CONR}_2$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONR}_2$,
 $\text{OCH}_2\text{CH}=\text{CHCONR}_2$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCONR}_2$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{tetrazole}$,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{tetrazole}$, and $(\text{CH}_2)_m\text{tetrazole}$;

[0040] Q is selected from N, CH, and CQ';

[0041] Q' is selected from H, CO_2R , $(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$,
 $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{PO}(\text{OR})_2$, CONR_2 , $(\text{CH}_2)_n\text{CONR}_2$,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONR}_2$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCONR}_2$, and $(\text{CH}_2)_m\text{tetrazole}$;

[0042] V is selected from H, C_{1-6} alkyl, C_{2-6} alkenyl, CF_3 , aryl, $-\text{CN}$, $(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$,
 $(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{CONR}_2$, $(\text{CH}_2)_m\text{-tetrazole}$, $(\text{CH}_2)_m\text{CONR}^a\text{CH}(\text{A})\text{-(CH}_2)_m\text{CO}_2\text{R}$,
 $(\text{CH}_2)_m\text{CONR}^a(\text{CH}_2)_m\text{-phenyl-(CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{CONR}^a(\text{CH}_2)_m\text{-phenyl-}$
 $(\text{CH}_2)_m\text{-tetrazole}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONH}_2$,
 $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CONH}_2$, and $\text{CH}_2\text{O}(\text{CH}_2)_n\text{tetrazole}$;

[0043] R is independently selected from H, C_{1-6} alkyl;

[0044] R^a is independently selected from H, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl;

[0045] m is selected from 0, 1, 2, 3, and 4;

[0046] n is selected from 1, 2, 3, and 4; and,

[0047] p is selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12;

[0048] provided that at least one of the following is satisfied:

(a) at least one of X, Y, X', and Y' is other than H, halogen, C₁₋₆ alkyl, NO₂, -CN, CF₃, OR, and phenyl;


(b) R' is selected from CH(A)-(CH₂)_mCO₂R, CH(A)-(CH₂)_mCONH₂, CH(A)-(CH₂)_mC(NH)NH₂, (CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_m-pyridyl-(CH₂)_mCO₂R, (CH₂)_m-phenyl-(CH₂)_mCONH₂, (CH₂)_m-pyridyl-(CH₂)_mCONH₂, (CH₂)_m-phenyl-(CH₂)_mC(NH)NH₂, (CH₂)_m-pyridyl-(CH₂)_m(CN)NH₂, (CH₂)_m-phenyl-(CH₂)_m-tetrazole, and (CH₂)_m-pyridyl-(CH₂)_m-tetrazole;

(c) Z is present and is other than H, C₁₋₆ alkyl, aryl, NR₂, and OR;


(d) Q is present and is CQ' where Q' is other than H; and/or

(e) V is other than H, -CN, CF₃, C₂₋₆ alkenyl, aryl, and C₁₋₆ alkyl.

[0049] [3] In another embodiment, the present invention provides novel compounds of formula II or a stereoisomer or pharmaceutically acceptable salt thereof:



[0050] [4] In another embodiment, the present invention provides novel compounds of formula IIa or a stereoisomer or pharmaceutically acceptable salt thereof:



[0051] [5] In another embodiment, the present invention provides novel compounds of formula II, wherein:

[0052] X and Y are independently selected from H, halogen, C₁₋₄ alkyl, CF₃, -CN, NO₂, NR₂, and OR;

[0053] X' and Y' are independently selected from H, halogen, C₁₋₄ alkyl, CF₃, -CN, NO₂, NR₂, and OR;

[0054] Z is selected from (CH₂)_mC(NH)NH₂, (CH₂)_mCO₂R, O(CH₂)_nCO₂R, CH₂O(CH₂)_nCO₂R, NR^aCH(A)CO₂R, CH₂NR^aCH(A)CO₂R, NR^a(CH₂)_nCO₂R, CH₂NR^a(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, O(CH₂)_nC₆H₄CO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, (CH₂)_mCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, CH₂NR^a(CH₂)_ntetrazole, CH₂O(CH₂)_ntetrazole, and (CH₂)_mtetrazole;

[0055] Q is selected from N and CH;

[0056] V is selected from H, C₁₋₆ alkyl, C₂₋₆ alkenyl, CF₃, aryl, and -CN;

[0057] R is selected from H, C₁₋₄ alkyl, and C₂₋₄ alkenyl; and,

[0058] n is selected from 1 and 2.

[0059] [6] In another embodiment, the present invention provides novel compounds of formula II, wherein:

[0060] X and Y are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, -CN, (CH₂)_mC(NH)NH₂, (CH₂)_mCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R,

CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄CONH₂, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R, NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole, CH₂NR^a(CH₂)_nC₆H₄-tetrazole, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂, NR^a(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, NR^aCH₂CH=CHCONR₂, -tetrazole, O(CH₂CH₂O)_pR, NR^a(CH₂CH₂O)_pR, and SO₂NR^aCH₃;

[0061] provided that at least one of X and Y is other than H, halogen, C₁₋₆ alkyl, -CN, NO₂, CF₃, and OR;

[0062] X' and Y' are independently selected from H, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0063] Z is selected from H, C₁₋₄ alkyl, and aryl;

[0064] Q is selected from N and CH;

[0065] V is selected from H, C₁₋₄ alkyl, and aryl;

[0066] R is selected from H, C₁₋₄ alkyl, and C₂₋₄ alkenyl; and,

[0067] n is selected from 1 and 2.

[0068] [7] In another embodiment, the present invention provides novel compounds of formula II, wherein:

[0069] X and Y are independently selected from H, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0070] X' and Y' are independently selected from H, halogen, C₁₋₆ alkyl, -CN, NO₂, CF₃, NR₂, OR, CO₂R, (CH₂)_nCO₂R, (CH₂)_mC(NH)NH₂, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄CONH₂, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R,

NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole, CH₂NR^a(CH₂)_nC₆H₄-tetrazole, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂, NR^a(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, NR^aCH₂CH=CHCONR₂, -tetrazole, O(CH₂CH₂O)_pR, NR^a(CH₂CH₂O)_pR, and SO₂NR^aCH₃;

[0071] provided that at least one of X' and Y' is other than halogen, C₁₋₄ alkyl, -CN, NO₂, and OR;

[0072] Z is selected from H, C₁₋₄ alkyl, and aryl;

[0073] Q is selected from N and CH;

[0074] V is selected from H, C₁₋₄ alkyl, and aryl;

[0075] R is selected from H, C₁₋₄ alkyl, and C₂₋₄ alkenyl;

[0076] n is selected from 1 and 2; and,

[0077] p is selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12.

[0078] [8] In another embodiment, the present invention provides novel compounds of formula II, wherein:

[0079] X and Y are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0080] X' and Y' are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0081] Z is selected from H, C₁₋₄ alkyl, and aryl;

[0082] Q is selected from N and CH;

[0083] V is selected from (CH₂)_mCO₂R, (CH₂)_mCONR₂, (CH₂)_mC(NH)NH₂, (CH₂)_m-tetrazole, (CH₂)_mCONR^aCH(A)-(CH₂)_mCO₂R, (CH₂)_mCONR^a(CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_mCONR^a(CH₂)_m-phenyl-(CH₂)_m-tetrazole, CH₂O(CH₂)_nCO₂R, CH₂NR^a(CH₂)_nCO₂R, CH₂O(CH₂)_nCONH₂, CH₂NR^a(CH₂)_nCONH₂, and CH₂O(CH₂)_ntetrazole;

[0084] A is selected from H, C₁₋₄ alkyl, and (CH₂)_m-aryl, wherein each aryl is optionally substituted with 0-1 groups selected from CF₃, halogen, C₁₋₄ alkyl, -CN, CONR₂, NO₂, NR₂, and OR;

[0085] R is selected from H, C₁₋₄ alkyl, and C₂₋₄ alkenyl;

[0086] m is selected from 0, 1, and 2; and,

[0087] n is selected from 1 and 2.

[0088] [9] In another embodiment, the present invention provides novel compounds of formula I, wherein:

[0089] X and Y are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0090] X' and Y' are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

[0091] R' is selected from CH(A)-(CH₂)_mCO₂R, CH(A)-(CH₂)_mCONH₂, CH(A)-(CH₂)_mC(NH)NH₂, (CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_m-pyridyl-(CH₂)_mCO₂R, (CH₂)_m-phenyl-(CH₂)_mCONH₂, (CH₂)_m-pyridyl-(CH₂)_mCONH₂, (CH₂)_m-phenyl-(CH₂)_mC(NH)NH₂, (CH₂)_m-pyridyl-(CH₂)_m(CN)NH₂, (CH₂)_m-phenyl-(CH₂)_m-tetrazole, and (CH₂)_m-pyridyl-(CH₂)_m-tetrazole;

[0092] A is selected from H, C₁₋₆ alkyl, (CH₂)_m-C₃₋₆-cycloalkyl, (CH₂)_m-phenyl, (CH₂)_m-aryl, and (CH₂)_m-heteroaryl, wherein each aryl, phenyl, and heteroaryl is optionally substituted with 0-1 groups selected from CF₃, halogen, C₁₋₄ alkyl, -CN, CONR₂, NO₂, NR₂, and OR;

[0093] V is selected from H, C₁₋₄ alkyl, and aryl;

[0094] R is selected from H, C₁₋₄ alkyl; and,

[0095] m is selected from 0, 1, and 2.

[0096] In another embodiment, the present invention provides novel pharmaceutical compositions, comprising: a pharmaceutically acceptable carrier and a therapeutically effective amount of a compound of the present invention or a pharmaceutically acceptable salt form thereof.

[0097] In another embodiment, the present invention provides a novel method for treating a disease, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound of the present invention or a pharmaceutically acceptable salt form thereof, wherein the disease is selected from obesity, diabetes, cardiometabolic disorders, and a combination thereof.

[0098] In another embodiment, the diabetes disorder is selected from Type 1 diabetes, Type 2 diabetes, inadequate glucose tolerance, and insulin resistance.

[0099] In another embodiment, the cardiometabolic disorder is selected from hypertension, dyslipidemias (e.g., undesirable blood lipid levels, elevated cholesterol levels, and lowered LDL levels), high blood pressure, and insulin resistance.

[00100] In another embodiment, the present invention provides a novel method for treating a co-morbidity of obesity, comprising: administering to a patient in need thereof a therapeutically effective amount of a compound of the present invention or a pharmaceutically acceptable salt form thereof.

[00101] In another embodiment, the co-morbidity is selected from diabetes, Metabolic Syndrome, dementia, and heart disease.

[00102] In another embodiment, the co-morbidity is selected from hypertension; gallbladder disease; gastrointestinal disorders; menstrual irregularities; degenerative arthritis; venous stasis ulcers; pulmonary hypoventilation syndrome; sleep apnea; snoring; coronary artery disease; arterial sclerotic disease; pseudotumor cerebri; accident proneness; increased risks with surgeries; osteoarthritis; high cholesterol; and, increased incidence of malignancies of the ovaries, cervix, uterus, breasts, prostate, and gallbladder.

[00103] In another embodiment, the present invention also provides a method of preventing or reversing the deposition of adipose tissue in a mammal by the administration of a compound of the present invention. By preventing or reversing the deposition of adipose tissue, compound of the present invention are expected to reduce the incidence or severity of obesity, thereby reducing the incidence or severity of associated co-morbidities.

[00104] In another embodiment, the present invention provides a compound of the present invention for use in therapy.

[00105] In another embodiment, the present invention provides the use of the present invention for the manufacture of a medicament for the treatment of obesity, diabetes, cardiometabolic disorders, and a combination thereof.

[00106] The present invention may be embodied in other specific forms without departing from the spirit or essential attributes thereof. This invention encompasses all combinations of aspects of the invention noted herein. It is understood that any and all embodiments of the present invention may be taken in conjunction with any other embodiment or embodiments to describe additional embodiments. It is also to be understood that each individual element of the embodiments is intended to be taken individually as its own independent embodiment. Furthermore, any element of an embodiment is meant to be combined with any and all other elements from any embodiment to describe an additional embodiment.

[00107] The examples provided in the definitions present in this application are non-inclusive unless otherwise stated. They include but are not limited to the recited examples.

[00108] The compounds herein described may have asymmetric centers, geometric centers (e.g., double bond), or both. All chiral, diastereomeric, racemic forms and all geometric isomeric forms of a structure are intended, unless the specific stereochemistry or isomeric form is specifically indicated. Compounds of the present invention containing an asymmetrically substituted atom may be isolated in optically active or racemic forms. It is well known in the art how to prepare optically active forms, such as by resolution of racemic forms, by synthesis from optically active starting materials, or through use of chiral auxiliaries. Geometric isomers of olefins, C=N double bonds, or other types of double bonds may be present in the compounds described herein, and all such stable isomers are included in the present invention. Specifically, cis and trans geometric isomers of the compounds of the present invention may also exist and may be isolated as a mixture of isomers or as separated isomeric forms. All processes used to prepare compounds of the present invention and intermediates made therein are considered to be part of the present invention. All tautomers of shown or described compounds are also considered to be part of the present invention.

[00109] "Alkyl" includes both branched and straight-chain saturated aliphatic hydrocarbon groups having the specified number of carbon atoms. C₁₋₆ alkyl, for example, includes C₁, C₂, C₃, C₄, C₅, and C₆ alkyl groups. Examples of alkyl include methyl, ethyl, n-propyl, i-propyl, n-butyl, s-butyl, t-butyl, n-pentyl, and s-pentyl.

[00110] "Alkenyl" includes the specified number of hydrocarbon atoms in either straight or branched configuration with one or more unsaturated carbon-carbon bonds that may occur in any stable point along the chain, such as ethenyl and propenyl. C₂₋₆ alkenyl includes C₂, C₃, C₄, C₅, and C₆ alkenyl groups.

[00111] "Alkynyl" includes the specified number of hydrocarbon atoms in either straight or branched configuration with one or more triple carbon-carbon bonds that may occur in any stable point along the chain, such as ethynyl and propynyl. C₂₋₆ Alkynyl includes C₂, C₃, C₄, C₅, and C₆ alkynyl groups.

[00112] "Cycloalkyl" includes the specified number of hydrocarbon atoms in a saturated ring, such as cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, cycloheptyl, and cyclooctyl. C₃₋₈ cycloalkyl includes C₃, C₄, C₅, C₆, C₇, and C₈ cycloalkyl groups.

[00113] "Cyclic amine" is a hydrocarbon ring wherein one carbon atom of the ring has been replaced by a nitrogen atom. The cyclic amine can be unsaturated, partially saturated, or fully saturated. The cyclic amine can also be bicyclic, tricyclic, and polycyclic. Examples of cyclic amine include pyrrolidine and piperidine.

[00114] Halo" or "halogen" refers to fluoro, chloro, bromo, and iodo.

[00115] "Counterion" is used to represent a small, negatively charged species, such as chloride, bromide, hydroxide, acetate, and sulfate.

[00116] The group "C₆H₄" represents a phenylene.

[00117] "Aryl" refers to any stable 6, 7, 8, 9, 10, 11, 12, or 13 membered monocyclic, bicyclic, or tricyclic ring, wherein at least one ring, if more than one is present, is aromatic. Examples of aryl include fluorenyl, phenyl, naphthyl, indanyl, adamantyl, and tetrahydronaphthyl.

[00118] "Heteroaryl" refers to any stable 5, 6, 7, 8, 9, 10, 11, or 12 membered monocyclic, bicyclic, or tricyclic heterocyclic ring that is aromatic, and which consists of carbon atoms and 1, 2, 3, or 4 heteroatoms independently selected from the group consisting of N, O, and S. If the heteroaryl group is bicyclic or tricyclic, then at least one of the two or three rings must contain a heteroatom, though both or all three may each contain one or more heteroatoms. If the heteroaryl group is bicyclic or tricyclic, then

only one of the rings must be aromatic. The N group may be N, NH, or N-substituent, depending on the chosen ring and if substituents are recited. The nitrogen and sulfur heteroatoms may optionally be oxidized (e.g., S, S(O), S(O)₂, and N-O). The heteroaryl ring may be attached to its pendant group at any heteroatom or carbon atom that results in a stable structure. The heteroaryl rings described herein may be substituted on carbon or on a nitrogen atom if the resulting compound is stable.

[00119] Examples of heteroaryl includes acridinyl, azocinyl, benzimidazolyl, benzofuranyl, benzothiofuranyl, benzothiophenyl, benzoxazolyl, benzoxazoliny, benzthiazolyl, benztriazolyl, benztetrazolyl, benzisoxazolyl, benzisothiazolyl, benzimidazoliny, carbazolyl, 4*aH*-carbazolyl, carbolinyl, chromanyl, chromenyl, cinnolinyl, decahydroquinolinyl, 2*H*,6*H*-1,5,2-dithiazinyl, dihydrofuro[2,3-*b*]tetrahydrofuran, furanyl, furazanyl, imidazolyl, 1*H*-indazolyl, indolenyl, indolinyl, indoliziny, indolyl, 3*H*-indolyl, isatinoyl, isobenzofuranyl, isochromanyl, isoindazolyl, isoindolinyl, isoindolyl, isoquinolinyl, isothiazolyl, isoxazolyl, naphthyridinyl, oxadiazolyl, 1,2,3-oxadiazolyl, 1,2,4-oxadiazolyl, 1,2,5-oxadiazolyl, 1,3,4-oxadiazolyl, oxazolidinyl, oxazolyl, oxindolyl, pyrimidinyl, phenanthridinyl, phenanthrolinyl, phenazinyl, phenothiazinyl, phenoxathinyl, phenoxazinyl, phthalazinyl, pteridinyl, pyranyl, pyrazinyl, pyrazolyl, pyridazinyl, pyridooxazole, pyridoimidazole, pyridothiazole, pyridinyl, pyridyl, pyrimidinyl, 2*H*-pyrrolyl, pyrrolyl, quinazolinyl, quinolinyl, 4*H*-quinoliziny, quinoxalinyl, quinuclidinyl, tetrazolyl, 6*H*-1,2,5-thiadiazinyl, 1,2,3-thiadiazolyl, 1,2,4-thiadiazolyl, 1,2,5-thiadiazolyl, 1,3,4-thiadiazolyl, thianthrenyl, thiazolyl, thienyl, thienothiazolyl, thienooxazolyl, thienoimidazolyl, thiophenyl, triazinyl, 1,2,3-triazolyl, 1,2,4-triazolyl, 1,2,5-triazolyl, 1,3,4-triazolyl, and xanthenyl.

[00120] “Mammal” covers warm blooded mammals that are typically under medical care (e.g., humans and domesticated animals). Examples of mammals include feline, canine, equine, bovine, and human, as well as just human.

[00121] “Treating” or “treatment” covers the treatment of a disease-state in a mammal, and includes: (a) preventing the disease-state from occurring in a mammal, in particular, when such mammal is predisposed to the disease-state but has not yet been diagnosed as having it; (b) inhibiting the disease-state, i.e., arresting its development; and/or (c) relieving the disease-state, i.e., causing regression of the disease state until a desired endpoint is reached.

[00122] "Pharmaceutically acceptable salts" refer to derivatives of the disclosed compounds wherein the parent compound is modified by making acid or base salts thereof. Examples of pharmaceutically acceptable salts include, but are not limited to, mineral or organic acid salts of basic residues such as amines; alkali or organic salts of acidic residues such as carboxylic acids; and the like. The pharmaceutically acceptable salts include the conventional non-toxic salts or the quaternary ammonium salts of the parent compound formed, for example, from non-toxic inorganic or organic acids. For example, such conventional non-toxic salts include, but are not limited to, those derived from inorganic and organic acids selected from 1, 2-ethanedisulfonic, 2-acetoxybenzoic, 2-hydroxyethanesulfonic, acetic, ascorbic, benzenesulfonic, benzoic, bicarbonic, carbonic, citric, edetic, ethane disulfonic, ethane sulfonic, fumaric, glucoheptonic, gluconic, glutamic, glycolic, glycollyarsanilic, hexylresorcinic, hydrabamic, hydrobromic, hydrochloric, hydroiodide, hydroxymaleic, hydroxynaphthoic, isethionic, lactic, lactobionic, lauryl sulfonic, maleic, malic, mandelic, methanesulfonic, napsylic, nitric, oxalic, pamoic, pantothenic, phenylacetic, phosphoric, polygalacturonic, propionic, salicylic, stearic, subacetic, succinic, sulfamic, sulfanilic, sulfuric, tannic, tartaric, and toluenesulfonic.

[00123] The pharmaceutically acceptable salts of the present invention can be synthesized from the parent compound that contains a basic or acidic moiety by conventional chemical methods. Generally, such salts can be prepared by reacting the free acid or base forms of these compounds with a stoichiometric amount of the appropriate base or acid in water or in an organic solvent, or in a mixture of the two; generally, non-aqueous media like ether, ethyl acetate, ethanol, isopropanol, or acetonitrile are useful. Lists of suitable salts are found in *Remington's Pharmaceutical Sciences*, 18th ed., Mack Publishing Company, Easton, PA, 1990, p 1445.

[00124] "Therapeutically effective amount" includes an amount of a compound of the present invention that is effective when administered alone or in combination to treat obesity or another indication listed herein. "Therapeutically effective amount" also includes an amount of the combination of compounds claimed that is effective to treat the desired indication. The combination of compounds can be a synergistic combination. Synergy, as described, for example, by Chou and Talalay, *Adv. Enzyme Regul.* 1984, 22:27-55, occurs when the effect of the compounds when administered in combination is greater than the additive effect of the compounds when administered alone as a single

agent. In general, a synergistic effect is most clearly demonstrated at sub-optimal concentrations of the compounds. Synergy can be in terms of lower cytotoxicity, increased effect, or some other beneficial effect of the combination compared with the individual components.

[00125] Obesity is defined as having a body mass index (BMI) of 30 or above. The index is a measure of an individual's body weight relative to height. BMI is calculated by dividing body weight (in kilograms) by height (in meters) squared. Normal and healthy body weight is defined as having a BMI between 20 and 24.9. Overweight is defined as having a BMI ≥ 25 . Obesity has reached epidemic proportions in the U.S., with 44 million obese Americans, and an additional eighty million deemed medically overweight.

[00126] Obesity is a disease characterized as a condition resulting from the excess accumulation of adipose tissue, especially adipose tissue localized in the abdominal area. It is desirable to treat overweight or obese patients by reducing their amount of adipose tissue, and thereby reducing their overall body weight to within the normal range for their sex and height. In this way, their risk for co-morbidities such as diabetes and cardiovascular disease will be reduced. It is also desirable to prevent normal weight individuals from accumulating additional, excess adipose tissue, effectively maintaining their body weights at a BMI < 25 , and preventing the development of co-morbidities. It is also desirable to control obesity, effectively preventing overweight and obese individuals from accumulating additional, excess adipose tissue, reducing the risk of further exacerbating their co-morbidities.

[00127] Cannabinoid receptors are located in a number of peripheral (non-CNS) tissues, including thyroid gland, adrenal gland, reproductive organs, adipose tissue, liver, muscle, and gastrointestinal tract. Cannabinoid receptor antagonists/inverse agonists being developed to treat obesity and smoking cessation, regardless of route of administration, enter the CNS from the systemic circulation. While present in the systemic circulation, such drugs have access to peripheral tissues. One of skill in the art recognizes that cannabinoid receptor antagonists/inverse agonists intended to enter the CNS from the systemic circulation in order to treat obesity and smoking cessation, also have access to cannabinoid receptors in peripheral tissues. Thus, a cannabinoid receptor antagonist/inverse agonist useful for the present invention may have some access to the CNS from the systemic circulation.

[00128] Drugs enter the CNS from the systemic circulation by crossing the blood-brain barrier (BBB). The BBB is a highly specialized 'gate-keeper' that protects the brain by preventing the entry of many potentially harmful substances into the CNS from the systemic circulation. Much is known about the BBB, and of the physical-chemical properties required for compounds transported across it.

[00129] Drugs that do not cross the BBB into the CNS or that are readily eliminated through transport mechanisms [J Clin Invest. 97, 2517(1996)] are known in the literature and have low CNS activity due to their inability to develop brain levels necessary for pharmacological action. The BBB has at least one mechanism to remove drugs prior to their accumulation in the CNS. P-Glycoproteins (P-gp) localized in plasma membrane of the BBB can influence the brain penetration and pharmacological activity of many drugs through translocation across membranes. The lack of accumulation into the brain by some drugs can be explained by their active removal from the brain by P-gp residing in the BBB. For example, the typical opioid drug loperamide, clinically used as an antidiarrheal, is actively removed from the brain by P-gp, thus explaining its lack of opiate-like CNS effects. Another example is domperidone, a dopamine receptor blocker that participates in the P-gp transport [J Clin Invest. 97, 2517(1996)]. Whereas dopamine receptor blockers that cross the BBB can be used to treat schizophrenia, the readily-eliminated domperidone can be used to prevent emesis, without the likelihood of producing adverse CNS effects.

[00130] In addition to the above compounds, agents possessing structural characteristics that retard or prevent BBB penetration or contribute to participation in active elimination processes have been identified in various classes of therapeutics. These include antihistamines [Drug Metab. Dispos. 31, 312 (2003)], beta-adrenergic receptor antagonists (B-blockers) [Eur. J. Clin. Pharmacol. 28, Suppl: 21-3 (1985); Br. J. Clin. Pharmacol, 11 (6), 549-553 (1981)], non-nucleoside reverse transcriptase inhibitors (NNRTIs) [J. Pharm Sci., 88(10) 950-954 (1999)], and opioid antagonists. This latter group has been tested in relation to their activity in the GI tract. These peripherally selective opioid antagonists are described in various US patents as being useful in the treatment of non-CNS pathologies in mammals, in particular those of the GI tract [see US 5,260,542; US 5,434,171; US 5,159,081; and US 5,270,238].

[00131] Other types of non-brain penetrant compounds can be prepared through the creation of a charge within the molecule. Thus, the addition of a methyl group to the

tertiary amine functionality of the drugs scopolamine or atropine, unlike the parent molecules, prevents their passage across the BBB through the presence of a positive charge. However, the new molecules (methyl-scopolamine and methyl-atropine) retain their full anticholinergic pharmacological properties. As such, these drugs can also be used to treat peripheral diseases, without the concern of adverse CNS effects. The quaternary ammonium compound methylnaltrexone is also used for the prevention and/or treatment of opioid and non-opioid induced side effects associated with opioid administration.

[00132] The discovery that the anti-obesity activity of cannabinoid receptor antagonists/inverse agonists may in part be mediated by a non-CNS mechanism could make it beneficial for the compounds of the present invention to be peripherally restricted, i.e., have an inability or limited ability to cross the BBB, or be readily eliminated from the brain through active transport systems. It may be desirable for the compounds of the present invention to be peripherally restricted, which in turn will result in no or very limited CNS effects. Compounds that provide peripherally mediated anti-obesity properties should result in therapeutic agents with greater safety. It can be desirable that the compounds of the present invention, when administered in a therapeutically effective amount, have no or very limited CNS effects. It can also be desirable that the lack of CNS effects is a result of the compounds of the present invention having minimal brain concentrations when administered in therapeutically effective amounts. In this context, minimal brain concentrations means levels that are too low to be therapeutically effective for the treatment of a CNS indication or too low to cause significant or measurable deleterious or undesired side effects.

[00133] Rimonabant (Compound IIa when X=H; Y, X', and Y'=Cl; V=CH₃; Z=H; Q=N; and n=2) is a drug that crosses the BBB and is indicated for the treatment of obesity. In compound AA, one of R, R', R'', X, X¹, V and Z is a group capable of reducing or limiting the CNS activity of compound AA. This reduced or limited CNS activity occurs via at least one of R, R', R'', X, X¹, V and Z being a group that either limits compound AA's ability to cross the BBB relative to that of rimonabant or enables it to be actively removed from the brain at a rate greater than that of rimonabant. Examples of the amount of compound AA present in the brain can include (a) from 50, 55, 60, 65, 70, 75, 80, 85, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, to 100% lower than rimonabant, (b) from 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, to 100% lower than

rimonabant, and (c) from 98, 99, to 100% lower than rimonabant, when administered at the same dosage.

[00134] The compounds of the present invention are expected to be cannabinoid receptor antagonists or inverse agonists.

[00135] An inverse agonist is compound that not only blocks the action of the endogenous agonist at the receptor, but also exhibits its own activity which is usually the opposite of that shown by the agonist. Inverse agonists are also effective against certain types of receptors (e.g. certain histamine receptors / GABA receptors) which have intrinsic activity without the interaction of a ligand upon them (also referred to as 'constitutive activity').

[00136] Most methods of treating obesity are dependent on a significant reduction in energy intake, either by a decrease in food intake (e.g., sibutramine) or by inhibition of fat absorption (e.g., orlistat). In the present invention, adipose tissue may be reduced in the absence of a significant reduction in food intake. The weight loss, as a result of the present invention, comes from the treatment with a compound of the present invention, largely independent of, though not totally dissociated from, appetite and food intake. It can be desirable that adipose tissue loss occurs while food intake is maintained, increased or (a) about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, or 20% below the normal range of the subject prior to being treated in accordance with the present invention (i.e., its pre-administration level), (b) about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15% below its pre-administration level, (c) about 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10% below its pre-administration level, or (d) about 1, 2, 3, 4, or 5% below its pre-administration level.

[00137] In some cases, loss of adipose tissue can be accompanied by a concomitant loss of lean muscle mass. This is particularly evident in cancer patients who show a generalized wasting of body tissues, including adipose tissue and lean muscle mass. In the present invention, however, it can be desirable for body fat to be significantly reduced in the absence of a significant reduction in lean body mass. Adipose tissue loss comes from treatment with a compound of the present invention, independent of a significant change in lean body mass. Thus, adipose tissue loss can occur while lean body mass is maintained, increased, or (a) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30% below the normal range of the subject prior to being treated in accordance with

the present invention (i.e., its pre-administration level), (b) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15% below pre-administration levels, (c) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10% below pre-administration levels, or (d) is no more than about 1, 2, 3, 4, or 5% below pre-administration levels.

[00138] In some cases, loss of adipose tissue can be accompanied by a concomitant loss of water mass. This is particularly evident with diet regimens that promote dehydration. In the present invention, it can be desirable for body fat to be significantly reduced in the absence of a significant reduction in water mass. In other words, adipose tissue loss comes from treatment with a compound of the present invention, independent of a significant change in water mass. It can be desirable that adipose tissue loss occurs while water mass is maintained, increased, or (a) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, or 30% below the normal range of the subject prior to being treated in accordance with the present invention (i.e., its pre-administration level), (b) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, or 15% below pre-administration levels, (c) is no more than about 1, 2, 3, 4, 5, 6, 7, 8, 9, or 10% below pre-administration levels, or (d) is no more than about 1, 2, 3, 4, or 5% below pre-administration levels.

[00139] Sibutramine and orlistat are currently marketed for use in the treatment of obesity. These two compounds achieve weight loss through entirely different mechanisms. Sibutramine, a CNS appetite suppressant, inhibits the neuronal reuptake of serotonin and noradrenaline. Orlistat inhibits gut lipase enzymes that are responsible for breaking down ingested fat.

[00140] Cannabinoid receptor antagonists/inverse agonists can promote weight loss through inhibition of peripheral cannabinoid receptors, a mechanism entirely different from appetite suppressants, gut lipase inhibitors, and other agents with similar indications (e.g., serotonin agonists, leptin, fatty acid synthase inhibitors, and monoamine oxidase (MAO) inhibitors). Co-administration of a cannabinoid receptor antagonist/inverse agonist together with one or more other agents that are useful for treating the indications described above (e.g., obesity, diabetes, cardiometabolic disorders, and a combination thereof) is expected to be beneficial, by producing, for example, either additive or synergistic effects. Examples of additional agents include an appetite suppressant, a lipase inhibitor, and a MAO inhibitor (e.g., MAO-B and a combination of MAO-A/B). Therefore, the present invention provides a method of

treating obesity, diabetes, and/or cardiometabolic disorders, comprising administering a therapeutically effective amount of a compound of the present invention and a second component effective for treating the desired indication.

[00141] Examples of second components include anti-obesity agents, which include, but are not limited to: 1) growth hormone secretagogues; 2) growth hormone secretagogue receptor agonists/antagonists; 3) melanocortin agonists; 4) Mc4r (melanocortin 4 receptor) agonists; 5) β -3 agonists; 7) 5HT_{2C} (serotonin receptor 2C) agonists; 8) orexin antagonists; 9) melanin concentrating hormone antagonists; 10) melanin-concentrating hormone 1 receptor (MCH1R) antagonists; 11) melanin-concentrating hormone 2 receptor (MCH2R) agonist/antagonists; 12) galanin antagonists; 13) CCK agonists; 14) CCK-A (cholecystokinin-A) agonists; 16) corticotropin-releasing hormone agonists; 17) NPY 5 antagonists; 18) NPY 1 antagonists; 19) histamine receptor-3 (H₃) modulators; 20) histamine receptor-3 (H₃) antagonists/inverse agonists; 21) β -hydroxy steroid dehydrogenase-1 inhibitors (β -HSD-1); 22) PDE (phosphodiesterase) inhibitors; 23) phosphodiesterase-3B (PDE3B) inhibitors; 24) NE (norepinephrine) transport inhibitors; 25) non-selective serotonin/norepinephrine transport inhibitors, such as sibutramine, phentermine, or fenfluramine; 26) ghrelin antagonists; 28) leptin derivatives; 29) BRS3 (bombesin receptor subtype 3) agonists; 30) CNTF (Ciliary neurotrophic factors); 31) CNTF derivatives, such as axokine (Regeneron); 32) monoamine reuptake inhibitors; 33) UCP-1 (uncoupling protein-1), 2, or 3 activators; 34) thyroid hormone β agonists; 35) FAS (fatty acid synthase) inhibitors; 37) DGAT2 (diacylglycerol acyltransferase 2) inhibitors; 38) ACC2 (acetyl-CoA carboxylase-2) inhibitors; 39) glucocorticoid antagonists; 40) acyl-estrogens; 41) lipase inhibitors, such as orlistat (Xenical®); 42) fatty acid transporter inhibitors; 43) dicarboxylate transporter inhibitors; 44) glucose transporter inhibitors; 45) phosphate transporter inhibitors; 46) serotonin reuptake inhibitors; 47) Metformin (Glucophage®); 48) Topiramate (Topimax®); and/or 49) MAO inhibitors.

[00142] Examples of MAO inhibitors include Moclobemide; Brofaromine; BW A616U; Ro 41-1049; RS-2232; SR 95191; Harmaline; Harman; Amiflamine; BW 1370U87; FLA 688; FLA 788; Bifemelane; Clorgyline; LY 51641; MDL 72,394; 5-(4-Benzyloxyphenyl)-3-(2-cyanoethyl)-(3H)-1,3,4-oxadiazol-2-one; 5-(4-Arylmethoxyphenyl)-2-(2-cyanoethyl)tetrazoles; Lazabemide; Ro 16-6491; Almoxatone; XB308; RS-1636; RS-1653; NW-1015; SL 340026; L-selegiline; Rasagiline; Pargyline;

AGN 1135; MDL 72,974; MDL 72,145; MDL 72,638; LY 54761; MD 780236; MD 240931; Bifemelane; Toloxatone; Cimoxatone; Iproniazid; Phenelzine; Nialamide; Phenylhydrazine; 1-Phenylcyclopropylamine; Isocarboxazid; and, Tranylcypromine. Additional examples of MAO inhibitors can be found in USPA 2007/0004683; USAN 11/445,044; USPA 2007/0015734; and USAN 11/424,274.

[00143] Examples of diabetes disorders include treating Type 1 diabetes, Type 2 diabetes, inadequate glucose tolerance, and insulin resistance.

[00144] Examples of second components useful for treating diabetes include (a) insulin sensitizers including (i) PPAR- γ agonists such as the glitazones (e.g. troglitazone, pioglitazone, englitazone, MCC-555, rosiglitazone), and compounds disclosed in WO97/27857, 97/28115, 97/28137, and 97/27847; and (ii) biguanides such as metformin and phenformin; (b) insulin or insulin mimetics; (c) sulfonylureas such as tolbutamide and glipizide, or related materials; (d) α -glucosidase inhibitors (e.g., acarbose); (e) cholesterol lowering agents such as (i) HMG-CoA reductase inhibitors (lovastatin, simvastatin, pravastatin, fluvastatin, atorvastatin, rivastatin, and other statins), (ii) sequestrants (e.g., cholestyramine, colestipol, and dialkylaminoalkyl derivatives of a cross-linked dextran), (iii) nicotinic alcohol, nicotinic acid or a salt thereof, (iv) PPAR- α agonists (e.g., fenofibric acid derivatives including gemfibrozil, clofibrate, fenofibrate, and bezafibrate), (v) inhibitors of cholesterol absorption (e.g., β -sitosterol) and acyl CoA:cholesterol acyltransferase inhibitors (e.g., melinamide), and (vi) probucol; (f) PPAR- α/γ agonists; (g) antiobesity compounds (described previously); (h) ileal bile acid transporter inhibitors; and (i) insulin receptor activators.

[00145] The compounds of the present invention are expected to be CB₁ receptor inhibitors/inverse agonists and are expected to be useful for treating diseases mediated by the CB₁ receptor. The compounds of the present are expected to possess an affinity in vitro for the central and/or peripheral cannabinoid receptors under the experimental conditions described by Devane et al., *Molecular Pharmacology*, 1988, 34, 605-613. The compounds according to the invention are also expected to possess an affinity for the cannabinoid receptors present on preparations of electrically stimulated isolated organs. These tests can be performed on guinea-pig ileum and on mouse vas deferens according to Roselt et al., *Acta Physiologica Scandinavia* **1975**, 94, 142-144, and according to Nicolau et al., *Arch. Int. Pharmacodyn*, **1978**, 236, 131-136.

[00146] CB1 receptor affinities can be determined using membrane preparations of Chinese hamster ovary (CHO) cells in which the human cannabinoid CB1 receptor is stably transfected (*Biochem J.* **1991**, 279, 129-134) in conjunction with [3H]CP-55,940 as radioligand. After incubation of a freshly prepared cell membrane preparation with the [3H]-radioligand, with or without addition of test compound, separation of bound and free ligand is performed by filtration over glass fiber filters. Radioactivity on the filter is measured by liquid scintillation counting. The IC₅₀ values can be determined from at least three independent measurements.

[00147] In the present invention, the compound(s) of the present invention can be administered in any convenient manner (e.g., enterally or parenterally). Examples of methods of administration include orally and transdermally. One skilled in this art is aware that the routes of administering the compounds of the present invention may vary significantly. In addition to other oral administrations, sustained release compositions may be favored. Other acceptable routes may include injections (e.g., intravenous, intramuscular, subcutaneous, and intraperitoneal); subdermal implants; and, buccal, sublingual, topical, rectal, vaginal, and intranasal administrations. Bioerodible, non-bioerodible, biodegradable, and non-biodegradable systems of administration may also be used. Examples of oral formulations include tablets, coated tablets, hard and soft gelatin capsules, solutions, emulsions, and suspensions.

[00148] If a solid composition in the form of tablets is prepared, the main active ingredient can be mixed with a pharmaceutical vehicle, examples of which include silica, starch, lactose, magnesium stearate, and talc. The tablets can be coated with sucrose or another appropriate substance or they can be treated so as to have a sustained or delayed activity and so as to release a predetermined amount of active ingredient continuously. Gelatin capsules can be obtained by mixing the active ingredient with a diluent and incorporating the resulting mixture into soft or hard gelatin capsules. A syrup or elixir can contain the active ingredient in conjunction with a sweetener, which is preferably calorie-free, an antiseptic (e.g., methylparaben and/or propylparaben), a flavoring, and an appropriate color. Water-dispersible powders or granules can contain the active ingredient mixed with dispersants or wetting agents or with suspending agents such as polyvinylpyrrolidone, as well as with sweeteners or taste correctors. Rectal administration can be effected using suppositories, which are prepared with binders melting at the rectal temperature (e.g., cocoa butter and/or polyethylene glycols).

Parenteral administration can be effected using aqueous suspensions, isotonic saline solutions, or injectable sterile solutions, which contain pharmacologically compatible dispersants and/or wetting agents (e.g., propylene glycol and/or polyethylene glycol). The active ingredient can also be formulated as microcapsules or microspheres, optionally with one or more carriers or additives. The active ingredient can also be presented in the form of a complex with a cyclodextrin, for example α -, β -, or γ -cyclodextrin, 2-hydroxypropyl- β -cyclodextrin, and/or methyl- β -cyclodextrin.

[00149] The dose of the compound of the present invention administered daily will vary on an individual basis and to some extent may be determined by the severity of the disease being treated (e.g., obesity, diabetes, and cardiometabolic disorders). The dose of the compound of the present invention will also vary depending on the compound administered. Examples of dosages of compounds of the present invention include from about 0.01, 0.02, 0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.1, 0.2, 0.3, 0.4, 0.5, 0.6, 0.7, 0.8, 0.9, 1.0, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 76, 80, 85, 90, 95, to 100 mg/kg of mammal body weight. The compound can be administered in a single dose or in a number of smaller doses over a period of time. The length of time during which the compound is administered varies on an individual basis, and can continue until the desired results are achieved (i.e., reduction of body fat, or prevention of a gain in body fat). Therapy could, therefore, last from 1 day to weeks, months, or even years depending upon the subject being treated, the desired results, and how quickly the subject responds to treatment in accordance with the present invention.

[00150] A possible example of a tablet of the present invention is as follows.

<u>Ingredient</u>	<u>mg/Tablet</u>
Active ingredient	100
Powdered lactose	95
White corn starch	35
Polyvinylpyrrolidone	8
Na carboxymethylstarch	10
Magnesium stearate	2
Tablet weight	250

[00151] A possible example of a capsule of the present invention is as follows.

<u>Ingredient</u>	<u>mg/Tablet</u>
Active ingredient	50
Crystalline lactose	60
Microcrystalline cellulose	34
Talc	5
Magnesium stearate	1
Capsule fill weight	150

[00152] In the above capsule, the active ingredient has a suitable particle size. The crystalline lactose and the microcrystalline cellulose are homogeneously mixed with one another, sieved, and thereafter the talc and magnesium stearate are admixed. The final mixture is filled into hard gelatin capsules of suitable size.

[00153] A possible example of an injection solution of the present invention is as follows.

<u>Ingredient</u>	<u>mg/Tablet</u>
Active substance	1.0 mg
1 N HCl	20.0 µl
acetic acid	0.5 mg
NaCl	8.0 mg
Phenol	10.0 mg
1 N NaOH	q.s. ad pH 5
H ₂ O	q.s. ad 1 mL


SYNTHESIS

[00154] The compounds of the present invention can be prepared in a number of ways known to one skilled in the art of organic synthesis (e.g., see EP 0,658,546, *J Med Chem* **2002**, 45, 2708). The compounds of the present invention can be synthesized using the methods described below, together with synthetic methods known in the art of synthetic organic chemistry, or by variations thereon as appreciated by those skilled in the art. Preferred methods include, but are not limited to, those described below. The reactions are performed in a solvent appropriate to the reagents and materials employed and suitable for the transformations being effected. It will be understood by those skilled in the art of organic synthesis that the functionality present on the molecule should be consistent with the transformations proposed. This will sometimes require a judgment to modify the order of the synthetic steps or to select one particular process scheme over another in order to obtain a desired compound of the invention. It will also be recognized that another major consideration in the planning of any synthetic route in this

field is the judicious choice of the protecting group used for protection of the reactive functional groups present in the compounds described in this invention. An authoritative account describing the many alternatives to the trained practitioner is Greene and Wuts (*Protective Groups In Organic Synthesis*, Wiley and Sons, 1991).

[00155]

Scheme 1




[00156]

Scheme 1 shows how the condensation of a propiophenone with diethyl oxalate in the presence of a base such as lithium hexamethyldisilazide should afford,

after acidification with hydrochloric acid solution, the diketoester (step a). Heating this ester with an aryl hydrazine in a solvent such as ethanol should produce the pyrazole ester along with the uncyclized imine (step b). These materials may be separated due to their solubility differences, or heated together in ethanolic hydroxide solution to cause further conversion of the imine to the pyrazole along with concomitant saponification of the ester to the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with ethyl N-aminonipecotate should afford the hydrazide ester (step d). Hydrolysis of the ester with lithium hydroxide and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step e). Treatment of this acid with thionyl chloride followed by ammonia should afford the carboxamide (step f).

[00157] Alternatively, the acid chloride generated from the product of step c can be treated with N-amino-2-pyrrolidine methanol O-CH₂CO₂Et derivative to produce the hydrazide ester (step g). Subsequent hydrolysis of this ester with aqueous base should afford the carboxylic acid (step h).


[00158] Scheme 2



[00159] Scheme 2 describes how the conversion of the carboxylic acid from Scheme 1 to its acid chloride using thionyl chloride or oxalyl chloride in dichloroethane at elevated temperatures followed by treatment with ethyl 4-aminocyclohexane carboxylate in the presence of triethyl amine should afford the amide ester (step a). Hydrolysis of the ester with lithium hydroxide and acidification with dilute hydrochloric acid solution should yield the amide carboxylic acid (step b). When this acid is further treated with Boc anhydride (Boc_2O) in THF in the presence of pyridine, followed by a solution of ammonia in THF at 0 degrees to ambient temperature, the carboxamido compound will be produced (step c).


[00160] Alternatively, the acid chloride generated from the acid of Scheme 1 can be treated with 2-amino-cyclopentylmethanol O-CH₂CO₂Et derivative to produce the amide ester (step c). Subsequent hydrolysis of this ester with aqueous base should afford the carboxylic acid (step d).

[00161] Scheme 3



[00162] Scheme 3 depicts the conversion of the carboxylic acid from Scheme 1 to its acid chloride using thionyl chloride or oxalyl chloride in dichloroethane at ambient to elevated temperatures followed by treatment with an amine such as alanine ethyl ester (A=methyl, n=0) in the presence of triethylamine to afford the amide ester (step a). Hydrolysis of the ester with lithium hydroxide in aqueous THF solution and acidification with dilute hydrochloric acid solution should yield the amide carboxylic acid (step b). This acid can be further treated with Boc anhydride (Boc₂O) in THF in the presence of pyridine, followed by a solution of ammonia in THF at 0 degrees to ambient temperature to yield the carboxamido compound (step c).


[00163] Scheme 4



[00164] Scheme 4 illustrates how the treatment of 4'-benzyloxypropiophenone with ethyl-*t*-butyl oxalate in the presence of an equivalent of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketoester (step a). Removal of the benzyl group via hydrogenolysis and treatment of the resulting phenol with ethyl bromoacetate in the presence of a base, such as potassium carbonate, in a solvent such as DMF at elevated temperature should produce the ester (step b). Heating this diketo-diester with an aryl hydrazine in a solvent such as

ethanol should produce the pyrazole ester along with the uncyclized imine (step c). These materials may be separated due to their solubility differences, or through flash column chromatography. The pyrazole, upon treatment with trifluoroacetic acid in methylene chloride, should afford the carboxylic acid (step d). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide ester (step e). Hydrolysis of the ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution, should yield the hydrazide carboxylic acid (step f). Reaction of this acid with thionyl chloride followed by treatment with ammonia should afford the carboxamido compound (step g).

[00165] Scheme 5




[00166] Scheme 5 shows how the treatment of 3'-nitropropiophenone with diethyl oxalate in the presence of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketo-ester (step a). Heating this ester with an aryl hydrazine in a solvent such as ethanol should produce the pyrazole ester along with the uncyclized imine (step b). These materials may be separated due to their solubility differences, or heated together in ethanolic hydroxide solution to cause further conversion of the imine to the pyrazole along with concomitant saponification of the ester to the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the

acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide (step d). The nitro compound can be reduced to the aniline using sodium dithionite in aqueous dioxane containing concentrated ammonium hydroxide solution to give the aniline (step e). Reaction of the aniline with ethyl 4-bromocrotonate in acetone at reflux in the presence of potassium carbonate should afford the ester (step f). Hydrolysis of the ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step g).


[00167] Alternatively, the aniline can be treated with ethyl malonyl chloride in the presence of base to yield the ester (step h). The ester can then be hydrolyzed with lithium hydroxide in aqueous THF solution, and after acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step i).

[00168] Scheme 6



[00169] Scheme 6 describes how the conversion of the carboxylic acid of Scheme 5 to its acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide (step a). The nitro compound can be reduced to the aniline using sodium dithionite in aqueous dioxane containing concentrated ammonium hydroxide solution to give the aniline (step b). Reaction of the aniline with methanesulfonyl chloride in the presence of base should afford the sulfonamide (step c).


[00170] Scheme 7



[00171] Scheme 7 depicts how the condensation of a propiophenone with ethyl-tert-butyl oxalate in the presence of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketo-ester (step a). Heating this diketo-ester with an aryl hydrazine in a solvent such as ethanol should produce the pyrazole ester which can be separated from the uncyclized imine via their solubility differences or through flash chromatography (step b). The pyrazole, upon

treatment with trifluoroacetic acid in methylene chloride, should afford the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide ester (step d). Hydrolysis of the remaining ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step e). The carboxylic acid can then be treated with thionyl chloride followed by ammonia to produce the carboxamido compound (step f).


[00172] Scheme 8



[00173] Scheme 8 illustrates how the Reaction of a propiophenone with ethyl-*t*-butyl oxalate in the presence of base, such as lithium hexamethyldisilazide, should

afford, after acidification with hydrochloric acid solution, the diketo-ester (step a). Heating this diketo-ester with an aryl hydrazine in a solvent such as ethanol should produce the pyrazole ester which can be separated from the uncyclized imine via their solubility differences or through flash chromatography (step b). The pyrazole, upon treatment with trifluoroacetic acid in methylene chloride, should afford the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide ester (step d). Hydrolysis of the remaining ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step e). The carboxylic acid can then be treated with thionyl chloride followed by ammonia, or with Boc anhydride (Boc_2O) in THF in the presence of pyridine, followed by a solution of ammonia in THF at 0 degrees to ambient temperature to produce the benzamide (step f).


[00174] Scheme 9



[00175] Scheme 9 shows how the treatment of a propiophenone with ethyl-t-butyl oxalate in the presence of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketo-ester (step a). Heating this diketo-ester with a hydrazine of an ethyl aryloxyacetate in a solvent such as ethanol should produce the pyrazole ester which can be separated from the uncyclized imine via their solubility differences or through flash chromatography (step b). The pyrazole, upon treatment with trifluoroacetic acid in methylene chloride, should afford the carboxylic


acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide ester (step d). Hydrolysis of the remaining ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step e). The carboxylic acid can then be treated with thionyl chloride followed by ammonia to produce the aryloxyacetamide (step f).

[00176] Scheme 10



[00177] Scheme 10 describes how the treatment of a propiophenone with diethyloxalate in the presence of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketo-ester (step a). Heating this diketo-ester with a hydrazine of an aryl nitrile in a solvent such as ethanol should produce the pyrazole ester which can be separated from the uncyclized imine via their solubility differences or through flash chromatography (step b). The pyrazole, upon treatment with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should afford the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with N-aminopiperidine should afford the hydrazide ester (step d). Heating a mixture of the aryl nitrile with sodium azide and zinc chloride or zinc bromide in water with vigorous stirring should produce the aryl-tetrazole, after acidification with dilute hydrochloric acid solution. Alternatively, the nitrile can be treated with HCl gas in a solution of chloroform and methanol at about minus 15 to 0 degrees C to form the imidate ester which can immediately be converted to the carboxamidine by subsequent treatment with ammonium carbonate in methanol.

[00178] Scheme 11



[00179] Scheme 11 depicts how the reaction of ethyl benzoylacetate with ethyl-*t*-butyl oxalate in the presence of base, such as lithium hexamethyldisilazide, should afford, after acidification with hydrochloric acid solution, the diketo–diester (step a). Heating this diketo-diester with an aryl hydrazine in a solvent such as ethanol should produce the pyrazole ester which can be separated from the uncyclized imine via their solubility differences or through flash chromatography (step b). The pyrazole, upon treatment with trifluoroacetic acid in methylene chloride, should afford the carboxylic acid (step c). Subsequent conversion of the carboxylic acid to the acid chloride using thionyl chloride followed by treatment with *N*-aminopiperidine should afford the

hydrazide ester (step d). Hydrolysis of the remaining ester with lithium hydroxide in aqueous THF solution, and acidification with dilute hydrochloric acid solution should yield the hydrazide carboxylic acid (step e). The carboxylic acid can then be treated with thionyl chloride followed by ammonia, or with Boc anhydride (Boc_2O) in THF in the presence of pyridine, followed by a solution of ammonia in THF at 0 degrees to ambient temperature to produce the carboxamido hydrazide (step f).

[00180] One stereoisomer of a compound of the present invention may be a more potent cannabinoid receptor antagonist than its counterpart(s). Thus, stereoisomers are included in the present invention. When required, separation of the racemic material can be achieved by HPLC using a chiral column or by a resolution using a resolving agent such as described in Wilen, S. H. *Tables of Resolving Agents and Optical Resolutions* 1972, 308 or using enantiomerically pure acids and bases. A chiral compound of the present invention may also be directly synthesized using a chiral catalyst or a chiral ligand, e.g., Jacobsen, E. *Acc. Chem. Res.* 2000, 33, 421-431 or using other enantio- and diastereo-selective reactions and reagents known to one skilled in the art of asymmetric synthesis.

[00181] Other features of the invention will become apparent in the course of the following descriptions of exemplary embodiments that are given for illustration of the invention and are not intended to be limiting thereof.

EXAMPLES

[00182] Tables A-E below describe selected examples of the present invention that have been synthesized and tested. The activities of these compounds are as follows:


+ = an IC_{50} of $\leq 10 \mu\text{M}$;

++ = IC_{50} of $\leq 1 \mu\text{M}$; and,

+++ = an $\text{IC}_{50} \leq 100 \text{ nM}$.

[00183] The compounds can be prepared according to the methods of the scheme numbers provided for each example.

[00184] Table A




Number	R'	CB1 Receptor Activity	NMR (ppm) CDCl ₃ or as indicated	Synthetic Route
A-1	CH ₂ CO ₂ Et	+	ester-CH ₃ 1.26 (3H, t) ring-CH ₃ 2.35 (3H, s) ester-CH ₂ / NH-CH ₂ 4.20-4.27 (4H, m) aromatic H's 7.05-7.43 (7H)	Scheme 3
A-2	CH(CH ₂ C ₆ H ₅)CO ₂ Et	++	ester-CH ₃ 1.22 (3H, t) ring-CH ₃ 2.35 (3H, s) Ph- CH ₂ 3.20 (2H, d) ester-CH ₂ 4.15 (2H, q) NH-CH 5.02 (1H, m) aromatic H's 7.04-7.45 (12H)	Scheme 3
A-3	CH ₂ CH ₂ CO ₂ Et	+	ester-CH ₃ 1.25 (3H, t) ring-CH ₃ 2.37 (3H, s) CO-CH ₂ 2.65 (2H, t) NH-CH ₂ 3.70 (2H, m) ester-CH ₂ 4.15 (2H, q) NH-CH 5.02 (1H, m) aromatic H's 7.04-7.42 (7H)	Scheme 3
A-4	CH(CH ₂ C ₆ H ₅)CO ₂ H	+	DMSO(d ₆) ring-CH ₃ 2.25 (3H, s) Ph- CH ₂ 3.16 (2H, m) NH-CH 4.21 (1H, m) aromatic H's 7.09-7.67 (12H)	Scheme 3
A-5	CH ₂ CH ₂ CH ₂ CO ₂ Et	+	ester-CH ₃ 1.26 (3H, t) -CHCH ₃ - 1.33 (3H, d) ring-CH ₃ 2.36 (3H, s) CO-CH ₂ 2.62 (2H, m) ester-CH ₂ 4.14 (2H, q) NH-CH 4.56 (1H, m) aromatic H's 7.05-7.45 (7H)	Scheme 3
A-6	CH(CH ₃)CH ₂ CO ₂ Et	++	ester-CH ₃ 1.26 (3H, t)	Scheme 3

			CHCH ₃ 1.33 (3H, d) ring-CH ₃ 2.37 (3H, s) CO-CH ₂ 2.41 (2H, t) NH-CH ₂ 2.62 (2H, dds) ester-CH ₂ 4.14 (2H, q) CHCH ₃ 4.56 (3H, m) aromatic H's 7.05-7.45 (7H)	
A-7	CH(CH ₃)CO ₂ Et	++	ester-CH ₃ 1.28 (3H, t) CHCH ₃ 1.51 (3H, d) ring-CH ₃ 2.36 (3H, s) CO-CH ₂ 2.41 (2H, t) ester-CH ₂ 4.23 (2H, q) NH-CH 4.76 (1H, m) aromatic H's 7.05-7.42 (7H)	Scheme 3
A-8	CH(CH ₂ CH(CH ₃) ₂)CO ₂ Et	+++	CH(CH ₃) ₂ 0.95 (6H, t) ester-CH ₃ 1.27 (3H, t) CHCH ₂ 1.60-1.77 (3H, m) ring-CH ₃ 2.36 (3H, s) ester-CH ₂ 4.21 (2H, q) NH-CH 4.81 (1H, m) aromatic H's 7.04-7.42 (7H)	Scheme 3
A-9	CH(CH ₂ CH(CH ₃) ₂)CO ₂ H	++	CD ₃ OD CH(CH ₃) ₂ 0.99 (6H, d) CHCH ₂ 1.73-1.80 (3H, m) ring-CH ₃ 2.31 (3H, s) ester-CH ₂ 4.21 (2H, q) NH-CH 4.67 (1H, m) aromatic H's 7.19-7.57 (7H)	Scheme 3
A-10	CH(CH(CH ₃)CH ₂ CH ₃)- CO ₂ Et	+++	2 (CH ₃) 0.95 (6H, m) ester-CH ₃ 1.26 (3H, t) CH ₂ -CH ₃ 1.26 (2H, m) CH-CH 1.52 (1H, m) CHCH ₂ 1.60-1.77 (3H, m) ring-CH ₃ 2.36 (3H, s) ester-CH ₂ 4.22 (2H, q) NH-CH 4.75, 4.8 (1H, dd) aromatic H's 7.04-7.42 (7H)	Scheme 3
A-11	CH(C(CH ₃) ₃)CO ₂ Et	+++	(CH ₃) ₃ 1.06 (9H, s) ester-CH ₃ 1.28 (3H, t) ring-CH ₃ 2.35 (3H, s) ester-CH ₂ 4.21 (2H, m) NH-CH 4.63 (1H, d) aromatic H's 7.04-7.42 (7H)	Scheme 3

A-12	$\text{CH}(\text{C}(\text{CH}_3)_3)\text{CO}_2\text{H}$	+++	CD_3OD (CH_3) ₃ 1.07 (9H, s) ring- CH_3 2.31 (3H, s) NH-CH 4.47 (1H, s) aromatic H's 7.20-7.59 (7H)	Scheme 3
------	---	-----	--	----------


[00185] Table B



Number	R'	CB1 Receptor Activity	NMR (ppm) Solvent as indicated	Synthetic Route
B-1	$\text{CH}_2\text{CH}_2\text{CONH}_2$	+	CD_3OD ring- CH_3 2.31 (3H, s) CO- CH_2 2.54 (2H, t) NH- CH_2 3.63 (2H, t) aromatic H's 7.18-7.63 (7H)	Scheme 3
B-2	$\text{CH}(\text{CH}_3)\text{CH}_2\text{CONH}_2$	+	CD_3OD CH_3 1.30 (3H, d) ring- CH_3 2.30 (3H, s) CO- CH_2 2.50 (2H, dds) NH-CH 4.48 (1H, m) aromatic H's 7.18-7.56 (7H)	Scheme 3
B-3	$\text{CH}(\text{CH}_2\text{CH}(\text{CH}_3)_2)\text{CONH}_2$	++	CD_3OD CH_3 0.90 (6H, d) CH_2CH 1.71 (3H, m) ring- CH_3 2.31 (3H, s) NH-CH 4.65 (1H, m) aromatic H's 7.19-7.57 (7H)	Scheme 3
B-4	$\text{CH}(\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3)\text{CONH}_2$	+++	CD_3OD CH_3 0.90-1.10 (6H, m) CH_2CH 1.20-1.35 (2H, m) CH_2CH 1.45-1.60 (1H, m) ring- CH_3 2.36 (3H, s) NH-CH 4.50, 4.64 (d t) aromatic H's 7.05-7.45 (7H)	Scheme 3

B-5	CH(CH ₂ C ₆ H ₅)CONH ₂	+++	CD ₃ OD ring-CH ₃ 2.29 (3H, s) PhCH ₂ 3.05, 3.25 (2H, dm) NH-CH 4.83 (1H, m) aromatic H's 7.16-7.60 (12H)	Scheme 3
B-6	CH ₂ C ₆ H ₅ CONH ₂ (3)	++	DMSO(d ₆) ring-CH ₃ 2.25 (3H, s) PhCH ₂ 4.46 (2H, d) aromatic H's 7.23-7.87 (11H)	Scheme 3
B-7	CH ₂ C ₆ H ₅ CONH ₂ (4)	++	CD ₃ OD ring-CH ₃ 2.32 (3H, s) PhCH ₂ 4.61 (2H, s) aromatic H's 7.19-7.87 (11H)	Scheme 3
B-8	CH ₂ C ₆ H ₅ C(NH)NH ₂ (3)	++	CD ₃ OD ring-CH ₃ 2.36 (3H, s) PhCH ₂ 4.61 (2H, s) aromatic H's 7.17-7.90 (11H)	Scheme 3
B-9	CH ₂ C ₆ H ₅ C(NH)NH ₂ (4)	+	CD ₃ OD ring-CH ₃ 2.31 (3H, s) PhCH ₂ 4.66 (2H, s) aromatic H's 7.19-7.82 (11H)	Scheme 3
B-10	CH(C(CH ₃) ₃)CONH ₂	+++	CDCl ₃ (CH ₃) ₃ 1.11 (9H, s) ring-CH ₃ 2.34 (3H, s) PhCH ₂ 4.52 (2H, d) aromatic H's 7.04-7.62 (11H)	Scheme 3


[00186] Table C



Number	Z	Y	CB1 Receptor Activity	NMR (ppm) CDCl ₃ unless otherwise indicated	Synthesis Route
C-1	3-CO ₂ Et	Cl	++	ester-CH ₃ 1.25 (3H, t) ring-H 1.41 (1H, m) ring-H 1.81 (2H, m)	Scheme 1


				ring-H 2.00 (1H, brd d) ring-CH ₃ 2.35 (3H, s) ring-H 2.58 (1H, m) ring-H 2.70. (1H, t) ring-H 2.83 (1H, m) ring-H 3.24 (1H, brd d) ring-H 3.49 (1H, brd d) ester-CH ₂ 4.13 (2H, q) aromatic H's 7.04-7.80 (7H)	
C-2	4-CO ₂ Et	Cl	++	ester-CH ₃ 1.26 (3H, t) ring-H 2.00 (4H, m) ring-H 2.33 (1H, m) ring-CH ₃ 2.36 (3H, s) ring-H 2.72. (2H, m) ring-H 3.20 (2H, m) ester-CH ₂ 4.14 (2H, q) aromatic H's 7.04-7.80 (7H)	Scheme 1
C-3	3- CONH ₂	Cl	+++	CD ₃ OD ring-H 1.26 (1H, m) ring-H 1.80 (3H, m) ring-CH ₃ 2.35 (3H, s) ring-H 2.68 (1H, m) ring-H 2.80. (1H, m) ring-H 2.92 (1H, m) ring-H 2.98 (1H, m) ring-H 3.07 (1H, brd d) aromatic H's 7.20-7.60 (7H)	Scheme 1
C-4	4-CO ₂ Et	OCH ₃		ester-CH ₃ 1.26 (3H, t) ring-H 2.00 (4H, m) ring-H 2.33 (1H, m) ring-CH ₃ 2.36 (3H, s) ring-H 2.72. (2H, m) ring-H 3.20 (2H, m) OCH ₃ 3.79 (3H, s) ester-CH ₂ 4.14 (2H, q) aromatic H's 6.80-7.50 (7H)	Scheme 1

[00187] Table D



Number	Q''	n	CB1 Receptor Activity	NMR (ppm) CDCl ₃	Synthesis Route
D-1	OEt	2	++	ester-CH ₃ 1.27 (3H, t) ring-H 1.60 (6H, brd m) ring-H 1.94. (2H, m) ring-H 2.17 (2H, m) ring-CH ₃ 2.34 (3H, s) ester-CH ₂ 4.23 (2H, q) aromatic H's 7.03-7.45 (7H)	Scheme 2


[00188] Table E



Number	Z	CB1 Receptor Activity	NMR (ppm)	Synthesis Route
E-1	4-CO ₂ Et	+	CDCl ₃ ester-CH ₃ 1.25 (3H, t) ring-H 1.70 (4H, brd m) ring-H 1.80 (2H, m) ring-H 1.97 (2H, m) ring-CH ₃ 2.37 (3H, s) ring-H 2.50 (1H, m) ring-H 4.13 (1H, m) ester-CH ₂ 4.13 (2H, q) aromatic H's 6.93-7.42 (7H)	Scheme 2
E-2	4-CONH ₂	+	CD ₃ OD ring-H 1..75 (4H, brd m) ring-H 1.86. (4H, brd m) ring-CH ₃ 2.31 (3H, s) ring-H 2.39 (1H, m) ring-H 4.15 (1H, m) aromatic H's 7.17-7.60 (7H)	Scheme 2

[00189] Tables 1a-6b show representative examples of the compounds of the present invention. Each example in the tables represents an individual species of the present invention.

[00190] Table 1a




Ex. #	Y	Z (position on ring)	Q	n
1	Cl	2-CO ₂ Et	N	1
2	Cl	2-CO ₂ H	N	1
3	Cl	2-CH ₂ CO ₂ Et	N	1
4	Cl	2-CH ₂ CO ₂ H	N	1
5	CH ₃	2-CO ₂ Et	N	1
6	CH ₃	2-CO ₂ H	N	1
7	CH ₃	2-CH ₂ CO ₂ Et	N	1
8	CH ₃	2-CH ₂ CO ₂ H	N	1
9	OCH ₃	2-CO ₂ Et	N	1
10	OCH ₃	2-CO ₂ H	N	1
11	OCH ₃	2-CH ₂ CO ₂ Et	N	1
12	OCH ₃	2-CH ₂ CO ₂ H	N	1
13	CH(CH ₃) ₂	2-CO ₂ Et	N	1
14	CH(CH ₃) ₂	2-CO ₂ H	N	1
15	CH(CH ₃) ₂	2-CH ₂ CO ₂ Et	N	1
16	CH(CH ₃) ₂	2-CH ₂ CO ₂ H	N	1
17	Cl	2-CO ₂ Et	N	2
18	Cl	2-CO ₂ H	N	2
19	Cl	2-CH ₂ CO ₂ Et	N	2
20	Cl	2-CH ₂ CO ₂ H	N	2
21	CH ₃	2-CO ₂ Et	N	2
22	CH ₃	2-CO ₂ H	N	2
23	CH ₃	2-CH ₂ CO ₂ Et	N	2
24	CH ₃	2-CH ₂ CO ₂ H	N	2
25	OCH ₃	2-CO ₂ Et	N	2
26	OCH ₃	2-CO ₂ H	N	2
27	OCH ₃	2-CH ₂ CO ₂ Et	N	2
28	OCH ₃	2-CH ₂ CO ₂ H	N	2
29	CH(CH ₃) ₂	2-CO ₂ Et	N	2
30	CH(CH ₃) ₂	2-CO ₂ H	N	2
31	CH(CH ₃) ₂	2-CH ₂ CO ₂ Et	N	2
32	CH(CH ₃) ₂	2-CH ₂ CO ₂ H	N	2

33	Cl	3-CO ₂ Et	N	1
34	Cl	3-CO ₂ H	N	1
35	Cl	3-CH ₂ CO ₂ Et	N	1
36	Cl	3-CH ₂ CO ₂ H	N	1
37	CH ₃	3-CO ₂ Et	N	1
38	CH ₃	3-CO ₂ H	N	1
39	CH ₃	3-CH ₂ CO ₂ Et	N	1
40	CH ₃	3-CH ₂ CO ₂ H	N	1
41	OCH ₃	3-CO ₂ Et	N	1
42	OCH ₃	3-CO ₂ H	N	1
43	OCH ₃	3-CH ₂ CO ₂ Et	N	1
44	OCH ₃	3-CH ₂ CO ₂ H	N	1
45	CH(CH ₃) ₂	3-CO ₂ Et	N	1
46	CH(CH ₃) ₂	3-CO ₂ H	N	1
47	CH(CH ₃) ₂	3-CH ₂ CO ₂ Et	N	1
48	CH(CH ₃) ₂	3-CH ₂ CO ₂ H	N	1
49	Cl	3-CO ₂ Et	N	2
50	Cl	3-CO ₂ H	N	2
51	Cl	3-CH ₂ CO ₂ Et	N	2
52	Cl	3-CH ₂ CO ₂ H	N	2
53	CH ₃	3-CO ₂ Et	N	2
54	CH ₃	3-CO ₂ H	N	2
55	CH ₃	3-CH ₂ CO ₂ Et	N	2
56	CH ₃	3-CH ₂ CO ₂ H	N	2
57	OCH ₃	3-CO ₂ Et	N	2
58	OCH ₃	3-CO ₂ H	N	2
59	OCH ₃	3-CH ₂ CO ₂ Et	N	2
60	OCH ₃	3-CH ₂ CO ₂ H	N	2
61	CH(CH ₃) ₂	3-CO ₂ Et	N	2
62	CH(CH ₃) ₂	3-CO ₂ H	N	2
63	CH(CH ₃) ₂	3-CH ₂ CO ₂ Et	N	2
64	CH(CH ₃) ₂	3-CH ₂ CO ₂ H	N	2
65	Cl	4-CO ₂ Et	N	2
66	Cl	4-CO ₂ H	N	2
67	Cl	4-CH ₂ CO ₂ Et	N	2
68	Cl	4-CH ₂ CO ₂ H	N	2
69	CH ₃	4-CO ₂ Et	N	2
70	CH ₃	4-CO ₂ H	N	2
71	CH ₃	4-CH ₂ CO ₂ Et	N	2
72	CH ₃	4-CH ₂ CO ₂ H	N	2
73	OCH ₃	4-CO ₂ Et	N	2
74	OCH ₃	4-CO ₂ H	N	2
75	OCH ₃	4-CH ₂ CO ₂ Et	N	2
76	OCH ₃	4-CH ₂ CO ₂ H	N	2
77	CH(CH ₃) ₂	4-CO ₂ Et	N	2
78	CH(CH ₃) ₂	4-CO ₂ H	N	2

79	CH(CH ₃) ₂	4-CH ₂ CO ₂ Et	N	2
80	CH(CH ₃) ₂	4-CH ₂ CO ₂ H	N	2
81	Cl	1-CO ₂ Et	C	1
82	Cl	1-CO ₂ H	C	1
83	Cl	1-CH ₂ CO ₂ Et	C	1
84	Cl	1-CH ₂ CO ₂ H	C	1
85	CH ₃	1-CO ₂ Et	C	1
86	CH ₃	1-CO ₂ H	C	1
87	CH ₃	1-CH ₂ CO ₂ Et	C	1
88	CH ₃	1-CH ₂ CO ₂ H	C	1
89	OCH ₃	1-CO ₂ Et	C	1
90	OCH ₃	1-CO ₂ H	C	1
91	OCH ₃	1-CH ₂ CO ₂ Et	C	1
92	OCH ₃	1-CH ₂ CO ₂ H	C	1
93	CH(CH ₃) ₂	1-CO ₂ Et	C	1
94	CH(CH ₃) ₂	1-CO ₂ H	C	1
95	CH(CH ₃) ₂	1-CH ₂ CO ₂ Et	C	1
96	CH(CH ₃) ₂	1-CH ₂ CO ₂ H	C	1
97	Cl	1-CO ₂ Et	C	2
98	Cl	1-CO ₂ H	C	2
99	Cl	1-CH ₂ CO ₂ Et	C	2
100	Cl	1-CH ₂ CO ₂ H	C	2
101	CH ₃	1-CO ₂ Et	C	2
102	CH ₃	1-CO ₂ H	C	2
103	CH ₃	1-CH ₂ CO ₂ Et	C	2
104	CH ₃	2-CH ₂ CO ₂ H	C	2
105	OCH ₃	2-CO ₂ Et	C	2
105	OCH ₃	1-CO ₂ H	C	2
107	OCH ₃	1-CH ₂ CO ₂ Et	C	2
108	OCH ₃	1-CH ₂ CO ₂ H	C	2
109	CH(CH ₃) ₂	1-CO ₂ Et	C	2
110	CH(CH ₃) ₂	1-CO ₂ H	C	2
111	CH(CH ₃) ₂	1-CH ₂ CO ₂ Et	C	2
112	CH(CH ₃) ₂	1-CH ₂ CO ₂ H	C	2
113	Cl	2-CO ₂ Et	CH	1
114	Cl	2-CO ₂ H	CH	1
115	Cl	2-CH ₂ CO ₂ Et	CH	1
116	Cl	2-CH ₂ CO ₂ H	CH	1
117	CH ₃	2-CO ₂ Et	CH	1
118	CH ₃	2-CO ₂ H	CH	1
119	CH ₃	2-CH ₂ CO ₂ Et	CH	1
120	CH ₃	2-CH ₂ CO ₂ H	CH	1
121	OCH ₃	2-CO ₂ Et	CH	1
122	OCH ₃	2-CO ₂ H	CH	1
123	OCH ₃	2-CH ₂ CO ₂ Et	CH	1
124	OCH ₃	2-CH ₂ CO ₂ H	CH	1

125	CH(CH ₃) ₂	2-CO ₂ Et	CH	1
126	CH(CH ₃) ₂	2-CO ₂ H	CH	1
127	CH(CH ₃) ₂	2-CH ₂ CO ₂ Et	CH	1
128	CH(CH ₃) ₂	2-CH ₂ CO ₂ H	CH	1
129	Cl	2-CO ₂ Et	CH	2
130	Cl	2-CO ₂ H	CH	2
131	Cl	2-CH ₂ CO ₂ Et	CH	2
132	Cl	2-CH ₂ CO ₂ H	CH	2
133	CH ₃	2-CO ₂ Et	CH	2
134	CH ₃	2-CO ₂ H	CH	2
135	CH ₃	2-CH ₂ CO ₂ Et	CH	2
136	CH ₃	2-CH ₂ CO ₂ H	CH	2
137	OCH ₃	2-CO ₂ Et	CH	2
138	OCH ₃	2-CO ₂ H	CH	2
139	OCH ₃	2-CH ₂ CO ₂ Et	CH	2
140	OCH ₃	2-CH ₂ CO ₂ H	CH	2
141	CH(CH ₃) ₂	2-CO ₂ Et	CH	2
142	CH(CH ₃) ₂	2-CO ₂ H	CH	2
143	CH(CH ₃) ₂	2-CH ₂ CO ₂ Et	CH	2
144	CH(CH ₃) ₂	2-CH ₂ CO ₂ H	CH	2

[00191] Table 1b



Ex. #	Y	Z (position on ring)	Q	n
1	Cl	2-CH ₂ OCH ₂ CO ₂ Et	N	1
2	Cl	2-CH ₂ OCH ₂ CO ₂ H	N	1
3	Cl	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
4	Cl	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
5	CH ₃	2-CH ₂ OCH ₂ CO ₂ Et	N	1
6	CH ₃	2-CH ₂ OCH ₂ CO ₂ H	N	1
7	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
8	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
9	OCH ₃	2-CH ₂ OCH ₂ CO ₂ Et	N	1
10	OCH ₃	2-CH ₂ OCH ₂ CO ₂ H	N	1
11	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
12	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1


13	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ Et	N	1
14	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ H	N	1
15	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
16	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
17	Cl	2-CH ₂ OCH ₂ CO ₂ Et	N	2
18	Cl	2-CH ₂ OCH ₂ CO ₂ H	N	2
19	Cl	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
20	Cl	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
21	CH ₃	2-CH ₂ OCH ₂ CO ₂ Et	N	2
22	CH ₃	2-CH ₂ OCH ₂ CO ₂ H	N	2
23	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
24	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
25	OCH ₃	2-CH ₂ OCH ₂ CO ₂ Et	N	2
26	OCH ₃	2-CH ₂ OCH ₂ CO ₂ H	N	2
27	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
28	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
29	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ Et	N	2
30	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ H	N	2
31	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
32	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
33	Cl	3-CH ₂ OCH ₂ CO ₂ Et	N	1
34	Cl	3-CH ₂ OCH ₂ CO ₂ H	N	1
35	Cl	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
36	Cl	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
37	CH ₃	3-CH ₂ OCH ₂ CO ₂ Et	N	1
38	CH ₃	3-CH ₂ OCH ₂ CO ₂ H	N	1
39	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
40	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
41	OCH ₃	3-CH ₂ OCH ₂ CO ₂ Et	N	1
42	OCH ₃	3-CH ₂ OCH ₂ CO ₂ H	N	1
43	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
44	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
45	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ Et	N	1
46	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ H	N	1
47	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	1
48	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	1
49	Cl	3-CH ₂ OCH ₂ CO ₂ Et	N	2
50	Cl	3-CH ₂ OCH ₂ CO ₂ H	N	2
51	Cl	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
52	Cl	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
53	CH ₃	3-CH ₂ OCH ₂ CO ₂ Et	N	2
54	CH ₃	3-CH ₂ OCH ₂ CO ₂ H	N	2
55	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
56	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
57	OCH ₃	3-CH ₂ OCH ₂ CO ₂ Et	N	2
58	OCH ₃	3-CH ₂ OCH ₂ CO ₂ H	N	2

59	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
60	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
61	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ Et	N	2
62	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ H	N	2
63	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
64	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
65	Cl	4-CH ₂ OCH ₂ CO ₂ Et	N	2
66	Cl	4-CH ₂ OCH ₂ CO ₂ H	N	2
67	Cl	4-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
68	Cl	4-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
69	CH ₃	4-CH ₂ OCH ₂ CO ₂ Et	N	2
70	CH ₃	4-CH ₂ OCH ₂ CO ₂ H	N	2
71	CH ₃	4-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
72	CH ₃	4-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
73	OCH ₃	4-CH ₂ OCH ₂ CO ₂ Et	N	2
74	OCH ₃	4-CH ₂ OCH ₂ CO ₂ H	N	2
75	OCH ₃	4-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
76	OCH ₃	4-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
77	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CO ₂ Et	N	2
78	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CO ₂ H	N	2
79	CH(CH ₃) ₂	4-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	N	2
80	CH(CH ₃) ₂	4-CH ₂ O(CH ₂) ₃ PO(OH) ₂	N	2
81	Cl	2-CH ₂ OCH ₂ CO ₂ Et	CH	1
82	Cl	2-CH ₂ OCH ₂ CO ₂ H	CH	1
83	Cl	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	1
84	Cl	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	1
85	CH ₃	2-CH ₂ OCH ₂ CO ₂ Et	CH	1
86	CH ₃	2-CH ₂ OCH ₂ CO ₂ H	CH	1
87	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	1
88	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	1
89	OCH ₃	2-CH ₂ OCH ₂ CO ₂ Et	CH	1
90	OCH ₃	2-CH ₂ OCH ₂ CO ₂ H	CH	1
91	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	1
92	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	1
93	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ Et	CH	1
94	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ H	CH	1
95	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	1
96	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	1
97	Cl	2-CH ₂ OCH ₂ CO ₂ Et	CH	2
98	Cl	2-CH ₂ OCH ₂ CO ₂ H	CH	2
99	Cl	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
100	Cl	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
101	CH ₃	2-CH ₂ OCH ₂ CO ₂ Et	CH	2
102	CH ₃	2-CH ₂ OCH ₂ CO ₂ H	CH	2
103	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
104	CH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2

105	OCH ₃	2-CH ₂ OCH ₂ CO ₂ Et	CH	2
105	OCH ₃	2-CH ₂ OCH ₂ CO ₂ H	CH	2
107	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
108	OCH ₃	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
109	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ Et	CH	2
110	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CO ₂ H	CH	2
111	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
112	CH(CH ₃) ₂	2-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
113	Cl	1-CH ₂ OCH ₂ CO ₂ Et	C	1
114	Cl	1-CH ₂ OCH ₂ CO ₂ H	C	1
115	Cl	1-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	C	1
116	Cl	1-CH ₂ O(CH ₂) ₃ PO(OH) ₂	C	1
117	CH ₃	1-CH ₂ OCH ₂ CO ₂ Et	C	1
118	CH ₃	1-CH ₂ OCH ₂ CO ₂ H	C	1
119	CH ₃	1-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	C	1
120	CH ₃	1-CH ₂ O(CH ₂) ₃ PO(OH) ₂	C	1
121	OCH ₃	1-CH ₂ OCH ₂ CO ₂ Et	C	1
122	OCH ₃	1-CH ₂ OCH ₂ CO ₂ H	C	1
123	OCH ₃	1-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	C	1
124	OCH ₃	1-CH ₂ O(CH ₂) ₃ PO(OH) ₂	C	1
125	CH(CH ₃) ₂	1-CH ₂ OCH ₂ CO ₂ Et	C	1
126	CH(CH ₃) ₂	1-CH ₂ OCH ₂ CO ₂ H	C	1
127	CH(CH ₃) ₂	1-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	C	1
128	CH(CH ₃) ₂	1-CH ₂ O(CH ₂) ₃ PO(OH) ₂	C	1
129	Cl	3-CH ₂ OCH ₂ CO ₂ Et	CH	2
130	Cl	3-CH ₂ OCH ₂ CO ₂ H	CH	2
131	Cl	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
132	Cl	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
133	CH ₃	3-CH ₂ OCH ₂ CO ₂ Et	CH	2
134	CH ₃	3-CH ₂ OCH ₂ CO ₂ H	CH	2
135	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
136	CH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
137	OCH ₃	3-CH ₂ OCH ₂ CO ₂ Et	CH	2
138	OCH ₃	3-CH ₂ OCH ₂ CO ₂ H	CH	2
139	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
140	OCH ₃	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2
141	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ Et	CH	2
142	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CO ₂ H	CH	2
143	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OEt) ₂	CH	2
144	CH(CH ₃) ₂	3-CH ₂ O(CH ₂) ₃ PO(OH) ₂	CH	2

[00192]

Table 1c



Ex. #	Y	Z (position on ring)	Q	n
1	Cl	2-CONH ₂	N	1
2	Cl	2-CH ₂ OCH ₂ CONH ₂	N	1
3	Cl	2-CH ₂ CONH ₂	N	1
4	Cl	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
5	CH ₃	2-CONH ₂	N	1
6	CH ₃	2-CH ₂ OCH ₂ CONH ₂	N	1
7	CH ₃	2-CH ₂ CONH ₂	N	1
8	CH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
9	OCH ₃	2-CONH ₂	N	1
10	OCH ₃	2-CH ₂ OCH ₂ CONH ₂	N	1
11	OCH ₃	2-CH ₂ CONH ₂	N	1
12	OCH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
13	CH(CH ₃) ₂	2-CONH ₂	N	1
14	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CONH ₂	N	1
15	CH(CH ₃) ₂	2-CH ₂ CONH ₂	N	1
16	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
17	Cl	2-CONH ₂	N	2
18	Cl	2-CH ₂ OCH ₂ CONH ₂	N	2
19	Cl	2-CH ₂ CONH ₂	N	2
20	Cl	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
21	CH ₃	2-CONH ₂	N	2
22	CH ₃	2-CH ₂ OCH ₂ CONH ₂	N	2
23	CH ₃	2-CH ₂ CONH ₂	N	2
24	CH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
25	OCH ₃	2-CONH ₂	N	2
26	OCH ₃	2-CH ₂ OCH ₂ CONH ₂	N	2
27	OCH ₃	2-CH ₂ CONH ₂	N	2
28	OCH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
29	CH(CH ₃) ₂	2-CONH ₂	N	2
30	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CONH ₂	N	2
31	CH(CH ₃) ₂	2-CH ₂ CONH ₂	N	2
32	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
33	Cl	3-CONH ₂	N	1


34	Cl	3-CH ₂ OCH ₂ CONH ₂	N	1
35	Cl	3-CH ₂ CONH ₂	N	1
36	Cl	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
37	CH ₃	3-CONH ₂	N	1
38	CH ₃	3-CH ₂ OCH ₂ CONH ₂	N	1
39	CH ₃	3-CH ₂ CONH ₂	N	1
40	CH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
41	OCH ₃	3-CONH ₂	N	1
42	OCH ₃	3-CH ₂ OCH ₂ CONH ₂	N	1
43	OCH ₃	3-CH ₂ CONH ₂	N	1
44	OCH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
45	CH(CH ₃) ₂	3-CONH ₂	N	1
4	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CONH ₂	N	1
47	CH(CH ₃) ₂	3-CH ₂ CONH ₂	N	1
48	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	1
49	Cl	3-CONH ₂	N	2
50	Cl	3-CH ₂ OCH ₂ CONH ₂	N	2
51	Cl	3-CH ₂ CONH ₂	N	2
52	Cl	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
53	CH ₃	3-CONH ₂	N	2
54	CH ₃	3-CH ₂ OCH ₂ CONH ₂	N	2
55	CH ₃	3-CH ₂ CONH ₂	N	2
56	CH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
57	OCH ₃	3-CONH ₂	N	2
58	OCH ₃	3-CH ₂ OCH ₂ CONH ₂	N	2
59	OCH ₃	3-CH ₂ CONH ₂	N	2
60	OCH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
61	CH(CH ₃) ₂	3-CONH ₂	N	2
62	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CONH ₂	N	2
63	CH(CH ₃) ₂	3-CH ₂ CONH ₂	N	2
64	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
65	Cl	4-CONH ₂	N	2
66	Cl	4-CH ₂ OCH ₂ CONH ₂	N	2
67	Cl	4-CH ₂ CONH ₂	N	2
68	Cl	4-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
69	CH ₃	4-CONH ₂	N	2
70	CH ₃	4-CH ₂ OCH ₂ CONH ₂	N	2
71	CH ₃	4-CH ₂ CONH ₂	N	2
72	CH ₃	4-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
73	OCH ₃	4-CONH ₂	N	2
74	OCH ₃	4-CH ₂ OCH ₂ CONH ₂	N	2
75	OCH ₃	4-CH ₂ CONH ₂	N	2
76	OCH ₃	4-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
77	CH(CH ₃) ₂	4-CONH ₂	N	2
78	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CONH ₂	N	2
79	CH(CH ₃) ₂	4-CH ₂ CONH ₂	N	2

80	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CH=CHCONH ₂	N	2
81	Cl	1-CONH ₂	C	1
82	Cl	1-CH ₂ OCH ₂ CONH ₂	C	1
83	Cl	1-CH ₂ CONH ₂	C	1
84	CH ₃	1-CONH ₂	C	1
85	CH ₃	1-CH ₂ OCH ₂ CONH ₂	C	1
86	CH ₃	1-CH ₂ CONH ₂	C	1
87	OCH ₃	1-CONH ₂	C	1
88	OCH ₃	1-CH ₂ OCH ₂ CONH ₂	C	1
89	OCH ₃	1-CH ₂ CONH ₂	C	1
90	CH(CH ₃) ₂	1-CONH ₂	C	1
91	CH(CH ₃) ₂	1-CH ₂ OCH ₂ CONH ₂	C	1
92	CH(CH ₃) ₂	1-CH ₂ CONH ₂	C	1
93	Cl	1-CONH ₂	C	2
94	Cl	1-CH ₂ OCH ₂ CONH ₂	C	2
95	Cl	1-CH ₂ CONH ₂	C	2
96	CH ₃	1-CONH ₂	C	2
97	CH ₃	1-CH ₂ OCH ₂ CONH ₂	C	2
98	CH ₃	1-CH ₂ CONH ₂	C	2
99	OCH ₃	1-CONH ₂	C	2
100	OCH ₃	1-CH ₂ OCH ₂ CONH ₂	C	2
101	OCH ₃	1-CH ₂ CONH ₂	C	2
102	CH(CH ₃) ₂	1-CONH ₂	C	2
103	CH(CH ₃) ₂	1-CH ₂ OCH ₂ CONH ₂	C	2
104	CH(CH ₃) ₂	1-CH ₂ CONH ₂	C	2
105	Cl	2-CONH ₂	CH	1
105	Cl	2-CH ₂ OCH ₂ CONH ₂	CH	1
107	Cl	2-CH ₂ CONH ₂	CH	1
108	Cl	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
109	CH ₃	2-CONH ₂	CH	1
110	CH ₃	2-CH ₂ OCH ₂ CONH ₂	CH	1
111	CH ₃	2-CH ₂ CONH ₂	CH	1
112	CH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
113	OCH ₃	2-CONH ₂	CH	1
114	OCH ₃	2-CH ₂ OCH ₂ CONH ₂	CH	1
115	OCH ₃	2-CH ₂ CONH ₂	CH	1
116	OCH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
117	CH(CH ₃) ₂	2-CONH ₂	CH	1
118	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CONH ₂	CH	1
119	CH(CH ₃) ₂	2-CH ₂ CONH ₂	CH	1
120	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
121	Cl	2-CONH ₂	CH	2
122	Cl	2-CH ₂ OCH ₂ CONH ₂	CH	2
123	Cl	2-CH ₂ CONH ₂	CH	2
124	Cl	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
125	CH ₃	2-CONH ₂	CH	2

126	CH ₃	2-CH ₂ OCH ₂ CONH ₂	CH	2
127	CH ₃	2-CH ₂ CONH ₂	CH	2
128	CH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
129	OCH ₃	2-CONH ₂	CH	2
130	OCH ₃	2-CH ₂ OCH ₂ CONH ₂	CH	2
131	OCH ₃	2-CH ₂ CONH ₂	CH	2
132	OCH ₃	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
133	CH(CH ₃) ₂	2-CONH ₂	CH	2
134	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CONH ₂	CH	2
135	CH(CH ₃) ₂	2-CH ₂ CONH ₂	CH	2
136	CH(CH ₃) ₂	2-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
137	Cl	3-CONH ₂	CH	1
138	Cl	3-CH ₂ OCH ₂ CONH ₂	CH	1
139	Cl	3-CH ₂ CONH ₂	CH	1
140	Cl	3-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
141	CH ₃	3-CONH ₂	CH	1
142	CH ₃	3-CH ₂ OCH ₂ CONH ₂	CH	1
143	CH ₃	3-CH ₂ CONH ₂	CH	1
144	CH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
145	OCH ₃	3-CONH ₂	CH	1
146	OCH ₃	3-CH ₂ OCH ₂ CONH ₂	CH	1
147	OCH ₃	3-CH ₂ CONH ₂	CH	1
148	OCH ₃	3-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
149	CH(CH ₃) ₂	3-CONH ₂	CH	1
150	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CONH ₂	CH	1
151	CH(CH ₃) ₂	3-CH ₂ CONH ₂	CH	1
153	CH(CH ₃) ₂	3-CH ₂ OCH ₂ CH=CHCONH ₂	CH	1
154	Cl	4-CONH ₂	CH	2
155	Cl	4-CH ₂ OCH ₂ CONH ₂	CH	2
156	Cl	4-CH ₂ CONH ₂	CH	2
157	Cl	4-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
158	CH ₃	4-CONH ₂	CH	2
159	CH ₃	4-CH ₂ OCH ₂ CONH ₂	CH	2
160	CH ₃	4-CH ₂ CONH ₂	CH	2
161	CH ₃	4-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
162	OCH ₃	4-CONH ₂	CH	2
163	OCH ₃	4-CH ₂ OCH ₂ CONH ₂	CH	2
164	OCH ₃	4-CH ₂ CONH ₂	CH	2
165	OCH ₃	4-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
166	CH(CH ₃) ₂	4-CONH ₂	CH	2
176	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CONH ₂	CH	2
168	CH(CH ₃) ₂	4-CH ₂ CONH ₂	CH	2
169	CH(CH ₃) ₂	4-CH ₂ OCH ₂ CH=CHCONH ₂	CH	2
170	Cl	4-C(NH)NH ₂	N	2
171	Cl	3-C(NH)NH ₂	N	2
172	Cl	2-C(NH)NH ₂	N	1

173	Cl	3-C(NH)NH ₂	N	1
174	OCH ₃	4-C(NH)NH ₂	N	2
175	OCH ₃	3-C(NH)NH ₂	N	2
176	OCH ₃	2-C(NH)NH ₂	N	1
177	OCH ₃	3-C(NH)NH ₂	N	1
178	CH ₃	4-C(NH)NH ₂	N	2
179	CH ₃	3-C(NH)NH ₂	N	2
180	CH ₃	2-C(NH)NH ₂	N	1
181	CH ₃	3-C(NH)NH ₂	N	1
182	CH(CH ₃) ₂	4-C(NH)NH ₂	N	2
183	CH(CH ₃) ₂	3-C(NH)NH ₂	N	2
184	CH(CH ₃) ₂	2-C(NH)NH ₂	N	1
185	CH(CH ₃) ₂	3-C(NH)NH ₂	N	1

[00193] Table 2a



Ex. #	X	Y	X'
1	CO ₂ Et	H	H
2	CO ₂ H	H	H
3	CH ₂ CO ₂ Et	H	H
4	CH ₂ CO ₂ H	H	H
5	OCH ₂ CO ₂ Et	H	H
6	OCH ₂ CO ₂ H	H	H
7	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
8	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
9	OCH ₂ C ₆ H ₄ CO ₂ Et	H	H
10	OCH ₂ C ₆ H ₄ CO ₂ H	H	H
11	NHCH ₂ CO ₂ Et	H	H
12	NHCH ₂ CO ₂ H	H	H
13	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
14	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
15	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	H
16	NHCH ₂ C ₆ H ₄ CO ₂ H	H	H
17	NHCOCH ₂ CH ₂ CO ₂ Et	H	H
18	NHCOCH ₂ CH ₂ CO ₂ H	H	H

19	NHSO ₂ CH ₃	H	H
20	NHCH ₂ CH=CHCO ₂ Et	H	H
21	NHCH ₂ CH=CHCO ₂ H	H	H
22	CONH ₂	H	H
23	CH ₂ CONH ₂	H	H
24	OCH ₂ CONH ₂	H	H
25	CN ₄ H	H	H
26	H	CO ₂ Et	H
27	H	CO ₂ H	H
28	H	CH ₂ CO ₂ Et	H
29	H	CH ₂ CO ₂ H	H
30	H	OCH ₂ CO ₂ Et	H
31	H	OCH ₂ CO ₂ H	H
32	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
33	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
34	H	OCH ₂ C ₆ H ₄ CO ₂ Et	H
35	H	OCH ₂ C ₆ H ₄ CO ₂ H	H
36	H	NHCH ₂ CO ₂ Et	H
37	H	NHCH ₂ CO ₂ H	H
38	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
39	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
40	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
41	H	NHCH ₂ C ₆ H ₄ CO ₂ H	H
42	H	NHCOCH ₂ CH ₂ CO ₂ Et	H
43	H	NHCOCH ₂ CH ₂ CO ₂ H	H
44	H	NHSO ₂ CH ₃	H
45	H	NHCH ₂ CH=CHCO ₂ Et	H
46	H	NHCH ₂ CH=CHCO ₂ H	H
47	H	CONH ₂	H
48	H	CH ₂ CONH ₂	H
49	H	OCH ₂ CONH ₂	H
50	H	CN ₄ H	H
51	CO ₂ Et	H	Cl
52	CO ₂ H	H	Cl
53	CH ₂ CO ₂ Et	H	Cl
54	CH ₂ CO ₂ H	H	Cl
55	OCH ₂ CO ₂ Et	H	Cl
56	OCH ₂ CO ₂ H	H	Cl
57	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
58	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl
59	OCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
60	OCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
61	NHCH ₂ CO ₂ Et	H	Cl
62	NHCH ₂ CO ₂ H	H	Cl
63	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
64	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl

65	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
66	NHCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
67	NHCOCH ₂ CH ₂ CO ₂ Et	H	Cl
68	NHCOCH ₂ CH ₂ CO ₂ H	H	Cl
69	NHSO ₂ CH ₃	H	Cl
70	NHCH ₂ CH=CHCO ₂ Et	H	Cl
71	NHCH ₂ CH=CHCO ₂ H	H	Cl
72	CONH ₂	H	Cl
73	CH ₂ CONH ₂	H	Cl
74	OCH ₂ CONH ₂	H	Cl
75	CN ₄ H	H	Cl
76	H	CO ₂ Et	Cl
77	H	CO ₂ H	Cl
78	H	CH ₂ CO ₂ Et	Cl
79	H	CH ₂ CO ₂ H	Cl
80	H	OCH ₂ CO ₂ Et	Cl
81	H	OCH ₂ CO ₂ H	Cl
82	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
83	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
84	H	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
85	H	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
86	H	NHCH ₂ CO ₂ Et	Cl
87	H	NHCH ₂ CO ₂ H	Cl
88	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
89	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
90	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
91	H	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
92	H	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
93	H	NHCOCH ₂ CH ₂ CO ₂ H	Cl
94	H	NHSO ₂ CH ₃	Cl
95	H	NHCH ₂ CH=CHCO ₂ Et	Cl
96	H	NHCH ₂ CH=CHCO ₂ H	Cl
97	H	CONH ₂	Cl
98	H	CH ₂ CONH ₂	Cl
99	H	OCH ₂ CONH ₂	Cl
100	H	CN ₄ H	Cl
101	CO ₂ Et	H	OCH ₃
102	CO ₂ H	H	OCH ₃
103	CH ₂ CO ₂ Et	H	OCH ₃
104	CH ₂ CO ₂ H	H	OCH ₃
105	OCH ₂ CO ₂ Et	H	OCH ₃
106	OCH ₂ CO ₂ H	H	OCH ₃
107	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
108	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
109	OCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
110	OCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃

111	NHCH ₂ CO ₂ Et	H	OCH ₃
112	NHCH ₂ CO ₂ H	H	OCH ₃
113	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
114	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
115	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
116	NHCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃
117	NHCOCH ₂ CH ₂ CO ₂ Et	H	OCH ₃
118	NHCOCH ₂ CH ₂ CO ₂ H	H	OCH ₃
119	NHSO ₂ CH ₃	H	OCH ₃
120	NHCH ₂ CH=CHCO ₂ Et	H	OCH ₃
121	NHCH ₂ CH=CHCO ₂ H	H	OCH ₃
122	CONH ₂	H	OCH ₃
123	CH ₂ CONH ₂	H	OCH ₃
124	OCH ₂ CONH ₂	H	OCH ₃
125	CN ₄ H	H	OCH ₃
126	H	CO ₂ Et	OCH ₃
127	H	CO ₂ H	OCH ₃
128	H	CH ₂ CO ₂ Et	OCH ₃
129	H	CH ₂ CO ₂ H	OCH ₃
130	H	OCH ₂ CO ₂ Et	OCH ₃
131	H	OCH ₂ CO ₂ H	OCH ₃
132	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
133	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
134	H	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
135	H	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
136	H	NHCH ₂ CO ₂ Et	OCH ₃
137	H	NHCH ₂ CO ₂ H	OCH ₃
138	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
139	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
140	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
141	H	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
142	H	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
143	H	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
144	H	NHSO ₂ CH ₃	OCH ₃
145	H	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
146	H	NHCH ₂ CH=CHCO ₂ H	OCH ₃
147	H	CONH ₂	OCH ₃
148	H	CH ₂ CONH ₂	OCH ₃
149	H	OCH ₂ CONH ₂	OCH ₃
150	H	CN ₄ H	OCH ₃
151	CO ₂ Et	H	CH ₃
152	CO ₂ H	H	CH ₃
153	CH ₂ CO ₂ Et	H	CH ₃
154	CH ₂ CO ₂ H	H	CH ₃
155	OCH ₂ CO ₂ Et	H	CH ₃
156	OCH ₂ CO ₂ H	H	CH ₃

157	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
158	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
159	OCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
160	OCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
161	NHCH ₂ CO ₂ Et	H	CH ₃
162	NHCH ₂ CO ₂ H	H	CH ₃
163	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
164	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
165	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
166	NHCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
167	NHCOCH ₂ CH ₂ CO ₂ Et	H	CH ₃
168	NHCOCH ₂ CH ₂ CO ₂ H	H	CH ₃
69	NHSO ₂ CH ₃	H	CH ₃
170	NHCH ₂ CH=CHCO ₂ Et	H	CH ₃
171	NHCH ₂ CH=CHCO ₂ H	H	CH ₃
172	CONH ₂	H	CH ₃
173	CH ₂ CONH ₂	H	CH ₃
174	OCH ₂ CONH ₂	H	CH ₃
175	CN ₄ H	H	CH ₃
176	H	CO ₂ Et	CH ₃
177	H	CO ₂ H	CH ₃
178	H	CH ₂ CO ₂ Et	CH ₃
179	H	CH ₂ CO ₂ H	CH ₃
180	H	OCH ₂ CO ₂ Et	CH ₃
181	H	OCH ₂ CO ₂ H	CH ₃
182	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
183	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
184	H	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
185	H	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
186	H	NHCH ₂ CO ₂ Et	CH ₃
187	H	NHCH ₂ CO ₂ H	CH ₃
188	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
189	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
190	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
191	H	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
192	H	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
193	H	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
194	H	NHSO ₂ CH ₃	CH ₃
195	H	NHCH ₂ CH=CHCO ₂ Et	CH ₃
196	H	NHCH ₂ CH=CHCO ₂ H	CH ₃
197	H	CONH ₂	CH ₃
198	H	CH ₂ CONH ₂	CH ₃
199	H	OCH ₂ CONH ₂	CH ₃
200	H	CN ₄ H	CH ₃
201	CO ₂ Et	Cl	H
202	CO ₂ H	Cl	H

203	CH ₂ CO ₂ Et	Cl	H
204	CH ₂ CO ₂ H	Cl	H
205	OCH ₂ CO ₂ Et	Cl	H
206	OCH ₂ CO ₂ H	Cl	H
207	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
208	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
209	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
210	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
211	NHCH ₂ CO ₂ Et	Cl	H
212	NHCH ₂ CO ₂ H	Cl	H
213	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
214	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
215	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
216	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
217	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	H
218	NHCOCH ₂ CH ₂ CO ₂ H	Cl	H
219	NHSO ₂ CH ₃	Cl	H
220	NHCH ₂ CH=CHCO ₂ Et	Cl	H
221	NHCH ₂ CH=CHCO ₂ H	Cl	H
222	CONH ₂	Cl	H
223	CH ₂ CONH ₂	Cl	H
224	OCH ₂ CONH ₂	Cl	H
225	CN ₄ H	Cl	H
226	Cl	CO ₂ Et	H
227	Cl	CO ₂ H	H
228	Cl	CH ₂ CO ₂ Et	H
229	Cl	CH ₂ CO ₂ H	H
230	Cl	OCH ₂ CO ₂ Et	H
231	Cl	OCH ₂ CO ₂ H	H
232	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
233	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
234	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	H
235	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	H
236	Cl	NHCH ₂ CO ₂ Et	H
237	Cl	NHCH ₂ CO ₂ H	H
238	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
239	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
240	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
241	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	H
242	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	H
243	Cl	NHCOCH ₂ CH ₂ CO ₂ H	H
244	Cl	NHSO ₂ CH ₃	H
245	Cl	NHCH ₂ CH=CHCO ₂ Et	H
246	Cl	NHCH ₂ CH=CHCO ₂ H	H
247	Cl	CONH ₂	H
248	Cl	CH ₂ CONH ₂	H


249	Cl	OCH ₂ CONH ₂	H
250	Cl	CN ₄ H	H
251	CO ₂ Et	Cl	Cl
252	CO ₂ H	Cl	Cl
253	CH ₂ CO ₂ Et	Cl	Cl
254	CH ₂ CO ₂ H	Cl	Cl
255	OCH ₂ CO ₂ Et	Cl	Cl
256	OCH ₂ CO ₂ H	Cl	Cl
257	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
258	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
259	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
260	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
261	NHCH ₂ CO ₂ Et	Cl	Cl
262	NHCH ₂ CO ₂ H	Cl	Cl
263	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
264	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
265	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
266	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
267	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	Cl
268	NHCOCH ₂ CH ₂ CO ₂ H	Cl	Cl
269	NHSO ₂ CH ₃	Cl	Cl
270	NHCH ₂ CH=CHCO ₂ Et	Cl	Cl
271	NHCH ₂ CH=CHCO ₂ H	Cl	Cl
272	CONH ₂	Cl	Cl
273	CH ₂ CONH ₂	Cl	Cl
274	OCH ₂ CONH ₂	Cl	Cl
275	CN ₄ H	Cl	Cl
276	Cl	CO ₂ Et	Cl
277	Cl	CO ₂ H	Cl
278	Cl	CH ₂ CO ₂ Et	Cl
279	Cl	CH ₂ CO ₂ H	Cl
280	Cl	OCH ₂ CO ₂ Et	Cl
281	Cl	OCH ₂ CO ₂ H	Cl
282	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
283	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
284	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
285	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
286	Cl	NHCH ₂ CO ₂ Et	Cl
287	Cl	NHCH ₂ CO ₂ H	Cl
288	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
289	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
290	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
291	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
292	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
293	Cl	NHCOCH ₂ CH ₂ CO ₂ H	Cl
294	Cl	NHSO ₂ CH ₃	Cl

295	Cl	NHCH ₂ CH=CHCO ₂ Et	Cl
296	Cl	NHCH ₂ CH=CHCO ₂ H	Cl
297	Cl	CONH ₂	Cl
298	Cl	CH ₂ CONH ₂	Cl
299	Cl	OCH ₂ CONH ₂	Cl
300	Cl	CN ₄ H	Cl
301	CO ₂ Et	Cl	OCH ₃
302	CO ₂ H	Cl	OCH ₃
303	CH ₂ CO ₂ Et	Cl	OCH ₃
304	CH ₂ CO ₂ H	Cl	OCH ₃
305	OCH ₂ CO ₂ Et	Cl	OCH ₃
306	OCH ₂ CO ₂ H	Cl	OCH ₃
307	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
308	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
309	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
310	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
311	NHCH ₂ CO ₂ Et	Cl	OCH ₃
312	NHCH ₂ CO ₂ H	Cl	OCH ₃
313	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
314	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
315	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
316	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
317	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	OCH ₃
318	NHCOCH ₂ CH ₂ CO ₂ H	Cl	OCH ₃
319	NHSO ₂ CH ₃	Cl	OCH ₃
320	NHCH ₂ CH=CHCO ₂ Et	Cl	OCH ₃
321	NHCH ₂ CH=CHCO ₂ H	Cl	OCH ₃
322	CONH ₂	Cl	OCH ₃
323	CH ₂ CONH ₂	Cl	OCH ₃
324	OCH ₂ CONH ₂	Cl	OCH ₃
325	CN ₄ H	Cl	OCH ₃
326	Cl	CO ₂ Et	OCH ₃
327	Cl	CO ₂ H	OCH ₃
328	Cl	CH ₂ CO ₂ Et	OCH ₃
329	Cl	CH ₂ CO ₂ H	OCH ₃
330	Cl	OCH ₂ CO ₂ Et	OCH ₃
331	Cl	OCH ₂ CO ₂ H	OCH ₃
332	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
333	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
334	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
335	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
336	Cl	NHCH ₂ CO ₂ Et	OCH ₃
337	Cl	NHCH ₂ CO ₂ H	OCH ₃
338	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
339	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
340	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃

341	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
342	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
343	Cl	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
344	Cl	NHSO ₂ CH ₃	OCH ₃
345	Cl	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
346	Cl	NHCH ₂ CH=CHCO ₂ H	OCH ₃
347	Cl	CONH ₂	OCH ₃
348	Cl	CH ₂ CONH ₂	OCH ₃
349	Cl	OCH ₂ CONH ₂	OCH ₃
350	Cl	CN ₄ H	OCH ₃
351	CO ₂ Et	Cl	CH ₃
352	CO ₂ H	Cl	CH ₃
353	CH ₂ CO ₂ Et	Cl	CH ₃
354	CH ₂ CO ₂ H	Cl	CH ₃
355	OCH ₂ CO ₂ Et	Cl	CH ₃
356	OCH ₂ CO ₂ H	Cl	CH ₃
357	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
358	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
359	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
360	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
361	NHCH ₂ CO ₂ Et	Cl	CH ₃
362	NHCH ₂ CO ₂ H	Cl	CH ₃
363	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
364	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
365	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
366	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
367	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	CH ₃
368	NHCOCH ₂ CH ₂ CO ₂ H	Cl	CH ₃
369	NHSO ₂ CH ₃	Cl	CH ₃
370	NHCH ₂ CH=CHCO ₂ Et	Cl	CH ₃
371	NHCH ₂ CH=CHCO ₂ H	Cl	CH ₃
372	CONH ₂	Cl	CH ₃
373	CH ₂ CONH ₂	Cl	CH ₃
374	OCH ₂ CONH ₂	Cl	CH ₃
375	CN ₄ H	Cl	CH ₃
376	Cl	CO ₂ Et	CH ₃
377	Cl	CO ₂ H	CH ₃
378	Cl	CH ₂ CO ₂ Et	CH ₃
379	Cl	CH ₂ CO ₂ H	CH ₃
380	Cl	OCH ₂ CO ₂ Et	CH ₃
381	Cl	OCH ₂ CO ₂ H	CH ₃
382	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
383	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
384	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
385	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
386	Cl	NHCH ₂ CO ₂ Et	CH ₃

387	Cl	NHCH ₂ CO ₂ H	CH ₃
388	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
389	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
390	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
391	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
392	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
393	Cl	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
394	Cl	NHSO ₂ CH ₃	CH ₃
395	Cl	NHCH ₂ CH=CHCO ₂ Et	CH ₃
396	Cl	NHCH ₂ CH=CHCO ₂ H	CH ₃
397	Cl	CONH ₂	CH ₃
398	Cl	CH ₂ CONH ₂	CH ₃
399	Cl	OCH ₂ CONH ₂	CH ₃
400	Cl	CN ₄ H	CH ₃

[00194] Table 2b



Ex. #	X	Y	X'
1	CO ₂ Et	H	H
2	CO ₂ H	H	H
3	CH ₂ CO ₂ Et	H	H
4	CH ₂ CO ₂ H	H	H
5	OCH ₂ CO ₂ Et	H	H
6	OCH ₂ CO ₂ H	H	H
7	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
8	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
9	OCH ₂ C ₆ H ₄ CO ₂ Et	H	H
10	OCH ₂ C ₆ H ₄ CO ₂ H	H	H
11	NHCH ₂ CO ₂ Et	H	H
12	NHCH ₂ CO ₂ H	H	H
13	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
14	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
15	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	H
16	NHCH ₂ C ₆ H ₄ CO ₂ H	H	H
17	NHCOCH ₂ CH ₂ CO ₂ Et	H	H
18	NHCOCH ₂ CH ₂ CO ₂ H	H	H

19	NHSO ₂ CH ₃	H	H
20	NHCH ₂ CH=CHCO ₂ Et	H	H
21	NHCH ₂ CH=CHCO ₂ H	H	H
22	CONH ₂	H	H
23	CH ₂ CONH ₂	H	H
24	OCH ₂ CONH ₂	H	H
25	CN ₄ H	H	H
26	H	CO ₂ Et	H
27	H	CO ₂ H	H
28	H	CH ₂ CO ₂ Et	H
29	H	CH ₂ CO ₂ H	H
30	H	OCH ₂ CO ₂ Et	H
31	H	OCH ₂ CO ₂ H	H
32	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
33	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
34	H	OCH ₂ C ₆ H ₄ CO ₂ Et	H
35	H	OCH ₂ C ₆ H ₄ CO ₂ H	H
36	H	NHCH ₂ CO ₂ Et	H
37	H	NHCH ₂ CO ₂ H	H
38	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
39	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
40	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
41	H	NHCH ₂ C ₆ H ₄ CO ₂ H	H
42	H	NHCOCH ₂ CH ₂ CO ₂ Et	H
43	H	NHCOCH ₂ CH ₂ CO ₂ H	H
44	H	NHSO ₂ CH ₃	H
45	H	NHCH ₂ CH=CHCO ₂ Et	H
46	H	NHCH ₂ CH=CHCO ₂ H	H
47	H	CONH ₂	H
48	H	CH ₂ CONH ₂	H
49	H	OCH ₂ CONH ₂	H
50	H	CN ₄ H	H
51	CO ₂ Et	H	Cl
52	CO ₂ H	H	Cl
53	CH ₂ CO ₂ Et	H	Cl
54	CH ₂ CO ₂ H	H	Cl
55	OCH ₂ CO ₂ Et	H	Cl
56	OCH ₂ CO ₂ H	H	Cl
57	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
58	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl
59	OCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
60	OCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
61	NHCH ₂ CO ₂ Et	H	Cl
62	NHCH ₂ CO ₂ H	H	Cl
63	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
64	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl

65	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
66	NHCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
67	NHCOCH ₂ CH ₂ CO ₂ Et	H	Cl
68	NHCOCH ₂ CH ₂ CO ₂ H	H	Cl
69	NHSO ₂ CH ₃	H	Cl
70	NHCH ₂ CH=CHCO ₂ Et	H	Cl
71	NHCH ₂ CH=CHCO ₂ H	H	Cl
72	CONH ₂	H	Cl
73	CH ₂ CONH ₂	H	Cl
74	OCH ₂ CONH ₂	H	Cl
75	CN ₄ H	H	Cl
76	H	CO ₂ Et	Cl
77	H	CO ₂ H	Cl
78	H	CH ₂ CO ₂ Et	Cl
79	H	CH ₂ CO ₂ H	Cl
80	H	OCH ₂ CO ₂ Et	Cl
81	H	OCH ₂ CO ₂ H	Cl
82	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
83	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
84	H	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
85	H	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
86	H	NHCH ₂ CO ₂ Et	Cl
87	H	NHCH ₂ CO ₂ H	Cl
88	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
89	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
90	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
91	H	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
92	H	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
93	H	NHCOCH ₂ CH ₂ CO ₂ H	Cl
94	H	NHSO ₂ CH ₃	Cl
95	H	NHCH ₂ CH=CHCO ₂ Et	Cl
96	H	NHCH ₂ CH=CHCO ₂ H	Cl
97	H	CONH ₂	Cl
98	H	CH ₂ CONH ₂	Cl
99	H	OCH ₂ CONH ₂	Cl
100	H	CN ₄ H	Cl
101	CO ₂ Et	H	OCH ₃
102	CO ₂ H	H	OCH ₃
103	CH ₂ CO ₂ Et	H	OCH ₃
104	CH ₂ CO ₂ H	H	OCH ₃
105	OCH ₂ CO ₂ Et	H	OCH ₃
106	OCH ₂ CO ₂ H	H	OCH ₃
107	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
108	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
109	OCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
110	OCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃

111	NHCH ₂ CO ₂ Et	H	OCH ₃
112	NHCH ₂ CO ₂ H	H	OCH ₃
113	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
114	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
115	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
116	NHCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃
117	NHCOCH ₂ CH ₂ CO ₂ Et	H	OCH ₃
118	NHCOCH ₂ CH ₂ CO ₂ H	H	OCH ₃
119	NHSO ₂ CH ₃	H	OCH ₃
120	NHCH ₂ CH=CHCO ₂ Et	H	OCH ₃
121	NHCH ₂ CH=CHCO ₂ H	H	OCH ₃
122	CONH ₂	H	OCH ₃
123	CH ₂ CONH ₂	H	OCH ₃
124	OCH ₂ CONH ₂	H	OCH ₃
125	CN ₄ H	H	OCH ₃
126	H	CO ₂ Et	OCH ₃
127	H	CO ₂ H	OCH ₃
128	H	CH ₂ CO ₂ Et	OCH ₃
129	H	CH ₂ CO ₂ H	OCH ₃
130	H	OCH ₂ CO ₂ Et	OCH ₃
131	H	OCH ₂ CO ₂ H	OCH ₃
132	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
133	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
134	H	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
135	H	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
136	H	NHCH ₂ CO ₂ Et	OCH ₃
137	H	NHCH ₂ CO ₂ H	OCH ₃
138	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
139	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
140	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
141	H	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
142	H	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
143	H	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
144	H	NHSO ₂ CH ₃	OCH ₃
145	H	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
146	H	NHCH ₂ CH=CHCO ₂ H	OCH ₃
147	H	CONH ₂	OCH ₃
148	H	CH ₂ CONH ₂	OCH ₃
149	H	OCH ₂ CONH ₂	OCH ₃
150	H	CN ₄ H	OCH ₃
151	CO ₂ Et	H	CH ₃
152	CO ₂ H	H	CH ₃
153	CH ₂ CO ₂ Et	H	CH ₃
154	CH ₂ CO ₂ H	H	CH ₃
155	OCH ₂ CO ₂ Et	H	CH ₃
156	OCH ₂ CO ₂ H	H	CH ₃

157	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
158	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
159	OCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
160	OCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
161	NHCH ₂ CO ₂ Et	H	CH ₃
162	NHCH ₂ CO ₂ H	H	CH ₃
163	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
164	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
165	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
166	NHCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
167	NHCOCH ₂ CH ₂ CO ₂ Et	H	CH ₃
168	NHCOCH ₂ CH ₂ CO ₂ H	H	CH ₃
69	NHSO ₂ CH ₃	H	CH ₃
170	NHCH ₂ CH=CHCO ₂ Et	H	CH ₃
171	NHCH ₂ CH=CHCO ₂ H	H	CH ₃
172	CONH ₂	H	CH ₃
173	CH ₂ CONH ₂	H	CH ₃
174	OCH ₂ CONH ₂	H	CH ₃
175	CN ₄ H	H	CH ₃
176	H	CO ₂ Et	CH ₃
177	H	CO ₂ H	CH ₃
178	H	CH ₂ CO ₂ Et	CH ₃
179	H	CH ₂ CO ₂ H	CH ₃
180	H	OCH ₂ CO ₂ Et	CH ₃
181	H	OCH ₂ CO ₂ H	CH ₃
182	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
183	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
184	H	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
185	H	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
186	H	NHCH ₂ CO ₂ Et	CH ₃
187	H	NHCH ₂ CO ₂ H	CH ₃
188	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
189	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
190	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
191	H	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
192	H	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
193	H	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
194	H	NHSO ₂ CH ₃	CH ₃
195	H	NHCH ₂ CH=CHCO ₂ Et	CH ₃
196	H	NHCH ₂ CH=CHCO ₂ H	CH ₃
197	H	CONH ₂	CH ₃
198	H	CH ₂ CONH ₂	CH ₃
199	H	OCH ₂ CONH ₂	CH ₃
200	H	CN ₄ H	CH ₃
201	CO ₂ Et	Cl	H
202	CO ₂ H	Cl	H

203	CH ₂ CO ₂ Et	Cl	H
204	CH ₂ CO ₂ H	Cl	H
205	OCH ₂ CO ₂ Et	Cl	H
206	OCH ₂ CO ₂ H	Cl	H
207	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
208	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
209	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
210	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
211	NHCH ₂ CO ₂ Et	Cl	H
212	NHCH ₂ CO ₂ H	Cl	H
213	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
214	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
215	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
216	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
217	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	H
218	NHCOCH ₂ CH ₂ CO ₂ H	Cl	H
219	NHSO ₂ CH ₃	Cl	H
220	NHCH ₂ CH=CHCO ₂ Et	Cl	H
221	NHCH ₂ CH=CHCO ₂ H	Cl	H
222	CONH ₂	Cl	H
223	CH ₂ CONH ₂	Cl	H
224	OCH ₂ CONH ₂	Cl	H
225	CN ₄ H	Cl	H
226	Cl	CO ₂ Et	H
227	Cl	CO ₂ H	H
228	Cl	CH ₂ CO ₂ Et	H
229	Cl	CH ₂ CO ₂ H	H
230	Cl	OCH ₂ CO ₂ Et	H
231	Cl	OCH ₂ CO ₂ H	H
232	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
233	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
234	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	H
235	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	H
236	Cl	NHCH ₂ CO ₂ Et	H
237	Cl	NHCH ₂ CO ₂ H	H
238	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
239	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
240	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
241	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	H
242	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	H
243	Cl	NHCOCH ₂ CH ₂ CO ₂ H	H
244	Cl	NHSO ₂ CH ₃	H
245	Cl	NHCH ₂ CH=CHCO ₂ Et	H
246	Cl	NHCH ₂ CH=CHCO ₂ H	H
247	Cl	CONH ₂	H
248	Cl	CH ₂ CONH ₂	H


249	Cl	OCH ₂ CONH ₂	H
250	Cl	CN ₄ H	H
251	CO ₂ Et	Cl	Cl
252	CO ₂ H	Cl	Cl
253	CH ₂ CO ₂ Et	Cl	Cl
254	CH ₂ CO ₂ H	Cl	Cl
255	OCH ₂ CO ₂ Et	Cl	Cl
256	OCH ₂ CO ₂ H	Cl	Cl
257	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
258	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
259	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
260	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
261	NHCH ₂ CO ₂ Et	Cl	Cl
262	NHCH ₂ CO ₂ H	Cl	Cl
263	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
264	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
265	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
266	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
267	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	Cl
268	NHCOCH ₂ CH ₂ CO ₂ H	Cl	Cl
269	NHSO ₂ CH ₃	Cl	Cl
270	NHCH ₂ CH=CHCO ₂ Et	Cl	Cl
271	NHCH ₂ CH=CHCO ₂ H	Cl	Cl
272	CONH ₂	Cl	Cl
273	CH ₂ CONH ₂	Cl	Cl
274	OCH ₂ CONH ₂	Cl	Cl
275	CN ₄ H	Cl	Cl
276	Cl	CO ₂ Et	Cl
277	Cl	CO ₂ H	Cl
278	Cl	CH ₂ CO ₂ Et	Cl
279	Cl	CH ₂ CO ₂ H	Cl
280	Cl	OCH ₂ CO ₂ Et	Cl
281	Cl	OCH ₂ CO ₂ H	Cl
282	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
283	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
284	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
285	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
286	Cl	NHCH ₂ CO ₂ Et	Cl
287	Cl	NHCH ₂ CO ₂ H	Cl
288	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
289	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
290	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
291	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
292	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
293	Cl	NHCOCH ₂ CH ₂ CO ₂ H	Cl
294	Cl	NHSO ₂ CH ₃	Cl

295	Cl	NHCH ₂ CH=CHCO ₂ Et	Cl
296	Cl	NHCH ₂ CH=CHCO ₂ H	Cl
297	Cl	CONH ₂	Cl
298	Cl	CH ₂ CONH ₂	Cl
299	Cl	OCH ₂ CONH ₂	Cl
300	Cl	CN ₄ H	Cl
301	CO ₂ Et	Cl	OCH ₃
302	CO ₂ H	Cl	OCH ₃
303	CH ₂ CO ₂ Et	Cl	OCH ₃
304	CH ₂ CO ₂ H	Cl	OCH ₃
305	OCH ₂ CO ₂ Et	Cl	OCH ₃
306	OCH ₂ CO ₂ H	Cl	OCH ₃
307	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
308	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
309	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
310	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
311	NHCH ₂ CO ₂ Et	Cl	OCH ₃
312	NHCH ₂ CO ₂ H	Cl	OCH ₃
313	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
314	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
315	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
316	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
317	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	OCH ₃
318	NHCOCH ₂ CH ₂ CO ₂ H	Cl	OCH ₃
319	NHSO ₂ CH ₃	Cl	OCH ₃
320	NHCH ₂ CH=CHCO ₂ Et	Cl	OCH ₃
321	NHCH ₂ CH=CHCO ₂ H	Cl	OCH ₃
322	CONH ₂	Cl	OCH ₃
323	CH ₂ CONH ₂	Cl	OCH ₃
324	OCH ₂ CONH ₂	Cl	OCH ₃
325	CN ₄ H	Cl	OCH ₃
326	Cl	CO ₂ Et	OCH ₃
327	Cl	CO ₂ H	OCH ₃
328	Cl	CH ₂ CO ₂ Et	OCH ₃
329	Cl	CH ₂ CO ₂ H	OCH ₃
330	Cl	OCH ₂ CO ₂ Et	OCH ₃
331	Cl	OCH ₂ CO ₂ H	OCH ₃
332	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
333	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
334	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
335	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
336	Cl	NHCH ₂ CO ₂ Et	OCH ₃
337	Cl	NHCH ₂ CO ₂ H	OCH ₃
338	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
339	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
340	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃

341	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
342	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
343	Cl	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
344	Cl	NHSO ₂ CH ₃	OCH ₃
345	Cl	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
346	Cl	NHCH ₂ CH=CHCO ₂ H	OCH ₃
347	Cl	CONH ₂	OCH ₃
348	Cl	CH ₂ CONH ₂	OCH ₃
349	Cl	OCH ₂ CONH ₂	OCH ₃
350	Cl	CN ₄ H	OCH ₃
351	CO ₂ Et	Cl	CH ₃
352	CO ₂ H	Cl	CH ₃
353	CH ₂ CO ₂ Et	Cl	CH ₃
354	CH ₂ CO ₂ H	Cl	CH ₃
355	OCH ₂ CO ₂ Et	Cl	CH ₃
356	OCH ₂ CO ₂ H	Cl	CH ₃
357	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
358	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
359	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
360	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
361	NHCH ₂ CO ₂ Et	Cl	CH ₃
362	NHCH ₂ CO ₂ H	Cl	CH ₃
363	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
364	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
365	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
366	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
367	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	CH ₃
368	NHCOCH ₂ CH ₂ CO ₂ H	Cl	CH ₃
369	NHSO ₂ CH ₃	Cl	CH ₃
370	NHCH ₂ CH=CHCO ₂ Et	Cl	CH ₃
371	NHCH ₂ CH=CHCO ₂ H	Cl	CH ₃
372	CONH ₂	Cl	CH ₃
373	CH ₂ CONH ₂	Cl	CH ₃
374	OCH ₂ CONH ₂	Cl	CH ₃
375	CN ₄ H	Cl	CH ₃
376	Cl	CO ₂ Et	CH ₃
377	Cl	CO ₂ H	CH ₃
378	Cl	CH ₂ CO ₂ Et	CH ₃
379	Cl	CH ₂ CO ₂ H	CH ₃
380	Cl	OCH ₂ CO ₂ Et	CH ₃
381	Cl	OCH ₂ CO ₂ H	CH ₃
382	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
383	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
384	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
385	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
386	Cl	NHCH ₂ CO ₂ Et	CH ₃

387	Cl	NHCH ₂ CO ₂ H	CH ₃
388	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
389	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
390	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
391	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
392	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
393	Cl	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
394	Cl	NHSO ₂ CH ₃	CH ₃
395	Cl	NHCH ₂ CH=CHCO ₂ Et	CH ₃
396	Cl	NHCH ₂ CH=CHCO ₂ H	CH ₃
397	Cl	CONH ₂	CH ₃
398	Cl	CH ₂ CONH ₂	CH ₃
399	Cl	OCH ₂ CONH ₂	CH ₃
400	Cl	CN ₄ H	CH ₃

[00195] Table 3a



Ex. #	X'	Y'	X
1	CO ₂ Et	H	H
2	CO ₂ H	H	H
3	CH ₂ CO ₂ Et	H	H
4	CH ₂ CO ₂ H	H	H
5	OCH ₂ CO ₂ Et	H	H
6	OCH ₂ CO ₂ H	H	H
7	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
8	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
9	OCH ₂ C ₆ H ₄ CO ₂ Et	H	H
10	OCH ₂ C ₆ H ₄ CO ₂ H	H	H
11	NHCH ₂ CO ₂ Et	H	H
12	NHCH ₂ CO ₂ H	H	H
13	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
14	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
15	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	H
16	NHCH ₂ C ₆ H ₄ CO ₂ H	H	H
17	NHCOCH ₂ CH ₂ CO ₂ Et	H	H
18	NHCOCH ₂ CH ₂ CO ₂ H	H	H

19	NHSO ₂ CH ₃	H	H
20	NHCH ₂ CH=CHCO ₂ Et	H	H
21	NHCH ₂ CH=CHCO ₂ H	H	H
22	CONH ₂	H	H
23	CH ₂ CONH ₂	H	H
24	OCH ₂ CONH ₂	H	H
25	CN ₄ H	H	H
26	H	CO ₂ Et	H
27	H	CO ₂ H	H
28	H	CH ₂ CO ₂ Et	H
29	H	CH ₂ CO ₂ H	H
30	H	OCH ₂ CO ₂ Et	H
31	H	OCH ₂ CO ₂ H	H
32	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
33	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
34	H	OCH ₂ C ₆ H ₄ CO ₂ Et	H
35	H	OCH ₂ C ₆ H ₄ CO ₂ H	H
36	H	NHCH ₂ CO ₂ Et	H
37	H	NHCH ₂ CO ₂ H	H
38	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
39	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
40	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
41	H	NHCH ₂ C ₆ H ₄ CO ₂ H	H
42	H	NHCOCH ₂ CH ₂ CO ₂ Et	H
43	H	NHCOCH ₂ CH ₂ CO ₂ H	H
44	H	NHSO ₂ CH ₃	H
45	H	NHCH ₂ CH=CHCO ₂ Et	H
46	H	NHCH ₂ CH=CHCO ₂ H	H
47	H	CONH ₂	H
48	H	CH ₂ CONH ₂	H
49	H	OCH ₂ CONH ₂	H
50	H	CN ₄ H	H
51	CO ₂ Et	H	Cl
52	CO ₂ H	H	Cl
53	CH ₂ CO ₂ Et	H	Cl
54	CH ₂ CO ₂ H	H	Cl
55	OCH ₂ CO ₂ Et	H	Cl
56	OCH ₂ CO ₂ H	H	Cl
57	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
58	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl
59	OCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
60	OCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
61	NHCH ₂ CO ₂ Et	H	Cl
62	NHCH ₂ CO ₂ H	H	Cl
63	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
64	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl

65	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
66	NHCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
67	NHCOCH ₂ CH ₂ CO ₂ Et	H	Cl
68	NHCOCH ₂ CH ₂ CO ₂ H	H	Cl
69	NHSO ₂ CH ₃	H	Cl
70	NHCH ₂ CH=CHCO ₂ Et	H	Cl
71	NHCH ₂ CH=CHCO ₂ H	H	Cl
72	CONH ₂	H	Cl
73	CH ₂ CONH ₂	H	Cl
74	OCH ₂ CONH ₂	H	Cl
75	CN ₄ H	H	Cl
76	H	CO ₂ Et	Cl
77	H	CO ₂ H	Cl
78	H	CH ₂ CO ₂ Et	Cl
79	H	CH ₂ CO ₂ H	Cl
80	H	OCH ₂ CO ₂ Et	Cl
81	H	OCH ₂ CO ₂ H	Cl
82	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
83	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
84	H	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
85	H	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
86	H	NHCH ₂ CO ₂ Et	Cl
87	H	NHCH ₂ CO ₂ H	Cl
88	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
89	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
90	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
91	H	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
92	H	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
93	H	NHCOCH ₂ CH ₂ CO ₂ H	Cl
94	H	NHSO ₂ CH ₃	Cl
95	H	NHCH ₂ CH=CHCO ₂ Et	Cl
96	H	NHCH ₂ CH=CHCO ₂ H	Cl
97	H	CONH ₂	Cl
98	H	CH ₂ CONH ₂	Cl
99	H	OCH ₂ CONH ₂	Cl
100	H	CN ₄ H	Cl
101	CO ₂ Et	H	OCH ₃
102	CO ₂ H	H	OCH ₃
103	CH ₂ CO ₂ Et	H	OCH ₃
104	CH ₂ CO ₂ H	H	OCH ₃
105	OCH ₂ CO ₂ Et	H	OCH ₃
106	OCH ₂ CO ₂ H	H	OCH ₃
107	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
108	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
109	OCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
110	OCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃

111	NHCH ₂ CO ₂ Et	H	OCH ₃
112	NHCH ₂ CO ₂ H	H	OCH ₃
113	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
114	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
115	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
116	NHCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃
117	NHCOCH ₂ CH ₂ CO ₂ Et	H	OCH ₃
118	NHCOCH ₂ CH ₂ CO ₂ H	H	OCH ₃
119	NHSO ₂ CH ₃	H	OCH ₃
120	NHCH ₂ CH=CHCO ₂ Et	H	OCH ₃
121	NHCH ₂ CH=CHCO ₂ H	H	OCH ₃
122	CONH ₂	H	OCH ₃
123	CH ₂ CONH ₂	H	OCH ₃
124	OCH ₂ CONH ₂	H	OCH ₃
125	CN ₄ H	H	OCH ₃
126	H	CO ₂ Et	OCH ₃
127	H	CO ₂ H	OCH ₃
128	H	CH ₂ CO ₂ Et	OCH ₃
129	H	CH ₂ CO ₂ H	OCH ₃
130	H	OCH ₂ CO ₂ Et	OCH ₃
131	H	OCH ₂ CO ₂ H	OCH ₃
132	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
133	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
134	H	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
135	H	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
136	H	NHCH ₂ CO ₂ Et	OCH ₃
137	H	NHCH ₂ CO ₂ H	OCH ₃
138	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
139	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
140	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
141	H	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
142	H	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
143	H	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
144	H	NHSO ₂ CH ₃	OCH ₃
145	H	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
146	H	NHCH ₂ CH=CHCO ₂ H	OCH ₃
147	H	CONH ₂	OCH ₃
148	H	CH ₂ CONH ₂	OCH ₃
149	H	OCH ₂ CONH ₂	OCH ₃
150	H	CN ₄ H	OCH ₃
151	CO ₂ Et	H	CH ₃
152	CO ₂ H	H	CH ₃
153	CH ₂ CO ₂ Et	H	CH ₃
154	CH ₂ CO ₂ H	H	CH ₃
155	OCH ₂ CO ₂ Et	H	CH ₃
156	OCH ₂ CO ₂ H	H	CH ₃

157	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
158	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
159	OCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
160	OCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
161	NHCH ₂ CO ₂ Et	H	CH ₃
162	NHCH ₂ CO ₂ H	H	CH ₃
163	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
164	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
165	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
166	NHCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
167	NHCOCH ₂ CH ₂ CO ₂ Et	H	CH ₃
168	NHCOCH ₂ CH ₂ CO ₂ H	H	CH ₃
69	NHSO ₂ CH ₃	H	CH ₃
170	NHCH ₂ CH=CHCO ₂ Et	H	CH ₃
171	NHCH ₂ CH=CHCO ₂ H	H	CH ₃
172	CONH ₂	H	CH ₃
173	CH ₂ CONH ₂	H	CH ₃
174	OCH ₂ CONH ₂	H	CH ₃
175	CN ₄ H	H	CH ₃
176	H	CO ₂ Et	CH ₃
177	H	CO ₂ H	CH ₃
178	H	CH ₂ CO ₂ Et	CH ₃
179	H	CH ₂ CO ₂ H	CH ₃
180	H	OCH ₂ CO ₂ Et	CH ₃
181	H	OCH ₂ CO ₂ H	CH ₃
182	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
183	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
184	H	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
185	H	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
186	H	NHCH ₂ CO ₂ Et	CH ₃
187	H	NHCH ₂ CO ₂ H	CH ₃
188	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
189	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
190	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
191	H	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
192	H	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
193	H	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
194	H	NHSO ₂ CH ₃	CH ₃
195	H	NHCH ₂ CH=CHCO ₂ Et	CH ₃
196	H	NHCH ₂ CH=CHCO ₂ H	CH ₃
197	H	CONH ₂	CH ₃
198	H	CH ₂ CONH ₂	CH ₃
199	H	OCH ₂ CONH ₂	CH ₃
200	H	CN ₄ H	CH ₃
201	CO ₂ Et	Cl	H
202	CO ₂ H	Cl	H

203	CH ₂ CO ₂ Et	Cl	H
204	CH ₂ CO ₂ H	Cl	H
205	OCH ₂ CO ₂ Et	Cl	H
206	OCH ₂ CO ₂ H	Cl	H
207	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
208	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
209	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
210	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
211	NHCH ₂ CO ₂ Et	Cl	H
212	NHCH ₂ CO ₂ H	Cl	H
213	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
214	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
215	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
216	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
217	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	H
218	NHCOCH ₂ CH ₂ CO ₂ H	Cl	H
219	NHSO ₂ CH ₃	Cl	H
220	NHCH ₂ CH=CHCO ₂ Et	Cl	H
221	NHCH ₂ CH=CHCO ₂ H	Cl	H
222	CONH ₂	Cl	H
223	CH ₂ CONH ₂	Cl	H
224	OCH ₂ CONH ₂	Cl	H
225	CN ₄ H	Cl	H
226	Cl	CO ₂ Et	H
227	Cl	CO ₂ H	H
228	Cl	CH ₂ CO ₂ Et	H
229	Cl	CH ₂ CO ₂ H	H
230	Cl	OCH ₂ CO ₂ Et	H
231	Cl	OCH ₂ CO ₂ H	H
232	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
233	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
234	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	H
235	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	H
236	Cl	NHCH ₂ CO ₂ Et	H
237	Cl	NHCH ₂ CO ₂ H	H
238	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
239	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
240	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
241	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	H
242	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	H
243	Cl	NHCOCH ₂ CH ₂ CO ₂ H	H
244	Cl	NHSO ₂ CH ₃	H
245	Cl	NHCH ₂ CH=CHCO ₂ Et	H
246	Cl	NHCH ₂ CH=CHCO ₂ H	H
247	Cl	CONH ₂	H
248	Cl	CH ₂ CONH ₂	H


249	Cl	OCH ₂ CONH ₂	H
250	Cl	CN ₄ H	H
251	CO ₂ Et	Cl	Cl
252	CO ₂ H	Cl	Cl
253	CH ₂ CO ₂ Et	Cl	Cl
254	CH ₂ CO ₂ H	Cl	Cl
255	OCH ₂ CO ₂ Et	Cl	Cl
256	OCH ₂ CO ₂ H	Cl	Cl
257	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
258	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
259	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
260	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
261	NHCH ₂ CO ₂ Et	Cl	Cl
262	NHCH ₂ CO ₂ H	Cl	Cl
263	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
264	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
265	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
266	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
267	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	Cl
268	NHCOCH ₂ CH ₂ CO ₂ H	Cl	Cl
269	NHSO ₂ CH ₃	Cl	Cl
270	NHCH ₂ CH=CHCO ₂ Et	Cl	Cl
271	NHCH ₂ CH=CHCO ₂ H	Cl	Cl
272	CONH ₂	Cl	Cl
273	CH ₂ CONH ₂	Cl	Cl
274	OCH ₂ CONH ₂	Cl	Cl
275	CN ₄ H	Cl	Cl
276	Cl	CO ₂ Et	Cl
277	Cl	CO ₂ H	Cl
278	Cl	CH ₂ CO ₂ Et	Cl
279	Cl	CH ₂ CO ₂ H	Cl
280	Cl	OCH ₂ CO ₂ Et	Cl
281	Cl	OCH ₂ CO ₂ H	Cl
282	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
283	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
284	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
285	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
286	Cl	NHCH ₂ CO ₂ Et	Cl
287	Cl	NHCH ₂ CO ₂ H	Cl
288	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
289	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
290	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
291	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
292	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
293	Cl	NHCOCH ₂ CH ₂ CO ₂ H	Cl
294	Cl	NHSO ₂ CH ₃	Cl

295	Cl	NHCH ₂ CH=CHCO ₂ Et	Cl
296	Cl	NHCH ₂ CH=CHCO ₂ H	Cl
297	Cl	CONH ₂	Cl
298	Cl	CH ₂ CONH ₂	Cl
299	Cl	OCH ₂ CONH ₂	Cl
300	Cl	CN ₄ H	Cl
301	CO ₂ Et	Cl	OCH ₃
302	CO ₂ H	Cl	OCH ₃
303	CH ₂ CO ₂ Et	Cl	OCH ₃
304	CH ₂ CO ₂ H	Cl	OCH ₃
305	OCH ₂ CO ₂ Et	Cl	OCH ₃
306	OCH ₂ CO ₂ H	Cl	OCH ₃
307	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
308	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
309	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
310	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
311	NHCH ₂ CO ₂ Et	Cl	OCH ₃
312	NHCH ₂ CO ₂ H	Cl	OCH ₃
313	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
314	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
315	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
316	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
317	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	OCH ₃
318	NHCOCH ₂ CH ₂ CO ₂ H	Cl	OCH ₃
319	NHSO ₂ CH ₃	Cl	OCH ₃
320	NHCH ₂ CH=CHCO ₂ Et	Cl	OCH ₃
321	NHCH ₂ CH=CHCO ₂ H	Cl	OCH ₃
322	CONH ₂	Cl	OCH ₃
323	CH ₂ CONH ₂	Cl	OCH ₃
324	OCH ₂ CONH ₂	Cl	OCH ₃
325	CN ₄ H	Cl	OCH ₃
326	Cl	CO ₂ Et	OCH ₃
327	Cl	CO ₂ H	OCH ₃
328	Cl	CH ₂ CO ₂ Et	OCH ₃
329	Cl	CH ₂ CO ₂ H	OCH ₃
330	Cl	OCH ₂ CO ₂ Et	OCH ₃
331	Cl	OCH ₂ CO ₂ H	OCH ₃
332	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
333	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
334	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
335	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
336	Cl	NHCH ₂ CO ₂ Et	OCH ₃
337	Cl	NHCH ₂ CO ₂ H	OCH ₃
338	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
339	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
340	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃

341	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
342	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
343	Cl	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
344	Cl	NHSO ₂ CH ₃	OCH ₃
345	Cl	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
346	Cl	NHCH ₂ CH=CHCO ₂ H	OCH ₃
347	Cl	CONH ₂	OCH ₃
348	Cl	CH ₂ CONH ₂	OCH ₃
349	Cl	OCH ₂ CONH ₂	OCH ₃
350	Cl	CN ₄ H	OCH ₃
351	CO ₂ Et	Cl	CH ₃
352	CO ₂ H	Cl	CH ₃
353	CH ₂ CO ₂ Et	Cl	CH ₃
354	CH ₂ CO ₂ H	Cl	CH ₃
355	OCH ₂ CO ₂ Et	Cl	CH ₃
356	OCH ₂ CO ₂ H	Cl	CH ₃
357	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
358	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
359	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
360	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
361	NHCH ₂ CO ₂ Et	Cl	CH ₃
362	NHCH ₂ CO ₂ H	Cl	CH ₃
363	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
364	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
365	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
366	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
367	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	CH ₃
368	NHCOCH ₂ CH ₂ CO ₂ H	Cl	CH ₃
369	NHSO ₂ CH ₃	Cl	CH ₃
370	NHCH ₂ CH=CHCO ₂ Et	Cl	CH ₃
371	NHCH ₂ CH=CHCO ₂ H	Cl	CH ₃
372	CONH ₂	Cl	CH ₃
373	CH ₂ CONH ₂	Cl	CH ₃
374	OCH ₂ CONH ₂	Cl	CH ₃
375	CN ₄ H	Cl	CH ₃
376	Cl	CO ₂ Et	CH ₃
377	Cl	CO ₂ H	CH ₃
378	Cl	CH ₂ CO ₂ Et	CH ₃
379	Cl	CH ₂ CO ₂ H	CH ₃
380	Cl	OCH ₂ CO ₂ Et	CH ₃
381	Cl	OCH ₂ CO ₂ H	CH ₃
382	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
383	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
384	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
385	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
386	Cl	NHCH ₂ CO ₂ Et	CH ₃

387	Cl	NHCH ₂ CO ₂ H	CH ₃
388	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
389	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
390	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
391	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
392	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
393	Cl	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
394	Cl	NHSO ₂ CH ₃	CH ₃
395	Cl	NHCH ₂ CH=CHCO ₂ Et	CH ₃
396	Cl	NHCH ₂ CH=CHCO ₂ H	CH ₃
397	Cl	CONH ₂	CH ₃
398	Cl	CH ₂ CONH ₂	CH ₃
399	Cl	OCH ₂ CONH ₂	CH ₃
400	Cl	CN ₄ H	CH ₃

[00196] Table 3b



Ex. #	X'	Y'	X
1	CO ₂ Et	H	H
2	CO ₂ H	H	H
3	CH ₂ CO ₂ Et	H	H
4	CH ₂ CO ₂ H	H	H
5	OCH ₂ CO ₂ Et	H	H
6	OCH ₂ CO ₂ H	H	H
7	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
8	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
9	OCH ₂ C ₆ H ₄ CO ₂ Et	H	H
10	OCH ₂ C ₆ H ₄ CO ₂ H	H	H
11	NHCH ₂ CO ₂ Et	H	H
12	NHCH ₂ CO ₂ H	H	H
13	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	H
14	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	H
15	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	H
16	NHCH ₂ C ₆ H ₄ CO ₂ H	H	H
17	NHCOCH ₂ CH ₂ CO ₂ Et	H	H
18	NHCOCH ₂ CH ₂ CO ₂ H	H	H

19	NHSO ₂ CH ₃	H	H
20	NHCH ₂ CH=CHCO ₂ Et	H	H
21	NHCH ₂ CH=CHCO ₂ H	H	H
22	CONH ₂	H	H
23	CH ₂ CONH ₂	H	H
24	OCH ₂ CONH ₂	H	H
25	CN ₄ H	H	H
26	H	CO ₂ Et	H
27	H	CO ₂ H	H
28	H	CH ₂ CO ₂ Et	H
29	H	CH ₂ CO ₂ H	H
30	H	OCH ₂ CO ₂ Et	H
31	H	OCH ₂ CO ₂ H	H
32	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
33	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
34	H	OCH ₂ C ₆ H ₄ CO ₂ Et	H
35	H	OCH ₂ C ₆ H ₄ CO ₂ H	H
36	H	NHCH ₂ CO ₂ Et	H
37	H	NHCH ₂ CO ₂ H	H
38	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
39	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
40	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
41	H	NHCH ₂ C ₆ H ₄ CO ₂ H	H
42	H	NHCOCH ₂ CH ₂ CO ₂ Et	H
43	H	NHCOCH ₂ CH ₂ CO ₂ H	H
44	H	NHSO ₂ CH ₃	H
45	H	NHCH ₂ CH=CHCO ₂ Et	H
46	H	NHCH ₂ CH=CHCO ₂ H	H
47	H	CONH ₂	H
48	H	CH ₂ CONH ₂	H
49	H	OCH ₂ CONH ₂	H
50	H	CN ₄ H	H
51	CO ₂ Et	H	Cl
52	CO ₂ H	H	Cl
53	CH ₂ CO ₂ Et	H	Cl
54	CH ₂ CO ₂ H	H	Cl
55	OCH ₂ CO ₂ Et	H	Cl
56	OCH ₂ CO ₂ H	H	Cl
57	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
58	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl
59	OCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
60	OCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
61	NHCH ₂ CO ₂ Et	H	Cl
62	NHCH ₂ CO ₂ H	H	Cl
63	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	Cl
64	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	Cl

65	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	Cl
66	NHCH ₂ C ₆ H ₄ CO ₂ H	H	Cl
67	NHCOCH ₂ CH ₂ CO ₂ Et	H	Cl
68	NHCOCH ₂ CH ₂ CO ₂ H	H	Cl
69	NHSO ₂ CH ₃	H	Cl
70	NHCH ₂ CH=CHCO ₂ Et	H	Cl
71	NHCH ₂ CH=CHCO ₂ H	H	Cl
72	CONH ₂	H	Cl
73	CH ₂ CONH ₂	H	Cl
74	OCH ₂ CONH ₂	H	Cl
75	CN ₄ H	H	Cl
76	H	CO ₂ Et	Cl
77	H	CO ₂ H	Cl
78	H	CH ₂ CO ₂ Et	Cl
79	H	CH ₂ CO ₂ H	Cl
80	H	OCH ₂ CO ₂ Et	Cl
81	H	OCH ₂ CO ₂ H	Cl
82	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
83	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
84	H	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
85	H	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
86	H	NHCH ₂ CO ₂ Et	Cl
87	H	NHCH ₂ CO ₂ H	Cl
88	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
89	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
90	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
91	H	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
92	H	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
93	H	NHCOCH ₂ CH ₂ CO ₂ H	Cl
94	H	NHSO ₂ CH ₃	Cl
95	H	NHCH ₂ CH=CHCO ₂ Et	Cl
96	H	NHCH ₂ CH=CHCO ₂ H	Cl
97	H	CONH ₂	Cl
98	H	CH ₂ CONH ₂	Cl
99	H	OCH ₂ CONH ₂	Cl
100	H	CN ₄ H	Cl
101	CO ₂ Et	H	OCH ₃
102	CO ₂ H	H	OCH ₃
103	CH ₂ CO ₂ Et	H	OCH ₃
104	CH ₂ CO ₂ H	H	OCH ₃
105	OCH ₂ CO ₂ Et	H	OCH ₃
106	OCH ₂ CO ₂ H	H	OCH ₃
107	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
108	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
109	OCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
110	OCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃

111	NHCH ₂ CO ₂ Et	H	OCH ₃
112	NHCH ₂ CO ₂ H	H	OCH ₃
113	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	OCH ₃
114	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	OCH ₃
115	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	OCH ₃
116	NHCH ₂ C ₆ H ₄ CO ₂ H	H	OCH ₃
117	NHCOCH ₂ CH ₂ CO ₂ Et	H	OCH ₃
118	NHCOCH ₂ CH ₂ CO ₂ H	H	OCH ₃
119	NHSO ₂ CH ₃	H	OCH ₃
120	NHCH ₂ CH=CHCO ₂ Et	H	OCH ₃
121	NHCH ₂ CH=CHCO ₂ H	H	OCH ₃
122	CONH ₂	H	OCH ₃
123	CH ₂ CONH ₂	H	OCH ₃
124	OCH ₂ CONH ₂	H	OCH ₃
125	CN ₄ H	H	OCH ₃
126	H	CO ₂ Et	OCH ₃
127	H	CO ₂ H	OCH ₃
128	H	CH ₂ CO ₂ Et	OCH ₃
129	H	CH ₂ CO ₂ H	OCH ₃
130	H	OCH ₂ CO ₂ Et	OCH ₃
131	H	OCH ₂ CO ₂ H	OCH ₃
132	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
133	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
134	H	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
135	H	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
136	H	NHCH ₂ CO ₂ Et	OCH ₃
137	H	NHCH ₂ CO ₂ H	OCH ₃
138	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
139	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
140	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
141	H	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
142	H	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
143	H	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
144	H	NHSO ₂ CH ₃	OCH ₃
145	H	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
146	H	NHCH ₂ CH=CHCO ₂ H	OCH ₃
147	H	CONH ₂	OCH ₃
148	H	CH ₂ CONH ₂	OCH ₃
149	H	OCH ₂ CONH ₂	OCH ₃
150	H	CN ₄ H	OCH ₃
151	CO ₂ Et	H	CH ₃
152	CO ₂ H	H	CH ₃
153	CH ₂ CO ₂ Et	H	CH ₃
154	CH ₂ CO ₂ H	H	CH ₃
155	OCH ₂ CO ₂ Et	H	CH ₃
156	OCH ₂ CO ₂ H	H	CH ₃

157	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
158	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
159	OCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
160	OCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
161	NHCH ₂ CO ₂ Et	H	CH ₃
162	NHCH ₂ CO ₂ H	H	CH ₃
163	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H	CH ₃
164	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H	CH ₃
165	NHCH ₂ C ₆ H ₄ CO ₂ Et	H	CH ₃
166	NHCH ₂ C ₆ H ₄ CO ₂ H	H	CH ₃
167	NHCOCH ₂ CH ₂ CO ₂ Et	H	CH ₃
168	NHCOCH ₂ CH ₂ CO ₂ H	H	CH ₃
169	NHSO ₂ CH ₃	H	CH ₃
170	NHCH ₂ CH=CHCO ₂ Et	H	CH ₃
171	NHCH ₂ CH=CHCO ₂ H	H	CH ₃
172	CONH ₂	H	CH ₃
173	CH ₂ CONH ₂	H	CH ₃
174	OCH ₂ CONH ₂	H	CH ₃
175	CN ₄ H	H	CH ₃
176	H	CO ₂ Et	CH ₃
177	H	CO ₂ H	CH ₃
178	H	CH ₂ CO ₂ Et	CH ₃
179	H	CH ₂ CO ₂ H	CH ₃
180	H	OCH ₂ CO ₂ Et	CH ₃
181	H	OCH ₂ CO ₂ H	CH ₃
182	H	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
183	H	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
184	H	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
185	H	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
186	H	NHCH ₂ CO ₂ Et	CH ₃
187	H	NHCH ₂ CO ₂ H	CH ₃
188	H	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
189	H	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
190	H	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
191	H	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
192	H	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
193	H	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
194	H	NHSO ₂ CH ₃	CH ₃
195	H	NHCH ₂ CH=CHCO ₂ Et	CH ₃
196	H	NHCH ₂ CH=CHCO ₂ H	CH ₃
197	H	CONH ₂	CH ₃
198	H	CH ₂ CONH ₂	CH ₃
199	H	OCH ₂ CONH ₂	CH ₃
200	H	CN ₄ H	CH ₃
201	CO ₂ Et	Cl	H
202	CO ₂ H	Cl	H

203	CH ₂ CO ₂ Et	Cl	H
204	CH ₂ CO ₂ H	Cl	H
205	OCH ₂ CO ₂ Et	Cl	H
206	OCH ₂ CO ₂ H	Cl	H
207	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
208	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
209	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
210	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
211	NHCH ₂ CO ₂ Et	Cl	H
212	NHCH ₂ CO ₂ H	Cl	H
213	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	H
214	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	H
215	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	H
216	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	H
217	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	H
218	NHCOCH ₂ CH ₂ CO ₂ H	Cl	H
219	NHSO ₂ CH ₃	Cl	H
220	NHCH ₂ CH=CHCO ₂ Et	Cl	H
221	NHCH ₂ CH=CHCO ₂ H	Cl	H
222	CONH ₂	Cl	H
223	CH ₂ CONH ₂	Cl	H
224	OCH ₂ CONH ₂	Cl	H
225	CN ₄ H	Cl	H
226	Cl	CO ₂ Et	H
227	Cl	CO ₂ H	H
228	Cl	CH ₂ CO ₂ Et	H
229	Cl	CH ₂ CO ₂ H	H
230	Cl	OCH ₂ CO ₂ Et	H
231	Cl	OCH ₂ CO ₂ H	H
232	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
233	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
234	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	H
235	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	H
236	Cl	NHCH ₂ CO ₂ Et	H
237	Cl	NHCH ₂ CO ₂ H	H
238	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	H
239	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	H
240	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	H
241	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	H
242	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	H
243	Cl	NHCOCH ₂ CH ₂ CO ₂ H	H
244	Cl	NHSO ₂ CH ₃	H
245	Cl	NHCH ₂ CH=CHCO ₂ Et	H
246	Cl	NHCH ₂ CH=CHCO ₂ H	H
247	Cl	CONH ₂	H
248	Cl	CH ₂ CONH ₂	H


249	Cl	OCH ₂ CONH ₂	H
250	Cl	CN ₄ H	H
251	CO ₂ Et	Cl	Cl
252	CO ₂ H	Cl	Cl
253	CH ₂ CO ₂ Et	Cl	Cl
254	CH ₂ CO ₂ H	Cl	Cl
255	OCH ₂ CO ₂ Et	Cl	Cl
256	OCH ₂ CO ₂ H	Cl	Cl
257	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
258	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
259	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
260	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
261	NHCH ₂ CO ₂ Et	Cl	Cl
262	NHCH ₂ CO ₂ H	Cl	Cl
263	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	Cl
264	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	Cl
265	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	Cl
266	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	Cl
267	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	Cl
268	NHCOCH ₂ CH ₂ CO ₂ H	Cl	Cl
269	NHSO ₂ CH ₃	Cl	Cl
270	NHCH ₂ CH=CHCO ₂ Et	Cl	Cl
271	NHCH ₂ CH=CHCO ₂ H	Cl	Cl
272	CONH ₂	Cl	Cl
273	CH ₂ CONH ₂	Cl	Cl
274	OCH ₂ CONH ₂	Cl	Cl
275	CN ₄ H	Cl	Cl
276	Cl	CO ₂ Et	Cl
277	Cl	CO ₂ H	Cl
278	Cl	CH ₂ CO ₂ Et	Cl
279	Cl	CH ₂ CO ₂ H	Cl
280	Cl	OCH ₂ CO ₂ Et	Cl
281	Cl	OCH ₂ CO ₂ H	Cl
282	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
283	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
284	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl
285	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	Cl
286	Cl	NHCH ₂ CO ₂ Et	Cl
287	Cl	NHCH ₂ CO ₂ H	Cl
288	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl
289	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl
290	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl
291	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl
292	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	Cl
293	Cl	NHCOCH ₂ CH ₂ CO ₂ H	Cl
294	Cl	NHSO ₂ CH ₃	Cl

295	Cl	NHCH ₂ CH=CHCO ₂ Et	Cl
296	Cl	NHCH ₂ CH=CHCO ₂ H	Cl
297	Cl	CONH ₂	Cl
298	Cl	CH ₂ CONH ₂	Cl
299	Cl	OCH ₂ CONH ₂	Cl
300	Cl	CN ₄ H	Cl
301	CO ₂ Et	Cl	OCH ₃
302	CO ₂ H	Cl	OCH ₃
303	CH ₂ CO ₂ Et	Cl	OCH ₃
304	CH ₂ CO ₂ H	Cl	OCH ₃
305	OCH ₂ CO ₂ Et	Cl	OCH ₃
306	OCH ₂ CO ₂ H	Cl	OCH ₃
307	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
308	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
309	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
310	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
311	NHCH ₂ CO ₂ Et	Cl	OCH ₃
312	NHCH ₂ CO ₂ H	Cl	OCH ₃
313	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	OCH ₃
314	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	OCH ₃
315	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	OCH ₃
316	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	OCH ₃
317	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	OCH ₃
318	NHCOCH ₂ CH ₂ CO ₂ H	Cl	OCH ₃
319	NHSO ₂ CH ₃	Cl	OCH ₃
320	NHCH ₂ CH=CHCO ₂ Et	Cl	OCH ₃
321	NHCH ₂ CH=CHCO ₂ H	Cl	OCH ₃
322	CONH ₂	Cl	OCH ₃
323	CH ₂ CONH ₂	Cl	OCH ₃
324	OCH ₂ CONH ₂	Cl	OCH ₃
325	CN ₄ H	Cl	OCH ₃
326	Cl	CO ₂ Et	OCH ₃
327	Cl	CO ₂ H	OCH ₃
328	Cl	CH ₂ CO ₂ Et	OCH ₃
329	Cl	CH ₂ CO ₂ H	OCH ₃
330	Cl	OCH ₂ CO ₂ Et	OCH ₃
331	Cl	OCH ₂ CO ₂ H	OCH ₃
332	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
333	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
334	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃
335	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
336	Cl	NHCH ₂ CO ₂ Et	OCH ₃
337	Cl	NHCH ₂ CO ₂ H	OCH ₃
338	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	OCH ₃
339	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	OCH ₃
340	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	OCH ₃

341	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	OCH ₃
342	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	OCH ₃
343	Cl	NHCOCH ₂ CH ₂ CO ₂ H	OCH ₃
344	Cl	NHSO ₂ CH ₃	OCH ₃
345	Cl	NHCH ₂ CH=CHCO ₂ Et	OCH ₃
346	Cl	NHCH ₂ CH=CHCO ₂ H	OCH ₃
347	Cl	CONH ₂	OCH ₃
348	Cl	CH ₂ CONH ₂	OCH ₃
349	Cl	OCH ₂ CONH ₂	OCH ₃
350	Cl	CN ₄ H	OCH ₃
351	CO ₂ Et	Cl	CH ₃
352	CO ₂ H	Cl	CH ₃
353	CH ₂ CO ₂ Et	Cl	CH ₃
354	CH ₂ CO ₂ H	Cl	CH ₃
355	OCH ₂ CO ₂ Et	Cl	CH ₃
356	OCH ₂ CO ₂ H	Cl	CH ₃
357	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
358	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
359	OCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
360	OCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
361	NHCH ₂ CO ₂ Et	Cl	CH ₃
362	NHCH ₂ CO ₂ H	Cl	CH ₃
363	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	Cl	CH ₃
364	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	Cl	CH ₃
365	NHCH ₂ C ₆ H ₄ CO ₂ Et	Cl	CH ₃
366	NHCH ₂ C ₆ H ₄ CO ₂ H	Cl	CH ₃
367	NHCOCH ₂ CH ₂ CO ₂ Et	Cl	CH ₃
368	NHCOCH ₂ CH ₂ CO ₂ H	Cl	CH ₃
369	NHSO ₂ CH ₃	Cl	CH ₃
370	NHCH ₂ CH=CHCO ₂ Et	Cl	CH ₃
371	NHCH ₂ CH=CHCO ₂ H	Cl	CH ₃
372	CONH ₂	Cl	CH ₃
373	CH ₂ CONH ₂	Cl	CH ₃
374	OCH ₂ CONH ₂	Cl	CH ₃
375	CN ₄ H	Cl	CH ₃
376	Cl	CO ₂ Et	CH ₃
377	Cl	CO ₂ H	CH ₃
378	Cl	CH ₂ CO ₂ Et	CH ₃
379	Cl	CH ₂ CO ₂ H	CH ₃
380	Cl	OCH ₂ CO ₂ Et	CH ₃
381	Cl	OCH ₂ CO ₂ H	CH ₃
382	Cl	OCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
383	Cl	OCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
384	Cl	OCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
385	Cl	OCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
386	Cl	NHCH ₂ CO ₂ Et	CH ₃

387	Cl	NHCH ₂ CO ₂ H	CH ₃
388	Cl	NHCH ₂ CH ₂ CH ₂ PO(OEt) ₂	CH ₃
389	Cl	NHCH ₂ CH ₂ CH ₂ PO(OH) ₂	CH ₃
390	Cl	NHCH ₂ C ₆ H ₄ CO ₂ Et	CH ₃
391	Cl	NHCH ₂ C ₆ H ₄ CO ₂ H	CH ₃
392	Cl	NHCOCH ₂ CH ₂ CO ₂ Et	CH ₃
393	Cl	NHCOCH ₂ CH ₂ CO ₂ H	CH ₃
394	Cl	NHSO ₂ CH ₃	CH ₃
395	Cl	NHCH ₂ CH=CHCO ₂ Et	CH ₃
396	Cl	NHCH ₂ CH=CHCO ₂ H	CH ₃
397	Cl	CONH ₂	CH ₃
398	Cl	CH ₂ CONH ₂	CH ₃
399	Cl	OCH ₂ CONH ₂	CH ₃
400	Cl	CN ₄ H	CH ₃


[00197] Table 4



Ex. #	Y	V	Q	n
1	Cl	CO ₂ Et	N	1
2	Cl	CO ₂ H	N	1
3	Cl	CONH ₂	N	1
4	Cl	CN ₄ H	N	1
5	CH ₃	CO ₂ Et	N	1
6	CH ₃	CO ₂ H	N	1
7	CH ₃	CONH ₂	N	1
8	CH ₃	CN ₄ H	N	1
9	OCH ₃	CO ₂ Et	N	1
10	OCH ₃	CO ₂ H	N	1
11	OCH ₃	CONH ₂	N	1
12	OCH ₃	CN ₄ H	N	1
13	CH(CH ₃) ₂	CO ₂ Et	N	1
14	CH(CH ₃) ₂	CO ₂ H	N	1
15	CH(CH ₃) ₂	CONH ₂	N	1
16	CH(CH ₃) ₂	CN ₄ H	N	1
17	Cl	CO ₂ Et	N	2
18	Cl	CO ₂ H	N	2

19	Cl	CONH ₂	N	2
20	Cl	CN ₄ H	N	2
21	CH ₃	CO ₂ Et	N	2
22	CH ₃	CO ₂ H	N	2
23	CH ₃	CONH ₂	N	2
24	CH ₃	CN ₄ H	N	2
25	OCH ₃	CO ₂ Et	N	2
26	OCH ₃	CO ₂ H	N	2
27	OCH ₃	CONH ₂	N	2
28	OCH ₃	CN ₄ H	N	2
29	CH(CH ₃) ₂	CO ₂ Et	N	2
30	CH(CH ₃) ₂	CO ₂ H	N	2
31	CH(CH ₃) ₂	CONH ₂	N	2
32	CH(CH ₃) ₂	CN ₄ H	N	2
33	Cl	CO ₂ Et	CH	1
34	Cl	CO ₂ H	CH	1
35	Cl	CONH ₂	CH	1
36	Cl	CN ₄ H	CH	1
37	CH ₃	CO ₂ Et	CH	1
38	CH ₃	CO ₂ H	CH	1
39	CH ₃	CONH ₂	CH	1
40	CH ₃	CN ₄ H	CH	1
41	OCH ₃	CO ₂ Et	CH	1
42	OCH ₃	CO ₂ H	CH	1
43	OCH ₃	CONH ₂	CH	1
44	OCH ₃	CN ₄ H	CH	1
45	CH(CH ₃) ₂	CO ₂ Et	CH	1
46	CH(CH ₃) ₂	CO ₂ H	CH	1
47	CH(CH ₃) ₂	CONH ₂	CH	1
48	CH(CH ₃) ₂	CN ₄ H	CH	1
49	Cl	CO ₂ Et	CH	2
50	Cl	CO ₂ H	CH	2
51	Cl	CONH ₂	CH	2
52	Cl	CN ₄ H	CH	2
53	CH ₃	CO ₂ Et	CH	2
54	CH ₃	CO ₂ H	CH	2
55	CH ₃	CONH ₂	CH	2
56	CH ₃	CN ₄ H	CH	2
57	OCH ₃	CO ₂ Et	CH	2
58	OCH ₃	CO ₂ H	CH	2
59	OCH ₃	CONH ₂	CH	2
60	OCH ₃	CN ₄ H	CH	2
61	CH(CH ₃) ₂	CO ₂ Et	CH	2
62	CH(CH ₃) ₂	CO ₂ H	CH	2
63	CH(CH ₃) ₂	CONH ₂	CH	2
64	CH(CH ₃) ₂	CN ₄ H	CH	2


[00198] Table 5a



Ex. #	Y	R	A	m
1	Cl	Et	H	0
2	Cl	H	H	0
3	Cl	Et	H	1
4	Cl	H	H	1
5	Cl	Et	H	3
6	Cl	H	H	3
7	Cl	Et	CH ₃	0
8	Cl	H	CH ₃	0
9	Cl	Et	CH ₃	2
10	Cl	H	CH ₃	2
11	Cl	Et	C ₆ H ₅	0
12	Cl	H	C ₆ H ₅	0
13	Cl	Et	CH ₂ C ₆ H ₅	0
14	Cl	H	CH ₂ C ₆ H ₅	0
15	CH ₃	Et	H	0
16	CH ₃	H	H	0
17	CH ₃	Et	H	1
18	CH ₃	H	H	1
19	CH ₃	Et	H	3
20	CH ₃	H	H	3
21	CH ₃	Et	CH ₃	0
22	CH ₃	H	CH ₃	0
23	CH ₃	Et	CH ₃	2
24	CH ₃	H	CH ₃	2
25	CH ₃	Et	C ₆ H ₅	0
26	CH ₃	H	C ₆ H ₅	0
27	CH ₃	Et	CH ₂ C ₆ H ₅	0
28	CH ₃	H	CH ₂ C ₆ H ₅	0
29	OCH ₃	Et	H	0
30	OCH ₃	H	H	0
31	OCH ₃	Et	H	1
32	OCH ₃	H	H	1
33	OCH ₃	Et	H	3
34	OCH ₃	H	H	3

35	OCH ₃	Et	CH ₃	0
36	OCH ₃	H	CH ₃	0
37	OCH ₃	Et	CH ₃	2
38	OCH ₃	H	CH ₃	2
39	OCH ₃	Et	C ₆ H ₅	0
40	OCH ₃	H	C ₆ H ₅	0
41	OCH ₃	Et	CH ₂ C ₆ H ₅	0
42	OCH ₃	H	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	Et	H	0
44	CH(CH ₃) ₂	H	H	0
45	CH(CH ₃) ₂	Et	H	1
46	CH(CH ₃) ₂	H	H	1
47	CH(CH ₃) ₂	Et	H	3
48	CH(CH ₃) ₂	H	H	3
49	CH(CH ₃) ₂	Et	CH ₃	0
50	CH(CH ₃) ₂	H	CH ₃	0
51	CH(CH ₃) ₂	Et	CH ₃	2
52	CH(CH ₃) ₂	H	CH ₃	2
53	CH(CH ₃) ₂	Et	C ₆ H ₅	0
54	CH(CH ₃) ₂	H	C ₆ H ₅	0
55	CH(CH ₃) ₂	Et	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	H	CH ₂ C ₆ H ₅	0
57	Cl	Et	C(CH ₃) ₃	0
58	Cl	H	C(CH ₃) ₃	0
59	Cl	Et	C(CH ₃) ₃	1
60	Cl	H	C(CH ₃) ₃	1
61	Cl	Et	C(CH ₃) ₃	2
62	Cl	H	C(CH ₃) ₃	2

[00199] Table 5b




Ex. #	Y	R	A	m
1	Cl	Et	H	0
2	Cl	H	H	0
3	Cl	Et	H	1
4	Cl	H	H	1
5	Cl	Et	H	3

6	Cl	H	H	3
7	Cl	Et	C(CH ₃) ₃	0
8	Cl	H	C(CH ₃) ₃	0
9	Cl	Et	C(CH ₃) ₃	2
10	Cl	H	C(CH ₃) ₃	2
11	Cl	Et	C ₆ H ₅	0
12	Cl	H	C ₆ H ₅	0
13	Cl	Et	CH ₂ C ₆ H ₅	0
14	Cl	H	CH ₂ C ₆ H ₅	0
15	CH ₃	Et	H	0
16	CH ₃	H	H	0
17	CH ₃	Et	H	1
18	CH ₃	H	H	1
19	CH ₃	Et	H	3
20	CH ₃	H	H	3
21	CH ₃	Et	C(CH ₃) ₃	0
22	CH ₃	H	C(CH ₃) ₃	0
23	CH ₃	Et	C(CH ₃) ₃	2
24	CH ₃	H	C(CH ₃) ₃	2
25	CH ₃	Et	C ₆ H ₅	0
26	CH ₃	H	C ₆ H ₅	0
27	CH ₃	Et	CH ₂ C ₆ H ₅	0
28	CH ₃	H	CH ₂ C ₆ H ₅	0
29	OCH ₃	Et	H	0
30	OCH ₃	H	H	0
31	OCH ₃	Et	H	1
32	OCH ₃	H	H	1
33	OCH ₃	Et	H	3
34	OCH ₃	H	H	3
35	OCH ₃	Et	C(CH ₃) ₃	0
36	OCH ₃	H	C(CH ₃) ₃	0
37	OCH ₃	Et	C(CH ₃) ₃	2
38	OCH ₃	H	C(CH ₃) ₃	2
39	OCH ₃	Et	C ₆ H ₅	0
40	OCH ₃	H	C ₆ H ₅	0
41	OCH ₃	Et	CH ₂ C ₆ H ₅	0
42	OCH ₃	H	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	Et	H	0
44	CH(CH ₃) ₂	H	H	0
45	CH(CH ₃) ₂	Et	H	1
46	CH(CH ₃) ₂	H	H	1
47	CH(CH ₃) ₂	Et	H	3
48	CH(CH ₃) ₂	H	H	3
49	CH(CH ₃) ₂	Et	C(CH ₃) ₃	0
50	CH(CH ₃) ₂	H	C(CH ₃) ₃	0
51	CH(CH ₃) ₂	Et	C(CH ₃) ₃	2

52	CH(CH ₃) ₂	H	C(CH ₃) ₃	2
53	CH(CH ₃) ₂	Et	C ₆ H ₅	0
54	CH(CH ₃) ₂	H	C ₆ H ₅	0
55	CH(CH ₃) ₂	Et	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	H	CH ₂ C ₆ H ₅	0


[00200] Table 5c



Ex. #	Y	R	A	m
1	Cl	Et	H	0
2	Cl	H	H	0
3	Cl	Et	H	1
4	Cl	H	H	1
5	Cl	Et	H	3
6	Cl	H	H	3
7	Cl	Et	C(CH ₃) ₃	0
8	Cl	H	C(CH ₃) ₃	0
9	Cl	Et	C(CH ₃) ₃	2
10	Cl	H	C(CH ₃) ₃	2
11	Cl	Et	C ₆ H ₅	0
12	Cl	H	C ₆ H ₅	0
13	Cl	Et	CH ₂ C ₆ H ₅	0
14	Cl	H	CH ₂ C ₆ H ₅	0
15	CH ₃	Et	H	0
16	CH ₃	H	H	0
17	CH ₃	Et	H	1
18	CH ₃	H	H	1
19	CH ₃	Et	H	3
20	CH ₃	H	H	3
21	CH ₃	Et	C(CH ₃) ₃	0
22	CH ₃	H	C(CH ₃) ₃	0
23	CH ₃	Et	C(CH ₃) ₃	2
24	CH ₃	H	C(CH ₃) ₃	2
25	CH ₃	Et	C ₆ H ₅	0
26	CH ₃	H	C ₆ H ₅	0
27	CH ₃	Et	CH ₂ C ₆ H ₅	0
28	CH ₃	H	CH ₂ C ₆ H ₅	0

29	OCH ₃	Et	H	0
30	OCH ₃	H	H	0
31	OCH ₃	Et	H	1
32	OCH ₃	H	H	1
33	OCH ₃	Et	H	3
34	OCH ₃	H	H	3
35	OCH ₃	Et	C(CH ₃) ₃	0
36	OCH ₃	H	C(CH ₃) ₃	0
37	OCH ₃	Et	C(CH ₃) ₃	2
38	OCH ₃	H	C(CH ₃) ₃	2
39	OCH ₃	Et	C ₆ H ₅	0
40	OCH ₃	H	C ₆ H ₅	0
41	OCH ₃	Et	CH ₂ C ₆ H ₅	0
42	OCH ₃	H	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	Et	H	0
44	CH(CH ₃) ₂	H	H	0
45	CH(CH ₃) ₂	Et	H	1
46	CH(CH ₃) ₂	H	H	1
47	CH(CH ₃) ₂	Et	H	3
48	CH(CH ₃) ₂	H	H	3
49	CH(CH ₃) ₂	Et	C(CH ₃) ₃	0
50	CH(CH ₃) ₂	H	C(CH ₃) ₃	0
51	CH(CH ₃) ₂	Et	C(CH ₃) ₃	2
52	CH(CH ₃) ₂	H	C(CH ₃) ₃	2
53	CH(CH ₃) ₂	Et	C ₆ H ₅	0
54	CH(CH ₃) ₂	H	C ₆ H ₅	0
55	CH(CH ₃) ₂	Et	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	H	CH ₂ C ₆ H ₅	0

[00201] Table 5d




Ex. #	Y	R	A	m
1	Cl	Et	H	0
2	Cl	H	H	0
3	Cl	Et	H	1
4	Cl	H	H	1
5	Cl	Et	H	3

6	Cl	H	H	3
7	Cl	Et	CH ₃	0
8	Cl	H	CH ₃	0
9	Cl	Et	CH ₃	2
10	Cl	H	CH ₃	2
11	Cl	Et	C ₆ H ₅	0
12	Cl	H	C ₆ H ₅	0
13	Cl	Et	CH ₂ C ₆ H ₅	0
14	Cl	H	CH ₂ C ₆ H ₅	0
15	CH ₃	Et	H	0
16	CH ₃	H	H	0
17	CH ₃	Et	H	1
18	CH ₃	H	H	1
19	CH ₃	Et	H	3
20	CH ₃	H	H	3
21	CH ₃	Et	C(CH ₃) ₃	0
22	CH ₃	H	C(CH ₃) ₃	0
23	CH ₃	Et	C(CH ₃) ₃	2
24	CH ₃	H	C(CH ₃) ₃	2
25	CH ₃	Et	C ₆ H ₅	0
26	CH ₃	H	C ₆ H ₅	0
27	CH ₃	Et	CH ₂ C ₆ H ₅	0
28	CH ₃	H	CH ₂ C ₆ H ₅	0
29	OCH ₃	Et	H	0
30	OCH ₃	H	H	0
31	OCH ₃	Et	H	1
32	OCH ₃	H	H	1
33	OCH ₃	Et	H	3
34	OCH ₃	H	H	3
35	OCH ₃	Et	C(CH ₃) ₃	0
36	OCH ₃	H	C(CH ₃) ₃	0
37	OCH ₃	Et	C(CH ₃) ₃	2
38	OCH ₃	H	C(CH ₃) ₃	2
39	OCH ₃	Et	C ₆ H ₅	0
40	OCH ₃	H	C ₆ H ₅	0
41	OCH ₃	Et	CH ₂ C ₆ H ₅	0
42	OCH ₃	H	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	Et	H	0
44	CH(CH ₃) ₂	H	H	0
45	CH(CH ₃) ₂	Et	H	1
46	CH(CH ₃) ₂	H	H	1
47	CH(CH ₃) ₂	Et	H	3
48	CH(CH ₃) ₂	H	H	3
49	CH(CH ₃) ₂	Et	C(CH ₃) ₃	0
50	CH(CH ₃) ₂	H	C(CH ₃) ₃	0
51	CH(CH ₃) ₂	Et	C(CH ₃) ₃	2

52	CH(CH ₃) ₂	H	C(CH ₃) ₃	2
53	CH(CH ₃) ₂	Et	C ₆ H ₅	0
54	CH(CH ₃) ₂	H	C ₆ H ₅	0
55	CH(CH ₃) ₂	Et	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	H	CH ₂ C ₆ H ₅	0


[00202] Table 5e



Ex. #	Y	R	A	m
1	Cl	Et	H	0
2	Cl	H	H	0
3	Cl	Et	H	1
4	Cl	H	H	1
5	Cl	Et	H	3
6	Cl	H	H	3
7	Cl	Et	CH ₃	0
8	Cl	H	CH ₃	0
9	Cl	Et	CH ₃	2
10	Cl	H	CH ₃	2
11	Cl	Et	C ₆ H ₅	0
12	Cl	H	C ₆ H ₅	0
13	Cl	Et	CH ₂ C ₆ H ₅	0
14	Cl	H	CH ₂ C ₆ H ₅	0
15	CH ₃	Et	H	0
16	CH ₃	H	H	0
17	CH ₃	Et	H	1
18	CH ₃	H	H	1
19	CH ₃	Et	H	3
20	CH ₃	H	H	3
21	CH ₃	Et	CH ₃	0
22	CH ₃	H	CH ₃	0
23	CH ₃	Et	CH ₃	2
24	CH ₃	H	CH ₃	2
25	CH ₃	Et	C ₆ H ₅	0
26	CH ₃	H	C ₆ H ₅	0
27	CH ₃	Et	CH ₂ C ₆ H ₅	0
28	CH ₃	H	CH ₂ C ₆ H ₅	0

29	OCH ₃	Et	H	0
30	OCH ₃	H	H	0
31	OCH ₃	Et	H	1
32	OCH ₃	H	H	1
33	OCH ₃	Et	H	3
34	OCH ₃	H	H	3
35	OCH ₃	Et	CH ₃	0
36	OCH ₃	H	CH ₃	0
37	OCH ₃	Et	CH ₃	2
38	OCH ₃	H	CH ₃	2
39	OCH ₃	Et	C ₆ H ₅	0
40	OCH ₃	H	C ₆ H ₅	0
41	OCH ₃	Et	CH ₂ C ₆ H ₅	0
42	OCH ₃	H	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	Et	H	0
44	CH(CH ₃) ₂	H	H	0
45	CH(CH ₃) ₂	Et	H	1
46	CH(CH ₃) ₂	H	H	1
47	CH(CH ₃) ₂	Et	H	3
48	CH(CH ₃) ₂	H	H	3
49	CH(CH ₃) ₂	Et	CH ₃	0
50	CH(CH ₃) ₂	H	CH ₃	0
51	CH(CH ₃) ₂	Et	CH ₃	2
52	CH(CH ₃) ₂	H	CH ₃	2
53	CH(CH ₃) ₂	Et	C ₆ H ₅	0
54	CH(CH ₃) ₂	H	C ₆ H ₅	0
55	CH(CH ₃) ₂	Et	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	H	CH ₂ C ₆ H ₅	0

[00203] Table 5f




Ex. #	Y	R	Substituent position	m
1	Cl	Et	2	0
2	Cl	H	2	0
3	Cl	Et	2	0
4	Cl	H	2	0
5	Cl	Et	2	1

6	Cl	H	2	1
7	Cl	Et	2	1
8	Cl	H	2	1
9	CH ₃	Et	2	0
10	CH ₃	H	2	0
11	CH ₃	Et	2	0
12	CH ₃	H	2	0
13	CH ₃	Et	2	1
14	CH ₃	H	2	1
15	CH ₃	Et	2	1
16	CH ₃	H	2	1
17	OCH ₃	Et	2	0
18	OCH ₃	H	2	0
19	OCH ₃	Et	2	0
20	OCH ₃	H	2	0
21	OCH ₃	Et	2	1
22	OCH ₃	H	2	1
23	OCH ₃	Et	2	1
24	OCH ₃	H	2	1
25	CH(CH ₃) ₂	Et	2	0
26	CH(CH ₃) ₂	H	2	0
27	CH(CH ₃) ₂	Et	2	0
28	CH(CH ₃) ₂	H	2	0
29	CH(CH ₃) ₂	Et	2	1
30	CH(CH ₃) ₂	H	2	1
31	CH(CH ₃) ₂	Et	2	1
32	CH(CH ₃) ₂	H	2	1
33	Cl	Et	3	0
34	Cl	H	3	0
35	Cl	Et	3	0
36	Cl	H	3	0
37	Cl	Et	3	1
38	Cl	H	3	1
39	Cl	Et	3	1
40	Cl	H	3	1
41	CH ₃	Et	3	0
42	CH ₃	H	3	0
43	CH ₃	Et	3	0
44	CH ₃	H	3	0
45	CH ₃	Et	3	1
46	CH ₃	H	3	1
47	CH ₃	Et	3	1
48	CH ₃	H	3	1
49	OCH ₃	Et	3	0
50	OCH ₃	H	3	0
51	OCH ₃	Et	3	0

52	OCH ₃	H	3	0
53	OCH ₃	Et	3	1
54	OCH ₃	H	3	1
55	OCH ₃	Et	3	1
56	OCH ₃	H	3	1
57	CH(CH ₃) ₂	Et	3	0
58	CH(CH ₃) ₂	H	3	0
59	CH(CH ₃) ₂	Et	3	0
60	CH(CH ₃) ₂	H	3	0
61	CH(CH ₃) ₂	Et	3	1
62	CH(CH ₃) ₂	H	3	1
63	CH(CH ₃) ₂	Et	3	1
64	CH(CH ₃) ₂	H	3	1
65	Cl	Et	4	0
66	Cl	H	4	0
67	Cl	Et	4	0
68	Cl	H	4	0
69	Cl	Et	4	1
70	Cl	H	4	1
71	Cl	Et	4	1
72	Cl	H	4	1
73	CH ₃	Et	4	0
74	CH ₃	H	4	0
75	CH ₃	Et	4	0
76	CH ₃	H	4	0
77	CH ₃	Et	4	1
78	CH ₃	H	4	1
79	CH ₃	Et	4	1
80	CH ₃	H	4	1
81	OCH ₃	Et	4	0
82	OCH ₃	H	4	0
83	OCH ₃	Et	4	0
84	OCH ₃	H	4	0
85	OCH ₃	Et	4	1
86	OCH ₃	H	4	1
87	OCH ₃	Et	4	1
88	OCH ₃	H	4	1
89	CH(CH ₃) ₂	Et	4	0
90	CH(CH ₃) ₂	H	4	0
91	CH(CH ₃) ₂	Et	4	0
92	CH(CH ₃) ₂	H	4	0
93	CH(CH ₃) ₂	Et	4	1
94	CH(CH ₃) ₂	H	4	1
95	CH(CH ₃) ₂	Et	4	1
96	CH(CH ₃) ₂	H	4	1


[00204] Table 5g



Ex. #	Y'	R	Substituent position	m
1	CH ₃	Et	2	0
2	CH ₃	H	2	0
3	CH ₃	Et	2	0
4	CH ₃	H	2	0
5	CH ₃	Et	2	1
6	CH ₃	H	2	1
7	CH ₃	Et	2	1
8	CH ₃	H	2	1
9	OCH ₃	Et	2	0
10	OCH ₃	H	2	0
11	OCH ₃	Et	2	0
12	OCH ₃	H	2	0
13	OCH ₃	Et	2	1
14	OCH ₃	H	2	1
15	OCH ₃	Et	2	1
16	OCH ₃	H	2	1
17	CH(CH ₃) ₂	Et	2	0
18	CH(CH ₃) ₂	H	2	0
19	CH(CH ₃) ₂	Et	2	0
20	CH(CH ₃) ₂	H	2	0
21	CH(CH ₃) ₂	Et	2	1
22	CH(CH ₃) ₂	H	2	1
23	CH(CH ₃) ₂	Et	2	1
24	CH(CH ₃) ₂	H	2	1
25	CH ₃	Et	3	0
26	CH ₃	H	3	0
27	CH ₃	Et	3	0
28	CH ₃	H	3	0
29	CH ₃	Et	3	1
30	CH ₃	H	3	1
31	CH ₃	Et	3	1
32	CH ₃	H	3	1
33	OCH ₃	Et	3	0
34	OCH ₃	H	3	0

35	OCH ₃	Et	3	0
36	OCH ₃	H	3	0
37	OCH ₃	Et	3	1
38	OCH ₃	H	3	1
39	OCH ₃	Et	3	1
40	OCH ₃	H	3	1
41	CH(CH ₃) ₂	Et	3	0
42	CH(CH ₃) ₂	H	3	0
43	CH(CH ₃) ₂	Et	3	0
44	CH(CH ₃) ₂	H	3	0
45	CH(CH ₃) ₂	Et	3	1
46	CH(CH ₃) ₂	H	3	1
47	CH(CH ₃) ₂	Et	3	1
48	CH(CH ₃) ₂	H	3	1
49	CH ₃	Et	4	0
50	CH ₃	H	4	0
51	CH ₃	Et	4	0
52	CH ₃	H	4	0
53	CH ₃	Et	4	1
54	CH ₃	H	4	1
55	CH ₃	Et	4	1
56	CH ₃	H	4	1
57	OCH ₃	Et	4	0
58	OCH ₃	H	4	0
59	OCH ₃	Et	4	0
60	OCH ₃	H	4	0
61	OCH ₃	Et	4	1
62	OCH ₃	H	4	1
63	OCH ₃	Et	4	1
64	OCH ₃	H	4	1
65	CH(CH ₃) ₂	Et	4	0
66	CH(CH ₃) ₂	H	4	0
67	CH(CH ₃) ₂	Et	4	0
68	CH(CH ₃) ₂	H	4	0
69	CH(CH ₃) ₂	Et	4	1
70	CH(CH ₃) ₂	H	4	1
71	CH(CH ₃) ₂	Et	4	1
72	CH(CH ₃) ₂	H	4	1


[00205] Table 6a



Ex. #	Y	Q'	A	m
1	Cl	O	H	0
2	Cl	NH	H	0
3	Cl	O	H	1
4	Cl	NH	H	1
5	Cl	O	H	3
6	Cl	NH	H	3
7	Cl	O	CH ₃	0
8	Cl	NH	CH ₃	0
9	Cl	O	CH ₃	2
10	Cl	NH	CH ₃	2
11	Cl	O	C ₆ H ₅	0
12	Cl	NH	C ₆ H ₅	0
13	Cl	O	CH ₂ C ₆ H ₅	0
14	Cl	NH	CH ₂ C ₆ H ₅	0
15	CH ₃	O	H	0
16	CH ₃	NH	H	0
17	CH ₃	O	H	1
18	CH ₃	NH	H	1
19	CH ₃	O	H	3
20	CH ₃	NH	H	3
21	CH ₃	O	CH ₃	0
22	CH ₃	NH	CH ₃	0
23	CH ₃	O	CH ₃	2
24	CH ₃	NH	CH ₃	2
25	CH ₃	O	C ₆ H ₅	0
26	CH ₃	NH	C ₆ H ₅	0
27	CH ₃	O	CH ₂ C ₆ H ₅	0
28	CH ₃	NH	CH ₂ C ₆ H ₅	0
29	OCH ₃	O	H	0
30	OCH ₃	NH	H	0
31	OCH ₃	O	H	1
32	OCH ₃	NH	H	1
33	OCH ₃	O	H	3
34	OCH ₃	NH	H	3
35	OCH ₃	O	CH ₃	0

36	OCH ₃	NH	CH ₃	0
37	OCH ₃	O	CH ₃	2
38	OCH ₃	NH	CH ₃	2
39	OCH ₃	O	C ₆ H ₅	0
40	OCH ₃	NH	C ₆ H ₅	0
41	OCH ₃	O	CH ₂ C ₆ H ₅	0
42	OCH ₃	NH	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	O	H	0
44	CH(CH ₃) ₂	NH	H	0
45	CH(CH ₃) ₂	O	H	1
46	CH(CH ₃) ₂	NH	H	1
47	CH(CH ₃) ₂	O	H	3
48	CH(CH ₃) ₂	NH	H	3
49	CH(CH ₃) ₂	O	CH ₃	0
50	CH(CH ₃) ₂	NH	CH ₃	0
51	CH(CH ₃) ₂	O	CH ₃	2
52	CH(CH ₃) ₂	NH	CH ₃	2
53	CH(CH ₃) ₂	O	C ₆ H ₅	0
54	CH(CH ₃) ₂	NH	C ₆ H ₅	0
55	CH(CH ₃) ₂	O	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	NH	CH ₂ C ₆ H ₅	0
57	Cl	O	C(CH ₃) ₃	0
58	Cl	NH	C(CH ₃) ₃	0
59	Cl	O	C(CH ₃) ₃	1
60	Cl	NH	C(CH ₃) ₃	1
61	Cl	O	C(CH ₃) ₃	2
62	Cl	NH	C(CH ₃) ₃	2

[00206] Table 6b



Ex. #	Y	Q'	A	m
1	Cl	O	H	0
2	Cl	NH	H	0
3	Cl	O	H	1
4	Cl	NH	H	1
5	Cl	O	H	3
6	Cl	NH	H	3
7	Cl	O	C(CH ₃) ₃	0


8	Cl	NH	C(CH ₃) ₃	0
9	Cl	O	C(CH ₃) ₃	2
10	Cl	NH	C(CH ₃) ₃	2
11	Cl	O	C ₆ H ₅	0
12	Cl	NH	C ₆ H ₅	0
13	Cl	O	CH ₂ C ₆ H ₅	0
14	Cl	NH	CH ₂ C ₆ H ₅	0
15	CH ₃	O	H	0
16	CH ₃	NH	H	0
17	CH ₃	O	H	1
18	CH ₃	NH	H	1
19	CH ₃	O	H	3
20	CH ₃	NH	H	3
21	CH ₃	O	C(CH ₃) ₃	0
22	CH ₃	NH	C(CH ₃) ₃	0
23	CH ₃	O	C(CH ₃) ₃	2
24	CH ₃	NH	C(CH ₃) ₃	2
25	CH ₃	O	C ₆ H ₅	0
26	CH ₃	NH	C ₆ H ₅	0
27	CH ₃	O	CH ₂ C ₆ H ₅	0
28	CH ₃	NH	CH ₂ C ₆ H ₅	0
29	OCH ₃	O	H	0
30	OCH ₃	NH	H	0
31	OCH ₃	O	H	1
32	OCH ₃	NH	H	1
33	OCH ₃	O	H	3
34	OCH ₃	NH	H	3
35	OCH ₃	O	C(CH ₃) ₃	0
36	OCH ₃	NH	C(CH ₃) ₃	0
37	OCH ₃	O	C(CH ₃) ₃	2
38	OCH ₃	NH	C(CH ₃) ₃	2
39	OCH ₃	O	C ₆ H ₅	0
40	OCH ₃	NH	C ₆ H ₅	0
41	OCH ₃	O	CH ₂ C ₆ H ₅	0
42	OCH ₃	NH	CH ₂ C ₆ H ₅	0
43	CH(CH ₃) ₂	O	H	0
44	CH(CH ₃) ₂	NH	H	0
45	CH(CH ₃) ₂	O	H	1
46	CH(CH ₃) ₂	NH	H	1
47	CH(CH ₃) ₂	O	H	3
48	CH(CH ₃) ₂	NH	H	3
49	CH(CH ₃) ₂	O	C(CH ₃) ₃	0
50	CH(CH ₃) ₂	NH	C(CH ₃) ₃	0
51	CH(CH ₃) ₂	O	C(CH ₃) ₃	2
52	CH(CH ₃) ₂	NH	C(CH ₃) ₃	2
53	CH(CH ₃) ₂	O	C ₆ H ₅	0

54	CH(CH ₃) ₂	NH	C ₆ H ₅	0
55	CH(CH ₃) ₂	O	CH ₂ C ₆ H ₅	0
56	CH(CH ₃) ₂	NH	CH ₂ C ₆ H ₅	0

[00207] Numerous modifications and variations of the present invention are possible in light of the above teachings. It is therefore to be understood that within the scope of the appended claims, the invention may be practiced otherwise than as specifically described herein.

WHAT IS CLAIMED IS:

1. A compound of formula I or a stereoisomer or pharmaceutically acceptable salt thereof:



wherein:


X and Y are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, CO₂R, (CH₂)_nCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, CH₂O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R, NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole, CH₂NR^a(CH₂)_nC₆H₄-tetrazole, -CN, (CH₂)_mC(NH)NH₂, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂, NR^a(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, NR^aCH₂CH=CHCONR₂, -tetrazole, O(CH₂CH₂O)_pR, NR^a(CH₂CH₂O)_pR, and SO₂NR^aCH₃;

X' and Y' are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, CO₂R, (CH₂)_nCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂, NR^aCH₂CH=CHCO₂R, NR^aSO₂CH₃, NR^aCO(CH₂)_nCO₂R, O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄(CH₂)_nCO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄(CH₂)_nCONH₂, CH₂O(CH₂)_nC₆H₄CONH₂, O(CH₂)_nC₆H₄-tetrazole, CH₂O(CH₂)_nC₆H₄-tetrazole, O(CH₂)_nC₆H₄(CH₂)_n-tetrazole, NR^a(CH₂)_nC₆H₄CO₂R, CH₂NR^a(CH₂)_nC₆H₄CO₂R, NR^a(CH₂)_nC₆H₄CONH₂, CH₂NR^a(CH₂)_nC₆H₄CONH₂, NR^a(CH₂)_nC₆H₄-tetrazole,

CH₂NR^a(CH₂)_nC₆H₄-tetrazole, -CN, (CH₂)_mC(NH)NH₂, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONH₂, NR^a(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, NR^aCH₂CH=CHCONR₂, -tetrazole, O(CH₂CH₂O)_pR, NR^a(CH₂CH₂O)_pR, and SO₂NR^aCH₃;

A is selected from H, C₁₋₆ alkyl, (CH₂)_m-C₃₋₆-cycloalkyl, (CH₂)_m-heteroaryl, and (CH₂)_m-aryl, wherein each aryl and heteroaryl is substituted with 0-1 groups selected from CF₃, halogen, C₁₋₄ alkyl, -CN, CONR₂, NO₂, NR₂, and OR;

R' is selected from H, C₁₋₆ alkyl, CH(A)-(CH₂)_mCO₂R, CH(A)-(CH₂)_mCONH₂, CH(A)-(CH₂)_mC(NH)NH₂, (CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_m-pyridyl-(CH₂)_mCO₂R, (CH₂)_m-phenyl-(CH₂)_mCONH₂, (CH₂)_m-pyridyl-(CH₂)_mCONH₂, (CH₂)_m-phenyl-(CH₂)_mC(NH)NH₂, (CH₂)_m-pyridyl-(CH₂)_m(CN)NH₂, (CH₂)_m-phenyl-(CH₂)_m-tetrazole, and (CH₂)_m-pyridyl-(CH₂)_m-tetrazole;

alternatively, R' is  ;

R'' is selected from H, C₁₋₆ alkyl, (CH₂)₀₋₆ aryl, and (CH₂)₀₋₆ heteroaryl;

Z is selected from H, C₁₋₆ alkyl, aryl, NR₂, OR, -CN, (CH₂)_mC(NH)NH₂, CO₂R, (CH₂)_nCO₂R, O(CH₂)_nCO₂R, CH₂O(CH₂)_nCO₂R, NR^aCH(A)CO₂R, CH₂NR^aCH(A)CO₂R, NR^a(CH₂)_nCO₂R, CH₂NR^a(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, O(CH₂)_nC₆H₄CO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, CONR₂, (CH₂)_nCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, CH₂NR^a(CH₂)_n-tetrazole, CH₂O(CH₂)_n-tetrazole, and (CH₂)_m-tetrazole;

Q is selected from N, CH, and CQ';

Q' is selected from H, CO₂R, (CH₂)_nCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, CH₂O(CH₂)_nPO(OR)₂, CONR₂, (CH₂)_nCONR₂, CH₂O(CH₂)_nCONR₂, CH₂OCH₂CH=CHCONR₂, and (CH₂)_m-tetrazole;

V is selected from H, C₁₋₆ alkyl, C₂₋₆ alkenyl, CF₃, aryl, -CN, (CH₂)_mC(NH)NH₂, (CH₂)_mCO₂R, (CH₂)_mCONR₂, (CH₂)_m-tetrazole, (CH₂)_mCONR^aCH(A)-(CH₂)_mCO₂R, (CH₂)_mCONR^a(CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_mCONR^a(CH₂)_m-phenyl-(CH₂)_m-tetrazole, CH₂O(CH₂)_nCO₂R,

$\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONH}_2$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CONH}_2$, and
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{tetrazole}$;

R is independently selected from H, C_{1-6} alkyl;

R^a is independently selected from H, C_{1-6} alkyl, C_{2-6} alkenyl, and C_{2-6} alkynyl;

m is selected from 0, 1, 2, 3, and 4;


n is selected from 1, 2, 3, and 4; and,

p is selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12;


provided that at least one of the following is satisfied:

- (a) at least one of X, Y, X', and Y' is other than H, halogen, C_{1-6} alkyl, NO_2 , $-\text{CN}$, CF_3 , OR, and phenyl;
- (b) R' is selected from $\text{CH}(\text{A})-(\text{CH}_2)_m\text{CO}_2\text{R}$, $\text{CH}(\text{A})-(\text{CH}_2)_m\text{CONH}_2$, $\text{CH}(\text{A})-(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $(\text{CH}_2)_m\text{-phenyl}-(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{-pyridyl}-(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{-phenyl}-(\text{CH}_2)_m\text{CONH}_2$, $(\text{CH}_2)_m\text{-pyridyl}-(\text{CH}_2)_m\text{CONH}_2$, $(\text{CH}_2)_m\text{-phenyl}-(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $(\text{CH}_2)_m\text{-pyridyl}-(\text{CH}_2)_m(\text{CN})\text{NH}_2$, $(\text{CH}_2)_m\text{-phenyl}-(\text{CH}_2)_m\text{-tetrazole}$, and $(\text{CH}_2)_m\text{-pyridyl}-(\text{CH}_2)_m\text{-tetrazole}$;
- (c) Z is present and is other than H, C_{1-6} alkyl, aryl, NR_2 , and OR;
- (d) Q is present and is CQ' where Q' is other than H; and/or
- (e) V is other than H, $-\text{CN}$, CF_3 , C_{2-6} alkenyl, aryl, and C_{1-6} alkyl.

2. A compound of claim 1, wherein the compound is of formula II or a stereoisomer or pharmaceutically acceptable salt thereof:



3. A compound of claim 1, wherein the compound is of formula IIa or a stereoisomer or pharmaceutically acceptable salt thereof:



4. A compound of claim 2, wherein:

X and Y are independently selected from H, halogen, C₁₋₄ alkyl, CF₃, -CN, NO₂, NR₂, and OR;

X' and Y' are independently selected from H, halogen, C₁₋₄ alkyl, CF₃, -CN, NO₂, NR₂, and OR;

Z is selected from (CH₂)_mC(NH)NH₂, (CH₂)_mCO₂R, O(CH₂)_nCO₂R, CH₂O(CH₂)_nCO₂R, NR^aCH(A)CO₂R, CH₂NR^aCH(A)CO₂R, NR^a(CH₂)_nCO₂R, CH₂NR^a(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, O(CH₂)_nC₆H₄CO₂R, CH₂O(CH₂)_nC₆H₄CO₂R, (CH₂)_mCONR₂, O(CH₂)_nCONR₂, CH₂O(CH₂)_nCONR₂, OCH₂CH=CHCONR₂, CH₂OCH₂CH=CHCONR₂, CH₂NR^a(CH₂)_ntetrazole, CH₂O(CH₂)_ntetrazole, and (CH₂)_mtetrazole;

Q is selected from N and CH;

V is selected from H, C₁₋₆ alkyl, C₂₋₆ alkenyl, CF₃, aryl, and -CN;

R is selected from H, C₁₋₄ alkyl, and C₂₋₄ alkenyl; and,

n is selected from 1 and 2.

5. A compound of claim 2, wherein:

X and Y are independently selected from H, halogen, C₁₋₆ alkyl, NO₂, CF₃, NR₂, OR, -CN, (CH₂)_mC(NH)NH₂, (CH₂)_mCO₂R, O(CH₂)_nCO₂R, OCH₂CH=CHCO₂R, CH₂O(CH₂)_nCO₂R, CH₂OCH₂CH=CHCO₂R, O(CH₂)_nPO(OR)₂, CH₂O(CH₂)_nPO(OR)₂, NR^a(CH₂)_nCO₂R, NR^a(CH₂)_nPO(OR)₂,

$\text{NR}^a\text{CH}_2\text{CH}=\text{CHCO}_2\text{R}$, $\text{NR}^a\text{SO}_2\text{CH}_3$, $\text{NR}^a\text{CO}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$,
 $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{CONH}_2$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{-tetrazole}$,
 $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$, $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-}$
 tetrazole , CONR_2 , $(\text{CH}_2)_n\text{CONR}_2$, $\text{O}(\text{CH}_2)_n\text{CONR}_2$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONH}_2$,
 $\text{NR}^a(\text{CH}_2)_n\text{CONR}_2$, $\text{OCH}_2\text{CH}=\text{CHCONR}_2$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCONR}_2$,
 $\text{NR}^a\text{CH}_2\text{CH}=\text{CHCONR}_2\text{-tetrazole}$, $\text{O}(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, $\text{NR}^a(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, and
 $\text{SO}_2\text{NR}^a\text{CH}_3$;

provided that at least one of X and Y is other than H, halogen, C_{1-6} alkyl, -CN, NO_2 , CF_3 , and OR;

X' and Y' are independently selected from H, halogen, C_{1-4} alkyl, -CN, NO_2 , NR_2 , and OR;

Z is selected from H, C_{1-4} alkyl, and aryl;

Q is selected from N and CH;

V is selected from H, C_{1-4} alkyl, and aryl;

R is selected from H, C_{1-4} alkyl, and C_{2-4} alkenyl; and,

n is selected from 1 and 2.

6. A compound of claim 2, wherein:

X and Y are independently selected from H, halogen, C_{1-4} alkyl, -CN, NO_2 , NR_2 , and OR;

X' and Y' are independently selected from H, halogen, C_{1-6} alkyl, -CN, NO_2 , CF_3 , NR_2 ,
 OR, CO_2R , $(\text{CH}_2)_n\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$,
 $\text{OCH}_2\text{CH}=\text{CHCO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCO}_2\text{R}$,
 $\text{O}(\text{CH}_2)_n\text{PO}(\text{OR})_2$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{PO}(\text{OR})_2$, $\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{NR}^a(\text{CH}_2)_n\text{PO}(\text{OR})_2$,
 $\text{NR}^a\text{CH}_2\text{CH}=\text{CHCO}_2\text{R}$, $\text{NR}^a\text{SO}_2\text{CH}_3$, $\text{NR}^a\text{CO}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$,
 $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{CONH}_2$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{O}(\text{CH}_2)_n\text{C}_6\text{H}_4(\text{CH}_2)_n\text{-tetrazole}$,
 $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CO}_2\text{R}$, $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$,
 $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{CONH}_2$, $\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-tetrazole}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{C}_6\text{H}_4\text{-}$

tetrazole, CONR_2 , $(\text{CH}_2)_n\text{CONR}_2$, $\text{O}(\text{CH}_2)_n\text{CONR}_2$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONH}_2$,
 $\text{NR}^a(\text{CH}_2)_n\text{CONR}_2$, $\text{OCH}_2\text{CH}=\text{CHCONR}_2$, $\text{CH}_2\text{OCH}_2\text{CH}=\text{CHCONR}_2$,
 $\text{NR}^a\text{CH}_2\text{CH}=\text{CHCONR}_2$, -tetrazole, $\text{O}(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, $\text{NR}^a(\text{CH}_2\text{CH}_2\text{O})_p\text{R}$, and
 $\text{SO}_2\text{NR}^a\text{CH}_3$;

provided that at least one of X' and Y' is other than halogen, C_{1-4} alkyl, -CN, NO_2 , and
OR;

Z is selected from H, C_{1-4} alkyl, and aryl;

Q is selected from N and CH;

V is selected from H, C_{1-4} alkyl, and aryl;

R is selected from H, C_{1-4} alkyl, and C_{2-4} alkenyl;

n is selected from 1 and 2; and,

p is selected from 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 and 12.

7. A compound of claim 2, wherein:

X and Y are independently selected from H, CF_3 , halogen, C_{1-4} alkyl, -CN, NO_2 , NR_2 ,
and OR;

X' and Y' are independently selected from H, CF_3 , halogen, C_{1-4} alkyl, -CN, NO_2 , NR_2 ,
and OR;

Z is selected from H, C_{1-4} alkyl, and aryl;

Q is selected from N and CH;

V is selected from $(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{CONR}_2$, $(\text{CH}_2)_m\text{C}(\text{NH})\text{NH}_2$, $(\text{CH}_2)_m$ -tetrazole,
 $(\text{CH}_2)_m\text{CONR}^a\text{CH}(\text{A})-(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{CONR}^a(\text{CH}_2)_m$
-phenyl- $(\text{CH}_2)_m\text{CO}_2\text{R}$, $(\text{CH}_2)_m\text{CONR}^a(\text{CH}_2)_m$ -phenyl- $(\text{CH}_2)_m$ -tetrazole,
 $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CO}_2\text{R}$, $\text{CH}_2\text{O}(\text{CH}_2)_n\text{CONH}_2$,
 $\text{CH}_2\text{NR}^a(\text{CH}_2)_n\text{CONH}_2$, and $\text{CH}_2\text{O}(\text{CH}_2)_n$ -tetrazole;

A is selected from H, C_{1-4} alkyl, and $(\text{CH}_2)_m$ -aryl, wherein each aryl is optionally
substituted with 0-1 groups selected from CF_3 , halogen, C_{1-4} alkyl, -CN, CONR_2 ,
 NO_2 , NR_2 , and OR;

R is selected from H, C_{1-4} alkyl, and C_{2-4} alkenyl;

m is selected from 0, 1, and 2; and,

n is selected from 1 and 2.

8. A compound of claim 1, wherein:

X and Y are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

X' and Y' are independently selected from H, CF₃, halogen, C₁₋₄ alkyl, -CN, NO₂, NR₂, and OR;

R' is selected from CH(A)-(CH₂)_mCO₂R, CH(A)-(CH₂)_mCONH₂, CH(A)-(CH₂)_mC(NH)NH₂, (CH₂)_m-phenyl-(CH₂)_mCO₂R, (CH₂)_m-pyridyl-(CH₂)_mCO₂R, (CH₂)_m-phenyl-(CH₂)_mCONH₂, (CH₂)_m-pyridyl-(CH₂)_mCONH₂, (CH₂)_m-phenyl-(CH₂)_mC(NH)NH₂, (CH₂)_m-pyridyl-(CH₂)_m(CN)NH₂, (CH₂)_m-phenyl-(CH₂)_m-tetrazole, and (CH₂)_m-pyridyl-(CH₂)_m-tetrazole;

A is selected from H, C₁₋₆ alkyl, (CH₂)_m-C₃₋₆-cycloalkyl, (CH₂)_m-phenyl, (CH₂)_m-aryl, and (CH₂)_m-heteroaryl, wherein each aryl, phenyl, and heteroaryl is optionally substituted with 0-1 groups selected from CF₃, halogen, C₁₋₄ alkyl, -CN, CONR₂, NO₂, NR₂, and OR;


V is selected from H, C₁₋₄ alkyl, and aryl;

R is selected from H, C₁₋₄ alkyl; and,

m is selected from 0, 1, and 2.

9. A compound of claim 1, wherein the compound is selected from:


Table A



Number	R'
A-1	CH ₂ CO ₂ Et
A-2	CH(CH ₂ C ₆ H ₅)CO ₂ Et
A-3	CH ₂ CH ₂ CO ₂ Et
A-4	CH(CH ₂ C ₆ H ₅)CO ₂ H
A-5	CH ₂ CH ₂ CH ₂ CO ₂ Et

A-6	$\text{CH}(\text{CH}_3)\text{CH}_2\text{CO}_2\text{Et}$
A-7	$\text{CH}(\text{CH}_3)\text{CO}_2\text{Et}$
A-8	$\text{CH}(\text{CH}_2\text{CH}(\text{CH}_3)_2)\text{CO}_2\text{Et}$
A-9	$\text{CH}(\text{CH}_2\text{CH}(\text{CH}_3)_2)\text{CO}_2\text{H}$
A-10	$\text{CH}(\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3)\text{-CO}_2\text{Et}$
A-11	$\text{CH}(\text{C}(\text{CH}_3)_3)\text{CO}_2\text{Et}$
A-12	$\text{CH}(\text{C}(\text{CH}_3)_3)\text{CO}_2\text{H}$

Table B



Number	R'
B-1	$\text{CH}_2\text{CH}_2\text{CONH}_2$
B-2	$\text{CH}(\text{CH}_3)\text{CH}_2\text{CONH}_2$
B-3	$\text{CH}(\text{CH}_2\text{CH}(\text{CH}_3)_2)\text{CONH}_2$
B-4	$\text{CH}(\text{CH}(\text{CH}_3)\text{CH}_2\text{CH}_3)\text{CONH}_2$
B-5	$\text{CH}(\text{CH}_2\text{C}_6\text{H}_5)\text{CONH}_2$
B-6	$\text{CH}_2\text{C}_6\text{H}_5\text{CONH}_2(3)$
B-7	$\text{CH}_2\text{C}_6\text{H}_5\text{CONH}_2(4)$
B-8	$\text{CH}_2\text{C}_6\text{H}_5\text{C}(\text{NH})\text{NH}_2(3)$
B-9	$\text{CH}_2\text{C}_6\text{H}_5\text{C}(\text{NH})\text{NH}_2(4)$
B-10	$\text{CH}(\text{C}(\text{CH}_3)_3)\text{CONH}_2$






Table E



Number	Z
E-1	4-CO ₂ Et
E-2	4-CONH ₂

or a pharmaceutically acceptable salt thereof.

10. A compound of claim 1, wherein the compound is selected from the compounds of Table 1a, 1b, 1c, 2a, 2b, 3a, 3b, 4, 5a, 5b, 5c, 5d, 5e, 5f, 5g, 6a, and 6b or stereoisomer or a pharmaceutically acceptable salt thereof.
11. A pharmaceutical composition, comprising: a compound according to one of Claims 1-10 and a pharmaceutically acceptable carrier.
12. A method of treating a disease, comprising: administering to a mammal in need thereof a therapeutically effective amount of a compound of according to one of Claims 1-10, wherein the disease is selected from obesity, diabetes, cardiometabolic disorders, and a combination thereof.
13. The method of claim 12, wherein the cardiometabolic disorder is selected from hypertension, dyslipidemia, high blood pressure, and insulin resistance.
14. The method of claim 13, wherein the dyslipidemia is selected from elevated blood lipid levels and elevated cholesterol levels.

15. A method of treating a co-morbidity of obesity, comprising: administering to a mammal in need thereof a therapeutically effective amount of a compound of according to one of Claims 1-10.
16. The method of claim 15, wherein the co-morbidity is selected from diabetes, Metabolic Syndrome, dementia, and heart disease.
17. The method of claim 15, wherein the co-morbidity is selected from hypertension; gallbladder disease; gastrointestinal disorders; menstrual irregularities; degenerative arthritis; venous statis ulcers; pulmonary hypoventilation syndrome; sleep apnea; snoring; coronary artery disease; arterial sclerotic disease; pseudotumor cerebri; accident proneness; increased risks with surgeries; osteoarthritis; high cholesterol; and, increased incidence of malignancies of the ovaries, cervix, uterus, breasts, prostate, and gallbladder.
18. The method of claim 12, wherein the diabetes disorder is selected from: Type 1 diabetes, Type 2 diabetes, inadequate glucose tolerance, and insulin resistance.
19. A method of treating a disease, comprising: administering to a mammal in need thereof a therapeutically effective amount of
 - a. a compound of according to one of Claims 1-10, and
 - b. a second therapeutic agent;wherein the disease is selected from obesity, diabetes, cardiometabolic disorders, and a combination thereof and the second therapeutic agent is useful for treating the disease.
20. The method of Claim 19, wherein the second component is selected from the appetite suppressant sibutramine and the gut lipase inhibitor orlistat.
21. The method of Claim 20, wherein the second component is useful for treating diabetes.

22. A compound of claims 1-10 or a stereoisomer or pharmaceutically acceptable salt for use in therapy.
23. Use of a compound of claims 1-10 for the manufacture of a medicament for the treatment of a disease selected from obesity, diabetes, cardiometabolic disorders, and a combination thereof.