








June 24, 1930.

H. COHEN

1,766,604

CIGARETTE HOLDING GARTER

Filed May 9, 1928



INVENTOR.
Henry Cohen
BY *Goldman Holscher*
ATTORNEY

UNITED STATES PATENT OFFICE

HENRY COHEN, OF NEW YORK, N. Y.

CIGARETTE-HOLDING GARTER

Application filed May 9, 1928. Serial No. 276,230.

This invention relates generally to garters and cigarette holders, and has more particular reference to a novel combination garter and cigarette holder.

5 The invention has for an object the provision of a device of the class mentioned, which is of simple durable construction, desirable and efficient in action and which can be manufactured and sold at a reasonable
10 cost.

The invention proposes the use of a ladies garter adapted for engaging about a wearers leg, and provided with several pockets arranged for holding cigarettes and a book
15 of matches. The garter is preferably made of silk, and provided with elastic portions, and the pockets therein are preferably lined with very flexible and soft leather. The pocket holding the book of matches may be
20 provided with a means for aiding in the removal thereof, and the pockets for holding the cigarettes may be provided with a means for normally holding the cigarettes in retracted positions and arranged for
25 slightly projecting the cigarettes when desired for aiding in removing the same.

For further comprehension of the invention, and of the objects and advantages thereof, reference will be had to the following description and accompanying drawings, and to the appended claim in which the various novel features of the invention are more particularly set forth.

In the accompanying drawing, forming
35 a material part of this disclosure:

Fig. 1 is a perspective view of a device constructed according to this invention.

Fig. 2 is a fragmentary horizontal view thereof, taken on the line 2—2 of Fig. 1.

40 Fig. 3 is a fragmentary vertical sectional perspective view, taken on the line 3—3 of Fig. 1.

Fig. 4 is a transverse vertical sectional
45 view, taken on the line 4—4 of Fig. 1.

Fig. 5 is a side elevational view of a device constructed according to a modified form of the invention.

Fig. 6 is a transverse vertical sectional
50 view, taken on the line 6—6 of Fig. 5.

Fig. 7 is a fragmentary vertical sectional view, taken on the line 7—7 of Fig. 6.

The reference numeral 10 indicates generally the front covering material of the device, and numeral 11 the rear covering material, these pieces are stitched together
55 along the sides and bottom, as indicated by numeral 12. Elastic material 13 and 14 are inserted between these pieces at the sides thereof, and secured in place by stitches 15.

Ornamentations 16 are secured to the front side of material 10, and the elastic strips 14 and 14 are ornamented and covered by
60 pleated outer material. Preferably materials 10 and 11 are of pink coloured silk, though it should be understood that this is not recited as a necessary limitation.

The strip 13 is formed with button holes 17 engageable by buttons 18 secured to the strip 14 for providing a means for securing
70 the device to a wearer's leg. Other securing means may be substituted for this particular means.

Three leather pockets 19, 20 and 21 are engaged between the materials 10 and 11, and
75 are held against displacement by stitches 22. Cigarettes 23 may be placed in the pockets 19 and 20, and slightly project from the tops thereof for ease in removing. The central pocket 21 may be used to house a
80 book of matches 24 which is placed between the sides of a folded strip of leather 25 one end of which is secured to the rear side of the pocket and the other end projects above the top of the pocket. This projecting end
85 may be drawn outwardly for moving the book 24 up, so as to be readily removable.

In Figs. 5, 6 and 7, the pockets 19 and 20 are arranged for vertical motion by reason of engaging in other pockets formed by the
90 materials 10 and 11 and vertical stitches 22'. The pockets 19 and 20 are normally urged slightly upwards by springs 27 for holding the cigarettes 23 slightly extended above the materials 10 and 11. Rods 28 extend up-
95 wards from the springs 27 and pass thru flaps 29 secured to the inner sides of material 10. The tips of these flaps are provided with snap fastener sockets 30 engage-
100 able with snap fastener studs 31 secured to

the outside of the material 10. The rods 28 may be manually depressed for lowering the springs 27 so that the cigarettes may be retracted, and the rods may be held in their lowered positions by removing the flaps 29 across the tops of the rods, and then engaging the snap fasteners.

It is to be understood that the book of matches 24 may be substituted with any cigarette lighter and that the garter may be of any width and may have any ornamental decoration.

While I have shown and described the preferred embodiment of my invention, it is to be understood that I do not limit myself to the precise construction herein disclosed and the right is reserved to all changes and modifications coming within the scope of the invention as defined in the appended claim.

Having thus described my invention what I claim as new and desire to secure by United States Letters Patent is:

In a cigarette holding garter, front and rear material arranged to form a pocket, a pocket for holding cigarettes slidably mounted in the first mentioned pocket, a spring for normally urging the slidable pocket slightly upwards, a flap secured on the inner side of the first pocket, a rod attached on the spring and passing thru an aperture in the flap, and the flap being arranged to extend to and be secured on the outer side of the first pocket so as to hold the rod and spring downwards for permitting the slidable pocket to assume a retracted position.

In testimony whereof I have affixed my signature.

HENRY COHEN.