

(12) **United States Design Patent**
Yamaguchi et al.

(10) **Patent No.:** **US D802,034 S**
(45) **Date of Patent:** **** Nov. 7, 2017**

- (54) **PLASMA TORCH ELECTRODE**
- (71) Applicants: **KOMATSU LTD.**, Tokyo (JP);
KOMATSU INDUSTRIES CORP.,
Kanazawa-shi, Ishikawa (JP)
- (72) Inventors: **Yoshihiro Yamaguchi**, Nomi (JP);
Keita Kondo, Nomi (JP); **Shigeo**
Morimoto, Hiratsuka (JP); **Katsuo**
Saio, Hiratsuka (JP)
- (73) Assignees: **Komatsu LTD.**, Tokyo (JP); **Komatsu**
Industries Corp., Kanazawa-shi,
Ishikawa (JP)
- (**) Term: **15 Years**
- (21) Appl. No.: **29/534,306**
- (22) Filed: **Jul. 28, 2015**
- (30) **Foreign Application Priority Data**

Jan. 30, 2015 (JP) 2015-001797

(51) **LOC (10) Cl.** **15-09**

(52) **U.S. Cl.** **D15/144**
USPC **D15/144**

(58) **Field of Classification Search**
USPC D8/14, 14.1, 29.1, 30; D15/122, 144,
D15/144.1, 144.2; 219/75, 121.5, 121.45,
219/121.48, 1, 121.51; 313/231.41
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,294,953 A 12/1966 Spies, Jr.
D231,834 S * 6/1974 Reinke et al. D15/144
3,909,581 A * 9/1975 Stone B23K 11/3009
219/119
D269,519 S * 6/1983 Braun D15/138

4,686,687 A * 8/1987 Mure H05B 7/06
373/22
5,266,776 A * 11/1993 Boisvert B23K 10/00
219/119
5,514,848 A 5/1996 Ross et al.
5,540,046 A * 7/1996 Sankovic B64G 1/406
60/203.1
5,856,647 A * 1/1999 Luo B23K 10/00
219/121.48
5,893,985 A * 4/1999 Luo B23K 10/00
219/121.48
5,965,040 A * 10/1999 Luo B23K 10/00
219/121.48
6,163,008 A * 12/2000 Roberts H05H 1/34
219/121.48

(Continued)

Primary Examiner — Patricia Palasik

(74) *Attorney, Agent, or Firm* — Fox Rothschild LLP


(57) **CLAIM**

The ornamental design for a plasma torch electrode, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a plasma torch electrode showing our new design;
FIG. 2 is a front view thereof, the rear view, the right side view and the left side view being identical to FIG. 2;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a cross-sectional view taken along line 5-5 in FIG. 2; and,
FIG. 6 is a cross-sectional view showing the article installed in a plasma torch.
The features shown in even-length broken lines in the drawings depict environmental subject matter only and form no part of the claimed design. The dot-dashed lines shown in FIGS. 1 and 2 denote the boundary of the claim and form no part of the claimed design.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D446,530	S *	8/2001	Kuraoka	D15/144
6,559,407	B2 *	5/2003	Chancey	H05H 1/34
				219/121.47
D492,709	S *	7/2004	Horner-Richardson	D15/144
D499,620	S *	12/2004	Horner-Richardson	D8/30
D504,142	S *	4/2005	Horner-Richardson	D15/144
D511,280	S *	11/2005	Horner-Richardson	D8/30
D517,577	S *	3/2006	Conway	D15/144
7,500,590	B2 *	3/2009	Mironescu	B23K 20/007
				228/180.5
7,544,913	B2 *	6/2009	Helenius	H05H 1/28
				219/121.48
7,605,340	B2 *	10/2009	Duan	H05H 1/34
				219/121.49
8,105,325	B2 *	1/2012	Suslov	H05H 1/34
				606/39
8,338,740	B2 *	12/2012	Liebold	H05H 1/28
				219/121.5
9,101,041	B2 *	8/2015	Reinke	H05H 1/34
9,426,874	B2 *	8/2016	Crowe	F16F 1/06

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

