



US00D804592S

(12) **United States Design Patent**
Wittmack et al.

(10) **Patent No.:** **US D804,592 S**

(45) **Date of Patent:** **** Dec. 5, 2017**

(54) **ADJUSTABLE KETTLEBELL**

(71) Applicants: **Max Wittmack**, San Diego, CA (US);
James Wittmack, San Diego, CA (US)

(72) Inventors: **Max Wittmack**, San Diego, CA (US);
James Wittmack, San Diego, CA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/570,232**

(22) Filed: **Jul. 6, 2016**

(51) **LOC (10) Cl.** **21-02**

(52) **U.S. Cl.**
USPC **D21/681**

(58) **Field of Classification Search**

USPC D21/680, 682, 681, 678, 662, 679, 684,
D21/686, 801, 694, 691, 692; 173/102,
173/103, 118, 126, 133; 482/108, 93,
482/110, 111, 105, 8, 107, 106, 139, 94,
482/104, 140, 109, 51, 70, 74, 98, 1, 121,
482/55, 141, 124, 128; D9/680, 629,
D9/456, 668; D8/85, 45, 107, 90, 317,
D8/387, 397, 343, 31, 75, 14; D11/81,
D11/91, 56, 80, 7, 52, 14, 201; D12/215
CPC A63B 21/075; A63B 21/0728; A63B
21/00065; A63B 21/0726; A63B 23/1236;
A63B 21/4035; A63B 21/072; A63B
21/0047; A63B 21/068

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,039,183 A * 8/1977 Sakurada A63B 23/14
482/127
5,110,119 A * 5/1992 Arnold A63B 21/4017
482/108
5,299,999 A * 4/1994 Brine A63B 21/065
221/210

5,425,690 A * 6/1995 Chang A63B 23/14
482/121
5,454,769 A * 10/1995 Chen A63B 21/05
482/124
D366,300 S * 1/1996 Veliucci D21/684
5,573,484 A * 11/1996 Carpenter A63B 21/00181
482/108
D398,675 S * 9/1998 Marney D21/681
D398,676 S * 9/1998 Marney D21/681
6,001,049 A * 12/1999 Frey A63B 21/0603
482/105
6,569,066 B1 * 5/2003 Patterson A63B 21/0552
482/106

(Continued)

Primary Examiner — Robert M Spear

Assistant Examiner — Ryan Harvey

(74) *Attorney, Agent, or Firm* — Gary L. Eastman, Esq.;
Eastman & McCartney LLP

(57) **CLAIM**

The ornamental design for an adjustable kettlebell, as shown
and described.

DESCRIPTION

FIG. 1 is a front upper perspective view of the adjustable
kettlebell;

FIG. 2 is a back lower perspective view of the adjustable
kettlebell;

FIG. 3 is a front upper perspective view of the adjustable
kettlebell with the hook arm partially extended;

FIG. 4 is a front upper perspective view of the adjustable
kettlebell with the hook arm fully extended;

FIG. 5 is a back view of the adjustable kettlebell;

FIG. 6 is a front view of the adjustable kettlebell;


FIG. 7 is a right side view of the adjustable kettlebell;

FIG. 8 is a left side view of the adjustable kettlebell;

FIG. 9 is a top view of the adjustable kettlebell;

FIG. 10 is a bottom view of the adjustable kettlebell; and,
FIG. 11 is a front upper perspective of the adjustable
kettlebell with the hook arm reversed.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,303,507	B1 *	12/2007	Jozsa	A63B 21/072	482/109
D653,715	S *	2/2012	Tumminia	D21/662	
8,858,406	B2 *	10/2014	Klukas	A63B 15/00	482/108
D744,051	S *	11/2015	Anderson	D21/682	
D752,159	S *	3/2016	Anderson	D21/682	
9,504,866	B2 *	11/2016	Peralo	A63B 21/4035	
2004/0063553	A1 *	4/2004	Viscount	A63B 21/065	482/107
2011/0028285	A1 *	2/2011	Towley, III	A63B 21/0728	482/108
2014/0024506	A1 *	1/2014	Vixathep	A63B 21/0726	482/108
2014/0274598	A1 *	9/2014	Anderson	A63B 21/0728	482/108

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11