

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
3 February 2005 (03.02.2005)

PCT

(10) International Publication Number
WO 2005/010693 A2

(51) International Patent Classification⁷: **G06F**
(21) International Application Number:
PCT/US2004/022903
(22) International Filing Date: 15 July 2004 (15.07.2004)
(25) Filing Language: English
(26) Publication Language: English
(30) Priority Data:
10/620,754 15 July 2003 (15.07.2003) US
(71) Applicant (for all designated States except US): **QUAL-
COMM INCORPORATED** [US/US]; 5775 Morehouse
Drive, San Diego, CA 92121 (US).

(72) Inventor; and
(75) Inventor/Applicant (for US only): **ZETKO-WHITE,**
Tracy [US/US]; 1559 Stone Edge Circle, El Cajon, CA
92021 (US).

(74) Agents: **PATEL, Milan** et al.; 5775 Morehouse Drive, San
Diego, CA 92121 (US).

(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,

AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),
European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI,
FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI,
SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ,
GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii)) for the following designations AE,
AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ,
CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE,
EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS,
JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA,
MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM,

[Continued on next page]

(54) Title: METHOD AND APPARATUS FOR SEARCHING EXTERNAL ISSUES FOR TESTING A PRODUCT

RESULTS OF YOUR SEARCH

1. "LOCK" does not work on the Samsung i300 phone. There is no way to
programmatically lock this device.

← 402

PRINT RESULTS

BACK

(57) Abstract: Methods and apparatus for performing a test on a product include applying a test on a product and, if the test indicates a defect in the product, determining whether the defect is external to the product. The method further includes, if the defect is determined to be external to the product, skipping repair of the product for the defect. In one aspect, a method for performing a test on a product includes determining an external defect for the product and, if an external defect exists for the product, skipping further testing of the product for the determined external defect.



PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VC, VN, YU, ZA, ZM, ZW, ARIPO patent (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

— as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for all designations

Published:

— without international search report and to be republished upon receipt of that report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

METHOD AND APPARATUS FOR SEARCHING EXTERNAL ISSUES FOR TESTING A PRODUCT

FIELD

[0001] The present invention relates to quality control of an article of manufacture. More specifically, the present invention relates to methods and apparatus for searching external issues that may affect the testing of a product.

BACKGROUND

[0002] A product may be tested for quality assurance according to a set of predetermined test cases, usually stored in a test case database. If the test indicates that that product has a defect, the defect is tracked in a defect-tracking database. Usually, the product operates in conjunction with some external software or hardware modules. When the product shows a defect as a result of a test procedure, the defect may be due to the external issues, while the product may be in fact free of any defect. A great deal of time and research is usually required to determine the cause and the origin of these external issues. For example, if a software product runs on a phone, some known external issues associated with the phone may cause the software to not operate as expected. Considerable time and effort would be saved if the external issues are readily known before a product goes under testing.

[0003] There is a need, therefore, for an efficient mechanism for searching a compilation of known external issues.

SUMMARY

[0004] The disclosed embodiments provide novel and improved methods and apparatus for searching external issues before performing a test on a product. In one aspect, the method includes applying a test on a product and, if the test indicates a defect in the product, determining whether the defect is external to the product. The method further includes, if the defect is determined to be external to the product, skipping repair of the product for the defect.

[0005] In one aspect, method for performing a test on a product includes determining an external defect for the product and, if an external defect exists for the product, skipping further testing of the product for the determined external defect.

[0006] In one aspect, an apparatus for testing a new product includes a memory unit, a receiver, a transmitter, and a processor communicatively coupled with the memory unit, the receiver, and the transmitter. The processor is capable of carrying out the above-mentioned methods.

BRIEF DESCRIPTION OF THE DRAWINGS

[0007] The features and advantages of the present invention will become more apparent from the detailed description of disclosed embodiments set forth below when taken in conjunction with the drawings, and wherein:

[0008] FIG. 1 illustrates an external-issue-search user interface for searching a keyword;

[0009] FIG. 2 illustrates a result for the search shown in FIG. 1;

[0010] FIG. 3 illustrates an external-issue-search user interface for searching a field;

[0011] FIG. 4 illustrates a result for the search shown in FIG. 3;

[0012] FIG. 5 illustrates an external-issue-search user interface for searching a combination of keywords and fields;

[0013] FIG. 6 illustrates a result for the search shown in FIG. 5;

[0014] FIG. 7 illustrates a flow chart for testing a product; and

[0015] FIG. 8 illustrates one embodiment of an apparatus for testing a product.

DETAILED DESCRIPTION

[0016] Before several embodiments are explained in detail, it is to be understood that the scope of the invention should not be limited to the details of the construction and the arrangement of the components set forth in the following description or illustrated in the drawings. Also, it is to be understood that the phraseology and terminology used herein is for the purpose of description and should not be regarded as limiting.

[0017] A product may be tested for quality assurance according to a set of predetermined test cases, usually stored in a test case database. If the test indicates that that product has a defect, the defect is tracked in a defect-tracking database. Usually, the product operates in conjunction with some external software or hardware modules. When the product shows a defect as a result of a test procedure, the defect may be due to the external issues, while the product may be in fact free of any defect. A great deal of time and research is usually required to determine the cause and the origin of these

external issues. For example, if a software product runs on a phone, some known external issues associated with the phone may cause the software to not operate as expected. Considerable time and effort would be saved if the external issues are readily known before a product goes under testing.

[0018] In one embodiment, the known defects or issues that are external to a product but still have the potential to affect the testing of the product are compiled in one central database. The external-issue database is organized based on searchable fields, such as previously tested products, device names, browsers, platforms. The external-issue database also includes some descriptions of the external issues that affect testing the product. A flexible user interface allows users to search on one or more keywords, fields, or a combination thereof, and access the information that relates to a particular product.

[0019] FIG. 1 illustrates an external-issue-search user interface for searching an external-issue database, according to one embodiment. The user interface allows searching for external issues that may affect testing of a new product. The search criteria may be based on a field, such as a product or project name **102**, a device **104**, a platform **106**, a browser **108**, and an area **110**, for example, which relate to software and hardware entities that may operate in conjunction with the new product.

[0020] A search based on the search field "project name" **102** retrieves the external issues listed in the external-issue database under the product name, product project name, or an earlier version of the product. A search based on the field "device name" **104** retrieves the external issues listed in the external-issue database under the devices that may operate in conjunction with the product. Examples of such devices include, a phone, a PDA, a portable computer, and the like.

[0021] A search based on the field "platform" **106** retrieves the external issues listed in the external-issue database under a platform that may operate in conjunction with the product. Examples of a platform include (WML, **please spell**) Hypertext Markup Language (HTML) and Extensible Markup Language (XML), and the like.

[0022] A search based on the field "browser version" **108** retrieves the external issues listed in the external-issue database under the browser that may operate in conjunction with the product. Examples of a browser version include Internet Explorer and Netscape, and the like.

- [0023] A search based on the field “area” retrieves the external issues listed in the external-issue database under an area that may operate in conjunction with the product. Examples of an area include email, calendar, contacts, and the like.
- [0024] The search criteria may be based on a keyword **112**, such as “lock,” **122** for programmatically locking a device. The lock may be a feature of a new software product that runs on specific target wireless phones, for example. Before testing the new software product for the lock feature, it is beneficial to determine if a specific target phone is known as not supporting this feature. If it is determined that the specific phone does not support the lock feature of the new software product, there would be no need to test the new software product for this feature.
- [0025] FIG. 2 illustrates a search result for a search of the external database for the keyword “lock,” as shown in FIG. 1, according to one embodiment. The result of searching the external-issue database for the keyword “lock” may be “Lock does not work on the Samsung i300 phone. There is no way to programmatically lock this device,” indicating that the lock feature of the new software product does not work on this particular phone. Accordingly, the new software may not be tested for this feature, saving considerable time and effort.
- [0026] The search criteria may be based on external-issue database fields **102**, **104**, **106**, **108**, **110**. FIG. 3 illustrates an external-issue-search user interface for searching the external-issue database based on a field, such as WML platform **322**, according to one embodiment. FIG. 4 shows the search result for searching the external-issue database based on the platform “WML,” as shown in FIG. 3. The result of searching the external-issue database for the field “WML” may be “The dollar sign (\$) in an email address will cause a “compile error” on the WML phones.”
- [0027] FIG. 5 illustrates an external-issue-search user interface for searching the external-issue database based on a combination of fields, such as the product version “WSE” **522** for the product, the device name for “Samsung i300” phone **524**, and platform “Palm” **526**, according to one embodiment. The result of searching the external issue based on these fields is shown in FIG. 6, as “Lock does not work on the Samsung i300. There is no way to programmatically lock this device. The product relies on a Palm OS resident application named “Security” to lock a Palm device. This application has been altered on Samsung i300 device.”

[0028] The search of the external-issue database for an external issue or defect may also be based on a combination of fields and keywords. The search may be performed as an “AND” search 114 or an “OR” search 116. An “AND” search returns results that match all of specified search criteria. This is helpful for a specific, streamlined result. An “OR” search returns results that match one or more of the specified search criteria. This is useful for a more general list of external issues.

[0029] FIG. 7 illustrates a flow chart for testing a product, according to one embodiment. After a product is tested against all existing test cases, in step 702, if no defect is found, in step 704, a status field is set to “closed,” in step 706, indicating that the product has successfully passed all the test cases and it is free of any defect. The test case is then closed and kept in the database for testing future versions of the product. However, if a defect is found in the product, in step 704, an external-issue database is searched, in step 708, to determine whether the defect is external to the product under the test. If the defect is determined, in step 710, to be external to the product under the test, the status field is set to “external,” in step 712, indicating that the product in fact is free of the defect. Accordingly, the repair on this defect may be skipped, in step 714. If there are more defects determined in step 716, the process of searching the external database is repeated by going through steps 708 through 716. If all defects are found to be external to the product under the test, the product may not need any repair, and the process ends in step 718.

[0030] However, if any of the defects detected in step 704 is determined not to belong to external issues, in step 710, the status of such defect is set to “active,” in step 720, meaning that the product needs to be repaired to fix the defect. The product is then assigned to a developer for repair, in step 722. After the defect is fixed, the status field is set to “resolved,” in step 724, and the product is assigned to quality assurance for retesting, in step 726. The process continues until all defects that relate to the product are finally repaired and their status fields are changed to “closed.”

[0031] The detected defects that relate to the product are reported in the database as test cases for testing future versions or updates of the product. Upon testing a new release of the product, the previously detected and reported defects are re-opened as test cases, which are applied in testing the new versions of the product. New test cases, which include defects reported by customers and/or users of the product, may also be entered in the database for future testing.

[0032] FIG. 8 illustrates one embodiment of an apparatus for testing a product. The apparatus includes input devices **802** and a output devices **804**. Communication bus **806** provides a common connection among other modules in FIG. 8. Communication bus **806** is further coupled to memory unit **808**. Memory unit **808** stores computer readable instructions for a variety of operations and functions performed by the apparatus for testing a product. The processor **810** performs the instructions stored in memory unit **808**.

[0033] Therefore, the disclosed embodiments provide for an efficient and reliable system and method for searching for external issues for testing a product.

[0034] Those of skill in the art would understand that information and signals may be represented using any of a variety of different technologies and protocols. For example, data, instructions, commands, information, signals, bits, symbols, and chips that may be referenced throughout the above description may be represented by voltages, currents, electromagnetic waves, magnetic fields or particles, optical fields or particles, or any combination thereof.

[0035] Those of skill would further appreciate that the various illustrative logical blocks, modules, circuits, and algorithm steps described in connection with the embodiments disclosed herein may be implemented as electronic hardware, computer software, or combinations of both. To clearly illustrate this interchangeability of hardware and software, various illustrative components, blocks, modules, circuits, and steps have been described above generally in terms of their functionality. Whether such functionality is implemented as hardware or software depends upon the particular application and design constraints imposed on the overall system. Skilled artisans may implement the described functionality in varying ways for each particular application, but such implementation decisions should not be interpreted as causing a departure from the scope of the present invention.

[0036] The various illustrative logical blocks, modules, and circuits described in connection with the embodiments disclosed herein may be implemented or performed with a general purpose processor, a digital signal processor (DSP), an application specific integrated circuit (ASIC), a field programmable gate array (FPGA) or other programmable logic device, discrete gate or transistor logic, discrete hardware components, or any combination thereof designed to perform the functions described herein. A general-purpose processor may be a microprocessor, but, in the alternative,

the processor may be any conventional processor, controller, microcontroller, or state machine. A processor may also be implemented as a combination of computing devices, e.g., a combination of a DSP and a microprocessor, a plurality of microprocessors, one or more microprocessors in conjunction with a DSP core, or any other such configuration.

[0037] The steps of a method or algorithm described in connection with the embodiments disclosed herein may be embodied directly in hardware, in a software module executed by a processor, or in a combination of the two. A software module may reside in RAM memory, flash memory, ROM memory, EPROM memory, EEPROM memory, registers, a hard disk, a removable disk, a CD-ROM, or any other form of storage medium known in the art. An exemplary storage medium is coupled to the processor, such that the processor can read information from, and write information to, the storage medium. In the alternative, the storage medium may be integral to the processor. The processor and the storage medium may reside in an ASIC. The ASIC may reside in a user terminal. In the alternative, the processor and the storage medium may reside as discrete components in a user terminal.

[0038] The description of the disclosed embodiments is provided to enable any person skilled in the art to make or use the present invention. Various modifications to these embodiments may be readily apparent to those skilled in the art, and the generic principles defined herein may be applied to other embodiments, e.g., in an instant messaging service or any general wireless data communication applications, without departing from the spirit or scope of the invention. Thus, the present invention is not intended to be limited to the embodiments shown herein but is to be accorded the widest scope consistent with the principles and novel features disclosed herein. The word “exemplary” is used exclusively herein to mean “serving as an example, instance, or illustration.”

CLAIMS

1. A method for performing a test on a product, the method comprising:
applying a test on a product;
if the test indicates a defect in the product, determining whether the defect is external to the product; and
if the defect is determined to be external to the product, skipping repair of the product for the defect.
2. The method of claim 1, wherein said determining includes searching a database of external defects.
3. The method of claim 2, wherein said searching includes searching based on a keyword.
4. The method of claim 2, wherein said searching includes searching based on a field.
5. The method of claim 4, wherein said field includes a product version, a device name, a platform, a browser, and an area.
6. The method of claim 2, wherein said searching includes searching based on a keyword and a field.
7. The method of claim 1, wherein said skipping further includes setting status of the defect to "external."
8. The method of claim 1, further including assigning the product for repair, if the defect is determined to be not external to the product.
9. The method of claim 8, wherein said assigning further includes setting status of the defect to "active."

10. A method for performing a test on a product, the method comprising:
determining an external defect for the product; and
if an external defect exists for the product, skipping further testing of the product
for the determined external defect.

11. The method of claim 10, wherein said determining includes searching a
database of external defects.

12. The method of claim 11, wherein said searching includes searching based
on a keyword.

13. The method of claim 11, wherein said searching includes searching based
on a field.

14. The method of claim 13, wherein said field includes a product version, a
device name, a platform, a browser, and an area.

15. The method of claim 11, wherein said searching includes searching based
on a keyword and a field.

16. The method of claim 10, wherein said skipping further includes setting
status of the defect to "external."

17. A computer-readable medium embodying a method for performing a test
on a product, the method comprising:
applying a test on a product;
if the test indicates a defect in the product, determining whether the defect is
external to the product; and
if the defect is determined to be external to the product, skipping repair of the
product for the defect.

18. The computer-readable medium of claim 17, wherein said determining
includes searching a database of external defects.

19. The computer-readable medium of claim 18, wherein said searching includes searching based on a keyword.

20. The computer-readable medium of claim 18, wherein said searching includes searching based on a field.

21. The computer-readable medium of claim 20, wherein said field includes a product version, a device name, a platform, a browser, and an area.

22. The computer-readable medium of claim 18, wherein said searching includes searching based on a keyword and a field.

23. The computer-readable medium of claim 17, wherein said skipping further includes setting status of the defect to "external."

24. The computer-readable medium of claim 17, the method further including assigning the product for repair, if the defect is determined to be not external to the product.

25. The computer-readable medium of claim 24, wherein said assigning further includes setting status of the defect to "active."

26. A computer-readable medium embodying a method for performing a test on a product, the method comprising:

determining an external defect for the product; and

if an external defect exists for the product, skipping further testing of the product for the determined external defect.

27. The computer-readable medium of claim 26, wherein said determining includes searching a database of external defects.

28. The computer-readable medium of claim 27, wherein said searching includes searching based on a keyword.

29. The computer-readable medium of claim 27, wherein said searching includes searching based on a field.

30. The computer-readable medium of claim 29, wherein said field includes a product version, a device name, a platform, a browser, and an area.

31. The computer-readable medium of claim 27, wherein said searching includes searching based on a keyword and a field.

32. The computer-readable medium of claim 26, wherein said skipping further includes setting status of the defect to "external."

33. An apparatus for performing a test on a product, comprising:
means for applying a test on a product;
means for, if the test indicates a defect in the product, determining whether the defect is external to the product; and
means for skipping repair of the product for the defect, if the defect is determined to be external to the product.

34. The apparatus of claim 33, wherein said means for determining includes means for searching a database of external defects.

35. The apparatus of claim 34, wherein said means for searching includes means for searching based on a keyword.

36. The apparatus of claim 34, wherein said means for searching includes means for searching based on a field.

37. The apparatus of claim 36, wherein said field includes a product version, a device name, a platform, a browser, and an area.

38. The apparatus of claim 34, wherein said means for searching includes means for searching based on a keyword and a field.

39. The apparatus of claim 33, wherein said means for skipping further includes means for setting status of the defect to "external."

40. The apparatus of claim 33, further including means for assigning the product for repair, if the defect is determined to be not external to the product.

41. The apparatus of claim 40, wherein said means for assigning further includes means for setting status of the defect to "active."

42. An apparatus for performing a test on a product, comprising:
means for determining an external defect for the product; and
means for skipping further testing of the product for the determined external defect, if an external defect exists for the product.

43. The apparatus of claim 42, wherein said means for determining includes means for searching a database of external defects.

44. The apparatus of claim 43, wherein said means for searching includes means for searching based on a keyword.

45. The apparatus of claim 43, wherein said means for searching includes means for searching based on a field.

46. The apparatus of claim 45, wherein said field includes a product version, a device name, a platform, a browser, and an area.

47. The apparatus of claim 43, wherein said means for searching includes means for searching based on a keyword and a field.

48. The apparatus of claim 42, wherein said means for skipping further includes means for setting status of the defect to “external.”

EXTERNAL-ISSUE-SEARCH USER INTERFACE

This user interface (UI) allows you to search for external issues that may affect testing of your new product. The search criteria may be based on a field, a keyword, or any combination of fields and keywords. In addition, the search may be performed as an "AND" search or an "OR" search. An "AND" search returns results that match all of the specified search criteria. This is helpful if you would like specific, streamlined results. An "OR" search returns results that match one or more of the specified search criteria. This is useful if you would like a more general list of external issues.

Please enter your search criteria in the text boxes below and check either the "AND Search" or the "OR Search" checkbox. After you press the "SUBMIT" button, a list of results matching your search criteria will be returned to you. You may print out these results if you wish.

102 PROJECT NAME 	104 DEVICE
106 PLATFORM (i.e. WML) 	108 BROWSER VERSION, IF AVAILABLE
110 AREA (i.e. EMAIL) 	112 KEYWORD
114 ☐ "AND"	116 ☐ "OR"
118 SUBMIT	120 CLEAR FORM

FIG. 1

EXTERNAL-ISSUE-SEARCH USER INTERFACE

This user interface (UI) allows you to search for external issues that may affect testing of your new product. The search criteria may be based on a field, a keyword, or any combination of fields and keywords. In addition, the search may be performed as an "AND" search or an "OR" search. An "AND" search returns results that match all of the specified search criteria. This is helpful if you would like specific, streamlined results. An "OR" search returns results that match one or more of the specified search criteria. This is useful if you would like a more general list of external issues.

Please enter your search criteria in the text boxes below and check either the "AND Search" or the "OR Search" checkbox. After you press the "SUBMIT" button, a list of results matching your search criteria will be returned to you. You may print out these results if you wish.

PROJECT NAME	DEVICE
PLATFORM (i.e. WML)	BROWSER VERSION, IF AVAILABLE
AREA (i.e. EMAIL)	KEYWORD
☐ "AND"	☐ "OR"
SUBMIT	CLEAR FORM

FIG. 2

EXTERNAL-ISSUE-SEARCH USER INTERFACE

This user interface (UI) allows you to search for external issues that may affect testing of your new product. The search criteria may be based on a field, a keyword, or any combination of fields and keywords. In addition, the search may be performed as an "AND" search or an "OR" search. An "AND" search returns results that match all of the specified search criteria. This is helpful if you would like specific, streamlined results. An "OR" search returns results that match one or more of the specified search criteria. This is useful if you would like a more general list of external issues.

Please enter your search criteria in the text boxes below and check either the "AND Search" or the "OR Search" checkbox. After you press the "SUBMIT" button, a list of results matching your search criteria will be returned to you. You may print out these results if you wish.

PROJECT NAME	DEVICE
PLATFORM (i.e. WML)	BROWSER VERSION, IF AVAILABLE
WML ← 322	
AREA (i.e. EMAIL)	KEYWORD
☐ "AND"	☐ "OR"
SUBMIT	CLEAR FORM

FIG. 3

RESULTS OF YOUR SEARCH

1. "LOCK" does not work on the Samsung i300 phone. There is no way to programmatically lock this device.

← 402

PRINT RESULTS

BACK

FIG. 4

EXTERNAL-ISSUE-SEARCH USER INTERFACE

This user interface (UI) allows you to search for external issues that may affect testing of your new product. The search criteria may be based on a field, a keyword, or any combination of fields and keywords. In addition, the search may be performed as an "AND" search or an "OR" search. An "AND" search returns results that match all of the specified search criteria. This is helpful if you would like specific, streamlined results. An "OR" search returns results that match one or more of the specified search criteria. This is useful if you would like a more general list of external issues.

Please enter your search criteria in the text boxes below and check either the "AND Search" or the "OR Search" checkbox. After you press the "SUBMIT" button, a list of results matching your search criteria will be returned to you. You may print out these results if you wish.

PROJECT NAME	DEVICE
WSE ← 522	Samsung i300 ← 524
PLATFORM (i.e. WML)	BROWSER VERSION, IF AVAILABLE
WML ← 526	
AREA (i.e. EMAIL)	KEYWORD
X "AND"	"OR"
SUBMIT	CLEAR FORM

FIG. 5

RESULTS OF YOUR SEARCH

1. The dollar sign (\$) in an email address will cause a "compiler error" on the WML phones.

← 602

FIG. 6

7/8




FIG. 7




FIG. 8