



US00D357906S

# United States Patent [19]

[11] Patent Number: **Des. 357,906**

**Fukushima**

[45] Date of Patent: **\*\* May 2, 1995**

[54] **INFRARED DATA TRANSMITTER FOR USE WITH A MICROPHONE**

[75] Inventor: **Hiroyuki Fukushima,**  
Kami-Fukuoka, Japan

[73] Assignee: **Canon Kabushiki Kaisha,** Tokyo,  
Japan

[\*\*] Term: **14 Years**

[21] Appl. No.: **10,587**

[22] Filed: **Jul. 13, 1993**

[30] **Foreign Application Priority Data**

Jan. 14, 1993 [JP] Japan ..... 5-768

[52] U.S. Cl. .... **D14/107; D14/114**

[58] Field of Search ..... **D14/114, 101, 107;**  
**D21/48; 359/109, 115, 142, 146, 152, 156, 180,**  
**187-188, 189, 195, 154; 340/825.72; 348/734;**  
**385/15, 25, 33, 53**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 232,437 8/1974 Goodale et al. .... **D14/101 X**

D. 271,220 11/1983 Fox et al. .... **D21/48**  
D. 317,005 5/1991 Wickrema et al. .... **D14/114 X**  
D. 317,331 6/1991 Holloway ..... **D21/48**  
4,717,913 1/1988 Elger ..... **340/825.72 X**  
4,833,467 5/1989 Kobayashi et al. .... **340/825.72 X**  
5,351,051 9/1994 Yano et al. .... **340/825.72 X**

*Primary Examiner*—James M. Gandy  
*Assistant Examiner*—M. H. Tung  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an infrared data transmitter for use with a microphone, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an infrared data transmitter for use with a microphone showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a perspective view thereof.




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

