



(12) **United States Design Patent**
Harris et al.

(10) **Patent No.:** **US D1,017,553 S**
(45) **Date of Patent:** **** Mar. 12, 2024**

(54) **COUPLING**

(71) Applicant: **Colder Products Company**, Roseville, MN (US)

(72) Inventors: **Gary J. Harris**, Maple Grove, MN (US); **Jeffrey Jonathan Martin**, Robbinsdale, MN (US); **Grant A. Wilhelm**, Plymouth, MN (US); **Peter David Lee Wootton**, Richmond (CA)

(73) Assignee: **Colder Products Company**, Roseville, MN (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/829,850**

(22) Filed: **Mar. 8, 2022**

Related U.S. Application Data

(63) Continuation of application No. 29/733,322, filed on Apr. 30, 2020, now Pat. No. Des. 947,787.

(51) **LOC (14) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/147**

(58) **Field of Classification Search**

USPC D12/101, 103, 107, 108, 110, 118, 119, D12/120, 133, 137.1, 138.1, 138.2, 146, D12/147, 151, 184, 199
CPC H01R 13/52; H01R 13/56; H01R 13/405; H01R 13/5202; H01R 13/5227; H01R 13/6272; H02J 7/00; H02J 7/0045; H02J 7/0052; Y02T 90/14; Y02T 10/7072; B60L 11/182; B60L 11/1818

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,382,593 B1 * 5/2002 deCler F16L 37/30 137/881
D466,083 S * 11/2002 Zhang D13/147

D511,747 S * 11/2005 Rey D13/146
D527,346 S * 8/2006 Brodin D13/146
7,255,544 B2 * 8/2007 Dong F04C 14/26 418/61.3
D559,785 S * 1/2008 Tosetti A61C 1/18 D13/133
D585,837 S * 2/2009 Kuehne D13/154
D601,964 S * 10/2009 Rupp D13/147
D602,433 S * 10/2009 Katou D13/120
7,874,860 B2 * 1/2011 Starke H01R 13/622 439/216
D649,938 S * 12/2011 Erickson D13/147
D649,939 S * 12/2011 Erickson D13/147
D676,388 S * 2/2013 Muller D13/147
D694,188 S * 11/2013 Ferguson D13/133
D743,893 S * 11/2015 Kuribayashi D13/146
10,290,969 B2 * 5/2019 Zhu H05K 5/0013

(Continued)

Primary Examiner — Darlington Ly

(74) *Attorney, Agent, or Firm* — Fish & Richardson P.C.


(57) **CLAIM**

The ornamental design for a coupling, substantially as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a coupling embodying our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a top plan view thereof; and,
FIG. 7 is a bottom plan view thereof.
The evenly dashed broken lines illustrate portions of the coupling that form no part of the claim.
The dash-dot broken lines in the drawings illustrate boundaries of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D880,427	S *	4/2020	Milroy	D13/147
D881,131	S *	4/2020	Tovey	D13/146
D883,935	S *	5/2020	Kito	D13/147
D884,644	S *	5/2020	Milroy	D13/146
D929,944	S *	9/2021	Martin	D13/147
D929,945	S *	9/2021	Martin	D13/147
D931,818	S *	9/2021	Höckenström	D13/146
2012/0238131	A1 *	9/2012	Osawa	B60L 53/16 439/660
2020/0032922	A1 *	1/2020	Wilhelm	F16K 35/025

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7