



US0D1015201S

(12) **United States Design Patent**
Paik et al.

(10) **Patent No.:** **US D1,015,201 S**

(45) **Date of Patent:** **** Feb. 20, 2024**

(54) **BELT STRAP ADJUSTER**

OTHER PUBLICATIONS

(71) Applicant: **WOOJIN PLASTIC Co., Ltd.**,
Namyangju-si (KR)
(72) Inventors: **Ji Sook Paik**, Seoul (KR); **Ji Hye Paik**, Seoul (KR); **Ji Won Son**, Seoul (KR); **Nan Hee Paik**, Seoul (KR)

Woojin Plastics Long Hook Cam, published on (Apr. 5, 2020) on web.archive.org, retrieved from internet (Apr. 19, 2023). <URL: http://web.archive.org/web/20200405125032/http://www.woojinplastic.com/kr/product/view.php> (Year: 2020).*

(Continued)

(73) Assignee: **WOOJIN PLASTIC CO., LTD.**,
Namyangju-si (KR)

Primary Examiner — Joseph Kukella

Assistant Examiner — Heather Wencil

(74) *Attorney, Agent, or Firm* — Paratus Law Group, PLLC

(**) Term: **15 Years**

(57) **CLAIM**

(21) Appl. No.: **29/718,314**

The ornamental design for a belt strap adjuster, as shown and described.

(22) Filed: **Dec. 23, 2019**

DESCRIPTION

(30) **Foreign Application Priority Data**

Jun. 25, 2019 (KR) 30-2019-0030171

(51) **LOC (14) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/216**

(58) **Field of Classification Search**

USPC D3/207; D8/105, 349, 354, 356, 367;

D11/87, 94, 200, 201, 206, 212, 214, 215,

D11/216, 218, 220, 231, 241

(Continued)

FIG. 1 is a front, top, and right perspective view of a belt strap adjuster, showing the claimed design;

FIG. 2 is a front view thereof;

FIG. 3 is a back view thereof;

FIG. 4 is a left side view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof;

FIG. 7 is a bottom view thereof;

FIG. 8 is a cross-sectional view taken along line 8-8 shown in FIG. 2;

FIG. 9 is a front, top, and right perspective view thereof, showing a state in which a cap is half open; and,

FIG. 10 is a front, top, and right perspective view thereof, showing a state in which the cap is fully open.

The long dash short dash broken lines and arrows shown in FIG. 2 are used to identify the cross-sectional view and form no part of the claimed design. The evenly spaced broken lines shown in FIGS. 1-10 depict portions of the belt strap adjuster that form no part of the claimed design. The dash dot dash broken lines shown in FIG. 8 depict the boundaries of the claimed design and form no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D171,045 S * 12/1953 Noe D11/216

6,360,410 B1 * 3/2002 Lovato A44B 11/266

24/625

(Continued)


FOREIGN PATENT DOCUMENTS

KR 3020190027662 * 7/2020

KR 3020190030171 * 9/2020

KR 3020200004056 * 10/2020

1 Claim, 5 Drawing Sheets



(58) **Field of Classification Search**

CPC . A41C 13/30; A41D 25/04; A41F 1/00; A41F
15/02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D559,146 S * 1/2008 Kawaguchi D11/216
D628,514 S * 12/2010 Paik A44B 11/266
D11/216
D764,348 S * 8/2016 Paik D11/216
D801,221 S * 10/2017 Paik A44B 11/12
D11/218
D868,625 S * 12/2019 Paik D11/218
D907,528 S * 1/2021 Paik D11/218
D920,159 S * 5/2021 Power D11/218
11,129,448 B1 * 9/2021 Cretikos A44B 11/12

OTHER PUBLICATIONS

Adventure Xpert G-Hook with Cam, published on (Oct. 29, 2020)
on web.archive.org, retrieved from internet (Apr. 19, 2023). <URL:
[http://web.archive.org/web/20201029141248/https://www.
adventurexpert.com/product/aluminium-acetal-g-hook-with-cam/](http://web.archive.org/web/20201029141248/https://www.adventurexpert.com/product/aluminium-acetal-g-hook-with-cam/)>
(Year: 2020).*

* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10

