



Europäisches  
Patentamt  
European  
Patent Office  
Office européen  
des brevets



(11)

EP 1 305 745 B1

(12)

## EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention  
of the grant of the patent:  
**25.04.2007 Bulletin 2007/17**

(51) Int Cl.:  
**G06Q 30/00 (2006.01)**

(21) Application number: **00944560.2**

(86) International application number:  
**PCT/SG2000/000092**

(22) Date of filing: **21.06.2000**

(87) International publication number:  
**WO 2001/098983 (27.12.2001 Gazette 2001/52)**

**(54) A TRADING AND AUCTION SYSTEM, AND METHODS FOR THE AUTHENTICATION OF BUYERS  
AND SELLERS AND FOR THE TRANSMISSION OF TRADING INSTRUCTIONS IN A TRADING  
AND AUCTION SYSTEM**

HANDELS- UND AUCTIONIERUNGSSYSTEM UND VERFAHREN ZUR AUTHENTIFIZIERUNG VON  
KÄUFERN UND VERKÄUFERN UND ZUR ÜBERTRAGUNG VON HANDELSANWEISUNGEN IN  
EINEM HANDELS- UND AUCTIONIERUNGSSYSTEM

SYSTEME DE COMMERCE ET DE VENTE AUX ENCHERES, ET PROCEDE D'AUTHENTIFICATION  
D'ACHETEURS ET DE VENDEURS ET DE TRANSMISSION D'INSTRUCTIONS COMMERCIALES  
DANS UN SYSTEME DE COMMERCE ET DE VENTE AUX ENCHERES

(84) Designated Contracting States:  
**AT BE CH CY DE DK ES FI FR GR IE IT LI LU MC  
NL PT SE**

(74) Representative: **Johnson, Terence Leslie  
Marks & Clerk  
90 Long Acre  
London, WC2E 9RA (GB)**

(43) Date of publication of application:  
**02.05.2003 Bulletin 2003/18**

(56) References cited:  
**WO-A-97/31306 WO-A1-00/04476  
DE-U- 29 922 971 US-A- 5 835 896**

(73) Proprietor: **Chikka Pte Ltd  
Singapore 188979 (SG)**

- [Online] XP002134096 Retrieved from the Internet: URL:[http://www.internetnews.com/ec-news/pr/int/0,1089,4\\_11/041,00.html&gt;](http://www.internetnews.com/ec-news/pr/int/0,1089,4_11/041,00.html&gt;)  
[retrieved on 2000-03-27]

(72) Inventors:  

- **MENDIOLA, Dennis  
New York, NY 10011 (US)**
- **GARCIA, Gilpatrick R.  
Ortigas,  
Pasig City (PH)**

Note: Within nine months from the publication of the mention of the grant of the European patent, any person may give notice to the European Patent Office of opposition to the European patent granted. Notice of opposition shall be filed in a written reasoned statement. It shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

## Description

### FIELD OF THE INVENTION

**[0001]** The present invention relates to a trading and auction system, and to methods for the authentication of buyers and sellers and for the transmission of trading instructions in a trading and auction system.

**[0002]** The invention has particular, although not exclusive, utility in allowing users of wireless devices with messaging capability, such as mobile phones, to participate in auctions and trades quickly and efficiently.

**[0003]** Throughout the specification, unless the context requires otherwise, the word "comprise" or variations such as "comprises" or "comprising", will be understood to imply the inclusion of a stated integer or group of integers but not the exclusion of any other integer or group of integers.

### BACKGROUND ART

**[0004]** With the rapid growth of the Internet has emerged multiple ways of facilitating transactions between buyers and sellers conveniently, quickly, and usually securely. Electronic commerce, commonly referred to as eCommerce, is continuing to grow at an extraordinary rate. Companies such as Amazon.com and eBay.com are examples of popular eCommerce Internet sites.

**[0005]** Amazon.com allows a shopper equipped with a computer connected to the Internet and a credit card to purchase items displayed on its website. eBay.com, on the other hand, is a forum for individual buyers and sellers to engage in trades, covering a great variety of merchandise by motivated sellers and buyers who may trade anything from a rare coin collection to a second-hand piece of furniture.

**[0006]** Websites that facilitate auctioning of goods and services, such as eBay.com, derive success from quickly building a critical mass of sellers and buyers who trust each other - that the goods are described accurately by the sellers, with full disclosure, that they will be delivered as promised by the sellers, and the payment will be made as promised by the buyers.

**[0007]** However, unscrupulous buyers and sellers may create multiple accounts so as to manipulate a bid for a particular product. For example, a seller can create multiple fictitious buyer accounts that will also bid for his product, with the intended result of inflating the final price by posting higher and higher bids, which legitimate buyers are supposed to follow. Legitimate buyers are misled into thinking that a real frenzy to purchase the product is taking place.

**[0008]** Another problem consists of sellers and buyers, who after closing a particular transaction, simply choose to walk away from the deal, thereby reneging on an auction contract.

**[0009]** These problems are well known and many auc-

tion sites have sought to address them by introducing various means of bidder authentication and deal compliance. Authentication refers to the proactive verification of a particular buyer or seller's identity. This typically takes the form of a process referred to as "enrollment" or some form of registration, wherein buyers and sellers fill out various forms or produce evidence establishing their true identities. Deal compliance is reinforced by, for example, telling buyers and sellers that if they are caught engaging in unscrupulous bids or renegeing on deals, they will be forever barred from doing business on the auction site.

**[0010]** Buyers wanting to bid for a product at an auction website typically use a computer equipped with an Internet connection and a browser. More recently, several auction websites have begun to pursue strategies that give users access to their auction accounts using wireless devices. Most use wireless devices, such as pagers or SMS (short message service)-enabled mobile phones, for the purpose of notifying users of the status of their bids or transaction. For instance, if a bid is beaten, a message can be sent to all participating buyers that have wireless devices, such as pagers or mobile phones with SMS reception enabled.

**[0011]** Some systems allow users to send commands from wireless devices that are enabled for two-way data transmission, for example using SMS. However, current systems are cumbersome, requiring users to embed e-mail addresses or other fixed commands in the text body of the SMS message, instructing the auction engine which action to take. Once sent by the bidder, the message is then sent to the specified e-mail address, eventually to reach the auction engine. Since the e-mail address is typically a common one to which several other bidders send their messages, the instruction for the auction engine and the particular product being bid upon must be specified within the message itself. Alternatively, it is also possible to specify different e-mail addresses pertaining to different commands, such as bid up commands. However, this would also entail that the particular product and simplified instruction be included in the message itself.

**[0012]** Mobile devices equipped with Internet access via the Wireless Application Protocol or "WAP" are expected to gain popularity in the coming years. Some auction sites now allow mobile devices using WAP access to their site. To access the Internet, users dial-in with their mobile devices to "WAP Internet gateways." The mobile user then browses the Internet using their WAP phone's small screen.

**[0013]** In the context of an auction website, the user accesses the auction website using their WAP phone and logs in, perhaps enters a password, and then eventually gains access to his account. The "logged in" mobile user may now engage in basic auction activities, such as reading messages notifying him of the status of a bid, and instructing the auction server to raise his bid if it has been beaten.

**[0014]** The fact that the WAP user is required to have a WAP-enabled device as opposed to using the present "legacy" digital mobile phones acts as a limiting factor to growth of auction use through this medium. Further, until the introduction of General Packet Radio Service or "GPRS" or true "anytime, anywhere" wireless access for GSM devices, WAP Internet access will continue to be cumbersome, requiring users to dial-in to a gateway and log in to the auction website each time they want to access their accounts. This necessarily takes time and in most instances, costs much more than a typical computer and browser-based Internet access. Hence, WAP access via a mobile device is simply an alternative to a computer connected to the Internet. The log in process, bid up process, and so on, is similar to the processes a computer Internet user would perform to do the same things on an auction website.

**[0015]** Although the preceding discussion focused on auction websites, where buyers outbid each other for a certain product or service, many of the above discussions can also be applied to other types of eCommerce and auction business models, such as reverse auctions (i. e., buyers set prices which sellers are supposed to meet) and fixed price models.

**[0016]** The document "eBay Goes Wireless With Sky-Tel Partnership", by Cyrus AFZALI; 1999-05-13; downloaded from [http://www.internetnews.com/ec-news/print/0,1089,4\\_11/041,00.html](http://www.internetnews.com/ec-news/print/0,1089,4_11/041,00.html) on 27 March 2000; XP002134096, discloses a method for the transmission of trading instructions comprising, sending messages to a buyer's wireless device concerning offers or bids made by that buyer in relation to a product or service, receiving messages concerning a buyer's trading instructions on a product or service from that buyer's wireless device, and parsing a text body of each message to determine the buyer's trading instructions for that product or service.

## SUMMARY OF THE INVENTION

**[0017]** This invention seeks to address the present limitations of mobile auction processes through the use of the two-way SMS communication facility found in many digital wireless devices. The invention is particularly suitable for use with current "legacy" GSM mobile devices equipped with SMS, however any SMS capable device may be used, such as Code Division Multiple Access (CDMA) devices.

**[0018]** Most GSM networks have SMS facilities that allow short messages to be exchanged between its subscribers. A user typically types a short text message into their GSM mobile phone, and then enters the mobile phone number of the intended recipient of the message as that recipient's address. Once sent, the message is processed by the GSM network's Short Message Service Center's (SMSC) server system and forwarded to the mobile phone of the recipient.

**[0019]** The invention includes an auction server that is directly linked to the mobile network's short messaging

service. In the present embodiment of the invention, the auction server communicates directly with the GSM network's Short Message Service Center's ("SMSC") server system to send and receive short messages or commands via SMS. The auction server communicates with the SMSC via the Internet, a direct communication line, or other suitable communication system. Short messages are sent and received from the auction server system using the GSM networks' message protocol. In one embodiment of the invention, the protocol used is the Computer Interface Message Distribution Protocol version Two ("CIMD2"), a system adopted by GSM mobile phone and network manufacturers Nokia and Ericsson. The computer server can also be arranged to support any of the other popular short message protocols, e. g., SMPP or Simple Message Paging Protocol.

**[0020]** In one form, the invention takes advantage of the notion that a mobile phone number is likely unique to a particular user, and hence can be used as a more reliable means of authenticating buyers or sellers than an email address, for instance. A user is likely to have a single mobile phone number, whereas users with multiple email addresses are commonplace. A trader who has registered his mobile phone number is less likely to renege on a deal, since he can be easily tracked down and barred from engaging in future auction activities. Once barred, a trader will have to access another mobile phone number to re-register and continue using the auction system. This is more effective than using simply an email address, since email addresses are somewhat anonymous and relatively inexpensive to set up as compared to mobile phones. Before a buyer or seller can use the auction system, they will need to register with the auction server. In the present embodiment of the invention, providing a mobile phone number is a compulsory part of the registration process, since the user's password is sent to their mobile phone using the mobile network's SMS messaging system.

**[0021]** In another form, the invention assigns unique mobile-phone-like numeric addresses to each product or service being bid out on the auction server. This unique numeric address is used as an identifier in SMS messages sent from the auction server, allowing a user to more conveniently and quickly send a command to the auction

server (e. g., raise a bid to a particular level) via simple SMS transmissions (e. g., by simply hitting the "Reply" option found in most digital wireless devices with two-way SMS capability and then entering a generic command or numeric message in the body of the message).

**[0022]** Also, unlike WAP access, this action does not require the user to connect or dial-in to the Internet explicitly.

**[0023]** The invention provides a method for the transmission of trading instructions in a trading and auction system, comprising the steps of:

assigning a unique identification number to each product or service for sale or auction at said trading

and auction system; sending messages to a buyer's wireless device (22) concerning offers or bids made by that buyer in relation to a product or service, with the unique identification number of the product or service included in a 'Sender' field of each message; receiving messages concerning a buyer's trading instructions on a product or service from that buyer's wireless device (22), determining the product or service by extracting and recognizing the unique identification number of the product or service from a 'Recipient' field of received messages, identifying the buyer by extracting and recognizing the unique identifier of the wireless device (22) from the 'Sender' field of each message and parsing a text body of each message to determine the buyer's trading instructions for that product or service.

**[0024]** The method may further comprise the step of requiring that a buyer authenticate their identity with the trading and auction system when placing their first trading instruction in relation to a product or service by an exchange of messages between the trading and auction system, in which at least one of said messages are sent or received using said wireless device's messaging capability.

**[0025]** The step of exchanging messages may comprise the steps of sending a password to said prospective buyer or seller over a computer network, and receiving a confirmation of said password from said prospective buyer or seller using said wireless device's messaging capability.

**[0026]** The step of exchanging messages may comprise the step of sending a password to said prospective buyer or seller using said wireless device's messaging capability, and receiving a confirmation of said password from said prospective buyer or seller over a computer network.

**[0027]** The wireless device may be a GSM device with SMS capability, said wireless device being serviced by a GSM network including a SMSC server to control and manage SMS to and from said wireless device, wherein said trading and auction system is in direct communication, via a direct link or through the computer network, with said SMSC server.

**[0028]** The step of sending messages to a buyer's wireless device includes the step concatenating an access identification number with the unique identification number of the product or service and placing said concatenated number in the 'Sender' field of each message, said SMSC server using the access identification number to identify SMS from wireless devices destined for said trading and auction system and to forward such SMS directly to the trading and auction system.

**[0029]** The trading and auction system may be connected to said SMSC server via a computer network.

**[0030]** The invention also provides a trading and auction system, comprising: message dispatching means for

sending messages to a prospective buyer or seller's wireless device; message receiving means for receiving messages from a prospective buyer or seller's wireless device; unique identification number assigning means to automatically allocate a unique identification number to each product or service for sale or auction on said trading and auction system; database means for storing the unique identification number of each product and service for sale or auction on said trading and auction system; and trade and auction handling means arranged to send messages to a buyer's wireless device concerning offers or bids made by that buyer in relation to a product or service via said message dispatching means, with the unique identification number of the product or service included in a 'Sender' field of each message; said trade and auction handling means further arranged to receive messages concerning a buyer's trading instructions on a product or service from that buyer's wireless device via said message receiving means, and to determine the product or service by extracting and recognizing the unique identification number of the product or service from a 'Recipient' field of received messages, identify the buyer by extracting and recognizing a unique identifier of the wireless device from the 'Sender' field of each message, parse a text body of each message to determine the buyer's trading instructions for that product or service and execute said trading instructions.

**[0031]** The trade and auction handling means may be arranged to require that a buyer authenticate their identity with the trading and auction system when placing their first trading instruction in relation to a product or service by an exchange of messages with the trading and auction system, wherein one of said messages is communicated to said buyer's wireless device via said message dispatching means and/or another of said messages is received from said buyer's wireless device via said message receiving means.

**[0032]** The wireless device may be a GSM device with SMS capability, said wireless device being serviced by a GSM network including a SMSC server to control and manage SMS to and from said wireless device, said message dispatching means and message receiving means being in direct communication with said SMSC server to send and receive SMS therefrom, respectively.

**[0033]** The message dispatching means may be arranged to concatenate an access identification number with the unique identification number of the product or service and place said concatenated number in the 'Sender' field of each message sent to a buyer concerning that product or service, said SMSC server using the access identification number to identify SMS from the buyer's wireless device destined for said trading and auction system and to forward such SMS directly to the message receiving means.

**[0034]** The message dispatching means and message receiving means are connected to said SMSC server via a computer network.

## BRIEF DESCRIPTION OF THE DRAWINGS

**[0035]** The invention will be better understood in the light of the following description of one specific mode thereof. The description is made with reference to the accompanying drawings, wherein:

Figures 1 to 3 are schematic diagrams showing generally how a user can register with a trade and auction system; and

Figure 4 is a schematic diagram showing generally how a user can receive notifications concerning his bids and submit further bids to the trade and auction system.

## BEST MODE (S) FOR CARRYING OUT THE INVENTION

**[0036]** The preferred embodiment of the invention is directed towards a trade and auction system that offers an improved authentication process and provides a more convenient bidding system for users with messaging-capable wireless devices. The performed embodiment will be described with reference to the wireless devices being SMS-capable GSM mobile phones, however it should be appreciated that the invention is not limited to such devices.

**[0037]** The trade and auction system of the embodiment includes an auction server 10. The auction server 10 comprises a registration handling means (registration handler), a message dispatching means (message dispatcher), a message receiving means (message receiver), a unique identification number assigning means (UIN assignor), a database means (database 12), and a trade and auction handing means (auction handler). These are embodied in the form of program routines that are continuously executed under the control of an operating system in the auction server 10 and thus automate the registration and binding process.

**[0038]** The auction server 10 is connected to a computer network 14, the internet in this embodiment. This allows a prospective user with a computer 16 to access the auction server 10 via the computer network 14 and the user's internet service provider (ISP) 18.

**[0039]** The auction server 10 is also linked directly or through the Internet to the GSM network's short messaging service. In particular, the message dispatcher and message receiver communicate directly with the GSM network's short message service centre's ("SMSC") server system 20 to send and receiver short messages or commands via SMS. The message dispatcher and message receiver communicate with the SMSC via the computer network 14, a direct communication line, or other suitable communication system. Short messages are sent and received from the auction server 10 using the GSM network's message protocol. In this embodiment of the invention, the protocol used is the computer inter-

face message distribution protocol version 2 ("CIMD II") a system adopted by GSM mobile phone and network manufacturers such as Nokia. The auction server can also be arranged to support any of the popular short message protocols, such as simple message paging protocol ("SMPP").

**[0040]** Figures 1 to 3 help illustrate a registration process for a prospective user.

**[0041]** With reference to Figure 1, the user uses their computer 16 to access the auction server 10 via computer network 14 and their ISP 18. In the registration process, the user 16 accesses a registration form available on the auction server 10. The registration form includes fields in which the user must enter essential data for the registration process, and further fields in which the user may enter optional data if desired.

**[0042]** When the user has entered data into the field in the registration form, the user then submits the information to the auction server 10. This can be achieved in a number of ways, such as using a form-based HTML web page for the registration form, where the user can submit the entered data to the auction server 10. Upon receipt of the essential and optional data from the user's computer 16, the registration handler is invoked.

**[0043]** The registration handler creates a new entry in the database 12 for the user that contains the essential and optional data. The essential data may comprise the user's name, address, a unique identification number of a messaging-capable wireless device owned by the user such as a GSM mobile phone number, e-mail address, and nickname. The optional data in the embodiment comprises the user's date of birth, for instance.

**[0044]** The registration handler assigns the user a temporary password which is stored in the database 12 without being communicated to the user at this stage. The data for the user stored in the database 12 is marked as being inactive until an authentication process is completed.

**[0045]** Figure 2 shows a first part of the authentication process that may be used. The authentication process for new users registering with the auction server 10 is performed by the registration handler. As shown, the registration process initially involves the registration handler obtaining the temporary password assigned to the user and the user's GSM mobile phone number from the database 12.

**[0046]** The registration handler then instructs the message dispatcher to send an SMS message to the user's mobile telephone 22. The user's GSM mobile telephone number is used as the "recipient" field in the SMS message. The message text of the SMS message contains the temporary password assigned to the user by the registration handler. The message text may also contain an instruction to the user to enter the password and submit it to the auction server 10 using their computer 16.

**[0047]** Figure 3 shows a second part of the authentication process. As shown, upon receiving the SMS message on their GSM mobile telephone 22, the user submits

the temporary password to the auction server 10 using the computer 16. Once the user has submitted data entered on the registration form to the auction server 10, the user's computer 16 is taken to a further HTML web page that informs the user they will shortly receive a message on their mobile phone that contains a temporary password. The further HTML web page then instructs the user to enter the password in a field provided on the web page and submit it to the auction server 10. The further HTML web page then explains that once the password has been verified by the auction server 10, their account will be activated.

**[0048]** The user enters the password in to their computer 16 and submits the information to the auction server 10. Note that the information received by the auction server 10 must also identify the user. This can be achieved in a variety of ways, such as through the use of "cookies". A "cookie" is a data file residing on the computer 16 that contains information based on the prior activities of the user, which also allows the auction server 10 to identify a user or someone visiting the URL address corresponding to the auction server 10. For that session, a cookie, which identifies the user, is associated with that user's account

**[0049]** Upon receipt of the password, the auction server 10 verifies that the submitted password is the same as the temporary password stored in the database 12. If the password is correct, the account for the user is marked as active and the user's computer 16 is directed towards another HTML web page that informs the user his registration was successful. Alternatively, if the submitted password does not correctly match the unique password stored in the database 12, the user's computer 16 is directed towards a HTML page that informs the user their registration attempt was unsuccessful and to try again.

**[0050]** Several attempts are allowed before the message handler 12 bars the user from further attempts.

**[0051]** Although the authentication process has been described with a message being sent to the user's GSM device and the user entering a confirmation via their computer, it should be appreciated that alternative registration procedures may be adopted that would still require the user to specify their mobile phone number in order to activate their account.

**[0052]** For example, upon submitting the registration data, the user could be taken, to a web page that contains the temporary password and instructed to send via his GSM device an SMS message containing their password to a particular telephone number. That telephone number would consist of a concatenation of the numeric access and the numeric address assigned by and recognized by the auction server 10 as that for registration purposes. The user's SMS message would then be forwarded from the SMSC 20 to the message receiver of the auction server 10. The user's id and password can then be verified, since the message text contains the password and the user's mobile telephone number will be present in the

"sender" field of the SMS message.

**[0053]** In an enhancement to the registration process, the auction server 10 dispatches a message to the user's mobile phone 22 containing a message that instructs that user to enter the temporary password displayed on the HTML page appearing on his computer 16. This message has as its "sender" a number comprising the concatenation of a numeric access code and a numeric address pertaining to the registration handler. In many GSM devices, sending an SMS containing the temporary password can be accomplished by simply hitting the "reply" key on their GSM devices. The "sender's" address, which is the concatenation of the numeric access code and the numeric address pertaining to the registration handler, is automatically inserted in the "recipient" field of the new SMS message, thereby simplifying the sending of the temporary password.

**[0054]** In this particular method of registration, the message dispatcher inserts into the "sender" field of the SMS message a number comprising the concatenation of a numeric access code and a numeric address assigned by and recognized by the auction server 10 as that for registration purposes. The numeric access code is used by the SMSC server system 20 to identify the auction server 10. Any SMS messages received by the SMSC server system 20 whose "recipient" field commences with the numeric access code of the auction server 10 will be forwarded from the SMSC server system 20 directly to the auction server 10 were the message receiver processes the message.

**[0055]** The numeric address code for registration is a predetermined number pointing to the registration handler. This way, any messages received by the message receiver that are addressed to that numeric code pertaining to the registration handler will be forwarded by the message receiver to the registration handler.

**[0056]** Once registered, a user is able to browse products and services available for trade and auction and to place bids for products and services as described in further detail below. Registered users are also able to place their products for trade or auction on the auction server 10.

**[0057]** To add a product or service to the auction server 10, a user submits product data to the auction server 10 in a similar manner to that described above for submitting registration data. That is, the user accesses the auction server 10 using their computer 16 and accesses an "add new product" HTML web page. The user then enters product data and submits the product data to the auction server 10. I an example, the following product data may be required, some optional, from the user:

- Title: A short description of the product that will appear in lists of products on the auction server 10.
- User Id: The nickname of the registered user selling the product.

- User password: The user's password, this is used to validate the product entry. If the password is incorrect, the product will not be added to the auction server 10.
- Auction Type/Method: The user can specify whether the auction is to be conducted as a regular auction or as a Dutch auction, for example.
- Item Description: A more detailed description of the item for sale.
- Country: The seller's country.
- Auction Start Date and Time: The date and time that the auction will commence. Bids for items are not accepted before an auction commences.
- Auction Duration: The length of time the auction will last.
- Category: A broad identification, selected from a list, of the type of product being sold. For example: antiques, music, or computers.
- URL for external resources : An optional universal resource location (URL) that the user can specify for pictures, further information etc.
- Computer picture file (optional) : A picture of the item to be bid out that can be uploaded directly from the computer 16 to the auction server 10, via the internet14.
- Payment Method: The payment method or methods that the user will accept, such as cash, cheque, or credit card.
- Shipping Information: Details concerning the shipment of the product from the seller to the successful buyer such as the cost of shipping, countries that the seller is or is not prepared to ship to, etc.
- Minimum Bid: A threshold value that sets a minimum value for the first bid. Bids below the minimum bid value are disregarded by auction system 10.
- Reserve Bid: An optional value specifying a price below which the seller is not prepared to sell the goods.
- Bid increment: The minimum bid increment.
- Toggle to use or not use Dynamic Bid Time (optional): This switch tells the auction server to extend or not to extend the auction duration if bids are being received close to the end of the specified auction duration. When being received close to the end of

the specified auction duration. When the switch is turned on, the auction will be extended until no bids are received for a length of time corresponding to the dynamic bid time.

5

**[0058]** The product data submitted by the user is checked for completeness by the auction server 10 and, if the information is complete, the UIN assignor assigns a UIN to the product. The product data andUIN are then stored in the database 12.

10

**[0059]** When the auction commences, bids concerning the product are also stored in the database 12.

15

**[0060]** A user may browse products available for auction on the auction server 10 using his computer 16 via the internet 14. If a user wishes to bid for a product, he simply selects the product and is taken to a bid submission web page. The user's identity is then authenticated using the authentication process described above.

20

**[0061]** If the user's identity is authentic, the user's bid for the product is accepted by the auction server 10 and stored in the database 12. The user's bid is identified for a particular product using the product's UIN. In alternative embodiments, the authentication process may be skipped when placing bids, or only required where the value of the product exceeds a predetermined value.

25

**[0062]** Users are able to enter two types of bids, a regular bid or an automatic, or proxy bid. A regular bid consists of a single bid for a specific value. An automatic bid specifies a maximum bid by the user. The auction and trade handler then acts as a proxy for the user bidding by the minimum increment for the product up to the user's specified maximum in an attempt to win the bidding for the product by the minimum possible incremental value.

30

**[0063]** Once the user has registered their first bid for a product, notifications concerning the user's bid and further bids can be sent to and received from the user's GSM mobile phone without the need for the user to have access to his computer 16 or the computer network 14. Figure 4 helps illustrate the notification and bid up process.

35

**[0064]** When a user's bid for a product is beaten, the auction and trade handler instructs the message dispatcher to send an SMS message to the user's GSM mobile phone 22. The auction and message trade handler retrieves the user's mobile phone number from the database 12 and forwards this to the message dispatcher to be included as the "recipient" field of the SMS message.

40

**[0065]** The auction and trade handler also forwards the product's UIN to the message dispatcher which concatenates the numeric access code of the auction server 10 with the received product UIN and inserts the resultant number in the "sender" field of the SMS message.

45

**[0066]** Finally, the auction and trade handler forwards a message text to the message dispatcher for inclusion as the message body of the SMS message. The message text composed by the auction and trade handler includes information concerning the product, such as the product

title, the current highest bid, and instructions for placing a further bid. An example message text may read "You have been outbid for 'Antique Bookcase'. The current highest bid is now \$1,050. To place another bid, simply reply to this message, and specify the bid type and amount."

**[0067]** The SMS message is sent by the message dispatcher directly to the GSM network's SMSC system server 20, which forwards it to the user's GSM mobile phone 22.

**[0068]** To place another bid for the product, the user simply needs to reply to the SMS message using the reply facility of the GSM mobile phone 22. Advantageously, the reply facility of the GSM mobile phone 22 will automatically take the number in the "sender" field of the original SMS message and insert it in the "recipient" field of the reply SMS message. Accordingly, there is no requirement for the user to recall e-mail addresses or product codes in order to place a subsequent bid. The user simply enters the type of bid and the amount of the bid in the body of the SMS message and sends the SMS message.

**[0069]** To place a regular bid for \$1200, the user simply enters "regular 1200" as the text message of the reply SMS message. To place an automatic proxy bid for \$1200, the user enters "auto 1200" as the text of the SMS message.

**[0070]** Once the user sends the SMS message, his GSM mobile phone 22 sends it to the GSM network's SMSC server system 20. The SMSC server system 20 identifies the numeric access code of the auction server 10 in the "recipient" field of the SMS message and forwards the SMS message directly to the message receiver of the auction server 10.

**[0071]** Upon receiving the SMS message, the message receiver extracts the product UIN from the "recipient" field of the SMS message, the user's mobile phone number from the "sender" field of the SMS message, and the text message of the SMS message and forwards these to the trade and auction handler.

**[0072]** The trade and auction handler is able to identify the product from the product UIN. Further, the trade and auction handler can identify the user from their GSM mobile telephone number. In the event that a higher bid has already been received from another user, or the user's bidding instructions were indecipherable, the auction and trade handler sends a reply SMS message to the user's GSM mobile phone 22 notifying them of the error. Otherwise, the trade and auction handler enters the bid from the user in the database 12 for that product. Optionally, if the bid is successfully received, the auction and trade handler may send a reply SMS message to the user's GSM mobile telephone 22 notifying them that his bid was successfully received.

**[0073]** In addition to sending notification to the previously highest bidder, the auction trade handler may also be arranged to send the same notifications to some or all of the users that have bid for that product.

**[0074]** As can be seen from the foregoing description, the invention provides a fast, efficient and convenient method and system for the authentication and transmission of instructions for an auction and trading system whose users have messaging-capable wireless devices such as SMS-enabled GSM devices.

## Claims

10

1. A method for the transmission of trading instructions in a trading and auction system (10), comprising the steps of:

15 assigning a unique identification number to each of a plurality of products or services for sale or auction at said trading and auction system; sending a message to a buyer's GSM wireless device (22) concerning offers or bids made by that buyer in relation to a product or service, with the unique identification number of the product or service included in a 'Sender' field of each message, whereby the wireless device (22) automatically inserts the number from the 'sender' field of the received message into the 'recipient' field of a reply message;

20 receiving a reply message concerning a buyer's trading instructions on said product or service from that buyer's GSM wireless device (22), determining the product or service by extracting and recognizing the unique identification number of the product or service from a 'Recipient' field of received messages, identifying the buyer by extracting and recognizing the unique identifier of the GSM wireless device (22) from the 'Sender' field of each message and parsing a text body of each message to determine the buyer's trading instructions for that product or service.

35

2. A method as claimed in claim 1, further comprising the step of requiring that a buyer authenticate their identity with the trading and auction system (10) when placing their first trading instruction in relation to a product or service by an exchange of messages with the trading and auction system (10), in which at least one of said messages are sent or received using said wireless device's messaging capability.

40

3. A method as claimed in claim 2, wherein said step of exchanging messages comprises the steps of sending a password to said prospective buyer or seller over a computer network (14), and receiving a confirmation of said password from said prospective buyer or seller using said wireless device's messaging capability.

45

4. A method as claimed in claim 2, wherein said step

- of exchanging messages comprises the steps of sending a password to said prospective buyer or seller using said wireless device's messaging capability, and receiving a confirmation of said password from said prospective buyer or seller over a computer network 14).
5. A method as claimed in any one of claims 1 to 4, wherein said GSM wireless device (22) is a device with SMS capability, said wireless device being serviced by a GSM network including a SMSC server (20) to control and manage SMS to and from said wireless device (22), wherein said trading and auction system (10) is in direct communication, via a direct link or through the computer network (14), with said SMSC server (20).
10. A trading and auction system as claimed in claim 8, wherein said trade and auction handling means (10) is arranged to require that a buyer authenticate their identity with the trading and auction system (10) when placing their first trading instruction in relation to a product or service by an exchange of messages with the trading and auction system (10), wherein one of said messages is communicated to said buyer's wireless device (22) via said message dispatching means and/or another of said messages is received from said buyer's wireless device (22) via said message receiving means.
15. A method as claimed in claim 5, wherein said step of sending messages to a buyer's wireless device (22) includes the step concatenating an access identification number with the unique identification number of the product or service and placing said concatenated number in the 'Sender' field of each message, said SMSC server (20) using the access identification number to identify SMS from wireless devices (22) destined for said trading and auction system (10) and to forward such SMS directly to the trading and auction system (10).
20. A trading and auction system as claimed claims 8 or 9, wherein said GSM wireless device (22) is a device with SMS capability, said wireless device being serviced by a GSM network including a SMSC server (20) to control and manage SMS to and from said wireless device (22), said message dispatching means and message receiving means being in direct communication with said SMSC server (20) to send and receive SMS therefrom, respectively.
25. A trading and auction system as claimed in claim 10, wherein said message dispatching means is arranged to concatenate an access identification number with the unique identification number of the product or service and place said concatenated number in the 'Sender' field of each message sent to a buyer concerning that product or service, said SMSC server (20) using the access identification number to identify SMS from the buyer's wireless device (22) destined for said trading and auction system (10) and to forward such SMS directly to the message receiving means.
30. A trading and auction system as claimed in claim 10 or 11, wherein said message dispatching means and message receiving means are connected to said SMSC server (20) via a computer network (14).
35. A trading and auction system, comprising: message dispatching means for sending messages to a prospective buyer or seller's GSM wireless device (22); message receiving means for receiving messages from a prospective buyer or seller's GSM wireless device (22); unique identification number assigning means to automatically allocate a unique identification number to each of a plurality of products or services for sale or auction on said trading and auction system (10); database means (12) for storing the unique identification number of each product and service for sale or auction on said trading and auction system (10); and trade and auction handling means (10) arranged to send messages to a buyer's GSM wireless device concerning offers or bids made by that buyer in relation to a product or service via said message dispatching means, with the unique identification number of the product or service included in a 'Sender' field of each message; at least one GSM wireless device (22) adapted to receive a message from auction handling means and automatically insert the number from the 'sender' field of the received message into the 'recipient' field of a reply message; said trade and auction handling means (10) further arranged to receive messages concerning a buyer's
40. A trading and auction system as claimed in claim 10 or 11, wherein said message dispatching means and message receiving means are connected to said SMSC server (20) via a computer network (14).
45. A trading and auction system as claimed in claim 10 or 11, wherein said message dispatching means and message receiving means are connected to said SMSC server (20) via a computer network (14).
50. A trading and auction system as claimed in claim 10 or 11, wherein said message dispatching means and message receiving means are connected to said SMSC server (20) via a computer network (14).
55. Patentansprüche
1. Verfahren zur Übertragung von Handelsanweisun-

gen in einem Handels- und Auktionssystem (10), die folgenden Schritte umfassend:

Zuordnen einer eindeutigen Identifikationsnummer zu jedem einer Vielzahl von Produkten oder Dienstleistungen, die bei dem Handels- und Auktionssystem zum Verkauf oder zur Auktion stehen;

Senden einer Nachricht an eine drahtlose GSM-Vorrichtung (22) eines Käufers bezüglich von Offerten oder Geboten, die von diesem Käufer in Bezug auf ein Produkt oder eine Dienstleistung gemacht wurden, wobei die eindeutige Identifikationsnummer des Produkts oder der Dienstleistung in einem Feld "Absender" jeder Nachricht enthalten ist, wobei die drahtlose Vorrichtung (22) automatisch die Nummer aus dem Feld "Absender" der empfangenen Nachricht in das Feld "Empfänger" einer Antwortnachricht einfügt;

Empfangen einer Antwortnachricht bezüglich von Handelsanweisungen eines Käufers zu dem Produkt oder der Dienstleistung von der drahtlosen GSM-Vorrichtung (22) dieses Käufers, Bestimmen des Produkts oder der Dienstleistung durch Extrahieren und Erkennen der eindeutigen Identifikationsnummer des Produkts oder der Dienstleistung aus einem Feld "Empfänger" von empfangenen Nachrichten, Identifizieren des Käufers durch Extrahieren und Erkennen der eindeutigen Kennzeichnung der drahtlosen GSM-Vorrichtung (22) aus dem Feld "Absender" jeder Nachricht und Zergliedern eines Textkörpers jeder Nachricht, um die Handelsanweisungen des Käufers für dieses Produkt oder diese Dienstleistung zu bestimmen.

2. Verfahren nach Anspruch 1, weiter umfassend den Schritt, dass gefordert wird, dass ein Käufer, wenn er seine erste Handelsanweisung in Bezug auf ein Produkt oder eine Dienstleistung gibt, seine Identität gegenüber dem Handels- und Auktionssystem (10) durch einen Austausch von Nachrichten mit dem Handels- und Auktionssystem (10) authentifiziert, bei dem mindestens eine der Nachrichten unter Verwendung der Nachrichtenübermittlungsfähigkeit der drahtlosen Vorrichtung gesendet oder empfangen wird.
3. Verfahren nach Anspruch 2, wobei der Schritt des Austausches von Nachrichten die Schritte umfasst, ein Kennwort an den potenziellen Käufer oder Verkäufer über ein Computernetz (14) zu senden und eine Bestätigung des Kennworts von dem potenziellen Käufer oder Verkäufer unter Verwendung der Nachrichtenübermittlungsfähigkeit der drahtlosen Vorrichtung zu empfangen.

4. Verfahren nach Anspruch 2, wobei der Schritt des Austausches von Nachrichten die Schritte umfasst, ein Kennwort an den potenziellen Käufer oder Verkäufer unter Verwendung der Nachrichtenübermittlungsfähigkeit der drahtlosen Vorrichtung zu senden und eine Bestätigung des Kennworts von dem potenziellen Käufer oder Verkäufer über ein Computernetz (14) zu empfangen.
5. Verfahren nach einem der Ansprüche 1 bis 4, wobei die drahtlose GSM-Vorrichtung (22) eine Vorrichtung mit SMS-Fähigkeit ist, die drahtlose Vorrichtung durch ein GSM-Netz einschließlich eines SMSC-Servers (20) zur Steuerung und Verwaltung von SMS zu und von der drahtlosen Vorrichtung (22) versorgt wird, wobei das Handels- und Auktionssystem (10) über eine direkte Verbindung oder durch das Computernetz (14) in direkter Kommunikation mit dem SMSC-Server (20) ist.
6. Verfahren nach Anspruch 5, wobei der Schritt des Sendens von Nachrichten an eine drahtlose Vorrichtung (22) eines Käufers den Schritt enthält, eine Zugangs-Identifikationsnummer mit der eindeutigen Identifikationsnummer des Produkts oder der Dienstleistung zu verknüpfen und die verknüpfte Nummer in das Feld "Absender" jeder Nachricht zu setzen, wobei der SMSC-Server (20) die Zugangs-Identifikationsnummer verwendet, um SMS von drahtlosen Vorrichtungen (22), die für das Handels- und Auktionssystem (10) bestimmt sind, zu identifizieren und derartige SMS direkt an das Handels- und Auktionssystem (10) weiterzuleiten.
7. Verfahren nach einem der Ansprüche 5 oder 6, wobei das Handels- und Auktionssystem über ein Computernetz (14) mit dem SMSC-Server verbunden ist.
8. Handels- und Auktionssystem, umfassend: Nachrichtensendemittel zum Senden von Nachrichten an eine drahtlose GSM-Vorrichtung (22) eines potenziellen Käufers oder Verkäufers; Nachrichtenempfangsmittel zum Empfangen von Nachrichten von der drahtlosen GSM-Vorrichtung (22) eines potenziellen Käufers oder Verkäufers; Mittel zur Zuordnung von eindeutigen Identifikationsnummern zum automatischen Zuteilen einer eindeutigen Identifikationsnummer zu jedem einer Vielzahl von Produkten oder Dienstleistungen, die bei dem Handels- und Auktionssystem (10) zum Verkauf oder zur Auktion stehen; Datenbankmittel (12) zum Speichern der eindeutigen Identifikationsnummer von jedem Produkt und jeder Dienstleistung, die bei dem Handels- und Auktionssystem (10) zum Verkauf oder zur Auktion stehen; und Handels- und Auktionshandlungsmittel (10), die angeordnet sind, um Nachrichten bezüglich von Offerten oder Geboten, die von diesem Käufer in Bezug auf ein Produkt oder eine

- Dienstleistung gemacht wurden, über die Nachrichtensendemittel an eine drahtlose GSM-Vorrichtung eines Käufers zu senden, wobei die eindeutige Identifikationsnummer des Produkts oder der Dienstleistung in einem Feld "Absender" jeder Nachricht enthalten ist; mindestens eine drahtlose GSM-Vorrichtung (22), die angepasst ist, um eine Nachricht von Auktionshandhabungsmitteln zu empfangen und automatisch die Nummer aus dem Feld "Absender" der empfangenen Nachricht in das Feld "Empfänger" einer Antwortnachricht einzufügen; wobei die Handels- und Auktionshandhabungsmittel (10) weiter angeordnet sind, um Nachrichten bezüglich von Handelsanweisungen eines Käufers zu dem Produkt oder der Dienstleistung von der drahtlosen GSM-Vorrichtung (22) dieses Käufers über die Nachrichtenempfangsmittel zu empfangen und das Produkt oder die Dienstleistung durch Extrahieren und Erkennen der eindeutigen Identifikationsnummer des Produkts oder der Dienstleistung aus einem Feld "Empfänger" von empfangenen Nachrichten zu bestimmen, den Käufer durch Extrahieren und Erkennen der eindeutigen Kennzeichnung der drahtlosen Vorrichtung (22) aus dem Feld "Absender" jeder Nachricht zu identifizieren, einen Textkörper jeder Nachricht zu zergliedern, um die Handelsanweisungen des Käufers für dieses Produkt oder diese Dienstleistung zu bestimmen, und die Handelsanweisungen auszuführen.
9. Handels- und Auktionssystem nach Anspruch 8, wobei die Handels- und Auktionshandhabungsmittel (10) angeordnet sind, um zu erfordern, dass ein Käufer, wenn er seine erste Handelsanweisung in Bezug auf ein Produkt oder eine Dienstleistung gibt, seine Identität gegenüber dem Handels- und Auktionssystem (10) durch einen Austausch von Nachrichten mit dem Handels- und Auktionssystem (10) authentifiziert, wobei eine der Nachrichten über das Nachrichtensendemittel an die drahtlose Vorrichtung (22) des Käufers kommuniziert wird und/oder eine andere der Nachrichten über die Nachrichtenempfangsmittel von der drahtlosen Vorrichtung (22) des Käufers empfangen wird.
10. Handels- und Auktionssystem nach Anspruch 8 oder 9, wobei die drahtlose GSM-Vorrichtung (22) eine Vorrichtung mit SMS-Fähigkeit ist, die drahtlose Vorrichtung durch ein GSM-Netz einschließlich eines SMSC-Servers (20) zur Steuerung und Verwaltung von SMS zu und von der drahtlosen Vorrichtung (22) versorgt wird, wobei die Nachrichtensendemittel und Nachrichtenempfangsmittel in direkter Kommunikation mit dem SMSC-Server (20) zum Senden bzw. Empfangen von SMS davon sind.
11. Handels- und Auktionssystem nach Anspruch 10, wobei die Nachrichtensendemittel angeordnet sind,
- um eine Zugangs-Identifikationsnummer mit der eindeutigen Identifikationsnummer des Produkts oder der Dienstleistung zu verknüpfen und die verknüpfte Nummer in das Feld "Absender" jeder Nachricht, die bezüglich des Produkts oder der Dienstleistung an einen Käufer gesandt wird, zu setzen, wobei der SMSC-Server (20) die Zugangs-Identifikationsnummer verwendet, um SMS von der drahtlosen Vorrichtung (22) des Käufers, die für das Handels- und Auktionssystem (10) bestimmt sind, zu identifizieren und derartige SMS direkt an das Nachrichtenempfangsmittel weiterzuleiten.
12. Handels- und Auktionssystem nach Anspruch 10 oder 11, wobei die Nachrichtensendemittel und Nachrichtenempfangsmittel über ein Computernetz (14) mit dem SMSC-Server (20) verbunden sind.

## 20 Revendications

- Méthode pour la transmission d'instructions commerciales dans un système de négociations et d'enchères (10), comprenant les étapes:

d'attribuer un numéro d'identification unique à chacun d'un nombre de produits ou services pour la vente ou l'enchère sur ledit système de négociations et d'enchères;  
d'envoyer un message à un dispositif sans fil GSM d'un acheteur (22) concernant les offres de vente ou les offres d'achat faites par cet acheteur par rapport à un produit ou à un service, avec le numéro d'identification unique du produit ou du service compris dans un champ «Expéditeur» de chaque message, par lequel le dispositif sans fil (22) insert automatiquement le numéro du champ «Expéditeur» du message reçu dans le champ «Destinataire» d'un message de réponse;

de recevoir un message de réponse concernant les instructions de négociation d'un acheteur pour ledit produit ou service depuis le dispositif sans fil GSM (22) de cet acheteur, de déterminer le produit ou le service en extrayant et en reconnaissant le numéro d'identification unique du produit ou du service d'un champ «Destinataire» des messages reçus, d'identifier l'acheteur en extrayant et en reconnaissant l'identifiant unique du dispositif sans fil GSM (22) du champ «Expéditeur» de chaque message et de faire l'analyse syntaxique d'un corps du texte de chaque message pour déterminer les instructions de négociation de l'acheteur pour ce produit ou ce service.

- Méthode selon la revendication 1, comprenant en outre l'étape d'exiger qu'un acheteur authentifie son

- identité auprès du système de négociations et d'en-chères (10) quand il passe sa première instruction de négociation par rapport à un produit ou à un service par un échange de messages avec le système de négociations et d'enchères (10), dans lequel au moins un desdits messages est envoyé ou reçu en utilisant la capacité de messagerie dudit dispositif sans fil.
3. Méthode selon la revendication 2, dans laquelle ladite étape d'échange de messages comprend les étapes d'envoi d'un mot de passe audit acheteur ou vendeur potentiel par un réseau d'ordinateurs (14), et de recevoir une confirmation dudit mot de passe dudit acheteur ou vendeur potentiel en utilisant la capacité de messagerie dudit dispositif sans fil. 10
4. Méthode selon la revendication 2, dans laquelle ladite étape d'échange de messages comprend les étapes d'envoi d'un mot de passe audit acheteur ou vendeur potentiel en utilisant la capacité de messagerie dudit dispositif sans fil, et de réception d'une confirmation dudit mot de passe dudit acheteur ou vendeur potentiel par un réseau d'ordinateurs (14). 15
5. Méthode selon l'une quelconque des revendications 1 à 4, dans laquelle ledit dispositif sans fil GSM (22) est un dispositif avec de la capacité SMS, ledit dispositif sans fil étant «servi» par un réseau GSM comprenant un serveur SMSC (20) pour contrôler et gérer le SMS allant vers et venant du ledit dispositif sans fil (22), dans lequel ledit système de négociations et d'enchères (10) est en communication directe, par une liaison directe ou par le réseau d'ordinateurs (14), avec ledit serveur SMSC (20). 20
6. Méthode selon la revendication 5, dans laquelle ladite étape d'envoi de messages à un dispositif sans fil (22) d'un acheteur comprend l'étape de concaténation d'un numéro d'identification d'accès avec le numéro d'identification unique du produit ou du service et de placement dudit numéro concaténé dans le champ «Expéditeur» de chaque message, ledit serveur SMSC (20) utilisant le numéro d'identification d'accès pour identifier le SMS venant des dispositifs sans fil (22) destinés audit système de négociations et d'enchères (10) et pour réacheminer un tel SMS directement au système de négociations et d'enchères (10). 25
7. Méthode selon l'une quelconque des revendications 5 ou 6, dans laquelle ledit système de négociations et d'enchères est connecté audit serveur SMSC par un réseau d'ordinateurs (14). 30
8. Système de négociations et d'enchères, comprenant: un moyen de distribution de messages pour envoyer des messages à un dispositif sans fil GSM (22) d'un acheteur ou d'un vendeur potentiel; un moyen de réception de messages pour recevoir des messages d'un dispositif sans fil GSM (22) d'un acheteur ou d'un vendeur potentiel; un dispositif d'attribution de numéro d'identification unique pour al-louer automatiquement un numéro d'identification unique à chacun d'un nombre de produits ou services pour la vente ou l'enchère sur ledit système de négociations et d'enchères (10); un moyen de base de données (12) pour stocker le numéro d'identifi-cation unique de chaque produit ou service pour la vente ou l'enchère sur ledit système de négociations et d'enchères (10); et un moyen pour gérer les né-gociations et les enchères (10) conçu pour envoyer des messages à un dispositif sans fil GSM d'un a-chteur concernant des offres de vente ou des offres d'achat faites par cet acheteur par rapport à un pro-duit ou à un service par ce moyen de distribution de messages, avec le numéro d'identification unique du produit ou du service compris dans un champ «Ex-péditeur» de chaque message; au moins un dispo-sitif sans fil GSM (22) adapté pour recevoir un mes-sage d'un moyen pour gérer les enchères et pour insérer automatiquement le numéro venant du champ «Expéditeur» du message reçu dans le champ «Destinataire» d'un message de réponse; le-dit moyen pour gérer les négociations et les enche-re (10) conçu en outre pour recevoir des messages concernant les instructions de négociation d'un acheteur sur ledit produit ou service depuis le dis-positif sans fil GSM (22) de cet acheteur par ledit moyen de réception de messages, et de déterminer le produit ou le service en extrayant et en reconnaissant le numéro d'identification unique du produit ou du service d'un champ «Destinataire» de messages reçus, d'identifier l'acheteur en extrayant et en re-connaissant l'identifiant unique du dispositif sans fil (22) du champ «Expéditeur» de chaque message et de faire l'analyse syntaxique d'un corps du texte de chaque message pour déterminer les instructions de négociation de l'acheteur pour ce produit ou ce ser-vice et exécuter lesdites instructions de négociation. 35
9. Système de négociations et d'enchères selon la re-vendication 8, dans lequel ledit moyen pour gérer les négociations et les enchères (10) est conçu pour exiger qu'un acheteur authentifie son identité auprès du système de négociations et d'enchères (10) quand il passe sa première instruction de négocia-tion par rapport à un produit ou à un service par un échange de messages avec le système de négociations et d'enchères (10), dans lequel un desdits mes-sages est communiqué audit dispositif sans fil (22) de cet acheteur par le moyen de distribution de mes-sages et/ou un autre desdits messages est reçu du-dit dispositif sans fil (22) de cet acheteur par le moyen de réception de messages. 40
- 50
- 55

10. Système de négociations et d'enchères selon la revendication 8 ou 9, dans lequel ledit dispositif sans fil GSM (22) est un dispositif avec une capacité SMS, ledit dispositif sans fil étant «servi» par un réseau GSM comprenant un serveur SMSC (20) pour contrôler et gérer le SMS allant vers et venant dudit dispositif sans fil (22), lesdits moyens de distribution de messages et de réception de messages étant en communication directe avec ledit serveur SMSC (20) pour envoyer et recevoir des SMS à/de celui-ci, respectivement. 5
11. Système de négociations et d'enchères selon la revendication 10, dans lequel ledit moyen de distribution de messages est conçu pour concaténer un numéro d'identification d'accès avec le numéro d'identification unique du produit ou du service et pour placer ledit numéro concaténé dans le champ «Expéditeur» de chaque message envoyé à un acheteur concernant ce produit ou ce service, ledit serveur SMSC (20) utilisant le numéro d'identification d'accès pour identifier le SMS venant du dispositif sans fil de l'acheteur (22) destiné audit système de négociations et d'enchères (10) et pour réacheminer un tel SMS directement au moyen de réception de messages. 15
12. Système de négociations et d'enchères selon la revendication 10 ou 11, dans lequel lesdits moyens de distribution de messages et de réception de messages sont connectés audit serveur SMSC (20) par un réseau d'ordinateurs (14). 20 25 30

35

40

45

50

55




FIG. 1

