

(43) International Publication Date
19 November 2009 (19.11.2009)

PCT

(10) International Publication Number
WO 2009/139726 A1

(51) International Patent Classification:

G06F 3/14 (2006.01) **G06F 9/00** (2006.01)
G06F 3/16 (2006.01)

(21) International Application Number:

PCT/SG2009/000161

(22) International Filing Date:

5 May 2009 (05.05.2009)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

12/120,050 13 May 2008 (13.05.2008) US

(71) Applicant (for all designated States except US): **CRE-
ATIVE TECHNOLOGY LTD** [SG/SG]; 31 International
Business Park, Creative Resource, Singapore 609921
(SG).

(72) Inventor; and

(75) Inventor/Applicant (for US only): **TOO, Yew Teng** [SG/
SG]; Block 628A Woodlands Ring Road, #07-280, Singa-
pore 731628 (SG).(74) Agent: **ATMD BIRD & BIRD LLP**; 39 Robinson Road,
#07-01 Robinson Point, Singapore 068911 (SG).(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ,
EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN,
HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP, KR,
KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD, ME,
MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO,
NZ, OM, PG, PH, PL, PT, RO, RS, RU, SC, SD, SE, SG,
SK, SL, SM, ST, SV, SY, TJ, TM, TN, TR, TT, TZ, UA,
UG, US, UZ, VC, VN, ZA, ZM, ZW.(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, TR),
OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML,
MR, NE, SN, TD, TG).


Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted
a patent (Rule 4.17(ii))
- of inventorship (Rule 4.17(iv))

Published:

- with international search report (Art. 21(3))

(54) Title: PORTABLE AUDIO ENHANCEMENT AND MEDIA PLAYER DEVICE



(57) Abstract: A portable audio enhancement and media player device and disclosed for enabling an electronic consumer product such as personal computer, mobile phone etc., to process and format media having different data formats like "mp3", "wav" etc. The portable device may be connected to an electronic consumer product via a connector like universal serial bus, firewire etc. By connecting the portable device via one of the connector, the portable device provides the required processors for processing audio/video media data necessary to play such data formats and enable the electronic consumer product with sound card and media player functionality. The portable device also enables an electronic product to obtain an additional secondary functionality such as audio enhancement when connected to the host computer and also aid in processing data when connected to the host computer.

PORTABLE AUDIO ENHANCEMENT AND MEDIA PLAYER DEVICE

FIELD OF THE INVENTION

This invention relates generally to audio enhancement and media player devices, and more particularly to a portable device with media player functionality that enables an electronic product such as a personal computer to obtain enhanced audio output.

BACKGROUND

The consumer electronics market includes different types of electronic devices such as personal computers, personal digital assistants (PDA), cellular phones, televisions, etc. that are equipped to playback media having different data formats. One of the most popular types of such consumer electronic devices is portable media playback devices. These portable media playback devices come in all sizes and offer a variety of functionalities. However, these portable media playback devices are typically stand-alone devices, and at the very most, also serve as an additional data storage device for a user. Such devices typically do not have any secondary functionality.

Additionally, even when these portable media playback devices are connected to a host computer for either data synchronization or data transfer, processing resources on these portable media playback device are not utilised.

Many personal computers and notebooks nowadays are equipped with embedded audio processing chips, and the quality of audio reproduction suffers as a capability of such embedded audio processing chips is lacking. There are thus many people who hanker for improved audio reproduction quality from their personal computers and notebooks which are equipped with such embedded audio processing chips.

Therefore, there is a need for a portable device with media player functionality which is able to provide an additional secondary functionality of audio enhancement when connected to the host computer and also aid in processing data when connected to the host computer.

SUMMARY

An aspect of the invention is a portable media processing device for connecting with and enabling an external device with audio enhancement functionality, the portable device comprising a housing and a connector interface for connecting and exchanging data with the external device; a media player module for processing data; and a controller for identifying the data received from the external device and selectively controlling the media player module for processing the data from the external device and supplying the processed data.

An embodiment of the invention is a user interface port for connecting user interface devices. The user interface device may be selected from the group consisting of: speakers, earphones, headphones, displays, and monitors. The portable media processing device may further comprise a player module having an audio data processor, and a media data processor. The portable media processing device may further comprise data storage for storing the processed data. The controller may supply the processed data to either the external device or the user interface port. The connector interface may be a USB connector interface or a firewire connector interface. The external device may be a device selected from the group consisting of a notebook, a personal computer, a television, a mobile telephone, a games console, a camera, a CD player, and a DVD player. A portion of memory allocated for the processing of audio signals in the external device may be freed up for use by a processor in the external device and processing of non-audio related tasks in the external device is enhanced.

An aspect of the invention is a method for enabling an external device with audio enhancement functionality with a portable media processing device, the portable device comprising connecting the portable device having a housing and a connector for connecting the portable device to the external device; receiving data from the external device; identifying the data received from the external device; selectively controlling a media player module, the media player module for processing the data; supplying the processed data to either the external device or a user interface port.

BRIEF DESCRIPTION OF THE DRAWINGS

In order that embodiments of the invention may be fully and more clearly understood by way of non-limitative examples, the following description is taken in conjunction with the accompanying

drawings in which like reference numerals designate similar or corresponding elements, regions and portions, and in which:

FIG. 1 illustrates a block diagram of a portable device in accordance with an embodiment of the invention; and

FIG. 2 illustrates a flow chart of a method in accordance with an embodiment of the invention.

DETAILED DESCRIPTION

Referring to FIG. 1, a block diagram of a portable media processing device 10 is shown. The portable media processing device 10 connects with an external device 50 and enables the external device 50 with audio enhancement functionality. The external device 50 may be, for example, a notebook, a personal computer, a television, a mobile telephone, a games console, a camera, a CD player, a DVD player and so forth. The portable device 10 comprises housing 40 for a controller 22 and a storage 24 connected to the controller 22. The controller 22 is connected to a media player module 12. The media player module 12 has data processors 16, 18. The portable device 10 has a connector interface 20 that connects to a corresponding connector interface 52 of the external device 50. Through the connector interfaces 20, 52 the portable device 10 is able to exchange data with the external device 50 when the portable device 10 is connected to the external device 50.

The portable device 10 is able to function independently as a media playback device in a first mode when the portable device 10 is not connected to the external device 50. The controller 22 receives media data from the storage 24. Subsequently, the controller 22 identifies the media data and selectively controls the media player module 12 to process the data using at least one of the media data processor 18, and the audio data processor 16. The processed data is then sent back to the controller 22 and is subsequently sent to the user interface connect 26 for audio output 32 and display output 34. The audio output 32 may include, for example, speakers, earphones, headphones and so forth.

In a second mode, the controller 22 receives audio data from the external device 50. The controller 22 identifies the audio data received from the external device 50 and selectively

controls the media player module 12 to process the data. The audio data may be processed using the audio data processor 16.

The data processed by the audio data processor 16 is returned to the controller 22 and may transmit the processed data either to the external device 50 or to a user interface connect 26 within the portable device 10. The user interface connect 26 may comprise a port or another connector for connecting external user interface devices. The external user interface devices include audio input 30, output devices 32 such as, for example, speakers, earphones, headphones and so forth. Other external user interface devices include output display devices 34 such as, for example, displays, monitors and the like.

The audio data processor 16 in the media player module 12 may enable the incorporation of advanced sound enhancement effects. These advanced effects cover a wide range including but not limited to 3D audio spatialization (virtualization) and transient enhancement. The portable device 10 is configured to receive an audio input signal through the connect interface 20, in analog or digital form, consequently enhance the received signal in media player module 12, and subsequently transmit an output audio signal through the user interface connect 26 having the enhanced effects embedded in the signal. The output signal may be either digital or analog. The output signal may be, for example, a mono signal, a stereo signal, a MIDI signal, or a multichannel signal (such as 2.1, 5.1, 7.1, etc.). In some embodiments, the audio enhancements include but are not limited to dramatic improvements to the recording and playback of MP3 music, enhancement to the listening experiences for movies, and improvements in general to the capabilities, performance and quality of audio and music creation.

Preferably, the media player module 12 is configured to enable the user to select from several surround audio enhancement effects and to control the amount of the effect to suit the users' preferences. Many of these audio enhancements are commercially available in computer sound cards provided by Creative Technologies Ltd. For example, the X-Fi soundcard provided by Creative Technologies Ltd. presently allows a user options including MultiSpeaker Surround 3D Surround, MultiSpeaker Surround 3D Headphone, MultiSpeaker Surround 3D Virtual, X-Fi Crystalizer, Dolby Digital decoder, DTS-Interactive 5.1 Encoder.

X-Fi CMSS®-3D enables a user to upgrade MP3 music and movies into surround sound with headphones or multichannel speakers. This is important because it enables a consumer to enjoy stereo MP3s and movies in surround sound created with X-Fi CMSS®-3D technology. While the

present invention is intended to include the basic upmixing of stereo content, the audio enhancement module 12 is preferably configured to remix the audio intelligently to match the speaker system (including headphones).

The audio enhancement techniques that may be configured into the media player module 12 include advanced techniques to extract specific audio elements so music and movies sound more alive than ever, i.e., to add in one embodiment "punchiness". The potential benefits when listening to or creating music are abundant. For example, static stereo music may be converted into surround sound suitable for playback over multichannel speakers. Although in one embodiment, the enhanced listening experience is provided when listening to music tracks, the invention includes other forms of media content. For example, videos or movies may be enhanced to provide surround sound over headphones or speakers. Thus, an example surround sound processing technique suitable for integration into the module to enjoy movies is the X-Fi CMSS®-3D.

Other processing techniques provided in other embodiments enable up mixing, virtualization over output channels, transient enhancement, and decoding. These are generally described with the following examples:

1. X-Fi CMSS®-3D Surround: Provides a multichannel playback for stereo music or movies.
2. X-Fi CMSS®-3D Headphone: Provides a multichannel playback experience over headphones for all types of content
3. X-Fi CMSS®-3D Virtual: Provides a multichannel playback experience over two loudspeakers for all types of content
4. X-Fi Crystalizer™ – provided dynamic enhancements based on detection of transients and other energy level variations.
5. Dolby Digital decoder
6. DTS-Interactive 5.1 Encoder

Preferably, the media player module 12 includes at least 3D audio virtualization technologies such as X-Fi CMSS®-3D Headphone and X-Fi CMSS®-3D Virtual. These virtual technologies are designed to reproduce a natural sounding multi-channel listening experience over headphones or two loudspeakers, with both multi-channel and two-channel source formats.

In further detail, X-Fi Creative MultiSpeaker Surround 3D(CMSS-3D) is available for both rendering over headphones and speakers. Creative's CMSS®-3D Headphone technology helps the listener forget that he or she is wearing headphones, by delivering a compelling multi-channel listening experience, with any two-channel or multi-channel audio content. This is the result of the combination of three exclusive ingredients: HRTF filters, Environmental early reflections and Ambience extraction. The benefits of X-Fi CMSS®-3D Headphone include Timbre preservation; Improved externalization, frontalization and front-back discrimination. Further benefits include a natural sense of immersion, for both multi-channel and two-channel sources as well as reduced listening fatigue. Creative's CMSS®-3D Headphone technology employs advanced signal processing algorithms to place listeners in a natural, fully immersive sound field. Through these processing techniques operating with the assistance of the audio data processor 16 in the media player module 12, the auditory awareness of wearing headphones vanishes and is replaced by a transparent listening experience and the sensation of "being there".

Creative's CMSS®-3D Virtual technology provides a convincing multi-channel listening illusion using only two loudspeakers for a listener located at the "sweet spot", with any two-channel or multi-channel audio content. It combines the following ingredients: HRTF filters, Cross-talk canceller and Ambience extraction. The benefits of X-Fi CMSS®-3D Virtual include timbre preservation, convincing side and rear virtual loudspeaker localization, natural sense of immersion, with both multi-channel and two-channel sources. Preferably the media player module 12 is configured to provide calibration according to the placement of the loudspeakers with respect to the listener. That is, the user can control the amount of the virtualization effect to optimize the effect to adjust for the loudspeaker positions.

Transient enhancement is provided in one embodiment by Creative's X-Fi Crystalizer. This is an intelligent, automated audio-restoration processor carefully designed to bring the full benefit of audio playback to 16-bit legacy audio content. Crystalizer selectively identifies significant transients in the original 16-bit audio playback stream and dynamically enhances these to compensate for the studio mastering compromises inherent in the limited dynamic range of CD audio. The end result of applying Crystalizer enhancement depends to some extent on the details of the content to which it is applied and to the user-specified degree of enhancement. In general, though, Crystalizer produces crisper high frequencies, punchier mid-range percussion (snare drums, congas) and note onsets, and stronger kick bass hits. This audio enhancement technique is thought to be especially beneficial to listeners of compressed music such as music encoded in the mp2, wma, or ATRAC formats. This configuration is believed to enhance MP3s

and movies to the point of even sounding better to many listeners than content available from the original CD or DVD. It is a low-impact algorithm designed to improve the dynamic range of an audio stream by enhancing the natural transients. The transient enhancement provided by the Crystalizer algorithms can be very effective at sharpening an audio track (particularly compressed tracks, such as MP3 files), brightening sound effects, etc. Music benefits provided include low and high frequencies are enhanced while the dynamics are improved. Movie benefits include adding realism to explosions, gun-shots and high-impact audio sequences.

In the embodiment shown in FIG. 1, only a single media player module 12 is incorporated in the portable device 10. In other embodiments the portable device 10 may be configured with any number and other types of media format processing modules.

The external device 50 includes a processor 54, memory 56 and user interface connect 58 for connecting output user interface devices 60,62,64. The external user interface devices include audio output devices 62 such as, for example, speakers, earphones, headphones and so forth. Other external user interface devices include input 60, output display devices 64 such as, for example, displays, monitors and the like.

The connector interface 20,52 and/or the user interface connect 26 may be connection ports such as USB connector interface, firewire connector interface (IEEE 1394), or the like. When the portable device 10 is connected to the external device 50, the controller 22 and media player module 12 is powered by the external device 50 through the connector ports of the connector interfaces 20,52. Similarly, the user interface devices 30,32,34 connected to the portable device 10 are also powered by the external device 50 through the connector ports of the connector interfaces 20,52 and user interface connect 26.

When the media player module 12 of the portable device 10 is processing audio data from the external device 50, a portion of the memory 56 allocated for the processing of audio signals in the external device 50 is freed up for use by the processor 54. Consequently, processing of non-audio related tasks in the external device 50 is enhanced.

A flow chart of a method 100 of an embodiment of the invention is shown in FIG. 2. The portable device 10 is connected 102 to the external device 50. The controller 22 of the portable device 10 receives 104 data from the external device 50, and determines 105 the particular type of data. If the data is deemed by the controller 22 to be audio data, the controller 22 switches 106 the

portable device 10 from a first mode as a media playback device to a second mode as an audio enhancement device. If the data is deemed by the controller 22 to be non-audio data, the portable device 10 remains in the first mode as the media playback device 107.

When the portable device 10 is in the second mode, the controller 22 operates 108 a media player module 12 to process the audio data 110. Once processed, the controller 22 supplies 112 the processed audio data to the external device 50 and/or the user interface connect 26 of the portable device 10. The external user interface devices include audio output devices 62 such as, for example, speakers, earphones, headphones and so forth. Other external user interface devices include output display devices 64 such as, for example, displays, monitors and the like.

While embodiments of the invention have been described and illustrated, it will be understood by those skilled in the technology concerned that many variations or modifications in details of design or construction may be made without departing from the present invention.


CLAIMS:

1. A portable media processing device for connecting with and enabling an external device with audio enhancement functionality, the portable device comprising:
a housing and a connector interface for connecting and exchanging data with the external device;
a media player module for processing data;
and
a controller for identifying the data received from the external device and selectively controlling the media player module for processing the data from the external device and supplying the processed data.
2. The portable media processing device of claim 1 further comprising a user interface port for connecting user interface devices.
3. The portable media processing device of claim 2, wherein the user interface devices are selected from the group consisting of: speakers, earphones, headphones, displays, and monitors.
4. The portable media processing device of claim 1, wherein the media player module includes an audio data processor, and a media data processor.
5. The portable media processing device of claim 1 or 2 further comprising data storage for storing the processed data.
6. The portable media processing device of claim 2 wherein the controller supplies the processed data to either the external device or the user interface port.
7. The portable media processing device of any one of the preceding claims wherein the connector interface is either a USB connector interface or a firewire connector interface.
8. The portable media processing device of any one of the preceding claims wherein the external device is a device selected from the group consisting of: a notebook, a


personal computer, a television, a mobile telephone, a games console, a camera, a CD player, and a DVD player.

9. The portable media processing device of claim 1, wherein a portion of memory allocated for the processing of audio signals in the external device is freed up for use by a processor in the external device and processing of non-audio related tasks in the external device is enhanced.
10. A method for enabling an external device with audio enhancement functionality with a portable media processing device, the portable device comprising:
connecting the portable device having a housing and a connector for connecting the portable device to the external device;
receiving data from the external device;
identifying the data received from the external device;
selectively controlling a media player module, the media player module for processing the data;
supplying the processed data to either the external device or a user interface port.

1/2



2/2



INTERNATIONAL SEARCH REPORT

International application No.

PCT/SG2009/000161

A. CLASSIFICATION OF SUBJECT MATTER		
Int. Cl.		
G06F 3/14 (2006.01) G06F 3/16 (2006.01) G06F 9/00 (2006.01)		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols)		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) EPODOC, DWPI and INSPEC with keywords (Docking Station, Interface, Multimedia, Controller, Audio, Housing, Accessory and similar words)		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 2008/0092200 A1 (GRADY et al.) 17 April 2008 Fig 1, Para [0037] - Para [0060]	1 - 8, 10
X	US 2008/0008324 A1 (SIM et al.) 10 January 2008 Fig 2, Fig 4, Fig 8, Fig 9, Para [0011], Para [0028] - Para [0042], Para [0045] - Para [0048], Para [0052] - Para [0058]	1 - 3, 6 - 8
X	US 2007/0118240 A1 (CHO et al.) May 24 2007 Fig 1, Fig 2 and Para [0004] - Para [0019]	1 - 4, 6 - 8
X	US 2006/0156349 A1 (NAGHI et al.) 13 July 2006 Fig 1 - 3, Para [0003] - Para [0009], Para [0020] - Para [0029]	1 - 4, 6 - 8
☐ Further documents are listed in the continuation of Box C ☒ See patent family annex		
* "A"	Special categories of cited documents: document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E"	earlier application or patent but published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L"	document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O"	document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same patent family
"P"	document published prior to the international filing date but later than the priority date claimed	
Date of the actual completion of the international search 31 July 2009		Date of mailing of the international search report - 5 AUG 2009
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustalia.gov.au Facsimile No. +61 2 6283 7999		Authorized officer PRASHANT SURYANARAYANAN AUSTRALIAN PATENT OFFICE (ISO 9001 Quality Certified Service) Telephone No : +61 2 6225 6144

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/SG2009/000161

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report			Patent Family Member		
US	2008092200	EP 2074822	US	2008089658	US 2008089667
		US 2008138028	WO	2008048825	
US	2008008324	GB 2453480	WO	2008002277	
US	2007118240	NONE			
US	2006156349	NONE			
Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.					
END OF ANNEX					