US00D788935S

(12) **United States Design Patent**
Fine et al.

(10) **Patent No.: US D788,935 S**
(45) **Date of Patent: ** Jun. 6, 2017**

(54) **VIBRATING ELECTROMECHANICAL DEVICE FOR FEMALE STIMULATION**

(71) Applicant: **Mating Components, LLC**, Brooklyn, NY (US)

(72) Inventors: **Alexandra Fine**, Brooklyn, NY (US); **Janet Lieberman**, Brooklyn, NY (US); **David Block**, Brooklyn, NY (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/578,228**

(22) Filed: **Sep. 20, 2016**

Related U.S. Application Data

(63) Continuation of application No. 14/710,503, filed on May 12, 2015.

(51) **LOC (10) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/215**

(58) **Field of Classification Search**
USPC ..... D24/200, 211, 212, 213, 214, 215; 601/19, 27–32, 46–48, 52, 99, 112–113, 601/118, 135, 137, DIG. 12, DIG. 14, 601/DIG. 15, DIG. 16, DIG. 17; D30/160; D14/218, 138 AA
CPC A61H 19/00; A61H 19/30; A61H 19/32; A61H 19/34; A61H 19/40; A61H 19/44; A61H 19/50; A61H 2015/0007; A61H 2015/0014; A61H 2015/0042; A61H 15/00; A61H 7/003; A61H 7/005
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,382,222 A * 1/1995 Yih-Jong A61H 7/003 601/135
D361,386 S * 8/1995 Vandenbelt D24/211
D378,135 S * 2/1997 Sirois D24/200
D423,677 S * 4/2000 Sivan D24/215
D509,592 S * 9/2005 Talbot D24/214
D530,019 S * 10/2006 Crunick D24/211
D610,692 S * 2/2010 Heilman D24/201
D630,760 S * 1/2011 Imboden D24/211
D633,628 S * 3/2011 Wahng D24/215
D649,258 S * 11/2011 Lev-Ran D24/215
D652,942 S * 1/2012 Murison D24/215
D665,094 S * 8/2012 Sedic D24/215
D674,108 S * 1/2013 York D24/215
D688,383 S * 8/2013 Manabe D24/215
8,545,390 B2 * 10/2013 Talbot A61H 19/34 600/38
D696,415 S * 12/2013 Wang D24/215
D712,059 S * 8/2014 Sedic D24/215
(Continued)

Primary Examiner — Sandra Snapp
(74) *Attorney, Agent, or Firm* — Roy L. Chan, A Professional Law Corporation; Roy Chan

(57) **CLAIM**

The ornamental design for a vibrating electromechanical device for female stimulation, as shown and described.

DESCRIPTION

FIG. **1** is a top, front and right perspective view of a vibrating electromechanical device for female stimulation showing our new design;
FIG. **2** is a bottom, back and right perspective view thereof;
FIG. **3** is a top plan view thereof;
FIG. **4** is a bottom plan view thereof;
FIG. **5** is a front elevational view thereof;
FIG. **6** is a back elevational view thereof;
FIG. **7** is a right elevational view thereof; and,
FIG. **8** is a left elevational view thereof.
The broken lines in the figures illustrate unclaimed environment and form no part of the claimed design.

1 Claim, 6 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

D727,525	S	*	4/2015	Qian	D24/215
D742,535	S	*	11/2015	Wu	D24/215
D744,114	S	*	11/2015	Lamb	D24/215
D744,664	S	*	12/2015	Luzon	D24/215
D744,665	S	*	12/2015	Lamb	D24/215
2005/0192519	A1	*	9/2005	Crunick	A61H 23/0263 601/72
2013/0331745	A1	*	12/2013	Sedic	A61H 19/34 601/46
2014/0228629	A1	*	8/2014	Baetica	A61H 19/34 600/38
2014/0336452	A1	*	11/2014	Shahoian	A61H 19/30 600/38

* cited by examiner

FIG. 1

FIG. 2

FIG. 3

FIG. 4

FIG. 5

FIG. 6

FIG. 7

FIG. 8