



US00D409802S

# United States Patent [19]

[11] Patent Number: **Des. 409,802**

**Baker et al.**

[45] Date of Patent: **\*\* May 11, 1999**

[54] **ADJUSTABLE ANIMAL CAGE** 4,917,047 4/1990 Wazeter, III ..... 119/455  
 5,335,618 8/1994 Zarola ..... 119/474  
 [76] Inventors: **Charles A Baker; Sandra Baker**, both 5,522,344 6/1996 Demurjian ..... 119/498  
 of 2522 David Rd., P.O. Box 644, 5,653,194 8/1997 Guy ..... 119/453  
 Williams, Calif. 95987

### FOREIGN PATENT DOCUMENTS

[\*\*] Term: **14 Years** 533981 2/1941 United Kingdom ..... D30/114

### OTHER PUBLICATIONS

[21] Appl. No.: **29/083,892**  
 [22] Filed: **Feb. 19, 1998**  
 Fritz Small Animal Products sell sheet; Items 169-60005 & 169-60007 D30-114, Aug., 1992.

*Primary Examiner*—Cathy Anne MacCormac

[51] **LOC (6) Cl.** ..... **30-02**  
 [52] **U.S. Cl.** ..... **D30/114; D30/108**  
 [58] **Field of Search** ..... D30/108-111,  
 D30/114-116, 124-128; 119/452-453, 461,  
 472, 455, 459, 482, 491, 497, 498, 502,  
 504, 513-514

### [57] CLAIM

The ornamental design for a adjustable animal cage, as shown.

### DESCRIPTION




### [56] References Cited


#### U.S. PATENT DOCUMENTS

D. 282,880 3/1986 Barati ..... D30/114  
 D. 333,537 2/1993 Muse, Jr. .... D30/114  
 D. 357,558 4/1995 Johnson ..... D30/114  
 3,195,505 7/1965 Hauth et al. .... 119/474  
 3,797,461 3/1974 Breeden ..... 119/482  
 4,112,872 9/1978 Van Huis ..... 119/482  
 4,367,694 1/1983 Goyheneix ..... 119/455


FIG. 1 is a left side elevational view of an adjustable animal cage showing our new design;  
 FIG. 2 is a right side elevational view thereof;  
 FIG. 3 is a front elevational view thereof;  
 FIG. 4 is a rear elevational view thereof;  
 FIG. 5 is a top plan view thereof; and,  
 FIG. 6 is a bottom plan view thereof.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig. 4*



*Fig. 5*



*Fig. 6*