



US00D617124S

(12) **United States Design Patent**
Snider

(10) **Patent No.:** **US D617,124 S**

(45) **Date of Patent:** **** Jun. 8, 2010**

(54) **BASE FOR A COFFEE POD HOLDER**

D544,308 S 6/2007 Tiemann
D580,685 S * 11/2008 Draghici et al. D6/495
D586,185 S 2/2009 Tiemann

(75) Inventor: **Martin Snider**, New City, NY (US)

(73) Assignee: **MSA Products, Inc**, Nyack, NY (US)

* cited by examiner

(**) Term: **14 Years**

Primary Examiner—Philip S Hyder
Assistant Examiner—Sydney R Buffalow

(21) Appl. No.: **29/351,134**

(74) *Attorney, Agent, or Firm*—Gerald E. Hespos; Michael J. Porco

(22) Filed: **Dec. 1, 2009**

(57) **CLAIM**

(51) **LOC (9) Cl.** **06-06**

(52) **U.S. Cl.** **D6/495**

(58) **Field of Classification Search** D6/487,
D6/495, 500; D7/619.1; D8/354; D20/41;
248/158, 346.01, 910

The ornamental design for a base for a coffee pod holder, as shown and described.

See application file for complete search history.

DESCRIPTION

(56) **References Cited**

FIG. 1 is a perspective view of a base for a coffee pod holder in accordance with my design. The broken lines forming the tiered coffee pod holder in FIG. 1 are for illustrative purposes only and form no part of the claimed design.

U.S. PATENT DOCUMENTS

| | | | | |
|--------------|---------|---------------|-------|----------|
| D281,559 S * | 12/1985 | Murry | | D6/487 |
| D315,997 S * | 4/1991 | Bales et al. | | D6/495 |
| D367,789 S * | 3/1996 | Barile | | D6/500 |
| D378,265 S * | 3/1997 | Vicard et al. | | D7/619.1 |
| D418,698 S * | 1/2000 | McDiarmid | | D6/495 |
| D447,649 S * | 9/2001 | Mason | | D6/495 |
| D485,743 S * | 1/2004 | Wilson, Sr. | | D8/354 |
| D536,936 S | 2/2007 | Tiemann | | |


FIG. 2 is a perspective view of the base for a coffee pod holder;

FIG. 3 is a top plan view thereof;

FIG. 4 is a front elevational view thereof; and,

FIG. 5 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5