



US00D378247S

# United States Patent [19]

[11] Patent Number: Des. 378,247

Meisner et al.

[45] Date of Patent: \*\*\*Mar. 4, 1997

[54] **UTILITY BOX INCORPORATING AN INTEGRAL CLAMPING VISE**

[75] Inventors: **Edward H. Meisner**, Short Hills, N.J.; **Keith Kristiansen**, Stratford, Conn.; **Michael Ballone**, New Providence, N.J.; **Roberta S. Hall**, Sparks; **Michael A. Loferski**, Monkton, both of Md.; **Michael D. Dolson**, Millbrook, Canada; **Christopher Bennett**, Whitby, Canada; **John B. Mason, Sr.**; **Frank Basten**, both of Brockville, Canada; **Colin Overy**, North Augusta, Canada

[73] Assignee: **Black & Decker Inc.**, Newark, Del.

[\*] Notice: The portion of the term of this patent subsequent to Nov. 26, 2010, has been disclaimed.

[\*\*] Term: **14 Years**

[21] Appl. No.: **41,850**

[22] Filed: **Jul. 12, 1995**

### Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 27,533, Aug. 12, 1994, abandoned.

[52] U.S. Cl. .... **D3/274; D8/71**

[58] Field of Search .... **D3/273-6, 905, D3281; D6/336, 349-50, 400; D8/70.1, 71; D9/424; D15/140-1; D25/62, 65; D32/53; 190/1, 16; 206/372-3, 499, 506, 514, DIG. 33, 216; 220/324; 297/183, 188; 269/107, 139, 236, 244**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 140,494	3/1945	Aaronson et al. ....	D15/141
D. 250,079	10/1978	Hickman et al. ....	D6/400
D. 253,212	10/1979	Maruscak et al. ....	D6/400
D. 256,641	9/1980	Wilson ....	D6/400
D. 263,368	3/1982	Wagster et al. ....	D8/74
D. 263,533	3/1982	Ferdinand et al. .	
D. 276,861	12/1984	Keddie ....	D6/336

D. 314,472	2/1991	Brantingham et al. ....	D6/336
D. 337,898	8/1993	Chen ....	D6/400
D. 347,527	6/1994	Breen et al. ....	D6/336
D. 348,003	6/1994	Berger ....	D8/71
D. 354,210	1/1995	Dickinson et al. ....	D8/71
D. 355,828	2/1995	Dickinson et al. ....	D8/71
564,782	7/1896	Doelger .	
2,094,805	10/1937	Meier .	
2,122,969	7/1938	Whitcomb .	
2,759,507	8/1956	Davis et al. .	
2,786,500	3/1957	Unterfranz .	
4,216,949	8/1980	Hickman .....	269/244
4,278,243	7/1981	Alessio .....	269/139
4,330,113	5/1982	Ferdinand et al. ....	269/244
4,378,828	4/1983	Shiminski .	
4,555,099	11/1985	Hilton .....	269/244

### FOREIGN PATENT DOCUMENTS

427500 4/1926 Germany .

*Primary Examiner*—B. J. Bullock

*Assistant Examiner*—Robert M. Spear

*Attorney, Agent, or Firm*—Harness, Dickey & Pierce, P.L.C.

### [57] CLAIM

The ornamental design for a utility box incorporating an integral clamping vise, as shown and described.

### DESCRIPTION

FIG. 1 is a perspective view of a utility box incorporating an integral clamping vise, showing our new design which is shown with the box in an open position and with an auxiliary tray installed;

FIG. 2 is a right side elevational view of the utility box shown in FIG. 1;

FIG. 3 is a left side elevational view of the utility box shown in FIG. 1;

FIG. 4 is a front elevational view of the utility box shown in FIG. 1;

FIG. 5 is a rear elevational view of the utility box shown in FIG. 1;

FIG. 6 is a top plan view of the utility box shown in FIG. 1;

FIG. 7 is a bottom plan view of the utility box shown in FIG. 1;

FIG. 8 is a perspective view of the design for the utility box shown if FIG. 1 with the auxiliary tray removed;





FIG. 9 is a right side elevational view of the utility box shown in FIG. 8;

FIG. 10 is a left side elevational view of the utility box shown in FIG. 8;

FIG. 11 is a front elevational view of the utility box shown in FIG. 8;

FIG. 12 is a top plan view of the utility box shown in FIG. 8;

FIG. 13 is a perspective view of the design for the utility box shown in FIG. 1 with both the auxiliary tray and pegs removed;

FIG. 14 is a partially exploded view of the utility box shown in view 1 with the auxiliary tray and pegs shown in the exploded condition;

FIG. 15 is a perspective view similar to FIG. 1, of the design for a utility box incorporating an integral vise according to another embodiment of the present invention differing only in the composition of the clamping jaws of the integral vise and that the exteriorly located tray has an opaque cover; and, FIG. 16 is a perspective view, similar to FIG. 8 of the design for a utility box incorporating an integral clamping vise according to another embodiment of the present invention differing only in the composition of the clamping jaws of the integral vise and that the exteriorly located tray has an opaque cover.

**1 Claim, 10 Drawing Sheets**




Fig-1




Fig-2




Fig - 3




Fig-4




Fig-5




Fig-6




Fig-7




Fig - 8




Fig - 9




Fig-10




Fig-11




Fig - 12




Fig - 13




Fig - 14

Fig - 15





Fig - 16