



US00D777260S

(12) **United States Design Patent**  
**Burgess et al.**

(10) **Patent No.:** **US D777,260 S**

(45) **Date of Patent:** **\*\* Jan. 24, 2017**

(54) **CONTROLLER HATCH COVER**

(74) *Attorney, Agent, or Firm* — Stephen J. Terrell; Parks IP Law LLC

(71) Applicant: **Ironburg Inventions, Ltd.**, Wincanton, Somerset (GB)

(57) **CLAIM**

The ornamental design for a controller hatch cover, as shown and described.

(72) Inventors: **Simon Burgess**, Leicester (GB);  
**Duncan Ironmonger**, Atlanta, GA (US)

**DESCRIPTION**

(73) Assignee: **IRONBURG INVENTIONS LTD.** (GB)

FIG. 1 is a perspective view of a controller hatch cover and paddles showing the new design;  
FIG. 2 is a top plan view, thereof;  
FIG. 3 is a front elevational view, thereof;  
FIG. 4 is a bottom plan view, thereof;  
FIG. 5 is a rear elevational view, thereof;  
FIG. 6 is a left side elevational view, thereof;  
FIG. 7 is a right side elevational view, thereof;  
FIG. 8 is an exploded perspective view, thereof;  
FIG. 9 is a top plan view of FIG. 8, the paddles being removed;  
FIG. 10 is a front elevational view of FIG. 8, the paddles being removed;  
FIG. 11 is a bottom plan view of FIG. 8, the paddles being removed;  
FIG. 12 is a rear elevational view of FIG. 8, the paddles being removed;  
FIG. 13 is a left side elevational view of FIG. 8, the paddles being removed;  
FIG. 14 is a right side elevational view of FIG. 8, the paddles being removed;  
FIG. 15 is a perspective view thereof, shown in an environmental use;  
FIG. 16 is a top plan view of FIG. 15;  
FIG. 17 is a rear elevational view of FIG. 15;  
FIG. 18 is a front elevational view of FIG. 15;  
FIG. 19 is a perspective view thereof, with paddles removed and shown in an environmental use;  
FIG. 20 is a top plan view of FIG. 19;  
FIG. 21 is a rear elevational view of FIG. 19; and,  
FIG. 22 is a front elevational view of FIG. 19.  
The broken lines indicate unclaimed portions and environment and form no part of the claimed design.

(\*\*) Term: **15 Years**

(21) Appl. No.: **29/545,847**

(22) Filed: **Nov. 17, 2015**

**Related U.S. Application Data**

(63) Continuation of application No. 29/480,547, filed on Jan. 27, 2014, now Pat. No. Des. 748,734.

(51) **LOC (10) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/333**

(58) **Field of Classification Search**  
USPC ..... D14/399-401, 412-416; D21/324, 333;  
273/148 B; 463/1, 29-39, 46, 47;  
345/156-161, 905

(Continued)

(56) **References Cited**


**U.S. PATENT DOCUMENTS**

6,342,009 B1 \* 1/2002 Soma ..... 463/38  
D464,996 S \* 10/2002 Hussaini et al. .... D21/333

(Continued)

*Primary Examiner* — Prabhakar Deshmukh

**1 Claim, 14 Drawing Sheets**



(58) **Field of Classification Search**

CPC ..... A63F 13/02; A63F 13/00; A63F 11/00;  
A63F 3/00; A63F 9/00; G06F  
17/00; G06F 19/00; G06F 17/32; G06F  
3/00


See application file for complete search history.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D467,621 S \* 12/2002 Ku ..... D21/333  
6,572,108 B1 \* 6/2003 Bristow ..... 273/148 B  
6,743,100 B1 \* 6/2004 Neiser ..... 463/37  
6,923,443 B1 \* 8/2005 Hughes, IV ..... 273/148 B  
D631,476 S \* 1/2011 Piedra et al. .... D14/401  
D638,017 S \* 5/2011 Ortiz ..... D14/401  
D669,078 S \* 10/2012 Lovoi et al. .... D14/401  
8,641,525 B2 \* 2/2014 Burgess et al. .... 463/37  
D712,484 S \* 9/2014 Sumii et al. .... D21/333  
D712,973 S \* 9/2014 Sumii et al. .... D21/333  
2008/0122173 A1 \* 5/2008 Harris ..... 273/148 B


\* cited by examiner




**Fig. 1**




**Fig. 2**





**Fig. 3**





**Fig. 4**




**Fig. 5**








**Fig. 9**




**Fig. 10**








**Fig. 11**




**Fig. 12**




**Fig. 15**




**FIG. 16**




*Fig.* - 17



*Fig.* - 18



**Fig. 19**



**Hi** - 20

