



US00D343570S

United States Patent [19]

[11] Patent Number: **Des. 343,570**

Meier

[45] Date of Patent: **** Jan. 25, 1994**

- [54] **CORD LOCK**
- [75] Inventor: **Terrence P. Meier, Naperville, Ill.**
- [73] Assignee: **Illinois Tool Works Inc., Glenview, Ill.**
- [**] Term: **14 Years**
- [21] Appl. No.: **938,644**
- [22] Filed: **Sep. 2, 1992**
- [52] U.S. Cl. **D8/383**
- [58] Field of Search **D8/330-331, D8/333, 383, 356, 396; 24/115 R, 115 G, 115 M, 115 H, 115 K, 129 R**

- 4,453,292 6/1984 Bakker 24/115
- 4,506,417 3/1985 Hara 24/115
- 4,622,723 11/1986 Krauss 24/115 G

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—T. W. Buckman; J. P. O'Brien

[57] CLAIM

The ornamental design for a cord lock, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, and left side perspective view of a cord lock showing my new design, the fragmentary broken-line disclosure of a cord being for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is a front elevational view thereof, the opposite side being identical;

FIG. 3 is a left end elevational view the opposite side being identical;


FIG. 4 is top plan view thereof; and,

FIG. 5 is a bottom plan view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

- | | | | | |
|------------|--------|--------|-------|----------|
| D. 251,478 | 4/1979 | Boden | | D8/383 |
| D. 251,545 | 4/1979 | Boden | | D8/383 |
| D. 299,310 | 1/1989 | Fildan | | D8/356 |
| D. 310,166 | 8/1990 | Fildan | | D8/383 |
| 3,266,464 | 8/1966 | Davis | | 24/115 H |






FIG. 1




FIG. 3




FIG. 2




FIG. 5




FIG. 4