

C. DAVIS.
 SANITARY TOILET PAPER HOLDER AND DELIVERER.
 APPLICATION FILED FEB. 26, 1917.

1,297,110.

Patented Mar. 11, 1919.

Fig. 1.




Fig. 4.




Fig. 2.





Fig. 3.



WITNESSES

Charles F. Wilcox.
 Wm. S. Fowler.

BY

Cilvia Davis,
 Richard E. Owen,

ATTORNEY

UNITED STATES PATENT OFFICE.

CILVIA DAVIS, OF NEW YORK, N. Y.

SANITARY TOILET-PAPER HOLDER AND DELIVERER.

1,297,110.

Specification of Letters Patent. Patented Mar. 11, 1919.

Application filed February 26, 1917. Serial No. 151,091.

To all whom it may concern:

Be it known that I, CILVIA DAVIS, a citizen of the United States of America, residing at New York city, borough of the Bronx, in the county of the Bronx and State of New York, have invented certain new and useful Improvements in Sanitary Toilet-Paper Holders and Deliverers, of which the following is a specification.

This invention relates to sanitary toilet paper holders and deliverers and has for its primary object, the provision of a device of this character, which will be composed of the minimum number of parts constructed in such manner that they may be readily assembled or taken apart, as occasion may require.

Another object of the invention resides in the provision of a holder and deliverer of the above stated character, which will be constructed in such manner, that when assembled, the roll of paper will be entirely inclosed, leaving only a slot in the lower portion of the device, through which the paper may be delivered.

A further object of the invention resides in the provision of a holder and deliverer of the above stated character, in which the removable back plate may be readily connected with the body of the holder and the complete device suspended upon suitable supporting members projecting from a wall or other stationary support.

A still further object of the invention resides in the provision of a holder and deliverer, in which the paper roll may be readily secured in position and rotated as desired.

A still further object of the invention resides in the provision of a novel connection between the back plate and the body of the holder.

With the above objects and others in view, as will appear as the description proceeds, the invention comprises the various novel features of construction and arrangement of parts which will be more fully described hereinafter and set forth with particularity in the claims appended hereto.

Reference is had to the accompanying drawings forming a part of this application, in which like characters indicate the corresponding parts throughout the several views, and wherein,

Figure 1 is a perspective view of the complete device in use,

Fig. 2 is an elevation of the back plate in blank form,

Fig. 3 is a detail transverse vertical section through the device as shown in Fig. 1, and

Fig. 4 is a detail sectional view on the plane of line 4—4 of Fig. 3, looking in the direction indicated by the arrow.

Referring more specifically to the drawings, 10 designates the curved body and 11 the ends or sides of the holder within which the paper roll 12 is inclosed, the roll preferably being provided with a solid core 13, into the ends of which the screws or other handle supporting members 14 are passed through the ends or sides 11 and also serve to support the handles or knobs 15, by means of which the paper roll 12 may be readily rotated. While only one handle is shown, it will be understood that the handles are employed upon both ends or sides of the device. It is also to be understood that the body 10 and sides or ends 11 may be formed of any suitable material, preferably of white enameled tin, and constructed in one piece. A portion of the lower edge of the body 10 is cut away, at the back of the device, as shown at 17 in Fig. 3 and a transverse tongue 18 is pressed upwardly from the lower edge of said body 10, for a purpose which will presently be apparent.

The back of the body 10 is closed by means of the back plate 19, which has a curved lower extension 20 provided with a transverse slot 21 and also side notches 22 at the connection of said extension 20 with the main portion of said back plate 19. A pair of ears 23 are extended from the upper edge of said back plate 19 and provided with inverted key slots 24.

After the roll 12 has been secured in the holder, the back plate 19 is secured in position, the ears 23 being passed upwardly through the openings 25 provided for this purpose in the upper rear portion of the curved body 10, while the tongue or extension 20 is bent at a right angle and passed beneath the tongue 18, the curved end of the tongue or extension 20 resting upon the bottom of the curved body 10, inwardly of said tongue 18. This brings the transverse slot 21 of the tongue or extension 20 opposite the cut-away portion of the curved body 10, thereby permitting the paper to be delivered through said slot 21. The recesses 22 serve

to receive the flanges 16 at the ends of the cut-away portion 17, thereby securely holding the back plate 19 in proper position. The complete device may then be suspended upon the headed supports 26 projecting from the wall or other stationary support 27 and extending through the inverted key slots 24 of the ears 23, as clearly shown in the drawings.

10 From the foregoing description, taken in connection with the accompanying drawings, the advantages of the construction and of the method of operation will be readily apparent to those skilled in the art to which the invention appertains and while I describe the principle of operation of the invention, together with the devices which I now consider to be the best embodiments thereof, I desire to have it understood that the devices shown are merely illustrative, and that such changes may be made when desired as are within the scope of the device as claimed.

35 Having thus described my invention, what I claim as new and desire to secure by Letters Patent of the United States is:

1. A paper roll holder and deliverer comprising a roll inclosing member, said member including a curved body and ends, said body having an upwardly pressed tongue at its lower portion, and a back plate for said

body provided with a turned extension removably engaged beneath said tongue.

2. A paper roll holder and deliverer comprising a curved member having openings in its upper portion and a tongue in its lower portion, and a removable back plate for closing the rear side of said curved member, said back plate including upstanding ears engaged through the openings of said curved member for removable engagement with suspending members, said back plate having a turned extension for locking engagement with said tongue, said extension being also provided with a paper discharge slot, the ends of said body member being also adapted for interlocking engagement with said back plate.

3. A paper roll holder and deliverer comprising a roll inclosing member, means for supporting said roll within the inclosing member, said means being adapted for engagement in the core of the roll, and a back plate for said inclosing member, said back plate being provided with an extension having a paper discharge slot formed therein.

In testimony whereof I affix my signature in presence of two witnesses.

CILVIA DAVIS.

Witnesses:

LEON BURKES,
HARRIS WARSAW.