US00D835583S

(12) United States Design Patent

Hughes

(10) Patent No.: US D835,583 S
(45) Date of Patent: ** Dec. 11, 2018

(54) **ELECTRICAL CABLE TERMINATION WITH PULL TABS AND THROUGH HOLES**

(71) Applicant: **COOPER TECHNOLOGIES COMPANY**, Houston, TX (US)

(72) Inventor: **David Charles Hughes**, Rubicon, WI (US)

(73) Assignee: **COOPER TECHNOLOGIES COMPANY**, Houston, TX (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/608,340**

(22) Filed: **Jun. 21, 2017**

(51) **LOC (11) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/133**; D13/131

(58) **Field of Classification Search**
USPC D13/118, 123, 129–133, 145, 148, D13/153–156, 173, 184, 199
CPC H01B 7/28; H01B 17/02; H01B 17/06; H01B 17/58; H01H 85/00; H01H 85/30; H01H 85/165; H01R 4/10; H01R 4/18; H01R 11/09; H01R 13/53; H01R 4/40; H01R 4/20; H01R 13/502; H02G 15/02; H02G 15/06; H02G 15/068; H02G 15/064; H02G 15/18; H02G 15/84
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D219,590	S *	12/1970	Vose	174/177
D229,187	S *	11/1973	Vrabel	D13/130
3,808,352	A	4/1974	Johnson	
4,045,604	A	8/1977	Clabburn	
D247,963	S *	5/1978	Lewis	D13/130
D261,756	S *	11/1981	Essig	D13/131
4,431,863	A	2/1984	Metzler, Jr.	
5,280,136	A	1/1994	Yaworski et al.	
5,374,780	A *	12/1994	Pazdirek	B29C 70/347 174/137 A

(Continued)

FOREIGN PATENT DOCUMENTS

WO	1991000896 A1	1/1991
WO	1996010851 A1	4/1996
WO	2013096354 A1	6/2013

OTHER PUBLICATIONS

Raychem Cable Termination Head, dated Jan. 18, 2016, [online], [site visited Jun. 29, 2018]. Available from Internet, <URL: http://www.samm.com/en/product/1176/raychem-cable-termination-head-cold-applied-din-46235-6-10-15-kv.html> (Year: 2016).*

(Continued)

Primary Examiner — Angela J Lee
Assistant Examiner — Shawn T Gingrich
(74) *Attorney, Agent, or Firm* — King & Spalding LLP

(57) **CLAIM**

The ornamental design for an electrical cable termination with pull tabs and through holes, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of an electrical cable termination with pull tabs and through holes, showing my new design;
FIG. **2** is a back perspective view thereof;
FIG. **3** is a left side elevation view thereof;
FIG. **4** is a front side elevation view thereof;
FIG. **5** is a right side elevation view thereof;
FIG. **6** is a back side elevation view thereof;
FIG. **7** is a top plan view thereof; and,
FIG. **8** is a bottom plan view thereof.
The broken lines shown represent portions of the electrical cable termination with pull tabs and through holes that form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

5,495,650	A	3/1996	Crepel et al.	
D375,079	S *	10/1996	Pazdirek	D13/132
D392,616	S *	3/1998	Gagne	D13/131
5,844,170	A	12/1998	Chor et al.	
5,877,453	A	3/1999	Hill	
6,031,186	A *	2/2000	Sakich	H01B 17/02 174/158 R
8,383,945	B2 *	2/2013	DeFrance	H02G 15/02 174/74 R
2007/0062718	A1 *	3/2007	De France	H01R 4/5025 174/84 C
2016/0300645	A1	10/2016	Yaworski	
2017/0306810	A1 *	10/2017	Nielsen	F01L 1/245
2017/0373484	A1 *	12/2017	Hughes	H02G 15/22

OTHER PUBLICATIONS

Heat Shrinkable Cable End Termination, dated Mar. 1, 201, [online], [site visited Jun. 29, 2018]. Available from Internet, <URL: http://www.jointmask.com/heat-shrinkable-cable-end-termination> (Year: 2017).*

International Search Report and Written Opinion From Corresponding International Patent Application No. PCT/US2017/038437, dated Oct. 19, 2017, 5 Sheets.

Thomas&Betts Cable Accessories/Elastimold Catalog, "Elastimold Product Selection Guide®", Ranger2® Shrink-Fit Terminations 15-35kV, PG-CA-R2T-0909, © 2009, 12 sheets.

* cited by examiner

FIG. 1



FIG. 2



FIG. 3



FIG. 4



FIG. 5



FIG. 6



FIG. 7



FIG. 8