



US00D408090S

United States Patent [19]
Monteleone et al.

[11] **Patent Number:** **Des. 408,090**
[45] **Date of Patent:** ****Apr. 13, 1999**

[54] **SAFETY FLASHLIGHT**

[75] Inventors: **William J. Monteleone**, San Clemente;
Elmer F. Fischer, San Diego, both of
Calif.

[73] Assignee: **Underwater Kinetics**, San Marcos,
Calif.

[**] Term: **14 Years**

[21] Appl. No.: **29/068,479**

[22] Filed: **Mar. 21, 1997**

[51] **LOC (6) Cl.** **26-02**

[52] **U.S. Cl.** **D26/37; D26/49**

[58] **Field of Search** D26/37-50; 362/157,
362/158, 183-208

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 322,138 12/1991 Davies D26/49
D. 351,477 10/1994 Bamber D26/49

D. 360,045 7/1995 Inukai D26/49
D. 383,234 9/1997 Smith D26/49
2,518,437 8/1950 Amstutz D26/49
2,726,321 12/1955 Riotto D26/49
3,017,502 1/1962 Dent D26/49

Primary Examiner—**Marcus A. Jackson**
Attorney, Agent, or Firm—**Michael H. Jester**

[57] **CLAIM**

The ornamental design for a safety flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety flashlight, showing our new design;

FIG. 2 is a left side elevational view thereof;

FIG. 3 is a right side elevational view thereof;


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a front end view thereof; and,

FIG. 7 is a rear end view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7