




(86) **Date de dépôt PCT/PCT Filing Date:** 1997/07/31
(87) **Date publication PCT/PCT Publication Date:** 1998/02/12
(45) **Date de délivrance/Issue Date:** 2015/09/22
(85) **Entrée phase nationale/National Entry:** 1999/02/22
(86) **N° demande PCT/PCT Application No.:** US 1997/013567
(87) **N° publication PCT/PCT Publication No.:** 1998/006049
(30) **Priorités/Priorities:** 1996/08/08 (US08/695,095);
1996/10/08 (US08/725,635)


(51) **Cl.Int./Int.Cl. G06Q 10/08** (2012.01),
H04L 12/58 (2006.01)
(72) **Inventeurs/Inventors:**
FISHER, ALAN S., US;
KAPLAN, SAMUEL JERROLD, US
(73) **Propriétaire/Owner:**
EBAY INC., US
(74) **Agent:** NORTON ROSE FULBRIGHT CANADA
LLP/S.E.N.C.R.L., S.R.L.

(54) **Titre : SYSTEME DE TRANSMISSION DE MISES A JOUR AUTOMATIQUES D'ETAT PAR LE COURRIER ELECTRONIQUE**
(54) **Title: SYSTEM FOR SUPPLYING AUTOMATIC STATUS UPDATES USING ELECTRONIC MAIL**



(57) **Abstré/Abstract:**

A system is disclosed for automatically updating the status of customers' orders and shipments via electronic mail without using a human attendant to create and send the electronic mail messages. Preferably implemented in software, the updating system allows a large set of customers to be periodically updated over a computer or communications network via electronic mail. The system includes a database for maintaining order and shipping status and other relevant information.



**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 17/60	A1	(11) International Publication Number: WO 98/06049 (43) International Publication Date: 12 February 1998 (12.02.98)								
<table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top; padding: 5px;"> (21) International Application Number: PCT/US97/13567 (22) International Filing Date: 31 July 1997 (31.07.97) (30) Priority Data: <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">08/695,095</td> <td style="width: 33%;">8 August 1996 (08.08.96)</td> <td style="width: 33%;">US</td> </tr> <tr> <td>08/725,635</td> <td>8 October 1996 (08.10.96)</td> <td>US</td> </tr> </table> (60) Parent Application or Grant (63) Related by Continuation US Filed on 8 October 1996 (08.10.96) 08/725,635 (CIP) (71) Applicant (for all designated States except US): ONSALE, INC. [US/US]; 1953 Landings Drive, Mountain View, CA 94043 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): FISHER, Alan, S. [US/US]; 40859 Calido Place, Fremont, CA 94539-3633 (US). KAPLAN, Samuel, Jerrold [US/US]; 910 West Santa Inez Avenue, Hillsborough, CA 94010 (US). (74) Agents: TACHNER, Adam, H. et al.; Crosby, Heafey, Roach & May, 1999 Harrison Street, Oakland, CA 94612 (US). </td> <td style="width: 50%; vertical-align: top; padding: 5px;"> (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments. </td> </tr> </table>			(21) International Application Number: PCT/US97/13567 (22) International Filing Date: 31 July 1997 (31.07.97) (30) Priority Data: <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">08/695,095</td> <td style="width: 33%;">8 August 1996 (08.08.96)</td> <td style="width: 33%;">US</td> </tr> <tr> <td>08/725,635</td> <td>8 October 1996 (08.10.96)</td> <td>US</td> </tr> </table> (60) Parent Application or Grant (63) Related by Continuation US Filed on 8 October 1996 (08.10.96) 08/725,635 (CIP) (71) Applicant (for all designated States except US): ONSALE, INC. [US/US]; 1953 Landings Drive, Mountain View, CA 94043 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): FISHER, Alan, S. [US/US]; 40859 Calido Place, Fremont, CA 94539-3633 (US). KAPLAN, Samuel, Jerrold [US/US]; 910 West Santa Inez Avenue, Hillsborough, CA 94010 (US). (74) Agents: TACHNER, Adam, H. et al.; Crosby, Heafey, Roach & May, 1999 Harrison Street, Oakland, CA 94612 (US).	08/695,095	8 August 1996 (08.08.96)	US	08/725,635	8 October 1996 (08.10.96)	US	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.
(21) International Application Number: PCT/US97/13567 (22) International Filing Date: 31 July 1997 (31.07.97) (30) Priority Data: <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">08/695,095</td> <td style="width: 33%;">8 August 1996 (08.08.96)</td> <td style="width: 33%;">US</td> </tr> <tr> <td>08/725,635</td> <td>8 October 1996 (08.10.96)</td> <td>US</td> </tr> </table> (60) Parent Application or Grant (63) Related by Continuation US Filed on 8 October 1996 (08.10.96) 08/725,635 (CIP) (71) Applicant (for all designated States except US): ONSALE, INC. [US/US]; 1953 Landings Drive, Mountain View, CA 94043 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): FISHER, Alan, S. [US/US]; 40859 Calido Place, Fremont, CA 94539-3633 (US). KAPLAN, Samuel, Jerrold [US/US]; 910 West Santa Inez Avenue, Hillsborough, CA 94010 (US). (74) Agents: TACHNER, Adam, H. et al.; Crosby, Heafey, Roach & May, 1999 Harrison Street, Oakland, CA 94612 (US).	08/695,095	8 August 1996 (08.08.96)	US	08/725,635	8 October 1996 (08.10.96)	US	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.			
08/695,095	8 August 1996 (08.08.96)	US								
08/725,635	8 October 1996 (08.10.96)	US								
(54) Title: SYSTEM FOR SUPPLYING AUTOMATIC STATUS UPDATES USING ELECTRONIC MAIL (57) Abstract A system is disclosed for automatically updating the status of customers' orders and shipments via electronic mail without using a human attendant to create and send the electronic mail messages. Preferably implemented in software, the updating system allows a large set of customers to be periodically updated over a computer or communications network via electronic mail. The system includes a database for maintaining order and shipping status and other relevant information.										

AMENDED SHEET

SYSTEM FOR SUPPLYING AUTOMATIC
STATUS UPDATES USING ELECTRONIC MAIL

BACKGROUND OF THE INVENTION**1. Field of the Invention**

The present invention relates generally to electronic commerce and more particularly to updating customers as to the status of their orders and order shipments.

2. Description of the Related Art

In the mail order industry, it is common practice to notify customers by mail when their orders are backlogged or their shipments will be delayed for some reason. The advent of wide area electronic networks like the Internet has made it possible for customers to query the status of their orders and shipments by directly accessing the merchants' and shippers' information systems. For example, both Federal Express[®] (FedEx[®]) and United Parcel Service (UPS[®]) have world wide web sites on the Internet where customers can track the shipping status of their packages by simply inputting the package's tracking number to a computer form on a web page.

There is an advantage however, to notifying customers by mail when their shipments will be delayed, because the customer is not required to take any action to receive this notification -- that is, the customer does not have to proactively access the Internet or other network, go to the shipper's world wide web site, and obtain and input a parcel tracking number in order to check on the shipping status.

In U.S. Patent No. 5,428,778 to Brookes, a keyword based profile is used to match information coming into a system with the users' interests. In Brookes, the user is alerted to the presence of the information in the database (perhaps because there is a delivery fee associated with the information), but the information is not actually delivered to the user.

In U.S Patent No. 4,975,841 to Kehnemuyi et al., a telephone

AMENDED SHEET

dialer is provided for dialing customer telephone number. Customer order status data is sorted by each customer's telephone number and a separate customer report file is generated for each customer. In Kehnemuyi et al., the telephone dialer sequentially dials the customer telephone numbers and a customer report facsimile is automatically transmitted to the customer. However, Kehnemuyi et al. do not disclose or suggest collecting information that reflects the processing status while customer orders are being processed, and updating the customer order status data based on the collected information.

Also in the related art are several Internet-based electronic mail systems that

AMENDED SHEET

5 deliver information to users daily via E-mail based on personal profiles. There are, for example, several stock quotation services that electronically mail a list of a user's personal favorite stock prices each day. Unlike Brookes, such systems do deliver the information directly to the user. However, the user is required to submit an interest profile to the system in order to receive feedback.

10 There is a need in the art, therefore, for a system and method for automatically notifying a party of the status of a delivery without requiring submission of a status request or special profile information from the party.

SUMMARY OF THE INVENTION

15 The present invention overcomes the disadvantages of the background art by providing a method and system for automatically providing customers with their order status via electronic mail over a computer network without the aid of a human customer service representative and without the need for user profile information.

20 To address the shortcomings of the background art, in one aspect, the present invention provides a system for collecting order processing status over a network that enables communication between a plurality of computers and for updating users with the collected order status. The system comprises:

(a) storage means (16) for storing information relating to order processing status for orders submitted by one or more users, said orders being processing by one or more service providers; said system being characterized by further comprising:

25 (b) collecting means (13) for collecting information reflecting order processing status for said orders provided by said service providers across said network;

(c) updating means (14) for updating said information relating to said orders based on said information reflecting order processing status;

(d) message generation means (15) for generating messages including said information reflecting order processing status; and

30 (e) message transmission means (15) for transmitting said messages to said users across said network.

In another aspect, the present invention provides a method, in conjunction with a computer network, for collecting order processing status over the network and updating users with the collected order processing status. The method comprises the steps of:

- 5 (a) storing (16) order information relating to an order submitted by a user, said order information comprising information relating to order processing status for said order, said order being processed by a service provider;
- (b) collecting status information (23, 24 and 25) reflecting order processing status for said order provided by said service provider across said
10 network;
- (c) updating (35) said order information relating to said order based on said status information reflecting order processing status collected across said network;
- (d) generating (43) messages including said status information
15 reflecting order processing status; and
- (e) transmitting (44) said messages to the respective user across said network.

For example, when a customer places an order with a merchant, the customer provides the merchant with an electronic mail address. Then, the
20 merchant ships the order via a common carrier such as FedEx, UPS or the postal service. The system of the present invention periodically interrogates the carrier's information system via a computer network to check the transit status of the order. When the transit status, location, or other relevant information changes, the system automatically composes and transmits an electronic mail message to the
25 customer, informing the customer of the status of the shipment. The system may send messages notifying the customer of such common events as (1) when the order is initially sent to the shipper, (2) when the shipment leaves the shipper's distribution center, (3) the current or approximate physical location of the

shipment once the shipment is in transit (e.g., headed westbound on Interstate 70 between St. Louis and Kansas City), (4) when the shipment reaches a distribution terminal for transfer to another truck or form of carriage, and (5) when the shipment is received at the customer's location. Notifying business customers that the shipment has been received at a site is especially important because it often takes one to two days for a company's internal mail system to deliver a package to the customer's desk once it has been received at the site's receiving dock, front office or mail room.

The primary advantage of this system is that it results in higher customer loyalty because customers are kept well informed of the status of their orders or shipments without taking any additional action beyond providing an electronic mail address to the merchant or shipper. Moreover, since the cost of electronic mail transmissions is extremely low, the system and method lower costs for merchants or shippers to provide status information to their customers.

15 BRIEF DESCRIPTION OF THE DRAWINGS

The aforementioned advantages of the invention, as well as additional advantages thereof, will be more fully understood as a result of a detailed description of the preferred embodiment when taken in conjunction with the accompanying drawings in which:

20 FIG. 1 illustrates a preferred computer environment for implementing the system and method of the present invention.

FIG. 2 is block diagram of components illustrating a preferred embodiment of the present invention.

FIG. 3 is a flowchart illustrating the status requester and its method of operation.

5

FIG. 4 is a flowchart illustrating the status receiver and its method of operation.

FIG. 5 is a flowchart illustrating the electronic mail messenger and its method or operation.

10

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

The present invention is preferably implemented as a computer program 248 running on a central server host computer shown in FIG. 1, attached to a wide area network 275 accessible by many potential customers through remote terminals 210 using keyboard 240, pointing device 260 and monitor 280. A preferred network for implementing the present invention is the Internet which is accessible by a significant percentage of the world population, although the network may also be a local area or limited area accessible network.

20 Information about the customers and their respective orders is maintained in a status database 16 such as the one shown in FIG. 2. Status database 16 may be maintained on server 250 shown in FIG. 1. Individual customer orders may be placed in this database either by order entry personnel 300 or electronically by order entry systems also attached to wide area network 275 of FIG. 1. Status information in status database 25 16 may be updated manually by order entry personnel or electronically by other means such as status receiver 14 shown in FIG. 2.

Periodically via Status Query 10, status requester 13, sends a status request to another host computer on wide area network 275, such as a common carrier shipping 30 service like UPS or FedEx. Status information 11 is returned and received by status receiver 14 which places the new status information in status database 16. When status receiver 14

AMENDED SHEET

updates the status in status database 16, it sets a flag on the particular database record indicating a change in status.

Periodically, electronic mail messenger 15 checks status database 16, to see if the status of any record has changed, by examining the records' status flags. If a record has been flagged, then electronic mail messenger 15 composes an electronic mail message 12 based on the new status information in status database 16. This electronic mail message 12 is transmitted to the customer over the wide area network 275.

FIG. 3 illustrates the operation of status requester 13. In a preferred embodiment, the status requester is continually running a program that periodically requests status updates from other host computers on wide area network 275. After waiting 21 for a designated time, which for a shipping status update is preferably every six to twenty-four hours, status database 16 is checked 22 to see if there are more status records. If so, then a status record is selected 23 and a status request is composed 24. This status request is sent 25 to another host computer on wide area network 275. This requesting process continues until each of the status records in status database 16 have been checked 22.

FIG. 4 illustrates the operation of status receiver 14. In the preferred embodiment, the status receiver is a continually running program that periodically receives status information 11 from another host computer on wide area network 275 based on requests generated by status requester 13. Wide area network 275 is continually checked for new status information 11. If new status information is found available at 31 then the status information is received 32 and the corresponding status record is fetched 33 from status database 16. The information is compared with that in the status record to determine 34 if the received information is new. If the received information is new, then the status record is updated 35 in status database 16 and the Updated Status flag is set 36 in the status record.

REPLACEMENT PAGE

FIG. 5 illustrates the operation of electronic mail messenger 15. In a preferred embodiment, the electronic mail messenger is a continually running program that periodically checks 41 status database 16 to see if any records have an "Updated Status" flag set. If so, the appropriate status record is fetched 42 from status database 16 and an electronic mail message is composed 43 regarding the new status information. This electronic mail message is then preferably sent 44 to the recipient over wide area network 275.

One skilled in the art to which the present invention pertains will recognize that the various components of the system may communicate between themselves in a variety of ways. In a preferred embodiment, status receiver 14 signals electronic mail messenger 15, via an "Updated Status" flag in the appropriate database records, that a new update message should be sent. However, status receiver 14 could directly communicate with electronic mail messenger 15 to send a status update message without setting a signaling flag in status database 16 and awaiting discovery of such a flag by the electronic mail messenger.

One skilled in the art to which the present invention pertains will further recognize that components of status requester 13 and status receiver 14 may be combined into a single module that communicates with a remote host computer in a synchronous fashion. For example, the status requester portion of the combined module could send a status request to the remote host computer and wait for the status information to be received before proceeding to submit the next status request to the remote host computer. This type of synchronous operation is quite common in electronic data interchange applications.

The present invention is preferably implemented as a software program on a host computer such as 250 in FIG. 1 within a network 275 such as the Internet. The program may be loaded onto computer 250 from disk 248 or a similar storage medium

A general description of the present invention as well as a preferred

AMENDED SHEET

embodiment of the present invention has been set forth above. Those skilled in the art to which the present invention pertains will recognize and be able to practice additional variations to the methods and system described within the teachings of this invention. Accordingly, all such modifications and additions are deemed to be within
5 the scope of the invention which is to be limited only by the appended claims.

CLAIMS

1. A computer readable memory having recorded thereon machine executable instructions to cause a computer to carry out a method to collect order processing status over a network and to update users with the collected order processing status, said method comprising:

(a) storing order information relating to an order submitted by a user computer, said order information comprising information relating to order processing status for said order, said order being processed by a service provider;

(b) automatically and periodically requesting status information reflecting order processing status for said order from said service provider across said network, and receiving in response collected status information for said order;

(c) automatically determining whether the collected status information includes new status information relative to said order processing status pertaining to said stored information;

(d) automatically updating said order processing status relating to said order based on said new status information reflecting order processing status collected across said network;

(e) automatically generating messages including said updated order processing status responsive to a change in said order processing status collected from said service provider; and

(f) transmitting said messages to said user computer across said network.

2. The computer readable memory of claim 1, wherein said status information reflecting order processing status relates to shipment status of an item specified in said order.

3. The computer readable memory of claim 1, wherein said order information relating to said order stored at step (a) is contained on a first computer, said status information reflecting order processing status collected at step (b) is contained on a second computer removed from said first computer, and said first and second computers are communicatively linked across said network.

4. The computer readable memory of claim 1, wherein said order information relating to said order is stored on a database within said first computer.

5. The computer readable memory of claim 4, wherein said method further comprises separately storing said order processing status requested at step (b) on a database in said second

computer.

6. The computer readable memory of claim 1, wherein said message generated at step (e) is in an electronic mail format, and the user is identified by a network address.

7. In a computer network enabling communication between a plurality of computers, a system comprising:

storage means associated with a first computer for storing order information relating to an order submitted by a user computer;

requesting means associated with said first computer for automatically and periodically requesting order processing status for said order from a second computer, and receiving in response collected status information for said order;

processing means associated with said first computer for determining, automatically, whether the collected status information is new relative to order processing status pertaining to said stored information;

updating means associated with said first computer for receiving said collected status information from said second computer, and for automatically updating said order processing status with said new status information;

message generating means for automatically generating a message containing said updated order processing status responsive to a change in said order processing status collected for said order from said second computer; and

message transmission means for automatically transmitting said message across said network to said user computer associated with the user without interaction from the user.

8. The system of claim 7, wherein said order processing status indicates shipment of an item specified in said order.


9. The system of claim 7, wherein said first and second computers are remote each from the other and are communicatively linked across said network.

10. The system of claim 7, wherein said order information is stored on a database within said first computer.

11. The system of claim 10, wherein said order processing status is stored in a database in said second computer.

12. The system of claim 10, wherein said message is in an electronic mail format, and the user computer is identified by a network address.

1/5



2/5




FIG. 2

3/5




FIG. 3

4/5




FIG. 4

5/5




FIG. 5

