



(86) Date de dépôt PCT/PCT Filing Date: 1997/10/14	(51) Cl.Int./Int.Cl. <i>C08F 6/00</i> (2006.01), <i>A61L 15/58</i> (2006.01), <i>C08F 8/04</i> (2006.01)
(87) Date publication PCT/PCT Publication Date: 1998/05/07	
(45) Date de délivrance/Issue Date: 2007/04/10	(72) Inventeurs/Inventors:
(85) Entrée phase nationale/National Entry: 1999/04/29	HILLE, THOMAS, DE;
(86) N° demande PCT/PCT Application No.: US 1997/018622	PETERSEN, PAUL M., US;
(87) N° publication PCT/PCT Publication No.: 1998/018829	BURKERT, JAMES, US;
(30) Priorités/Priorities: 1996/10/31 (DE196 43 959.0); 1997/09/12 (US08/928,313)	FOREMAN, PAUL B., US
	(73) Propriétaires/Owners:
	LTS LOHMANN THERAPIE-SYSTEME GMBH, DE;
	NATIONAL STARCH AND CHEMICAL INVESTMENT HOLDING CORPORATION, US
	(74) Agent: OGILVY RENAULT LLP/S.E.N.C.R.L.,S.R.L.

- (54) Titre : ADHESIFS POSSEDANT UNE FAIBLE TENEUR EN MONOMERES RESIDUELS ET PROCEDE DE
FABRICATION DE CES DERNIERS
- (54) Title: ADHESIVES WITH LOW LEVEL OF RESIDUAL MONOMERS AND PROCESS FOR MANUFACTURING
SAME

(57) **Abrégé/Abstract:**

An adhesive, which contains olefinic polymers and less than 1 % by weight of free monomers, is manufactured via catalytic hydrogenation. It is preferably used in the area of cosmetics, in the food sector, in medicinal plasters and transdermal systems.

**PCT**WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C08F 6/00, 8/04	A1	(11) International Publication Number: WO 98/18829 (43) International Publication Date: 7 May 1998 (07.05.98)
(21) International Application Number: PCT/US97/18622 (22) International Filing Date: 14 October 1997 (14.10.97) (30) Priority Data: 196 43 959.0 31 October 1996 (31.10.96) DE 08/928,313 12 September 1997 (12.09.97) US (71) Applicants (for all designated States except US): NATIONAL STARCH AND CHEMICAL INVESTMENT HOLDING CORPORATION [US/US]; Suite 27, 501 Silverside Road, Wilmington, DE 19809 (US). LTS LOHMANN THERAPIE-SYSTEME GMBH [DE/DE]; Lohmannstrasse 2, D-56626 Andernach (DE). (72) Inventors; and (75) Inventors/Applicants (for US only): HILLE, Thomas [DE/DE]; Am Moogsberg 2A, D-56567 Neuwied (DE). PETERSEN, Paul, M. [NZ/US]; 1308 Bradley Court, Princeton, NJ 08540 (US). BURKERT, James [US/US]; 2295 Allen Street, Rahway, NJ 07065 (US). FOREMAN, Paul, B. [GB/US]; 179 Middaugh Street, Somerville, NJ 08876 (US). (74) Agent: MCNALLY, Lydia, T.; National Starch and Chemical Company, 10 Finderne Avenue, Bridgewater, NJ 08807 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG). Published <i>With international search report.</i>
(54) Title: ADHESIVES WITH LOW LEVEL OF RESIDUAL MONOMERS AND PROCESS FOR MANUFACTURING SAME (57) Abstract An adhesive, which contains olefinic polymers and less than 1 % by weight of free monomers, is manufactured via catalytic hydrogenation. It is preferably used in the area of cosmetics, in the food sector, in medicinal plasters and transdermal systems.		

