(19) Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) **EP 2 744 157 B1**

(12) **EUROPEAN PATENT SPECIFICATION**

(45) Date of publication and mention of the grant of the patent:
15.06.2016 Bulletin 2016/24

(21) Application number: **12871776.6**

(22) Date of filing: **12.11.2012**

(51) Int Cl.:
H04L 12/58 *(2006.01)* *G06F 9/54* *(2006.01)*
G06F 3/0481 *(2013.01)*

(86) International application number:
PCT/CN2012/084435

(87) International publication number:
WO 2013/139133 (26.09.2013 Gazette 2013/39)

(54) METHOD, DEVICE AND SYSTEM FOR ADDING E-MAIL ATTACHMENT

VERFAHREN, VORRICHTUNG UND SYSTEM ZUM HINZUFÜGEN EINES E-MAIL-ANHANGS

PROCÉDÉ, DISPOSITIF ET SYSTÈME D'AJOUT DE PIÈCE JOINTE À UN COURRIER ÉLECTRONIQUE

(84) Designated Contracting States:
AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HR HU IE IS IT LI LT LU LV MC MK MT NL NO PL PT RO RS SE SI SK SM TR

(30) Priority: **22.03.2012 CN 201210077457**

(43) Date of publication of application:
18.06.2014 Bulletin 2014/25

(73) Proprietor: **Huawei Technologies Co., Ltd.**
Longgang District
Shenzhen, Guangdong 518129 (CN)

(72) Inventors:
- **SONG, Liyan**
  Shenzhen
  Guangdong 518129 (CN)
- **YIN, Yu**
  Shenzhen
  Guangdong 518129 (CN)

(74) Representative: **Pfenning, Meinig & Partner mbB**
Patent- und Rechtsanwälte
Theresienhöhe 11a
80339 München (DE)

(56) References cited:
EP-A1- 2 421 210
EP-A2- 1 339 195
WO-A1-2010/093288
CN-A- 101 079 846
CN-A- 101 123 756
CN-A- 102 624 649
US-A1- 2001 042 093
US-A1- 2004 068 545
US-A1- 2005 210 111
US-A1- 2007 130 369

Note: Within nine months of the publication of the mention of the grant of the European patent in the European Patent Bulletin, any person may give notice to the European Patent Office of opposition to that patent, in accordance with the Implementing Regulations. Notice of opposition shall not be deemed to have been filed until the opposition fee has been paid. (Art. 99(1) European Patent Convention).

EP 2 744 157 B1

Description

TECHNICAL FIELD

[0001] The present invention relates to a network communications technology, and in particular, to a method, an apparatus, and a system for adding an electronic mail attachment.

BACKGROUND

[0002] An electronic mail (E-mail, electronic mail) service provides a communications manner for exchanging information by electronic means, and is a basic Internet service.

[0003] An electronic mail can carry a file as an attachment. An operating manner for a user to add an electronic mail attachment is usually as follows: opening a mail editor (for example, outlook) or a mail editing web page, and editing a mail; clicking, on an interface of a mail editing window, a menu for adding an attachment, and then selecting a local file; and loading the selected local file to the mail as an attachment.

[0004] In the prior art, if a user intends to use a network file on a website as a mail attachment, the user needs to download the network file to a local file path, and then opens a mail editor or a mail editing web page to perform the foregoing operations; and if a user intends to use an edited file as a mail attachment, the user needs to save the edited file in a local file path, and then opens a mail editor or a mail editing web page to perform the foregoing operations.

[0005] A Windows-series operating system of Microsoft Company further provides an implementation method: right-clicking to select a local file; clicking a menu option "Send To" in a displayed context menu; and then clicking a sub-menu option "Mail Recipient". Then the operating system starts a default mail editor of the system, automatically creates a new mail, and loads the local file to the mail as an attachment.

[0006] In the prior art, a user needs to execute an operation of many steps to complete the adding of a mail attachment, so that the operation is complex, efficiency is low, and user experience is poor.

[0007] US 2001-0042093 A1 relates to a mail sending apparatus. In the mail sending apparatus, an attached file generation unit generates an attached file in which an access method for a designated file is described. A mail tool attaches the attached file to a mail message to form mail data, and transmits it to a designated destination through a mail server. In a mail receiving apparatus, a mail reader extracts the attached file from the mail data received through a mail server. An attached file analysis unit analyzes the access method described in the attached file. A file reception unit accesses a file management/transmission tool in accordance with the access method to receive and display the designated file.

[0008] EP 2421210 A1 relates to an information processing apparatus. The information processing apparatus can transmit an electronic mail, transmission destination information of the electronic mail is obtained; it is judged based on the obtained transmission destination information whether to attach an electronic file to the electronic mail or describe link information for downloading the electronic file in the electronic mail; and the electronic mail to which the electronic file has been attached or the electronic mail in which the link information for downloading the electronic file has been described is transmitted based on a result of the judgment.

SUMMARY

[0009] Embodiments of the present invention provide a method, an apparatus, and a system for adding an electronic mail attachment, which can solve a problem in the prior art that an operation for adding an electronic mail attachment is complex.

[0010] The present invention is defined in the attached claims.

[0011] Through the embodiments of the present invention, when a user executes an operation on a file (for example, downloading a network file, editing a file, saving an edited file, or selecting a locally saved file), a current mail editing task list can be automatically obtained, and the file is used as an attachment of a mail corresponding to at least one determined mail editing task, so that the user can add the currently operated file as the mail attachment by executing an operation of a few steps, thereby simplifying a user operation and improving user experience.

BRIEF DESCRIPTION OF DRAWINGS

[0012] To describe the technical solutions in the embodiments of the present invention more clearly, the accompanying drawings required for describing the embodiments or the prior art are introduced briefly in the following. Apparently, the accompanying drawings in the following description show only some embodiments of the present invention, and a person of ordinary skill in the art may derive other drawings from these accompanying drawings without creative efforts.

FIG 1 is a schematic flowchart of a method according to a first embodiment of the present invention;

FIG. 2, FIG. 3-1, FIG 3-2, FIG. 4-1 to FIG. 4-3, FIG 5-1, and FIG. 5-2 are schematic diagrams showing an interface for displaying a mail editing task list according to the first embodiment of the present invention;

FIG. 6 is a schematic structural diagram of an apparatus according to a second embodiment of the present invention;

FIG. 7 is a schematic structural diagram of an apparatus according to a third embodiment of the present invention;

FIG. 8 is a schematic structural diagram of a system according to a fourth embodiment of the present invention;

FIG. 9-1 is a schematic structural diagram of a computer system according to an embodiment of the present invention; and

FIG. 9-2 is a schematic structural diagram of a memory according to an embodiment of the present invention.

DESCRIPTION OF EMBODIMENTS

[0013] The technical solutions in the embodiments of the present invention are clearly and completely described in the following with reference to the accompanying drawings in the embodiments of the present invention. Apparently, the embodiments to be described are only a part rather than all of the embodiments of the present invention. All other embodiments obtained by a person of ordinary skill in the art based on the embodiments of the present invention without creative efforts shall fall within the protection scope of the present invention.

[0014] FIG. 1 is a schematic flowchart of a method for adding an electronic mail attachment according to a first embodiment of the present invention.

[0015] As shown in FIG. 1, the method 200 includes:

210: A file operation apparatus executes an operation on a file.

[0016] The file includes but is not limited to a network file, a file to be edited, and a locally saved file.

[0017] The operation on the file includes but is not limited to downloading a network file, editing a file, saving an edited file, and selecting a locally saved file.

[0018] The file operation apparatus may specifically be a browser (for example, windows IE browser), a file editor (for example, microsoft office word), or a file manager (for example, windows explorer).

[0019] Examples that the file operation apparatus executes an operation on a file are as follows: The windows IE browser downloads a network file; the microsoft office word saves an edited word document; the microsoft office word edits a word document; and the windows explorer selects a locally saved file in response to a right-clicking operation.

[0020] 220: The file operation apparatus obtains a mail editing task list, where the mail editing task list includes at least one mail editing task, and the mail editing task includes information used for locating a mail editing window corresponding to the mail editing task.

[0021] Preferably, the information used for locating the mail editing window corresponding to the mail editing task is specifically a window identifier for identifying the mail editing window.

[0022] It should be noted that, the file operation apparatus may first determine whether the mail editing task list is null; and if the mail editing task list is null, subsequent steps are not performed.

[0023] Preferably, if the mail editing task list includes at least one mail editing task, the mail editing task list may be presented to a user for the user to perform selection. The presented information of the mail editing task may include a recipient, a mail title, and/or a content summary.

[0024] An exemplary implementation process of presenting the mail editing task list to the user for the user to perform selection is as follows:

[0025] if the operation on the file is downloading a network file, a dialog box (for example, a file downloading dialog box and/or a Save As dialog box) may be displayed, and the mail editing task list is displayed on an interface of the dialog box for the user to perform selection.

[0026] Preferably, the obtaining of the mail editing task list, the displaying of the dialog box, an operation response to an option on the interface of the dialog box, and the like may be implemented in a manner that a browser executes a script of a file downloading web page of a web server.

[0027] The following provides three examples of a specific implementation manner.

[0028] Example 1: An interface example is shown in FIG. 2.

[0029] After a user clicks to download a file, a file downloading dialog box shown in FIG. 2 is displayed.

[0030] The dialog box includes a mail editing task list, and a data item of the mail editing task may include a recipient, a mail title, and/or a mail summary. The dialog box includes options "Send to Mail" and "Cancel", and may further include options such as "Send and Save" and "Save Only".

[0031] After the user selects at least one mail editing task from the mail editing task list and clicks the option "Send to Mail" or the option "Send and Save", steps 230 to 240 are executed; and at the same time, a default file downloading dialog box of an operating system is displayed, and a normal file downloading operation is performed. If the user clicks the option "Save Only", a default file downloading dialog box of an operating system is displayed, and a normal file downloading operation is performed.

[0032] Example 2: Interface examples are shown in FIG. 3-1 and FIG. 3-2.

[0033] After a user clicks to download a file, a dialog box shown in FIG. 3-1 is first displayed, and the dialog box includes options "Send to Mail" and "Cancel", and may further include options such as "Open Directly " and "Save to Local".

[0034] If the user selects the option "Send to Mail", a dialog box shown in FIG. 3-2 is displayed. The dialog box includes a mail editing task list for the user to perform selection, and a data item of the mail editing task may include a recipient, a mail title, and/or a mail summary. After the user selects at least one mail editing task from

the mail editing task list and clicks the option "Send to Mail" or an option "Send and Save", steps 230 to 240 are executed; and at the same time, a default file downloading dialog box of an operating system is displayed, and a normal file downloading operation is performed. If the user clicks the option "Save to Local", a default file downloading dialog box of an operating system is displayed, and a normal file downloading operation is performed.

[0035] Example 3: Interface examples are shown in FIG. 4-1, FIG. 4-2, and FIG. 4-3.

[0036] After a user clicks to download a file, a default file downloading dialog box of a windows operating system shown in FIG. 4-1 is displayed.

[0037] After the user selects an option "Save", a Save As dialog box shown in FIG 4-2 is displayed, and a pull-down menu of an option "Save in" in the Save As dialog box includes an option "Mail Editing Task".

[0038] After the user selects the option "Mail Editing Task", as shown in FIG. 4-3, a mail editing task list is listed in a main window for the user to perform selection. A data item of the mail editing task may include a recipient, a mail title, and/or a mail summary. After the user selects at least one mail editing task from the mail editing task list and clicks an option "Open", steps 230 to 240 are executed.

[0039] If the operation on the file is saving an edited file, a Save As dialog box shown in FIG. 4-2 may be displayed, and a pull-down menu of an option "Save in" in the Save As dialog box includes an option "Mail Editing Task".

[0040] After a user selects the option "Mail Editing Task", as shown in FIG. 4-3, a mail editing task list is listed in a main window for the user to perform selection. A data item of the mail editing task may include a recipient, a mail title, and/or a mail summary. After the user selects at least one mail editing task from the mail editing task list and clicks an option "Open", steps 230 to 240 are executed.

[0041] If the operation on the file is editing a file, the mail editing task list may be displayed in a menu of a file editor for a user to perform determining, and an example of a specific implementation manner is as follows:

[0042] After the user clicks a particular button (for example, an office button in windows word 2007) of the file editor, a menu shown in FIG. 5-1 or FIG 5-2 is displayed. The menu includes the mail editing task list, and a data item of the mail editing task may include a recipient, a mail title, and/or a mail summary.

[0043] After the user selects at least one mail editing task from the mail editing task list in the menu, steps 230 to 240 are executed.

[0044] If the operation on the file is selecting a locally saved file, the mail editing task list may be displayed in a displayed menu for the user to perform selection, and an example of a specific implementation manner is as follows:

[0045] A locally saved file is select by right-clicking, and then a menu shown in FIG. 5-1 or FIG. 5-2 is displayed. The menu includes the mail editing task list, and a data item of the mail editing task may include a recipient, a mail title, and/or a mail summary.

[0046] After a user selects at least one mail editing task from the mail editing task list in the menu, steps 230 to 240 are executed.

[0047] It should be noted that, a mail editing task included in the mail editing task list is generated by a mail editing apparatus, and an exemplary implementation process of generating the mail editing task is shown in step 110 and step 120 in FIG. 1.

[0048] In step 110, the mail editing apparatus starts an editing operation on a mail, which may be specifically as follows: When a user executes operations such as creating a new mail, clicking to forward a mail, clicking to reply a mail, and opening a saved mail draft, the mail editing apparatus starts the editing operation on the mail, including opening a mail editing window for editing the mail. The mail editing apparatus may specifically be a mail editor (for example, outlook), a browser (for example, a windows IE browser), or the like, and the browser is a browser for opening the mail editing window. An exemplary process is as follows: The user accesses an electronic mail box through the browser or the mail editor, and clicks a button or a menu used for creating a new mail to create a new mail; and the browser or the mail editor opens the mail editing window to edit the newly created mail.

[0049] In step 120, the mail editing apparatus creates a mail editing task corresponding to the mail, and adds the mail editing task to a mail editing task list, where the mail editing task includes information used for locating a mail editing window for editing the mail.

[0050] Preferably, the information used for locating the mail editing window corresponding to the mail editing task is specifically a window identifier for identifying the mail editing window.

[0051] Preferably, the mail editing task may further include an identifier of the mail editing apparatus, such as an identifier of the mail editor that is used to open the mail editing window, or an identifier of the browser that is used to open the mail editing window. Specifically, the identifier of the mail editing apparatus may be a process identifier of the mail editing apparatus. The mail editing task may further include a task identifier, and the task identifier is an identifier for identifying the mail editing task.

[0052] If multiple mail editing windows are opened, multiple mail editing tasks are created.

[0053] Optionally, the mail editing task is stored in a magnetic disk.

[0054] Preferably, the mail editing task is stored in a data area of an operating system.

[0055] Preferably, the mail editing task is created in a register, where the register is stored in the data area of the operating system.

[0056] The operating system mentioned in the embodiment of the present invention includes but is not limited

to a PC operating system (such as Windows, Linux, Mac OS), a server operating system (such as UNIX, Linux, Solaris, AIX), a PAD operating system or a smart phone operating system (such as iOS, Android, Windows-series). A following exemplary process is illustrated in detail by using a PC Windows-series operating system as an example.

[0057] A specific implementation manner for creating the mail editing task in the register is as follows: invoking an application programming interface (API, Application Programming Interface) provided by Windows, so as to write a key of the mail editing task into the register; specifically, first invoking an APT function provided by Windows to create an item "EDITMAILTASKLIST" (mail editing task list); and if the item "EDITMAILTASKLIST" exists, first opening the item "EDITMAILTASKLIST", and then invoking a RegSetValueEx function to generate a key of the editing mail task corresponding to the mail. A key name of the key may be the information used for locating the mail editing window for editing the mail, and may specifically be the window identifier of the mail editing window, or the identifier of the mail editing apparatus and the window identifier. If the operation is creating a new mail, a key value of the key may be null; and if the operation is forwarding a mail, replying a mail, or editing a saved mail draft, the key value of the key may include at least one of: a recipient, a mail title, and a mail content summary, where an exemplary format is as follows: receiver="jack", title="mail title", summary="good morning...".

[0058] If the user further enters a recipient address, a mail title, and/or a mail content information summary in the mail editing window subsequently, the mail editing apparatus may record, in the mail editing task corresponding to the mail, the subsequently entered recipient address, mail title, and/or mail content information summary as a part of the key value of the key. Before the recording, the mail editing apparatus needs to obtain the mail editing task, which may be specifically as follows: The mail editing apparatus obtains the mail editing task by using the task identifier of the mail editing task or the window identifier of the mail editing window.

[0059] If multiple mail editing windows are opened, multiple keys are added to an item "SYSTEM\EDITMAILTASKLIST\", that is, multiple mail editing tasks are created.

[0060] 230: The file operation apparatus determines at least one mail editing task.

[0061] Specifically, at least one mail editing task may be determined according to selection of the user, for example, the at least one determined mail editing task is a mail editing task selected by the user in step 220.

[0062] Specifically, at least one mail editing task may also be determined according to a preset policy, for example, if the mail editing task list includes more than one mail editing tasks, the at least one determined mail editing task may be a latest created mail editing task, and may also be all mail editing tasks included in the mail editing task list; and if the mail editing task list includes only one mail editing task, the at least one determined mail editing task may be the only included mail editing task.

[0063] 240: The file operation apparatus sends an attachment adding instruction to the mail editing apparatus that generates the mail editing task, where the attachment adding instruction includes information used for locating a mail editing window corresponding to the mail editing task, and the file or an obtaining address of the file.

[0064] After determining at least one mail editing task, the file operation apparatus sends the attachment adding instruction to the mail editing apparatus, so as to instruct the mail editing apparatus to add the file or the obtaining address of the file to a mail that is edited in the mail editing window corresponding to the mail editing task.

[0065] The obtaining address of the file may be a network address for obtaining the file, and may also be a local address for obtaining the file. Specifically, if the operation on the file is downloading a network file, the obtaining address of the file may be a network address for obtaining the file; if the operation on the file is downloading a network file or saving an edited file, and the file is locally saved before the attachment adding instruction is sent, the obtaining address of the file may be a local address for obtaining the file; and if the operation on the file is selecting a locally saved file, the obtaining address of the file may be a local address for obtaining the file.

[0066] Preferably, the mail editing task includes an identifier for identifying the mail editing apparatus, and before the sending an attachment adding instruction, the method further includes determining the mail editing apparatus according to the identifier of the mail editing apparatus.

[0067] If the mail editing apparatus is a mail editor, preferably, the sending an attachment adding instruction to the mail editing apparatus may specifically be: sending the attachment adding instruction to the mail editor by invoking an API of the mail editor, which specifically is: invoking, by the file operation apparatus, the API of the mail editor, where interface parameters of the API include the window identifier and the file, so as to instruct the mail editor to add the file to a mail that is edited in the mail editing window corresponding to the window identifier. The sending an attachment adding instruction to the mail editing apparatus may also be: sending the attachment adding instruction to the mail editor through an operating system, which specifically is: invoking an API of the operating system, where interface parameters of the API of the operating system include an identifier of the mail editor, the window identifier, and the file; determining, by the operating system, the mail editor according to the identifier of the mail editor; and sending the attachment adding instruction to the mail editor by invoking an API of the mail editor, where interface parameters of the API of the mail editor include the window identifier and the file, so as to instruct the mail editor to add the file to a mail that is edited in the mail editing window identified by the window identifier. Optionally, the interface param-

eters of the invoked API of the operating system and the interface parameters of the invoked API of the mail editor may also include the obtaining address of the file instead of the file itself, so as to instruct the mail editor to obtain the file according to the obtaining address of the file and add the file to the mail that is edited in the mail editing window identified by the window identifier, or instruct the mail editor to add the obtaining address of the file to the mail that is edited in the mail editing window identified by the window identifier.

[0068] The mail editing apparatus receives the attachment adding instruction, and adds the file or the obtaining address of the file to the mail that is edited in the mail editing window. A specific implementation process is shown in step 130 and step 140 in FIG. 1.

[0069] In step 130, the mail editing apparatus receives the attachment adding instruction.

[0070] In step 140, the mail editing apparatus adds the file or the obtaining address of the file to the mail that is edited in the mail editing window, specifically, which may be: adding the file included in the attachment adding instruction to the mail; may be: obtaining the file according to the obtaining address of the file, where the obtaining address of the file is included in the attachment adding instruction, and adding the file to the mail; or may be: adding the obtaining address of the file to the mail, where the obtaining address of the file is included in the attachment adding instruction, so that a mail sending server for sending the mail or a mail receiving server for receiving the mail obtains the file according to the obtaining address of the file and adds the file to the mail as an attachment of the mail. Preferably, the obtaining address of the file is a network address for obtaining the file; and preferably, the mail editing apparatus adds, to the mail, an attachment indication corresponding to the obtaining address, so as to instruct the mail sending server or the mail receiving server to obtain the file according to the obtaining address and add the file to the mail as the attachment of the mail.

[0071] If the mail editing apparatus is a browser, the window identifier may be a session identifier used for sending a session of the mail. Preferably, an exemplary implementation process of adding the file to the mail that is edited in the mail editing window is as follows: The browser for opening the mail editing window sends an attachment adding request to a mail web server, where the request includes the session identifier and the file, so that the mail web server adds the file to a mail that is sent through a session identified by the session identifier, which specifically is: The mail web server returns, to the browser, a script used for implementing the adding of the file to the mail; and the browser executes the script to add the file to the mail.

[0072] Optionally, the information used for locating the mail editing window corresponding to the mail editing task and included in the mail editing task may also be a task identifier. Correspondingly, the information used for locating the mail editing window corresponding to the mail editing task and included in the attachment adding instruction may also be a task identifier. After receiving the attachment adding instruction, the mail editing apparatus may obtain, according to the task identifier, a mail editing task identified by the task identifier, and obtain a window identifier in the mail editing task, and then add the file or the obtaining address of the file to the mail that is edited in the mail editing window.

[0073] According to the first embodiment of the present invention, a second embodiment of the present invention provides an apparatus for adding an electronic mail attachment to implement the foregoing method for adding an electronic mail attachment.

[0074] As shown in FIG. 6, the apparatus 1000 for adding an electronic mail attachment includes the following units:

a mail editing operation starting unit 1010, configured to start an editing operation for a mail, where reference is made to step 110 in the first embodiment of the present invention for specific function implementation of the mail editing operation starting unit;
a task creating unit 1020, configured to create a mail editing task corresponding to the mail and add the mail editing task to a mail editing task list, where the mail editing task includes information used for locating a mail editing window for editing the mail, and reference is made to step 120 in the first embodiment of the present invention for specific function implementation of the task creating unit;
an instruction receiving unit 1030, configured to receive an attachment adding instruction sent by a file operation apparatus, where the attachment adding instruction includes information used for locating a mail editing window corresponding to a mail editing task that is determined from the mail editing task list, and a file or an obtaining address of the file, and reference is made to step 130 in the first embodiment of the present invention for specific function implementation of the instruction receiving unit; and
an attachment adding unit 1040, configured to add the file or the obtaining address of the file to a mail that is edited in the mail editing window corresponding to the determined mail editing task, where reference is made to step 140 in the first embodiment of the present invention for specific function implementation of the attachment adding unit.

[0075] According to the first embodiment of the present invention, a third embodiment of the present invention provides an apparatus for adding an electronic mail attachment to implement the foregoing method for adding an electronic mail attachment.

[0076] As shown in FIG. 7, the apparatus 2000 for adding an electronic mail attachment includes the following units:

a file operation unit 2010, configured to execute an

operation on a file, where reference is made to step 210 in the first embodiment of the present invention for specific function implementation of the file operation unit;

a task obtaining unit 2020, configured to obtain a mail editing task list, where the mail editing task list includes at least one mail editing task, and the mail editing task includes information used for locating a mail editing window corresponding to the mail editing task, and reference is made to step 220 in the first embodiment of the present invention for specific function implementation of the task obtaining unit;

a task determining unit 2030, configured to determine at least one mail editing task, where reference is made to step 230 in the first embodiment of the present invention for specific function implementation of the task determining unit; and

an instruction sending unit 2040, configured to send an attachment adding instruction to a mail editing apparatus that generates the mail editing task, where the attachment adding instruction includes information used for locating a mail editing window corresponding to the mail editing task, and the file or an obtaining address of the file, so as to instruct the mail editing apparatus to add the file or the obtaining address of the file to a mail that is edited in the mail editing window corresponding to the mail editing task, and reference is made to step 240 in the first embodiment of the present invention for specific function implementation of the instruction sending unit.

[0077] It should be noted that the third embodiment of the present invention may be combined with the second embodiment of the present invention.

[0078] According to the first embodiment to the third embodiment of the present invention, a fourth embodiment of the present invention provides a system for adding an electronic mail attachment to implement the foregoing method for adding an electronic mail attachment.

[0079] As shown in FIG 8, the system for adding an electronic mail attachment includes:

a mail editing apparatus 3010, which is specifically the apparatus described in the second embodiment; and

a file operation apparatus 3020, which is specifically the apparatus described in the third embodiment.

[0080] The mail editing apparatus and the file operation apparatus described in the first embodiment to the fourth embodiment of the present invention can be implemented through electronic hardware or a combination of computer software and electronic hardware. If the mail editing apparatus and the file operation apparatus are implemented through the combination of computer software and electronic hardware, specifically, they may be implemented by running a program on a computer system, where the computer system includes but is not limited to a computer system of a PC, a server, a PAD, a smart phone, or the like.

[0081] A schematic structural diagram of the computer system is shown in FIG. 9-1, which includes a host processor, a memory, a storage controller, a persistent memory, a persistent storage controller, a display apparatus, a display controller, an input apparatus, an I/O controller, and a communication apparatus.

[0082] The host processor is configured to process a computer operating instruction and data. The computer operating instruction may specifically include an instruction used for mail editing and an instruction used for executing a file operation; and the data may specifically be the mail editing task described in the first embodiment to the fourth embodiment. The host processor is a computer core unit, that is, a central processing unit (CPU, Central Processing Unit).

[0083] The memory is configured to store the computer operating instruction and the data. The computer operating instruction may specifically include the instruction used for mail editing and the instruction used for executing a file operation; and the data includes data required for processing the operating instruction and data generated during executing of the operating instruction, where the data generated during the executing of the operating instruction may specifically be the mail editing task described in the first embodiment to the fourth embodiment.

[0084] The storage controller is configured to perform addressing and access the operating instruction and data that are stored in the memory. The storage controller is controlled by the host processor.

[0085] The persistent memory is configured to persistently store an application, an operating system, and file data. The application may specifically be an application such as the mail editor or the browser described in the first embodiment to the fourth embodiment, and the file data may specifically be file data, such as a downloaded network file or a locally saved file, which is to be added to the mail in the first embodiment to the fourth embodiment. The persistent storage apparatus includes but is not limited to a magnetic disk, a magnetic tape, a memory card, and the like.

[0086] The persistent storage controller is configured to perform addressing and access the application, operating system, and file data that are stored in the persistent memory. The persistent memory is controlled by the host processor.

[0087] The display apparatus is configured to display a computer processing result. The computer processing result may specifically be an operation process and an operation result (including the mail editing window, a file operation interface, the mail editing task list, and the like) for applications such as the mail editor and the browser in the first embodiment to the fourth embodiment. The display apparatus includes but is not limited to a display, a display screen, a touchscreen, and the like.

[0088] The display controller is configured to control

the display apparatus to display the computer processing result.

[0089] The input apparatus is configured to input an operating instruction. The operating instruction may specifically be an operating instruction for the mail editor and the browser in the first embodiment to the fourth embodiment. The input apparatus includes but is not limited to a keyboard, a mouse, a touchscreen, and the like.

[0090] The I/O controller is configured to control input and output of the computer system. The I/O controller is specifically configured to control input of the input apparatus.

[0091] The communication apparatus is configured to enable the apparatus to access an Internet/Intranet network. Specifically, a mail editing application such as the mail editor in the first embodiment to the fourth embodiment may send a mail to the mail sending server through the communication apparatus, and a file operation application such as the browser may access, through the communication apparatus, a website in the network to download a network file. The communication apparatus includes but is not limited to an Ethernet card, a GPRS module, a WIFI module, a 3G module, and the like.

[0092] Because an access speed of the memory is faster than that of the persistent memory, preferably, the computer instruction and data are loaded to the memory and the host processor processes the computer instruction and data.

[0093] As shown in FIG. 9-2, the memory includes a CODE area and a DATA area. The CODE area is used to store a computer operating instruction, and the DATA area is used to store data, where the data may include data required for processing the operating instruction and data generated during executing of the operating instruction. Specifically, after the computer system starts up, the operating system is loaded to the CODE area, and at the same time, a data area of the operating system is applied for in the DATA area for the operating system to store data required for running.

[0094] After applications run on the operating system, the applications (such as a mail editing application such as the mail editor and the browser, and a file operation application such as the file editor, the file manager, and the browser) are loaded to the CODE area, and at the same time, data areas of the applications are applied for in the DATA area for the running of the applications. Preferably, the operating system accesses the data area of the operating system, and the applications can access only the data areas of the applications. Because the mail editing task list in the present invention needs to be accessed and used by multiple applications, preferably, the mail editing task list is placed in the data area of the operating system, and the register described in the first embodiment to the fourth embodiment is stored in the data area of the operating system.

[0095] A person of ordinary skill in the art may be aware that, with reference to the examples described in the embodiments disclosed in this specification, units and algorithm steps may be implemented by electronic hardware or a combination of computer software and electronic hardware. Whether these functions are executed in a hardware manner or a software manner depends upon particular applications and design constraint conditions of the technical solutions. A person skilled in the art may use a different method to implement the described functions for each particular application, but it should not be considered that such implementation goes beyond the scope of the present invention.

[0096] It may be clearly understood by a person skilled in the art that, for the purpose of convenient and brief description, for a detailed working process of the foregoing apparatus and unit, reference may be made to a corresponding process in the foregoing method embodiment, and details are not described herein again.

[0097] In several embodiments provided in the present application, it should be understood that the disclosed apparatus and method may be implemented in other ways. For example, the described apparatus embodiments are merely exemplary. For example, the unit division is merely logical function division and may be other division in actual implementation. For example, multiple units or components may be combined or integrated into another system, or some features may be ignored or not performed. In addition, the shown or discussed couplings or direct couplings or communications connections may be implemented through some interfaces. The indirect couplings or communications connections between apparatuses or units may be implemented in electrical or other forms.

[0098] The units described as separate components may be or may not be physically separate, and the parts shown as units may be or may not be physical units, may be located in one position, or may be distributed on multiple network units. Some or all of the units may be selected to achieve the objectives of the solutions in the embodiments according to an actual need.

[0099] In addition, functional units in the embodiments of the present invention may be integrated in one processing unit, or each of the units may exist alone physically, or two or more than two units may be integrated in one unit.

[0100] When the functions are implemented in the form of a software functional module and sold or used as an independent product, the functions may be stored in a computer-readable storage medium.

[0101] Based on such an understanding, the technical solutions of the present invention essentially, or a part contributing to the prior art, or a part of the technical solutions may be implemented in the form of a software product. The computer software product is stored in a storage medium and includes several instructions for instructing a computer apparatus (which may be a personal computer, a server, or a network apparatus) to perform all or a part of the steps of the methods described in the embodiments of the present invention. The foregoing storage medium includes: any mediums capable of stor-

ing program code, such as a USB flash drive, a removable hard disk, a read-only memory (ROM, Read-Only Memory), a random access memory (RAM, Random Access Memory), a magnetic disk, or an optical disc.

[0102] The foregoing descriptions are merely specific embodiments of the present invention, but are not intended to limit the protection scope of the present invention. Any variation or replacement readily figured out by a person skilled in the art within the technical scope disclosed in the present invention shall all fall within the protection scope of the present invention. Therefore, the protection scope of the present invention shall be subject to the protection scope of the claims.

Claims

1. A method for adding an electronic mail attachment, comprising:

   executing (210), by a file operation apparatus (3020), an operation on a file;
   obtaining (220), by the file operation apparatus (3020), a mail editing task list, wherein the mail editing task list comprises at least one mail editing task, and the mail editing task comprises information used for locating a mail editing window corresponding to the mail editing task;
   determining (230), by the file operation apparatus (3020), at least one mail editing task; and
   sending (240), by the file operation apparatus (3020), an attachment adding instruction to a mail editing apparatus (3010) that generates the mail editing task, wherein the attachment adding instruction comprises information used for locating a mail editing window corresponding to the mail editing task, and the file or an obtaining address of the file, so as to instruct the mail editing apparatus (3010) to add the file to a mail that is edited in the mail editing window corresponding to the mail editing task, or add the obtaining address of the file to the mail, so that a mail sending server for sending the mail or a mail receiving server for receiving the mail obtains the file according to the obtaining address and adds the file to the mail.

2. The method according to claim 1, wherein
   the information used for locating the mail editing window corresponding to the mail editing task is specifically a window identifier for identifying the mail editing window.

3. The method according to claim 1 or 2, wherein
   the mail editing task further comprises an identifier for identifying the mail editing apparatus (3010); and
   before the sending an attachment adding instruction to a mail editing apparatus (3010) that generates the mail editing task, the method further comprises: determining, by the file operation apparatus (3020), the mail editing apparatus (3010) according to the identifier of the mail editing apparatus (3010)

4. The method according to claim 2, wherein
   the mail editing apparatus (3010) is a mail editor; and
   the sending an attachment adding instruction to a mail editing apparatus (3010) that generates the mail editing task specifically is: sending the attachment adding instruction to the mail editor by invoking an application programming interface APT of the mail editor, wherein interface parameters of the API comprise the window identifier and the file, so as to instruct the mail editor to add the file to a mail that is edited in the mail editing window identified by the window identifier.

5. The method according to claim 2, wherein
   the mail editing apparatus (3010) is a mail editor;
   the mail editing task further comprises an identifier for identifying the mail editor; and
   the sending an attachment adding instruction to a mail editing apparatus (3010) that generates the mail editing task specifically is: sending the attachment adding instruction to the mail editor by invoking an API of an operating system, wherein interface parameters of the API of the operating system comprise the identifier of the mail editor and the window identifier; determining, by the operating system, the mail editor according to the identifier of the mail editor; and sending the attachment adding instruction to the mail editor by invoking an API of the mail editor, wherein interface parameters of the API of the mail editor comprise the window identifier and the file, so as to instruct the mail editor to add the file to a mail that is edited in the mail editing window identified by the window identifier.

6. The method according to claim 1 or 2, wherein
   before the determining at least one mail editing task, the method further comprises:

   displaying, by the file operation apparatus (3020), the mail editing task list for a user to perform selection, wherein a data item of the displayed mail editing task list comprises at least one of: a recipient, a mail title, and a mail content summary.

7. The method according to claim 6, wherein
   the displaying the mail editing task list specifically is: displaying a dialog box or a menu, and displaying the mail editing task list on an interface of the dialog box, or in a main window of the dialog box, or in the menu.

8. The method according to claim 1, wherein

the operation on the file is specifically one of the following operations: downloading a network file, editing a file, saving an edited file, and selecting a locally saved file.

9. A method for adding an electronic mail attachment, comprising:

starting (110), by a mail editing apparatus (3010), an editing operation for a mail;
creating (120), by the mail editing apparatus (3010), a mail editing task corresponding to the mail, wherein the mail editing task is one item in a mail editing task list, and the mail editing task comprises information used for locating a mail editing window for editing the mail;
receiving (130), by the mail editing apparatus (3010), an attachment adding instruction sent by a file operation apparatus (3020), wherein the attachment adding instruction comprises information used for locating a mail editing window corresponding to a mail editing task that is determined from the mail editing task list, and a file or an obtaining address of the file; and
adding (140), by the mail editing apparatus (3010), the file to a mail that is edited in the mail editing window corresponding to the determined mail editing task, or adding the obtaining address of the file to the mail, so that a mail sending server for sending the mail or a mail receiving server for receiving the mail obtains the file according to the obtaining address and adds the file to the mail.

10. The method according to claim 9, wherein
the information used for locating the mail editing window corresponding to the mail editing task is specifically a window identifier for identifying the mail editing window.

11. The method according to claim 10, wherein
the creating a mail editing task specifically is: invoking, by a mail editing apparatus (3010), an API provided by an operating system, and creating, in a register, a key of the mail editing task corresponding to the mail, wherein a key name of the key comprises an identifier for identifying the mail editing apparatus (3010) and the window identifier, and a key value of the key is null, or a key value of the key comprises at least one of: a recipient, a mail title, and a mail content summary.

12. An appatatus (2000) for adding an electronic mail attachment, comprising:

a file operation unit (2010), configured to execute an operation on a file;
a task obtaining unit (2020), configured to obtain a mail editing task list, wherein the mail editing task list comprises at least one mail editing task, and the mail editing task comprises information used for locating a mail editing window corresponding to the mail editing task;
a task determining unit (2030), configured to determine at least one mail editing task; and
an instruction sending unit (2040), configured to send an attachment adding instruction to a mail editing apparatus (3010) that generates the mail editing task, wherein the attachment adding instruction comprises information used for locating a mail editing window corresponding to the mail editing task, and the file or an obtaining address of the file, so as to instruct the mail editing apparatus (3010) to add the file or the obtaining address of the file to a mail that is edited in the mail editing window corresponding to the mail editing task.

13. The apparatus (2000) according to claim 12, wherein the mail editing task further comprises an identifier for identifying the mail editing apparatus (3010); and the instruction sending unit is further configured to determine the mail editing apparatus (3010) according to the identifier of the mail editing apparatus (3010).

14. An apparatus (1000) for adding an electronic mail attachment, comprising:

a mail editing operation starting unit (1010), configured to start an editing operation for a mail;
a task creating unit (1020), configured to create a mail editing task corresponding to the mail and add the mail editing task to a mail editing task list, wherein the mail editing task comprises information used for locating a mail editing window for editing the mail;
an instruction receiving unit (1030), configured to receive an attachment adding instruction sent by a file operation apparatus (3020), wherein the attachment adding instruction comprises information used for locating a mail editing window corresponding to a mail editing task that is determined from the mail editing task list, and a file or an obtaining address of the file; and
an attachment adding unit (1040), configured to add the file or the obtaining address of the file to a mail that is edited in the mail editing window corresponding to the determined mail editing task.

15. A system for adding an electronic mail attachment, comprising:

a file operation apparatus (3010), which is specifically the apparatus according to claim 12 or

13; and
a mail editing apparatus (3020), which is specifically the apparatus according to claim 14.

Patentansprüche

1. Verfahren zum Hinzufügen eines E-Mail-Anhangs, das die folgenden Schritte umfasst:

Ausführen (210) durch eine Dateioperationsvorrichtung (3020) einer Operation an einer Datei;
Beschaffen (220) durch die Dateioperationsvorrichtung (3020) einer Mailbearbeitungsaufgabenliste, wobei die Mailbearbeitungsaufgabenliste mindestens eine Mailbearbeitungsaufgabe aufweist und die Mailbearbeitungsaufgabe Informationen aufweist, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht;
Bestimmen (230) durch die Dateioperationsvorrichtung (3020) mindestens einer Mailbearbeitungsaufgabe; und
Senden (240) durch die Dateioperationsvorrichtung (3020) eines Anhanghinzufügungsbefehls an eine Mailbearbeitungsvorrichtung (3010), die die Mailbearbeitungsaufgabe erzeugt, wobei der Anhanghinzufügungsbefehl Informationen, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht, und die Datei oder eine Beschaffungsadresse der Datei aufweist, um der Mailbearbeitungsvorrichtung (3010) zu befehlen, die Datei einer Mail hinzuzufügen, die in dem Mailbearbeitungsfenster bearbeitet wird, das der Mailbearbeitungsaufgabe entspricht, oder die Beschaffungsadresse der Datei der Mail hinzuzufügen, so dass ein Mailsendeserver zum Senden der Mail oder ein Mailempfangsserver zum Empfangen der Mail die Datei gemäß der Beschaffungsadresse beschafft und die Datei der Mail hinzufügt.

2. Verfahren nach Anspruch 1, wobei
die Informationen, die zum Lokalisieren des Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht, insbesondere eine Fensterkennung zum Identifizieren des Mailbearbeitungsfensters sind.

3. Verfahren nach Anspruch 1 oder 2, wobei
die Mailbearbeitungsaufgabe ferner eine Kennung zum Identifizieren der Mailbearbeitungsvorrichtung (3010) aufweist; und
vor dem Senden eines Anhanghinzufügungsbefehls an eine Mailbearbeitungsvorrichtung (3010), die die Mailbearbeitungsaufgabe erzeugt, das Verfahren ferner aufweist: Bestimmen durch die Dateioperationsvorrichtung (3020) der Mailbearbeitungsvorrichtung (3010) gemäß der Kennung der Mailbearbeitungsvorrichtung (3010).

4. Verfahren nach Anspruch 2, wobei
die Mailbearbeitungsvorrichtung (3010) ein Maileditor ist; und
das Senden eines Anhanghinzufügungsbefehls an eine Mailbearbeitungsvorrichtung (3010), die die Mailbearbeitungsaufgabe erzeugt, insbesondere aus Folgendem besteht: Senden des Anhanghinzufügungsbefehls an den Maileditor durch Aufrufen einer Anwendungsprogrammierschnittstelle (API) des Maileditors, wobei Schnittstellenparameter der API die Fensterkennung und die Datei umfassen, um dem Maileditor zu befehlen, die Datei einer Mail hinzuzufügen, die in dem Mailbearbeitungsfenster bearbeitet wird, das durch die Fensterkennung identifiziert wird.

5. Verfahren nach Anspruch 2, wobei
die Mailbearbeitungsvorrichtung (3010) ein Maileditor ist;
die Mailbearbeitungsaufgabe ferner eine Kennung zum Identifizieren des Maileditors aufweist; und
das Senden eines Anhanghinzufügungsbefehls an eine Mailbearbeitungsvorrichtung (3010), die die Mailbearbeitungsaufgabe erzeugt, insbesondere aus Folgendem besteht; Senden des Anhanghinzufügungsbefehls an den Maileditor durch Aufrufen einer API eines Betriebssystems, wobei Schnittstellenparameter der API des Betriebssystems die Kennung des Maileditors und die Fensterkennung umfassen; Bestimmen durch das Betriebssystem des Maileditors gemäß der Kennung des Maileditors; und Senden des Anhanghinzufügungsbefehls an den Maileditor durch Aufrufen einer API des Maileditors, wobei Schnittstellenparameter der API des Maileditors die Fensterkennung und die Datei umfassen, um dem Maileditor zu befehlen, die Datei einer Mail hinzuzufügen, die in dem Mailbearbeitungsfenster bearbeitet wird, die durch die Fensterkennung identifiziert wird.

6. Verfahren nach Anspruch 1 oder 2, wobei
vor dem Bestimmen mindestens einer Mailbearbeitungsaufgabe das Verfahren ferner aufweist:

Anzeigen durch die Dateioperationsvorrichtung (3020) der Mailbearbeitungsaufgabenliste für einen Benutzer, um eine Auswahl vorzunehmen, wobei ein Datenelement der angezeigten Mailbearbeitungsaufgabenliste einen Empfänger und/oder einen Mailtitel und/oder eine Mailinhaltszusammenfassung aufweist.

7. Verfahren nach Anspruch 6, wobei

das Anzeigen der Mailbearbeitungsaufgabenliste insbesondere aus Folgendem besteht: Anzeigen einer Dialogbox oder eines Menüs und Anzeigen der Mailbearbeitungsaufgabenliste auf einer Schnittstelle der Dialogbox oder in einem Hauptfenster der Dialogbox oder im Menü.

8. Verfahren nach Anspruch 1, wobei die Operation an der Datei insbesondere eine der folgenden Operationen ist: Herunterladen einer Netzwerkdatei, Bearbeitung einer Datei, Sichern einer bearbeiteten Datei und Auswählen einer lokal gesicherten Datei.

9. Verfahren zum Hinzufügen eines E-Mail-Anhangs, das die folgenden Schritte umfasst:

Starten (110) durch eine Mailbearbeitungsvorrichtung (3010) einer Bearbeitungsoperation für eine Mail;
Erzeugen (120) durch die Mailbearbeitungsvorrichtung (3010) einer Mailbearbeitungsaufgabe, die der Mail entspricht, wobei die Mailbearbeitungsaufgabe ein Punkt in einer Mailbearbeitungsaufgabenliste ist, und die Mailbearbeitungsaufgabe Informationen aufweist, die zum Lokalisieren eines Mailbearbeitungsfensters zur Bearbeitung der Mail verwendet werden;
Empfangen (130) durch die Mailbearbeitungsvorrichtung (3010) eines Anhanghinzufügungsbefehls, der durch eine Dateioperationsvorrichtung (3020) gesendet wird, wobei der Anhanghinzufügungsbefehl Informationen, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das einer Mailbearbeitungsaufgabe entspricht, das aus der Mailbearbeitungsaufgabenliste bestimmt wird, und eine Datei oder eine Beschaffungsadresse der Datei aufweist; und
Hinzufügen (140) durch die Mailbearbeitungsvorrichtung (3010) der Datei zu einer Mail, die in dem Mailbearbeitungsfenster bearbeitet wird, das der bestimmten Mailbearbeitungsaufgabe entspricht, oder Hinzufügen der Beschaffungsadresse der Datei zur Mail, so dass ein Mailsendeserver zum Senden der Mail oder ein Mailempfangsserver zum Empfangen der Mail die Datei gemäß der Beschaffungsadresse beschafft und die Datei der Mail hinzufügt.

10. Verfahren nach Anspruch 9, wobei die Informationen, die zum Lokalisieren des Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht, insbesondere eine Fensterkennung zum Identifizieren des Mailbearbeitungsfensters sind.

11. Verfahren nach Anspruch 10, wobei das Erzeugen einer Mailbearbeitungsaufgabe insbesondere aus Folgendem besteht: Aufrufen durch eine Mailbearbeitungsvorrichtung (3010) einer API, die durch ein Betriebssystem bereitgestellt wird, und Erzeugen in einem Register eines Schlüssels der Mailbearbeitungsaufgabe, die der Mail entspricht, wobei ein Schlusselname des Schlüssels eine Kennung zum Identifizieren der Mailbearbeitungsvorrichtung (3010) und die Fensterkennung aufweist, und ein Schlüsselwert des Schlüssels null ist, oder ein Schlüsselwert des Schlüssels einen Empfänger und/oder einen Mailtitel und/oder eine Mailinhaltszusammenfassung aufweist.

12. Vorrichtung (2000) zum Hinzufügen eines E-Mail-Anhangs, die Folgendes aufweist:

eine Dateioperationseinheit (2010), die konfiguriert ist, eine Operation an einer Datei auszuführen;
eine Aufgabenbeschaffungseinheit (2020), die konfiguriert ist, eine Mailbearbeitungsaufgabenliste zu beschaffen, wobei die Mailbearbeitungsaufgabenliste mindestens eine Mailbearbeitungsaufgabe aufweist und die Mailbearbeitungsaufgabe Informationen aufweist, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht;
eine Aufgabenbestimmungseinheit (2030), die konfiguriert ist, mindestens eine Mailbearbeitungsaufgabe zu bestimmen; und
eine Befehlssendeeinheit (2040), die konfiguriert ist, einen Anhanghinzufügungsbefehl an eine Mailbearbeitungsvorrichtung (3010) zu senden, die die Mailbearbeitungsaufgabe erzeugt, wobei der Anhanghinzufügungsbefehl Informationen, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das der Mailbearbeitungsaufgabe entspricht, und die Datei oder eine Beschaffungsadresse der Datei aufweist, um der Mailbearbeitungsvorrichtung (3010) zu befehlen, die Datei oder die Beschaffungsadresse der Datei zu einer Mail hinzuzufügen, die in dem Mailbearbeitungsfenster bearbeitet wird, das der Mailbearbeitungsaufgabe entspricht.

13. Vorrichtung (2000) nach Anspruch 12, wobei die Mailbearbeitungsaufgabe ferner eine Kennung zum Identifizieren der Mailbearbeitungsvorrichtung (3010) aufweist; und
die Befehlssendeeinheit ferner konfiguriert ist, die Mailbearbeitungsvorrichtung (3010) gemäß der Kennung der Mailbearbeitungsvorrichtung (3010) zu bestimmen.

14. Vorrichtung (1000) zum Hinzufügen eines E-Mail-

Anhangs, die Folgendes aufweist:

eine Mailbearbeitungsoperations-Starteinheit (1010), die konfiguriert ist, eine Bearbeitungsoperation für eine Mail zu starten;
eine Aufgabenerzeugungseinheit (1020), die konfiguriert ist, eine Mailbearbeitungsaufgabe zu erzeugen, die der Mail entspricht, und die Mailbearbeitungsaufgabe zu einer Mailbearbeitungsaufgabenliste hinzuzufügen, wobei die Mailbearbeitungsaufgabe Informationen aufweist, die zum Lokalisieren eines Mailbearbeitungsfensters zur Bearbeitung der Mail verwendet werden;
eine Befehlsempfangseinheit (1030), die konfiguriert ist, einen Anhanghinzufügungsbefehl zu empfangen, der durch eine Dateioperationsvorrichtung (3020) gesendet wird, wobei der Anhanghinzufügungsbefehl Informationen, die zum Lokalisieren eines Mailbearbeitungsfensters verwendet werden, das einer Mailbearbeitungsaufgabe entspricht, die aus der Mailbearbeitungsaufgabenliste bestimmt wird, und eine Datei oder eine Beschaffungsadresse der Datei aufweist; und
eine Anhanghinzufügungseinheit (1040), die konfiguriert ist, die Datei oder die Beschaffungsadresse der Datei zu einer Mail hinzuzufügen, die in dem Mailbearbeitungsfenster bearbeitet wird, das der bestimmten Mailbearbeitungsaufgabe entspricht.

15. System zum Hinzufügen eines E-Mail-Anhangs, das Folgendes aufweist:

eine Dateioperationsvorrichtung (3010), die insbesondere die Vorrichtung nach Anspruch 12 oder 13 ist; und
eine Mailbearbeitungsvorrichtung (3020), die insbesondere die Vorrichtung nach Anspruch 14 ist.

Revendications

1. Procédé permettant d'ajouter une pièce jointe à un courrier électronique, comprenant les étapes suivantes :

exécuter (210), par un appareil de commande de fichier (3020), une opération sur un fichier ;
obtenir (220), par l'appareil de commande de fichier (3020), une liste de tâches d'édition de courrier, la liste de tâches d'édition de courrier comportant au moins une tâche d'édition de courrier, et la tâche d'édition de courrier comprenant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier ;
déterminer (230), par l'appareil de commande de fichier (3020), au moins une tâche d'édition de courrier ; et
envoyer (240), par l'appareil de commande de fichier (3020), une instruction d'ajout de pièce jointe à un appareil d'édition de courrier (3010) qui génère la tâche d'édition de courrier, l'instruction d'ajout de pièce jointe comportant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier, et le fichier ou une adresse d'obtention du fichier, afin d'ordonner à l'appareil d'édition de courrier (3010) d'ajouter le fichier à un courrier qui est édité dans la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier, ou d'ajouter l'adresse d'obtention du fichier au courrier, pour qu'un serveur d'envoi de courrier destiné à envoyer le courrier ou un serveur de réception de courrier destiné à recevoir le courrier obtienne le fichier selon l'adresse d'obtention et ajoute le fichier au courrier.

2. Procédé selon la revendication 1, dans lequel :

les informations utilisées pour localiser la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier sont spécifiquement un identifiant de fenêtre permettant d'identifier la fenêtre d'édition de courrier.

3. Procédé selon la revendication 1 ou 2, dans lequel :

la tâche d'édition de courrier comprend en outre un identifiant permettant d'identifier l'appareil d'édition de courrier (3010) ; et
avant l'étape consistant à envoyer une instruction d'ajout de pièce jointe à un appareil d'édition de courrier (3010) qui génère la tâche d'édition de courrier, le procédé comprend en outre : déterminer, par l'appareil de commande de fichier (3020), l'appareil d'édition de courrier (3010) selon l'identifiant de l'appareil d'édition de courrier (3010).

4. Procédé selon la revendication 2, dans lequel :

l'appareil d'édition de courrier (3010) est un éditeur de courrier ; et
l'étape consistant à envoyer une instruction d'ajout de pièce jointe à un appareil d'édition de courrier (3010) qui génère la tâche d'édition de courrier spécifiquement comprend : envoyer l'instruction d'ajout de pièce jointe à l'éditeur de courrier en appelant une interface de programmation d'application API de l'éditeur de courrier, des paramètres d'interface de l'API comportant

l'identifiant de fenêtre et le fichier, afin d'ordonner à l'éditeur de courrier d'ajouter le fichier à un courrier qui est édité dans la fenêtre d'édition de courrier identifiée par l'identifiant de fenêtre.

5. Procédé selon la revendication 2, dans lequel :

l'appareil d'édition de courrier (3010) est un éditeur de courrier ;
la tâche d'édition de courrier comporte en outre un identifiant permettant d'identifier l'éditeur de courrier ; et
l'étape consistant à envoyer une instruction d'ajout de pièce jointe à un appareil d'édition de courrier (3010) qui génère la tâche d'édition de courrier spécifiquement comprend : envoyer l'instruction d'ajout de pièce jointe à l'éditeur de courrier en appelant une API d'un système d'exploitation, des paramètres d'interface de l'API du système d'exploitation comportant l'identifiant de l'éditeur de courrier et l'identifiant de fenêtre ; déterminer, par le système d'exploitation, l'éditeur de courrier selon l'identifiant de l'éditeur de courrier ; et envoyer l'instruction d'ajout de pièce jointe à l'éditeur de courrier en appelant une API de l'éditeur de courrier, des paramètres d'interface de l'API de l'éditeur de courrier comportant l'identifiant de fenêtre et le fichier, afin d'ordonner à l'éditeur de courrier d'ajouter le fichier à un courrier qui est édité dans la fenêtre d'édition de courrier identifiée par l'identifiant de fenêtre.

6. Procédé selon la revendication 1 ou 2, dans lequel :

avant l'étape consistant à déterminer au moins une tâche d'édition de courrier, le procédé comprend en outre :

afficher, par l'appareil de commande de fichier (3020), la liste de tâches d'édition de courrier permettant à un utilisateur d'exécuter une sélection, un élément de données de la liste de tâches d'édition de courrier affichée comportant au moins un élément parmi : un destinataire, un titre de courrier, et un résumé de contenu de courrier.

7. Procédé selon la revendication 6, dans lequel :

l'étape consistant à afficher la liste de tâches d'édition de courrier spécifiquement comprend : afficher une boîte de dialogue ou un menu et afficher la liste de tâches d'édition de courrier sur une interface de la boîte de dialogue, ou dans une fenêtre principale de la boîte de dialogue, ou dans le menu.

8. Procédé selon la revendication 1, dans lequel :

l'opération sur le fichier est spécifiquement une des opérations suivantes : télécharger un fichier réseau, éditer un fichier, sauvegarder un fichier édité, et sélectionner un fichier sauvegardé localement.

9. Procédé permettant d'ajouter une pièce jointe à un courrier électronique, comprenant les étapes suivantes :

démarrer (110), par un appareil d'édition de courrier (3010), une opération d'édition pour un courrier ;
créer (120), par l'appareil d'édition de courrier (3010), une tâche d'édition de courrier correspondant au courrier, la tâche d'édition de courrier étant un élément dans une liste de tâches d'édition de courrier, et la tâche d'édition de courrier comportant des informations utilisées pour localiser une fenêtre d'édition de courrier permettant d'éditer le courrier ;
recevoir (130), par l'appareil d'édition de courrier (3010), une instruction d'ajout de pièce jointe envoyée par un appareil de commande de fichier (3020), l'instruction d'ajout de pièce jointe comportant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à une tâche d'édition de courrier qui est déterminée à partir de la liste de tâches d'édition de courrier, et un fichier ou une adresse d'obtention du fichier ; et
ajouter (140), par l'appareil d'édition de courrier (3010), le fichier à un courrier qui est édité dans la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier déterminée, ou ajouter l'adresse d'obtention du fichier au courrier, afin qu'un serveur d'envoi de courrier destiné à envoyer le courrier ou un serveur de réception de courrier destiné à recevoir le courrier obtienne le fichier selon l'adresse d'obtention et ajoute le fichier au courrier.

10. Procédé selon la revendication 9, dans lequel :

les informations utilisées pour localiser la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier sont spécifiquement un identifiant de fenêtre permettant d'identifier la fenêtre d'édition de courrier.

11. Procédé selon la revendication 10, dans lequel :

l'étape consistant à créer une tâche d'édition de courrier spécifiquement comprend : appeler, par un appareil d'édition de courrier (3010), une API fournie par un système d'exploitation, et

créer, dans un registre, une clé de la tâche d'édition de courrier correspondant au courrier, un nom de clé de la clé comportant un identifiant permettant d'identifier l'appareil d'édition de courrier (3010) et l'identifiant de fenêtre, et une valeur de clé de la clé étant nulle, ou une valeur de clé de la clé comprenant au moins un élément parmi : un destinataire, un titre de courrier, et un résumé de contenu de courrier.

12. Appareil (2000) permettant d'ajouter une pièce jointe à un courrier électronique, comprenant :

une unité de commande de fichier (2010), configurée pour exécuter une opération sur un fichier ;
une unité d'obtention de tâche (2020), configurée pour obtenir une liste de tâches d'édition de courrier, la liste de tâches d'édition de courrier comportant au moins une tâche d'édition de courrier, et la tâche d'édition de courrier comprenant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier ;
une unité de détermination de tâche (2030), configurée pour déterminer au moins une tâche d'édition de courrier ; et
une unité d'envoi d'instruction (2040), configurée pour envoyer une instruction d'ajout de pièce jointe à un appareil d'édition de courrier (3010) qui génère la tâche d'édition de courrier, l'instruction d'ajout de pièce jointe comportant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier, et le fichier ou une adresse d'obtention du fichier, afin d'ordonner à l'appareil d'édition de courrier (3010) d'ajouter le fichier ou l'adresse d'obtention du fichier à un courrier qui est édité dans la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier.

13. Appareil (2000) selon la revendication 12, dans lequel :

la tâche d'édition de courrier comprend en outre un identifiant permettant d'identifier l'appareil d'édition de courrier (3010) ; et
l'unité d'envoi d'instruction est en outre configurée pour déterminer l'appareil d'édition de courrier (3010) selon l'identifiant de l'appareil d'édition de courrier (3010).

14. Appareil (1000) permettant d'ajouter une pièce jointe à un courrier électronique, comprenant :

une unité de démarrage d'opération d'édition de courrier (1010), configurée pour démarrer une opération d'édition pour un courrier ;
une unité de création de tâche (1020), configurée pour créer une tâche d'édition de courrier correspondant au courrier et ajouter la tâche d'édition de courrier à une liste de tâches d'édition de courrier, la tâche d'édition de courrier comportant des informations utilisées pour localiser une fenêtre d'édition de courrier permettant d'éditer le courrier ;
une unité de réception d'instruction (1030), configurée pour recevoir une instruction d'ajout de pièce jointe envoyée par un appareil de commande de fichier (3020), l'instruction d'ajout de pièce jointe comportant des informations utilisées pour localiser une fenêtre d'édition de courrier correspondant à une tâche d'édition de courrier qui est déterminée à partir de la liste de tâches d'édition de courrier, et un fichier ou une adresse d'obtention du fichier ; et
une unité d'ajout de pièce jointe (1040), configurée pour ajouter le fichier ou l'adresse d'obtention du fichier à un courrier qui est édité dans la fenêtre d'édition de courrier correspondant à la tâche d'édition de courrier déterminée.

15. Système permettant d'ajouter une pièce jointe à un courrier électronique, comprenant :

un appareil de commande de fichier (3010), qui est spécifiquement l'appareil selon la revendication 12 ou 13 ; et
un appareil d'édition de courrier (3020), qui est spécifiquement l'appareil selon la revendication 14.


200
110
Start an editing operation for a mail
120
Create a mail editing task corresponding to the mail, where the mail editing task includes information used for locating a mail editing window corresponding to the mail editing task
130
Receive the attachment adding instruction
140
Add the file to the mail that is edited by the mail editing window corresponding to the mail editing task, or add the obtaining address of the file to the mail, so that a mail sending server for sending the mail or a mail receiving server for receiving the mail obtains the file according to the obtaining address and adds the file to the mail
Mail editing task list
Mail task 1
Mail task 2
.....
210
Execute an operation on a file
220
Obtain a mail editing task list
230
Determine at least one mail editing task
240
Send an attachment adding instruction to a mail editing apparatus, where the attachment adding instruction includes information used for locating a mail editing window corresponding to the mail editing task, and the file or an obtaining address of the file

FIG. 1



FIG. 2



FIG. 3-1



FIG. 3-2


Do you want to open or save the file?
Name:
Type: Microsoft office Word 97-2003.doc
From:
Open (O)
Save (S)
Cancel
While files for the Internet may be useful, some files may potentially harm your computer. If you do not trust the source, do not open or save the file. What is the risk?

FIG. 4-1


Save As
Save in (I):
My Computer
My Recent Documents
Desktop
My Documents
My Computer
Local Disk(C:)
New Volume(D:)
My Network Places
Mail editing task
My Recent Documents
Desktop
My Documents
My Computer
My Network Places
Mail editing task
File name(N):
Shared process.doc
Save as type(T):
Microsoft Office Word 97-2003.doc
Save (S)
Cancel

FIG. 4-2


Save As
Save in (I):
Mail editing task
Recipient
Mail title
Mail summary
XXX@xxx.com
Re:Patent writing
Please review …
My Recent Documents
Desktop
My Documents
My Computer
My Network Places
Mail editing task
File name (N):
Shared process.doc
Open(O)
Save as type (T):
Microsoft Office Word 97-2003 .doc
Cancel

FIG. 4-3


Send To:
E-mail
Create a new mail
XXX@xxx.com Re: Patent writing Please review
...

FIG. 5-1


Send To:
E-mail
Create a new mail
XXX@xxx.com Re: Patent writing
Please review...

FIG. 5-2



FIG. 6



FIG. 7



FIG. 8


Host processor
Display controller
Display apparatus
I/O controller
Communication apparatus
Storage controller
Persistent storage controller
Input apparatus
Memory
Persistent memory

FIG. 9-1


CODE area
DATA area
Mail editor
Browser
Other applications
Application data
Operating system
Operating system data
Disk control module
Communication module
Display control module
Input control module
Mail editing task list

FIG. 9-2

REFERENCES CITED IN THE DESCRIPTION

This list of references cited by the applicant is for the reader's convenience only. It does not form part of the European patent document. Even though great care has been taken in compiling the references, errors or omissions cannot be excluded and the EPO disclaims all liability in this regard.

Patent documents cited in the description

- US 20010042093 A1 **[0007]**
- EP 2421210 A1 **[0008]**