

(51) International Patent Classification:
G06Q 40/00 (2006.01)c/o Bank Of America, Mailcode: NC1-002-29-01, 101 S.
Tryon Street, Charlotte, NC 28255 (US).(21) International Application Number:
PCT/US2010/022038(74) Agents: **MCAVOY, Christopher, W.** et al.; MOORE &
VAN ALLEN PLLC FOR BOFA, Post Office Box
13706, 430 Davis Drive, Suite 500, Research Triangle
Park, NC 27709 (US).(22) International Filing Date:
26 January 2010 (26.01.2010)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
61/147,360 26 January 2009 (26.01.2009) US
12/430,754 27 April 2009 (27.04.2009) US(71) Applicant (for all designated States except US): **BANK
OF AMERICA CORPORATION** [US/US]; 101 South
Tryon Street, Charlotte, NC 28202 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **MACY, Barbara,
R.** [US/US]; c/o Bank Of America, Mailcode:
NC1-002-29-01, 101 S. Tryon Street, Charlotte, NC
28255 (US). **PRICE, David, D.** [US/US]; c/o Bank Of
America, Mailcode: NC1-002-29-01, 101 S. Tryon Street,
Charlotte, NC 28255 (US). **BLOW, Jerry, B.** [US/US];(81) Designated States (unless otherwise indicated, for every
kind of national protection available): AE, AG, AL, AM,
AO, AT, AU, AZ, BA, BB, BG, BH, BR, BW, BY, BZ,
CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO,
DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT,
HN, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KN, KP,
KR, KZ, LA, LC, LK, LR, LS, LT, LU, LY, MA, MD,
ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI,
NO, NZ, OM, PE, PG, PH, PL, PT, RO, RS, RU, SC, SD,
SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR,
TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.(84) Designated States (unless otherwise indicated, for every
kind of regional protection available): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM,
ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ,
TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE,
ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV,
MC, MK, MT, NL, NO, PL, PT, RO, SE, SI, SK, SM,

[Continued on next page]

(54) Title: FINANCIAL TRANSACTION MONITORING




FIG. 1

(57) Abstract: Embodiments of the present invention provide systems and methods for monitoring financial transactions. For example, in one embodiment a system includes a communication interface configured to receive information about each transaction of a plurality of transactions. The system includes a memory device having a plurality of keywords and an artificial intelligence application stored therein, the plurality of keywords being associated with a plurality of entities whose transactions are to be specially handled. The system further includes a processor configured to identify a first group of transactions from the plurality of transactions where the information about each transaction of the first group of transactions includes at least one of the plurality of keywords. The processor is further configured to then use the artificial intelligence application to determine that one or more transactions in the first group of transactions are associated with one or more of the plurality of entities.



TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, **Published:**
ML, MR, NE, SN, TD, TG).

— *with international search report (Art. 21(3))*

FINANCIAL TRANSACTION MONITORING

FIELD

In general, the invention relates to systems, methods, and computer program products for monitoring financial transactions. More particularly, embodiments of the invention provide systems, methods, and computer program products configured to use artificial intelligence to combat money laundering and/or other fraudulent or problematic transactions.

BACKGROUND

In an effort to combat terrorism, money laundering, and other illegal or problematic activities, governments and other rule-making organizations have promulgated regulations and guidelines to detect financial transactions and assets used for illegal activities or by persons, governments, or organizations engaged in illegal activity or activity adverse to the rule-making organization.

For example, in the United States, the United States Department of the Treasury has formed the Office of Foreign Assets Control ("OFAC") to administer and enforce economic and trade sanctions based on United States foreign policy and national security goals against targeted foreign countries and regimes, terrorists, international narcotics traffickers, those engaged in activities related to the proliferation of weapons of mass destruction, and other threats to the national security, foreign policy, or economy of the United States. To accomplish this goal, OFAC routinely publishes a list of names or other keywords that represent the names of known or suspected terrorist organizations, criminal parties, institutions associated with adverse countries or regimes, or other entities. To comply with OFAC regulations, financial institutions processing financial transactions must identify, block, reject, hold, or otherwise specially handle any transaction involving an entity on the OFAC list. Failure to comply with OFAC regulations can result in significant monetary fines or other penalties.

Other agencies within the United States and other countries also publish lists of entities and similarly require that financial institutions identify and block, reject, hold, or otherwise specially handle transactions involving listed entities. Compliance with these numerous and constantly-changing regulations can be difficult for the financial

institution, which may process millions of transactions every day, and requires a significant allocation of resources. This is especially true since many of the keywords published by OFAC and other rule-making organizations include common names or words used in many permissible transactions. As a result, a financial institution must look closely at each transaction containing a keyword to determine whether it is, in fact, a problematic transaction and not merely a “false positive.”

Currently, financial institutions rely on large teams of individuals to review each of the many transactions identified each day as containing a keyword. Sporadic spikes and lulls in the number of transactions that contain a keyword result in periods where the team’s resources are stretched thin, mixed with periods where the team’s resources are under-utilized. Having a large team dedicated to the task of looking for problematic transactions also raises other issues, such as: (1) security of the information handled by the team; (2) background checks and security clearances required for each member of the team; (3) extensive training and monitoring of new members of the team; (4) loss of valuable experience each time a team member leaves the team; and (5) compliance failures caused by inconsistencies and fatigue. What is needed is an improved system for monitoring financial transactions. It would be advantageous if such a system would use less resources and, at the same time, provide improved accuracy, speed, and security.

BRIEF SUMMARY

In general, embodiments of the present invention include apparatuses/systems, methods, and computer program products that use artificial intelligence to identify problematic transactions and help manage other resources involved in the transaction monitoring process. For example, in one embodiment, a financial institution, such as a bank, has a division responsible for making sure the financial institution is in constant compliance with the rules and regulations issued by OFAC and/or other rule-making organizations. This division monitors the constantly-changing lists of sanctioned entities published by OFAC and/or other rule-making organizations and compiles these lists into a list of keywords that the financial institution should look for when processing transactions. The keywords are then provided to the financial institution’s transaction monitoring system and stored in a memory.

Throughout the course of business, the financial institution constantly receives information about numerous financial transactions, such as payments, to be processed by the financial institution. Each transaction may include information about the transaction such as information about one or more parties involved in the transaction (e.g., parties receiving payment, parties providing payment, parties receiving goods, parties providing goods, banks receiving funds, banks providing funds, intermediary banks, regulatory agencies, websites, etc.), the location of these parties, account numbers, vessels or other systems used to transport assets, and the like. The financial institution uses a computerized apparatus to quickly review each transaction and the information available about the transaction for the presence of any words matching the keywords stored in the transaction monitoring system's memory. Transactions that are not associated with the keywords are processed by the financial institution in the normal course. However, any transaction identified by the computerized apparatus as containing a keyword is then forwarded to a computerized artificial intelligence apparatus for further review.

The artificial intelligence apparatus looks at the keywords and other information about the transaction and, using artificial intelligence algorithms, determines whether the transaction is a problematic transaction that must be blocked, held, or otherwise specially processed or, instead, is merely an acceptable transaction that was a false positive and can therefore be processed by the financial institution in the normal fashion. For example, in one embodiment, the artificial intelligence apparatus looks at information about a transaction, such as the keywords identified in the transaction information, the location of the keywords (e.g., in the description of the goods, in the party names, in the names of intermediary financial institutions, in the addresses of the parties, in the account number, or in other identifiable and distinguishable fields in the transaction information), the number of keywords, the combinations of keywords if more than one keyword is found in a single transaction, other words in the transaction information, the amount of money involved in the transaction, the type of transaction, the type of goods or other assets involved in the transaction, and the like, and compares this information to pre-programmed and learned rules and relationships generated from the past experiences of the artificial intelligence apparatus and/or human reviewers. Various artificial intelligence algorithms known in the art can be used and adapted for this application,

such as neural network algorithms, statistical classification algorithms, machine learning algorithms, Bayesian network algorithms, swarm intelligence algorithms, logic algorithms, and/or combinations of the foregoing algorithms.

Transactions that are identified by the artificial intelligence apparatus as acceptable transactions, despite the presence of one or more keywords, are released by the artificial intelligence apparatus and forwarded to the transaction processing system for normal processing. In one embodiment, one or more human verifiers randomly check a small percentage of these released transactions to confirm that the artificial intelligence apparatus is functioning properly. If the human verifiers identify errors or concerns with the released transactions, the human verifiers can provide feedback regarding the specific concerns and transactions to the artificial intelligence apparatus so that the artificial intelligence apparatus can use the feedback to learn from any mistakes.

Transactions that are identified by the artificial intelligence apparatus as problematic transactions are forwarded on to be blocked, rejected, held, or specially processed according to the rules related to the specific keywords identified in the transaction. In one embodiment, the transaction monitoring system provides these transactions to one or more verifier terminals, where one or more human verifiers review some or all of the transactions identified as problematic by the artificial intelligence apparatus.

In some embodiments, the artificial intelligence provides notes, scores, ranks, or other information to the human identifiers to indicate the level of certainty to which the artificial intelligence apparatus concludes that a particular transaction is, in fact, problematic and/or to target the human verifier's attention to certain transaction information tending to show that the transaction is or is not problematic. For example, in one embodiment, the artificial intelligence apparatus divides the transactions that it thinks may be problematic into two categories: a first category for transactions deemed to have a high probability of being problematic, and a second category for transactions deemed to have a lower probability of being problematic. In such an exemplary embodiment, the human verifiers may choose to only conduct a random review of the high-probability transactions, assuming that the un-reviewed high-probability transactions are, in fact, problematic, and then focus most of their efforts on reviewing the lower-probability

transactions, since the artificial intelligence algorithm may not have had sufficient information to make an accurate determination of some of the lower-probability transactions.

In one embodiment, the results of the human verifiers' review of the transactions identified by the artificial intelligence apparatus as problematic are fed back to the artificial intelligence apparatus so that the artificial intelligence apparatus can continuously learn from its successes and errors and become increasingly accurate in its determinations.

In some embodiments, the artificial intelligence apparatus or other artificial intelligence systems are used to monitor and/or manage the transaction monitoring process. For example, in one embodiment, a second artificial intelligence apparatus is used to monitor the volume of transactions processed by the human verifiers and the volume of transactions identified as problematic or potentially problematic by the first artificial intelligence algorithm that reviews the transactions. In this way, the second artificial intelligence apparatus can learn the capacity and tolerances of the human verifiers and learn to anticipate overcapacity problems. In one embodiment, when the second artificial intelligence apparatus anticipates an overcapacity potential, it also manages the overcapacity by, for example, displaying an avatar on the screens of one or more verifier terminals and informing the verifier that they must increase the speed of their reviews in order to complete the processing of the transactions within a certain period of time (e.g., by the end of the day). In some embodiments, where the artificial intelligence apparatus determines that the human verifiers, even working at maximum efficiency, will not be able to handle the volume of transactions coming through the system, the artificial intelligence apparatus displays an avatar on the screen of a manager's terminal or otherwise notifies a manager or other personnel or systems that more resources are needed, or that a higher risk of non-compliance may have to be temporarily acceptable in order to process all of the transactions within a specified period of time.

In some embodiments, the first artificial intelligence apparatus is also used to manage configuring the transaction monitoring process to comply with new keywords added to the keyword datastore. For example, in one embodiment of the invention, when

new keywords are to be added to the transaction monitoring system's keyword datastore or other changes are to be made to the keyword datastore, the artificial intelligence apparatus reviews the new keywords or the keyword changes against a set of transactions, such as a sample set of past transactions, to determine how many transactions in the dataset will be deemed by it to be problematic or potentially problematic transactions as a result of the new keywords or keyword changes. Based on the dataset and its past learned and pre-programmed experiences, the artificial intelligence apparatus can determine the impact that the new keyword will have on the volume of transactions sent to the human verifiers and thus, the impact on the capacity of the transaction monitoring system using current or assumed resources.

In one embodiment, the artificial intelligence apparatus determines whether one or more new keywords or changes to the keyword datastore will have no impact to capacity, a manageable impact to capacity, or an unmanageable impact to capacity. Where the keywords would have no impact, or a manageable impact, to capacity, the artificial intelligence apparatus adds the new keywords to the keyword datastore. However, where the artificial intelligence apparatus determines that the addition of one or more new keywords to the keyword datastore would have an unmanageable impact to the transaction monitoring system, the artificial intelligence apparatus takes steps to address and/or provide notice of the unmanageable impact. For example, in one embodiment, the artificial intelligence apparatus displays an avatar on the screen of a manager's terminal explaining the situation and requesting that temporary exceptions be allowed for certain keywords, or that additional resources be applied to the transaction monitoring system.

BRIEF DESCRIPTION OF THE DRAWINGS

Having thus summarized an exemplary embodiment of the invention, reference will now be made to the accompanying drawings to describe embodiments of the invention in greater detail, wherein:

Figure 1 provides a block diagram of a financial transaction monitoring system, in accordance with one embodiment of the present invention;

Figure 2 provides a flow diagram illustrating a process whereby the financial transaction monitoring system monitors financial transactions to locate problematic transactions, in accordance with an embodiment of the present invention;

Figure 3 provides a flow diagram illustrating a process whereby the financial transaction monitoring system monitors and manages process capacity, in accordance with an embodiment of the present invention; and

Figure 4 provides a flow diagram illustrating a process whereby the financial transaction monitoring system manages the introduction of new keywords, in accordance with an embodiment of the present invention.

DETAILED DESCRIPTION OF EMBODIMENTS OF THE INVENTION

Embodiments of the present invention now will be described more fully hereinafter with reference to the accompanying drawings, in which some, but not all, embodiments of the invention are shown. Indeed, the invention may be embodied in many different forms and should not be construed as limited to the embodiments set forth herein; rather, these embodiments are provided so that this disclosure will satisfy applicable legal requirements. Like numbers refer to like elements throughout.

As will be appreciated by one of ordinary skill in the art, the present invention may be embodied as a method, system, computer program product, or a combination of the foregoing. Accordingly, embodiments of the present invention may take the form of an entirely hardware embodiment, an entirely software embodiment (including firmware, resident software, micro-code, etc.), or an embodiment combining software and hardware aspects that may generally be referred to herein as a “system.” Furthermore, embodiments of the present invention may take the form of a computer program product on a computer-readable medium having computer-usable program code embodied in the medium.

Any suitable computer-readable medium may be utilized. The computer-readable medium may be, for example but not limited to, an electronic, magnetic, optical, electromagnetic, infrared, or semiconductor system, apparatus, or device. More specific examples of the computer-readable medium include, but are not limited to, the following: an electrical connection having one or more wires; a tangible storage medium such as a portable computer diskette, a hard disk, a random access memory (RAM), a read-only memory (ROM), an erasable programmable read-only memory (EPROM or Flash memory), a compact disc read-only memory (CD-ROM), or other optical or magnetic storage device. In the context of this document, a computer-readable medium may be

any medium that can contain, store, communicate, or transport the program for use by or in connection with the instruction execution system, apparatus, or device.

Computer program code for carrying out operations of embodiments of the present invention may be written in an object-oriented, scripted or unscripted programming language such as Java, Perl, Smalltalk, C++, or the like. However, the computer program code for carrying out operations of embodiments of the present invention may also be written in conventional procedural programming languages, such as the "C" programming language or similar programming languages.

Embodiments of the present invention are described below with reference to flowchart illustrations and/or block diagrams of methods, apparatuses (systems), and computer program products. It will be understood that each block of the flowchart illustrations and/or block diagrams, and/or combinations of blocks in the flowchart illustrations and/or block diagrams, can be implemented by computer program instructions. These computer program instructions may be provided to a processor of a general purpose computer, special purpose computer, or other programmable data processing apparatus to produce a particular machine, such that the instructions, which execute via the processor of the computer or other programmable data processing apparatus, create means for implementing the functions/acts specified in the flowchart and/or block diagram block or blocks.

These computer program instructions may also be stored in a computer-readable memory that can direct a computer or other programmable data processing apparatus to function in a particular manner, such that the instructions stored in the computer-readable memory produce an article of manufacture, including instruction means which implement the function/act specified in the flowchart and/or block diagram block(s).

The computer program instructions may also be loaded onto a computer or other programmable data processing apparatus to cause a series of operational steps to be performed on the computer or other programmable apparatus to produce a computer-implemented process, such that the instructions which execute on the computer or other programmable apparatus provide steps for implementing the functions/acts specified in the flowchart and/or block diagram block(s). Alternatively, computer program

implemented steps or acts may be combined with operator or human implemented steps or acts in order to carry out an embodiment of the invention.

Figure 1 provides a block diagram of a financial transaction monitoring system **110** and an environment in which the transaction monitoring system resides, in accordance with one embodiment of the present invention. As used herein, a “financial transaction” refers to any transaction having a monetary component. For example, a financial transaction can include, but is not limited to, a transfer of money or other assets, a monetary deposit, a monetary withdrawal, the establishment of a credit, debit, or money market account, the extension of credit or a loan, a payment, an investment, a purchase, and/or the like. Although several embodiments of the invention described herein refer to the monitoring of financial transactions, it will be appreciated that other embodiments of the invention described herein can be used to monitor any other type of transaction.

As used herein, the term “financial institution” refers to an institution that acts as an agent to provide financial services for its clients or members by processing financial transactions for its clients or members. Financial institutions can include, but are not limited to, banks, building societies, credit unions, stock brokerages, asset management firms, savings and loans, money lending companies, insurance brokerages, insurance underwriters, dealers in securities, and similar businesses. Retail, wholesale, and service businesses, as well as manufacturers, may also process transactions as disclosed herein. The terms “financial transaction,” “financial institution,” “bank,” and any similar terms are used herein in their broadest sense and are intended to encompass all such possibilities.

Referring again to Figure 1, the environment in which embodiments of the present invention exist generally includes an institution’s transaction system **100**, the transaction systems **160** of one or more other entities, and one or more keyword sources **170**. In some embodiments, these systems are communicatively coupled by a communication network **150**. In one embodiment, the network **150** includes a direct wireless or wireline connection between the institution’s transaction system **100**, one or more transaction systems **160** belonging to other entities, and/or one or more keyword source(s) **170**. In other embodiments, however, the network **150** includes one or more other devices that relay communications between the systems. The network **150** may include a global area

network (GAN), such as the Internet or an intranet, a wide area network (WAN), a local area network (LAN), a wireless network, a wireline network, a virtual private network, and/or the like.

The institution's transaction system **100** is a system configured to process transactions, such as financial transactions, that originate within the institution's transaction system **100** or are received from one or more other transaction systems **160** via, for example, the network **150**. For example, in one embodiment, the institution is a financial institution, such as a bank, and the institution's transaction system **100** is the financial institution's Global Banking System (GBS) configured to interact with the transaction systems **160** of other financial institutions to process financial transactions, such as payment transactions. For example, in one exemplary financial transaction, payment instructions are communicated from a first institution's transaction system **160** over the network **150** to the financial institution's GBS **100**. The payment instructions instruct, for example, the financial institution's GBS **100** to transfer money from a particular customer's account to a second institution's transaction system **160**.

A keyword source **170** is generally a rule-making entity that publishes keywords that indicate certain entities whose financial transactions must be identified and blocked, rejected, held, or otherwise specially processed according to instructions set forth by the rule-making entity. In one embodiment, the keyword source **170** includes a government agency, such as the United States' OFAC, and the keywords include the names of persons, organizations, countries, merchant vessels, businesses, websites, banks, regimes, and/or the like, whose transactions have been restricted or at least flagged by the government agency as the result of a law or policy decision. For example, OFAC periodically publishes a list of individuals and companies owned or controlled by, or acting for or on behalf of, targeted countries. It also lists individuals, groups, and entities, such as terrorists and narcotics traffickers designated under programs that are not country-specific. Collectively, such individuals and companies are called "Specially Designated Nationals" or "SDNs." Their assets are blocked and U.S. persons and businesses are generally prohibited from dealing with them. As a result, in order to comply with U.S. law, financial institutions in the U.S. or dealing with the U.S. dollar must identify any transaction involving one of these SDNs or a sanctioned country and

block, reject, hold, or otherwise specially process these transactions and/or notify authorities according to the OFAC's instructions.

In other embodiments, the keyword source **170** includes a similar agency of another country, a private organization, and/or a division of the financial institution itself. For example, in one embodiment of the invention, the keyword source **170** includes a division or agent of the financial institution that gathers and combines the keywords from a number of other sources and provides them to the financial institution's transaction system **100** electronically via the network **150**. In such an embodiment, the financial institution's division or agent may create some of its own keywords in response to certain lists, sanctions, advisories, laws, regulations, etc., that it gathers from numerous sources. In some embodiments of the invention, there are a number of different keyword sources **170**. It will be understood that keywords need not be "words" at all and can include numeric strings and other characters, symbols, images, and the like that may be included in transaction information. Likewise, a "keyword" may be a single word, a phrase, or a combination of two or more words.

As illustrated in Figure 1, in one embodiment of the invention, the institution's transaction system **100** generally includes a communication interface **104**, a transaction processing system **102**, a transaction repair system **106**, and a transaction monitoring system **110**. Although these systems are illustrated separately in Figure 1, it is understood that, in some embodiments, the separation is merely conceptual and the systems are combined or partially combined together to share processing, memory, and other hardware and/or software resources.

The communication interface **104** generally includes one or more network interfaces for communicating with one or more devices over network **150**. In one embodiment, the communication interface **104** is configured to receive keywords from one or more keyword sources **170**. These keywords may be periodically pushed by the keyword sources **170** to the communication interface **104**, or pulled by the communication interface **104** from the keyword sources **170**. Once the communication interface **104** receives the keywords, the communication interface **104** sends the keywords to the transaction monitoring system **110** where they are stored within a keyword datastore **124** within a memory system **120**.

The communication interface **104** is also configured to receive information about transactions, such as payment instructions, from the one or more other transaction systems **160** belonging to other entities. In some embodiments, the communication interface **104** includes a user interface that allows a user to enter information into the transactions systems, such as manually-entered keywords published by the keyword sources **170**, or financial transactions originating from within the institution's transaction system **100**. In this regard, the communication interface **104** may include one or more terminals having various types of user input and user output devices.

As the communication interface **104** receives transaction information, the communication interface **104** electronically sends the transaction information to the transaction monitoring system **110**. The transaction monitoring system **110** reviews each transaction, as described in greater detail below, and determines which transactions are acceptable and can proceed to the transaction processing system **102** to be handled by the institution in the normal fashion, and which transactions are problematic and cannot be handled in the normal fashion, since they involve an entity identified in the keywords. The problematic transactions are then sent to the transaction "repair" system **106** where they are processed according to any special instructions issued by the rule-making organization that originally published the keyword. For example, some problematic transactions will require that certain authorities are notified of the transaction, that the transaction be put on hold, blocked, rejected, or specially processed. In some embodiments, funds requested in a transaction that are blocked or rejected must be placed in an interest-bearing account rather than transferred to the intended recipient, at least until the issue between the entity and the relevant rule-making organization that sanctioned the entity is resolved.

As described in greater detail below, in order to review the transactions and determine whether each transaction is acceptable or problematic, the transaction monitoring system **110** generally includes a processing system **112** operatively coupled to a memory system **120** and one or more verifier terminals **114**. In the illustrated embodiment, the memory system **120**, which includes one or more types of computer-readable storage medium, generally includes a keyword filter application **121**, an artificial intelligence transaction monitoring application **122**, a process metric monitoring

and managing application and avatar **130**, a keyword datastore **124**, a learned rules and relationships datastore **126**, a results datastore **128**, and a process metric datastore **132**. In the illustrated embodiment, the transaction monitoring system **110** also includes one or more human verifiers **116** that interact with the transaction monitoring system **110** using the one or more verifier terminals **114**.

As used herein, the term “application” generally refers to computer-readable program code comprising computer-readable instructions and stored on a computer-readable storage medium, where the instructions instruct a processor to perform certain functions, such as logic functions, read and write functions, the functions described herein and in Figures 2-4, etc. As used herein, “artificial intelligence” generally refers to the capability of a device to perform functions that are normally associated with human intelligence, such as reasoning and optimization through experience. More particularly, artificial intelligence attempts to approximate the results of human reasoning by organizing and manipulating factual and heuristic knowledge. Artificial intelligence algorithms use past data provided to it and its past experiences and feedback to generate rules and identify relationships between data that enable the system to receive new data that it has not seen before and make reasoned decisions regarding that data and how it should be handled. For example, artificial intelligence algorithms known in the art that may be used and adapted for the applications described herein can include, but are not limited to, neural network algorithms, statistical classification algorithms, machine learning algorithms, Bayesian network algorithms, swarm intelligence algorithms, logic and fuzzy logic algorithms, iterative learning algorithms, evolutionary computation algorithms, genetic algorithms, and/or combinations of the foregoing algorithms.

Referring now to Figure 2, Figure 2 provides a flow diagram illustrating a process **200** whereby the financial transaction monitoring system **110** monitors financial transactions to locate problematic transactions, in accordance with an embodiment of the present invention. As represented by block **205**, transaction information about one or more transactions flows into or originates in the institution’s transaction system **100**. As described above, transaction information may be entered by user input devices of the communication interface **104**, or received by the communication interface **104** from another entity’s transaction system **160** located on the network **150**.

As represented by block **210**, the transaction information for each received transaction is then directed to the transaction monitoring system **110** so that the transaction can be reviewed to determine if it needs to be blocked, held, or otherwise specially processed pursuant to a directive from a rule-making organization. In the illustrated embodiment, the transaction monitoring system **110** begins its review by using a keyword filter application **121** to determine which transactions are associated with information having one or more keywords contained therein, as represented by block **215**. In general, the keyword filter application **121** includes computer-readable instructions for instructing the processing system **112** to compare words or other characters in the transaction information with words or other characters stored in the keyword datastore **124**.

As represented by the decision diamond **220**, the keyword filter application **121** determines, for each transaction, whether the transaction contains at least one keyword associated with it. As represented by block **225**, if the keyword filter application **121** determines that a transaction does not contain any keywords, then the transaction is released to the transaction processing system **102** for normal processing of the transaction. As represented by block **230**, if the keyword filter application **121** determines that a transaction does contain at least one keyword, then the keyword filter application **121** places the transaction in a queue of transactions for the artificial intelligence transaction monitoring application **122** to review in more detail.

As described above, the artificial intelligence transaction monitoring application **122** generally includes a plurality of computer-readable instructions stored in the memory system **120** that are configured to instruct the processing system **112** to use one or more artificial intelligence algorithms in combination with past known data, experiences, and feedback to develop one or more learned rules and relationships **126**, store these learned rules and relationships **126** in the memory system **120**, and use these learned rules and relationships **126** and algorithms to make reasoned decisions about a transaction based on the transaction's associated information.

For example, in one embodiment, a results datastore **128** stores information about numerous past transactions along with the ultimate determination about whether each of the past transactions was problematic or acceptable. These results **128** may include

results determined by humans, results determined by the artificial intelligence application **122** and confirmed by humans, and/or results determined by the artificial intelligence application **122** and not reviewed by humans. It may be preferable in some embodiments, to have a certain mass of results in the results datastore **128** that have been closely reviewed or confirmed by humans so that the artificial intelligence application **122** has some factual basis for the rules and relationships **126** that it generates. Using the results datastore **128**, the artificial intelligence application **122** identifies, over time, relationships between the transaction information of acceptable transactions and between the transaction information of problematic transactions. As represented by decision diamond **235**, the artificial intelligence application **122** then determines, based on its programmed instructions, keyword matches, and these learned rules and relationships **126**, whether the transaction is a concern.

For example, the artificial intelligence application **122** can look for relationships in the number of keyword matches in a transaction, combinations of different keywords in a transaction, the location of keywords in the transaction information (e.g., whether the keyword is in a party name field, an intermediary bank field, a description of the transaction field, a receiving party field, a sending party field, an invoice, a description of goods field, an address field, an originating bank field, an issuing bank field, etc.), other non-keywords in the transaction or combinations of non-keywords with other non-keywords or keywords, the monetary amount involved, the type of assets involved, the type of transaction, and/or the like. The artificial intelligence application **122** can then use these relationships that it identifies to later determine if a transaction never seen before by the artificial intelligence application **122** is problematic or acceptable.

For example, supposing that the keyword “MARIA” is a keyword because it is an acronym for a bank that is known to be run by the Cuban government, Cuba currently being a sanctioned country in the United States. Since “MARIA” is a common name in many areas of the world, the word will show up in the transaction information of many transactions. As a result, the keyword filter application **121** will identify all of the transactions containing the term “MARIA” and direct them to the artificial intelligence application **122** for further review. Over time, the artificial intelligence application **122** will learn from human-determined or confirmed results of transactions containing the

term “MARIA”, and discover relationships between those transactions that are determined to be acceptable and those determined to be problematic. For example, the artificial intelligence application **122** may determine that most problematic transactions involving the term “MARIA” contain the term “MARIA” in a particular field of transaction information, or in combination with one or more other keywords or non-keywords. If the artificial intelligence application **122** then encounters a new transaction having the term “MARIA” in this particular field of transaction information or in combination with the same one or more other words, then the artificial intelligence application **122** would be more likely to find the new transaction problematic. In another example, the artificial intelligence application **122** may learn that transactions where “MARIA” is in a “party name” field and is closely preceded or followed by the last name “VELLUCCI,” the transactions are all acceptable transactions. In this way, the transaction monitoring system **110** is constantly learning, adjusting, and making reasoned decisions regarding whether a transaction containing a keyword is likely or unlikely to be a problematic transaction that should be held, rejected, blocked, further reviewed by a human verifier, or otherwise specially-processed by the transaction system **100**.

Referring again to Figure 2, as represented by block **240**, if the artificial intelligence application determines that the transaction is not a concern (i.e., it was a “false positive,” meaning that it contained a keyword but is deemed acceptable and not a significant risk of non-compliance with the rule-making organization’s directives), the artificial intelligence application releases the transaction to the transaction processing system **102** for normal processing. As represented by block **245**, in one embodiment, a human verifier **116** uses a verifier terminal **114** to randomly check a percentage, generally a small percentage, of the released transactions and provide feedback to the artificial intelligence application **122** based on the results of each check. For example, in one embodiment, the results of each check by a human verifier **116** is stored in the results datastore **128**. In this way, the artificial intelligence application **122** can continue to learn from its correct and any incorrect determinations.

As represented by block **250**, in one embodiment, if the artificial intelligence application **122** determines that the transaction is a concern, the artificial intelligence application **122** also provides an indication of the level of concern or, in other words, the

likelihood that the transaction is, in fact, problematic. For example, the artificial intelligence application **122** may rank, score, group, or otherwise distinguish between transactions it deems to be potentially problematic. For example, in one embodiment, the artificial intelligence application **122** divides the transactions that it thinks may be problematic into two categories: a high probability that it is problematic, and a lower probability that it is problematic. In such an exemplary embodiment, the human verifiers **116** may choose to only conduct a random review of the high-probability transactions, assuming that the un-reviewed high-probability transactions are, in fact, problematic, and then focus most of their efforts on reviewing the lower-probability transactions, since the artificial intelligence algorithm may not have had sufficient information to make an accurate determination of some of the lower-probability transactions.

As represented by decision diamond **255**, one or more human verifiers **116** use one or more verifier terminals **114** to review each transaction deemed problematic or potentially problematic by the artificial intelligence application **122**. It should be noted that, in some embodiments, there may be little or even no review by human verifiers **116** if the artificial intelligence application **122** is sufficiently advanced and accurate. However, where there is a review by a human verifier **116**, one embodiment of the artificial intelligence application directs (e.g., by notes, comments, highlighting, an avatar, or other techniques or providing information to a user at a verifier terminal **114**) the human verifier **116** to certain information deemed important to the artificial intelligence application **122** in making a determination about the transaction to aid the human verifier **116** in the review of the transaction.

As represented by block **260**, if the human verifier **116** determines that the artificial intelligence application **122** was incorrect and that the transaction is acceptable, the human verifier **116** uses the verifier terminal **114** to release the transaction to the transaction processing system **102** for normal processing. As represented by block **265**, if the human verifier **116** determines that the artificial intelligence application **122** was correct and that the transaction is problematic, the human verifier **116** allows the transaction to be blocked, rejected, held, or otherwise specially processed by the transaction “repair” system **106**.

As represented by block 270, in either case, feedback about the human verifier's determination and the ultimate classification of the transaction is fed back into the artificial intelligence application 122 so that it can continuously learn from its successes and failures, and thereby become increasingly accurate in its own determinations. In one embodiment, providing feedback to the artificial intelligence application 122 includes storing results of the determination of each transaction into the results datastore 128 that the artificial intelligence application 122 uses to devise rules and relationships 126.

Referring now to Figure 3, Figure 3 provides a flow diagram illustrating a process 300 whereby the financial transaction monitoring system 110 monitors and manages process capacity, in accordance with an embodiment of the present invention. As represented by block 310, the process metric monitoring and managing application 130 stored in the transaction monitoring system's memory 120 is configured to monitor the transaction monitoring process by, for example, storing process metrics in a process metric datastore 132. Such process metrics 132 may include, for example, the number of human verifiers 116 and the schedules of the human verifiers 116, the average volume handled by the average human verifier 116 and/or each individual human verifier 116, the average high and low efficiencies of the average human verifier 116 and/or each individual human verifier 116, the number or percentage of transactions identified by the keyword filter application 121 as having a keyword, the number or percentage of transactions identified by the artificial intelligence application 122 as being or potentially being problematic, the number or percentage increase in transactions at various times in the day, month, year, etc.

As represented by block 320, the process metric monitoring and management application 130 includes computer-readable instructions that instruct the processing system 112 to determine capacity tolerances and anticipate overcapacity problems based on the process metrics 132. In one embodiment, the process metric monitoring and management application 130 includes artificial intelligence algorithms for learning relationships between various performance metrics that indicate overcapacity and/or under-capacity situations and possible ways the overcapacity and/or under-capacity situations can be managed.

As represented by block **330**, in one embodiment of the present invention the process metric monitoring and managing application **130** displays an avatar on the screen of certain personnel to report capacity issues and suggested solutions. For example, the process metric monitoring and managing application **130** may display an avatar on the screens of the verifier terminals **114** to notify all of the human verifiers **116** of an anticipated increase in the volume of transactions that will need to be reviewed. The avatar may then suggest that each human verifier **116** must increase the speed with which they review transactions by a certain percentage in order for the system to be able to handle the anticipated increase in volume within a certain period of time. In some embodiments, the process metric monitoring and managing application **130** determines, based on past and current information, which human verifiers **116** are already working at or near maximum efficiency and which are not. In such embodiments, the process metric monitoring and managing application **130** may then use the avatar to instruct the particular human verifiers **116** that are not performing at the needed efficiency that they need to increase their efficiency. In other embodiments, the process metric monitoring and managing application **130** may notify managers and/or other systems and/or personnel using an avatar or other notification mechanisms of the anticipated capacity issues and suggest solutions so that action can be taken to increase resources for reviewing transactions, decrease volume through the system, increase a tolerance for a certain level of risk of non-compliance, and/or take other actions to manage the upcoming issues.

Referring now to Figure 4, Figure 4 provides a flow diagram illustrating a process **400** whereby the financial transaction monitoring system **110** manages the introduction of new keywords into the financial transaction monitoring system **110**, in accordance with an embodiment of the present invention. As illustrated by block **410**, a keyword source **170** provides new keywords to the institution's transaction system **100** via, for example, network **150** and/or communication interface **104**. As illustrated by block **420**, the artificial intelligence application **122** executed by the processing system **112** reviews the new keywords. As illustrated by block **430**, the artificial intelligence application **122** identifies the problematic (or potentially problematic) transactions in a set of transaction

records (e.g., a sample set of past transaction records), where the identified problematic transactions are deemed problematic by virtue of the addition of the new keywords.

As illustrated by block **440**, the artificial intelligence application **122** then evaluates these identified problematic transactions based on seasonal timing (e.g., day, month, pay cycle, etc.) to determine if the problematic transactions occur or occur more frequently on a certain schedule or during known high-volume, low-volume, high-capacity, or low-capacity times for the transaction monitoring system **110**. Based on this information, as illustrated by decision diamond **450**, the artificial intelligence application **122** then makes a determination about the effect that the new keywords are likely to have on the volume of transactions processed, the capacity of the transaction monitoring system **110**, and the overall impact of the new keywords on the transaction monitoring system **110**. In one embodiment, the artificial intelligence application **122** uses artificial intelligence algorithms in combination with learned rules and relationships **126**, process metric information **132**, and the number of new problematic or potentially-problematic transactions resulting from the new keywords to make this determination.

As illustrated by blocks **452**, **454**, and **456**, respectively, one embodiment of the artificial intelligence application **122** determines either that the new keywords will: (1) have no (or at least no noticeable) impact to the capacity of the current system; (2) have only a manageable impact to the capacity of the current system; or (3) have an unmanageable impact to the capacity of the system (i.e., it will put the system in an unmanageable overcapacity situation). As represented by block **460**, for keywords that are determined to have no impact to capacity, or only a manageable impact to capacity, the keywords are added by the processing system **112** to the keyword datastore **124** and used in the transaction monitoring process **200** illustrated in Figure 2. As represented by block **465**, if the artificial intelligence application **122** determines that the addition of one or more new keywords will have an unmanageable impact to the capacity of the current transaction monitoring system **110**, then steps are taken to address and/or provide notice of the unmanageable impact. For example, in one embodiment, a temporary request for keyword exceptions is made and the appropriate personnel are notified of the anticipated capacity issues, so that the issues can be addressed with an increase in resources, such as human verifiers **116**, or other system and/or process changes. In one embodiment, the

artificial intelligence application **122** employs an avatar for this purpose and displays the avatar on the screen of an appropriate user terminal to provide notice of the anticipated issues and/or suggested process or system changes to address the anticipated issues.

As represented by block **470**, in one embodiment one or more human verifiers **116** use one or more verifier terminals **114** to randomly check the capacity-impact determinations made by the artificial intelligence application **122**. The verifier terminals **114** may then be configured to provide feedback to the artificial intelligence application **122** to help the artificial intelligence application **122** learn.

While certain exemplary embodiments have been described and shown in the accompanying drawings, it is to be understood that such embodiments are merely illustrative of and not restrictive on the broad invention, and that this invention may not be limited to the specific constructions and arrangements shown and described, since various other changes, combinations, omissions, modifications and substitutions, in addition to those set forth in the above paragraphs, are possible. Those skilled in the art will appreciate that various adaptations and modifications of the just described embodiments can be configured without departing from the scope and spirit of the invention. Therefore, it is to be understood that, within the scope of the appended claims, the invention may be practiced other than as specifically described herein.

WHAT IS CLAIMED IS:

1. A system for monitoring financial transactions, the system comprising:
a processing device configured to:
receive transaction information about a plurality of past financial transactions;
receive result information about whether each of the plurality of past financial transactions was determined to be associated with one or more of a plurality of entities whose financial transactions should be specially handled;
determine relationships between the transaction information and the result information; and
use the relationships to determine whether a financial transaction is associated with one or more of the plurality of entities and should be specially handled.
2. The system of claim 1, further comprising:
a communication device operatively coupled to the processing device, wherein the processing device is further configured to use the communication device to notify a person, entity, or device about whether, based on the relationships, the financial transaction is associated with one or more of the plurality of entities and should be specially handled.
3. The system of claim 1, further comprising:
a communication device operatively coupled to the processing device, wherein the processing device is further configured to use the communication device to notify a person, entity, or device to hold, block, or reject the financial transaction based on a determination that the financial transaction is associated with one or more of the plurality of entities and should be specially handled.
4. The system of claim 1, wherein the processing device is further configured to:

hold, block, or reject the financial transaction based on a determination that the financial transaction is associated with one or more of the plurality of entities and should be specially handled.

5. The system of claim 1, wherein the processing device is configured to use the relationships to determine a score that indicates a likelihood that the financial transaction is associated with one or more of the plurality of entities and should be specially handled.

6. The system of claim 5, wherein the processing device is configured to specially handle the financial transaction if the score falls on a predefined side of a score threshold.

7. The system of claim 1, wherein the processing device is further configured to:

receive information about a human determination about whether the financial transaction is associated with one or more of the plurality of entities and should be specially handled; and

use the information about the human determination to update the relationships between the transaction information and the result information.

8. The system of claim 1, wherein the processing device is further configured to:

use its determination about whether the financial transaction is associated with one or more of the plurality of entities and should be specially handled to update the relationships between the transaction information and the result information.

9. The system of claim 1, wherein the processing device is configured to use the relationships to rank a plurality of financial transactions based at least partially on a likelihood that each of the plurality of financial transactions is associated with one or more of the plurality of entities.

10. The system of claim 9, wherein the processing device is configured to handle each of the plurality of financial transactions based at least partially on the ranking of the plurality of financial transactions.

11. The system of claim 1, further comprising:
a memory device having a plurality of keywords stored therein, wherein the plurality of keywords are associated with the plurality of entities whose transactions should be specially handled, and

wherein the processing device is further configured to:

determine whether information about the financial transaction includes one or more of the plurality of keywords,

allow the financial transaction to be handled in a standard manner, if the information about the financial transaction does not include one or more of the plurality of keywords, and

use the relationships to determine whether the financial transaction is associated with one or more of the plurality of entities and should be specially handled, if the information about the financial transaction includes one or more of the plurality of keywords.

12. The system of claim 1, further comprising:
a memory device comprising an artificial intelligence application stored therein, the artificial intelligence application comprising computer-executable code for performing an artificial intelligence algorithm,

wherein the processing device is configured to:

execute the computer-executable code to determine the relationships between the transaction information and the result information and use the relationships to determine whether future financial transactions are associated with one or more of the plurality of entities.

13. The system of claim 1, wherein the result information comprises information about determinations made or verified by humans about whether each of the plurality of past financial transactions was determined to be associated with one or more of a plurality of entities whose financial transactions should be specially handled.

14. The system of claim 1, wherein the plurality of entities comprises entities identified by a governing body as entities whose financial transactions should be blocked, held, rejected, or reported.

15. A system for monitoring transactions, the system comprising:
a communication interface configured to receive information about each transaction of a plurality of transactions;
a memory device having a plurality of keywords and an artificial intelligence application stored therein, wherein the plurality of keywords are associated with a plurality of entities whose transactions are to be specially handled; and
a processor configured to:
identify a first group of transactions from the plurality of transactions where the information about each transaction of the first group of transactions includes at least one of the plurality of keywords; and
use the artificial intelligence application to determine that one or more transactions in the first group of transactions are associated with one or more of the plurality of entities.

16. The system of claim 15, wherein the processor is further configured to:
provide an indication that the one or more transactions in the first group of transactions determined to be associated with one or more of the plurality of entities are to be specially handled.

17. The system of claim 15, wherein the artificial intelligence application comprises an algorithm selected from the group consisting of a neural network algorithm, statistical classification algorithm, machine learning algorithm, Bayesian network

algorithm, or swarm intelligence algorithm, and wherein the processor is configured to use the algorithm to determine that one or more transactions in the first group of transactions are associated with one or more of the plurality of entities.

18. The system of claim 15, wherein the plurality of keywords comprise names provided by a rulemaking entity, wherein the names are names of entities suspected of engaging in illegal or undesirable activity.

19. The system of claim 18, wherein the rulemaking entity comprises a division of a country's governing body.

20. The system of claim 1, wherein the keywords comprise the United States Office of Foreign Assets Control's Specially Designated Nationals list.

21. A method for monitoring financial transactions, the method comprising:
receiving transaction information about a plurality of past financial transactions;
receiving result information about whether each of the plurality of past financial transactions was determined to be associated with one or more of a plurality of entities whose financial transactions should be specially handled;

using a processor to determine relationships between the transaction information and the result information;

using a processor to determine, based on the relationships, that a pending financial transaction is associated with one or more of the plurality of entities and should be specially handled; and

specially handling the pending financial transaction.

22. The method of claim 21, wherein specially handling the pending financial transaction comprises:

notifying a person, entity, or device that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled.

23. The method of claim 21, wherein specially handling the pending financial transaction comprises:

notifying a person, entity, or device to hold, block, or reject the pending financial transaction.

24. The method of claim 21, wherein specially handling the pending financial transaction comprises:

holding, blocking, or rejecting the pending financial transaction.

25. The method of claim 21, wherein using a processor to determine, based on the relationships, that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled comprises:

using the processor to determine, based on the relationships, a score that indicates a likelihood that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled; and

determining that the score falls on a predefined side of a score threshold.

26. The method of claim 21, further comprising:

receiving information about a human determination that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled; and

using the information about the human determination to update the relationships between the transaction information and the result information.

27. The method of claim 21, further comprising:

using a processor to update the relationships between the transaction information and the result information based on the determination that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled.

28. The method of claim 21, wherein using a processor to determine, based on the relationships, that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled comprises:

using the processor to rank, based on the relationships, a plurality of pending financial transactions based at least partially on a likelihood that each of the plurality of pending financial transactions is associated with one or more of the plurality of entities; and

handling the plurality of pending financial transactions based at least partially on rankings.

29. A computer program product for monitoring financial transactions, the computer program product comprising a computer-readable medium having computer-executable program code stored therein, the computer-executable program code comprising:

a first executable code portion configured to receive transaction information about a plurality of past financial transactions;

a second executable code portion configured to receive result information about whether each of the plurality of past financial transactions was determined to be associated with one or more of a plurality of entities whose financial transactions should be specially handled;

a third executable code portion configured to determine relationships between the transaction information and the result information;

a fourth executable code portion configured to determine, based on the relationships, that a pending financial transaction is associated with one or more of the plurality of entities and should be specially handled.

30. The computer program product of claim 29, further comprising:
an executable code portion configured to hold, block, or reject the pending financial transaction.


31. The computer program product of claim 29, further comprising:

an executable code portion configured to receive information about a human determination that the pending financial transaction is associated with one or more of the plurality of entities and should be specially handled; and

an executable code portion configured to use the information about the human determination to update the relationships between the transaction information and the result information.

32. The computer program product of claim 29, wherein the fourth executable code portion further comprises:

an executable code portion configured to rank, based on the relationships, a plurality of pending financial transactions based at least partially on a likelihood that each of the plurality of pending financial transactions is associated with one or more of the plurality of entities.

**FIG. 1**





FIG. 2

**FIG. 3**




FIG. 4

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US 10/22038

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - G06Q 40/00 (2010.01)

USPC - 705/35

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

USPC: 705/35

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
705/1; 700/1, 90; 706/45-47

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

USPTO WEST (PGPB, USPT, EPAB, JPAB); GOOGLE

Search Terms Used: prevent, reject, stop, prohibit, freeze, hold, OFAC, fraud, terrorism, illegal, regulate, detect, keyword, monitor, track, financial, transaction, foreign, asset, government, organization, entity

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X --- Y	US 2003/0233319 A1 (LAWRENCE) 18 December 2003 (18.12.2003), entire document, especially para [0050], [0061]-[0063], [0074]-[0076], [0079]	15-20 ----- 1-14, 21-32
Y	US 2006/0293981 A1 (MCNELLEY et al.) 28 December 2006 (28.12.2006), entire document, especially para [0005], [0010], [00025]-[0038], [0049]-[0050]	1-14, 21-32
A	US 2008/0114670 A1 (FRIESEN) 15 May 2008 (15.05.2008)	1-32
A	US 2008/0040275 A1 (PAULSEN et al.) 14 February 2008 (14.02.2008)	1-32
A	US 2007/0220604 A1 (LONG) 20 September 2007 (20.09.2007)	1-32

☐ Further documents are listed in the continuation of Box C.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

25 February 2010 (25.02.2010)

Date of mailing of the international search report

08 MAR 2010

Name and mailing address of the ISA/US

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents

P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-3201

Authorized officer:

Lee W. Young

PCT Helpdesk: 571-272-4300

PCT OSP: 571-272-7774