US00D697256S

(12) United States Design Patent

Conway et al.

(10) Patent No.: US D697,256 S
(45) Date of Patent: ** Jan. 7, 2014

(54) **HEADLAMP DIRECTION INDICATOR REFLECTOR**

(71) Applicants: **Scott M. Conway**, Flower Mound, TX (US); **Steven H. Hovind**, Bellevue, WA (US); **Wallace A. Peltola**, Sammamish, WA (US); **Vladimir Kolář**, Mohelnice (CZ)

(72) Inventors: **Scott M. Conway**, Flower Mound, TX (US); **Steven H. Hovind**, Bellevue, WA (US); **Wallace A. Peltola**, Sammamish, WA (US); **Vladimir Kolář**, Mohelnice (CZ)

(73) Assignee: **PACCAR Inc**, Bellevue, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/449,076**

(22) Filed: **Mar. 14, 2013**

(51) **LOC (10) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/139**

(58) **Field of Classification Search**
USPC D26/28–36, 139; 362/459–468, 362/475–478, 485–487
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D414,571	S		9/1999	Schneider	
D499,202	S	*	11/2004	Tsai	D26/139
D506,842	S		6/2005	Nagura	
D507,362	S		7/2005	Minami	
D513,644	S	*	1/2006	Ruzicka et al.	D26/139
D544,641	S	*	6/2007	Elwell et al.	D26/139
D576,765	S	*	9/2008	Song et al.	D26/139
D595,895	S	*	7/2009	Lamm	D26/139
D604,893	S	*	11/2009	Woolley et al.	D26/139
D608,498	S	*	1/2010	Beigel et al.	D26/139
D686,774	S	*	7/2013	McCabe et al.	D26/139

* cited by examiner

Primary Examiner — Marcus Jackson
(74) *Attorney, Agent, or Firm* — Christensen O'Connor Johnson Kindness PLLC

(57) **CLAIM**

The ornamental design for a headlamp direction indicator reflector, as shown and described.

DESCRIPTION

FIG. **1** is a front perspective view of a headlamp direction indicator reflector according to our new design;

FIG. **2** is a front elevational view of the headlamp direction indicator reflector of FIG. **1**;

FIG. **3** is a top plan view of the headlamp direction indicator reflector of FIG. **1**; and,


FIG. **4** is a right side view of the headlamp direction indicator reflector of FIG. **1**.

The rear of the headlamp direction indicator reflector is unornamented.

FIGS. **1-4** illustrate a first embodiment of our novel design suitable for use on the right side of a vehicle. Our novel design also includes a second embodiment suitable for use on the left side of a vehicle, which is mirrored symmetrical to FIGS. **1-4** and therefore not separately illustrated.

The broken lines shown in the drawings illustrate portions of the headlamp direction indicator reflector that form no part of the claimed design.

1 Claim, 4 Drawing Sheets






Fig. 1.




Fig. 2.




Fig. 3.




Fig. 4.