US00RE45799E

(19) **United States**

(12) **Reissued Patent**

Arreola

(10) **Patent Number: US RE45,799 E**

(45) **Date of Reissued Patent: Nov. 10, 2015**

(54) **CONTENT ALERT UPON AVAILABILITY FOR INTERNET-ENABLED TV**

(71) Applicant: **Orlando Arreola**, San Diego, CA (US)

(72) Inventor: **Orlando Arreola**, San Diego, CA (US)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(21) Appl. No.: **13/759,351**

(22) Filed: **Feb. 5, 2013**

Related U.S. Patent Documents

Reissue of:

(64) Patent No.: **8,312,055**
Issued: **Nov. 13, 2012**
Appl. No.: **12/813,919**
Filed: **Jun. 11, 2010**

(51) **Int. Cl.**
G06F 17/30 (2006.01)
H04L 29/08 (2006.01)
G06F 19/00 (2011.01)

(52) **U.S. Cl.**
CPC ***H04L 67/10*** (2013.01); ***G06F 17/30011*** (2013.01); *G06F 17/30386* (2013.01); *G06F 19/322* (2013.01)

(58) **Field of Classification Search**
CPC H04L 67/10; G05B 15/02; F24F 11/0009; G06F 19/322
USPC 707/802–803, 805, 613; 709/201, 203, 709/206, 213, 217; 340/539.1, 546; 715/753, 758; 455/567; 345/710
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,444,433	A *	8/1995	Gropper	340/601
5,635,980	A *	6/1997	Lin et al.	725/131
5,986,650	A	11/1999	Ellis et al.	
7,219,153	B1	5/2007	Day	
8,144,006	B2 *	3/2012	Thomas	340/539.1
8,260,795	B2	9/2012	Park et al.	
8,312,055	B2 *	11/2012	Arreola	707/802
2003/0061611	A1	3/2003	Pendakur	
2004/0061716	A1 *	4/2004	Cheung et al.	345/710
2004/0082345	A1 *	4/2004	Lueckhoff	455/456.3
2004/0162879	A1 *	8/2004	Arcuri et al.	709/206
2004/0266491	A1 *	12/2004	Howard et al.	455/567
2005/0028106	A1 *	2/2005	Nelson et al.	715/753
2005/0165739	A1	7/2005	Yamamoto et al.	
2006/0161853	A1 *	7/2006	Chen et al.	715/758
2007/0244902	A1	10/2007	Seide et al.	
2008/0059995	A1 *	3/2008	Shanks et al.	725/32

(Continued)

FOREIGN PATENT DOCUMENTS

CN	101523390	9/2009
JP	2005509229	4/2005
JP	2006229998	8/2006
KR	20100085601	7/2010
KR	20110002362	1/2011
WO	03083723	10/2001
WO	03/041410	5/2003
WO	2008045305	4/2008

OTHER PUBLICATIONS

Digital Video Brodcasting Organization, "tm-cbms1758 Thomson Content availability notification use cases", CH-1218 Grand Saconnex, Geneva—Switzerland. Aug. 24, 2006.


Primary Examiner — Frantz Coby

(74) *Attorney, Agent, or Firm* — John L. Rogitz

(57) **ABSTRACT**

The user of an Internet-enabled CE device such as an Internet protocol TV (IPTV) can enter search terms describing desired Internet-sourced programs, and Internet channels are monitored to detect when the desired programs become available. When a desired program is detected an alert appears on screen, which can be selected to navigate to a current alert user interface (UI) from which detected desired programs can be selected for presentation.

20 Claims, 4 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0077673	A1*	3/2008	Thomas	709/206
2008/0127271	A1	5/2008	Zriny et al.	
2009/0043786	A1	2/2009	Schmidt et al.	
2009/0063649	A1	3/2009	Yamagishi	
2009/0150925	A1	6/2009	Henderson	
2009/0249400	A1	10/2009	Carlberg	
2010/0009651	A1*	1/2010	Daly et al.	455/404.1
2010/0176943	A1*	7/2010	Snell	340/540
2011/0153754	A1*	6/2011	Gunasekara	709/206
2011/0197223	A1*	8/2011	Ravula	725/33

* cited by examiner



12
14
DEVICE HOUSING
28
TV TUNER
18
VIDEO DISPLAY
20
SPEAKER(S)
26
USER INPUT DEVICE
16
PROCESSOR
30
NETWORK INTERFACE
22
RANDOM ACCESS MEMORY
24
FLASH
27
REMOTE CONTROL
CONTENT SERVER N
34
34a
34b
CONTENT SERVER 1
32
MANAGEMENT SERVER
32b
32a

FIG. 1



12A
14A
DEVICE HOUSING
DISPLAY
SPEAKER(S)
USER INPUT DEVICE
RANDOM ACCESS MEMORY
PROCESSOR
TV TUNER
FLASH
NETWORK INTERFACE
30a
INTERNET LINK MODULE
36

FIG. 2



PREFERENCE INPUT USER INTERFACE
18
WHAT DO YOU WANT?
38
CATEGORY
SPORTS
DRAMA
MOVIES
NAME
KEYWORD(S)

FIG. 3



18
ALERT SCREEN
REGULAR PROGRAMMING
40

FIG. 4



18
ALERT BROWSE
USER INTERFACE
42
YOUR CURRENT ALERTS
YANKEES GAME ON ALL SPORTS
RUSSEL CROWE FILM ON MOVIES
DELETE?
KEEP ALERTS FOR ___ DAYS

FIG. 5



44
RECEIVE USER PREFERENCES/ KEYBOARDS
46
PERIODICALLY CONTACT (PUSH OR PULL) CONTENT SERVERS
48
SEARCH PROGRAM METADATA FROM CONTENT SERVERS USING PREFERENCES/ KEYBOARDS
50
MATCH ?
NO
YES
52
DISPLAY ALERT ICON ON SCREEN; AUDIBLE ALARM
54
ADD NAME(S) OF MATCHING PROGRAM(S) TO "CURRENT ALERTS"
56
DELETE ALERT ENTRY AT EXPIRATION, OR ON USER COMMAND, OR WHEN SELECTED

FIG. 6
LOGIC

CONTENT ALERT UPON AVAILABILITY FOR INTERNET-ENABLED TV

Matter enclosed in heavy brackets [ ] appears in the original patent but forms no part of this reissue specification; matter printed in italics indicates the additions made by reissue; a claim printed with strikethrough indicates that the claim was canceled, disclaimed, or held invalid by a prior post-patent action or proceeding.

FIELD OF THE INVENTION

The present application relates generally to alerting users of Internet-enabled TVs when desired Internet content becomes available.

BACKGROUND OF THE INVENTION

Internet access through TVs is typically provided by essentially programming the TV as though it were a computer executing a browser. Such Internet access is thus uncontrolled except as a firewall or filtering program might block certain sites.

As understood herein, uncontrolled Internet access may not be desirable in the context of a TV. A firewall or filtering program may not always be installed on the TV and even when one is installed, access remains much more uncontrolled than conventional TV programming traditionally has expected. Also, a locally installed filter can be unloaded or defeated by a user.

Accordingly, uncontrolled Internet access has several drawbacks. From a viewer's standpoint, exposure to inappropriate subject matter particularly when young viewers are watching is one concern; a much lower threshold of quality screening is another. That is, while many TV shows might not be widely considered as "quality" shows, nonetheless a TV program is usually much more selectively screened than, say, an Internet video. The expectations of TV viewers for such higher level quality screening as a consequence cannot be met by simply providing unfettered Internet access through the TV. Furthermore, TV-related entities, from content providers, manufacturers, and carriers, in most cases derive no benefit from the extension of TV to the Internet.

As further recognized herein, even in a structured and controlled Internet Protocol TV (IPTV) system the Internet content will change constantly and can also grow. Unlike televised content, however, IPTV systems may not provide electronic program guides (EPGs) for Internet content or may not update such guides quickly enough to account for rapidly changing Internet programming. Thus, a user can more easily miss a desired Internet-sourced program.

Furthermore, a desired Internet-sourced program may be difficult to find in the first place, requiring Internet-type searching on the part of the user. Searching, however, is effective only for locating current content, not future content.

SUMMARY OF THE INVENTION

Accordingly, a CE device includes a housing, a display on the housing, a network interface, and a processor in the housing controlling the display and communicating with the Internet through the network interface. The processor executes logic that includes receiving user preferences and/or keywords via a user interface (UI) presented on the display and periodically communicating with one or more content servers via the network interface to retrieve program metadata of audio video content. Further, the logic includes searching the program metadata received from the content servers using the preferences/keywords. Responsive to a determination that a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords, the logic presents on the display a visual alert and/or presenting on the speaker an audible alert indicative of a match to indicate to a user that new content conforming to the preferences and/or keywords is available for play on the CE device.

In some embodiments the logic further includes, responsive to a determination that a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords, adding a name of a program found to match on a "current alert" list and presenting the current alert list upon invocation thereof on the display.

If desired, an entry on the current list may be deleted at the elapse of the user-defined expiration period, upon user command to delete, and/or when the entry is selected from list for play.

The CE device can initiate communication with the content servers to access the metadata. Or, the CE device can wait until a content server that has updated the content available communicates new metadata to the CE device. The preferences/keywords can be uploaded to the content server which performs search and match logic and return an indication thereof to the CE device.

In another aspect, an apparatus includes a housing, a display on the housing, a speaker, a network interface, and a processor in the housing controlling the display and speaker and communicating with the Internet through the network interface. The processor executes logic that includes presenting on the display a user preferences and/or keywords entry user interface (UI) and responsive to a determination that content satisfying the user preferences and/or keywords which was not available at the time of entering the user preferences and/or keywords has become available at an Internet server, presenting on the display an alert icon to indicate the availability of content. Responsive to an invocation of a current alert UI, a UI listing a name of the content in a current list is presented on the display. The current alert UI is usable to select the content for presentation on the display.

In another aspect, a method includes receiving from a user of an Internet-enabled CE device search terms describing desired Internet-sourced programs. The method also includes monitoring at least one Internet source to detect when the desired programs become available, and responsive to a determination that a desired program is detected, generating a signal representative thereof useful for presenting an alert on a screen of the device.

The details of the present invention, both as to its structure and operation, can best be understood in reference to the accompanying drawings, in which like reference numerals refer to like parts, and in which:

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. **1** is a block diagram of an example system in accordance with present principles;

FIG. **2** is a block diagram of another example system in accordance with present principles;

FIG. **3** is a screen shot of an example user interface (UI) for inputting Internet Protocol TV (IPTV) viewing preferences from the Internet;

FIG. **4** is a screen shot of an example content alert;

FIG. **5** is a screen shot of an example Current Alert UI; and

FIG. **6** is a flow chart of example logic in accordance with present principles.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

Referring initially to FIG. **1**, a consumer electronics (CE) device **12** such as a TV, game player, video disk player, camera, digital clock radio, mobile telephone, personal digital assistant, laptop computer, etc. includes a portable lightweight plastic housing **14** bearing a digital processor **16**. The processor **16** can control a visual display **18** and an audible display **20** such as one or more speakers.

To undertake present principles, the processor **16** may access one or more computer readable storage media such as but not limited to RAM-based storage **22** (e.g., a chip implementing dynamic random access memory (DRAM)) or flash memory **24**. Software code implementing present logic executable by the CE device **12** may be stored on one of the memories shown to undertake present principles.

The processor **16** can receive user input signals from various input devices, including a keypad **26**, a remote control device **27**, a point and click device such as a mouse, a keypad, etc. A TV tuner **28** may be provided in some implementations particularly when the CE device is embodied by a TV to receive TV signals from a source such as a set-top box, satellite receiver, cable head end, terrestrial TV signal antenna, etc. Signals from the tuner **28** are sent to the processor **16** for presentation on the display **18** and speakers **20**.

As shown in FIG. **1**, a network interface **30** such as a wired or wireless modem or wireless telephony transceiver communicates with the processor **16** to provide connectivity to a management server **32** on the Internet and to one or more content servers **34**. The servers **32**, **34** have respective processors **32**a, **34**a and respective computer readable storage media **32**b, **34**b. It is to be understood in view of disclosure below that the CE device **12** particularly when implemented by a non-PC device such as a TV or game console or camera can communicate only with the management server **32** and with content servers **34** that appear on a service list provided to the processor **16** by the management server **32**, with the service list not being modifiable by the processor **16**. In any case, the content servers **34** are participants in the IPTV system to gain entry onto the service list.

FIG. **2** shows a CE device **12**a that in all essential respects is identical to the device **12** shown in FIG. **1**, except that a network interface **30**a is not located within the device housing **14**a but instead is supported in a separate Internet link module housing **36** that may be mounted on the device housing **14**a.

Now referring to FIGS. **3-5**, various screen shots that can be presented on the display **18** in example embodiments are shown. A preference entry user interface (UI) **38** is shown in FIG. **3** may include, as shown, a category entry field. A user may manipulate one of the above-described input devices to enter the text of a desired category, e.g., "sports", and/or a user can simply click on the category field to cause a drop-down menu of categories to be displayed as shown, from which menu a category may be selected.

Additionally, a program name field may be provided as shown, into which a user may enter the name of a particular program, e.g., "Yankees Game". Further, a keyword field may be provided into which a user may enter keywords such as "victory" or "Jeter homerun" to further narrow subsequent searching for a desired program. The user preference entries are saved in one of the above-disclosed memory devices.

Based on the preferences, search logic is executed and example logic is described further below. Upon detection of a desired program from an Internet source, FIG. **4** shows that a visual alert icon **40** is presented in the display **18**. An audible alert such as a beep or other audible alarm may also be presented on the speakers **20** to indicate the detection of a desired program on the Internet. In the non-limiting example shown, the alert icon **40** is an exclamation mark, although other visual alerts, including text descriptions of detected desired programs displayed near, e.g., the bottom of the screen may be used.

FIG. **5** shows that responsive to a user clicking on or hovering over the icon **40**, a current alert UI **42** may be presented on the display **18**. The current alert UT **42** may also be navigated to from another TV menu. In any case, the current alert UI **42** lists desired programs which were searched for and found on one of the content servers **34** responsive to preference search terms input using the UI **38** of FIG. **3**.

If desired, the UI **42** in FIG. **5** may also present an option, selectable by the user, to delete an entry by, e.g., highlighting the entry using one of the user input devices described above and pressing "Y" or some other designated key to indicate that the highlighted alert or alerts should be deleted. The UI **42** may also include an expiration field into which a number of days (or hours, or weeks, etc.) may be entered by the user for maintaining a detected program in the current alert UI **42**, after which period a detected program is removed from the list. Still further, a program may be automatically removed from the list once selected (as by clicking on it) for presentation on the CE device **12**.

Now referring to FIG. **6**, at block **44** the user preferences and/or keywords are received via, e.g., the UI **38** of FIG. **3**. Block **46** indicates that the CE device **12** periodically communicates with one or more of the content servers **34** to retrieve metadata of program content. In some embodiments, the CE device **12** may initiate the communication ("pull"). In other embodiments, the CE device **12** may wait until a content server **34** that has updated the content available through the IPTV system in which the content server **34** is participating communicates new metadata to the CE device **12** ("push").

Proceeding to block **48**, the CE device **12** searches the program metadata received from the content servers using the preferences/keywords received at block **44**. It is to be understood that alternatively, the preferences/keywords can be provided to the content servers **34**, which perform the search and match logic and return an indication thereof to the CE device **12**.

Decision diamond **50** indicates that as a result of the search at block **48**, the CE device **12** determines whether a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords received at block **44**. If a match exists, at block **52** an alert such as the icon **40** in FIG. **4** is presented on the display **18**, and if desired or alternatively an audible alert is played on the speakers **20**. Also in the event of a match, the names of any matching programs found at states **48** and **50** are added at block **54** to the "current alert" list shown in FIG. **5**. Should the user select the icon **40**, the UI **42** of FIG. **5** may be presented to give the user a fuller understanding of what desired program has been discovered and is ready for play. Block **56** simply indicates that alert entries may be deleted at the elapse of the user-defined expiration period, and/or upon user command to delete, and/or when the entry is selected from list in FIG. **5** for play.

Alternative to clicking on the "alert" icon **40** to select content, a predeterminedley on, e.g., the RC **27** (such as "enter" or "return") may be toggled to select newly available Internet-sourced content for play. If desired, an autofill feature may be provided such that during the input of prefer-

ences, the CE device **12** makes suggestions of potential preferences or automatically fills the preference field based on the first few letters input by the user. After a predetermined period of time from its appearance, the icon **40** preferably is removed from view on the display **18**. Also, the CE device **12** may provide for individual user login, in which case the search results based on a particular user's preferences/keywords are kept separate from those pertaining to other users. The UI **42** of FIG. **5** in this embodiment presents only program matches for the particular user who last logged in and is assumed to be the current user.

While the particular CONTENT ALERT UPON AVAILABILITY FOR INTERNET-ENABLED TV is herein shown and described in detail, it is to be understood that the subject matter which is encompassed by the present invention is limited only by the claims.

What is claimed is:

1. Consumer electronics (CE) device comprising:
housing;
display on the housing;
audio speaker;
network interface;
processor controlling the display and speaker and communicating with the Internet through the network interface;
the processor executing logic including:
receiving user preferences and/or keywords via a user interface (UI) presented on the display;
periodically communicating with one or more content servers via the network interface to retrieve program metadata of audio video content;
searching the program metadata received from the content servers using the preferences/keywords;
responsive to a determination that a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords, presenting on the display a visual alert and/or presenting on the speaker an audible alert indicative of a match to indicate to a user that new content conforming to the preferences and/or keywords is available for play on the CE device.

2. The CE device of claim **1**, wherein the logic further includes, responsive to a determination that a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords, adding a name of a program found to match on a "current alert" list and presenting the current alert list upon invocation thereof on the display.

3. The CE device of claim **1**, wherein the logic further comprises deleting an entry on the current list at the elapse of a user-defined expiration period.

4. The CE device of claim **1**, wherein the logic further comprises deleting an entry on the current list upon user command to delete.

5. The CE device of claim **1**, wherein the logic further comprises deleting an entry on the current list when the entry is selected from list for play.

6. The CE device of claim **1**, wherein the logic further comprises initiating communication with the content servers to access the metadata.

7. The CE device of claim **1**, wherein the logic further comprises waiting until a content server that has updated the content available communicates new metadata to the CE device.

8. The CE device of claim **1**, wherein the logic further comprises providing preferences/keywords to the content server which performs search and match logic and return an indication thereof to the CE device.

9. Apparatus comprising:
housing;
display on the housing;
audio speaker;
network interface;
processor controlling the display and speaker and communicating with the Internet through the network interface;
the processor executing logic including:
presenting on the display a user preferences and/or keywords entry user interface (UI);
responsive to a determination that content satisfying the user preferences and/or keywords which was not available at the time of entering the user preferences and/or keywords has become available at an Internet server, presenting on the display an alert icon to indicate the availability of content; and
responsive to an invocation of a current alert UI, presenting on the display a UI listing a name of the content in a current list, the current alert UI being usable to select the content for presentation on the display.

10. The apparatus of claim **9**, wherein the logic further includes:
periodically communicating with one or more content servers via the network interface to retrieve program metadata of audio video content;
searching the program metadata received from the content servers using the preferences/keywords; and
responsive to a determination that a match exists between the metadata of an Internet-sourced piece of content and the preferences/keywords, presenting on the display the visual alert and presenting on the speaker an audible alert indicative of a match to indicate to a user that new content conforming to the preferences and/or keywords is available for play on the apparatus.

11. Apparatus of claim **10**, wherein the logic further comprises deleting an entry on the current list at the elapse of a user-defined expiration period.

12. Apparatus of claim **10**, wherein the logic further comprises deleting an entry on the current list upon user command to delete.

13. Apparatus of claim **10**, wherein the logic further comprises deleting an entry on the current list when the entry is selected from list for play.

14. Apparatus of claim **10**, wherein the logic further comprises initiating communication with the content servers to access the metadata.

15. Apparatus of claim **10**, wherein the logic further comprises waiting until a content server that has updated the content available communicates new metadata to the apparatus.

16. Method comprising:
receiving from a user of an Internet-enabled consumer electronics (CE) device search terms describing desired Internet-sourced programs;
monitoring at least one Internet source to detect **[**when**]** *if* the desired programs become available; and
responsive to a determination that a desired program is detected, generating a signal representative thereof useful for presenting **[**an alert**]** *a corresponding message* on a screen of **[**the**]** *a* device *of the user*.

17. The method of claim **16**, wherein the method is executed by an Internet server.

18. The method of claim **16**, wherein the method is executed by the CE device and the method further includes:
responsive to selection of the alert, presenting on the screen a current alert user interface (UI); and

responsive to selection of an entry on the current alert UI, playing content underlying the entry on the device.

19. The method of claim **18**, further comprising:

periodically communicating with one or more content servers via a network interface to retrieve program metadata of audio video content; and

searching the program metadata received from the content servers using user-entered preferences and/or keywords describing the desired Internet-sourced programs.

20. The method of claim **17**, deleting an entry at the elapse of a user-defined expiration period and/or when the entry is selected for play.

* * * * *