



(12) **United States Design Patent** (10) **Patent No.:** **US D899,671 S**  
**Harjunpää** (45) **Date of Patent:** **\*\* Oct. 20, 2020**

- (54) **LIGHT DIFFUSER**  
(71) Applicant: **Ledil Oy**, Salo (FI)  
(72) Inventor: **Kimmo Harjunpää**, Halikko (FI)  
(73) Assignee: **LEDIL OY**, Salo (FI)  
(\*\*) Term: **15 Years**  
(21) Appl. No.: **29/695,457**  
(22) Filed: **Jun. 19, 2019**  
(30) **Foreign Application Priority Data**

Dec. 19, 2018 (EM) ..... 005930021-0002

- (51) **LOC (12) Cl.** ..... **26-05**  
(52) **U.S. Cl.** ..... **D26/118**  
USPC ..... **D26/118**  
(58) **Field of Classification Search**  
USPC .... D26/24, 76, 88, 113, 118, 119, 120, 122,  
D26/133, 138; 362/217.01, 217.1, 217.2,  
362/317, 325, 362  
CPC ..... F21V 15/01; F21V 15/02; F21V 15/012;  
F21V 1/00; F21V 1/12; F21V 1/14; F21V  
1/143; F21V 3/00; F21V 3/02; F21V  
3/049; F21V 3/061; F21V 13/04; F21Y  
2103/00  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|          |   |   |         |             |       |         |
|----------|---|---|---------|-------------|-------|---------|
| D405,906 | S | * | 2/1999  | Herst       | ..... | D26/118 |
| D418,626 | S | * | 1/2000  | Herst       | ..... | D26/118 |
| D426,338 | S | * | 6/2000  | Herst       | ..... | D26/75  |
| D472,665 | S | * | 4/2003  | Herst       | ..... | D26/113 |
| D472,668 | S | * | 4/2003  | Herst       | ..... | D26/118 |
| D497,024 | S | * | 10/2004 | Herst       | ..... | D26/118 |
| D498,018 | S | * | 11/2004 | Sieczkowski | ..... | D26/118 |

|              |    |   |         |               |       |            |
|--------------|----|---|---------|---------------|-------|------------|
| D541,467     | S  | * | 4/2007  | Gould         | ..... | D26/120    |
| D541,468     | S  | * | 4/2007  | Mayfield, III | ..... | D26/120    |
| D563,036     | S  | * | 2/2008  | Miyairi       | ..... | D26/122    |
| D577,852     | S  | * | 9/2008  | Miyairi       | ..... | D26/120    |
| D605,329     | S  | * | 12/2009 | Watt          | ..... | D26/118    |
| D644,374     | S  | * | 8/2011  | Ferrier       | ..... | D26/118    |
| D644,780     | S  | * | 9/2011  | Jabra         | ..... | D26/120    |
| D704,372     | S  | * | 5/2014  | Speier        | ..... | D26/122    |
| D776,862     | S  | * | 1/2017  | Plourde       | ..... | F21K 9/278 |
| D779,112     | S  | * | 2/2017  | McCanless     | ..... | D26/138    |
| D800,374     | S  | * | 10/2017 | Klus          | ..... | D26/118    |
| D818,633     | S  | * | 5/2018  | Barker        | ..... | D26/118    |
| D862,778     | S  | * | 10/2019 | Antony        | ..... | D26/118    |
| D869,075     | S  | * | 12/2019 | Trzeci ski    | ..... | D26/138    |
| D877,399     | S  | * | 3/2020  | Patti         | ..... | D26/118    |
| 2012/0182713 | A1 | * | 7/2012  | Bretschneider | ..... | F21S 4/28  |
|              |    |   |         |               |       | 362/84     |

\* cited by examiner

*Primary Examiner* — Wan Laymon

*Assistant Examiner* — Clint A Samuel

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye

(57) **CLAIM**

The ornamental design for a light diffuser, as shown and described.

**DESCRIPTION**

FIG. 1 is a bottom plan view of a light diffuser showing the new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a top, front, and side perspective view thereof;


FIG. 4 is a bottom, front, and side perspective view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a side elevation view thereof, wherein the opposite side appears the same in mirror image thereof.

The broken lines shown in the drawings illustrate portions of the light diffuser that from no part of the claimed design.

**1 Claim, 6 Drawing Sheets**






FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6