



- (51) **International Patent Classification:**
A01N 47/18 (2006.01) A01N 43/40 (2006.01)
- (21) **International Application Number:**
PCT/US2015/067201
- (22) **International Filing Date:**
21 December 2015 (21.12.2015)
- (25) **Filing Language:** English
- (26) **Publication Language:** English
- (30) **Priority Data:**
- | | | |
|------------|-------------------------------|----|
| 62/098,089 | 30 December 2014 (30.12.2014) | US |
| 62/098,097 | 30 December 2014 (30.12.2014) | US |
| 62/255,125 | 13 November 2015 (13.11.2015) | US |
| 62/255,131 | 13 November 2015 (13.11.2015) | US |
- (71) **Applicant:** DOW AGROSCIENCES LLC [US/US];
9330 Zionsville Road, Indianapolis, Indiana 46260 (US).
- (72) **Inventors:** YAO, Chenglin; 9330 Zionsville Road, Indianapolis, Indiana 46268 (US). WILMOT, Jeremy; 9330 Zionsville Road, Indianapolis, Indiana 46268 (US). RIGOLI, Jared; 9330 Zionsville Road, Indianapolis, Indiana 46204 (US). MEYER, Kevin G.; 9330 Zionsville Road, Indianapolis, Indiana 46268 (US). LOY, Brian; 9330 Zionsville Road, Indianapolis, Indiana 46268 (US).
- (74) **Agent:** BICKLEY, Patrick M.; Faegre Baker Daniels LLP, 300 North Meridian Street, Suite 2700, Indianapolis, Indiana 46204 (US).

(81) **Designated States** (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AO, AT, AU, AZ, BA, BB, BG, BH, BN, BR, BW, BY, BZ, CA, CH, CL, CN, CO, CR, CU, CZ, DE, DK, DM, DO, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, GT, HN, HR, HU, ID, IL, IN, IR, IS, JP, KE, KG, KN, KP, KR, KZ, LA, LC, LK, LR, LS, LU, LY, MA, MD, ME, MG, MK, MN, MW, MX, MY, MZ, NA, NG, NI, NO, NZ, OM, PA, PE, PG, PH, PL, PT, QA, RO, RS, RU, RW, SA, SC, SD, SE, SG, SK, SL, SM, ST, SV, SY, TH, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, ZA, ZM, ZW.

(84) **Designated States** (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LR, LS, MW, MZ, NA, RW, SD, SL, ST, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, RU, TJ, TM), European (AL, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HR, HU, IE, IS, IT, LT, LU, LV, MC, MK, MT, NL, NO, PL, PT, RO, RS, SE, SI, SK, SM, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, KM, ML, MR, NE, SN, TD, TG).


Declarations under Rule 4.17:

- as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii))
- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii))

Published:

- with international search report (Art. 21(3))

(54) **Title:** PICOLINAMIDE COMPOUNDS WITH FUNGICIDAL ACTIVITY



(I)

(57) **Abstract:** This disclosure relates to picolinamides of Formula I and their use as fungicides.

PICOLINAMIDE COMPOUNDS WITH FUNGICIDAL ACTIVITY

CROSS REFERENCE TO RELATED APPLICATIONS


[0001] This application claims the benefit of U.S. Provisional Patent Application Serial Nos. 62/098089 filed December 30, 2014, 62/098097 filed December 30, 2014, 62/255125 filed November 13, 2015 and 62/255131 filed November 13, 2015, which are expressly incorporated by reference herein.

BACKGROUND & SUMMARY

[0002] Fungicides are compounds, of natural or synthetic origin, which act to protect and/or cure plants against damage caused by agriculturally relevant fungi. Generally, no single fungicide is useful in all situations. Consequently, research is ongoing to produce fungicides that may have better performance, are easier to use, and cost less.

[0003] The present disclosure relates to picolinamides and their use as fungicides. The compounds of the present disclosure may offer protection against ascomycetes, basidiomycetes, deuteromycetes and oomycetes.


[0004] One embodiment of the present disclosure may include compounds of Formula I:



X is hydrogen or C(O)R₅;

Y is hydrogen, C(O)R₅, or Q;

Q is



R₁ and R₁₁ are independently chosen from hydrogen or alkyl, optionally substituted with 0, 1 or multiple R₈;

alternatively, R₁ and R₁₁ may be taken together to form a 3 – 6 membered saturated or partially saturated carbocyclic or heterocyclic ring, optionally substituted with 0, 1 or multiple R₈;

R₂ and R₁₂ are independently chosen from hydrogen, alkyl, aryl, or alkenyl, each optionally substituted with 0, 1 or multiple R₈;

R₃ is methyl;

R₄ is chosen from alkyl, aryl, or acyl, each optionally substituted with 0, 1 or multiple R₈;

R₅ is chosen from alkoxy or benzyloxy, each optionally substituted with 0, 1, or multiple R₈;

R₆ is chosen from hydrogen, alkoxy, or halo, each optionally substituted with 0, 1, or multiple R₈;

R₇ is chosen from hydrogen, –C(O)R₉, or –CH₂OC(O)R₉;

R₈ is chosen from hydrogen, alkyl, aryl, acyl, halo, alkenyl, alkoxy, or heterocyclyl, each optionally substituted with 0, 1, or multiple R₁₀;

R₉ is chosen from alkyl, alkoxy, or aryl, each optionally substituted with 0, 1, or multiple R₈;

R₁₀ is chosen from hydrogen, alkyl, aryl, acyl, halo, alkenyl, alkoxy, or heterocyclyl.

[0005] Another embodiment of the present disclosure may include a fungicidal composition for the control or prevention of fungal attack comprising the compounds described above and a phytolegically acceptable carrier material.

[0006] Yet another embodiment of the present disclosure may include a method for the control or prevention of fungal attack on a plant, the method including the steps of applying a fungicidally effective amount of one or more of the compounds described above to at least one of the fungus, the plant, and an area adjacent to the plant.

[0007] It will be understood by those skilled in the art that the following terms may include generic "R"-groups within their definitions, e.g., "the term alkoxy refers to an –OR substituent". It is also understood that within the definitions for the following terms, these "R" groups are included for illustration purposes and should not be construed as limiting or being limited by substitutions about Formula I.

[0008] The term "alkyl" refers to a branched, unbranched, or saturated cyclic carbon chain, including, but not limited to, methyl, ethyl, propyl, butyl, isopropyl, isobutyl, tertiary butyl, pentyl, hexyl, cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl, and the like.

[0009] The term "alkenyl" refers to a branched, unbranched or cyclic carbon chain containing one or more double bonds including, but not limited to, ethenyl, propenyl, butenyl, isopropenyl, isobutenyl, cyclobutenyl, cyclopentenyl, cyclohexenyl, and the like.

[0010] The term "alkynyl" refers to a branched or unbranched carbon chain containing one or more triple bonds including, but not limited to, propynyl, butynyl, and the like.

[0011] The terms "aryl" and "Ar" refer to any aromatic ring, mono- or bi-cyclic, containing 0 heteroatoms.

[0012] The term "heterocyclyl" refers to any aromatic or non-aromatic ring, mono- or bi-cyclic, containing one or more heteroatoms.

[0013] The term "alkoxy" refers to an –OR substituent.

[0014] The term "acyloxy" refers to an –OC(O)R substituent.

[0015] The term "cyano" refers to a –C≡N substituent.

[0016] The term "hydroxyl" refers to an –OH substituent.

[0017] The term "amino" refers to a –N(R)₂ substituent.

[0018] The term "arylalkoxy" refers to –O(CH₂)_nAr where *n* is an integer selected from the list 1, 2, 3, 4, 5, or 6.

[0019] The term "haloalkoxy" refers to an –OR–X substituent, wherein X is Cl, F, Br, or I, or any combination thereof.

[0020] The term "haloalkyl" refers to an alkyl, which is substituted with Cl, F, I, or Br or any combination thereof.

[0021] The term "halogen" or "halo" refers to one or more halogen atoms, defined as F, Cl, Br, and I.

[0022] The term "nitro" refers to a –NO₂ substituent.

[0023] The term thioalkyl refers to an –SR substituent.

[0024] Throughout the disclosure, reference to the compounds of Formula I is read as also including all stereoisomers, for example diastereomers, enantiomers, and mixtures thereof. In another embodiment, Formula I is read as also including salts or hydrates thereof. Exemplary salts

include, but are not limited to: hydrochloride, hydrobromide, hydroiodide, trifluoroacetate, and trifluoromethane sulfonate.

[0025] It is also understood by those skilled in the art that additional substitution is allowable, unless otherwise noted, as long as the rules of chemical bonding and strain energy are satisfied and the product still exhibits fungicidal activity.

[0026] Another embodiment of the present disclosure is a use of a compound of Formula I, for protection of a plant against attack by a phytopathogenic organism or the treatment of a plant infested by a phytopathogenic organism, comprising the application of a compound of Formula I, or a composition comprising the compound to soil, a plant, a part of a plant, foliage, and/or roots.

[0027] Additionally, another embodiment of the present disclosure is a composition useful for protecting a plant against attack by a phytopathogenic organism and/or treatment of a plant infested by a phytopathogenic organism comprising a compound of Formula I and a phytologically acceptable carrier material.

DETAILED DESCRIPTION

[0028] The compounds of the present disclosure may be applied by any of a variety of known techniques, either as the compounds or as formulations comprising the compounds. For example, the compounds may be applied to the roots or foliage of plants for the control of various fungi, without damaging the commercial value of the plants. The materials may be applied in the form of any of the generally used formulation types, for example, as solutions, dusts, wettable powders, flowable concentrate, or emulsifiable concentrates.

[0029] Preferably, the compounds of the present disclosure are applied in the form of a formulation, comprising one or more of the compounds of Formula I with a phytologically acceptable carrier. Concentrated formulations may be dispersed in water, or other liquids, for application, or formulations may be dust-like or granular, which may then be applied without further treatment. The formulations can be prepared according to procedures that are conventional in the agricultural chemical art.

[0030] The present disclosure contemplates all vehicles by which one or more of the compounds may be formulated for delivery and use as a fungicide. Typically, formulations are applied as aqueous suspensions or emulsions. Such suspensions or emulsions may be produced from water-soluble, water-suspendible, or emulsifiable formulations which are solids, usually

known as wettable powders; or liquids, usually known as emulsifiable concentrates, aqueous suspensions, or suspension concentrates. As will be readily appreciated, any material to which these compounds may be added may be used, provided it yields the desired utility without significant interference with the activity of these compounds as antifungal agents.

[0031] Wettable powders, which may be compacted to form water-dispersible granules, comprise an intimate mixture of one or more of the compounds of Formula I, an inert carrier and surfactants. The concentration of the compound in the wettable powder may be from about 10 percent to about 90 percent by weight based on the total weight of the wettable powder, more preferably about 25 weight percent to about 75 weight percent. In the preparation of wettable powder formulations, the compounds may be compounded with any finely divided solid, such as prophyllite, talc, chalk, gypsum, Fuller's earth, bentonite, attapulgite, starch, casein, gluten, montmorillonite clays, diatomaceous earths, purified silicates or the like. In such operations, the finely divided carrier and surfactants are typically blended with the compound(s) and milled.

[0032] Emulsifiable concentrates of the compounds of Formula I may comprise a convenient concentration, such as from about 1 weight percent to about 50 weight percent of the compound, in a suitable liquid, based on the total weight of the concentrate. The compounds may be dissolved in an inert carrier, which is either a water-miscible solvent or a mixture of water-immiscible organic solvents, and emulsifiers. The concentrates may be diluted with water and oil to form spray mixtures in the form of oil-in-water emulsions. Useful organic solvents include aromatics, especially the high-boiling naphthalenic and olefinic portions of petroleum such as heavy aromatic naphtha. Other organic solvents may also be used, for example, terpenic solvents, including rosin derivatives, aliphatic ketones, such as cyclohexanone, and complex alcohols, such as 2-ethoxyethanol.

[0033] Emulsifiers which may be advantageously employed herein may be readily determined by those skilled in the art and include various nonionic, anionic, cationic and amphoteric emulsifiers, or a blend of two or more emulsifiers. Examples of nonionic emulsifiers useful in preparing the emulsifiable concentrates include the polyalkylene glycol ethers and condensation products of alkyl and aryl phenols, aliphatic alcohols, aliphatic amines or fatty acids with ethylene oxide, propylene oxides such as the ethoxylated alkyl phenols and carboxylic esters solubilized with the polyol or polyoxyalkylene. Cationic emulsifiers include quaternary ammonium compounds and fatty amine salts. Anionic emulsifiers include the oil-soluble salts (e.g., calcium) of alkylaryl

sulfonic acids, oil-soluble salts or sulfated polyglycol ethers and appropriate salts of phosphated polyglycol ether.

[0034] Representative organic liquids which may be employed in preparing the emulsifiable concentrates of the compounds of the present disclosure are the aromatic liquids such as xylene, propyl benzene fractions; or mixed naphthalene fractions, mineral oils, substituted aromatic organic liquids such as dioctyl phthalate; kerosene; dialkyl amides of various fatty acids, particularly the dimethyl amides of fatty glycols and glycol derivatives such as the *n*-butyl ether, ethyl ether or methyl ether of diethylene glycol, the methyl ether of triethylene glycol, petroleum fractions or hydrocarbons such as mineral oil, aromatic solvents, paraffinic oils, and the like; vegetable oils such as soybean oil, rapeseed oil, olive oil, castor oil, sunflower seed oil, coconut oil, corn oil, cottonseed oil, linseed oil, palm oil, peanut oil, safflower oil, sesame oil, tung oil and the like; esters of the above vegetable oils; and the like. Mixtures of two or more organic liquids may also be employed in the preparation of the emulsifiable concentrate. Organic liquids include xylene, and propyl benzene fractions, with xylene being most preferred in some cases. Surface-active dispersing agents are typically employed in liquid formulations and in an amount of from 0.1 to 20 percent by weight based on the combined weight of the dispersing agent with one or more of the compounds. The formulations can also contain other compatible additives, for example, plant growth regulators and other biologically active compounds used in agriculture.

[0035] Aqueous suspensions comprise suspensions of one or more water-insoluble compounds of Formula I, dispersed in an aqueous vehicle at a concentration in the range from about 1 to about 50 weight percent, based on the total weight of the aqueous suspension. Suspensions are prepared by finely grinding one or more of the compounds, and vigorously mixing the ground material into a vehicle comprised of water and surfactants chosen from the same types discussed above. Other components, such as inorganic salts and synthetic or natural gums, may also be added to increase the density and viscosity of the aqueous vehicle.

[0036] The compounds of Formula I can also be applied as granular formulations, which are particularly useful for applications to the soil. Granular formulations generally contain from about 0.5 to about 10 weight percent, based on the total weight of the granular formulation of the compound(s), dispersed in an inert carrier which consists entirely or in large part of coarsely divided inert material such as attapulgite, bentonite, diatomite, clay or a similar inexpensive substance. Such formulations are usually prepared by dissolving the compounds in a suitable solvent and applying it

to a granular carrier which has been preformed to the appropriate particle size, in the range of from about 0.5 to about 3 mm. A suitable solvent is a solvent in which the compound is substantially or completely soluble. Such formulations may also be prepared by making a dough or paste of the carrier and the compound and solvent, and crushing and drying to obtain the desired granular particle.

[0037] Dusts containing the compounds of Formula I may be prepared by intimately mixing one or more of the compounds in powdered form with a suitable dusty agricultural carrier, such as, for example, kaolin clay, ground volcanic rock, and the like. Dusts can suitably contain from about 1 to about 10 weight percent of the compounds, based on the total weight of the dust.

[0038] The formulations may additionally contain adjuvant surfactants to enhance deposition, wetting, and penetration of the compounds onto the target crop and organism. These adjuvant surfactants may optionally be employed as a component of the formulation or as a tank mix. The amount of adjuvant surfactant will typically vary from 0.01 to 1.0 percent by volume, based on a spray-volume of water, preferably 0.05 to 0.5 volume percent. Suitable adjuvant surfactants include, but are not limited to ethoxylated nonyl phenols, ethoxylated synthetic or natural alcohols, salts of the esters or sulfosuccinic acids, ethoxylated organosilicones, ethoxylated fatty amines, blends of surfactants with mineral or vegetable oils, crop oil concentrate (mineral oil (85%) + emulsifiers (15%)); nonylphenol ethoxylate; benzylcocoalkyldimethyl quaternary ammonium salt; blend of petroleum hydrocarbon, alkyl esters, organic acid, and anionic surfactant; C₉–C₁₁ alkylpolyglycoside; phosphated alcohol ethoxylate; natural primary alcohol (C₁₂–C₁₆) ethoxylate; di-*sec*-butylphenol EO-PO block copolymer; polysiloxane-methyl cap; nonylphenol ethoxylate + urea ammonium nitrate; emulsified methylated seed oil; tridecyl alcohol (synthetic) ethoxylate (8EO); tallow amine ethoxylate (15 EO); PEG(400) dioleate-99. The formulations may also include oil-in-water emulsions such as those disclosed in U.S. Patent Application Serial No. 11/495,228, the disclosure of which is expressly incorporated by reference herein.

[0039] The formulations may optionally include combinations that contain other pesticidal compounds. Such additional pesticidal compounds may be fungicides, insecticides, herbicides, nematocides, miticides, arthropodocides, bactericides or combinations thereof that are compatible with the compounds of the present disclosure in the medium selected for application, and not antagonistic to the activity of the present compounds. Accordingly, in such embodiments, the other pesticidal compound is employed as a supplemental toxicant for the same or for a different

pesticidal use. The compounds of Formula I and the pesticidal compound in the combination can generally be present in a weight ratio of from 1:100 to 100:1.

[0040] The compounds of the present disclosure may also be combined with other fungicides to form fungicidal mixtures and synergistic mixtures thereof. The fungicidal compounds of the present disclosure are often applied in conjunction with one or more other fungicides to control a wider variety of undesirable diseases. When used in conjunction with other fungicide(s), the presently claimed compounds may be formulated with the other fungicide(s), tank-mixed with the other fungicide(s) or applied sequentially with the other fungicide(s). Such other fungicides may include 2-(thiocyanatomethylthio)-benzothiazole, 2-phenylphenol, 8-hydroxyquinoline sulfate, ametoctradin, amisulbrom, antimycin, *Ampelomyces quisqualis*, azaconazole, azoxystrobin, *Bacillus subtilis*, *Bacillus subtilis* strain QST713, benalaxyl, benomyl, bentiavalicarb-isopropyl, benzovindiflupyr, benzylaminobenzene-sulfonate (BABS) salt, bicarbonates, biphenyl, bismethiazol, bitertanol, bixafen, blasticidin-S, borax, Bordeaux mixture, boscalid, bromuconazole, bupirimate, calcium polysulfide, captafol, captan, carbendazim, carboxin, carpropamid, carvone, chlazafenone, chloroneb, chlorothalonil, chlozolate, *Coniothyrium minitans*, copper hydroxide, copper octanoate, copper oxychloride, copper sulfate, copper sulfate (tribasic), coumoxystrobin, cuprous oxide, cyazofamid, cyflufenamid, cymoxanil, cyproconazole, cyprodinil, dazomet, debacarb, diammonium ethylenebis-(dithiocarbamate), dichlofluanid, dichlorophen, diclocymet, diclomezine, dichloran, diethofencarb, difenoconazole, difenzoquat ion, diflumetorim, dimethomorph, dimoxystrobin, diniconazole, diniconazole-M, dinobuton, dinocap, diphenylamine, dipymetitrone, dithianon, dodemorph, dodemorph acetate, dodine, dodine free base, edifenphos, enestrobin, enestroburin, enoxastrobin, epoxiconazole, ethaboxam, ethoxyquin, etridiazole, famoxadone, fenamidone, fenaminostrobin, fenarimol, fenbuconazole, fenfuram, fenhexamid, fenoxanil, fenpiclonil, fenpropidin, fenpropimorph, fenpyrazamine, fentin, fentin acetate, fentin hydroxide, ferbam, ferimzone, fluazinam, fludioxonil, flufenoxystrobin, flumorph, fluopicolide, fluopyram, fluoroimide, fluoxastrobin, fluquinconazole, flusilazole, flusulfamide, flutianil, flutolanil, flutriafol, fluxapyroxad, folpet, formaldehyde, fosetyl, fosetyl-aluminium, fuberidazole, furalaxyl, furametpyr, guazatine, guazatine acetates, GY-81, hexachlorobenzene, hexaconazole, hymexazol, imazalil, imazalil sulfate, imibenconazole, iminoctadine, iminoctadine triacetate, iminoctadine tris(albesilate), iodocarb, ipconazole, ipfenpyrazolone, iprobenfos, iprodione, iprovalicarb, isofetamid, isoprothiolane, isopyrazam, isotianil, kasugamycin, kasugamycin

hydrochloride hydrate, kresoxim-methyl, laminarin, mancozeb, mandestrobin, mandipropamid, maneb, mefenoxam, mepanipyrim, mepronil, meptyl-dinocap, mercuric chloride, mercuric oxide, mercurous chloride, metalaxyl, metalaxyl-M, metam, metam-ammonium, metam-potassium, metam-sodium, metconazole, methasulfocarb, methyl iodide, methyl isothiocyanate, metiram, metominostrobin, metrafenone, mildiomyacin, myclobutanil, nabam, nitrothal-isopropyl, nuarimol, octhilinone, ofurace, oleic acid (fatty acids), orysastrobin, oxadixyl, oxathiapiprolin, oxine-copper, oxpoconazole fumarate, oxycarboxin, pefurazoate, penconazole, pencycuron, penflufen, pentachlorophenol, pentachlorophenyl laurate, penthiopyrad, phenylmercury acetate, phosphonic acid, phthalide, picarbutrazox, picoxystrobin, polyoxin B, polyoxins, polyoxorim, potassium bicarbonate, potassium hydroxyquinoline sulfate, probenazole, prochloraz, procymidone, propamocarb, propamocarb hydrochloride, propiconazole, propineb, proquinazid, prothioconazole, pyraclostrobin, pyrametostrobin, pyraoxystrobin, pyraziflumid, pyrazophos, pyribencarb, pyributicarb, pyrifenox, pyrimethanil, pyriofenone, pyrisoxazole, pyroquilon, quinoclamine, quinoxifen, quintozone, *Reynoutria sachalinensis* extract, sedaxane, silthiofam, simeconazole, sodium 2-phenylphenoxide, sodium bicarbonate, sodium pentachlorophenoxide, spiroxamine, sulfur, SYP-Z048, tar oils, tebuconazole, tebufloquin, tecnazene, tetraconazole, thiabendazole, thifluzamide, thiophanate-methyl, thiram, tiadinil, tolclofos-methyl, tolprocarb, tolylfluanid, triadimefon, triadimenol, triazoxide, triclopyricarb, tricyclazole, tridemorph, trifloxystrobin, triflumizole, triforine, triticonazole, validamycin, valifenalate, valiphenal, vinclozolin, zineb, ziram, zoxamide, *Candida oleophila*, *Fusarium oxysporum*, *Gliocladium* spp., *Phlebiopsis gigantea*, *Streptomyces griseoviridis*, *Trichoderma* spp., (RS)-N-(3,5-dichlorophenyl)-2-(methoxymethyl)-succinimide, 1,2-dichloropropane, 1,3-dichloro-1,1,3,3-tetrafluoroacetone hydrate, 1-chloro-2,4-dinitronaphthalene, 1-chloro-2-nitropropane, 2-(2-heptadecyl-2-imidazolin-1-yl)ethanol, 2,3-dihydro-5-phenyl-1,4-dithi-ine 1,1,4,4-tetraoxide, 2-methoxyethylmercury acetate, 2-methoxyethylmercury chloride, 2-methoxyethylmercury silicate, 3-(4-chlorophenyl)-5-methylrhodanine, 4-(2-nitroprop-1-enyl)phenyl thiocyanateme, ampropylfos, anilazine, azithiram, barium polysulfide, Bayer 32394, benodanil, benquinox, bentazon, benzamacril, benzamacril-isobutyl, benzamorf, binapacryl, bis(methylmercury) sulfate, bis(tributyltin) oxide, buthiobate, cadmium calcium copper zinc chromate sulfate, carbamorph, CECA, chlobenthiazole, chloraniformethan, chlorfenazole, chlorquinox, climbazole, copper bis(3-phenylsalicylate), copper zinc chromate, cufraneb, cupric hydrazinium sulfate, cuproban, cyclafuramid, cypendazole,

cyprofuram, decafentin, dichlone, dichlozoline, diclobutrazol, dimethirimol, dinocton, dinosulfon, dinoterbon, dipyrithione, ditalimfos, dodicin, drazoxolon, EBP, ESBP, etaconazole, etem, ethirim, fenaminosulf, fenapanil, fenitropan, fluotrimazole, furcarbanil, furconazole, furconazole-cis, furmecyclox, furophanate, glyodine, griseofulvin, halacrinat, Hercules 3944, hexylthiofos, ICIA0858, isopamphos, isovalledione, mebenil, mecarbinzid, metazoxolon, methfuroxam, methylmercury dicyandiamide, metsulfovax, milneb, mucochloric anhydride, myclozolin, *N*-3,5-dichlorophenyl-succinimide, *N*-3-nitrophenylitaconimide, natamycin, *N*-ethylmercurio-4-toluenesulfonanilide, nickel bis(dimethyldithiocarbamate), OCH, phenylmercury dimethyldithiocarbamate, phenylmercury nitrate, phosdiphen, prothiocarb, prothiocarb hydrochloride, pyracarbolid, pyridinitril, pyroxychlor, pyroxyfur, quinacetol, quinacetol sulfate, quinazamid, quinconazole, rabenzazole, salicylanilide, SSF-109, sultropen, tecoram, thiadifluor, thicyofen, thiochlorfenphim, thiophanate, thioquinox, tioxyimid, triamiphos, triarimol, triazbutil, trichlamide, urbacid, zarilamid, and any combinations thereof.

[0041] Additionally, the compounds described herein may be combined with other pesticides, including insecticides, nematocides, miticides, arthropodicides, bactericides or combinations thereof that are compatible with the compounds of the present disclosure in the medium selected for application, and not antagonistic to the activity of the present compounds to form pesticidal mixtures and synergistic mixtures thereof. The fungicidal compounds of the present disclosure may be applied in conjunction with one or more other pesticides to control a wider variety of undesirable pests. When used in conjunction with other pesticides, the presently claimed compounds may be formulated with the other pesticide(s), tank-mixed with the other pesticide(s) or applied sequentially with the other pesticide(s). Typical insecticides include, but are not limited to: 1,2-dichloropropane, abamectin, acephate, acetamiprid, acethion, acetoprole, acrinathrin, acrylonitrile, afidopyropen, alanycarb, aldicarb, aldoxycarb, aldrin, allethrin, allosamidin, allyxycarb, alpha-cypermethrin, alpha-ecdysone, alpha-endosulfan, amidithion, aminocarb, amiton, amiton oxalate, amitraz, anabasine, athidathion, azadirachtin, azamethiphos, azinphos-ethyl, azinphos-methyl, azothoate, barium hexafluorosilicate, barthrin, bendiocarb, benfuracarb, bensultap, beta-cyfluthrin, beta-cypermethrin, bifenthrin, bioallethrin, bioethanomethrin, biopermethrin, bistrifluron, borax, boric acid, broflanilide, bromfenvinfos, bromocyclen, bromo-DDT, bromophos, bromophos-ethyl, bufencarb, buprofezin, butacarb, butathiofos, butocarboxim, butonate, butoxycarboxim, cadusafos, calcium arsenate, calcium polysulfide, camphechlor, carbanolate, carbaryl, carbofuran, carbon

disulfide, carbon tetrachloride, carbophenothion, carbosulfan, cartap, cartap hydrochloride, chlorantraniliprole, chlorbicyclen, chlordane, chlordecone, chlordimeform, chlordimeform hydrochloride, chlorethoxyfos, chlorfenapyr, chlorfenvinphos, chlorfluazuron, chlormephos, chloroform, chloropicrin, chlorphoxim, chlorprazophos, chlorpyrifos, chlorpyrifos-methyl, chlorthiophos, chromafenozide, cinerin I, cinerin II, cinerins, cismethrin, clacyfos, cloethocarb, closantel, clothianidin, copper acetoarsenite, copper arsenate, copper naphthenate, copper oleate, coumaphos, coumithoate, crotamiton, crotoxyphos, crufomate, cryolite, cyanofenphos, cyanophos, cyanthoate, cyantraniliprole, cyclaniliprole, cyclethrin, cycloprothrin, cyfluthrin, cyhalothrin, cypermethrin, cyphenothrin, cyromazine, cythioate, DDT, decarbofuran, deltamethrin, demephion, demephion-O, demephion-S, demeton, demeton-methyl, demeton-O, demeton-O-methyl, demeton-S, demeton-S-methyl, demeton-S-methylsulphon, diafenthiuron, dialifos, diatomaceous earth, diazinon, dicapthon, dichlofenthion, dichlorvos, dicloromezotiaz, dicresyl, dicrotophos, dicyclanil, dieldrin, diflubenzuron, dilor, dimefluthrin, dimefox, dimetan, dimethoate, dimethrin, dimethylvinphos, dimetilan, dinex, dinex-diclexine, dinoprop, dinosam, dinotefuran, diofenolan, dioxabenzofos, dioxacarb, dioxathion, disulfoton, dithicrofos, d-limonene, DNOC, DNOC-ammonium, DNOC-potassium, DNOC-sodium, doramectin, ecdysterone, emamectin, emamectin benzoate, EMPC, empenthrin, endosulfan, endothion, endrin, EPN, epofenonane, eprinomectin, esdepalléthrine, esfenvalerate, etaphos, ethiofencarb, ethion, ethiprole, ethoate-methyl, ethoprophos, ethyl formate, ethyl-DDD, ethylene dibromide, ethylene dichloride, ethylene oxide, etofenprox, etrimfos, EXD, famphur, fenamiphos, fenazaflor, fenchlorphos, fenethacarb, fenfluthrin, fenitrothion, fenobucarb, fenoxacrim, fenoxycarb, fenpirithrin, fenpropathrin, fensulfothion, fenthion, fenthion-ethyl, fenvalerate, fipronil, flometoquin, flonicamid, flubendiamide, flucofuron, flucycloxuron, flucythrinate, flufenerim, flufenoxuron, flufenprox, flufiprole, fluhexafon, flupyradifurone, fluvalinate, fonofos, formetanate, formetanate hydrochloride, formothion, formparanate, formparanate hydrochloride, fosmethilan, fospirate, fosthietan, furathiocarb, furethrin, gamma-cyhalothrin, gamma-HCH, halfenprox, halofenozide, HCH, HEOD, heptachlor, heptafluthrin, heptenophos, heterophos, hexaflumuron, HHDN, hydramethylnon, hydrogen cyanide, hydroprene, hyquincarb, imidacloprid, imiprothrin, indoxacarb, iodomethane, IPSP, isazofos, isobenzan, isocarbophos, isodrin, isofenphos, isofenphos-methyl, isoprocarb, isoprothiolane, isothioate, isoxathion, ivermectin, jasmolin I, jasmolin II, jodfenphos, juvenile hormone I, juvenile hormone II, juvenile hormone III, kappa-bifenthrin, kappa-tefluthrin, kelevan, kinoprene, lambda-

cyhalothrin, lead arsenate, lepimectin, leptophos, lindane, lirimfos, lufenuron, lythidathion, malathion, malonoben, mazidox, mecarbam, mecarphon, menazon, mephosfolan, mercurous chloride, mesulfenfos, metaflumizone, methacrifos, methamidophos, methidathion, methiocarb, methocrotophos, methomyl, methoprene, methoxychlor, methoxyfenozide, methyl bromide, methyl isothiocyanate, methylchloroform, methylene chloride, metofluthrin, metolcarb, metoxadiazone, mevinphos, mexacarbate, milbemectin, milbemycin oxime, mipafox, mirex, molosultap, momfluorothrin, monocrotophos, monomehypo, monosultap, morphothion, moxidectin, naftalofos, naled, naphthalene, nicotine, nifluridide, nitenpyram, nithiazine, nitrilacarb, novaluron, noviflumuron, omethoate, oxamyl, oxydemeton-methyl, oxydeprofos, oxydisulfoton, para-dichlorobenzene, parathion, parathion-methyl, penfluron, pentachlorophenol, permethrin, phenkapton, phenothrin, phenthoate, phorate, phosalone, phosfolan, phosmet, phosnichlor, phosphamidon, phosphine, phoxim, phoxim-methyl, pirimetaphos, pirimicarb, pirimiphos-ethyl, pirimiphos-methyl, potassium arsenite, potassium thiocyanate, pp'-DDT, prallethrin, precocene I, precocene II, precocene III, primidophos, profenofos, profluralin, promacyl, promecarb, propaphos, propetamphos, propoxur, prothidathion, prothiofos, prothoate, protrifenbute, pyflubumide, pyraclofos, pyrafluprole, pyrazophos, pyresmethrin, pyrethrin I, pyrethrin II, pyrethrins, pyridaben, pyridalyl, pyridaphenthion, pyrifluquinazon, pyrimidifen, pyriminostrobin, pyrimitate, pyriprole, pyriproxyfen, quassia, quinalphos, quinalphos-methyl, quinothion, rafoxanide, resmethrin, rotenone, ryania, sabadilla, schradan, selamectin, silafluofen, silica gel, sodium arsenite, sodium fluoride, sodium hexafluorosilicate, sodium thiocyanate, sophamide, spinetoram, spinosad, spiromesifen, spirotetramat, sulcofuron, sulcofuron-sodium, sulfluramid, sulfotep, sulfoxaflor, sulfuryl fluoride, sulprofos, tau-fluvalinate, tazimcarb, TDE, tebufenozide, tebufenpyrad, tebupirimfos, teflubenzuron, tefluthrin, temephos, TEPP, terallethrin, terbufos, tetrachloroethane, tetrachlorvinphos, tetramethrin, tetramethylfluthrin, tetraniliprole, theta-cypermethrin, thiacloprid, thiamethoxam, thicrofos, thiocarboxime, thiocyclam, thiocyclam oxalate, thiodicarb, thiofanox, thiometon, thiosultap, thiosultap-disodium, thiosultap-monosodium, thuringiensin, tioazafen, tolfenpyrad, tralomethrin, transfluthrin, transpermethrin, triarathene, triazamate, triazophos, trichlorfon, trichlormetaphos-3, trichloronat, trifenofos, triflumezopyrim, triflumuron, trimethacarb, triprene, vamidothion, vaniliprole, XMC, xylylcarb, zeta-cypermethrin, zolaprofos, and any combinations thereof.

[0042] Additionally, the compounds described herein may be combined with herbicides that are compatible with the compounds of the present disclosure in the medium selected for application, and not antagonistic to the activity of the present compounds to form pesticidal mixtures and synergistic mixtures thereof. The fungicidal compounds of the present disclosure may be applied in conjunction with one or more herbicides to control a wide variety of undesirable plants. When used in conjunction with herbicides, the presently claimed compounds may be formulated with the herbicide(s), tank-mixed with the herbicide(s) or applied sequentially with the herbicide(s). Typical herbicides include, but are not limited to: 4-CPA; 4-CPB; 4-CPP; 2,4-D; 3,4-DA; 2,4-DB; 3,4-DB; 2,4-DEB; 2,4-DEP; 3,4-DP; 2,3,6-TBA; 2,4,5-T; 2,4,5-TB; acetochlor, acifluorfen, aclonifen, acrolein, alachlor, allidochlor, alloxydim, allyl alcohol, alorac, ametrudione, ametryn, amibuzin, amicarbazone, amidosulfuron, aminocyclopyrachlor, aminopyralid, amiprofos-methyl, amitrole, ammonium sulfamate, anilofos, anisuron, asulam, atraton, atrazine, azafenidin, azimsulfuron, aziprotryne, barban, BCPC, beflubutamid, benazolin, bencarbazone, benfluralin, benfuresate, bensulfuron, bensulide, bentazone, benzadox, benzfendizone, benzipram, benzobicyclon, benzofenap, benzofluor, benzoylprop, benzthiazuron, bicyclopypyrone, bifenox, bilanafos, bispyribac, borax, bromacil, bromobonil, bromobutide, bromofenoxim, bromoxynil, brompyrazon, butachlor, butafenacil, butamifos, butenachlor, buthidazole, buthiuron, butralin, butroxydim, buturon, butylate, cacodylic acid, cafenstrole, calcium chlorate, calcium cyanamide, cambendichlor, carbasulam, carbetamide, carboxazole, chlorprocarb, carfentrazone, CDEA, CEPC, chlomethoxyfen, chloramben, chloranocryl, chlorazifop, chlorazine, chlorbromuron, chlorbufam, chloreturon, chlorfenac, chlorfenprop, chlorflurazole, chlorflurenol, chloridazon, chlorimuron, chlornitrofen, chloropon, chlorotoluron, chloroxuron, chloroxynil, chlorpropham, chlorsulfuron, chlorthal, chlorthiamid, cinidon-ethyl, cinmethylin, cinosulfuron, cisanilide, clethodim, clidinate, clodinafop, clofop, clomazone, clomeprop, cloprop, cloproxydim, clopyralid, cloransulam, CMA, copper sulfate, CPMF, CPPC, credazine, cresol, cumyluron, cyanatryn, cyanazine, cycloate, cyclopyrimorate, cyclosulfamuron, cycloxydim, cycluron, cyhalofop, cyperquat, cyprazine, cyprazole, cypromid, daimuron, dalapon, dazomet, delachlor, desmedipham, desmetryn, di-allate, dicamba, dichlobenil, dichloralurea, dichlormate, dichlorprop, dichlorprop-P, diclofop, diclosulam, diethamquat, diethatyl, difenopenten, difenoxuron, difenzoquat, diflufenican, diflufenzopyr, dimefuron, dimepiperate, dimethachlor, dimethametryn, dimethenamid, dimethenamid-P, dimexano, dimidazon, dinitramine, dinofenate, dinoprop, dinosam, dinoseb, dinoterb, diphenamid,

dipropetryn, diquat, disul, dithiopyr, diuron, DMPA, DNOC, DSMA, EBEP, eglinazine, endothal, epronaz, EPTC, erbon, esprocarb, ethalfluralin, ethametsulfuron, ethidimuron, ethiolate, ethofumesate, ethoxyfen, ethoxysulfuron, etinofen, etnipromid, etobenzanid, EXD, fenasulam, fenoprop, fenoxaprop, fenoxaprop-P, fenoxasulfone, fenquinotrine, fenteracol, fenthiafop, fentrazamide, fenuron, ferrous sulfate, flamprop, flamprop-M, flazasulfuron, florasulam, fluazifop, fluazifop-P, fluazolate, flucarbazone, flucetosulfuron, fluchloralin, flufenacet, flufenican, flufenpyr, flumetsulam, flumezin, flumiclorac, flumioxazin, flumipropyn, fluometuron, fluorodifen, fluoroglycofen, fluoromidine, fluoronitrofen, fluothiuron, flupoxam, flupropacil, flupropanate, flupyrasulfuron, fluridone, flurochloridone, fluroxypyr, flurtamone, fluthiacet, fomesafen, foramsulfuron, fosamine, furyloxyfen, glufosinate, glufosinate-P, glyphosate, halauxifen, halosafen, halosulfuron, haloxydine, haloxyfop, haloxyfop-P, hexachloroacetone, hexaflurate, hexazinone, imazamethabenz, imazamox, imazapic, imazapyr, imazaquin, imazethapyr, imazosulfuron, indanofan, indaziflam, iodobonil, iodomethane, iodosulfuron, iofensulfuron, ioxynil, ipazine, ipfencarbazone, iprymidam, isocarbamid, isocil, isomethiozin, isonoruron, isopolinate, isopropalin, isoproturon, isouron, isoxaben, isoxachlortole, isoxaflutole, isoxapyrifop, karbutilate, ketospiradox, lactofen, lenacil, linuron, MAA, MAMA, MCPA, MCPA-thioethyl, MCPB, mecoprop, mecoprop-P, medinoterb, mefenacet, mefluidide, mesoprazine, mesosulfuron, mesotrione, metam, metamifop, metamitron, metazachlor, metazosulfuron, metflurazon, methabenzthiazuron, methalpropalin, methazole, methiobencarb, methiozolin, methiuron, methometon, methoprottryne, methyl bromide, methyl isothiocyanate, methyl dymron, metobenzuron, metobromuron, metolachlor, metosulam, metoxuron, metribuzin, metsulfuron, molinate, monalide, monisouron, monochloroacetic acid, monolinuron, monuron, morfamquat, MSMA, naproanilide, napropamide, napropamide-M, naptalam, neburon, nicosulfuron, nipyraclufen, nitratin, nitrofen, nitrofluorfen, norflurazon, noruron, OCH, orbencarb, *ortho*-dichlorobenzene, orthosulfamuron, oryzalin, oxadiargyl, oxadiazon, oxapyrazon, oxasulfuron, oxaziclomefone, oxyfluorfen, parafluron, paraquat, pebulate, pelargonic acid, pendimethalin, penoxsulam, pentachlorophenol, pentanochlor, pentoxazone, perfluidone, pethoxamid, phenisopham, phenmedipham, phenmedipham-ethyl, phenobenzuron, phenylmercury acetate, picloram, picolinafen, pinoxaden, piperophos, potassium arsenite, potassium azide, potassium cyanate, pretilachlor, primisulfuron, procyzazine, prodiamine, profluzol, profluralin, profoxydim, proglinazine, prometon, prometryn, propachlor, propanil, propaquizafop, propazine, propham, propisochlor, propoxycarbazone, propyrisulfuron, propyzamide, prosulfalin,

prosulfocarb, prosulfuron, proxan, prynachlor, pydanon, pyraclonil, pyraflufen, pyrasulfotole, pyrazolynate, pyrazosulfuron, pyrazoxyfen, pyribenzoxim, pyributicarb, pyriclor, pyridafol, pyridate, pyriftalid, pyriminobac, pyrimisulfan, pyriithiobac, pyroxasulfone, pyroxulam, quinclorac, quinmerac, quinclamine, quinonamid, quizalofop, quizalofop-P, rhodethanil, rimsulfuron, saflufenacil, S-metolachlor, sebuthylazine, sebumeton, sethoxydim, siduron, simazine, simeton, simetryn, SMA, sodium arsenite, sodium azide, sodium chlorate, sulcotrione, sulfallate, sulfentrazone, sulfometuron, sulfosulfuron, sulfuric acid, sulglycapin, swep, TCA, tebutam, tebuthiuron, tefuryltrione, tembotrione, tepaloxym, terbacil, terbucarb, terbutylchlor, terbutylmeton, terbutylazine, terbutryn, tetrafluron, thenylchlor, thiazafuron, thiazopyr, thidiazimin, thidiazuron, thiencarbazone-methyl, thifensulfuron, thiofenacarb, tiafenacil, tiocarbamil, tioclorim, tolypyralate, topramezone, tralkoxydim, triafamone, tri-allate, triasulfuron, triaziflam, tribenuron, tricamba, triclopyr, tridiphane, trietazine, trifloxysulfuron, trifludimoxazin, trifluralin, triflusulfuron, trifop, trifoposime, trihydroxytriazine, trimeturon, tripropindan, tritac, tritosulfuron, vernolate, and xylachlor.

[0043] Another embodiment of the present disclosure is a method for the control or prevention of fungal attack. This method comprises applying to the soil, plant, roots, foliage, or locus of the fungus, or to a locus in which the infestation is to be prevented (for example applying to cereal or grape plants), a fungicidally effective amount of one or more of the compounds of Formula I. The compounds are suitable for treatment of various plants at fungicidal levels, while exhibiting low phytotoxicity. The compounds may be useful both in a protectant and/or an eradicant fashion.

[0044] The compounds have been found to have significant fungicidal effect particularly for agricultural use. Many of the compounds are particularly effective for use with agricultural crops and horticultural plants.

[0045] It will be understood by those skilled in the art that the efficacy of the compound for the foregoing fungi establishes the general utility of the compounds as fungicides.

[0046] The compounds have broad ranges of activity against fungal pathogens. Exemplary pathogens may include, but are not limited to, causing agent of wheat leaf blotch (*Zymoseptoria tritici*), wheat brown rust (*Puccinia triticina*), wheat stripe rust (*Puccinia striiformis*), scab of apple (*Venturia inaequalis*), powdery mildew of grapevine (*Uncinula necator*), barley scald (*Rhynchosporium secalis*), blast of rice (*Pyricularia oryzae*), rust of soybean (*Phakopsora pachyrhizi*), glume blotch of wheat (*Leptosphaeria nodorum*), powdery mildew of wheat (*Blumeria*

graminis f. sp. tritici), powdery mildew of barley (*Blumeria graminis f. sp. hordei*), powdery mildew of cucurbits (*Erysiphe cichoracearum*), anthracnose of cucurbits (*Colletotrichum lagenarium*), leaf spot of beet (*Cercospora beticola*), early blight of tomato (*Alternaria solani*), and spot blotch of barley (*Cochliobolus sativus*). The exact amount of the active material to be applied is dependent not only on the specific active material being applied, but also on the particular action desired, the fungal species to be controlled, and the stage of growth thereof, as well as the part of the plant or other product to be contacted with the compound. Thus, all the compounds, and formulations containing the same, may not be equally effective at similar concentrations or against the same fungal species.

[0047] The compounds are effective in use with plants in a disease-inhibiting and phytologically acceptable amount. The term "disease-inhibiting and phytologically acceptable amount" refers to an amount of a compound that kills or inhibits the plant disease for which control is desired, but is not significantly toxic to the plant. This amount will generally be from about 0.1 to about 1000 ppm (parts per million), with 1 to 500 ppm being preferred. The exact concentration of compound required varies with the fungal disease to be controlled, the type of formulation employed, the method of application, the particular plant species, climate conditions, and the like. A suitable application rate is typically in the range from about 0.10 to about 4 pounds/acre (about 0.01 to 0.45 grams per square meter, g/m²).

[0048] Any range or desired value given herein may be extended or altered without losing the effects sought, as is apparent to the skilled person for an understanding of the teachings herein.

[0049] The compounds of Formula I may be made using well-known chemical procedures. Intermediates not specifically mentioned in this disclosure are either commercially available, may be made by routes disclosed in the chemical literature, or may be readily synthesized from commercial starting materials utilizing standard procedures.


GENERAL SCHEMES

[0050] The following schemes illustrate approaches to generating picolinamide compounds of Formula I. The following descriptions and examples are provided for illustrative purposes and should not be construed as limiting in terms of substituents or substitution patterns.

[0051] Compounds of Formula 1.2, wherein R₈ is as originally defined, can be prepared by the method shown in **Scheme 1, step a**. The compound of Formula 1.1 can be treated with a base,


such as *N*-Cyclohexyl-*N*-methylcyclohexanamine, in the presence of triphenylbismuth(V) acetate and copper(II) acetate in a solvent, such as toluene at a temperature of about 23 °C to 40 °C to afford compounds of Formula 1.2, wherein R₈ is as previously defined, as shown in *a*. Alternatively, compounds of Formula 1.2, wherein R₈ is as originally defined, can be prepared by the method shown in **Scheme 1, step b**. The compound of Formula 1.1 can be treated with a triarylbi-muth(III) reagent (prepared according to the method presented in *Synthetic Commun.* **1996**, 26 (24), 4569-4575), such as tris(4-fluoro-2-methylphenyl)bismuthane, in the presence of an oxidant, such as peracetic acid, and a catalyst, such as copper(II) acetate, in a solvent, such as dichloromethane at a temperature of about 23 °C to 40 °C to afford compounds of Formula 1.2, wherein R₈ is as previously defined, as shown in *b*. Compounds of Formula 1.3, wherein R₈ is as originally defined, can be prepared by the method shown in **Scheme 1, step c**. The compound of Formula 1.1 can be treated with a catalyst, such as Tris(dibenzylideneacetone)dipalladium(0) (Pd₂(dba)₃), and a ligand, such as diphenylphosphino ferrocene (dppf), in the presence of an allylic carbonate, such as (*E*)-*tert*-butyl (4,4,4-trifluorobut-2-en-1-yl) carbonate, in a solvent such as THF at a temperature of about 23 °C to 80 °C to afford compounds of Formula 1.3, wherein R₈ is as previously defined, as shown in *c*. Compounds of Formula 1.4, wherein R₈ is as originally defined, can be prepared by the method shown in **Scheme 1, step d**. The compound of Formula 1.1 can be treated with (bromomethyl)benzene in the presence of silver(I) oxide and potassium iodide in a solvent, such as dichloromethane (DCM), at a temperature of about 23 °C to reflux to afford compounds of Formula 1.4, as shown in *d*.

Scheme 1




[0052] Compounds of Formula 2.2, can be prepared by the method shown in **Scheme 2, step *a***. The compound of Formula 2.1 can be treated with 4-methoxybenzyl 2,2,2-trichloroacetimidate, in the presence of camphorsulfonic acid (CSA) in a solvent, such as DCM at a temperature of about 23 °C to afford compounds of Formula 2.2, as shown in *a*. The compound of Formula 2.3, can be prepared by the method shown in **Scheme 2, step *b***. The compound of Formula 2.3 can be treated with triisopropylsilyl chloride, in the presence of a base such as imidazole, in a solvent such as dichloromethane (DCM) at a temperature of about 0 °C to afford compounds of Formula 2.3, as shown in *b*.

Scheme 2




[0053] The compound of Formula 3.2, wherein R_2 is a previously defined, can be prepared by the method shown in **Scheme 3, step a**. The compound of Formula 3.1 can be treated with *tert*-butyldimethylsilyl chloride, in the presence of a base such as imidazole, in a solvent such as dimethylformamide (DMF) at a temperature of about 23 °C to afford compounds of Formula 3.2, wherein R_2 is as previously defined, as shown in *a*.

Scheme 3




[0054] Compounds of Formula 4.1 can be prepared by the method shown in **Scheme 4, step a**. The compound of Formula 2.3 can be treated with a reducing agent, such as diisobutylaluminum hydride (DIBAL) in a solvent, such as DCM at a temperature of about -78 °C to afford compounds of Formula 4.1, as shown in *a*.


Scheme 4



[0055] Compounds of Formula 5.1, wherein R_2 is as previously defined, can be prepared by the method shown in **Scheme 5, step a**. The compound of Formula 3.2 can be treated with a reducing agent, such as diisobutylaluminum hydride (DIBAL) in a solvent, such as DCM at a temperature of about $-78\text{ }^{\circ}\text{C}$ to afford compounds of Formula 5.1, wherein R_2 is as previously defined, as shown in **a**.


Scheme 5

[0056] Compounds of Formula 6.2, wherein R_2 and R_4 are as previously defined, can be prepared by the method shown in **Scheme 4, step a**. The compound of Formula 6.1, wherein R_4 is as previously defined, can be treated with a metallic nucleophile, such as $R_2\text{-MgBr}$, and a reducing agent, such as lithium borohydride, in a solvent such as THF at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature to afford compounds of Formula 6.2, wherein R_2 and R_4 are as previously defined, as shown in **a**.

Scheme 6


[0057] Compounds of Formula 7.1, wherein R_2 and R_3 are as previously defined, can be prepared by the method shown in **Scheme 7, step a**. The compound of Formula 4.1, wherein R_3 is as previously defined, can be treated with a metallic nucleophile, such as $R_2\text{-MgBr}$, in a solvent such as diethyl ether at a temperature of about $-78\text{ }^{\circ}\text{C}$ to ambient temperature to afford compounds of Formula 7.1, wherein R_2 and R_3 are as previously defined, as shown in **a**.

Scheme 7




[0058] Compounds of Formula 8.1, wherein R₂ and R₃ are as previously defined, can be prepared by the method shown in **Scheme 5, step a**. The compound of Formula 5.1, wherein R₂ is as previously defined, can be treated with a metallic nucleophile, such as R₃-MgBr, in a solvent such as diethyl ether at a temperature of about -78 °C to ambient temperature to afford compounds of Formula 8.1, wherein R₂ and R₃ are as previously defined, as shown in *a*.

Scheme 8



[0059] Compounds of Formula 9.3, wherein R₂ is as previously defined, can be prepared by the method shown in **Scheme 9, steps a – b**. The compound of Formula 9.1 can be treated with a base, such as sodium hydride, and (bromomethyl)benzene in a solvent, such as DMF, at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 9.2, as shown in *a*. The compound of Formula 9.2, wherein R₂ is as previously defined, can be treated with ceric ammonium nitrate in a solvent such as acetonitrile at a temperature of about 0 °C to afford compounds of Formula 9.3, wherein R₂ is as previously defined, as shown in *b*.


Scheme 9



[0060] Compounds of Formula 10.4, wherein R₈ is as previously defined, can be prepared by the method shown in **Scheme 10, steps a – c**. The compound of Formula 10.1 can be treated with a base, such as sodium hydride, and 4-methoxybenzyl bromide in a solvent, such as DMF, at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 10.2, as shown


in **a**. The compound of Formula 10.2, can be treated with tetrabutylammonium fluoride in a solvent such as THF at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 10.3, as shown in **b**. The compound of Formula 10.3 can be treated with a base, such as *N*-cyclohexyl-*N*-methylcyclohexanamine, in the presence of triphenylbismuth(V) acetate and copper(II) acetate in a solvent, such as toluene at a temperature of about 23 °C to 40 °C to afford compounds of Formula 10.4, wherein R₈ is as previously defined, as shown in **c**.

Scheme 10



[0061] Compounds of Formula 11.3, wherein R₈ is as previously defined, can be prepared by the method shown in **Scheme 11, steps a – b**. The compound of Formula 11.1 can be treated with a base, such as potassium *tert*-butoxide, in the presence of 1,2,4-trifluorobenzene in a solvent, such as DMF at a temperature of about 23 °C to 60 °C to afford compounds of Formula 11.2, wherein R₈ is as previously defined, as shown in **a**. The compound of Formula 11.2 can be treated with tetrabutylammonium fluoride in a solvent such as THF at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 11.3, wherein R₈ is as previously defined, as shown in **b**.


Scheme 11



[0062] Compounds of Formula 12.4, wherein R₄ is as previously defined, can be prepared by the method shown in **Scheme 12, steps a – c**. The compound of Formula 12.1 can be treated with a base, such as lithium borohydride, and a methylating reagent, such as methyl lithium, in a solvent


such as diethyl ether at a temperature of about $-78\text{ }^{\circ}\text{C}$ to ambient temperature to afford compounds of Formula 12.2, as shown in *a*. The compound of Formula 12.2 can be treated with a base, such as sodium hydride, a catalyst, such as tetrabutylammonium iodide (TBAI), and an alkyl bromide, such as $\text{R}_4\text{-Br}$ wherein R_4 is as previously defined, in a solvent such as THF at a temperature of about $23\text{ }^{\circ}\text{C}$ to refluxing temperature to afford compounds of Formula 12.3, as shown in *b*. The compound of Formula 12.3 can be treated with an oxidant, such as 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ), in a solvent such as DCM at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature to afford compounds of Formula 12.4, as shown in *c*.

Scheme 12




[0063] Compounds of Formula 13.2, wherein R_8 is as previously defined, can be prepared by the method shown in **Scheme 13, steps *a* – *b***. The compound of Formula 9.3, wherein R_2 is as previously defined, can be treated with a base, such as potassium *tert*-butoxide, in the presence of 1,2,4-trifluorobenzene in a solvent, such as DMF at a temperature of about $23\text{ }^{\circ}\text{C}$ to $60\text{ }^{\circ}\text{C}$ to afford compounds of Formula 13.1, wherein R_2 and R_8 are as previously defined, as shown in *a*. The compound of Formula 13.1, wherein R_2 and R_8 are as previously defined, can be treated with a hydrogenation catalyst, such as palladium on carbon, in a solvent mixture such as 1:2 cyclohexene:ethanol at a temperature of about ambient temperature to about $70\text{ }^{\circ}\text{C}$ to afford compounds of Formula 13.2, wherein R_2 and R_8 are as previously defined, as shown in *b*.

Scheme 13



[0064] Compounds of Formula 14.7, wherein R_4 and R_8 are as previously defined, can be prepared by the method shown in **Scheme 14, steps a–f**. The compound of Formula 14.1, wherein R_4 is as previously defined, can be treated with an oxidant, such as ozone gas, in the presence of a base, such as sodium bicarbonate, followed by a hydride source, such as sodium hydride, in a solvent mixture of about 1:32 methanol:dichloromethane to 1:3 methanol:dichloromethane, at a temperature of about $-78\text{ }^{\circ}\text{C}$ to ambient temperature, to afford compounds of Formula 14.2, wherein R_4 is as previously defined, as shown in **a**. The compound of Formula 14.2, wherein R_4 is as previously defined, can be treated with a methylating agent, such as trimethyloxonium tetrafluoroborate, and a proton scavenger, such as N_1,N_1,N_8,N_8 -tetramethylnaphthalene-1,8-diamine, in a solvent such as dichloromethane, at a temperature of about $23\text{ }^{\circ}\text{C}$, to afford compounds of Formula 14.3, wherein R_4 is as previously defined, as shown in **b**. Alternatively, the compound of Formula 14.2, wherein R_4 is as previously defined, can be treated with an allylating reagent, such as allyl bromide, in the presence of a base, such as sodium hydride, and a catalyst, such as tetrabutylammonium iodide, in a solvent, such as dimethylformamide, at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature, to afford compounds of Formula 14.4, wherein R_4 and R_{10} are as previously defined, as shown in **c**. Alternatively, the compound of Formula 14.2, wherein R_4 is as previously defined, can be treated with an alkylating reagent, such as benzyl bromide, in the presence of a base, such as sodium hydride, and a catalyst, such as tetrabutylammonium iodide, in a solvent, such as dimethylformamide, at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature, to afford compounds of Formula 14.5, wherein R_4 and R_{10} are as previously defined, as shown in **d**. Alternatively, the compound of Formula 14.2 can be treated with a base, such as *N*-cyclohexyl-*N*-methylcyclohexanamine, in the presence of triphenylbismuth(V) acetate and copper(II) acetate in a solvent, such as toluene at a temperature of about $23\text{ }^{\circ}\text{C}$ to $40\text{ }^{\circ}\text{C}$ to afford compounds of Formula 14.6, wherein R_4 and R_{10} is as previously defined, as shown in **e**. The compounds of Formula 14.3, 14.4, 14.5 and 14.6, wherein R_4 and R_{10} are as previously defined, can be treated with an oxidant, such as 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ), in a solvent such as DCM at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature to afford compounds of Formula 14.7, wherein R_4 and R_8 are as previously defined, as shown in **f**.


Scheme 14



[0065] Compounds of Formula 15.3, wherein R_4 is as previously defined, can be prepared by the method shown in **Scheme 15, steps a – c**. The compound of Formula 14.1, wherein R_4 is as previously defined, can be treated with an oxidant, such as ozone gas, in the presence of a base, such as sodium bicarbonate, followed by a reductant, such a dimethylsulfide, in a solvent mixture such as 1:10 methanol:dichloromethane, at a temperature of about $-78\text{ }^{\circ}\text{C}$, to afford compounds of Formula 15.1, wherein R_4 is as previously defined, as shown in *a*. The compound of Formula 15.1, wherein R_4 is as previously defined, can be treated with a fluorinating agent, such as Deoxofluor®, in the presence of a catalyst such as methanol, in a solvent such as dichloromethane, at a temperature of about $0\text{ }^{\circ}\text{C}$ to ambient temperature, to afford compounds of Formula 15.2, wherein R_4 is as previously defined, as shown in *b*. The compound of Formula 15.2, wherein R_4 is as previously defined, can be treated with an oxidant, such as 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ),


in a solvent such as DCM at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 15.3, wherein R₄ is as previously defined, as shown in *c*.

Scheme 15




[0066] Compounds of Formula 16.2, wherein R₂ and R₄ are as previously defined, can be prepared by the method shown in **Scheme 16, step a**. The compound of Formula 16.1, wherein R₂ and R₄ are as previously defined, can be treated with (*tert*-butoxycarbonyl)-L-alanine in the presence of a peptide coupling reagent, such as 1-ethyl-3-(3-dimethylaminopropyl)carbodiimide (EDCI), and a catalyst, such as dimethylamino pyridine (DMAP), in a solvent, such as DCM at a temperature of about 0 °C to ambient temperature to afford compounds of Formula 16.2, wherein R₂ and R₄ are as previously defined, as shown in *a*.

Scheme 16




[0067] Compounds of Formula 17.2, wherein R₂ and R₈ are as previously defined, can be prepared by the method shown in **Scheme 17, step a**. The compound of Formula 17.1, wherein R₂ and R₈ are as previously defined, can be treated with a hydrogenation catalyst, such as palladium on carbon, under an atmosphere of hydrogen in a solvent such as ethyl acetate at a temperature of about ambient temperature to afford compounds of Formula 17.2, wherein R₂ and R₈ are as previously defined, as shown in *a*.

Scheme 17




[0068] Compounds of Formula 18.2, wherein R_2 and R_4 are as previously defined, can be prepared by the method shown in **Scheme 18, step a**. The compound of Formula 18.1, wherein R_2 and R_4 are as previously defined, can be treated with an acid, such as 4M HCl in dioxane or trifluoroacetic acid (TFA), in a solvent such as DCM at a temperature of about ambient temperature to afford compounds of Formula 18.2, wherein R_2 and R_4 are as previously defined, as shown in **a**.

Scheme 18




[0069] Compounds of Formula 19.2, wherein R_2 , R_4 and R_6 are as previously defined, can be prepared by the method shown in **Scheme 19, step a**. The compound of Formula 18.2, wherein R_2 and R_4 are as previously defined, can be treated with compounds of Formula 19.1, wherein R_6 is as previously defined, in the presence of a base, such as diisopropylethylamine (DIPEA), and a peptide coupling reagent, such as benzotriazol-1-yl-oxytripyrrolidinophosphonium hexafluorophosphate (PyBOP), in an halogenated solvent like DCM at a temperature of about ambient temperature to afford compounds of Formula 19.2, wherein R_2 , R_4 and R_6 are as previously defined, as shown in **a**.

Scheme 19




[0070] Compounds of Formula 20.1, wherein R_2 , R_4 , R_6 and R_7 are as previously defined, can be prepared by the method shown in **Scheme 20, step a**. The compound of Formula 19.2, wherein R_2 , R_4 , and R_6 are as previously defined can be treated with an appropriate alkyl halide with or without a reagent such as sodium iodide (NaI) and an alkali carbonate base, such as sodium carbonate (Na_2CO_3) or potassium carbonate (K_2CO_3), in a solvent like acetone at a temperature of about $50\text{ }^\circ\text{C}$, or by treatment with an acyl halide in the presence of an amine base, such as pyridine, triethylamine (Et_3N), DMAP, or mixtures thereof, in an aprotic solvent such as DCM, at a temperature of about $23\text{ }^\circ\text{C}$, to afford compounds of Formula 20.1, wherein R_2 , R_4 , R_6 and R_7 are as previously defined, as shown in **a**.

Scheme 20

EXAMPLES

[0071] The chemistry in the following examples may be conducted using either enantiomer of 2-((*tert*-butoxycarbonyl)amino)propanoic acid (Boc-Ala-OH) or either protected (PMB or Bn) enantiomer of ethyl lactate.


[0072] Example 1A: Preparation of ethyl (*S*)-2-phenoxypropanoate.



[0073] A 250 mL round-bottom flask was charged with triphenylbismuth(V) acetate (9.22 g, 16.51 mmol) and copper(II) acetate (0.231 g, 1.270 mmol) and purged with N_2 gas. Anhydrous toluene (85 mL) was then added, followed by (*S*)-ethyl 2-hydroxypropanoate (1.456 mL, 12.70 mmol) and *N*-cyclohexyl-*N*-methylcyclohexanamine (3.13 mL, 14.60 mmol). The resulting blue/green reaction was then heated to $40\text{ }^\circ\text{C}$ and stirred for 96 hours (h). The reaction was cooled to room temperature (rt) and filtered through a plug of Celite[®]. The filter cake was washed with DCM,


and then concentrated to afford a dark yellow oil. The oil was purified by flash column chromatography (silica gel (SiO₂), 0→10% ethyl acetate in hexanes) to afford the title compound (2.43 g, 98%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.31-7.23 (m, 2H), 6.96 (tt, *J* = 7.3, 1.1 Hz, 1H), 6.92-6.83 (m, 2H), 4.74 (q, *J* = 6.8 Hz, 1H), 4.21 (q, *J* = 7.1 Hz, 2H), 1.61 (d, *J* = 6.8 Hz, 3H), 1.24 (t, *J* = 7.1 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 172.24, 157.64, 129.51, 121.55, 115.16, 72.66, 61.23, 18.57, 14.12; IR (thin film) 2986, 1753, 1733, 1494, 1239, 1134, 752 cm⁻¹.

[0074] Example 1B: Preparation of (S)-ethyl 2-((triisopropylsilyl)oxy)propanoate.




[0075] In a 500 mL round-bottom flask, (*S*)-ethyl 2-hydroxypropanoate (9.71 mL, 85 mmol) and imidazole (13.83 g, 203 mmol) were dissolved in DCM (220 mL) under N₂ and cooled to 0 °C in an ice/water bath. Chlorotriisopropylsilane (21.74 mL, 102 mmol) was then added via syringe over 30 minutes (min). The reaction mixture was allowed to warm to rt and was stirred overnight. After 18 h, TLC indicated consumption of starting material. The reaction mixture was poured into a separatory funnel and washed with H₂O (100 mL), saturated aqueous NaHCO₃ (100 mL), brine (100 mL), 1M HCl (100 mL), and then finally brine (100 mL). The organic layer was passed through a phase separator and concentrated to afford a clear, colorless oil. The oil was purified by flash column chromatography (silica gel (SiO₂), 0→10% ethyl acetate in hexanes) to afford the title compound (21.68 g, 93%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 4.41 (q, *J* = 6.7 Hz, 1H), 4.18 (qd, *J* = 7.1, 2.7 Hz, 2H), 1.43 (d, *J* = 6.7 Hz, 3H), 1.28 (t, *J* = 7.1 Hz, 3H), 1.17-0.97 (m, 21H); ¹³C NMR (101 MHz, CDCl₃) δ 174.23, 68.55, 60.66, 21.80, 17.85, 14.22, 12.16.

[0076] Example 1C: Preparation of ethyl (*S,E*)-2-((4,4,4-trifluorobut-2-en-1-yl)oxy)propanoate.



[0077] Ethyl (*S*)-2-hydroxypropanoate (0.971 mL, 8.47 mmol) was dissolved in dry THF (42.3 mL). Pd₂(dba)₃ (0.194 g, 0.212 mmol) and dppf (0.235 g, 0.423 mmol) were added and the mixture was heated to reflux. (*E*)-tert-butyl (4,4,4-trifluorobut-2-en-1-yl) carbonate (2.87 g, 12.70 mmol) was then added and the reaction was monitored until complete by TLC. The reaction was cooled to rt and carefully concentrated to afford an oil. The oil was purified by flash column chromatography (silica gel (SiO₂), 0→10% MTBE in hexanes) to afford the title compound (1.59 g, 79%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 6.47-6.37 (m, 1H), 6.03-5.91 (m, 1H), 4.34-4.16 (m, 3H), 4.11-3.97 (m, 2H), 1.45 (d, *J* = 6.8 Hz, 3H), 1.29 (t, *J* = 7.1 Hz, 3H); ¹³C NMR (126 MHz, CDCl₃) δ 172.67, 135.95 (q, *J* = 6.4 Hz), 123.01 (q, *J* = 269.2 Hz), 118.98 (q, *J* = 34.1 Hz), 75.01, 67.71, 61.08, 18.53, 14.20; IR (thin film) 2988, 1742, 1686, 1302, 1264, 1202, 1112, 1087, 1018, 959 cm⁻¹.


[0078] Example 1D: Preparation of methyl ethyl (*S*)-2-((4-methoxybenzyl)oxy)propanoate.



[0079] In a 500 mL round-bottom flask, a solution of (*S*)-ethyl 2-hydroxypropanoate (10.15 mL, 89 mmol) was prepared in DCM (89 mL). To this solution was added 4-methoxybenzyl 2,2,2-trichloroacetimidate (28.9 g, 102 mmol) followed by camphorsulfonic acid (2.065 g, 8.89 mmol), and the resulting orange/brown colored reaction was stirred at rt for 72 h. Hexanes (100 mL) was added, and the reaction mixture was stirred for 30 min. The precipitated solids were filtered, and the filtrate was concentrated to afford an oil. The oil was again diluted with 200 mL DCM/Hexanes (1:1). The mixture was stirred at rt for 30 min. The solids were filtered, and the filtrate was washed with saturated aqueous NaHCO₃ (100 mL), followed by brine (100 mL). The organic layer was dried over Na₂SO₄, filtered and concentrated to afford a brown oil. The oil was purified by flash column chromatography (silica gel (SiO₂), 0→10% ethyl acetate in hexanes) to afford the title


compound (11.96 g, 56%) as a pale yellow oil: ^1H NMR (400 MHz, CDCl_3) δ 7.34-7.24 (m, 2H), 6.91-6.84 (m, 2H), 4.62 (d, $J = 11.3$ Hz, 1H), 4.39 (d, $J = 11.2$ Hz, 1H), 4.21 (qd, $J = 7.1, 2.4$ Hz, 2H), 4.03 (q, $J = 6.8$ Hz, 1H), 3.80 (s, 3H), 1.41 (d, $J = 6.9$ Hz, 3H), 1.29 (t, $J = 7.1$ Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 173.41, 159.37, 129.68, 113.83, 73.74, 71.66, 60.84, 55.31, 18.76, 14.28; IR (thin film) 2984, 1730, 1513, 1247, 1198, 1031, 822 cm^{-1} .

[0080] Example 1E: Preparation of ethyl (*S*)-2-(benzyloxy)propanoate.




[0081] In a 500 mL round-bottom flask, a solution of (*S*)-ethyl 2-hydroxypropanoate (11.65 mL, 102 mmol) was prepared in anhydrous DCM (203 mL). To this solution was added (bromomethyl)benzene (18.12 mL, 152 mmol) followed by silver(I) oxide (24.72 g, 107 mmol) and potassium iodide (1.686 g, 10.16 mmol). The resultant black reaction mixture was heated to reflux and stirred overnight. After 24 h, TLC indicated nearly complete consumption of starting material. The reaction mixture was filtered through a pad of Celite[®], flushed with DCM, and concentrated to an oil. The oil was purified by flash column chromatography (silica gel (SiO_2), 0 $\rightarrow$ 5% ethyl acetate in hexanes) to afford the title compound (11.93 g, 56%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.48-7.14 (m, 5H), 4.69 (d, $J = 11.6$ Hz, 1H), 4.45 (d, $J = 11.6$ Hz, 1H), 4.21 (qd, $J = 7.1, 2.6$ Hz, 2H), 4.05 (q, $J = 6.9$ Hz, 1H), 1.43 (d, $J = 6.9$ Hz, 3H), 1.29 (t, $J = 7.1$ Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 173.27, 137.63, 128.43, 127.98, 127.84, 74.09, 72.00, 60.85, 18.74, 14.27; IR (thin film) 2984, 1743, 1454, 1196, 1140, 1064, 1024, 736, 697 cm^{-1} .

[0082] Example 1F, Step 1: Preparation of tris(4-fluoro-2-methylphenyl)bismuthane.



[0083] In a 250 mL round-bottom flask, a solution of 1-bromo-4-fluoro-2-methylbenzene (5.24 mL, 42.3 mmol) was prepared in THF (171 mL) and cooled to -78 °C in a dry ice/acetone bath. After ~10 min, butyllithium (2.5 M in hexanes, 17.8 mL, 44.4 mmol) was added dropwise via syringe, and the resulting clear, colorless reaction was stirred for 1 hr. After 1 hr, trichlorobismuthane (4.30 g, 13.63 mmol) was added as a solution in THF (71 mL) via syringe, and the reaction was stirred at -78 °C for 1 hr, and then warmed to rt and stirred overnight. After 18 h, the reaction was concentrated and the remaining residue was extracted with toluene (200 mL) and a yellowish-white solid was removed via filtration. The filtrate was then concentrated to dryness to afford the title compound (7.25 g, 99%) as an off white solid which was used directly in the next step without further purification: ^1H NMR (400 MHz, CDCl_3) δ 7.40 (dd, $J = 8.2, 6.7$ Hz, 3H), 7.04 (dd, $J = 10.3, 2.7$ Hz, 3H), 6.78 (td, $J = 8.6, 2.7$ Hz, 3H), 2.41 (s, 9H); ^{19}F NMR (376 MHz, CDCl_3) δ -113.91.


[0084] Example 1F, Step 2: Preparation of ethyl (*S*)-2-(4-fluoro-2-methylphenoxy)propanoate.



[0085] A solution of tris(4-fluoro-2-methylphenyl)bismuthane (3.41 g, 6.35 mmol) was prepared in DCM (21.16 mL) at room temperature, and peracetic acid (1.225 mL, 7.20 mmol) was then added via syringe slowly over 5 min. Bubbling was observed, and reaction became a light orange color. The resulting reaction was allowed to stir at rt for 30 min. After 30 min, ethyl (*S*)-2-hydroxypropanoate (0.485 mL, 4.23 mmol) and copper(II) acetate (0.154 g, 0.847 mmol) were added, the flask was fitted with a reflux condenser, and the opaque blue/green reaction mixture was heated to 45 °C and stirred overnight. After 20 h, TLC indicated ~75% consumption of starting material and conversion to several higher R_f spots. The reaction was cooled to room temperature and then filtered through a plug of celite, filtering with DCM (2 x 10 mL), and then concentrated to afford an oil. The oil was purified by flash column chromatography (silica gel (SiO_2), 0→20% ethyl acetate in hexanes) to afford the title compound (318.8 mg, 33%) as a pale yellow oil: ^1H


NMR (400 MHz, CDCl_3) δ 6.85 (dd, $J = 9.0, 3.1$ Hz, 1H), 6.76 (td, $J = 8.5, 3.1$ Hz, 1H), 6.63 (dd, $J = 8.9, 4.6$ Hz, 1H), 4.66 (q, $J = 6.8$ Hz, 1H), 4.20 (qd, $J = 7.1, 1.4$ Hz, 2H), 2.26 (s, 3H), 1.61 (d, $J = 6.8$ Hz, 3H), 1.24 (t, $J = 7.1$ Hz, 3H); ^{19}F NMR (376 MHz, CDCl_3) δ -123.28; ^{13}C NMR (101 MHz, CDCl_3) δ 172.18, 157.40 (d, $J = 239.0$ Hz), 152.11 (d, $J = 2.3$ Hz), 129.75 (d, $J = 7.7$ Hz), 117.58 (d, $J = 22.8$ Hz), 113.42 (d, $J = 8.5$ Hz), 112.37 (d, $J = 22.8$ Hz), 73.81, 61.19, 18.64, 16.40 (d, $J = 1.3$ Hz), 14.12; IR (thin film) 3350, 2987, 1750, 1496, 1191, 1134, 718 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{12}\text{H}_{16}\text{FO}_3]^+$, 227.1078; found, 227.1089.

[0086] Example 2: Preparation of (*S*)-2-((triisopropylsilyl)oxy)propanal.




[0087] In a 1 L round-bottom flask, (*S*)-ethyl 2-((triisopropylsilyl)oxy)propanoate (21.68 g, 79 mmol) was dissolved in DCM (395 mL) under N_2 and cooled to -78°C in an dry ice/acetone bath. Diisobutylaluminum hydride (1 M in hexanes, 158 mL, 158 mmol) was added via syringe over 4 h. The reaction was stirred at -78°C for an additional 30 min. After 30 min, ethyl acetate (75 mL) was added to quench the reaction, and the reaction mixture was warmed to 0°C in an ice/water bath. A solution of saturated aqueous potassium sodium tartrate (~ 200 mL) was added, and the reaction was vigorously stirred overnight, slowly warming to rt as the ice bath melted. After 18 h, the biphasic mixture was poured into a separatory funnel and the layers were separated. The aqueous layer was extracted with DCM (3 x 150 mL). The combined organic layers were passed through a phase separator and concentrated to afford a clear, colorless oil. The oil was purified by flash column chromatography (silica gel (SiO_2), 0 $\rightarrow$ 20% ethyl acetate in hexanes) to afford the title compound (15.85 g, 87%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 9.66 (d, $J = 1.7$ Hz, 1H), 4.18 (qd, $J = 6.8, 1.7$ Hz, 1H), 1.31 (d, $J = 6.8$ Hz, 3H), 1.11-1.01 (m, 21H); ^{13}C NMR (101 MHz, CDCl_3) δ 204.54, 73.83, 18.95, 17.89, 12.14.

[0088] Example 3A: Preparation of (3*R*,4*S*)-2-methyl-4-phenoxy-pentan-3-ol.




[0089] In a 250 mL flask, a solution of isopropylmagnesium bromide (2M in Et₂O, 9.01 mL, 18.02 mmol) and lithium borohydride (2M in THF, 5.86 mL, 11.71 mmol) was prepared in THF (33 mL). The reaction was cooled to 0 °C in an ice bath. After ~10 min, ethyl (*S*)-2-phenoxypropanoate (1.75 g, 9.01 mmol) was added dropwise via syringe as a solution in THF (9 mL w/ 2 x 1.5 mL washes) over 3 h via syringe pump. The resultant pale yellow clear reaction mixture was stirred overnight, slowly warming to rt as the ice bath melted. The reaction was quenched with water (100 mL, caution GAS EVOLUTION) and diluted with Et₂O (100 mL). The layers were separated and the aqueous layer was extracted with Et₂O (3 x 100 mL). The combined organic layers were dried over MgSO₄, filtered and concentrated to afford an oil. The oil was purified by flash column chromatography (SiO₂, 0→30% ethyl acetate in hexanes) to afford the title compound (849 mg, 49%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.34-7.26 (m, 2H), 6.95 (tt, *J* = 7.4, 1.1 Hz, 1H), 6.93-6.87 (m, 2H), 4.48 (qd, *J* = 6.2, 3.8 Hz, 1H), 3.54 (dt, *J* = 7.9, 3.4 Hz, 1H), 2.09 (d, *J* = 3.1 Hz, 1H), 1.79 (dp, *J* = 7.9, 6.7 Hz, 1H), 1.30 (d, *J* = 6.3 Hz, 3H), 1.03 (d, *J* = 6.6 Hz, 3H), 0.95 (d, *J* = 6.8 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 157.39, 129.58, 121.08, 116.04, 78.00, 74.79, 29.87, 18.89, 18.71, 13.11; IR (thin film) 3425, 2955, 1598, 1493, 1240, 1055, 752 cm⁻¹. Also isolated (3*S*,4*S*)-2-methyl-4-phenoxypentan-3-ol (216 mg, 1.11 mmol, 12% yield) as a clear, colorless oil: ¹H NMR (300 MHz, CDCl₃) δ 7.34-7.21 (m, 2H), 7.00-6.86 (m, 3H), 4.38 (p, *J* = 6.1 Hz, 1H), 3.36 (q, *J* = 5.1 Hz, 1H), 2.35 (d, *J* = 5.1 Hz, 1H), 1.87 (pd, *J* = 6.8, 5.0 Hz, 1H), 1.28 (d, *J* = 6.2 Hz, 3H), 1.04-0.95 (m, 6H); ¹³C NMR (101 MHz, CDCl₃) δ 157.73, 129.58, 121.18, 116.15, 79.40, 75.37, 30.07, 20.00, 16.60, 16.04; IR (thin film) 3434, 2955, 1598, 1494, 1240, 1051, 752 cm⁻¹. Also isolated (*S*)-2-phenoxypropan-1-ol (44.4 mg, 0.292 mmol, 3.2% yield) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.33-7.25 (m, 2H), 7.00-6.90 (m, 3H), 4.50 (pd, *J* = 6.3, 3.8 Hz, 1H), 3.81-3.66 (m, 2H), 2.12 (s, 1H), 1.27 (d, *J* = 6.3 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 157.73, 129.58, 121.22, 116.18, 74.77, 66.27, 15.84; IR (thin film) 3381, 2932, 1598, 1493, 1240, 1051, 752 cm⁻¹.

[0090] Example 3B: Preparation of (3*R*,4*S*)-4-((triisopropylsilyl)oxy)pent-1-en-3-ol.



[0091] A solution of (*S*)-2-((triisopropylsilyl)oxy)propanal (5.0 g, 21.70 mmol) in Et₂O (108 mL) was prepared in a 250 mL round bottom flask and cooled to -78 °C in a dry ice/acetone bath under an atmosphere of N₂. Vinylmagnesium bromide (1.0 M in THF, 23.87 mL, 23.87 mmol) was then added via syringe over 30 min. The reaction mixture was stirred at -78 °C for 30 min, and then was allowed to slowly warm to rt over 2 h. The reaction was poured over saturated aqueous NH₄Cl (200 mL) and extracted with Et₂O (3 x 100 mL). The combined organic layers were dried over MgSO₄, filtered, and concentrated to afford a pale yellow oil. The oil was purified by flash column chromatography (SiO₂, 0→20% ethyl acetate in hexanes) to afford the title compound (4.30 g, 77%, d.r. ~ 6:1) as a clear, colorless oil: ¹H NMR (300 MHz, CDCl₃) δ 5.80 (ddd, *J* = 17.0, 10.6, 6.0 Hz, 1H), 5.31 (dt, *J* = 17.3, 1.7 Hz, 1H), 5.20 (dt, *J* = 10.6, 1.6 Hz, 1H), 4.16 (dddt, *J* = 6.4, 4.8, 3.2, 1.8 Hz, 1H), 4.00 (qd, *J* = 6.4, 3.5 Hz, 1H), 2.45 (d, *J* = 3.3 Hz, 1H), 1.12 (d, *J* = 6.4 Hz, 3H), 1.08 (s, 21H); ¹³C NMR (101 MHz, CDCl₃) δ 136.42, 116.31, 71.40, 60.35, 21.00, 18.02, 14.17, 12.38; IR (neat) 3483, 2943, 2866, 1463, 676 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₄H₃₀NaO₂Si]⁺, 281.1907; found, 281.1920.

[0092] Example 3C: Preparation of (2*S*,3*R*)-2-((triisopropylsilyl)oxy)hex-5-en-3-ol.



[0093] A 500 mL round bottom flask was charged with (+)-Ipc₂-allylborane (1M in pentane, 25.0 mL, 25.00 mmol) under N₂ and diluted with Et₂O (100 mL). The resultant clear, colorless solution was cooled to -78 °C in an acetone/dry ice bath. (*S*)-2-((triisopropylsilyl)oxy)propanal

(4.61 g, 20.01 mmol) was added as a solution in anhydrous Et₂O (60 mL) via syringe over 1.5 h. The clear, colorless reaction was cooled for an additional 1.5 h at -78 °C, after which TLC indicated consumption of starting material. MeOH (50 mL) was then added, and the reaction was stirred for 5 min at -78 °C. pH 7 buffer (70 mL) was added, and the reaction was warmed to 0 °C in an ice/water bath. H₂O₂ (30%, 60 mL) was then added, and the resulting biphasic reaction mixture was vigorously stirred at 0 °C for 2.5 h, and then warmed to room temperature as the ice melted and stirred for 30 h. The layers were separated, and the aqueous phase was extracted with Et₂O (3 x 100 mL). The aqueous layer was carefully quenched with saturated aqueous Na₂S₂O₃ on ice until KI-starch test paper indicated the disappearance of residual H₂O₂. The combined organic layers were dried over MgSO₄, filtered, and concentrated to a clear oil. The oil was purified by flash column chromatography (SiO₂, 0→15% ethyl acetate in hexanes) to afford the title compound (5.00 g, 92%) as a clear, light rose colored oil: ¹H NMR (400 MHz, CDCl₃) δ 5.85 (ddt, *J* = 17.2, 10.2, 7.0 Hz, 1H), 5.22 - 4.97 (m, 2H), 3.93 (qd, *J* = 6.2, 3.3 Hz, 1H), 3.70 (ddt, *J* = 8.3, 5.7, 2.9 Hz, 1H), 2.34 (d, *J* = 2.6 Hz, 1H), 2.30 - 2.09 (m, 2H), 1.14 (d, *J* = 6.3 Hz, 3H), 1.12 - 1.03 (m, 21H); ¹³C NMR (101 MHz, CDCl₃) δ 134.91, 117.07, 74.48, 70.77, 36.72, 18.06, 16.59, 12.37; IR (neat) 3480, 2943, 2866, 1463, 1067, 881 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₅H₃₃O₂Si]⁺, 274.2270; found, 274.2274.


[0094] Example 4A: Preparation of 1-((((2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-yl)oxy)methyl)-4-methoxybenzene.



[0095] In a 250 mL round bottom flask, a suspension of sodium hydride (0.329 g, 13.72 mmol) was prepared in DMF (42.7 mL) under an atmosphere of N₂ and cooled to 0 °C in an ice/water bath. After 5 min, (2*S*,3*R*)-2-((4-methoxybenzyl)oxy)-4-methylpentan-3-ol (1.868 g, 7.84 mmol) was added via syringe as a solution in DMF (10 mL with 2 x 5 mL washes). The resultant bright yellow reaction mixture was brought to rt and was stirred for 3 h. The reaction was cooled to 0 °C and (bromomethyl)benzene (1.617 mL, 14.89 mmol) was added in one portion, followed by tetrabutylammonium iodide (0.290 g, 0.784 mmol). The reaction mixture was warmed to 40 °C and

stirred overnight. The reaction was cooled to 0 °C and diethylamine (2.433 mL, 23.51 mmol) was added via syringe over 15 seconds. The pale yellow reaction was warmed to rt and was stirred for 1 h, at which point the reaction became a clear, yellow solution. After 1 h, the reaction was quenched with saturated aqueous NH₄Cl (200 mL) and extracted with Et₂O (3 x 200 mL). The combined organic layers were washed with brine (200 mL), dried over MgSO₄, filtered, and concentrated to afford a yellow oil. The oil was purified by flash column chromatography (SiO₂, 0→20% ethyl acetate in hexanes) to afford the title compound (1.73 g, 67%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.39-7.29 (m, 4H), 7.29-7.22 (m, 3H), 6.90-6.84 (m, 2H), 4.80 (d, *J* = 11.3 Hz, 1H), 4.58 (d, *J* = 11.3 Hz, 1H), 4.54 (d, *J* = 11.4 Hz, 1H), 4.43 (d, *J* = 11.4 Hz, 1H), 3.80 (s, 3H), 3.65 (qd, *J* = 6.3, 4.5 Hz, 1H), 3.24 (dd, *J* = 6.2, 4.4 Hz, 1H), 1.88 (dq, *J* = 13.4, 6.7 Hz, 1H), 1.26 (d, *J* = 6.2 Hz, 3H), 0.96 (d, *J* = 6.7 Hz, 3H), 0.92 (d, *J* = 6.9 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 159.08, 139.27, 131.04, 129.09, 128.21, 127.81, 127.31, 113.77, 86.75, 76.06, 74.59, 70.33, 55.29, 30.11, 20.03, 18.44, 15.04; IR (thin film) 2959, 2871, 1513, 1247, 1099, 1066, 1036 cm⁻¹.


[0096] Example 4B: Preparation of triisopropyl(((2*S*,3*R*)-3-((4-methoxybenzyl)oxy)pent-4-en-2-yl)oxy)silane.



[0097] In a 250 mL round bottom flask, a suspension of sodium hydride (1.165 g, 29.1 mmol) was prepared in DMF (93 mL) under an atmosphere of N₂ and cooled to 0 °C in an ice/water bath. After 5 min, (3*R*,4*S*)-4-((triisopropylsilyl)oxy)pent-1-en-3-ol (4.301 g, 16.64 mmol, d.r. ~6:1) was added via syringe as a solution in DMF (20 mL with 2 x 10 mL washes). The resultant bright yellow reaction mixture was brought to rt and was stirred for 3 h. The reaction was cooled to 0 °C and 4-methoxybenzyl bromide (4.61 mL, 31.6 mmol) was added in one portion, followed by tetrabutylammonium iodide (0.615 g, 1.664 mmol), after which the reaction underwent a distinct color change to light orange. The reaction mixture was warmed to rt and was stirred overnight. After 20 h, TLC indicated consumption of starting material. The reaction was cooled to 0 °C and diethylamine (5.16 mL, 49.9 mmol) was added via syringe over 15 seconds. The pale yellow


reaction was warmed to rt and was stirred for 1 h, at which point the reaction became a clear, yellow solution. After 1 h, the reaction was quenched with saturated aqueous NH_4Cl (150 mL) and extracted with Et_2O (3 x 150 mL). The combined organic layers were washed with brine (100 mL), dried over MgSO_4 , filtered, and concentrated to afford a yellow oil. The oil was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 15% MTBE in petroleum ether) to afford the title compound (4.063 g, 65%, d.r.~6:1) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.34-7.19 (m, 2H), 6.92-6.79 (m, 2H), 5.84 (ddd, J = 17.1, 10.5, 7.4 Hz, 1H), 5.43-5.08 (m, 2H), 4.55 (d, J = 11.5 Hz, 1H), 4.38 (d, J = 11.5 Hz, 1H), 3.98 (qd, J = 6.3, 4.5 Hz, 1H), 3.80 (s, 3H), 3.63 (ddt, J = 7.5, 4.4, 1.0 Hz, 1H), 1.19 (d, J = 6.2 Hz, 3H), 1.10-0.98 (m, 21H); ^{13}C NMR (101 MHz, CDCl_3) δ 158.96, 136.47, 131.02, 129.29, 118.19, 113.62, 85.07, 71.35, 70.35, 55.26, 19.87, 18.15, 12.55; IR (neat) 2942, 2865, 1513, 1246, 1039, 677 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{22}\text{H}_{38}\text{NaO}_3\text{Si}]^+$, 401.24824; found, 401.24711.

[0098] Example 4C: Preparation of methyl (*R*)-2-((tert-butyldimethylsilyl)oxy)-2-phenylacetate.




[0099] A solution of ethyl (*R*)-2-hydroxy-2-phenylacetate (5.00 g, 30.1 mmol), TBSCl (6.80 g, 45.1 mmol), and imidazole (4.10 g, 60.2 mmol) was prepared in DMF (31.7 mL) and stirred overnight at rt. After 20 h, the solution was diluted with Et_2O and water. The organic phase was washed with brine, dried over Na_2SO_4 , and concentrated to an oil. The oil was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 5% ethyl acetate in hexanes) to afford the title compound (7.53 g, 85%) as a clear, colorless oil: ^1H NMR (300 MHz, CDCl_3) δ 7.42-7.31 (m, 2H), 7.28-7.17 (m, 3H), 5.13 (s, 1H), 3.57 (s, 3H), 0.81 (s, 9H), 0.00 (s, 3H), -0.07 (s, 3H); ^{13}C NMR (126 MHz, CDCl_3) δ 172.61, 139.11, 128.33, 128.09, 126.33, 74.39, 52.18, 25.71, 18.35, -5.09, -5.16; IR (thin film) 2952, 2929, 2886, 2857, 1758, 1737, 1472, 1253, 1207, 1191, 1170, 1125, 861, 836, 778, 725, 696 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{15}\text{H}_{25}\text{O}_3\text{Si}]^+$, 281.1567; found, 281.1578.

[00100] Example 5A: Preparation of (2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-ol.



[00101] In a 250 mL flask, 1-((((2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-yl)oxy)methyl)-4-methoxybenzene (1.7255 g, 5.25 mmol) was dissolved in acetonitrile (96 mL) and H₂O (9.55 mL) and was cooled to 0 °C in an ice bath. After ~5 min, ceric ammonium nitrate (14.40 g, 26.3 mmol) was added, and the orange reaction mixture was stirred at 0 °C for 3 h. After 3 h, the mixture was quenched with saturated aqueous NaHCO₃ (100 mL), and then extracted with DCM (3 x 100 mL). The combined organic layers were poured through a phase separator and concentrated to afford a clear, colorless oil. The oil was purified by flash column chromatography (SiO₂, 0→50% ethyl acetate in hexanes) to afford the title compound (401 mg, 37%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.39-7.22 (m, 5H), 4.66 (d, *J* = 0.9 Hz, 2H), 3.93 (qd, *J* = 6.4, 4.2 Hz, 1H), 3.13 (dd, *J* = 6.4, 4.2 Hz, 1H), 1.92 (s, 1H), 1.86 (dq, *J* = 13.5, 6.8 Hz, 1H), 1.20 (d, *J* = 6.5 Hz, 3H), 1.03 (d, *J* = 6.7 Hz, 3H), 0.94 (d, *J* = 6.9 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 138.91, 128.40, 127.60, 127.58, 88.50, 74.84, 68.43, 30.07, 19.94, 18.66, 18.08; IR (thin film) 3406, 2962, 1454, 1093, 1063, 734, 697 cm⁻¹.


[00102] Example 5B: Preparation of (2*S*,3*R*)-3-((4-methoxybenzyl)oxy)pent-4-en-2-ol.



[00103] A solution of triisopropyl((((2*S*,3*R*)-3-((4-methoxybenzyl)oxy)pent-4-en-2-yl)oxy)silane (4.06 g, 10.7 mmol, d.r.~6:1) was prepared in a 250 mL round bottom flask in THF (53.7 mL) under N₂ and cooled to 0 °C. After 5 min, TBAF (12.88 mL, 12.88 mmol) was added dropwise via syringe over 2 min. The reaction mixture was allowed to warm to rt and stirred for 4 h.

The reaction was quenched with saturated aqueous NH_4Cl (100 mL) and extracted with Et_2O (3 x 100 mL). The combined organic layers were dried over MgSO_4 , filtered, and concentrated to afford a clear, colorless oil. The oil was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 30% ethyl acetate in hexanes) to afford the title compound (1.272 g, 53%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.25 (d, J = 8.4 Hz, 2H), 6.88 (d, J = 8.6 Hz, 2H), 5.82 (ddd, J = 17.4, 10.4, 8.1 Hz, 1H), 5.40 (ddd, J = 10.4, 1.9, 0.8 Hz, 1H), 5.30 (ddd, J = 17.3, 1.9, 0.9 Hz, 1H), 4.57 (d, J = 11.5 Hz, 1H), 4.31 (d, J = 11.4 Hz, 1H), 3.92-3.78 (m, 4H), 3.71-3.62 (m, 1H), 2.21 (d, J = 3.9 Hz, 1H), 1.13 (d, J = 6.4 Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 159.19, 134.66, 130.34, 129.39, 120.20, 113.80, 83.96, 69.95, 69.27, 55.27, 17.94; IR (thin film) 3447, 2976, 2868, 1612, 1513, 1545, 1033, 819 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{13}\text{H}_{18}\text{NaO}_3]^+$, 245.11482; found, 245.1134. Also isolated (2*S*,3*S*)-3-((4-methoxybenzyl)oxy)pent-4-en-2-ol (325 mg, 1.46 mmol, 14% yield) as a clear, colorless oil: ^1H NMR (300 MHz, CDCl_3) δ 7.31-7.21 (m, 2H), 6.94-6.85 (m, 2H), 5.79-5.62 (m, 1H), 5.45-5.15 (m, 1H), 4.57 (d, J = 11.2 Hz, 1H), 4.28 (d, J = 11.1 Hz, 1H), 3.81 (s, 3H), 3.74-3.64 (m, 1H), 3.50 (t, J = 7.9 Hz, 1H), 2.83-2.69 (m, 1H), 1.18 (d, J = 6.2 Hz, 1H), 1.12 (d, J = 6.2 Hz, 3H); IR (thin film) 3455, 2869, 1513, 1247, 1069, 1034, 820 cm^{-1} .


[00104] Example 5C: Preparation of (1*R*,2*S*)-1-((4-methoxybenzyl)oxy)-1-phenylpropan-2-ol.



[00105] A solution of lithium borohydride (2M in THF, 3.93 mL, 7.86 mmol) and methyl lithium (1.6M in THF, 3.93 mL, 6.29 mmol) was prepared in Et_2O (29.1 mL) and cooled to -78°C in a dry ice/acetone bath. After ~ 5 min, a solution of methyl (*R*)-2-((4-methoxybenzyl)oxy)-2-phenylacetate (1.5 g, 5.24 mmol) dissolved in Et_2O (9 mL) was added slowly via addition funnel. The reaction was allowed to warm to rt slowly overnight. After 20 h, the reaction was carefully quenched with saturated aqueous NH_4Cl and extracted with Et_2O . The combined organic layers were dried over Na_2SO_4 , filtered, and concentrated. The crude material was purified by flash

column chromatography (SiO₂, 0→15% ethyl acetate in hexanes) to afford the title compound (744 mg, 50%) as a thick oil: ¹H NMR (400 MHz, CDCl₃) δ 7.43-7.29 (m, 5H), 7.25-7.18 (m, 2H), 6.90-6.85 (m, 2H), 4.48 (d, *J* = 11.3 Hz, 1H), 4.26 (d, *J* = 5.0 Hz, 1H), 4.23 (d, *J* = 11.3 Hz, 1H), 4.01-3.91 (m, 1H), 3.81 (s, 3H), 1.93 (s, 1H), 1.11 (d, *J* = 6.4 Hz, 3H); ¹³C NMR (126 MHz, CDCl₃) δ 159.24, 138.27, 130.20, 129.45, 128.42, 128.02, 127.84, 113.82, 84.63, 70.82, 70.46, 55.28, 18.15; IR (thin film) 3440, 2867, 2835, 1611, 1512, 1492, 1452, 1301, 1244, 1172, 1134, 1060, 1030, 952, 818, 755, 701 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₇H₂₀O₃Na]⁺, 295.1305; found, 295.1300. Also isolated (*R*)-1-((4-methoxybenzyl)oxy)-2-methyl-1-phenylpropan-2-ol (353 mg, 1.17 mmol, 22% yield) as a thick oil: ¹H NMR (400 MHz, CDCl₃) δ 7.40-7.29 (m, 5H), 7.25-7.19 (m, 2H), 6.93-6.85 (m, 2H), 4.45 (d, *J* = 11.2 Hz, 1H), 4.23-4.15 (m, 2H), 3.81 (s, 3H), 2.53 (s, 1H), 1.16 (s, 3H), 1.09 (s, 3H); ¹³C NMR (126 MHz, CDCl₃) δ 159.23, 138.13, 130.19, 129.47, 128.36, 128.03, 127.86, 113.79, 87.70, 72.85, 70.65, 55.28, 26.17, 24.38; IR (thin film) 3418, 2973, 2933, 2866, 2835, 1611, 1512, 1452, 1370, 1351, 1244, 1170, 1085, 1062, 1028, 819, 742, 702 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₈H₂₂O₃Na]⁺, 309.1461; found, 309.1462.


[00106] Example 6A: Preparation of 1-methoxy-4-(((3*R*,4*S*)-4-phenoxy-pent-1-en-3-yl)oxy)methyl)benzene.



[00107] A solution of (2*S*,3*R*)-3-((4-methoxybenzyl)oxy)pent-4-en-2-ol (1.272 g, 5.72 mmol), triphenylbismuth(V) acetate (4.15 g, 7.44 mmol) and copper(II) acetate (0.104 g, 0.572 mmol) was prepared in anhydrous toluene (38.1 mL) in a 100 mL flask under an atmosphere of N₂. *N*-cyclohexyl-*N*-methylcyclohexanamine (1.410 mL, 6.58 mmol) was then added via syringe in one portion. The resulting blue/green reaction was heated to 40 °C yielding a pale blue/green reaction mixture. The mixture was stirred at temperature for 96 h. The reaction was cooled to rt and was filtered through a plug of Celite[®], washing with DCM, and then concentrated to afford a dark yellow oil. The oil was purified by flash column chromatography (SiO₂, 0→20% ethyl acetate in hexanes) to afford the title compound (1.43 g, 84%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.31-7.20 (m, 4H), 6.96-6.81 (m, 5H), 5.87 (ddd, *J* = 17.5, 10.0, 7.4 Hz, 1H), 5.35 (dt, *J* =


2.6, 1.7 Hz, 1H), 5.33-5.30 (m, 1H), 4.60 (d, $J = 11.6$ Hz, 1H), 4.44-4.35 (m, 2H), 3.91 (ddt, $J = 7.4$, 4.7, 1.0 Hz, 1H), 3.79 (s, 3H), 1.32 (d, $J = 6.3$ Hz, 3H); ^{13}C NMR (126 MHz, CDCl_3) δ 159.07, 157.93, 135.53, 130.48, 129.40, 129.32, 120.78, 118.99, 116.15, 113.69, 81.88, 76.17, 70.34, 55.25, 15.69; IR (thin film) 2934, 1598, 1512, 1493, 1242, 1068, 753 cm^{-1} .

[00108] Example 6B: Preparation of 1-(((2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-yl)oxy)-2,4-difluorobenzene.




[00109] A solution of (2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-ol (91.5 mg, 0.439 mmol) was prepared in DMF (1.76 mL) at rt in a small vial. To this solution was added potassium *tert*-butoxide (71.5 mg, 0.637 mmol) followed by 1,2,4-trifluorobenzene (138 μL , 1.318 mmol). The mixture was stirred at 60 $^{\circ}\text{C}$ for 72 h. The reaction was quenched with AcOH (72 μL) and then diluted with hexanes (1.76 mL). The mixture was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 20% ethyl acetate in hexanes) to afford the title compound (122.6 mg, 87%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.43-7.37 (m, 2H), 7.37-7.31 (m, 2H), 7.31-7.25 (m, 1H), 7.01 (ddd, $J = 10.7$, 8.9, 5.4 Hz, 1H), 6.68 (ddd, $J = 9.8$, 6.7, 3.0 Hz, 1H), 6.58 (ddt, $J = 8.9$, 7.7, 3.1 Hz, 1H), 4.88 (d, $J = 11.1$ Hz, 1H), 4.61 (d, $J = 11.1$ Hz, 1H), 4.51 (qd, $J = 6.2$, 3.8 Hz, 1H), 3.42 (dd, $J = 6.9$, 3.8 Hz, 1H), 1.89 (h, $J = 6.8$ Hz, 1H), 1.38 (d, $J = 6.3$ Hz, 3H), 1.01 (d, $J = 6.7$ Hz, 3H), 0.99 (d, $J = 6.8$ Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 158.73 (dd, $J = 242.0$, 2.5 Hz), 149.83 (dd, $J = 241.2$, 3.2 Hz), 146.37 (dd, $J = 12.5$, 10.4 Hz), 138.86, 128.29, 127.99, 127.52, 116.51 (dd, $J = 21.2$, 10.3 Hz), 106.87 (dd, $J = 23.9$, 7.0 Hz), 104.17 (dd, $J = 27.0$, 2.1 Hz), 86.00, 77.45, 74.87, 30.42, 19.66, 18.78, 14.46; ^{19}F NMR (376 MHz, CDCl_3) δ -116.80 (d, $J = 15.0$ Hz), -138.81 (d, $J = 15.0$ Hz); IR (thin film) 2963, 1624, 1510, 1205, 1150, 1099, 698 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{19}\text{H}_{26}\text{F}_2\text{NO}_2]^+$, 338.1926; found, 338.192.

[00110] Example 6C: Preparation of 1-methoxy-4-(((2*R*,3*S*)-3-((2-methylallyl)oxy)-1-phenylbutan-2-yl)oxy)methyl)benzene.



[00111] A solution of (2*S*,3*R*)-3-((4-methoxybenzyl)oxy)-4-phenylbutan-2-ol (0.145 g, 0.506 mmol) was prepared in THF (1.688 mL). Sodium hydride (0.030 g, 0.760 mmol) and TBAI (0.019 g, 0.051 mmol) were then added. 3-bromo-2-methylprop-1-ene (0.153 mL, 1.519 mmol) was added in one portion and the reaction was allowed to reflux. The reaction was then quenched with water and extracted with Et₂O (2x), dried over Na₂SO₄, filtered, and concentrated to an oil. The crude material was purified by flash column chromatography (SiO₂, 0→10% ethyl acetate in hexanes) to afford the title compound (144.1 mg, 79%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.33-7.18 (m, 5H), 7.12-7.01 (m, 2H), 6.83-6.77 (m, 2H), 5.01-4.92 (m, 1H), 4.89-4.80 (m, 1H), 4.47 (d, *J* = 11.0 Hz, 1H), 4.26 (d, *J* = 11.0 Hz, 1H), 3.94 (d, *J* = 12.5 Hz, 1H), 3.89 3.80 (m, 1H), 3.78 (s, 3H), 3.63 (dt, *J* = 8.5, 4.4 Hz, 1H), 3.46 (qd, *J* = 6.3, 4.3 Hz, 1H), 2.89 (dd, *J* = 13.9, 4.4 Hz, 1H), 2.79 (dd, *J* = 13.9, 8.1 Hz, 1H), 1.74 (t, *J* = 1.1 Hz, 3H), 1.24 (d, *J* = 6.3 Hz, 3H); ¹³C NMR (126 MHz, CDCl₃) δ 159.00, 142.65, 139.42, 130.77, 129.57, 129.49, 128.19, 126.01, 113.59, 111.73, 82.70, 76.66, 72.84, 72.64, 55.26, 37.96, 19.68, 15.29; IR (thin film) 3027, 2932, 1612, 1512, 1495, 1453, 1301, 1246, 1172, 1081, 1035, 898, 820, 743, 699 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₂₂H₂₉O₃]⁺, 341.2111; found, 341.2095.


[00112] Example 7: Preparation of (2*R*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutan-1-ol.



[00113] In a 100 mL flask, 1-methoxy-4-(((3*R*,4*S*)-4-phenoxybut-1-en-3-yl)oxy)methyl)benzene (0.908 g, 3.04 mmol) and sodium bicarbonate (0.026 g, 0.304 mmol) were dissolved in anhydrous DCM (29.5 mL) and anhydrous MeOH (0.928 mL). To this solution was

added 5 drops of a 1% DCM solution of sudan III indicator, producing a light pink solution. The reaction was cooled to $-78\text{ }^{\circ}\text{C}$ in a dry ice/acetone bath. After ~ 5 min, O_3 was bubbled through the reaction until the pink color disappeared. The reaction was then purged with N_2 gas, and additional MeOH (9.28 mL) was added followed by solid sodium borohydride (0.345 g, 9.13 mmol) in one portion. The solution was allowed to warm to rt via removal of the dry ice/acetone bath, and the reaction was stirred overnight. After 18 h, TLC indicated conversion to a single lower R_f spot. The reaction was quenched with H_2O (50 mL) and extracted with DCM (3 x 50 mL). The combined organic layers were passed through a phase separator and concentrated to afford a colorless oil. The crude oil was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 100% ethyl acetate in hexanes) to afford the title compound (893.7 mg, 97%) as a clear, colorless oil: ^1H NMR (300 MHz, CDCl_3) δ 7.32 - 7.22 (m, 5H), 6.99 - 6.84 (m, 5H), 4.70 (d, $J = 11.2$ Hz, 1H), 4.60 (d, $J = 11.2$ Hz, 1H), 4.56 - 4.46 (m, 1H), 3.80 (s, 3H), 3.76 (dt, $J = 6.0, 4.6$ Hz, 2H), 3.65 (td, $J = 5.0, 4.4$ Hz, 1H), 1.36 (d, $J = 6.3$ Hz, 3H); ^{13}C NMR (75 MHz, CDCl_3) δ 159.41, 157.49, 130.15, 129.67, 129.59, 121.14, 115.99, 113.93, 81.20, 73.81, 72.66, 61.49, 55.29, 16.09; IR (thin film) 3427, 2934, 1612, 1585, 1512, 1493, 1240, 1067, 1031, 752, 692 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{18}\text{H}_{22}\text{NaO}_4]^+$, 325.1410; found, 325.1396.


[00114] Example 8A: Preparation of (((2*R*,3*S*)-2-((4-methoxybenzyl)oxy)butane-1,3-diyl)bis(oxy))dibenzene.



[00115] A solution of (2*R*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxypentanol (180 mg, 0.595 mmol), triphenylbismuth(V) acetate (499 mg, 0.893 mmol) and copper(II) acetate (16.22 mg, 0.089 mmol) was prepared in anhydrous toluene (3.97 mL) in a 20 mL vial under an atmosphere of N_2 . *N*-cyclohexyl-*N*-methylcyclohexanamine (166 μL , 0.774 mmol) was then added via syringe in one portion. The resulting blue/green reaction was heated to $40\text{ }^{\circ}\text{C}$ yielding a pale blue/green reaction mixture and stirred for 48 h. After 48 h, TLC indicated consumption of starting material and

conversion to a single higher R_f spot. The reaction was cooled to room temperature and filtered through a plug of Celite[®] with DCM, and the organics were concentrated to afford a dark yellow oil. The crude oil was purified by flash column chromatography (SiO_2 , 0→20% ethyl acetate in hexanes) to afford the title compound (208.5 mg, 93%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.33 - 7.20 (m, 6H), 6.98 - 6.82 (m, 8H), 4.71 (s, 2H), 4.68 - 4.60 (m, 1H), 4.17 (dd, J = 10.0, 4.8 Hz, 1H), 4.10 (dd, J = 10.0, 5.5 Hz, 1H), 3.98 (q, J = 5.1 Hz, 1H), 3.78 (s, 3H), 1.40 (d, J = 6.2 Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 159.31, 158.67, 157.61, 130.42, 129.66, 129.53, 129.45, 120.95, 120.92, 115.92, 114.62, 113.80, 78.80, 73.70, 73.03, 67.81, 55.26, 15.52; IR (thin film) 2933, 1598, 1492, 1237, 1081, 1032, 751, 691 cm^{-1} ; HRMS-ESI (m/z) calcd for $[\text{C}_{24}\text{H}_{26}\text{NaO}_4]^+$, 401.1723; found, 401.1725.


[00116] Example 8B: Preparation of 1-methoxy-4-(((2*R*,3*S*)-1-methoxy-3-phenoxybutan-2-yl)oxy)methyl)benzene.



[00117] In a small vial, (2*R*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutan-1-ol (150 mg, 0.496 mmol) was dissolved in DCM (2.48 mL) under an atmosphere of N_2 . N_1,N_1,N_8,N_8 -tetramethylnaphthalene-1,8-diamine (319 mg, 1.488 mmol) was added in one portion, followed by trimethyloxonium tetrafluoroborate (110 mg, 0.744 mmol). The resulting clear, colorless solution was stirred at rt overnight. After 20 h, TLC indicated complete consumption of starting material. The reaction was carefully quenched with sat. aq. NaHCO_3 (20 mL) and extracted with DCM (3 x 20 mL). The combined organic layers were washed with 1N HCl (2 x 20 mL) followed by brine (20 mL). The organic layers were filtered through a phase separator and concentrated to afford a pale yellow oil. The crude oil was purified by flash column chromatography (SiO_2 , 0→30% ethyl acetate in hexanes) to afford the title compound (117.5 mg, 75%) as a pale yellow oil: ^1H NMR (400 MHz, CDCl_3) δ 7.31 - 7.22 (m, 4H), 6.97 - 6.81 (m, 5H), 4.65 (s, 2H), 4.54 (qd, J = 6.2, 4.9 Hz, 1H), 3.79 (s, 3H), 3.74 (q, J = 5.0 Hz, 1H), 3.56 (dd, J = 10.3, 4.6 Hz, 1H), 3.51 (dd, J = 10.2, 5.3 Hz, 1H), 3.33 (s, 3H), 1.34 (d, J = 6.3 Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 159.20, 157.78, 130.71,


129.50, 129.48, 120.79, 115.91, 113.73, 79.30, 73.71, 72.64, 72.32, 59.22, 55.26, 15.44; IR (thin film) 2894, 1598, 1513, 1493, 1240, 1083, 1034, 752, 692 cm^{-1} ; HRMS-ESI (m/z) calcd for $[\text{C}_{19}\text{H}_{24}\text{NaO}_4]^+$, 339.1567; found, 339.1569.

[00118] Example 8C: Preparation of 1-(((2*R*,3*S*)-1-(benzyloxy)-3-phenoxybutan-2-yl)oxy)methyl)-4-methoxybenzene.




[00119] In a 20 mL vial, a solution of (2*R*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutan-1-ol (145 mg, 0.480 mmol) was prepared in DMF (3.84 mL) and cooled to 0 °C in an ice water bath. After ~5 min, sodium hydride (33.6 mg, 0.839 mmol) was added, and the resulting reaction mixture was stirred for 2 h, slowly warming to rt. After 2 h, the reaction was cooled to 0 °C, and (bromomethyl)benzene (99 μL , 0.911 mmol) was added in one portion via syringe, followed by tetrabutylammonium iodide (17.71 mg, 0.048 mmol). The reaction was allowed to stir overnight, slowly warming to rt as the ice bath melted. After 18 h, TLC indicated complete consumption of starting material. The reaction was quenched with sat. aq. NH_4Cl (20 mL) and extracted with Et_2O (3 x 20 mL). The combined organic layers were washed with brine (20 mL), dried over MgSO_4 , filtered, and concentrated to afford a yellow oil. The crude oil was purified by flash column chromatography (SiO_2 , 0 $\rightarrow$ 20% ethyl acetate in hexanes) to afford the title compound (148.4 mg, 79%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.34 - 7.20 (m, 9H), 6.96 - 6.87 (m, 3H), 6.87 - 6.82 (m, 2H), 4.65 (s, 2H), 4.63 - 4.55 (m, 1H), 4.51 (d, J = 2.0 Hz, 2H), 3.82 - 3.74 (m, 4H), 3.68 - 3.57 (m, 2H), 1.34 (d, J = 6.3 Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 159.19, 157.76, 138.25, 130.69, 129.51, 129.48, 128.32, 127.58, 127.54, 120.75, 115.86, 113.72, 79.41, 73.65, 73.37, 72.67, 69.77, 55.25, 15.40; IR (thin film) 3029, 2862, 1597, 1512, 1493, 1240, 1086, 1033, 751, 693 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{25}\text{H}_{28}\text{NaO}_4]^+$, 415.1880; found, 415.1876.

[00120] Example 8D: Preparation of 1-((((2*R*,3*S*)-1-(allyloxy)-3-phenoxybutan-2-yl)oxy)methyl)-4-methoxybenzene.




[00121] In a 20 mL vial, a solution of (2*R*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutan-1-ol (145.4 mg, 0.481 mmol) was prepared in DMF (3.85 mL) and cooled to 0 °C in an ice water bath. After ~5 min, sodium hydride (33.7 mg, 0.842 mmol) was added, and the resulting reaction mixture was stirred for 2 h while slowly warming to rt. After 2 h, the reaction was cooled to 0 °C, and allyl bromide (79 µL, 0.914 mmol) was added in one portion via syringe, followed by tetrabutylammonium iodide (17.76 mg, 0.048 mmol). The reaction was allowed to stir overnight, slowly warming to rt as the ice bath melted. After 20 h, TLC indicated consumption of starting material. The reaction was quenched with sat. aq. NH₄Cl (20 mL) and extracted with Et₂O (3 x 20 mL). The combined organic layers were washed with brine (20 mL), dried over MgSO₄, filtered, and concentrated to afford a yellow oil. The crude oil was purified by flash column chromatography (SiO₂, 0→20% ethyl acetate in hexanes) to afford the title compound (145.4 mg, 88%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.31 - 7.20 (m, 4H), 6.96 - 6.82 (m, 5H), 5.87 (ddt, *J* = 17.1, 10.8, 5.5 Hz, 1H), 5.25 (dq, *J* = 17.2, 1.7 Hz, 1H), 5.16 (dq, *J* = 10.4, 1.4 Hz, 1H), 4.66 (s, 2H), 4.56 (qd, *J* = 6.2, 4.8 Hz, 1H), 3.97 (dt, *J* = 5.5, 1.5 Hz, 2H), 3.85 - 3.73 (m, 4H), 3.62 (dd, *J* = 10.2, 4.8 Hz, 1H), 3.56 (dd, *J* = 10.2, 5.5 Hz, 1H), 1.35 (d, *J* = 6.3 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 159.20, 157.78, 134.75, 130.74, 129.52, 129.47, 120.76, 116.81, 115.91, 113.73, 79.35, 73.77, 72.72, 72.30, 69.84, 55.26, 15.37; IR (thin film) 2865, 1598, 1513, 1493, 1240, 1084, 1034, 752 cm⁻¹; HRMS-ESI (*m/z*) calcd for [C₂₁H₂₆NaO₄]⁺, 365.1723; found, 365.1731.

[00122] Example 9, Step 1: Preparation of (2*S*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutanal.




[00123] In a 100 mL flask, 1-methoxy-4-(((3*R*,4*S*)-4-phenoxypent-1-en-3-yl)oxy)methyl)benzene (0.500 g, 1.676 mmol) and sodium bicarbonate (0.014 g, 0.168 mmol) were dissolved in anhydrous DCM (15.23 mL) and anhydrous MeOH (1.523 mL). To this solution was added 5 drops of a 1% DCM solution of sudan III indicator, producing a light pink solution. The reaction was cooled to -78 °C in a dry ice/acetone bath. After ~5 min, O₃ was bubbled through the reaction until the pink color disappeared. The reaction was then purged with nitrogen gas for ~5 min, and then dimethylsulfide (1.231 mL, 16.76 mmol) was added in one portion via syringe. The resulting solution was allowed to warm to rt via removal of the dry ice/acetone bath, and the reaction was stirred overnight. After 18 h, TLC indicated consumption of starting material and conversion to a major lower R_f product. The reaction was quenched with H₂O (50 mL) and extracted with DCM (3 x 50 mL). The combined organic layers were passed through a phase separator and concentrated to afford a colorless oil. The crude oil was purified by flash column chromatography (SiO₂, 0→30% ethyl acetate in hexanes) to afford the title compound (385.2 mg, 77%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 9.69 (d, *J* = 1.6 Hz, 1H), 7.34 - 7.21 (m, 4H), 7.00 - 6.81 (m, 5H), 4.81 - 4.55 (m, 3H), 4.00 (dd, *J* = 3.9, 1.7 Hz, 1H), 3.80 (s, 3H), 1.36 (d, *J* = 6.3 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 202.57, 159.62, 157.03, 129.86, 129.63, 129.20, 121.50, 116.02, 113.97, 84.11, 74.29, 73.09, 55.29, 15.70; IR (thin film) 2934, 2836, 1731, 1513, 1491, 1232, 1087, 1031, 752 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₈H₂₄NO₄]⁺, 318.1700; found, 318.1703.

[00124] Example 9, Step 2: Preparation of 1-(((2*S*,3*S*)-1,1-difluoro-3-phenoxybutan-2-yl)oxy)methyl)-4-methoxybenzene.



[00125] A solution of (2*S*,3*S*)-2-((4-methoxybenzyl)oxy)-3-phenoxybutanal (0.361 g, 1.202 mmol) was prepared in DCM (12.02 mL) and cooled to 0 °C in an ice/water bath. After ~5 min, Deoxofluor (~50% in toluene, 2.66 g, 6.01 mmol) was added in one portion followed by 1 drop of MeOH. The solution was stirred overnight, slowly warming to rt as the ice melted. After 18 h, TLC indicated consumption of starting material, and the mixture was concentrated to afford an orange oil. The crude oil was purified by flash column chromatography (SiO₂, 0→100% ethyl acetate in hexanes) to afford the title compound (342.1 mg, 88%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.32 - 7.23 (m, 4H), 7.01 - 6.94 (m, 1H), 6.92 - 6.83 (m, 4H), 5.91 (td, *J* = 55.0, 3.4 Hz, 1H), 4.77 (d, *J* = 11.1 Hz, 1H), 4.69 (d, *J* = 11.1 Hz, 1H), 4.56 (p, *J* = 6.2 Hz, 1H), 3.85 - 3.74 (m, 4H), 1.37 (d, *J* = 6.3 Hz, 3H); ¹⁹F NMR (376 MHz, CDCl₃) δ -127.71 (dd, *J* = 290.8, 2.1 Hz), -130.30 (dd, *J* = 290.8, 4.0 Hz); IR (thin film) 2937, 1598, 1514, 1494, 1241, 1074, 1035, 754 cm⁻¹.


[00126] Example 10A: Preparation of (2*R*,3*S*)-1-phenyl-3-propoxybutan-2-ol.



[00127] To a magnetically stirred mixture of 1-methoxy-4-(((2*R*,3*S*)-1-phenyl-3-propoxybutan-2-yl)oxy)methyl)benzene (90 mg, 0.274 mmol) in DCM (2466 μL) and water (274 μL) was added DDQ (65.3 mg, 0.288 mmol), and the reaction was stirred at 0 °C in an ice bath. The reaction was allowed to gradually warm to rt and was stirred overnight. The reaction was quenched with NaOH (1N) extracted with DCM (3x). The combined organic layers were passed through a phase separator and then concentrated. The crude material was purified by flash column chromatography (SiO₂, 0→10% ethyl acetate in hexanes). The product coeluted with undesired *p*-anisaldehyde byproduct. The material was diluted with DCM (2 mL), and PS-TsNHNH₂ (300 mg, solid support) was added and the mixture was stirred at rt for 1 h. The reaction was filtered, and the filtrate was concentrated to provide the title compound (51.2 mg, 85%) as a yellow oil: ¹H NMR (400 MHz, CDCl₃) δ 7.36-7.28 (m, 2H), 7.27-7.19 (m, 3H), 3.92 (dq, *J* = 8.3, 4.0 Hz, 1H), 3.48 (dt, *J* = 9.1, 6.6 Hz, 1H), 3.42-3.32 (m, 2H), 2.80 (dd, *J* = 13.9, 4.6 Hz, 1H), 2.72 (dd, *J* = 13.9, 8.7 Hz,


1H), 2.01 (d, $J = 3.5$ Hz, 1H), 1.64-1.52 (m, 3H), 1.20 (d, $J = 6.3$ Hz, 3H), 0.92 (t, $J = 7.4$ Hz, 3H); ^{13}C NMR (126 MHz, CDCl_3) δ 138.74, 129.24, 128.49, 126.32, 77.44, 74.26, 70.62, 38.86, 23.30, 13.98, 10.67; IR (thin film) 3441, 2962, 2933, 2875, 1604, 1495, 1453, 1381, 1330, 1253, 1133, 1091, 1031, 984, 745, 699 cm^{-1} .

[00128] Example 10B: Preparation of (1*R*,2*S*)-2-phenoxy-1-phenylpropan-1-ol.




[00129] A solution of tert-butyldimethyl((1*R*,2*S*)-2-phenoxy-1-phenylpropoxy)silane (359.8 mg, 1.050 mmol) was prepared in a 20 mL vial in THF (5.25 mL) under N_2 and was cooled to 0 °C. After 5 min, TBAF (1.05 mL, 1.050 mmol) was added dropwise via syringe over 2 min. The reaction mixture was allowed to warm to rt and was stirred for 4 h. The reaction was quenched with saturated aqueous NH_4Cl (25 mL) and extracted with Et_2O (3 x 25 mL). The combined organic layers were dried over MgSO_4 , filtered, and concentrated to afford a clear colorless oil. The oil was purified by flash column chromatography (SiO_2 , 0→30% ethyl acetate in hexanes) to afford the title compound (96.0 mg, 40%) as a clear, colorless oil: ^1H NMR (400 MHz, CDCl_3) δ 7.40 (d, $J = 7.2$ Hz, 2H), 7.34 (t, $J = 7.5$ Hz, 2H), 7.27 (td, $J = 7.1, 2.0$ Hz, 3H), 7.00-6.88 (m, 3H), 5.02 (t, $J = 3.3$ Hz, 1H), 4.55 (qd, $J = 6.3, 3.5$ Hz, 1H), 2.63 (d, $J = 3.0$ Hz, 1H), 1.17 (d, $J = 6.3$ Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 157.44, 140.15, 129.65, 128.34, 127.64, 126.39, 121.37, 116.31, 77.93, 75.12, 13.01; IR (thin film) 3443, 2985, 1598, 1493, 1239, 1063, 752, 701 cm^{-1} .

[00130] Example 10C: Preparation of 1-(((2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-yl)oxy)-3-chloro-5-fluorobenzene.



[00131] In a small vial, 1-(((2*S*,3*R*)-3-(benzyloxy)-4-methylpentan-2-yl)oxy)-3-chloro-5-fluorobenzene (160.0 mg, 0.475 mmol) was dissolved in ethanol (1.58 mL) and cyclohexene (0.79 mL). To this solution was added palladium on carbon (5 wt %, 50.6 mg, 0.024 mmol) in one portion, and the resulting reaction mixture was heated to 70 °C and stirred overnight. The reaction was cooled to rt, filtered through a plug of Celite[®] eluting with ethyl acetate, and concentrated to an oil. The oil was purified by flash column chromatography (SiO₂, 0→50% acetone in hexanes) to afford the title compound (114.0 mg, 97%) as a yellow oil: ¹H NMR (400 MHz, CDCl₃) δ 6.69 (dp, *J* = 4.2, 2.0 Hz, 2H), 6.51 (dt, *J* = 10.5, 2.3 Hz, 1H), 4.40 (qd, *J* = 6.2, 4.0 Hz, 1H), 3.52 (dd, *J* = 7.5, 4.0 Hz, 1H), 2.02 (s, 1H), 1.80 (dq, *J* = 13.7, 6.9 Hz, 1H), 1.30 (d, *J* = 6.2 Hz, 3H), 1.01 (d, *J* = 6.6 Hz, 3H), 0.96 (d, *J* = 6.9 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 163.45 (d, *J* = 248.0 Hz), 159.06 (d, *J* = 12.1 Hz), 135.54 (d, *J* = 13.5 Hz), 112.29 (d, *J* = 3.3 Hz), 108.95 (d, *J* = 25.2 Hz), 102.10 (d, *J* = 24.8 Hz), 77.96, 75.72, 29.85, 18.95, 18.38, 13.13; ¹⁹F NMR (376 MHz, CDCl₃) δ -109.95; IR (thin film) 3464, 2963, 1606, 1452, 1140, 1044, 917, 833 cm⁻¹.


[00132] Example 11: Preparation of (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-yl (*tert*-butoxycarbonyl)-L-alaninate.



[00133] In a small vial, (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-ol (114 mg, 0.462 mmol), (*tert*-butoxycarbonyl)-L-alanine (109 mg, 0.578 mmol) and DMAP (5.65 mg, 0.046 mmol) were dissolved in DCM (2.31 mL) under N₂ and cooled to 0 °C in an ice/water bath. After ~5 min, EDCI (143 mg, 0.924 mmol) was added in one portion, and the resulting pale yellow

reaction was stirred overnight, slowly warming to rt as the ice melted. The reaction was concentrated to afford an oil. The oil was purified by flash column chromatography (SiO₂, 0→30% ethyl acetate in hexanes) to afford the title compound (171.0 mg, 89%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 6.72-6.63 (m, 2H), 6.49 (dt, *J* = 10.5, 2.3 Hz, 1H), 5.04 (d, *J* = 8.1 Hz, 1H), 5.00 (t, *J* = 5.8 Hz, 1H), 4.45 (p, *J* = 6.1 Hz, 1H), 4.35 (p, *J* = 7.5 Hz, 1H), 2.05 (dq, *J* = 13.5, 6.7 Hz, 1H), 1.46 (s, 9H), 1.43 (d, *J* = 7.2 Hz, 3H), 1.30 (d, *J* = 6.2 Hz, 3H), 0.97 (d, *J* = 6.9 Hz, 3H), 0.91 (d, *J* = 6.7 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 172.97, 163.41 (d, *J* = 248.0 Hz), 159.01 (d, *J* = 12.3 Hz), 155.12, 135.49 (d, *J* = 13.4 Hz), 112.14 (d, *J* = 3.2 Hz), 109.04 (d, *J* = 25.3 Hz), 102.09 (d, *J* = 24.8 Hz), 79.89, 79.28, 73.49, 49.56, 28.78, 28.35, 19.22, 18.65, 17.34, 15.01; ¹⁹F NMR (376 MHz, CDCl₃) δ -110.00; IR (thin film) 3373, 2974, 1713, 1605, 1140, 1063 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₂₀H₂₉ClFNNaO₅]⁺, 440.1611; found, 440.1611.


[00134] Example 12A: Preparation of (3*R*,4*S*)-2-methyl-4-propoxypentan-3-yl (*tert*-butoxycarbonyl)-L-alaninate.



[00135] In a vial containing (2*S*,3*R*)-2-(allyloxy)-4-methylpentan-3-yl (*tert*-butoxycarbonyl)-L-alaninate (0.1 g, 0.304 mmol) and 5% palladium on carbon (0.097 g, 0.046 mmol) was added EtOAc (1.52 mL) under a N₂. The atmosphere was then replaced with hydrogen via balloon, and the reaction was left to stir overnight. After 20 h, the reaction was then filtered through Celite[®] and was washed with EtOAc. The filtrate was then concentrated and the crude was analyzed via NMR to confirm complete conversion. The crude material was purified by flash column chromatography (SiO₂, 0→20% ethyl acetate in hexanes) to afford the title compound (92.2 mg, 87%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 5.09 (d, *J* = 7.8 Hz, 1H), 4.85 (t, *J* = 5.9 Hz, 1H), 4.39-4.22 (m, 1H), 3.49 (p, *J* = 6.2 Hz, 1H), 3.46-3.27 (m, 2H), 2.03 (h, *J* = 6.7 Hz, 1H), 1.59-1.48 (m, 2H), 1.44 (s, 9H), 1.41 (d, *J* = 7.2 Hz, 3H), 1.11 (d, *J* = 6.2 Hz, 3H), 0.94-0.86 (m, 9H); ¹³C NMR


(126 MHz, CDCl₃) δ 172.97, 155.07, 79.86, 79.65, 74.27, 70.63, 49.53, 28.57, 28.33, 23.22, 19.34, 18.98, 17.32, 15.34, 10.66; IR (thin film) 3359, 2967, 2936, 2877, 1716, 1502, 1455, 1366, 1340, 1248, 1167, 1107, 1066, 1021 cm⁻¹; HRMS-ESI (m/z) calc'd for [C₁₇H₃₃NO₅Na]⁺, 354.2251; found, 354.2251.

[00136] Example 12B: Preparation of (2*S*,3*R*)-2-phenoxyhexan-3-yl (tert-butoxycarbonyl)-L-alaninate.




[00137] To a 20 mL vial containing (*S*)-(2*S*,3*R*)-2-(2,4-dichlorophenoxy)hex-5-en-3-yl 2-((*tert*-butoxycarbonyl)amino)propanoate (166.7 mg, 0.386 mmol) and palladium (5% wt on carbon, dry basis, 82 mg, 0.039 mmol) was added ethyl acetate (3.86 mL). The black reaction mixture was flushed with H₂ gas via balloon. The resulting reaction was stirred at room temperature overnight. After 18 h, TLC and UPLC indicated consumption of starting material. The reaction was filtered through a plug of celite, eluting with EtOAc (2 x 10 mL). The resulting solution was concentrated to afford a yellow oil. The crude material was purified by flash column chromatography (SiO₂, 0→40% ethyl acetate in hexanes) to afford the title compound (108.7 mg, 77%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 7.33-7.19 (m, 2H), 7.00-6.91 (m, 1H), 6.91-6.81 (m, 2H), 5.09 (dt, J = 8.7, 4.2 Hz, 1H), 5.05-4.91 (m, 1H), 4.45 (qd, J = 6.3, 4.3 Hz, 1H), 4.29 (t, J = 7.6 Hz, 1H), 1.79-1.57 (m, 2H), 1.53-1.16 (m, 2H), 1.45 (s, 9H), 1.36 (d, J = 7.2 Hz, 3H), 1.30 (d, J = 6.3 Hz, 3H), 0.92 (t, J = 7.4 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 172.96, 157.80, 155.05, 129.51, 121.19, 116.26, 115.59, 79.71, 76.45, 74.82, 49.49, 31.85, 28.32, 18.66, 15.64, 13.91; IR (thin film) 3368, 2963, 1712, 1493, 1239, 1163, 1057, 752 cm⁻¹; HRMS-ESI (m/z) calc'd for [C₂₀H₃₁NNaO₅]⁺, 388.2097; found, 388.2077.

[00138] Example 13A, Step 1: Preparation of (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-yl L-alaninate hydrochloride.



[00139] In a small vial, (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-yl (*tert*-butoxycarbonyl)-L-alaninate (171.0 mg, 0.409 mmol) was dissolved in DCM (2 mL). Hydrogen chloride (4M in dioxane, 1.534 mL, 6.14 mmol) was added in one portion via syringe. The resulting clear, colorless reaction was stirred at room temperature for 3 h. After 3 h, TLC indicated complete consumption of starting material and conversion to a baseline product. The reaction was concentrated under a stream of N₂ and dried in a vacuum oven to provide the title compound (145 mg, quant. yield) as a clear, colorless oil that was used directly in the next step: ESIMS *m/z* 318.2 [(M+H)⁺].


[00140] Example 13A, Step 2: Preparation of (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-yl (3-hydroxy-4-methoxypicolinoyl)-L-alaninate.



[00141] To a vial containing (2*S*,3*R*)-2-(3-chloro-5-fluorophenoxy)-4-methylpentan-3-yl L-alanine hydrochloride (145 mg, 0.409 mmol) was added 3-hydroxy-4-methoxypicolinic acid (90 mg, 0.532 mmol) and ((1*H*-benzo[*d*][1,2,3]triazol-1-yl)oxy)tri(pyrrolidin-1-yl)phosphonium hexafluorophosphate(V) (277 mg, 0.532 mmol). DCM (8.18 mL) was added followed by *N*-ethyl-*N*-isopropylpropan-2-amine (428 μ L, 2.454 mmol) dropwise over 45 seconds. After 10 min, most of the solids solubilized and the resultant pale pink colored reaction was stirred at rt overnight. The reaction was then concentrated under reduced pressure to yield an orange oil. The oil was purified by


flash column chromatography (SiO₂, 0→50% acetone in hexanes) to afford the title compound (174.9 mg, 91% over two steps) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 12.11 (s, 1H), 8.49 (d, *J* = 7.9 Hz, 1H), 7.99 (d, *J* = 5.2 Hz, 1H), 6.88 (d, *J* = 5.2 Hz, 1H), 6.74-6.59 (m, 2H), 6.48 (dt, *J* = 10.5, 2.3 Hz, 1H), 5.04 (t, *J* = 5.8 Hz, 1H), 4.77 (p, *J* = 7.3 Hz, 1H), 4.47 (p, *J* = 6.1 Hz, 1H), 3.95 (s, 3H), 2.07 (dq, *J* = 13.4, 6.7 Hz, 1H), 1.61 (d, *J* = 7.2 Hz, 3H), 1.30 (d, *J* = 6.2 Hz, 3H), 0.98 (d, *J* = 6.9 Hz, 3H), 0.92 (d, *J* = 6.7 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 171.71, 168.87, 163.40 (d, *J* = 248.1 Hz), 158.95 (d, *J* = 12.2 Hz), 155.44, 148.84, 140.54, 135.51 (d, *J* = 13.5 Hz), 130.46, 112.15 (d, *J* = 3.2 Hz), 109.55, 109.10 (d, *J* = 25.2 Hz), 102.06 (d, *J* = 24.7 Hz), 79.77, 73.50, 56.09, 48.11, 28.76, 19.26, 18.31, 17.30, 15.05; ¹⁹F NMR (376 MHz, CDCl₃) δ -109.89; IR (thin film) 3370, 2968, 1743, 1605, 1527, 1438, 1139, 730 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₂₂H₂₇ClF_NO₆]⁺, 469.1536; found, 469.1531.

[00142] Example 13B, Step 1: Preparation of (3*R*,4*S*)-2-methyl-4-((2-methylallyl)oxy)pentan-3-yl L-alaninate.




[00143] (3*R*,4*S*)-2-methyl-4-((2-methylallyl)oxy)pentan-3-yl (tert-butoxycarbonyl)-L-alaninate (0.155 g, 0.451 mmol) was dissolved in DCM (2.26 mL) and cooled to 0 °C in an ice bath. After ~5 min, TFA (0.522 mL, 6.77 mmol) was added dropwise via syringe over 30 seconds. The reaction was brought to rt via removal of the ice water bath and allowed to stir at rt for 2 h. After 2 h, TLC indicated consumption of starting material. The reaction was diluted with DCM and washed with saturated aqueous NaHCO₃. The aqueous layer was extracted with DCM (3x). The combined organic layers were passed through a phase separator and concentrated to afford the crude title compound as a thick oil that was used directly in the next step without further purification: IR (thin film) 3361, 2969, 1735, 1677, 1456, 1374, 1179, 1126, 1101, 907, 721 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₁₃H₂₆NO₃]⁺, 244.1907; found, 244.1910.

[00144] Example 13B, Step 2: Preparation of (3*R*,4*S*)-2-methyl-4-((2-methylallyl)oxy)pentan-3-yl (3-hydroxy-4-methoxypicolinoyl)-L-alaninate.




[00145] Crude (3*R*,4*S*)-2-methyl-4-((2-methylallyl)oxy)pentan-3-yl L-alaninate was dissolved in anhydrous DCM (4.4 mL). 3-hydroxy-4-methoxypicolinic acid (0.084 g, 0.496 mmol), PyBOP (0.258 g, 0.496 mmol), and ethyl-*N*-isopropylpropan-2-amine (0.260 mL, 1.489 mmol) were added. The reaction was then stirred at rt for 2 h. After 2 h, the material was concentrated to an oil. The oil was purified by flash column chromatography (SiO₂, 0→30% acetone in hexanes) to afford the title compound (74.4 mg, 42% over 2 steps) as a thick colorless oil: ¹H NMR (500 MHz, CDCl₃) δ 12.18 (s, 1H), 8.54 (d, *J* = 7.8 Hz, 1H), 7.99 (d, *J* = 5.2 Hz, 1H), 6.87 (d, *J* = 5.2 Hz, 1H), 4.96-4.91 (m, 2H), 4.88-.83 (m, 1H), 4.80-4.71 (m, 1H), 3.95 (s, 3H), 3.92 (d, *J* = 12.4 Hz, 1H), 3.85 (d, *J* = 12.3 Hz, 1H), 3.62-3.56 (m, 1H), 2.04 (dq, *J* = 13.4, 6.8 Hz, 1H), 1.72 (t, *J* = 1.1 Hz, 3H), 1.60-1.57 (m, 3H), 1.14 (d, *J* = 6.3 Hz, 3H), 0.92 (d, *J* = 3.5 Hz, 3H), 0.91 (d, *J* = 3.7 Hz, 3H); ¹³C NMR (126 MHz, CDCl₃) δ 171.83, 168.69, 155.34, 148.73, 142.32, 140.46, 130.54, 112.11, 109.40, 80.21, 73.54, 72.68, 56.07, 48.13, 28.62, 19.59, 19.34, 18.53, 17.56, 15.09; IR (thin film) 3370, 2968, 2939, 1739, 1649, 1576, 1527, 1481, 1438, 1366, 1330, 1280, 1263, 1212, 1182, 1150, 1101, 1060, 943, 849, 800 cm⁻¹; ESIMS *m/z* 395.3 [(*M*+*H*)⁺].

[00146] Example 14A: Preparation of (3*R*,4*S*)-2-methyl-4-phenoxy-pentan-3-yl (3-acetoxy-4-methoxypicolinoyl)-L-alaninate.



[00147] To a small vial containing (3*R*,4*S*)-2-methyl-4-phenoxy-pentan-3-yl (3-hydroxy-4-methoxypicolinoyl)-L-alaninate (83.8 mg, 0.201 mmol) was added pyridine (0.976 mL, 12.1 mmol) followed by acetic anhydride (0.951 mL, 10.1 mmol) via syringe. The resultant clear and colorless reaction mixture was stirred at rt for 1 h. The reaction was concentrated, diluted with 5 mL toluene, and re-concentrated to afford an oil. The oil was purified by flash column chromatography (SiO₂, 0→50% acetone in hexanes) to afford the title compound (78.1 mg, 85%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 8.57 (d, *J* = 6.9 Hz, 1H), 8.32 (d, *J* = 5.4 Hz, 1H), 7.30-7.21 (m, 2H), 7.00 (d, *J* = 5.5 Hz, 1H), 6.93 (tt, *J* = 7.3, 1.0 Hz, 1H), 6.90-6.80 (m, 2H), 5.06 (dd, *J* = 6.3, 5.3 Hz, 1H), 4.76 (p, *J* = 7.3 Hz, 1H), 4.50 (p, *J* = 6.2 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 3H), 2.16-2.09 (m, 1H), 1.56 (d, *J* = 7.1 Hz, 3H), 1.28 (d, *J* = 6.2 Hz, 3H), 0.96 (d, *J* = 6.9 Hz, 3H), 0.91 (d, *J* = 6.8 Hz, 3H); ¹³C NMR (101 MHz, CDCl₃) δ 172.24, 168.88, 162.49, 159.50, 157.43, 146.68, 141.58, 137.55, 129.53, 121.09, 115.92, 109.79, 80.11, 72.60, 56.29, 48.28, 28.71, 20.73, 19.37, 18.72, 17.01, 15.52; IR (thin film) 3383, 2967, 1771, 1677, 1507, 1198, 1174 cm⁻¹; HRMS-ESI (*m/z*) calc'd for [C₂₄H₃₁N₂O₇]⁺, 459.2126; found, 459.2096.

[00148] Example 14B: Preparation of (3*R*,4*S*)-2-methyl-4-phenoxy-pentan-3-yl (3-(acetoxymethoxy)-4-methoxypicolinoyl)-L-alaninate.



[00147] In a small vial, (S)-(3*R*,4*S*)-2-methyl-4-phenoxy-pentan-3-yl 2-(3-hydroxy-4-methoxypicolinamido)propanoate (81.9 mg, 0.197 mmol) was dissolved in acetone (1.5 mL). To this solution was added potassium carbonate (54.4 mg, 0.393 mmol) in one portion, followed by bromomethyl acetate (0.039 mL, 0.393 mmol) in one portion via syringe. The resulting cloudy white solution was stirred at 50 °C for 2 h. After 2 h, TLC indicated complete consumption of starting material. The reaction was then concentrated to a white oil under a stream of N₂. The oil was purified by flash column chromatography (SiO₂, 0→50% acetone in hexanes) to afford the title compound (77.4 mg, 81%) as a clear, colorless oil: ¹H NMR (400 MHz, CDCl₃) δ 8.40 (d, *J*

= 7.7 Hz, 1H), 8.28 (d, J = 5.3 Hz, 1H), 7.31-7.20 (m, 2H), 6.99-6.84 (m, 4H), 5.80-5.71 (m, 2H), 5.07 (dd, J = 6.4, 5.1 Hz, 1H), 4.80 (p, J = 7.2 Hz, 1H), 4.50 (p, J = 6.2 Hz, 1H), 3.91 (s, 3H), 2.21-2.09 (m, 1H), 2.07 (s, 3H), 1.58 (d, J = 7.1 Hz, 3H), 1.30 (d, J = 6.2 Hz, 3H), 0.97 (d, J = 6.9 Hz, 3H), 0.92 (d, J = 6.8 Hz, 3H); ^{13}C NMR (101 MHz, CDCl_3) δ 172.39, 170.27, 163.07, 160.32, 157.45, 145.73, 144.05, 142.58, 129.56, 121.11, 115.93, 109.61, 89.62, 80.12, 72.63, 56.20, 48.43, 28.72, 20.88, 19.42, 18.69, 16.98, 15.63; IR (thin film) 3389, 2968, 1753, 1678, 1496, 1239, 1203, 1004 cm^{-1} ; HRMS-ESI (m/z) calc'd for $[\text{C}_{25}\text{H}_{33}\text{N}_2\text{O}_8]^+$, 489.2231; found, 489.2212.

[00148] Example A: Evaluation of Fungicidal Activity: Leaf Blotch of Wheat (*Zymoseptoria tritici*; Bayer code SEPTTR):

[00149] Technical grades of materials were dissolved in acetone, which were then mixed with nine volumes of water (H_2O) containing 110 ppm Triton X-100. The fungicide solutions were applied onto wheat seedlings using an automated booth sprayer to run-off. All sprayed plants were allowed to air dry prior to further handling. All fungicides were evaluated using the aforementioned method for their activity vs. all target diseases, unless stated otherwise. Wheat leaf blotch and brown rust activity were also evaluated using track spray applications, in which case the fungicides were formulated as EC formulations, containing 0.1% Trycol 5941 in the spray solutions.

[00150] Wheat plants (variety Yuma) were grown from seed in a greenhouse in 50% mineral soil/50% soil-less Metro mix until the first leaf was fully emerged, with 7-10 seedlings per pot. These plants were inoculated with an aqueous spore suspension of *Zymoseptoria tritici* either prior to or after fungicide treatments. After inoculation the plants were kept in 100% relative humidity (one day in a dark dew chamber followed by two to three days in a lighted dew chamber at 20 °C) to permit spores to germinate and infect the leaf. The plants were then transferred to a greenhouse set at 20 °C for disease to develop. When disease symptoms were fully expressed on the 1st leaves of untreated plants, infection levels were assessed on a scale of 0 to 100 percent disease severity. Percent disease control was calculated using the ratio of disease severity on treated plants relative to untreated plants.

[00151] Example B: Evaluation of Fungicidal Activity: Wheat Brown Rust (*Puccinia triticina*; Bayer code PUCCRT):

[00152] Wheat plants (variety Yuma) were grown from seed in a greenhouse in 50% mineral soil/50% soil-less Metro mix until the first leaf was fully emerged, with 7-10 seedlings per pot. These plants were inoculated with an aqueous spore suspension of *Puccinia triticina* either prior to or after fungicide treatments. After inoculation the plants were kept in a dark dew room at 22 °C with 100% relative humidity overnight to permit spores to germinate and infect the leaf. The plants were then transferred to a greenhouse set at 24 °C for disease to develop. Fungicide formulation, application and disease assessment followed the procedures as described in the Example A.

[00153] Example C: Evaluation of Fungicidal Activity: Wheat Glume Blotch (*Leptosphaeria nodorum*; Bayer code LEPTNO):

[00154] Wheat plants (variety Yuma) were grown from seed in a greenhouse in 50% mineral soil/50% soil-less Metro mix until the first leaf was fully emerged, with 7-10 seedlings per pot. These plants were inoculated with an aqueous spore suspension of *Leptosphaeria nodorum* 24 h after fungicide treatments. After inoculation the plants were kept in 100% relative humidity (one day in a dark dew chamber followed by two days in a lighted dew chamber at 20 °C) to permit spores to germinate and infect the leaf. The plants were then transferred to a greenhouse set at 20 °C for disease to develop. Fungicide formulation, application and disease assessment followed the procedures as described in the Example A.

[00155] Example D: Evaluation of Fungicidal Activity: Apple Scab (*Venturia inaequalis*; Bayer code VENTIN):

[00156] Apple seedlings (variety McIntosh) were grown in soil-less Metro mix, with one plant per pot. Seedlings with two expanding young leaves at the top (older leaves at bottom of the plants were trimmed) were used in the test. Plants were inoculated with a spore suspension of *Venturia inaequalis* 24 h after fungicide treatment and kept in a 22 °C dew chamber with 100% relative humidity for 48 h, and then moved to a greenhouse set at 20 °C for disease to develop. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.

[00157] Example E: Evaluation of Fungicidal Activity: Leaf Spot of Sugar Beets (*Cercospora beticola*; Bayer code CERCBE):

[00158] Sugar beet plants (variety HH88) were grown in soil-less Metro mix and trimmed regularly to maintain a uniform plant size prior to test. Plants were inoculated with a spore suspension 24 h after fungicide treatments. Inoculated plants were kept in a dew chamber at 22 °C for 48 h then incubated in a greenhouse set at 24 °C under a clear plastic hood with bottom ventilation until disease symptoms were fully expressed. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.

[00159] Example F: Evaluation of Fungicidal Activity: Asian Soybean Rust (*Phakopsora pachyrhizi*; Bayer code PHAKPA):

[00160] Technical grades of materials were dissolved in acetone, which were then mixed with nine volumes of H₂O containing 0.011% Tween 20. The fungicide solutions were applied onto soybean seedlings using an automated booth sprayer to run-off. All sprayed plants were allowed to air dry prior to further handling.

[00161] Soybean plants (variety Williams 82) were grown in soil-less Metro mix, with one plant per pot. Two weeks old seedlings were used for testing. Plants were inoculated either 3 days prior to or 1 day after fungicide treatments. Plants were incubated for 24 h in a dark dew room at 22 °C and 100% relative humidity then transferred to a growth room at 23 °C for disease to develop. Disease severity was assessed on the sprayed leaves.

[00162] Example G: Evaluation of Fungicidal Activity: Barley Scald (*Rhynchosporium secalis*; Bayer code RHYNSE):

[00163] Barley seedlings (variety Harrington) were propagated in soil-less Metro mix, with each pot having 8 to 12 plants, and used in the test when the first leaf was fully emerged. Test plants were inoculated by an aqueous spore suspension of *Rhynchosporium secalis* 24 h after fungicide treatments. After inoculation the plants were kept in a dew room at 22°C with 100% relative humidity for 48 h. The plants were then transferred to a greenhouse set at 20 °C for disease to develop. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.

[00164] Example H: Evaluation of Fungicidal Activity: Rice Blast (*Pyricularia oryzae*; Bayer code PYRIOR):

[00165] Rice seedlings (variety Japonica) were propagated in soil-less Metro mix, with each pot having 8 to 14 plants, and used in the test when 12 to 14 days old. Test plants were inoculated with an aqueous spore suspension of *Pyricularia oryzae* 24 h after fungicide treatments. After inoculation the plants were kept in a dew room at 22 °C with 100% relative humidity for 48 h to permit spores to germinate and infect the leaf. The plants were then transferred to a greenhouse set at 24 °C for disease to develop. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.

[00166] Example I: Evaluation of Fungicidal Activity: Tomato Early Blight (*Alternaria solani*; Bayer code ALTESO):







[00167] Tomato plants (variety Outdoor Girl) were propagated in soil-less Metro mix, with each pot having one plant, and used when 12 to 14 days old. Test plants were inoculated with an aqueous spore suspension of *Alternaria solani* 24 h after fungicide treatments. After inoculation the plants were kept at 22 °C in 100% relative humidity for 48 h to permit spores to germinate and infect the leaf. The plants were then transferred to a growth room at 22 °C for disease to develop. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.







[00168] Example J: Evaluation of Fungicidal Activity: Cucumber Anthracnose (*Colletotrichum lagenarium*; Bayer code COLLLA):






[00169] Cucumber seedlings (variety Bush Pickle) were propagated in soil-less Metro mix, with each pot having one plant, and used in the test when 12 to 14 days old. Test plants were inoculated with an aqueous spore suspension of *Colletotrichum lagenarium* 24 hr after fungicide treatments. After inoculation the plants were kept in a dew room at 22 °C with 100% relative humidity for 48 hr to permit spores to germinate and infect the leaf. The plants were then transferred to a growth room set at 22 °C for disease to develop. Fungicide formulation, application and disease assessment on the sprayed leaves followed the procedures as described in the Example A.

Table 1. Compound Structure, Preparation Method, and Appearance

*Cmpd. No.	Structure	As Prepared According To	Appearance
1		Example 1B; Example 2, Example 3C; Example 4B; Example 5B; Example 6B; Example 10A; Example 11.	Clear, Colorless Oil
2		Example 1B; Example 2, Example 3C; Example 4B; Example 5B; Example 6B; Example 10A; Example 11; Example 12B.	Clear, Colorless Oil
3		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
4		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
5		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
6		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
7		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
8		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
9		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
10		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
11		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
12		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
13		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
14		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
15		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
16		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil






*Cmpd. No.	Structure	As Prepared According To	Appearance
17		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
18		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
19		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
20		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
21		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil







*Cmpd. No.	Structure	As Prepared According To	Appearance
22		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
23		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
24		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
25		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
26		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
27		Example 4C; Example 5C; Example 6A; Example 10B; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
28		Example 4C; Example 5C; Example 6A; Example 10B; Example 11.	Clear, Colorless Oil
29		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
30		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
31		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil
32		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil







*Cmpd. No.	Structure	As Prepared According To	Appearance
33		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil
34		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil
35		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil
36		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
37		Example 1D; Example 3A; Example 4A; Example 5A; Example 6B; Example 10C; Example 11.	Clear, Colorless Oil
38		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
39		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
40		Example 1A; Example 3A; Example 11.	Clear, Colorless Oil
41		Example 1A; Example 3A; Example 11.	Clear Colorless Oil
42		Example 1A; Example 3A; Example 11.	Clear Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
43		Example 1A; Example 3A; Example 11.	Clear Colorless Oil
44		Example 1A; Example 3A; Example 11.	Clear Colorless Oil
45		Example 1A; Example 3A; Example 11.	Clear Colorless Oil
46		Example 1D; Example 5C; Example 6C; Example 10A; Example 11.	Colorless Oil
47		Example 1D; Example 5C; Example 6C; Example 10A; Example 11.	Colorless Oil





*Cmpd. No.	Structure	As Prepared According To	Appearance
48		Example 1D; Example 5C; Example 6C; Example 10A; Example 11.	Colorless Oil
49		Example 1C; Example 3A; Example 11.	Colorless Oil
50		Example 1C; Example 3A; Example 11.	Colorless Oil
51		Example 1C; Example 3A; Example 11.	Colorless Oil
52		Example 1C; Example 3A; Example 11.	Colorless Oil
53		Example 1C; Example 3A; Example 11.	Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
54		Example 1D; Example 5C; Example 6C; Example 10A; Example 11; Example 12A.	Colorless Oil
55		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
56		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
57		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
58		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
59		Example 1C; Example 3A; Example 11.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
60		Example 1C; Example 3A; Example 11.	Colorless Oil
61		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
62		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
63		Example 1C; Example 3A; Example 11; Example 12A.	Colorless Oil
64		Example 13A, Step 1.	Clear, Colorless Oil
65		Example 13B, Step 1.	Clear, Colorless Oil







*Cmpd. No.	Structure	As Prepared According To	Appearance
66		Example 13A, Step 1.	Clear, Colorless Oil
67		Example 13A, Step 1.	Pale Yellow Oil
68		Example 13A, Step 1.	Clear, Colorless Oil
69		Example 13A, Step 1.	White Semisolid
70		Example 13A, Step 1.	Clear, Colorless Oil
71		Example 13A, Step 1.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
72		Example 13A, Step 1.	White Semisolid
73		Example 13A, Step 1.	White Semisolid
74		Example 13A, Step 1.	White Semisolid
75		Example 13A, Step 1.	Clear, Colorless Oil
76		Example 13A, Step 1.	Clear, Colorless Oil
77		Example 13A, Step 1.	White Solid

*Cmpd. No.	Structure	As Prepared According To	Appearance
78		Example 13A, Step 1.	White Solid
79		Example 13A, Step 1.	Clear, Colorless Oil
80		Example 13A, Step 1.	Clear, Colorless Oil
81		Example 13A, Step 1.	White Solid

*Cmpd. No.	Structure	As Prepared According To	Appearance
82		Example 13A, Step 1.	White Solid
83		Example 13A, Step 1.	White Solid
84		Example 13A, Step 1.	Pale Yellow Oil
85		Example 13A, Step 1.	White Semisolid
86		Example 13A, Step 1.	White Solid

*Cmpd. No.	Structure	As Prepared According To	Appearance
87		Example 13A, Step 1.	Pale Yellow Oil
88		Example 13A, Step 1.	Pale Yellow Oil
89		Example 13A, Step 1.	White Semisolid
90		Example 13A, Step 1.	Clear, Colorless Oil
91		Example 13A, Step 1.	Clear, Colorless Oil
92		Example 13A, Step 1.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
93		Example 13A, Step 1.	Clear, Colorless Oil
94		Example 13A, Step 1.	White Semisolid
95		Example 13A, Step 1.	Clear, Colorless Oil
96		Example 13A, Step 1.	White Semisolid
97		Example 13A, Step 1.	Clear, Colorless Oil
98		Example 13A, Step 1.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
99		Example 13A, Step 1.	Clear, Colorless Oil
100		Example 13A, Step 1.	White Semisolid
101		Example 13A, Step 1.	White Powdery Solid
102		Example 13A, Step 1.	White Powdery Solid
103		Example 13A, Step 1.	White Powdery Solid
104		Example 13A, Step 1.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
105		Example 13A, Step 1.	Pale Yellow Oil
106		Example 13A, Step 1.	Pale Yellow Oil
107		Example 13A, Step 1.	Pale Yellow Oil
108		Example 13A, Step 1.	Yellow Liquid
109		Example 13A, Step 1.	Thick Oil





*Cmpd. No.	Structure	As Prepared According To	Appearance
110		Example 13A, Step 1.	Thick Oil
111		Example 13A, Step 1.	Thick Oil
112		Example 13A, Step 1.	White Solid
113		Example 13A, Step 1.	Thick Oil
114		Example 13A, Step 1.	White Solid
115		Example 13A, Step 1.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
116		Example 13B, Step 1.	Thick Oil
117		Example 13B, Step 1.	Thick Oil
118		Example 13B, Step 1.	Thick Oil
119		Example 13A, Step 1.	White Solid
120		Example 13A, Step 1.	White Solid
121		Example 13A, Step 1.	White Solid






*Cmpd. No.	Structure	As Prepared According To	Appearance
122		Example 13A, Step 2.	Clear, Colorless Oil
123		Example 13B, Step 2.	Clear, Colorless Oil
124		Example 13A, Step 2.	Clear, Colorless Oil
125		Example 13A, Step 2.	Clear, Colorless Oil
126		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
127		Example 13A, Step 2.	Clear, Colorless Oil
128		Example 13A, Step 2.	Clear, Colorless Oil
129		Example 13A, Step 2.	Clear, Colorless Oil
130		Example 13A, Step 2.	Clear, Colorless Oil
131		Example 13A, Step 2.	White Powdery Solid

*Cmpd. No.	Structure	As Prepared According To	Appearance
132		Example 13A, Step 2.	Clear, Colorless Oil
133		Example 13A, Step 2.	Clear, Colorless Oil
134		Example 13A, Step 2.	Clear, Colorless Oil
135		Example 13A, Step 2.	Clear, Colorless Oil
136		Example 13A, Step 2.	Clear, Colorless Oil







*Cmpd. No.	Structure	As Prepared According To	Appearance
137		Example 13A, Step 2.	Clear, Colorless Oil
138		Example 13A, Step 2.	Clear, Colorless Oil
139		Example 13A, Step 2.	Clear, Colorless Oil
140		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
141		Example 13A, Step 2.	Clear, Colorless Oil
142		Example 13A, Step 2.	Clear, Colorless Oil
143		Example 13A, Step 2.	Clear, Colorless Oil
144		Example 13A, Step 2.	Clear, Colorless Oil
145		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
146		Example 13A, Step 2.	Clear, Colorless Oil
147		Example 13A, Step 2.	Clear, Colorless Oil
148		Example 13A, Step 2.	Pale Yellow Oil
149		Example 13A, Step 2.	Clear, Colorless Oil
153		Example 13A, Step 2.	Orange-Brown Liquid

*Cmpd. No.	Structure	As Prepared According To	Appearance
154		Example 13A, Step 2.	Yellow Liquid
155		Example 13A, Step 2.	Yellow Orange Liquid
156		Example 13A, Step 2.	Dark Green Liquid
157		Example 13A, Step 2.	Orange Liquid
158		Example 13A, Step 2.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
159		Example 13A, Step 2.	Thick Oil
160		Example 13A, Step 2.	Thick Oil
161		Example 13A, Step 2.	Thick Oil
162		Example 13A, Step 2.	Thick Oil
163		Example 13A, Step 2.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
164		Example 13A, Step 2.	Thick Oil
165		Example 13B, Step 2.	Thick Oil
166		Example 13B, Step 2.	Thick Oil
167		Example 13B, Step 2.	Thick Oil
168		Example 13A, Step 2.	Thick Oil
169		Example 13A, Step 2.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
170		Example 13A, Step 2.	Thick Oil
171		Example 13A, Step 2.	Clear, Colorless Oil
172		Example 13A, Step 2.	Clear, Colorless Oil
173		Example 13A, Step 2.	Clear, Colorless Oil
174		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
175		Example 13A, Step 2.	Clear, Colorless Oil
176		Example 13A, Step 2.	Clear, Colorless Oil
177		Example 13A, Step 2.	Clear, Colorless Oil
178		Example 13A, Step 2.	Clear, Colorless Oil
179		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
180		Example 13A, Step 2.	Clear, Colorless Oil
181		Example 13A, Step 2.	Clear, Colorless Oil
182		Example 13A, Step 2.	Clear, Colorless Oil
183		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
184		Example 13A, Step 2.	Clear, Colorless Oil
185		Example 14A.	Pale Yellow Oil
186		Example 14B.	Pale Yellow Oil
187		Example 14B.	Pale Yellow Oil

* Cmpd. No.	Structure	As Prepared According To	Appearance
188		Example 14A.	Clear, Colorless Oil
189		Example 14A.	Pale Yellow Oil
190		Example 14A.	Pale Yellow Oil
191		Example 14A.	Pale Yellow Oil
192		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
193		Example 14A.	Pale Yellow Oil
194		Example 14A.	Pale Yellow Oil
195		Example 14B.	Clear, Colorless Oil
196		Example 14B.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
197		Example 14B.	Clear, Colorless Oil
198		Example 14B.	Pale Yellow Oil
199		Example 14B.	Clear, Colorless Oil
200		Example 14B.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
201		Example 14B.	Clear, Colorless Oil
202		Example 14B.	Clear, Colorless Oil
203		Example 14B.	Pale Yellow Oil
204		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
205		Example 14B.	Pale Yellow Oil
206		Example 14B.	Clear, Colorless Oil
207		Example 14B.	Clear, Colorless Oil
208		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
209		Example 14B.	Clear, Colorless Oil
210		Example 14B.	Clear, Colorless Oil
211		Example 14B.	Clear, Colorless Oil
212		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
213		Example 14A.	Clear, Colorless Oil
214		Example 14A.	Clear, Colorless Oil
215		Example 14A.	Clear, Colorless Oil
216		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
217		Example 14A.	Clear, Colorless Oil
218		Example 14A.	Clear, Colorless Oil
219		Example 14A.	Clear, Colorless Oil
220		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
221		Example 14A.	Clear, Colorless Oil
222		Example 14A.	Clear, Colorless Oil
223		Example 14A.	Clear, Colorless Oil
224		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
225		Example 14B.	Clear, Colorless Oil
226		Example 14B.	Clear, Colorless Oil
227		Example 14B.	Clear, Colorless Oil
228		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
229		Example 14B.	Clear, Colorless Oil
230		Example 14A.	Clear, Colorless Oil
231		Example 14A.	Clear, Colorless Oil
233		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
234		Example 14B.	Clear, Colorless Oil
236		Example 14B.	Cloudy Yellow Liquid
237		Example 14B.	Cloudy Yellow Liquid
238		Example 14B.	Yellow Liquid

*Cmpd. No.	Structure	As Prepared According To	Appearance
239		Example 14B.	Yellow Orange Liquid
240		Example 14B.	Yellow Liquid
241		Example 14A.	Oil
242		Example 14A.	Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
243		Example 14B.	Thick Oil
244		Example 14B.	Thick Oil
245		Example 14B.	Thick Oil
246		Example 14B.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
247		Example 14B.	Thick Oil
248		Example 14B.	Thick Oil
249		Example 14B.	Thick Oil
250		Example 14A.	White Foam
251		Example 14A.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
252		Example 14A.	Thick Oil
253		Example 14B.	Thick Oil
254		Example 14B.	Thick Oil
255		Example 14B.	Thick Oil
256		Example 14A.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
257		Example 14B.	Thick Oil
258		Example 14B.	Thick Oil
259		Example 14B.	Thick Oil
260		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
261		Example 14B.	Clear, Colorless Oil
262		Example 14B.	Clear, Colorless Oil
263		Example 14B.	Clear, Colorless Oil
264		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
265		Example 14B.	Clear, Colorless Oil
266		Example 14B.	Clear, Colorless Oil
267		Example 14B.	Clear, Colorless Oil
268		Example 14B.	Clear, Colorless Oil






*Cmpd. No.	Structure	As Prepared According To	Appearance
269		Example 14B.	Clear, Colorless Oil
270		Example 14B.	Clear, Colorless Oil
271		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
272		Example 14B.	Pale Yellow Oil
273		Example 14B.	Pale Yellow Oil
274		Example 14A.	Clear, Colorless Oil
275		Example 14A.	Clear, Colorless Oil




*Cmpd. No.	Structure	As Prepared According To	Appearance
276		Example 14A.	Clear, Colorless Oil
277		Example 14A.	Clear, Colorless Oil
278		Example 14A.	Clear, Colorless Oil
279		Example 14A.	Clear, Colorless Oil
280		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
281		Example 14A.	Clear, Colorless Oil
282		Example 14A.	Pale Yellow Oil
283		Example 14A.	Clear, Colorless Oil
285		Example 1D; Example 5C; Example 6A; Example 10A; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
286		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 10A; Example 11.	Clear, Colorless Oil
287		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 10A; Example 11.	Clear, Colorless Oil
288		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil
289		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil
290		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil







*Cmpd. No.	Structure	As Prepared According To	Appearance
291		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil
292		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil
293		Example 1F, Steps 1-2; Example 3A; Example 11.	Clear, Colorless Oil
294		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 10A; Example 11; Example 12B.	Clear, Colorless Oil
295		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 10A; Example 11; Example 12B.	Clear, Colorless Oil






*Cmpd. No.	Structure	As Prepared According To	Appearance
296		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 7; Example 8A; Example 10A; Example 11.	Clear, Colorless Oil
297		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 7; Example 8B; Example 10A; Example 11.	Clear, Colorless Oil
298		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 7; Example 8C; Example 10A; Example 11.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
299		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 9, Steps 1-2; Example 10A; Example 11.	Clear, Colorless Oil
300		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 7; Example 8D; Example 10A; Example 11; Example 12B.	Clear, Colorless Oil
301		Example 1B; Example 2; Example 3B; Example 4B; Example 5B; Example 6A; Example 7; Example 8D; Example 10A; Example 11; Example 12B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
302		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
303		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
304		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
305		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil

* Cmpd. No.	Structure	As Prepared According To	Appearance
306		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
307		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
308		Example 1D; Example 3A; Example 4A; Example 5A; Example 6C; Example 10C; Example 11.	Colorless Oil
309		Example 13A, Step 1.	Off White Semisolid
310		Example 13A, Step 1.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
311		Example 13A, Step 1.	White Semisolid
312		Example 13A, Step 1.	White Fluffy Semisolid
313		Example 13A, Step 1.	White Semisolid
314		Example 13A, Step 1.	White Fluffy Semisolid
315		Example 13A, Step 1.	White Semisolid
316		Example 13A, Step 1.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
317		Example 13A, Step 1.	White Semisolid
318		Example 13B, Step 1.	Pale Yellow Oil
319		Example 13B, Step 1.	Pale Yellow Oil
320		Example 13A, Step 1.	Clear, Colorless Oil
321		Example 13A, Step 1.	White Semisolid

*Cmpd. No.	Structure	As Prepared According To	Appearance
322		Example 13A, Step 1.	Yellow Oil
323		Example 13A, Step 1.	White Semisolid
324		Example 13A, Step 1.	Clear, Colorless Oil
325		Example 13A, Step 1.	Clear, Colorless Oil
326		Example 13A, Step 1.	Thick Oil






*Cmpd. No.	Structure	As Prepared According To	Appearance
327		Example 13A, Step 1.	Thick Oil
328		Example 13A, Step 1.	Thick Oil
329		Example 13A, Step 1.	Thick Oil
330		Example 13A, Step 1.	Thick Oil
331		Example 13A, Step 1.	Thick Oil
332		Example 13A, Step 1.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
333		Example 13A, Step 2.	Pale Yellow Oil
334		Example 13A, Step 2.	Clear, Colorless Oil
335		Example 13A, Step 2.	Clear, Colorless Oil
336		Example 13A, Step 2.	Clear, Colorless Oil
337		Example 13A, Step 2.	Clear, Colorless Oil






*Cmpd. No.	Structure	As Prepared According To	Appearance
338		Example 13A, Step 2.	Clear, Colorless Oil
339		Example 13A, Step 2.	Clear, Colorless Oil
340		Example 13A, Step 2.	Clear, Colorless Oil
341		Example 13A, Step 2.	Clear, Colorless Oil
342		Example 13B, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
343		Example 13B, Step 2.	Clear, Colorless Oil
344		Example 13A, Step 2.	Clear, Colorless Oil
345		Example 13A, Step 2.	Clear, Colorless Oil
346		Example 13A, Step 2.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
347		Example 13A, Step 2.	White Semisolid
348		Example 13A, Step 2.	Clear, Colorless Oil
349		Example 13A, Step 2.	Clear, Colorless Oil
350		Example 13A, Step 2.	Thick Oil
351		Example 13A, Step 2.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
352		Example 13A, Step 2.	Thick Oil
353		Example 13A, Step 2.	Thick Oil
354		Example 13A, Step 2.	Thick Oil
355		Example 13A, Step 2.	Thick Oil
356		Example 13A, Step 2.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
357		Example 14A.	Clear, Colorless Oil
358		Example 14A.	Clear, Colorless Oil
359		Example 14A.	Clear, Colorless Oil
360		Example 14A.	Clear, Colorless Oil
361		Example 14A.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
362		Example 14A.	Pale Yellow Oil
363		Example 14A.	Clear, Colorless Oil
364		Example 14A.	Clear, Colorless Oil
365		Example 14A.	Clear, Colorless Oil
366		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
367		Example 14B.	Pale Yellow Oil
368		Example 14B.	Clear, Colorless Oil
369		Example 14B.	Clear, Colorless Oil
370		Example 14B.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
371		Example 14B.	Clear, Colorless Oil
372		Example 14B.	Pale Yellow Oil
373		Example 14B.	Pale Yellow Oil
374		Example 14B.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
375		Example 14B.	Clear, Colorless Oil
376		Example 14B.	Pale Yellow Oil
377		Example 14B.	Clear, Colorless Oil
378		Example 14A.	Pale Yellow Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
379		Example 14A.	Pale Yellow Oil
380		Example 14A.	Clear, Colorless Oil
381		Example 14A.	Clear, Colorless Oil
382		Example 14A.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
383		Example 14B.	Pale Yellow Oil
384		Example 14B.	Clear, Colorless Oil
385		Example 14B.	Clear, Colorless Oil
386		Example 14B.	Clear, Colorless Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
387		Example 14B.	Clear, Colorless Oil
388		Example 14B.	Clear, Colorless Oil
389		Example 14B.	Thick Oil
390		Example 14B.	Thick Oil

*Cmpd. No.	Structure	As Prepared According To	Appearance
391		Example 14B.	Thick Oil
392		Example 14B.	Thick Oil
393		Example 14B.	Thick Oil
394		Example 14B.	Thick Oil

* Cmpd. No.	Structure	As Prepared According To	Appearance
395	 <chem>CC(=O)OC1=CC=C(C=C1C(=O)N[C@@H](C)C(=O)O[C@H](C)[C@@H](C)OCC2=CC=CC=C2)C3=CC=CC=C3OC</chem>	Example 14A.	Thick Oil
396	 <chem>CC(=O)OC1=CC=C(C=C1C(=O)N[C@@H](C)C(=O)O[C@H](C)[C@@H](C)OCCCC)C2=CC=CC=C2OC</chem>	Example 14A.	Thick Oil
397	 <chem>CC(=O)OC1=CC=C(C=C1C(=O)N[C@@H](C)C(=O)O[C@H](C)[C@@H](C)OCC2=CC=CC=C2)C3=CC=CC=C3OC</chem>	Example 14A.	Thick Oil
398	 <chem>CC(=O)OC1=CC=C(C=C1C(=O)N[C@@H](C)C(=O)O[C@H](C)[C@@H](C)OCCCC)C2=CC=CC=C2OC</chem>	Example 14A.	Thick Oil
399	 <chem>CC(=O)OC1=CC=C(C=C1C(=O)N[C@@H](C)C(=O)O[C@H](C)[C@@H](C)OCC2=CC=CC=C2)C3=CC=CC=C3OC</chem>	Example 14A.	Thick Oil

*Cmpd. No. – Compound Number

Table 2. Analytical Data

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
1	(Thin film) 3372, 2979, 1742, 1707, 1477, 1247, 1160, 1058	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₂₇ Cl ₂ NNaO ₅ , 454.1158; found, 454.1162	¹ H NMR (400 MHz, CDCl ₃) δ 7.36 (d, <i>J</i> = 2.6 Hz, 1H), 7.16 (dd, <i>J</i> = 8.8, 2.5 Hz, 1H), 6.89 (d, <i>J</i> = 8.8 Hz, 1H), 5.75 (ddt, <i>J</i> = 17.2, 10.1, 7.1 Hz, 1H), 5.24 – 4.93 (m, 4H), 4.46 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 4.29 (p, <i>J</i> = 7.4 Hz, 1H), 2.54 (t, <i>J</i> = 6.8 Hz, 2H), 1.44 (s, 9H), 1.36 (d, <i>J</i> = 3.8 Hz, 3H), 1.34 (d, <i>J</i> = 2.9 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.80, 155.06, 152.09, 133.00, 130.19, 127.60, 126.55, 125.29, 118.43, 116.99, 79.77, 76.39, 75.20, 49.38, 34.22, 28.32, 18.57, 15.60.
2	(Thin film) 3368, 2963, 1712, 1493, 1239, 1163, 1057, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2097; found, 388.2077	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.19 (m, 2H), 7.00 – 6.91 (m, 1H), 6.91 – 6.81 (m, 2H), 5.09 (dt, <i>J</i> = 8.7, 4.2 Hz, 1H), 5.05 – 4.91 (m, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 4.29 (t, <i>J</i> = 7.6 Hz, 1H), 1.79 – 1.57 (m, 2H), 1.53 – 1.16 (m, 2H), 1.45 (s, 9H), 1.36 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.96, 157.80, 155.05, 129.51, 121.19, 116.26, 115.59, 79.71, 76.45, 74.82, 49.49, 31.85, 28.32, 18.66, 15.64, 13.91.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
3	(Thin film) 3362, 2976, 1712, 1493, 1238, 1162, 1066, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₉ NNaO ₅ , 374.1938; found, 374.1936	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.22 (m, 2H), 6.99 – 6.90 (m, 3H), 5.10 – 4.92 (m, 2H), 4.55 – 4.44 (m, 1H), 4.37 – 4.21 (m, 1H), 1.86 – 1.57 (m, 2H), 1.45 (s, 9H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.4 Hz, 3H), 0.92 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.16, 157.94, 155.03, 129.54, 121.09, 115.83, 79.69, 77.54, 73.54, 49.47, 28.34, 22.45, 18.78, 15.47, 9.75.
4	(Thin film) 3363, 2976, 1712, 1493, 1240, 1163, 1057, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₉ NNaO ₅ , 374.1938; found, 374.1927	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.21 (m, 2H), 6.93 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.88 – 6.81 (m, 2H), 5.17 – 4.99 (m, 2H), 4.44 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 4.34 (q, <i>J</i> = 7.3 Hz, 1H), 1.79 – 1.68 (m, 2H), 1.44 (s, 9H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (t, <i>J</i> = 7.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.08, 157.66, 155.04, 129.53, 121.18, 116.07, 79.72, 77.59, 74.33, 49.40, 28.34, 23.21, 18.81, 15.21, 9.86.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
5	(Thin film) 3363, 2963, 1713, 1493, 1240, 1163, 1057, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2083	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.21 (m, 2H), 6.98 – 6.90 (m, 3H), 5.18 – 5.06 (m, 1H), 5.01 (d, <i>J</i> = 7.9 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.9 Hz, 1H), 4.38 – 4.19 (m, 1H), 1.73 – 1.61 (m, 2H), 1.45 (s, 9H), 1.42 – 1.23 (m, 8H), 0.91 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.11, 157.91, 155.02, 129.54, 121.09, 115.83, 79.70, 75.94, 73.68, 49.46, 31.39, 28.34, 18.74, 18.62, 15.42, 13.90.
6	(Thin film) 3362, 2963, 1713, 1494, 1242, 1164, 1066, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2093	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.18 (m, 2H), 6.93 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.89 – 6.80 (m, 2H), 5.21 – 5.04 (m, 2H), 4.43 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.33 (p, <i>J</i> = 7.2 Hz, 1H), 1.78 – 1.56 (m, 2H), 1.44 (s, 9H), 1.41 – 1.22 (m, 8H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.05, 157.67, 155.02, 129.52, 121.18, 116.09, 79.71, 76.10, 74.70, 49.40, 32.16, 28.33, 18.84, 18.72, 15.15, 13.91.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
7	(Thin film) 3361, 2960, 1714, 1494, 1240, 1163, 1067, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₅ , 402.2251; found, 402.2233	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.22 (m, 2H), 6.99 – 6.90 (m, 3H), 5.21 (ddd, <i>J</i> = 10.2, 4.8, 3.0 Hz, 1H), 5.00 (d, <i>J</i> = 7.9 Hz, 1H), 4.51 – 4.41 (m, 1H), 4.37 – 4.22 (m, 1H), 1.68 (ddd, <i>J</i> = 14.1, 10.1, 4.4 Hz, 1H), 1.59 (dddd, <i>J</i> = 13.1, 10.9, 6.5, 4.5 Hz, 1H), 1.50 – 1.40 (m, 10H), 1.36 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.6 Hz, 3H), 0.87 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.09, 157.84, 154.99, 129.54, 121.11, 115.85, 79.72, 74.32, 73.86, 49.45, 38.15, 28.34, 24.50, 23.50, 21.68, 18.72, 15.36.
8	(Thin film) 3361, 2960, 1714, 1494, 1241, 1165, 1054, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₅ , 402.2251; found, 402.2242	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.19 (m, 2H), 6.93 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.89 – 6.81 (m, 2H), 5.22 (dt, <i>J</i> = 10.0, 3.4 Hz, 1H), 5.10 (d, <i>J</i> = 7.9 Hz, 1H), 4.41 (qd, <i>J</i> = 6.3, 3.8 Hz, 1H), 4.32 (p, <i>J</i> = 7.2 Hz, 1H), 1.77 – 1.57 (m, 2H), 1.49 – 1.40 (m, 10H), 1.40 – 1.32 (m, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (dd, <i>J</i> = 7.9, 6.4 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.04, 157.70, 155.02, 129.52, 121.18, 116.10, 79.69, 75.12, 74.70, 49.39, 38.92, 28.33, 24.48, 23.47, 21.79, 18.87, 15.07.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
9	(Thin film) 3372, 2976, 1714, 1494, 1240, 1164, 1041, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2092	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.23 (m, 2H), 6.94 (tt, <i>J</i> = 7.5, 1.2 Hz, 1H), 6.91 – 6.86 (m, 2H), 5.01 – 4.91 (m, 1H), 4.52 (p, <i>J</i> = 6.2 Hz, 1H), 4.30 (t, <i>J</i> = 7.3 Hz, 1H), 2.19 – 2.06 (m, <i>J</i> = 6.1, 5.6 Hz, 1H), 1.49 – 1.41 (m, 10H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (dd, <i>J</i> = 6.8, 1.9 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.09, 158.01, 154.98, 129.53, 121.05, 115.79, 80.97, 79.63, 73.27, 49.50, 28.65, 28.36, 19.43, 18.80, 17.35, 16.15.
10	(Thin film) 3362, 2975, 1713, 1493, 1240, 1163, 1054, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2093	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.21 (m, 2H), 6.93 (tt, <i>J</i> = 7.4, 1.2 Hz, 1H), 6.87 – 6.80 (m, 2H), 5.13 (d, <i>J</i> = 7.9 Hz, 1H), 5.03 (dd, <i>J</i> = 6.7, 5.2 Hz, 1H), 4.57 – 4.48 (m, 1H), 4.37 (p, <i>J</i> = 7.4 Hz, 1H), 2.10 – 1.97 (m, 1H), 1.54 – 1.39 (m, 12H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (dd, <i>J</i> = 18.1, 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.03, 157.37, 155.08, 129.54, 121.11, 115.85, 79.75, 72.63, 49.42, 28.94, 28.34, 19.11, 18.89, 17.79, 14.86.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
11	(Thin film) 3363, 2978, 1711, 1494, 1241, 1162, 1067, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₂₅ NNaO ₅ , 346.1625; found, 346.1630	¹ H NMR (400 MHz, CDCl ₃) δ 7.35 – 7.20 (m, 2H), 7.00 – 6.87 (m, 3H), 5.11 – 4.90 (m, 1H), 4.67 – 4.55 (m, 1H), 4.28 (h, <i>J</i> = 7.3, 6.7 Hz, 3H), 1.43 (s, 9H), 1.34 (dd, <i>J</i> = 6.8, 3.4 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.16, 157.68, 155.04, 129.55, 121.33, 116.14, 79.81, 71.59, 67.48, 49.24, 28.32, 18.57, 16.84.
12	(Thin film) 3346, 2964, 1716, 1495, 1243, 1166, 1095, 752	ESIMS <i>m/z</i> 402.2 ([M+Na] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.22 (m, 2H), 6.97 – 6.86 (m, 3H), 5.22 (ddd, <i>J</i> = 10.0, 5.1, 3.1 Hz, 1H), 5.08 (d, <i>J</i> = 7.8 Hz, 1H), 4.48 – 4.37 (m, 1H), 4.37 – 4.23 (m, 1H), 1.74 – 1.55 (m, 2H), 1.51 – 1.38 (m, 10H), 1.31 (d, <i>J</i> = 7.2 Hz, 3H), 1.26 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.5 Hz, 3H), 0.88 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.17, 157.69, 129.54, 121.06, 115.73, 79.76, 74.44, 73.93, 49.42, 38.37, 28.34, 24.44, 23.49, 21.77, 18.82, 15.41.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
13	(Thin film) 3363, 2963, 1716, 1494, 1241, 1165, 1067, 753	ESIMS <i>m/z</i> 402.2 ([M+Na] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.20 (m, 2H), 6.99 – 6.91 (m, 1H), 6.91 – 6.85 (m, 2H), 5.16 (ddd, <i>J</i> = 10.2, 4.1, 2.9 Hz, 1H), 4.97 (d, <i>J</i> = 8.0 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.0 Hz, 1H), 4.36 – 4.20 (m, 1H), 1.73 (ddd, <i>J</i> = 14.2, 10.1, 4.3 Hz, 1H), 1.68 – 1.53 (m, 1H), 1.53 – 1.40 (m, 10H), 1.35 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.4 Hz, 3H), 0.92 (dd, <i>J</i> = 8.9, 6.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.95, 157.88, 155.04, 129.51, 121.22, 116.34, 79.70, 75.29, 75.07, 49.50, 38.63, 28.33, 24.45, 23.55, 21.62, 18.59, 15.58.
14	(Thin film) 3374, 2975, 1716, 1495, 1243, 1168, 1070, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2106	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.20 (m, 2H), 6.92 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.84 (m, 2H), 5.08 (d, <i>J</i> = 7.7 Hz, 1H), 4.95 (t, <i>J</i> = 5.8 Hz, 1H), 4.52 (p, <i>J</i> = 6.2 Hz, 1H), 4.43 – 4.24 (m, 1H), 2.12 (h, <i>J</i> = 6.6 Hz, 1H), 1.44 (s, 9H), 1.29 (d, <i>J</i> = 7.1 Hz, 3H), 1.26 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (dd, <i>J</i> = 6.9, 2.7 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.37, 157.76, 155.03, 129.53, 120.95, 115.61, 80.86, 73.02, 49.42, 28.60, 28.35, 19.44, 18.83, 17.22, 15.95.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
15	(Thin film) 3375, 2975, 1714, 1494, 1241, 1166, 1068, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₁ NNaO ₅ , 388.2094; found, 388.2060	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.23 (m, 2H), 6.94 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.83 (m, 2H), 5.12 – 4.99 (m, 2H), 4.50 (p, <i>J</i> = 6.2 Hz, 1H), 4.36 (t, <i>J</i> = 7.4 Hz, 1H), 2.15 – 2.06 (m, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.95 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.93, 157.44, 155.09, 129.54, 121.12, 115.92, 79.89, 79.77, 72.62, 49.55, 28.72, 28.35, 19.35, 18.86, 17.08, 15.50.
16	(Thin film) 3356, 2931, 1716, 1495, 1243, 1166, 1068, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2407; found, 416.2403	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.21 (m, 2H), 6.98 – 6.87 (m, 3H), 5.16 – 5.00 (m, 2H), 4.49 – 4.39 (m, 1H), 4.32 (t, <i>J</i> = 7.4 Hz, 1H), 1.78 – 1.55 (m, 3H), 1.44 (s, 9H), 1.35 – 1.21 (m, 11H), 0.90 – 0.83 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.23, 157.76, 155.03, 129.54, 121.03, 115.71, 79.74, 76.28, 73.71, 49.41, 31.61, 29.47, 28.34, 24.90, 22.44, 18.82, 15.47, 13.96.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
17	(Thin film) 3363, 2931, 1716, 1494, 1242, 1167, 1067, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2407; found, 416.2409	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.22 (m, 2H), 6.98 – 6.91 (m, 1H), 6.91 – 6.85 (m, 2H), 5.08 (td, <i>J</i> = 6.4, 4.5 Hz, 1H), 5.01 (d, <i>J</i> = 8.2 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 4.30 (dd, <i>J</i> = 11.2, 4.2 Hz, 1H), 1.70 (q, <i>J</i> = 7.0, 6.0 Hz, 2H), 1.45 (s, 10H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.35 – 1.19 (m, 8H), 0.92 – 0.81 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.95, 157.83, 155.04, 129.52, 121.21, 116.30, 79.70, 76.71, 74.86, 49.50, 31.57, 29.75, 28.34, 25.02, 22.44, 18.71, 15.64, 13.95.
18	(Thin film) 3377, 2963, 1717, 1495, 1242, 1166, 1068, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2407; found, 416.2401	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.22 (m, 2H), 6.97 – 6.90 (m, 3H), 5.10 (dt, <i>J</i> = 9.0, 4.7 Hz, 1H), 5.01 (d, <i>J</i> = 7.3 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.9 Hz, 1H), 4.37 – 4.21 (m, 1H), 1.77 – 1.55 (m, 2H), 1.45 (s, 9H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 – 1.17 (m, 9H), 0.92 – 0.80 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.12, 157.91, 154.99, 129.54, 121.10, 115.86, 79.71, 76.21, 73.70, 49.42, 31.56, 29.20, 28.35, 24.96, 22.43, 18.81, 15.43, 13.93.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
19	(Thin film) 3364, 2931, 1716, 1494, 1243, 1166, 1068, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2407; found, 416.2416	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.21 (m, 2H), 6.93 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.78 (m, 2H), 5.12 (dq, <i>J</i> = 10.5, 6.2, 5.3 Hz, 2H), 4.42 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.33 (p, <i>J</i> = 7.5 Hz, 1H), 1.76 – 1.60 (m, 2H), 1.44 (s, 9H), 1.41 – 1.34 (m, 4H), 1.29 (m, 8H), 0.93 – 0.82 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.07, 157.68, 155.04, 129.52, 121.18, 116.10, 79.71, 76.33, 74.69, 49.42, 31.62, 30.05, 28.34, 25.08, 22.46, 18.84, 15.13, 13.97.
20	(Thin film) 3373, 2979, 1714, 1495, 1243, 1166, 1069, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₂₅ NNaO ₅ , 346.1625; found, 346.1620	¹ H NMR (400 MHz, CDCl ₃) δ 7.34 – 7.22 (m, 2H), 7.01 – 6.83 (m, 3H), 5.06 (d, <i>J</i> = 7.8 Hz, 1H), 4.62 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.45 – 4.23 (m, 2H), 4.17 (dd, <i>J</i> = 11.4, 4.2 Hz, 1H), 1.43 (s, 9H), 1.33 (d, <i>J</i> = 2.7 Hz, 3H), 1.32 (d, <i>J</i> = 3.6 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.20, 157.72, 155.08, 129.55, 121.31, 116.13, 79.80, 71.66, 67.57, 49.26, 28.32, 18.52, 16.75.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
21	(Thin film) 3369, 2979, 1713, 1493, 1241, 1164	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₂₉ NNaO ₅ , 386.1938; found, 386.1933	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.22 (m, 3H), 6.98 – 6.86 (m, 3H), 4.99 (d, <i>J</i> = 7.7 Hz, 1H), 4.57 (qt, <i>J</i> = 5.8, 2.8 Hz, 1H), 4.47 (dd, <i>J</i> = 9.2, 3.6 Hz, 1H), 4.30 (dd, <i>J</i> = 10.9, 4.1 Hz, 1H), 1.44 (d, <i>J</i> = 2.5 Hz, 1H), 1.40 (d, <i>J</i> = 6.4 Hz, 3H), 1.36 (dd, <i>J</i> = 6.7, 2.5 Hz, 3H), 0.40 (dd, <i>J</i> = 4.9, 2.0 Hz, 2H).
22	(Thin film) 3361, 2929, 1714, 1494, 1242, 1166	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₅ NNaO ₅ , 428.2407; found, 428.2386	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.21 (m, 2H), 6.93 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.83 (m, 2H), 5.11 (d, <i>J</i> = 7.9 Hz, 1H), 4.95 (dd, <i>J</i> = 6.4, 5.1 Hz, 1H), 4.64 – 4.49 (m, 1H), 4.35 (t, <i>J</i> = 7.5 Hz, 1H), 1.88 – 1.56 (m, 6H), 1.44 (s, 10H), 1.31 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.3 Hz, 3H), 1.22 – 0.98 (m, 4H).
23	(Thin film) 3368, 2928, 1713, 1493, 1240, 1164	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₅ NNaO ₅ , 428.2407; found, 428.2402	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.22 (m, 2H), 6.97 – 6.82 (m, 3H), 5.08 (d, <i>J</i> = 8.7 Hz, 1H), 5.04 (t, <i>J</i> = 5.8 Hz, 1H), 4.53 (p, <i>J</i> = 6.1 Hz, 1H), 4.37 (q, <i>J</i> = 7.3 Hz, 1H), 1.81 – 1.58 (m, 6H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (dd, <i>J</i> = 6.2, 1.6 Hz, 3H), 1.27 – 0.98 (m, 5H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
24	(Thin film) 3381, 2977, 1714, 1505, 1208, 1167	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₀ FNNaO ₅ , 406.2000; found, 406.2001	¹ H NMR (400 MHz, CDCl ₃) δ 7.00 – 6.91 (m, 2H), 6.86 – 6.79 (m, 2H), 5.07 (d, <i>J</i> = 7.8 Hz, 1H), 4.93 (t, <i>J</i> = 5.8 Hz, 1H), 4.41 (p, <i>J</i> = 6.2 Hz, 1H), 2.11 (dq, <i>J</i> = 13.3, 6.6 Hz, 1H), 1.44 (s, 10H), 1.30 (d, <i>J</i> = 7.2 Hz, 3H), 1.24 (d, <i>J</i> = 6.4 Hz, 3H), 0.95 (dd, <i>J</i> = 6.8, 5.3 Hz, 6H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.45 .
25	(Thin film) 3371, 2975, 1712, 1504, 1207, 1165	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₀ FNNaO ₅ , 406.2000; found, 406.2000	¹ H NMR (400 MHz, CDCl ₃) δ 6.99 – 6.92 (m, 2H), 6.85 – 6.79 (m, 2H), 5.08 (d, <i>J</i> = 8.0 Hz, 1H), 5.00 (t, <i>J</i> = 5.8 Hz, 1H), 4.39 (h, <i>J</i> = 7.1, 6.6 Hz, 2H), 2.08 (td, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.1 Hz, 3H), 0.95 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.19 .
26	(Thin film) 3369, 2980, 1712, 1504, 1207, 1164	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₂₄ FNNaO ₅ , 364.1531; found, 364.1530	¹ H NMR (400 MHz, CDCl ₃) δ 7.00 – 6.92 (m, 2H), 6.91 – 6.83 (m, 2H), 5.02 (d, <i>J</i> = 8.0 Hz, 1H), 4.52 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.34 (dd, <i>J</i> = 11.5, 6.6 Hz, 2H), 4.17 (dd, <i>J</i> = 11.5, 4.1 Hz, 1H), 1.44 (s, 9H), 1.33 (dd, <i>J</i> = 9.1, 6.8 Hz, 6H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 122.87 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
27	(Thin film) 3358, 2979, 1712, 1494, 1240, 1162, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₂₉ NNaO ₅ , 422.1938; found, 422.1936	¹ H NMR (400 MHz, CDCl ₃) δ 7.43 – 7.20 (m, 7H), 6.98 – 6.90 (m, 1H), 6.90 – 6.83 (m, 2H), 5.94 (d, <i>J</i> = 4.4 Hz, 1H), 4.99 (d, <i>J</i> = 8.0 Hz, 1H), 4.66 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 4.41 (p, <i>J</i> = 7.4 Hz, 1H), 1.44 (s, 9H), 1.36 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.13, 157.73, 155.06, 136.69, 129.51, 128.31, 128.23, 127.14, 121.40, 116.45, 79.81, 77.96, 76.09, 49.31, 28.34, 18.47, 15.34.
28	(Thin film) 3355, 2978, 1713, 1494, 1240, 1163, 1066, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₂₉ NNaO ₅ , 422.1938; found, 422.1941	¹ H NMR (400 MHz, CDCl ₃) δ 7.45 – 7.14 (m, 7H), 6.96 (ddd, <i>J</i> = 8.9, 7.2, 1.6 Hz, 3H), 5.93 (d, <i>J</i> = 6.9 Hz, 1H), 4.91 (d, <i>J</i> = 8.1 Hz, 1H), 4.68 (p, <i>J</i> = 6.4 Hz, 1H), 4.31 (p, <i>J</i> = 7.3 Hz, 1H), 1.43 (s, 9H), 1.30 (d, <i>J</i> = 7.1 Hz, 3H), 1.16 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.19, 158.12, 154.98, 136.55, 129.57, 128.54, 128.48, 127.39, 121.30, 116.14, 79.69, 78.86, 75.51, 49.25, 28.33, 18.50, 16.25.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
29	(Thin film) 3358, 2982, 1715, 1494, 1243, 1166, 1068	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₈ H ₂₇ NNaO ₅ , 360.1781; found, 360.1768	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.23 (m, 2H), 6.98 – 6.88 (m, 3H), 5.21 – 5.11 (m, 1H), 5.05 (d, <i>J</i> = 8.1 Hz, 1H), 4.42 (p, <i>J</i> = 6.2 Hz, 1H), 4.36 – 4.21 (m, 1H), 1.44 (s, 9H), 1.30 (app t, <i>J</i> = 5.9 Hz, 6H), 1.28 (d, <i>J</i> = 4.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.92, 157.80, 155.07, 129.55, 121.09, 115.78, 79.77, 74.55, 72.87, 49.39, 28.35, 18.74, 15.35, 15.26.
30	(Thin film) 3365, 2981, 1715, 1494, 1242, 1166	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₂₇ NNaO ₅ , 360.1781; found, 360.1763	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.23 (m, 2H), 6.95 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.93 – 6.85 (m, 2H), 5.06 (qd, <i>J</i> = 6.5, 4.2 Hz, 1H), 4.96 (d, <i>J</i> = 7.8 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.39 – 4.17 (m, 1H), 1.44 (s, 9H), 1.35 – 1.28 (m, 9H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.64, 157.95, 155.06, 129.53, 121.27, 116.40, 79.76, 75.47, 73.66, 49.41, 28.34, 18.54, 15.81, 15.01.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
31	(Thin film) 3363, 2976, 1712, 1510, 1164, 1067	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₂₉ F ₂ NNaO ₅ , 424.1906; found, 424.1906	¹ H NMR (400 MHz, CDCl ₃) δ 7.00 (ddd, <i>J</i> = 10.6, 8.9, 5.3 Hz, 1H), 6.70 (ddd, <i>J</i> = 9.7, 6.6, 3.0 Hz, 1H), 6.61 (ddt, <i>J</i> = 8.8, 7.5, 3.1 Hz, 1H), 5.05 (q, <i>J</i> = 6.0 Hz, 2H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 4.36 (p, <i>J</i> = 7.4 Hz, 1H), 2.16 – 2.00 (m, <i>J</i> = 6.8 Hz, 1H), 1.52 – 1.40 (m, 12H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 7.0 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 116.82 (d, <i>J</i> = 15.2 Hz), -138.26 (d, <i>J</i> = 15.1 Hz).
32	(Thin film) 3367, 2977, 1712, 1325, 1252, 1162, 1111, 1066	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₀ F ₃ NNaO ₅ , 456.1968; found, 456.1968	¹ H NMR (400 MHz, CDCl ₃) δ 7.53 (d, <i>J</i> = 8.5 Hz, 2H), 6.93 (d, <i>J</i> = 8.5 Hz, 2H), 5.11 – 4.99 (m, 2H), 4.57 (p, <i>J</i> = 6.1 Hz, 1H), 4.36 (p, <i>J</i> = 7.4 Hz, 1H), 2.08 (dq, <i>J</i> = 13.1, 6.6 Hz, 1H), 1.46 (s, 9H), 1.44 (d, <i>J</i> = 7.3 Hz, 3H), 1.32 (d, <i>J</i> = 6.1 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 61.58 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
33	(Thin film) 3373, 2974, 1712, 1489, 1163, 1133, 1067	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₀ FNNaO ₅ , 406.2000; found, 406.1997	¹ H NMR (400 MHz, CDCl ₃) δ 7.20 (td, <i>J</i> = 8.2, 6.8 Hz, 1H), 6.69 – 6.53 (m, 3H), 5.14 – 4.97 (m, 2H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 4.36 (t, <i>J</i> = 7.5 Hz, 1H), 2.08 (dq, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 111.58 .
34	(Thin film) 3359, 2975, 1714, 1497, 1250, 1165, 1060	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₂ ClNNaO ₅ , 436.1861; found, 436.1861	¹ H NMR (400 MHz, CDCl ₃) δ 7.17 (d, <i>J</i> = 2.1 Hz, 1H), 6.97 (dd, <i>J</i> = 8.3, 2.1 Hz, 1H), 6.82 (d, <i>J</i> = 8.3 Hz, 1H), 5.16 – 5.05 (m, 1H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 4.43 – 4.31 (m, 1H), 2.26 (s, 3H), 2.12 (dt, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.68 – 1.55 (m, 1H), 1.49 – 1.41 (m, 12H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
35	(Thin film) 3367, 2975, 1710, 1478, 1163, 1059	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₂₉ Cl ₂ NNaO ₅ , 456.1315; found, 456.1316	¹ H NMR (400 MHz, CDCl ₃) δ 7.35 (d, <i>J</i> = 2.5 Hz, 1H), 7.16 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 6.85 (d, <i>J</i> = 8.8 Hz, 1H), 5.16 – 4.99 (m, 2H), 4.49 (p, <i>J</i> = 6.0 Hz, 1H), 4.38 (q, <i>J</i> = 7.4 Hz, 1H), 2.11 (h, <i>J</i> = 6.7 Hz, 1H), 1.47 – 1.41 (m, 12H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.92, 155.10, 151.85, 130.31, 127.54, 126.37, 125.23, 116.24, 79.78, 79.35, 74.75, 49.54, 28.76, 28.35, 19.26, 18.80, 17.49, 15.01.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
36	(Thin film) 3373, 2974, 1713, 1605, 1140, 1063	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₂₉ ClFNNaO ₅ , 440.1611; found, 440.1611	¹ H NMR (400 MHz, CDCl ₃) δ 6.72 – 6.63 (m, 2H), 6.49 (dt, <i>J</i> = 10.5, 2.3 Hz, 1H), 5.04 (d, <i>J</i> = 8.1 Hz, 1H), 5.00 (t, <i>J</i> = 5.8 Hz, 1H), 4.45 (p, <i>J</i> = 6.1 Hz, 1H), 4.35 (p, <i>J</i> = 7.5 Hz, 1H), 2.05 (dq, <i>J</i> = 13.5, 6.7 Hz, 1H), 1.46 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.97, 163.41 (d, <i>J</i> = 248.0 Hz), 159.01 (d, <i>J</i> = 12.3 Hz), 155.12, 135.49 (d, <i>J</i> = 13.4 Hz), 112.14 (d, <i>J</i> = 3.2 Hz), 109.04 (d, <i>J</i> = 25.3 Hz), 102.09 (d, <i>J</i> = 24.8 Hz), 79.89, 79.28, 73.49, 49.56, 28.78, 28.35, 19.22, 18.65, 17.34, 15.01. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 110.00 .
37	(Thin film) 3370, 2974, 1713, 1477, 1163, 1068	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₀ H ₃₀ ClNNaO ₅ , 422.1705; found, 422.1705	¹ H NMR (400 MHz, CDCl ₃) δ 7.18 (t, <i>J</i> = 8.1 Hz, 1H), 6.96 – 6.90 (m, 1H), 6.90 – 6.83 (m, 1H), 6.75 (dd, <i>J</i> = 8.4, 2.4 Hz, 1H), 5.05 (d, <i>J</i> = 7.8 Hz, 1H), 5.01 (t, <i>J</i> = 5.9 Hz, 1H), 4.52 – 4.43 (m, 1H), 4.35 (q, <i>J</i> = 7.3 Hz, 1H), 2.08 (dq, <i>J</i> = 13.3, 6.8 Hz, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 7.0 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
38	(Thin film) 3345, 2974, 1714, 1506, 1228, 1166	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₆ , 418.2200; found, 418.2202	¹ H NMR (400 MHz, CDCl ₃) δ 6.82 (d, <i>J</i> = 1.1 Hz, 4H), 5.10 (d, <i>J</i> = 8.0 Hz, 1H), 4.92 (t, <i>J</i> = 5.8 Hz, 1H), 4.37 (dt, <i>J</i> = 13.5, 6.7 Hz, 2H), 3.76 (d, <i>J</i> = 1.5 Hz, 3H), 2.12 (h, <i>J</i> = 6.6 Hz, 1H), 1.44 (s, 9H), 1.32 (d, <i>J</i> = 7.2 Hz, 3H), 1.22 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (dd, <i>J</i> = 9.1, 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.37, 155.04, 154.13, 151.79, 117.12, 114.71, 80.97, 79.69, 74.19, 55.70, 49.43, 28.60, 28.35, 19.45, 18.91, 17.29, 15.99.
39	(Thin film) 3360, 2974, 1713, 1506, 1228, 1164	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₆ , 418.2200; found, 418.2199	¹ H NMR (400 MHz, CDCl ₃) δ 6.81 (s, 4H), 5.11 (d, <i>J</i> = 8.0 Hz, 1H), 5.00 (t, <i>J</i> = 5.8 Hz, 1H), 4.36 (p, <i>J</i> = 6.2 Hz, 2H), 3.76 (s, 3H), 2.11 (h, <i>J</i> = 6.7 Hz, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.6 Hz, 3H), 1.26 (d, <i>J</i> = 6.2 Hz, 3H), 0.93 (dd, <i>J</i> = 10.5, 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.93, 155.09, 154.28, 151.51, 117.53, 114.73, 79.91, 79.73, 73.98, 55.68, 49.58, 28.73, 28.35, 19.36, 18.85, 17.15, 15.54.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
40	(Thin film) 3361, 2978, 1713, 1506, 1228, 1165	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₂₇ NNaO ₆ , 376.1731; found, 376.1732	¹ H NMR (400 MHz, CDCl ₃) δ 6.90 – 6.77 (m, 4H), 5.04 (d, <i>J</i> = 8.0 Hz, 1H), 4.47 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.33 (dd, <i>J</i> = 11.6, 6.5 Hz, 2H), 4.16 (dd, <i>J</i> = 11.4, 4.1 Hz, 1H), 3.76 (s, 3H), 1.44 (s, 9H), 1.35 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.23, 155.08, 154.47, 151.72, 117.85, 114.73, 79.84, 73.06, 67.62, 55.70, 49.29, 28.34, 18.61, 16.85.
41	(Thin film) 3427, 3367, 2974, 2937, 2878, 1716, 1495, 1243.07, 1167	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2407; found, 416.2377	¹ H NMR (400 MHz, CDCl ₃) δ 7.36 – 7.18 (m, 3H), 6.92 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.89 – 6.84 (m, 2H), 5.19 (dd, <i>J</i> = 6.4, 4.7 Hz, 1H), 5.09 (d, <i>J</i> = 8.1 Hz, 1H), 4.55 (h, <i>J</i> = 6.3 Hz, 1H), 4.39 – 4.21 (m, 1H), 1.58 (s, 1H), 1.43 (s, 11H), 1.25 (dd, <i>J</i> = 13.1, 6.7 Hz, 7H), 0.92 (t, <i>J</i> = 7.5 Hz, 6H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
42	(Thin film) 3364, 2966, 2934, 2877, 1713, 1494, 1240, 1164	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NNaO ₅ , 416.2384; found, 416.2407	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.22 (m, 3H), 6.94 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 – 6.82 (m, 2H), 5.21 (dd, <i>J</i> = 6.6, 4.5 Hz, 1H), 5.08 (qd, <i>J</i> = 5.8, 3.9, 2.8 Hz, 1H), 4.53 (p, <i>J</i> = 6.2 Hz, 1H), 4.33 (q, <i>J</i> = 7.5 Hz, 1H), 1.70 – 1.60 (m, 1H), 1.54 (ddt, <i>J</i> = 14.0, 7.5, 4.0 Hz, 1H), 1.45 (s, 11H), 1.33 – 1.17 (m, 5H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H), 0.86 (q, <i>J</i> = 8.1, 7.5 Hz, 4H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.93, 157.46, 155.07, 129.59, 121.19, 116.01, 79.74, 72.63, 49.62, 41.50, 28.30, 22.29, 21.16, 18.63, 15.88, 11.43.
43		ESIMS <i>m/z</i> 403.6 ([M+Na] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 7.42 – 7.13 (m, 2H), 7.07 – 6.63 (m, 3H), 5.27 – 4.98 (m, 2H), 4.62 – 4.15 (m, 2H), 1.86 – 1.08 (m, 23H), 1.02 – 0.73 (m, 1H). ¹³ C NMR (75 MHz, CDCl ₃) δ 210.88, 172.86, 157.48, 155.05, 129.50, 121.10, 116.08, 78.73, 74.19, 40.83, 29.05, 28.33, 25.46, 24.94, 18.89, 15.00.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
44		ESIMS <i>m/z</i> 392.3 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 7.40 – 7.16 (m, 3H), 7.04 – 6.81 (m, 4H), 5.27 – 4.97 (m, 2H), 4.47 (qd, <i>J</i> = 6.3, 4.5 Hz, 1H), 4.39 – 4.29 (m, 1H), 1.81 – 1.47 (m, 5H), 1.44 (s, 10H), 1.34 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 – 1.23 (m, 4H). ¹³ C NMR (75 MHz, CDCl ₃) δ 173.33, 157.73, 129.54, 120.93, 115.59, 100.47, 99.99, 79.74, 79.61, 73.63, 49.46, 40.21, 29.11, 28.34, 25.27, 25.03, 18.90, 15.97.
45		ESIMS <i>m/z</i> 414.3 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 7.23 (dddt, <i>J</i> = 17.1, 10.5, 8.0, 4.5 Hz, 6H), 6.98 – 6.80 (m, 3H), 5.43 – 5.17 (m, 1H), 5.02 (dd, <i>J</i> = 23.9, 7.9 Hz, 1H), 4.56 – 4.02 (m, 2H), 3.21 – 2.75 (m, 2H), 1.43 (d, <i>J</i> = 4.1 Hz, 9H), 1.40 – 1.04 (m, 7H).
46	(Thin film) 3355, 2977, 2933, 1714, 1497, 1454, 1366, 1248, 1164, 1068, 699	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₃ NO ₅ Na, 414.2251; found, 414.2253	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.22 (m, 2H), 7.22 – 7.15 (m, 3H), 5.26 – 5.16 (m, 1H), 5.03 – 4.85 (m, 3H), 4.27 – 4.13 (m, 1H), 3.98 – 3.86 (m, 2H), 3.62 – 3.51 (m, 1H), 3.02 (dd, <i>J</i> = 14.2, 4.2 Hz, 1H), 2.89 (dd, <i>J</i> = 14.3, 9.5 Hz, 1H), 1.75 (t, <i>J</i> = 1.1 Hz, 3H), 1.42 (s, 9H), 1.21 (d, <i>J</i> = 6.4 Hz, 3H), 1.09 (d, <i>J</i> = 7.2 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
47	(Thin film) 3354, 2975, 2934, 2876, 1715, 1497, 1454, 1366, 1165, 1105, 1069, 1021	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NO ₅ Na, 402.2251; found, 402.2252	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.22 (m, 2H), 7.19 (d, <i>J</i> = 6.8 Hz, 3H), 5.24 – 5.10 (m, 1H), 4.94 (d, <i>J</i> = 7.8 Hz, 1H), 4.28 – 4.13 (m, 1H), 3.55 – 3.36 (m, 3H), 3.03 (dd, <i>J</i> = 14.4, 4.1 Hz, 1H), 2.87 (dd, <i>J</i> = 14.3, 9.4 Hz, 1H), 1.66 – 1.50 (m, 2H), 1.42 (s, 9H), 1.19 (d, <i>J</i> = 6.3 Hz, 3H), 1.08 (d, <i>J</i> = 7.2 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H).
48	(Thin film) 3364, 2958, 2932, 2871, 1714, 1497, 1454, 1365, 1343, 1306, 1248, 1164, 1104, 1068, 1021, 699	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₇ NO ₅ Na, 430.2564; found, 430.2564	¹ H NMR (400 MHz, CDCl ₃) δ 7.34 – 7.23 (m, 2H), 7.21 – 7.15 (m, 3H), 5.25 – 5.14 (m, 1H), 4.94 (d, <i>J</i> = 7.9 Hz, 1H), 4.32 – 4.10 (m, 1H), 3.58 – 3.38 (m, 3H), 3.03 (dd, <i>J</i> = 14.2, 4.1 Hz, 1H), 2.87 (dd, <i>J</i> = 14.3, 9.4 Hz, 1H), 1.6 – 1.5 (m, 2H), 1.42 (s, 9H), 1.33 (h, <i>J</i> = 3.6 Hz, 4H), 1.19 (d, <i>J</i> = 6.4 Hz, 3H), 1.09 (d, <i>J</i> = 7.2 Hz, 3H), 0.95 – 0.85 (m, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
49	(Thin film) 3363, 2975, 2935, 1714, 1499, 1451, 1366, 1248, 1165, 1068, 1022, 898	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₃ NO ₅ Na, 361.2697; found, 361.2609	¹ H NMR (300 MHz, CDCl ₃) δ 5.11 (d, <i>J</i> = 7.7 Hz, 1H), 4.94 (d, <i>J</i> = 2.2 Hz, 1H), 4.85 (s, 1H), 4.75 (dd, <i>J</i> = 6.6, 5.0 Hz, 1H), 4.43 – 4.27 (m, 1H), 3.95 (d, <i>J</i> = 12.2 Hz, 1H), 3.77 (d, <i>J</i> = 12.3 Hz, 1H), 3.61 (p, <i>J</i> = 6.1 Hz, 1H), 2.06 (h, <i>J</i> = 6.8 Hz, 1H), 1.72 (s, 3H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.1 Hz, 3H), 1.16 – 1.09 (m, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.88 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.27, 155.03, 142.29, 111.93, 81.59, 79.65, 74.11, 72.89, 49.39, 28.42, 28.34, 19.68, 19.38, 18.94, 17.53, 15.59 .
50	(Thin film) 3363, 2974, 2935, 1714, 1500, 1453, 1366, 1340, 1248, 1166, 1103, 1066, 898	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₃ NO ₅ Na, 361.2697; found, 361.2676	¹ H NMR (300 MHz, CDCl ₃) δ 5.10 (d, <i>J</i> = 7.9 Hz, 1H), 4.99 – 4.92 (m, 1H), 4.91 – 4.83 (m, 2H), 4.42 – 4.27 (m, 1H), 3.92 (d, <i>J</i> = 12.3 Hz, 1H), 3.84 (d, <i>J</i> = 12.5 Hz, 1H), 3.62 – 3.51 (m, 1H), 2.02 (h, <i>J</i> = 6.8 Hz, 1H), 1.72 (d, <i>J</i> = 1.1 Hz, 3H), 1.44 (s, 9H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.14 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 3.8 Hz, 3H), 0.89 (d, <i>J</i> = 4.0 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.98, 155.05, 142.36, 112.07, 79.75, 79.66, 73.61, 72.64, 49.52, 28.64, 28.33, 19.60, 19.33, 18.98, 17.51, 15.09 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
51	(Thin film) 3357, 2975, 2936, 2877, 1715, 1502, 1454, 1366, 1248, 1166, 1092, 1065, 1021, 924	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₃₁ NO ₅ Na, 352.2094; found, 352.2094	¹ H NMR (400 MHz, CDCl ₃) δ 5.87 (ddt, <i>J</i> = 17.3, 10.8, 5.5 Hz, 1H), 5.25 (dq, <i>J</i> = 17.3, 1.7 Hz, 1H), 5.19 – 5.02 (m, 2H), 4.87 (t, <i>J</i> = 5.8 Hz, 1H), 4.40 – 4.26 (m, 1H), 4.06 – 3.93 (m, 2H), 3.63 – 3.53 (m, 1H), 2.02 (h, <i>J</i> = 6.8 Hz, 1H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.1 Hz, 3H), 1.13 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (d, <i>J</i> = 5.1 Hz, 4H), 0.90 (d, <i>J</i> = 5.2 Hz, 4H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.98, 155.04, 134.92, 116.76, 79.68, 73.60, 69.62, 49.53, 28.62, 28.33, 19.31, 18.96, 17.52, 15.17 .
52	(Thin film) 3372, 2977, 1714, 1503, 1456, 1367, 1308, 1263, 1168, 1122, 1067, 960	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₀ F ₃ NO ₅ Na, 420.1968; found, 420.1968	¹ H NMR (400 MHz, CDCl ₃) δ 6.38 (dt, <i>J</i> = 14.4, 4.2, 2.1 Hz, 1H), 5.96 – 5.77 (m, 1H), 5.04 (d, <i>J</i> = 7.9 Hz, 1H), 4.88 (dd, <i>J</i> = 6.7, 4.9 Hz, 1H), 4.41 – 4.25 (m, 1H), 4.16 – 4.04 (m, 2H), 3.61 (qd, <i>J</i> = 6.3, 4.8 Hz, 1H), 1.98 (h, <i>J</i> = 6.8 Hz, 1H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.17 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.02, 155.05, 136.65 (q, <i>J</i> = 6.3 Hz), 126.63 – 119.78 (m), 118.38 (q, <i>J</i> = 34.7, 34.1 Hz), 79.77, 79.28, 74.98, 66.43, 49.51, 28.69, 28.30, 19.21, 18.84, 17.85, 14.82 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
53	(Thin film) 3359, 2973, 2934, 1712, 1496, 1449, 1366, 1339, 1208, 1164, 1103, 1064, 966, 743, 692	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₅ NO ₅ Na, 428.2407; found, 428.2410	¹ H NMR (400 MHz, CDCl ₃) δ 7.43 – 7.36 (m, 2H), 7.35 – 7.27 (m, 2H), 7.25 (d, <i>J</i> = 11.6 Hz, 1H), 6.58 (dd, <i>J</i> = 16.0, 1.5 Hz, 1H), 6.25 (dt, <i>J</i> = 15.9, 6.0 Hz, 1H), 5.09 (d, <i>J</i> = 7.9 Hz, 1H), 4.91 (t, <i>J</i> = 5.8 Hz, 1H), 4.43 – 4.28 (m, 1H), 4.24 – 4.10 (m, 2H), 3.65 (p, <i>J</i> = 6.2 Hz, 1H), 2.10 – 1.98 (m, 1H), 1.44 (s, 9H), 1.42 (d, <i>J</i> = 7.4 Hz, 3H), 1.17 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 – 0.79 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.01, 155.05, 136.72, 132.19, 128.52, 127.62, 126.48, 126.23, 79.67, 73.59, 69.29, 49.55, 28.65, 28.33, 19.33, 18.97, 17.55, 15.26 .
54	(Thin film) 3372, 2975, 2872, 1715, 1497, 1454, 1365, 1343, 1248, 1164, 1107, 1068, 1029, 699	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₂ H ₃₅ NO ₅ Na, 416.2407; found, 416.2409	¹ H NMR (400 MHz, CDCl ₃) δ 7.29 – 7.23 (m, 2H), 7.22 – 7.15 (m, 3H), 5.26 – 5.13 (m, 1H), 4.93 (d, <i>J</i> = 7.7 Hz, 1H), 4.27 – 4.10 (m, 1H), 3.53 – 3.43 (m, 1H), 3.34 – 3.15 (m, 2H), 3.04 (dd, <i>J</i> = 14.3, 4.1 Hz, 1H), 2.87 (dd, <i>J</i> = 14.3, 9.4 Hz, 1H), 1.82 (dp, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.42 (s, 9H), 1.18 (d, <i>J</i> = 6.4 Hz, 3H), 1.08 (d, <i>J</i> = 7.2 Hz, 3H), 0.92 (d, <i>J</i> = 4.5 Hz, 3H), 0.90 (d, <i>J</i> = 4.5 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.68, 154.96, 137.45, 129.33, 128.30, 126.45, 79.64, 76.34, 49.26, 36.17, 28.79, 28.31, 19.44, 19.39, 18.54, 15.88 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
55	(Thin film) 3359, 2965, 2875, 1716, 1504, 1455, 1366, 1339, 1296, 1248, 1168, 1102, 1066, 1023	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₅ NO ₅ Na, 368.2407; found, 368.2404	¹ H NMR (400 MHz, CDCl ₃) δ 5.08 (d, <i>J</i> = 8.0 Hz, 1H), 4.85 (t, <i>J</i> = 5.8 Hz, 1H), 4.38 – 4.26 (m, 1H), 3.47 (p, <i>J</i> = 6.2 Hz, 1H), 3.24 (dd, <i>J</i> = 8.6, 6.3 Hz, 1H), 3.13 (dd, <i>J</i> = 8.7, 6.7 Hz, 1H), 2.04 (dq, <i>J</i> = 13.2, 6.6 Hz, 1H), 1.77 (dp, <i>J</i> = 13.2, 6.6 Hz, 1H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 – 0.81 (m, 12H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.96, 155.07, 79.99, 79.65, 75.89, 74.45, 49.52, 28.76, 28.53, 28.33, 19.43, 19.38, 18.98, 17.21, 15.27 .
56	(Thin film) 3359, 2967, 2936, 2877, 1716, 1502, 1455, 1366, 1340, 1248, 1167, 1107, 1066, 1021	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₃₃ NO ₅ Na, 354.2251; found, 354.2251	¹ H NMR (400 MHz, CDCl ₃) δ 5.09 (d, <i>J</i> = 7.8 Hz, 1H), 4.85 (t, <i>J</i> = 5.9 Hz, 1H), 4.39 – 4.22 (m, 1H), 3.49 (p, <i>J</i> = 6.2 Hz, 1H), 3.46 – 3.27 (m, 2H), 2.03 (h, <i>J</i> = 6.7 Hz, 1H), 1.59 – 1.48 (m, 2H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.94 – 0.86 (m, 9H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.97, 155.07, 79.86, 79.65, 74.27, 70.63, 49.53, 28.57, 28.33, 23.22, 19.34, 18.98, 17.32, 15.34, 10.66 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
57	(Thin film) 2973, 2880, 1715, 1505, 1367, 1252, 1233, 1167, 1103, 1067, 1030	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₂ F ₃ NO ₅ Na, 422.2125; found, 422.2125	¹ H NMR (300 MHz, CDCl ₃) δ 5.05 (d, <i>J</i> = 7.7 Hz, 1H), 4.84 (dd, <i>J</i> = 6.4, 5.2 Hz, 1H), 4.33 (t, <i>J</i> = 7.4 Hz, 1H), 3.57 – 3.40 (m, 3H), 2.26 – 2.05 (m, 2H), 1.97 (h, <i>J</i> = 6.7 Hz, 1H), 1.84 – 1.70 (m, 2H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.90 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.02, 155.06, 130.91 – 123.48 (m), 79.73, 79.48, 74.68, 66.91, 49.49, 30.75 (q, <i>J</i> = 28.7 Hz), 28.65, 28.30, 22.73 (q, <i>J</i> = 3.0 Hz), 19.25, 18.88, 17.67, 14.96 .
58	(Thin film) 3359, 2972, 2934, 2876, 1714, 1496, 1453, 1366, 1247, 1165, 1103, 1064, 1021, 699	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₇ NO ₅ Na, 430.2564; found, 430.2567	¹ H NMR (300 MHz, CDCl ₃) δ 7.39 – 7.22 (m, 2H), 7.22 – 7.12 (m, 3H), 5.09 (d, <i>J</i> = 7.8 Hz, 1H), 4.86 (t, <i>J</i> = 5.8 Hz, 1H), 4.34 (t, <i>J</i> = 7.3 Hz, 1H), 3.58 – 3.34 (m, 3H), 2.66 (td, <i>J</i> = 7.4, 2.1 Hz, 2H), 2.03 (h, <i>J</i> = 6.7 Hz, 1H), 1.84 (tt, <i>J</i> = 7.6, 6.3 Hz, 2H), 1.49 – 1.38 (m, 12H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 4.0 Hz, 3H), 0.89 (d, <i>J</i> = 4.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.98, 155.05, 142.04, 128.45, 128.29, 125.72, 79.88, 79.67, 74.41, 68.02, 49.54, 32.37, 31.61, 28.60, 28.32, 19.35, 18.98, 17.42, 15.27 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
59	(Thin film) 3358, 2976, 2935, 2876, 1714, 1500, 1452, 1366, 1248, 1167, 1067, 918, 734	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₃₁ NO ₅ Na, 352.2094; found, 352.2096	¹ H NMR (400 MHz, CDCl ₃) δ 5.96 – 5.80 (m, 1H), 5.25 (dq, <i>J</i> = 17.2, 1.7 Hz, 1H), 5.21 – 5.09 (m, 2H), 4.74 (t, <i>J</i> = 5.8 Hz, 1H), 4.41 – 4.30 (m, 1H), 4.11 – 4.05 (m, 1H), 3.87 (ddt, <i>J</i> = 12.7, 5.8, 1.5 Hz, 1H), 3.61 (p, <i>J</i> = 6.2 Hz, 1H), 2.04 (h, <i>J</i> = 6.6 Hz, 1H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.88 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.31, 155.04, 134.94, 116.73, 81.47, 79.65, 73.98, 69.87, 49.37, 28.40, 28.34, 19.41, 19.00, 17.33, 15.63 .
60	(Thin film) 3351, 2977, 2937, 1713, 1506, 1455, 1368, 1309, 1262, 1167, 1119, 910, 733	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₀ F ₃ NO ₅ Na, 420.1968; found, 420.1969	¹ H NMR (400 MHz, CDCl ₃) δ 6.39 (ddq, <i>J</i> = 15.7, 3.9, 1.9 Hz, 1H), 5.96 – 5.83 (m, 1H), 5.07 (d, <i>J</i> = 7.9 Hz, 1H), 4.78 (t, <i>J</i> = 5.8 Hz, 1H), 4.40 – 4.30 (m, 1H), 4.26 – 4.16 (m, 1H), 4.02 – 3.90 (m, 1H), 3.62 (p, <i>J</i> = 6.2 Hz, 1H), 2.03 (h, <i>J</i> = 6.6 Hz, 1H), 1.44 (s, 9H), 1.38 (d, <i>J</i> = 7.2 Hz, 3H), 1.15 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.89 (d, <i>J</i> = 6.8 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
61	(Thin film) 3370, 2974, 2874, 1717, 1500, 1454, 1366, 1249, 1210, 1168, 1068, 734	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₅ NO ₅ Na, 368.2407; found, 368.2409	¹ H NMR (400 MHz, CDCl ₃) δ 5.12 (d, <i>J</i> = 8.1 Hz, 1H), 4.72 (dd, <i>J</i> = 6.7, 5.1 Hz, 1H), 4.41 – 4.31 (m, 1H), 3.56 – 3.49 (m, 1H), 3.29 (dd, <i>J</i> = 8.7, 6.4 Hz, 1H), 3.02 (dd, <i>J</i> = 8.7, 6.8 Hz, 1H), 2.06 (h, <i>J</i> = 6.7 Hz, 1H), 1.79 (dp, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.44 (s, 9H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.09 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 – 0.84 (m, 12H). ¹³ C NMR (126 MHz, CDCl ₃) δ 173.20, 155.02, 81.72, 79.63, 75.95, 74.53, 49.40, 28.79, 28.34, 19.50, 19.45, 19.36, 19.03, 17.57, 15.52 .
62	(Thin film) 3370, 2972, 1733, 1506, 1451, 1366, 1168, 1092, 1068, 1023, 911, 734	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₇ H ₃₃ NO ₅ Na, 354.2251; found, 354.2251	¹ H NMR (400 MHz, CDCl ₃) δ 5.12 (s, 1H), 4.72 (t, <i>J</i> = 5.8 Hz, 1H), 4.43 – 4.25 (m, 1H), 3.60 – 3.44 (m, 2H), 3.23 (dt, <i>J</i> = 8.9, 6.8 Hz, 1H), 2.11 – 1.97 (m, 1H), 1.61 – 1.48 (m, 2H), 1.44 (s, 9H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.8 Hz, 3H), 0.92 – 0.85 (m, 6H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
63	(Thin film) 3358, 2978, 1735, 1506, 1452, 1368, 1252, 1167, 1067, 912, 734	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₂ F ₃ NO ₅ Na, 422.2125; found, 422.2126	¹ H NMR (400 MHz, CDCl ₃) δ 5.08 (d, <i>J</i> = 7.7 Hz, 1H), 4.72 (dd, <i>J</i> = 6.5, 5.2 Hz, 1H), 4.43 – 4.31 (m, 1H), 3.56 (h, <i>J</i> = 6.3 Hz, 2H), 3.33 (dt, <i>J</i> = 9.1, 6.1 Hz, 1H), 2.23 – 2.08 (m, 2H), 2.02 (dq, <i>J</i> = 13.3, 6.5 Hz, 1H), 1.85 – 1.73 (m, 2H), 1.45 (s, 9H), 1.41 (d, <i>J</i> = 7.1 Hz, 3H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.8 Hz, 3H), 0.88 (d, <i>J</i> = 6.6 Hz, 3H).
64		ESIMS <i>m/z</i> 266.5 ([M+H] ⁺)	
65		ESIMS <i>m/z</i> 332.4 ([M+H] ⁺)	
66	(Thin film) 2971, 1743, 1598, 1493, 1230, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₂₂ NO ₃ , 252.1594; found, 252.1586	¹ H NMR (500 MHz, Methanol- d ₄) δ 7.27 (t, <i>J</i> = 7.8 Hz, 2H), 6.99 – 6.89 (m, 3H), 5.11 (ddd, <i>J</i> = 9.3, 5.5, 4.2 Hz, 1H), 4.59 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (q, <i>J</i> = 7.2 Hz, 1H), 1.84 (ddp, <i>J</i> = 15.2, 7.7, 3.7 Hz, 1H), 1.74 (ddd, <i>J</i> = 14.0, 8.6, 7.1 Hz, 1H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (t, <i>J</i> = 7.4 Hz, 3H) (no NH protons observed).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
67	(Thin film) 3391, 2974, 1745, 1493, 1233, 752	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₂₂ NO ₃ , 252.1594; found, 252.1585	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.26 (dd, <i>J</i> = 8.4, 7.1 Hz, 2H), 6.93 (t, <i>J</i> = 7.4 Hz, 1H), 6.90 (d, <i>J</i> = 8.1 Hz, 2H), 5.18 (dt, <i>J</i> = 8.5, 4.0 Hz, 1H), 4.60 (qd, <i>J</i> = 6.3, 3.3 Hz, 1H), 4.13 (q, <i>J</i> = 7.2 Hz, 1H), 1.85 – 1.68 (m, 2H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.4 Hz, 3H), 0.98 (t, <i>J</i> = 7.4 Hz, 3H) (no NH protons observed).
68	(Thin film) 2959, 1743, 1598, 1493, 1229, 1110, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₅ H ₂₄ NO ₃ , 266.1751; found, 266.1742	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.27 (t, <i>J</i> = 7.9 Hz, 2H), 6.93 (dd, <i>J</i> = 7.9, 6.2 Hz, 3H), 5.20 (dt, <i>J</i> = 7.8, 5.3 Hz, 1H), 4.58 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (q, <i>J</i> = 7.2 Hz, 1H), 1.74 (q, <i>J</i> = 8.3, 7.6 Hz, 2H), 1.52 (d, <i>J</i> = 7.3 Hz, 3H), 1.47 – 1.31 (m, 2H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (t, <i>J</i> = 7.4 Hz, 3H) (no NH protons observed).
69	(Thin film) 2872, 1755, 1497, 1214, 1114, 747	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₅ H ₂₄ NO ₃ , 266.1751; found, 266.1738	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.26 (t, <i>J</i> = 7.8 Hz, 2H), 6.93 (t, <i>J</i> = 7.5 Hz, 1H), 6.89 (d, <i>J</i> = 8.2 Hz, 2H), 5.28 (dt, <i>J</i> = 8.4, 3.8 Hz, 1H), 4.59 (qd, <i>J</i> = 6.3, 3.2 Hz, 1H), 4.11 (q, <i>J</i> = 7.2 Hz, 1H), 1.79 – 1.63 (m, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.50 – 1.34 (m, 2H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (t, <i>J</i> = 7.4 Hz, 3H) (no NH protons observed).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
70	(Thin film) 2958, 1742, 1598, 1494, 1229, 1118, 752	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₆ H ₂₆ NO ₃ , 280.1907; found, 280.1901	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.27 (dd, <i>J</i> = 8.6, 7.1 Hz, 2H), 6.94 (t, <i>J</i> = 7.9 Hz, 3H), 5.28 (ddd, <i>J</i> = 9.7, 5.2, 3.1 Hz, 1H), 4.56 (p, <i>J</i> = 6.3 Hz, 1H), 3.92 (q, <i>J</i> = 7.2 Hz, 1H), 1.74 (ddd, <i>J</i> = 14.3, 10.0, 4.3 Hz, 1H), 1.67 – 1.55 (m, 1H), 1.55 – 1.46 (m, 4H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (dd, <i>J</i> = 22.5, 6.5 Hz, 6H) (no NH protons observed).
71	(Thin film) 2958, 1746, 1598, 1509, 1494, 1230, 1117, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₆ H ₂₆ NO ₃ , 280.1907; found, 280.1899	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.26 (t, <i>J</i> = 7.8 Hz, 2H), 6.93 (t, <i>J</i> = 7.4 Hz, 1H), 6.89 (d, <i>J</i> = 8.1 Hz, 2H), 5.37 (dt, <i>J</i> = 10.1, 3.2 Hz, 1H), 4.57 (qd, <i>J</i> = 6.3, 3.0 Hz, 1H), 4.11 (q, <i>J</i> = 7.2 Hz, 1H), 1.78 – 1.60 (m, 2H), 1.52 (d, <i>J</i> = 7.3 Hz, 3H), 1.50 – 1.44 (m, 1H), 1.32 (d, <i>J</i> = 6.4 Hz, 3H), 0.96 (apparent t, <i>J</i> = 5.9 Hz, 6H) (no NH protons observed).
72	(Thin film) 2968, 1744, 1611, 1474, 1320, 1236, 1113, 1068	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₅ H ₂₄ NO ₃ , 266.1751; found, 266.1740	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.27 (t, <i>J</i> = 7.9 Hz, 2H), 6.92 (d, <i>J</i> = 7.9 Hz, 3H), 5.03 (t, <i>J</i> = 5.6 Hz, 1H), 4.67 (p, <i>J</i> = 6.2 Hz, 1H), 3.87 (q, <i>J</i> = 7.2 Hz, 1H), 2.17 (dq, <i>J</i> = 13.2, 6.8 Hz, 1H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.98 (dd, <i>J</i> = 12.2, 6.8 Hz, 6H) (no NH protons observed).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
73	(Thin film) 2965, 2878, 1748, 1598, 1493, 1229, 1114, 751	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₅ H ₂₄ NO ₃ , 266.1751; found, 266.1751	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.26 (t, <i>J</i> = 7.7 Hz, 2H), 6.93 (t, <i>J</i> = 7.4 Hz, 1H), 6.89 (d, <i>J</i> = 8.2 Hz, 2H), 5.08 (dd, <i>J</i> = 8.0, 4.1 Hz, 1H), 4.75 – 4.65 (m, 1H), 4.18 (q, <i>J</i> = 7.3 Hz, 1H), 2.03 (h, <i>J</i> = 6.9 Hz, 1H), 1.62 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 1.03 (d, <i>J</i> = 6.9 Hz, 3H), 0.96 (d, <i>J</i> = 6.6 Hz, 3H) (no NH protons observed).
74	(Thin film) 2931, 1747, 1597, 1494, 1229, 1117, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₂ H ₁₈ NO ₃ , 224.1281; found, 224.1270	¹ H NMR (500 MHz, Methanol-d ₄) δ 7.27 (t, <i>J</i> = 7.8 Hz, 2H), 6.94 (dd, <i>J</i> = 8.0, 6.3 Hz, 3H), 4.74 (pd, <i>J</i> = 6.4, 3.4 Hz, 1H), 4.43 (dd, <i>J</i> = 11.6, 3.5 Hz, 1H), 4.35 (dd, <i>J</i> = 11.6, 6.4 Hz, 1H), 4.05 (q, <i>J</i> = 7.2 Hz, 1H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H) (no NH protons observed).
75		ESIMS <i>m/z</i> 280.2 ([M+H] ⁺)	
76		ESIMS <i>m/z</i> 280.2 ([M+H] ⁺)	
77		ESIMS <i>m/z</i> 266.2 ([M+H] ⁺)	
78		ESIMS <i>m/z</i> 266.3 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
79		ESIMS <i>m/z</i> 294.2 ([M+H] ⁺)	
80		ESIMS <i>m/z</i> 294.2 ([M+H] ⁺)	
81		ESIMS <i>m/z</i> 294.2 ([M+H] ⁺)	
82		ESIMS <i>m/z</i> 294.2 ([M+H] ⁺)	
83		ESIMS <i>m/z</i> 224.1 ([M+H] ⁺)	
84		ESIMS <i>m/z</i> 264.2 ([M+H] ⁺)	
85		ESIMS <i>m/z</i> 306.3 ([M+H] ⁺)	
86		ESIMS <i>m/z</i> 306.3 ([M+H] ⁺)	
87		ESIMS <i>m/z</i> 284.2 ([M+H] ⁺)	
88		ESIMS <i>m/z</i> 284.2 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
89		ESIMS <i>m/z</i> 242.2 ([M+H] ⁺)	
90		ESIMS <i>m/z</i> 300.2 ([M+H] ⁺)	
91		ESIMS <i>m/z</i> 300.2 ([M+H] ⁺)	
92		ESIMS <i>m/z</i> 238.2 ([M+H] ⁺)	
93		ESIMS <i>m/z</i> 238.2 ([M+H] ⁺)	
94		ESIMS <i>m/z</i> 302.2 ([M+H] ⁺)	
95		ESIMS <i>m/z</i> 334.2 ([M+H] ⁺)	
96		ESIMS <i>m/z</i> 284.2 ([M+H] ⁺)	
97		ESIMS <i>m/z</i> 314.2 ([M+H] ⁺)	
98		ESIMS <i>m/z</i> 334.1 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
99		ESIMS <i>m/z</i> 318.2 ([M+H] ⁺)	
100		ESIMS <i>m/z</i> 300.2 ([M+H] ⁺)	
101		ESIMS <i>m/z</i> 296.2 ([M+H] ⁺)	
102		ESIMS <i>m/z</i> 296.2 ([M+H] ⁺)	
103		ESIMS <i>m/z</i> 254.2 ([M+H] ⁺)	
104		ESIMS <i>m/z</i> 294.3 ([M+H] ⁺)	
105		ESIMS <i>m/z</i> 294.2 ([M+H] ⁺)	
106		ESIMS <i>m/z</i> 292.2([M+H] ⁺)	
107		ESIMS <i>m/z</i> 292.2 ([M+H] ⁺)	
108		ESIMS <i>m/z</i> 314.2 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
109	(Thin film) 3392, 2961, 2933, 2875, 1743, 1602, 1496, 1454, 1377, 132/8, 1233, 1198, 1114, 1077, 993, 743, 699	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₆ H ₂₆ NO ₃ , 280.1907; found, 280.1904	
110	(Thin film) 3396, 2930, 2859, 1744, 1603, 1496, 1455, 1377, 1328, 1234, 1199, 1115, 993, 744, 700	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₈ H ₃₀ NO ₃ , 308.2220; found, 308.2221	
111	(Thin film) 3401, 2954, 2871, 1743, 1603, 1496, 1455, 1375, 1233, 1198, 1114, 1076, 1030, 996, 743, 699	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₇ H ₂₈ NO ₃ , 294.2064; found, 294.2060	
112	(Thin film) 3406, 2962, 2874, 1746, 1598, 1510, 1465, 1378, 1237, 1208, 1118, 1102	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₈ NO ₃ , 246.2064; found, 246.2062	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
113	(Thin film) 2959, 2873, 1749, 1590, 1509, 1462, 1385, 1231, 1212, 1115, 1100, 1012	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₂ H ₂₆ NO ₃ , 232.1907; found, 232.1904	
114	(Thin film) 2961, 2868, 1747, 1589, 1510, 1453, 1392, 1334, 1229, 1210, 1156, 1137, 1116, 1104, 1027, 1001, 661	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₅ F ₃ NO ₃ , 300.1781; found, 300.1793	
115	(Thin film) 3398, 2835, 2874, 1743, 1602, 1496, 1454, 1375, 1330, 1236, 1208, 1102, 915, 746, 698	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₈ H ₃₀ NO ₃ , 308.2220; found, 308.2221	
116	(Thin film) 3361, 2969, 1735, 1677, 1456, 1374, 1179, 1126, 1101, 907, 721	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₆ NO ₃ , 244.1907; found, 244.1910	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
117	(Thin film) 3376, 2968, 2937, 2876, 1732, 1456, 1370, 1182, 1138, 1064, 920, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₂ H ₂₄ NO ₃ , 230.1751; found, 230.1738	
118	(Thin film) 3379, 2972, 2879, 1733, 1686, 1458, 1379, 1308, 1263, 1186, 1111, 960, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₃ F ₃ NO ₃ , 298.1625; found, 298.1616	
119	(Thin film) 2955, 2871, 1739, 1586, 1462, 1374, 1334, 1240, 1217, 1119, 1085, 1067, 1028, 917, 904, 748	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₈ NO ₃ , 246.2064; found, 246.2060	
120	(Thin film) 3401, 2960, 2875, 1739, 1460, 1375, 1337, 1240, 1219, 1119, 1087, 1068, 907, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₂ H ₂₆ NO ₃ , 232.1907; found, 232.1905	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
121	(Thin film) 2971, 2880, 1737, 1586, 1463, 1375, 1247, 1222, 1148, 1137, 1120, 1084, 1030, 912, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₅ F ₃ NO ₃ , 300.1781; found, 300.1782	
122	(Thin film) 3369, 2961, 1738, 1649, 1527, 1240, 1058, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2000	¹ H NMR (300 MHz, CDCl ₃) δ 12.15 (d, <i>J</i> = 0.6 Hz, 1H), 8.48 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.34 – 7.17 (m, 2H), 7.02 – 6.81 (m, 4H), 5.14 (dt, <i>J</i> = 8.6, 4.1 Hz, 1H), 4.70 (p, <i>J</i> = 7.2 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.2 Hz, 1H), 3.94 (s, 3H), 1.85 – 1.60 (m, 2H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.51 – 1.21 (m, 5H), 0.93 (t, <i>J</i> = 7.3 Hz, 3H).
123	(Thin film) 3366, 2981, 1741, 1527, 1477, 1262, 1150, 1058, 800, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₅ Cl ₂ N ₂ O ₆ , 483.1084; found, 483.1091	¹ H NMR (300 MHz, CDCl ₃) δ 12.10 (d, <i>J</i> = 0.5 Hz, 1H), 8.44 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.35 (d, <i>J</i> = 2.6 Hz, 1H), 7.16 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 6.93 – 6.85 (m, 2H), 5.76 (ddt, <i>J</i> = 17.2, 10.1, 7.0 Hz, 1H), 5.19 (ddd, <i>J</i> = 7.2, 5.7, 4.1 Hz, 1H), 5.15 – 5.03 (m, 2H), 4.67 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 3.95 (s, 3H), 2.56 (ddt, <i>J</i> = 7.1, 5.6, 1.4 Hz, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.35 (d, <i>J</i> = 6.4 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
124	(Thin film) 3368, 2973, 1739, 1649, 1528, 1240, 1062, 800, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₆ , 403.1864; found, 403.1850	¹ H NMR (500 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.47 (d, <i>J</i> = 7.8 Hz, 1H), 8.00 (dd, <i>J</i> = 5.2, 1.0 Hz, 1H), 7.34 – 7.20 (m, 2H), 6.98 – 6.90 (m, 3H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.09 (ddd, <i>J</i> = 9.1, 5.2, 4.0 Hz, 1H), 4.70 (p, <i>J</i> = 7.4 Hz, 1H), 4.50 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (d, <i>J</i> = 1.0 Hz, 3H), 1.80 (dq, <i>J</i> = 14.9, 7.4, 3.8 Hz, 1H), 1.70 (ddd, <i>J</i> = 13.9, 8.7, 7.0 Hz, 1H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (dd, <i>J</i> = 6.4, 1.0 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.09, 168.71, 157.83, 155.36, 148.76, 140.48, 130.49, 129.54, 121.09, 115.78, 109.44, 77.96, 73.49, 56.08, 48.04, 22.46, 18.36, 15.52, 9.74.
125	(Thin film) 3371, 2974, 1742, 1529, 1241, 801, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₆ , 403.1864; found, 403.1852	¹ H NMR (500 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.32 – 7.20 (m, 2H), 6.93 (td, <i>J</i> = 7.3, 1.0 Hz, 1H), 6.89 – 6.79 (m, 3H), 5.12 (td, <i>J</i> = 6.5, 4.2 Hz, 1H), 4.74 (p, <i>J</i> = 7.4 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 3.94 (s, 3H), 1.76 (p, <i>J</i> = 7.3 Hz, 2H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (t, <i>J</i> = 7.5 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.99, 168.74, 157.58, 155.35, 148.74, 140.47, 130.47, 129.53, 121.19, 116.01, 109.43, 77.98, 74.28, 56.07, 48.03, 23.13, 18.41, 15.13, 9.92.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
126	(Thin film) 3370, 2961, 1739, 1649, 1528, 1240, 1059, 800, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2009	¹ H NMR (500 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.47 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.44 – 7.15 (m, 2H), 6.96 – 6.90 (m, 3H), 6.87 (d, <i>J</i> = 5.3 Hz, 1H), 5.21 – 5.14 (m, 1H), 4.69 (p, <i>J</i> = 7.4 Hz, 1H), 4.49 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (s, 3H), 1.73 – 1.66 (m, 2H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.45 – 1.31 (m, 2H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (t, <i>J</i> = 7.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.06, 168.71, 157.80, 155.36, 148.76, 140.48, 130.49, 129.54, 121.10, 115.79, 109.43, 76.38, 73.63, 56.08, 48.02, 31.37, 18.62, 18.34, 15.48, 13.90.
127	(Thin film) 3371, 2961, 1740, 1649, 1528, 1241, 1056, 800, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2009	¹ H NMR (500 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.26 (d, <i>J</i> = 3.7 Hz, 2H), 6.93 (t, <i>J</i> = 7.3 Hz, 1H), 6.89 – 6.81 (m, 3H), 5.20 (dt, <i>J</i> = 8.9, 3.9 Hz, 1H), 4.73 (p, <i>J</i> = 7.4 Hz, 1H), 4.51 – 4.41 (m, 1H), 3.94 (s, 3H), 1.74 (dtd, <i>J</i> = 14.6, 9.6, 5.1 Hz, 1H), 1.70 – 1.59 (m, 1H), 1.54 (d, <i>J</i> = 7.1 Hz, 3H), 1.49 – 1.33 (m, 2H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.96, 168.73, 157.60, 155.35, 148.74, 140.47, 130.48, 129.53, 121.18, 116.03, 109.42, 76.48, 74.63, 56.07, 48.02, 32.06, 18.77, 18.42, 15.07, 13.92.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
128	(Thin film) 3370, 2957, 1738, 1649, 1528, 1241, 1062, 800, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2166	¹ H NMR (500 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.47 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.26 (s, 2H), 6.93 (dd, <i>J</i> = 7.9, 4.9 Hz, 3H), 6.87 (d, <i>J</i> = 5.3 Hz, 1H), 5.25 (ddd, <i>J</i> = 10.0, 4.8, 3.0 Hz, 1H), 4.68 (p, <i>J</i> = 7.2 Hz, 1H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (s, 3H), 1.70 (ddd, <i>J</i> = 14.2, 10.1, 4.5 Hz, 1H), 1.66 – 1.57 (m, 1H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.47 (ddd, <i>J</i> = 13.5, 9.3, 2.9 Hz, 1H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.90 (dd, <i>J</i> = 17.8, 6.5 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.04, 168.71, 157.74, 155.37, 148.76, 140.48, 130.48, 129.54, 121.12, 115.81, 109.44, 74.81, 73.82, 56.08, 48.02, 38.16, 24.56, 23.49, 21.67, 18.29, 15.43.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
129	(Thin film) 3370, 2958, 1740, 1649, 1528, 1240, 1152, 800, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2159	¹ H NMR (500 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.50 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (dd, <i>J</i> = 5.2, 1.2 Hz, 1H), 7.30 – 7.20 (m, 2H), 6.93 (t, <i>J</i> = 7.3 Hz, 1H), 6.90 – 6.82 (m, 3H), 5.28 (dt, <i>J</i> = 10.1, 3.5 Hz, 1H), 4.72 (p, <i>J</i> = 7.3 Hz, 1H), 4.43 (dt, <i>J</i> = 9.8, 5.1 Hz, 1H), 3.94 (d, <i>J</i> = 1.2 Hz, 3H), 1.74 (ddd, <i>J</i> = 14.2, 9.9, 4.6 Hz, 1H), 1.70 – 1.60 (m, 1H), 1.52 (dd, <i>J</i> = 7.2, 1.2 Hz, 3H), 1.48 – 1.39 (m, 1H), 1.32 (dd, <i>J</i> = 6.3, 1.2 Hz, 3H), 0.98 – 0.88 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.94, 168.71, 157.63, 155.34, 148.74, 140.46, 130.49, 129.52, 121.18, 116.03, 109.41, 75.07, 75.04, 56.07, 48.02, 38.80, 24.51, 23.45, 21.82, 18.42, 15.00.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
130	(Thin film) 3371, 2968, 1740, 1650, 1529, 1241, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2006	¹ H NMR (500 MHz, CDCl ₃) δ 12.17 (s, 1H), 8.45 (d, <i>J</i> = 7.8 Hz, 1H), 8.00 (dd, <i>J</i> = 5.2, 1.0 Hz, 1H), 7.32 – 7.21 (m, 2H), 6.93 (td, <i>J</i> = 7.4, 1.2 Hz, 1H), 6.91 – 6.85 (m, 3H), 5.00 (t, <i>J</i> = 5.7 Hz, 1H), 4.68 (p, <i>J</i> = 7.3 Hz, 1H), 4.53 (p, <i>J</i> = 6.2 Hz, 1H), 3.95 (s, 3H), 2.13 (h, <i>J</i> = 6.6 Hz, 1H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (dd, <i>J</i> = 13.2, 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.00, 168.68, 157.94, 155.35, 148.74, 140.44, 130.53, 129.52, 121.05, 115.73, 109.40, 81.36, 73.22, 56.07, 48.07, 28.62, 19.48, 18.36, 17.08, 16.20.
131	(Thin film) 3370, 2967, 1742, 1649, 1527, 1263, 1050, 800, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2008	¹ H NMR (500 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.54 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (dd, <i>J</i> = 5.2, 1.0 Hz, 1H), 7.34 – 7.20 (m, 2H), 6.94 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.86 (t, <i>J</i> = 7.2 Hz, 3H), 5.08 (dd, <i>J</i> = 6.9, 5.0 Hz, 1H), 4.79 (p, <i>J</i> = 7.3 Hz, 1H), 4.58 – 4.49 (m, 1H), 3.95 (s, 3H), 2.06 (h, <i>J</i> = 6.8 Hz, 1H), 1.62 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.1 Hz, 3H), 0.99 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.89, 168.75, 157.31, 155.36, 148.75, 140.49, 130.50, 129.56, 121.14, 115.82, 109.44, 80.16, 72.58, 56.07, 48.00, 28.95, 19.10, 18.57, 17.93, 14.72.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
132	(Thin film) 3365, 2981, 1742, 1648, 1527, 1481, 1239, 799, 752	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₉ H ₂₃ N ₂ O ₆ , 375.1551; found, 375.1553	¹ H NMR (500 MHz, CDCl ₃) δ 12.07 (s, 1H), 8.43 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (dd, <i>J</i> = 5.2, 1.1 Hz, 1H), 7.31 – 7.18 (m, 2H), 6.94 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.92 – 6.88 (m, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.68 – 4.59 (m, 1H), 4.39 – 4.26 (m, 2H), 3.95 (d, <i>J</i> = 1.1 Hz, 3H), 1.51 (dd, <i>J</i> = 7.2, 1.1 Hz, 3H), 1.36 (dd, <i>J</i> = 6.3, 1.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.02, 168.75, 157.59, 155.37, 148.75, 140.48, 130.39, 129.55, 121.33, 116.08, 109.46, 71.54, 67.74, 56.08, 47.85, 18.18, 16.78.
133	(Thin film) 3363, 2959, 1739, 1650, 1529, 1482, 1242, 1063, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2157	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.34 – 7.19 (m, 2H), 6.97 – 6.88 (m, 3H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.27 (ddd, <i>J</i> = 10.0, 5.3, 3.1 Hz, 1H), 4.72 (p, <i>J</i> = 7.3 Hz, 1H), 4.50 – 4.39 (m, 1H), 3.94 (s, 3H), 1.75 – 1.55 (m, 2H), 1.51 – 1.41 (m, 4H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.5 Hz, 3H), 0.89 (d, <i>J</i> = 6.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.01, 168.76, 157.65, 155.40, 148.81, 140.48, 130.54, 129.54, 121.10, 115.75, 109.47, 74.92, 73.95, 56.07, 48.05, 38.39, 24.50, 23.47, 21.81, 18.38, 15.45.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
134	(Thin film) 3363, 2960, 1740, 1650, 1530, 1482, 1241, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2159	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.48 (d, <i>J</i> = 7.8 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.32 – 7.20 (m, 2H), 6.98 – 6.82 (m, 4H), 5.21 (ddd, <i>J</i> = 10.2, 4.0, 3.0 Hz, 1H), 4.68 (p, <i>J</i> = 7.3 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 3.9 Hz, 1H), 3.93 (s, 3H), 1.76 (ddd, <i>J</i> = 14.3, 10.2, 4.4 Hz, 1H), 1.70 – 1.57 (m, 1H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.47 (ddd, <i>J</i> = 14.1, 9.5, 3.1 Hz, 1H), 1.30 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 (dd, <i>J</i> = 6.6, 3.0 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.87, 168.80, 157.80, 155.37, 148.78, 140.47, 130.48, 129.51, 121.26, 116.32, 109.49, 75.56, 75.21, 56.06, 48.15, 38.52, 24.56, 23.50, 21.66, 18.15, 15.51.
135	(Thin film) 3363, 2969, 1742, 1650, 1529, 1482, 1242, 1042, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2018	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.1 Hz, 1H), 7.31 – 7.19 (m, 2H), 6.97 – 6.84 (m, 4H), 5.01 (t, <i>J</i> = 5.7 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.54 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 2.20 – 2.06 (m, 1H), 1.45 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.4 Hz, 3H), 0.97 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.18, 168.74, 157.72, 155.37, 148.78, 140.45, 130.57, 129.52, 120.99, 115.64, 109.45, 81.23, 73.09, 56.06, 48.02, 28.61, 19.51, 18.41, 17.07, 15.99.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
136	(Thin film) 3370, 2968, 1743, 1650, 1529, 1241, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₉ N ₂ O ₆ , 417.2020; found, 417.2038	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.30 – 7.21 (m, 2H), 6.94 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.84 (m, 3H), 5.08 (t, <i>J</i> = 5.8 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.52 (p, <i>J</i> = 6.1 Hz, 1H), 3.93 (s, 3H), 2.18 – 2.07 (m, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.72, 168.83, 157.40, 155.38, 148.79, 140.50, 130.49, 129.55, 121.16, 115.92, 109.51, 80.35, 72.63, 56.06, 48.17, 28.71, 19.36, 18.43, 17.11, 15.47.
137	(Thin film) 3361, 2932, 1741, 1651, 1530, 1242	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2334	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.49 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.33 – 7.17 (m, 2H), 6.96 – 6.84 (m, 4H), 5.16 (ddd, <i>J</i> = 8.5, 5.4, 4.3 Hz, 1H), 4.71 (p, <i>J</i> = 7.3 Hz, 1H), 4.47 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 1.75 – 1.60 (m, 2H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.43 – 1.17 (m, 9H), 0.92 – 0.82 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.07, 168.77, 157.73, 155.39, 148.81, 140.47, 130.53, 129.54, 121.06, 115.73, 109.46, 76.75, 73.77, 56.07, 48.07, 31.60, 29.51, 24.90, 22.44, 18.33, 15.53, 13.94.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
138	(Thin film) 3370, 2934, 1741, 1650, 1529, 1242, 1060, 801, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2325	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.48 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.33 – 7.18 (m, 2H), 6.94 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.91 – 6.82 (m, 3H), 5.12 (dt, <i>J</i> = 8.6, 4.4 Hz, 1H), 4.70 (p, <i>J</i> = 7.3 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 3.93 (s, 3H), 1.82 – 1.62 (m, 2H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.44 – 1.18 (m, 9H), 0.93 – 0.79 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.85, 168.80, 157.78, 155.39, 148.81, 140.47, 130.51, 129.52, 121.26, 116.29, 109.49, 77.17, 74.78, 56.06, 48.15, 31.54, 29.61, 25.04, 22.44, 18.23, 15.59, 13.92.
139	(Thin film) 3362, 2934, 1741, 1650, 1529, 1481, 1242, 1063, 801, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2323	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.47 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.30 – 7.21 (m, 2H), 6.93 (ddt, <i>J</i> = 7.3, 4.4, 1.3 Hz, 3H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.15 (dt, <i>J</i> = 8.1, 5.0 Hz, 1H), 4.68 (p, <i>J</i> = 7.3 Hz, 1H), 4.54 – 4.43 (m, 1H), 3.94 (s, 3H), 1.69 (qt, <i>J</i> = 8.7, 4.6 Hz, 2H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.41 – 1.14 (m, 9H), 0.93 – 0.77 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.01, 168.74, 157.86, 155.40, 148.81, 140.47, 130.53, 129.54, 121.12, 115.85, 109.47, 76.66, 73.71, 56.08, 48.07, 31.53, 29.24, 24.94, 22.42, 18.31, 15.51, 13.91.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
140	(Thin film) 3362, 2933, 1742, 1650, 1529, 1482, 1242, 800, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2331	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.51 (d, <i>J</i> = 7.8 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 7.35 – 7.16 (m, 2H), 6.93 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.89 – 6.81 (m, 3H), 5.18 (dt, <i>J</i> = 8.6, 4.2 Hz, 1H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.45 (qd, <i>J</i> = 6.3, 3.9 Hz, 1H), 3.92 (s, 3H), 1.69 (dddd, <i>J</i> = 19.8, 10.0, 7.7, 4.2 Hz, 2H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.48 – 1.19 (m, 9H), 0.93 – 0.81 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.94, 168.79, 157.65, 155.37, 148.78, 140.47, 130.50, 129.52, 121.20, 116.09, 109.48, 76.74, 74.69, 56.05, 48.09, 31.60, 29.96, 25.11, 22.44, 18.33, 15.08, 13.95.
141	(Thin film) 3363, 2979, 1744, 1649, 1530, 1241, 800, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₉ H ₂₃ N ₂ O ₆ , 375.1551; found, 375.1549	¹ H NMR (400 MHz, CDCl ₃) δ 12.09 (s, 1H), 8.45 (d, <i>J</i> = 7.9 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 7.33 – 7.20 (m, 2H), 6.98 – 6.88 (m, 3H), 6.85 (d, <i>J</i> = 5.2 Hz, 1H), 4.77 – 4.58 (m, 2H), 4.41 (dd, <i>J</i> = 11.4, 6.8 Hz, 1H), 4.23 (dd, <i>J</i> = 11.5, 4.1 Hz, 1H), 3.93 (s, 3H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.02, 168.81, 157.69, 155.38, 148.77, 140.49, 130.40, 129.54, 121.34, 116.14, 109.52, 71.68, 67.86, 56.06, 47.88, 18.12, 16.71.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
142	(Thin film) 3369, 2982, 1738, 1649, 1528, 1482, 1241	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₆ , 415.1864; found, 415.1839	¹ H NMR (400 MHz, CDCl ₃) δ 12.17 (d, <i>J</i> = 0.6 Hz, 1H), 8.47 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.32 - 7.19 (m, 2H), 7.01 - 6.84 (m, 4H), 4.74 - 4.65 (m, 1H), 4.59 (pd, <i>J</i> = 6.3, 3.8 Hz, 1H), 4.51 (dd, <i>J</i> = 9.3, 3.5 Hz, 1H), 3.94 (s, 3H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.40 (d, <i>J</i> = 6.4 Hz, 3H), 1.24 - 1.16 (m, 1H), 0.67 (tdd, <i>J</i> = 8.4, 3.1, 1.7 Hz, 1H), 0.57 - 0.49 (m, 1H), 0.42 (ddd, <i>J</i> = 4.8, 3.0, 1.7 Hz, 2H).
143	(Thin film) 3368, 2931, 1741, 1529, 1494, 1242	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₆ , 457.2333; found, 457.2321	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (d, <i>J</i> = 0.6 Hz, 1H), 8.52 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.30 - 7.20 (m, 2H), 6.92 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.89 - 6.80 (m, 3H), 5.00 (t, <i>J</i> = 5.8 Hz, 1H), 4.80 - 4.70 (m, 1H), 4.62 - 4.53 (m, 1H), 3.94 (s, 3H), 1.88 - 1.61 (m, 7H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.4 Hz, 3H), 1.25 - 1.02 (m, 4H).
144	(Thin film) 3369, 2928, 1741, 1528, 1481, 1240, 729	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₆ , 457.2333; found, 457.2308	¹ H NMR (400 MHz, CDCl ₃) δ 12.17 (d, <i>J</i> = 0.6 Hz, 1H), 8.53 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.33 - 7.13 (m, 2H), 6.94 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 - 6.80 (m, 3H), 5.08 (t, <i>J</i> = 5.7 Hz, 1H), 4.85 - 4.71 (m, 1H), 4.55 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 1.84 - 1.64 (m, 7H), 1.62 (d, <i>J</i> = 6.0 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 1.27 - 1.01 (m, 4H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
145	(Thin film) 2976, 1741, 1653, 1505, 1208	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₈ FN ₂ O ₆ , 435.1926; found, 435.1923	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (d, <i>J</i> = 0.6 Hz, 1H), 8.48 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 6.97 – 6.89 (m, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 6.85 – 6.78 (m, 2H), 4.99 (t, <i>J</i> = 5.7 Hz, 1H), 4.80 – 4.70 (m, 1H), 4.43 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 2.17 – 2.07 (m, 1H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (dd, <i>J</i> = 6.8, 3.3 Hz, 6H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.38 .
146	(Thin film) 3369, 2970, 1744, 1651, 1504, 1206	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₈ FN ₂ O ₆ , 435.1926; found, 435.1922	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (d, <i>J</i> = 0.6 Hz, 1H), 8.52 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.02 – 6.90 (m, 2H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.85 – 6.77 (m, 2H), 5.05 (t, <i>J</i> = 5.8 Hz, 1H), 4.83 – 4.73 (m, 1H), 4.42 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 2.10 (pd, <i>J</i> = 6.9, 5.8 Hz, 1H), 1.61 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.09 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
147	(Thin film) 3366, 2986, 1745, 1649, 1530, 1504, 1205	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₉ H ₂₂ FN ₂ O ₆ , 393.1456; found, 393.1448	¹ H NMR (400 MHz, CDCl ₃) δ 12.06 (d, <i>J</i> = 0.6 Hz, 1H), 8.42 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 6.98 – 6.89 (m, 2H), 6.89 – 6.83 (m, 3H), 4.79 – 4.66 (m, 1H), 4.54 (pd, <i>J</i> = 6.4, 3.9 Hz, 1H), 4.38 (dd, <i>J</i> = 11.5, 6.8 Hz, 1H), 4.23 (dd, <i>J</i> = 11.5, 3.9 Hz, 1H), 3.94 (s, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.00, 168.83, 157.59 (d, <i>J</i> = 239.3 Hz), 155.41, 153.78 (d, <i>J</i> = 2.3 Hz), 148.79, 140.49, 130.37, 117.57 (d, <i>J</i> = 8.0 Hz), 115.90 (d, <i>J</i> = 23.1 Hz), 109.52, 72.87, 67.82, 56.08, 47.89, 18.09, 16.66. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 122.83 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
148	(Thin film) 3371, 2966, 1744, 1651, 1531, 1240, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₅ , 387.1914; found, 387.1901	¹ H NMR (400 MHz, CDCl ₃) δ 11.90 (s, 1H), 8.52 (d, <i>J</i> = 7.9 Hz, 1H), 8.08 (dd, <i>J</i> = 4.3, 1.5 Hz, 1H), 7.39 – 7.19 (m, 4H), 6.94 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.83 (m, 2H), 5.08 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 (p, <i>J</i> = 7.3 Hz, 1H), 4.52 (p, <i>J</i> = 6.1 Hz, 1H), 2.14 (pd, <i>J</i> = 6.9, 5.5 Hz, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.76, 168.49, 157.85, 157.41, 139.72, 131.21, 129.56, 128.78, 126.04, 121.18, 115.93, 80.39, 72.64, 48.15, 28.71, 19.37, 18.48, 17.11, 15.48.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
149	(Thin film) 3367, 2979, 1743, 1649, 1529, 1240	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2142	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 7.32 – 7.21 (m, 2H), 6.94 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 – 6.82 (m, 3H), 5.08 (t, <i>J</i> = 5.8 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.51 (p, <i>J</i> = 6.1 Hz, 1H), 4.16 (q, <i>J</i> = 7.0 Hz, 2H), 2.13 (dtd, <i>J</i> = 13.7, 6.9, 5.5 Hz, 1H), 1.60 (d, <i>J</i> = 7.2 Hz, 3H), 1.52 (t, <i>J</i> = 7.0 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.75, 168.88, 157.41, 154.74, 148.89, 140.43, 130.58, 129.56, 121.16, 115.92, 110.18, 80.35, 72.63, 64.67, 48.16, 28.71, 19.37, 18.46, 17.10, 15.48, 14.39.
153	(Thin film) 2964, 2934, 2880, 1742, 1530, 1482, 1242	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2306.	¹ H NMR (300 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 8.00 (dd, <i>J</i> = 8.6, 5.2 Hz, 1H), 7.36 – 7.12 (m, 2H), 6.99 – 6.74 (m, 4H), 5.24 (dd, <i>J</i> = 6.6, 4.4 Hz, 1H), 4.85 – 4.39 (m, 2H), 3.94 (s, 3H), 1.77 – 1.51 (m, 3H), 1.51 – 1.13 (m, 8H), 0.93 (td, <i>J</i> = 7.4, 2.3 Hz, 6H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
154	(Thin film) 3367, 2964, 2936, 2877, 1742, 1650, 1529, 1241	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₃ N ₂ O ₆ , 445.2333; found, 445.2308.	¹ H NMR (300 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.43 – 7.09 (m, 2H), 7.03 – 6.66 (m, 5H), 5.48 – 5.01 (m, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 4.55 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 1.82 – 1.38 (m, 5H), 1.28 (dd, <i>J</i> = 10.2, 6.5 Hz, 5H), 0.90 (dt, <i>J</i> = 30.2, 7.4 Hz, 6H).
155	(Thin film) 3369, 2948, 2870, 2157, 1741, 1523, 1481, 1240	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₆ , 443.2177; found, 443.2150.	¹ H NMR (300 MHz, CDCl ₃) δ 12.18 (d, <i>J</i> = 0.6 Hz, 1H), 8.52 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.40 – 7.13 (m, 2H), 7.04 – 6.78 (m, 4H), 5.19 (dd, <i>J</i> = 7.6, 4.4 Hz, 1H), 4.98 – 4.59 (m, 1H), 4.48 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.94 (s, 3H), 2.50 – 2.11 (m, 1H), 1.84 – 1.43 (m, 8H), 1.43 – 1.17 (m, 6H).
156	(Thin film) 3371, 2944, 2870, 2364, 1740, 1528, 1241	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₆ , 443.2177; found, 443.2147.	¹ H NMR (300 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.51 (d, <i>J</i> = 7.8 Hz, 1H), 8.00 (d, <i>J</i> = 5.2 Hz, 1H), 7.39 – 7.16 (m, 3H), 7.03 – 6.77 (m, 5H), 5.12 (dd, <i>J</i> = 7.2, 4.8 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.55 – 4.44 (m, 1H), 3.95 (s, 3H), 2.34 (h, <i>J</i> = 8.3 Hz, 1H), 1.74 (dd, <i>J</i> = 8.0, 4.2 Hz, 1H), 1.67 – 1.53 (m, 3H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.47 – 1.16 (m, 5H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
157	(Thin film) 3369, 2938, 1741, 1481, 1240, 730, 1454	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₂₉ N ₂ O ₆ , 465.2020; found, 465.2002.	¹ H NMR (300 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.39 (dd, <i>J</i> = 18.9, 7.8 Hz, 1H), 8.05 – 7.90 (m, 1H), 7.34 – 7.09 (m, 7H), 7.02 – 6.75 (m, 4H), 5.42 – 5.25 (m, 1H), 4.77 – 4.39 (m, 2H), 3.91 (d, <i>J</i> = 1.0 Hz, 2H), 3.18 – 2.90 (m, 2H), 2.02 – 1.81 (m, 1H), 1.40 (dd, <i>J</i> = 25.5, 6.7 Hz, 3H), 1.32 – 1.21 (m, 3H).
158	(Thin film) 3372, 2965, 2936, 2875, 1739, 1649, 1576, 1527, 1496, 1480, 1453, 1438, 1330, 1280, 1263, 1242, 1183, 1144, 1159, 1101, 953, 800, 700	ESIMS <i>m/z</i> 431.2 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (d, <i>J</i> = 0.6 Hz, 1H), 8.37 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.28 – 7.16 (m, 5H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.23 (dt, <i>J</i> = 9.7, 4.2 Hz, 1H), 4.60 (p, <i>J</i> = 7.3 Hz, 1H), 3.94 (s, 3H), 3.54 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.49 – 3.39 (m, 2H), 3.04 (dd, <i>J</i> = 14.3, 4.1 Hz, 1H), 2.90 (dd, <i>J</i> = 14.3, 9.6 Hz, 1H), 1.64 – 1.51 (m, 2H), 1.26 (d, <i>J</i> = 7.1 Hz, 3H), 1.20 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.57, 168.59, 155.34, 148.73, 140.43, 137.33, 130.48, 129.31, 128.33, 126.51, 109.40, 77.83, 75.86, 71.26, 56.07, 47.92, 35.94, 23.24, 18.05, 16.02, 10.66

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
159	(Thin film) 3370, 2933, 2870, 1739, 1649, 1576, 1527, 1496, 1480, 1453, 1438, 1329, 1280, 1263, 1242, 1183, 1061, 953, 800, 700	ESIMS <i>m/z</i> 459.3 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (d, <i>J</i> = 0.6 Hz, 1H), 8.37 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.26 – 7.15 (m, 5H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.22 (dt, <i>J</i> = 9.5, 4.2 Hz, 1H), 4.66 – 4.56 (m, 1H), 3.94 (s, 3H), 3.57 – 3.41 (m, 3H), 3.04 (dd, <i>J</i> = 14.4, 4.1 Hz, 1H), 2.90 (dd, <i>J</i> = 14.3, 9.6 Hz, 1H), 1.60 – 1.51 (m, 2H), 1.37 – 1.29 (m, 4H), 1.26 (d, <i>J</i> = 7.2 Hz, 3H), 1.20 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 – 0.86 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.57, 168.59, 155.34, 148.73, 140.42, 137.34, 130.48, 129.31, 128.33, 126.51, 109.40, 77.82, 75.87, 69.66, 56.07, 47.91, 35.95, 29.73, 28.36, 22.52, 18.06, 16.02, 14.05 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
160	(Thin film) 3367, 2956, 2872, 1740, 1649, 1576, 1528, 1481, 1453, 1330, 1280, 1263, 1242, 1183, 1163, 1136, 1064, 953, 800, 746, 701	ESIMS <i>m/z</i> 445.2 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.37 (d, <i>J</i> = 8.0 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.25 – 7.14 (m, 5H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.22 (dt, <i>J</i> = 9.7, 4.2 Hz, 1H), 4.60 (p, <i>J</i> = 7.3 Hz, 1H), 3.94 (s, 3H), 3.56 – 3.48 (m, 1H), 3.29 – 3.17 (m, 2H), 3.05 (dd, <i>J</i> = 14.4, 4.0 Hz, 1H), 2.90 (dd, <i>J</i> = 14.4, 9.6 Hz, 1H), 1.82 (hept, <i>J</i> = 6.6 Hz, 1H), 1.26 (d, <i>J</i> = 7.2 Hz, 3H), 1.19 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 4.6 Hz, 3H), 0.90 (d, <i>J</i> = 4.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.55, 168.59, 155.34, 148.73, 140.43, 137.37, 130.48, 129.32, 128.32, 126.50, 109.40, 77.90, 76.44, 76.07, 56.07, 47.92, 35.96, 28.79, 19.42, 19.37, 18.05, 15.93 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
161	(Thin film) 3368, 2962, 2873, 1740, 1649, 1576, 1527, 1481, 1451, 1331, 1280, 1263, 1242, 1212, 1098, 1062, 944, 801	ESIMS <i>m/z</i> 397.2 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.53 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.90 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 – 4.70 (m, 1H), 3.95 (s, 3H), 3.49 (p, <i>J</i> = 6.2 Hz, 1H), 3.25 (dd, <i>J</i> = 8.7, 6.3 Hz, 1H), 3.13 (dd, <i>J</i> = 8.7, 6.8 Hz, 1H), 2.12 – 2.01 (m, 1H), 1.77 (dp, <i>J</i> = 13.3, 6.6 Hz, 1H), 1.58 (d, <i>J</i> = 5.8 Hz, 3H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.93 – 0.90 (m, 6H), 0.89 – 0.85 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.79, 168.69, 155.34, 148.73, 140.46, 130.54, 109.40, 80.47, 75.94, 74.42, 56.07, 48.14, 28.76, 28.51, 19.42, 19.39, 19.36, 18.53, 17.23, 15.28 .
162	(Thin film) 3368, 2964, 2937, 2876, 1739, 1649, 1576, 1527, 1481, 1452, 1438, 1331, 1280, 1263, 1242, 1212, 1098, 1061, 943, 801	ESIMS <i>m/z</i> 383.2 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 12.18 (d, <i>J</i> = 0.7 Hz, 1H), 8.54 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.90 (t, <i>J</i> = 5.8 Hz, 1H), 4.81 – 4.68 (m, 1H), 3.51 (p, <i>J</i> = 6.2 Hz, 1H), 3.47 – 3.31 (m, 2H), 2.14 – 1.96 (m, 1H), 1.62 – 1.47 (m, 5H), 1.13 (d, <i>J</i> = 0.7 Hz, 3H), 0.94 – 0.85 (m, 12H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.82, 168.70, 155.34, 148.73, 140.46, 130.54, 109.40, 80.34, 74.24, 70.69, 56.07, 48.14, 28.55, 23.21, 19.36, 18.53, 17.35, 15.34, 10.66 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
163	(Thin film) 3371, 2968, 2878, 1740, 1650, 1576, 1528, 1481, 1452, 1439, 1382, 1333, 1280, 1252, 1146, 1061, 1029, 948, 849, 801	ESIMS <i>m/z</i> 451.2 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.1 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.89 (dd, <i>J</i> = 6.5, 5.2 Hz, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 3.95 (s, 3H), 3.59 – 3.42 (m, 3H), 2.23 – 1.90 (m, 3H), 1.76 (dt, <i>J</i> = 15.8, 6.1 Hz, 2H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.85, 168.74, 155.36, 148.75, 140.48, 130.48, 127.29 (q, <i>J</i> = 276.0 Hz), 109.43, 79.96, 74.67, 66.96, 56.07, 48.07, 30.71 (q, <i>J</i> = 28.9 Hz), 28.62, 22.72 (q, <i>J</i> = 3.1 Hz), 19.25, 18.43, 17.69, 14.96 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
164	(Thin film) 3369, 2965, 2938, 2875, 1739, 1649, 1602, 1576, 1527, 1496, 1480, 1452, 1332, 1280, 1263, 1242, 1212, 1183, 1101, 1061, 943, 801, 746, 699	ESIMS <i>m/z</i> 459.3 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 12.17 (s, 1H), 8.55 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.28 – 7.22 (m, 2H), 7.19 – 7.12 (m, 3H), 6.85 (d, <i>J</i> = 5.2 Hz, 1H), 4.91 (t, <i>J</i> = 5.8 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 3.94 (s, 3H), 3.58 – 3.35 (m, 3H), 2.65 (td, <i>J</i> = 7.4, 2.5 Hz, 2H), 2.05 (dq, <i>J</i> = 13.5, 6.7 Hz, 1H), 1.83 (ddd, <i>J</i> = 14.0, 7.7, 6.2 Hz, 2H), 1.59 (d, <i>J</i> = 7.1 Hz, 3H), 1.13 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.86, 168.70, 155.33, 148.73, 142.02, 140.46, 130.52, 128.43, 128.26, 125.68, 109.40, 80.35, 74.38, 68.05, 56.06, 48.13, 32.36, 31.60, 28.58, 19.35, 18.55, 17.49, 15.23 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
165	(Thin film) 3370, 2968, 2939, 1739, 1649, 1576, 1527, 1481, 1438, 1366, 1330, 1280, 1263, 1212, 1182, 1150, 1101, 1060, 943, 849, 800	ESIMS <i>m/z</i> 395.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.96 – 4.91 (m, 2H), 4.88 – 4.83 (m, 1H), 4.80 – 4.71 (m, 1H), 3.95 (s, 3H), 3.92 (d, <i>J</i> = 12.4 Hz, 1H), 3.85 (d, <i>J</i> = 12.3 Hz, 1H), 3.62 – 3.56 (m, 1H), 2.04 (dq, <i>J</i> = 13.4, 6.8 Hz, 1H), 1.72 (t, <i>J</i> = 1.1 Hz, 3H), 1.60 – 1.57 (m, 3H), 1.14 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 3.5 Hz, 3H), 0.91 (d, <i>J</i> = 3.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.83, 168.69, 155.34, 148.73, 142.32, 140.46, 130.54, 112.11, 109.40, 80.21, 73.54, 72.68, 56.07, 48.13, 28.62, 19.59, 19.34, 18.53, 17.56, 15.09 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
166	(Thin film) 3367, 2967, 2876, 1739, 1648, 1576, 1527, 1480, 1452, 1438, 1329, 1279, 1262, 1242, 1212, 1183, 1150, 1094, 1061, 942, 849, 800	ESIMS <i>m/z</i> 381.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.87 (ddt, <i>J</i> = 17.2, 10.4, 5.5 Hz, 1H), 5.25 (dq, <i>J</i> = 17.2, 1.6 Hz, 1H), 5.14 (dq, <i>J</i> = 10.4, 1.5 Hz, 1H), 4.92 (dd, <i>J</i> = 6.1, 5.5 Hz, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 4.05 – 3.95 (m, 2H), 3.95 (s, 3H), 3.65 – 3.56 (m, 1H), 2.03 (dq, <i>J</i> = 13.5, 6.8 Hz, 1H), 1.59 (d, <i>J</i> = 7.2 Hz, 3H), 1.14 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.84, 168.70, 155.34, 148.74, 140.47, 134.87, 130.53, 116.83, 109.41, 80.16, 73.54, 69.66, 56.07, 48.14, 28.61, 19.31, 18.51, 17.56, 15.16 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
167	(Thin film) 3370, 2969, 1740, 1649, 1576, 1528, 1481, 1455, 1439, 1307, 1262, 1242, 1213, 1108, 1061, 954, 849, 801, 732	ESIMS <i>m/z</i> 449.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.38 (dt, <i>J</i> = 15.7, 4.0, 2.1 Hz, 1H), 5.88 (dqt, <i>J</i> = 15.4, 6.6, 2.2 Hz, 1H), 4.92 (dd, <i>J</i> = 6.7, 4.9 Hz, 1H), 4.80 – 4.72 (m, 1H), 4.14 – 4.07 (m, 2H), 3.95 (s, 3H), 3.63 (qd, <i>J</i> = 6.2, 4.8 Hz, 1H), 2.04 – 1.96 (m, 1H), 1.59 (d, <i>J</i> = 7.2 Hz, 3H), 1.17 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.85, 168.75, 155.37, 148.75, 140.49, 139.14, 136.59 (q, <i>J</i> = 6.4 Hz), 130.45, 123.09 (q, <i>J</i> = 269.1 Hz), 118.41 (q, <i>J</i> = 33.9 Hz), 109.44, 108.37, 79.77, 74.96, 66.47, 56.07, 48.08, 28.66, 19.22, 18.39, 17.85, 14.84

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
168	(Thin film) 3370, 2962, 2873, 1739, 1650, 1576, 1528, 1481, 1451, 1366, 1280, 1264, 1243, 1213, 1184, 1152, 1119, 1093, 1067, 944, 912, 801, 734	ESIMS <i>m/z</i> 397.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.19 (s, 1H), 8.54 (d, <i>J</i> = 8.0 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 4.83 – 4.74 (m, 2H), 3.94 (s, 3H), 3.54 (qd, <i>J</i> = 6.3, 5.0 Hz, 1H), 3.28 (dd, <i>J</i> = 8.7, 6.4 Hz, 1H), 3.03 (dd, <i>J</i> = 8.7, 6.7 Hz, 1H), 2.07 (h, <i>J</i> = 6.7 Hz, 1H), 1.78 (dp, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.59 (d, <i>J</i> = 7.1 Hz, 3H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.89 (s, 1H), 0.87 (d, <i>J</i> = 6.7 Hz, 3H), 0.86 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.05, 168.66, 155.33, 148.73, 140.44, 130.56, 109.38, 82.13, 75.92, 74.47, 56.06, 48.03, 28.80, 28.46, 19.45, 18.60, 17.56, 15.55 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
169	(Thin film) 3370, 2965, 2936, 2876, 1738, 1649, 1576, 1527, 1481, 1451, 1367, 1332, 1280, 1263, 1242, 1213, 1184, 1116, 1091, 944, 801, 734	ESIMS <i>m/z</i> 383.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.19 (s, 1H), 8.54 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 4.84 – 4.74 (m, 2H), 3.94 (s, 3H), 3.55 (td, <i>J</i> = 6.5, 5.4 Hz, 1H), 3.49 (dt, <i>J</i> = 8.9, 6.6 Hz, 1H), 3.24 (dt, <i>J</i> = 8.9, 6.7 Hz, 1H), 2.06 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.61 – 1.50 (m, 5H), 1.12 (d, <i>J</i> = 6.4 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.93 – 0.85 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.12, 168.67, 155.34, 148.73, 140.45, 130.57, 109.38, 82.03, 74.47, 70.76, 56.06, 48.00, 28.44, 23.26, 19.46, 18.60, 17.39, 15.66 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
170	(Thin film) 3370, 2971, 2880, 1739, 1651, 1576, 1529, 1481, 1454, 1439, 1309, 1281, 1262, 1151, 1063, 1030, 911, 801, 733	ESIMS <i>m/z</i> 451.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.80 – 4.74 (m, 2H), 3.95 (s, 3H), 3.61 – 3.52 (m, 2H), 3.33 (dt, <i>J</i> = 9.1, 6.0 Hz, 1H), 2.20 – 2.08 (m, 2H), 2.04 (h, <i>J</i> = 6.7 Hz, 1H), 1.59 (d, <i>J</i> = 7.2 Hz, 3H), 1.11 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.89 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.04, 168.74, 155.36, 148.75, 140.49, 139.14, 130.49, 127.26 (q, <i>J</i> = 276.0 Hz), 109.44, 81.79, 74.64, 66.88, 56.07, 48.02, 30.73 (q, <i>J</i> = 28.6 Hz), 28.50, 22.81 (d, <i>J</i> = 3.0 Hz), 19.38, 18.50, 17.47, 15.50 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
171	(Thin film) 3366, 2983, 1744, 1648, 1528, 1481, 1240, 1150, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₂₇ N ₂ O ₆ , 451.1864; found, 451.1860	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.48 (d, <i>J</i> = 8.0 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 7.41 – 7.27 (m, 5H), 7.24 (td, <i>J</i> = 7.3, 1.9 Hz, 2H), 6.93 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 – 6.82 (m, 3H), 5.98 (d, <i>J</i> = 4.3 Hz, 1H), 4.81 (p, <i>J</i> = 7.3 Hz, 1H), 4.68 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 3.93 (s, 3H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.02, 168.84, 157.67, 155.39, 148.79, 140.49, 136.50, 130.47, 129.51, 128.36, 128.34, 127.17, 121.43, 116.42, 109.51, 78.38, 76.00, 56.07, 47.92, 18.05, 15.31.
172	(Thin film) 3368, 2982, 1743, 1649, 1528, 1480, 1239, 1149, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₂₇ N ₂ O ₆ , 451.1864; found, 451.1860	¹ H NMR (400 MHz, CDCl ₃) δ 12.11 (s, 1H), 8.43 (d, <i>J</i> = 7.9 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 7.42 – 7.29 (m, 5H), 7.30 – 7.21 (m, 2H), 6.96 – 6.90 (m, 3H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.96 (d, <i>J</i> = 7.1 Hz, 1H), 4.75 – 4.64 (m, 2H), 3.94 (s, 3H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.16 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.14, 168.71, 158.07, 155.38, 148.78, 140.44, 136.44, 130.52, 129.55, 128.68, 128.56, 127.42, 121.31, 116.13, 109.47, 79.40, 75.55, 56.07, 47.87, 18.01, 16.29.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
173	(Thin film) 3369, 2981, 1738, 1648, 1453, 1240, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₅ N ₂ O ₆ , 389.1707; found, 389.1697	¹ H NMR (400 MHz, CDCl ₃) δ 12.11 (s, 1H), 8.48 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 – 7.21 (m, 2H), 6.94 – 6.88 (m, 3H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.20 (p, <i>J</i> = 6.4 Hz, 1H), 4.69 (p, <i>J</i> = 7.3 Hz, 1H), 4.45 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 1.46 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.6 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H).
174	(Thin film) 3369, 2981, 1738, 1649, 1453, 1239, 753, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₅ N ₂ O ₆ , 389.1707; found, 389.1693	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.46 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.34 – 7.19 (m, 2H), 6.99 – 6.84 (m, 4H), 5.11 (qd, <i>J</i> = 6.4, 4.0 Hz, 1H), 4.67 (p, <i>J</i> = 7.3 Hz, 1H), 4.46 (qd, <i>J</i> = 6.3, 4.0 Hz, 1H), 3.93 (s, 3H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.36 (d, <i>J</i> = 6.5 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.57, 168.79, 157.86, 155.39, 148.79, 140.48, 130.50, 129.52, 121.31, 116.38, 109.50, 75.42, 74.06, 56.07, 48.02, 18.12, 15.71, 15.00.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
175	(Thin film) 3371, 2968, 1742, 1528, 1148, 728	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ F ₂ N ₂ O ₆ , 453.1832; found, 453.1830	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.51 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.00 (ddd, <i>J</i> = 10.6, 9.0, 5.3 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.70 (ddd, <i>J</i> = 9.7, 6.6, 3.0 Hz, 1H), 6.61 (ddt, <i>J</i> = 8.9, 7.6, 3.2 Hz, 1H), 5.09 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 2.10 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 116.78 (d, <i>J</i> = 15.2 Hz), -138.19 (d, <i>J</i> = 14.7 Hz).
176	(Thin film) 3370, 2969, 1743, 1528, 1324, 1252, 1158, 1109, 1064	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₈ F ₃ N ₂ O ₆ , 485.1894; found, 485.1890	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.50 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.52 (d, <i>J</i> = 8.6 Hz, 2H), 6.92 (d, <i>J</i> = 8.6 Hz, 2H), 6.88 (d, <i>J</i> = 5.2 Hz, 1H), 5.08 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.59 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (s, 3H), 2.10 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.1 Hz, 3H), 1.33 (d, <i>J</i> = 6.2 Hz, 3H), 0.99 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 61.57 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
177	(Thin film) 3370, 2968, 1742, 1482, 1262, 1132, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₈ FN ₂ O ₆ , 435.1926; found, 435.1924	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.51 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.20 (td, <i>J</i> = 8.3, 6.9 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.72 – 6.61 (m, 2H), 6.58 (dt, <i>J</i> = 10.9, 2.4 Hz, 1H), 5.06 (t, <i>J</i> = 5.8 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 2.10 (dq, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 111.51 .
178	(Thin film) 3367, 2967, 1740, 1650, 1496, 1243, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₀ ClN ₂ O ₆ , 465.1787; found, 465.1783	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.55 (d, <i>J</i> = 8.0 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.15 (d, <i>J</i> = 2.1 Hz, 1H), 7.10 – 6.92 (m, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.85 – 6.73 (m, 1H), 5.12 (t, <i>J</i> = 5.7 Hz, 1H), 4.80 (p, <i>J</i> = 7.3 Hz, 1H), 4.48 (h, <i>J</i> = 5.9 Hz, 1H), 3.95 (s, 3H), 2.26 (s, 3H), 2.21 – 2.09 (m, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.73, 168.79, 155.39, 150.74, 148.80, 140.48, 131.94, 131.01, 130.57, 128.03, 124.15, 115.98, 109.47, 80.19, 74.52, 56.07, 48.16, 28.74, 20.31, 19.33, 18.44, 17.46, 15.16.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
179	(Thin film) 3369, 2968, 1742, 1649, 1478, 1262, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ Cl ₂ N ₂ O ₆ , 485.1241; found, 485.1237	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.53 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.34 (d, <i>J</i> = 2.6 Hz, 1H), 7.15 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 6.92 – 6.83 (m, 2H), 5.11 (dd, <i>J</i> = 6.3, 5.2 Hz, 1H), 4.80 (p, <i>J</i> = 7.3 Hz, 1H), 4.56 – 4.46 (m, 1H), 3.94 (s, 3H), 2.11 (dt, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.72, 168.81, 155.40, 151.81, 148.80, 140.51, 130.49, 130.31, 127.53, 126.42, 125.25, 116.28, 109.51, 79.83, 74.77, 56.08, 48.11, 28.75, 19.28, 18.37, 17.56, 14.96.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
180	(Thin film) 3370, 2968, 1743, 1605, 1527, 1438, 1139, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ ClFN ₂ O ₆ , 469.1536; found, 469.1531	¹ H NMR (400 MHz, CDCl ₃) δ 12.11 (s, 1H), 8.49 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.88 (d, <i>J</i> = 5.2 Hz, 1H), 6.74 – 6.59 (m, 2H), 6.48 (dt, <i>J</i> = 10.5, 2.3 Hz, 1H), 5.04 (t, <i>J</i> = 5.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (s, 3H), 2.07 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.71, 168.87, 163.40 (d, <i>J</i> = 248.1 Hz), 158.95 (d, <i>J</i> = 12.2 Hz), 155.44, 148.84, 140.54, 135.51 (d, <i>J</i> = 13.5 Hz), 130.46, 112.15 (d, <i>J</i> = 3.2 Hz), 109.55, 109.10 (d, <i>J</i> = 25.2 Hz), 102.06 (d, <i>J</i> = 24.7 Hz), 79.77, 73.50, 56.09, 48.11, 28.76, 19.26, 18.31, 17.30, 15.05. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 109.89 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
181	(Thin film) 3369, 2967, 1742, 1649, 1527, 1479, 1241, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₈ ClN ₂ O ₆ , 451.1630; found, 451.1624	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.17 (t, <i>J</i> = 8.1 Hz, 1H), 6.97 – 6.71 (m, 4H), 5.06 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.54 – 4.45 (m, 1H), 3.94 (s, 3H), 2.11 (ddd, <i>J</i> = 13.8, 7.0, 5.7 Hz, 1H), 1.61 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.72, 168.84, 158.15, 155.42, 148.82, 140.52, 134.95, 130.49, 130.34, 121.35, 116.26, 114.16, 109.52, 80.08, 73.08, 56.08, 48.14, 28.74, 19.31, 18.37, 17.22, 15.25.
182	(Thin film) 3370, 2968, 1740, 1649, 1505, 1227, 1039, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₇ , 447.2126; found, 447.2120	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.51 (d, <i>J</i> = 8.0 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 6.85 – 6.76 (m, 4H), 4.98 (t, <i>J</i> = 5.7 Hz, 1H), 4.76 (p, <i>J</i> = 7.4 Hz, 1H), 4.40 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 3.75 (s, 3H), 2.17 – 2.07 (m, 1H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.24 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (app t, <i>J</i> = 6.5 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.15, 168.73, 155.38, 154.14, 151.75, 148.79, 140.43, 130.58, 117.15, 114.68, 109.44, 81.34, 74.28, 56.06, 55.68, 48.05, 28.60, 19.53, 18.50, 17.11, 16.03.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
183	(Thin film) 3370, 2966, 1741, 1649, 1505, 1214, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₇ , 447.2126; found, 447.2123	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.85 – 6.77 (m, 4H), 5.05 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 (p, <i>J</i> = 7.2 Hz, 1H), 4.38 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 3.75 (s, 3H), 2.16 – 2.07 (m, 1H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.73, 168.81, 154.30, 151.47, 148.81, 140.49, 139.13, 130.52, 117.53, 114.73, 109.50, 80.40, 73.99, 56.07, 55.68, 48.17, 28.73, 19.38, 18.46, 17.19, 15.52.
184	(Thin film) 3367, 2939, 1741, 1648, 1505, 1215, 1035, 729	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₅ N ₂ O ₇ , 405.1656; found, 405.1643	¹ H NMR (400 MHz, CDCl ₃) δ 12.09 (s, 1H), 8.45 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 6.92 – 6.83 (m, 3H), 6.83 – 6.72 (m, 2H), 4.72 (p, <i>J</i> = 7.3 Hz, 1H), 4.50 (pd, <i>J</i> = 6.4, 3.9 Hz, 1H), 4.37 (dd, <i>J</i> = 11.4, 6.7 Hz, 1H), 4.22 (dd, <i>J</i> = 11.4, 4.0 Hz, 1H), 3.94 (s, 3H), 3.76 (s, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.04, 168.81, 155.41, 154.47, 151.69, 148.80, 140.48, 130.44, 117.86, 114.71, 109.51, 73.08, 67.94, 56.07, 55.68, 47.90, 18.19, 16.81.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
185	(Thin film) 3377, 2982, 1770, 1675, 1477, 1196, 1059, 907, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₇ Cl ₂ N ₂ O ₇ , 525.1190; found, 525.1203	¹ H NMR (300 MHz, CDCl ₃) δ 8.49 (d, <i>J</i> = 7.8 Hz, 1H), 8.32 (dd, <i>J</i> = 5.5, 0.7 Hz, 1H), 7.35 (dd, <i>J</i> = 2.6, 0.7 Hz, 1H), 7.16 (ddd, <i>J</i> = 8.8, 2.6, 0.7 Hz, 1H), 7.01 (dd, <i>J</i> = 5.5, 0.7 Hz, 1H), 6.88 (d, <i>J</i> = 8.9 Hz, 1H), 5.84 – 5.67 (m, 1H), 5.23 – 4.99 (m, 3H), 4.74 – 4.59 (m, 1H), 4.53 – 4.40 (m, 1H), 3.91 (d, <i>J</i> = 0.7 Hz, 3H), 2.55 (t, <i>J</i> = 6.8 Hz, 2H), 2.39 (d, <i>J</i> = 0.7 Hz, 3H), 1.48 (dd, <i>J</i> = 7.2, 0.7 Hz, 3H), 1.34 (dd, <i>J</i> = 6.4, 0.7 Hz, 3H).
186	(Thin film) 3376, 2961, 1742, 1676, 1494, 1201, 968, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2238	¹ H NMR (300 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.21 (m, 2H), 6.98 – 6.92 (m, 2H), 6.92 – 6.85 (m, 2H), 5.75 (d, <i>J</i> = 1.5 Hz, 2H), 5.13 (dt, <i>J</i> = 8.7, 4.4 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.46 (qd, <i>J</i> = 6.3, 4.5 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.81 – 1.60 (m, 2H), 1.52 (d, <i>J</i> = 7.1 Hz, 3H), 1.40 (ddtd, <i>J</i> = 13.8, 9.3, 6.8, 2.1 Hz, 2H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H).
187	(Thin film) 3376, 2984, 1746, 1676, 1478, 1201, 1003, 971	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₂₉ Cl ₂ N ₂ O ₈ , 555.1295; found, 555.1310	¹ H NMR (300 MHz, CDCl ₃) δ 8.32 (d, <i>J</i> = 7.6 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 7.35 (d, <i>J</i> = 2.5 Hz, 1H), 7.17 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 7.00 – 6.86 (m, 2H), 5.86 – 5.66 (m, 3H), 5.18 (td, <i>J</i> = 6.3, 4.4 Hz, 1H), 5.15 – 5.04 (m, 2H), 4.69 (p, <i>J</i> = 7.2 Hz, 1H), 4.55 – 4.41 (m, 1H), 3.91 (s, 3H), 2.62 – 2.51 (m, 2H), 2.07 (s, 3H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.35 (d, <i>J</i> = 6.4 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
188	(Thin film) 3343, 2881, 1771, 1599, 1160, 1037, 756	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₇ , 445.1969; found, 445.1957	¹ H NMR (300 MHz, CDCl ₃) δ 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 – 7.18 (m, 2H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.97 – 6.87 (m, 3H), 5.07 (ddd, <i>J</i> = 9.0, 5.0, 4.0 Hz, 1H), 4.70 (p, <i>J</i> = 7.3 Hz, 1H), 4.56 – 4.44 (m, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.89 – 1.61 (m, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.4 Hz, 3H), 0.92 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.61, 168.89, 162.41, 159.49, 157.88, 146.66, 141.63, 137.55, 129.53, 121.05, 115.87, 109.75, 77.57, 73.42, 56.28, 48.13, 22.27, 20.74, 18.63, 15.35, 9.79.
189	(Thin film) 3376, 2975, 1770, 1673, 1494, 1173, 1057, 906, 729	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₇ , 445.1969; found, 445.1961	¹ H NMR (300 MHz, CDCl ₃) δ 8.56 (d, <i>J</i> = 7.9 Hz, 1H), 8.30 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.17 (m, 2H), 6.98 (d, <i>J</i> = 5.5 Hz, 1H), 6.92 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.89 – 6.82 (m, 2H), 5.09 (ddd, <i>J</i> = 7.1, 5.8, 4.4 Hz, 1H), 4.82 – 4.65 (m, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.88 (s, 3H), 2.39 (s, 3H), 1.74 (qd, <i>J</i> = 7.8, 6.2 Hz, 2H), 1.50 (d, <i>J</i> = 7.1 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.49, 168.89, 162.45, 159.48, 157.68, 146.66, 141.62, 137.54, 129.52, 121.15, 116.10, 109.74, 77.79, 74.36, 56.28, 48.11, 23.23, 20.75, 18.71, 15.25, 9.85.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
190	(Thin film) 3384, 2961, 1771, 1676, 1506, 1174, 1059, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₇ , 459.2126; found, 459.2123	¹ H NMR (300 MHz, CDCl ₃) δ 8.52 (d, <i>J</i> = 7.9 Hz, 1H), 8.32 (d, <i>J</i> = 5.5 Hz, 1H), 7.35 – 7.18 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.97 – 6.88 (m, 3H), 5.20 – 5.08 (m, 1H), 4.69 (p, <i>J</i> = 7.2 Hz, 1H), 4.49 (qd, <i>J</i> = 6.4, 4.9 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.74 – 1.61 (m, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.46 – 1.30 (m, 2H), 1.28 (d, <i>J</i> = 6.4 Hz, 3H), 0.91 (t, <i>J</i> = 7.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.57, 168.88, 162.40, 159.49, 157.85, 146.66, 141.61, 137.55, 129.54, 121.06, 115.87, 109.75, 75.96, 73.54, 56.29, 48.11, 31.18, 20.74, 18.67, 18.61, 15.30, 13.91.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
191	(Thin film) 3381, 2961, 1770, 1676, 1506, 1173, 1057, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₇ , 459.2126; found, 459.2121	¹ H NMR (300 MHz, CDCl ₃) δ 8.56 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.17 (m, 2H), 6.99 (d, <i>J</i> = 5.4 Hz, 1H), 6.93 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.89 – 6.78 (m, 2H), 5.17 (dt, <i>J</i> = 8.6, 4.2 Hz, 1H), 4.81 – 4.65 (m, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.2 Hz, 1H), 3.89 (s, 3H), 2.40 (s, 3H), 1.81 – 1.56 (m, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.45 – 1.33 (m, 2H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (t, <i>J</i> = 7.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.46, 168.89, 162.42, 159.47, 157.69, 146.65, 141.61, 137.53, 129.51, 121.15, 116.12, 109.73, 76.30, 74.73, 56.28, 48.10, 32.21, 20.74, 18.72, 18.72, 15.19, 13.93.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
192	(Thin film) 3378, 2958, 1771, 1677, 1506, 1198, 1062, 754	ESIMS <i>m/z</i> 473.4 ([M+H] ⁺)	¹ H NMR (300 MHz, CDCl ₃) δ 8.56 (d, <i>J</i> = 7.8 Hz, 1H), 8.30 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.15 (m, 2H), 6.98 (d, <i>J</i> = 5.5 Hz, 1H), 6.96 – 6.89 (m, 1H), 6.89 – 6.82 (m, 2H), 5.26 (dt, <i>J</i> = 9.9, 3.4 Hz, 1H), 4.81 – 4.61 (m, 1H), 4.42 (qd, <i>J</i> = 6.3, 3.8 Hz, 1H), 3.89 (s, 3H), 2.39 (s, 3H), 1.79 – 1.56 (m, 2H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.44 – 1.35 (m, 1H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (dd, <i>J</i> = 6.5, 4.7 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.45, 168.89, 162.40, 159.47, 157.72, 146.66, 141.61, 137.53, 129.51, 121.15, 116.13, 109.73, 75.17, 74.90, 56.28, 48.09, 38.98, 24.48, 23.48, 21.86, 20.74, 18.73, 15.09.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
193	(Thin film) 3379, 2968, 1770, 1676, 1506, 1197, 1174, 1061, 907, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₇ , 459.2126; found, 459.2111	¹ H NMR (300 MHz, CDCl ₃) δ 8.58 (d, <i>J</i> = 7.8 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 – 7.18 (m, 2H), 6.99 (d, <i>J</i> = 5.5 Hz, 1H), 6.93 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 – 6.81 (m, 2H), 5.07 (dd, <i>J</i> = 6.5, 5.3 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.60 – 4.46 (m, 1H), 3.89 (s, 3H), 2.40 (s, 3H), 2.06 (h, <i>J</i> = 6.8 Hz, 1H), 1.57 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.94 (dd, <i>J</i> = 15.8, 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.37, 168.90, 162.47, 159.48, 157.40, 146.67, 141.61, 137.54, 129.54, 121.08, 115.87, 109.75, 79.96, 72.63, 56.28, 48.14, 28.92, 20.75, 19.16, 18.82, 17.69, 14.94.
194	(Thin film) 3377, 2983, 1769, 1675, 1507, 1173, 1063, 906, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₅ N ₂ O ₇ , 417.1656; found, 417.1663	¹ H NMR (300 MHz, CDCl ₃) δ 8.48 (d, <i>J</i> = 8.0 Hz, 1H), 8.29 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.16 (m, 2H), 7.05 – 6.81 (m, 4H), 4.79 – 4.67 (m, 1H), 4.61 (qd, <i>J</i> = 6.3, 4.7 Hz, 1H), 4.29 (qd, <i>J</i> = 11.4, 5.4 Hz, 2H), 3.89 (s, 3H), 2.39 (s, 3H), 1.46 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.53, 168.88, 162.49, 159.49, 157.68, 146.63, 141.52, 137.56, 129.53, 121.30, 116.19, 109.78, 71.62, 67.56, 56.29, 47.90, 20.75, 18.44, 16.88.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
195	(Thin film) 3381, 2976, 2939, 1742, 1676, 1496, 1202, 1004, 968	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₈ , 475.2075; found, 475.2079	¹ H NMR (400 MHz, CDCl ₃) δ 8.33 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.21 (m, 2H), 7.00 – 6.88 (m, 4H), 5.81 – 5.69 (m, 2H), 5.07 (ddd, <i>J</i> = 8.9, 5.0, 3.9 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.51 (qd, <i>J</i> = 6.3, 4.9 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.88 – 1.62 (m, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.72, 170.25, 163.00, 160.30, 157.89, 145.72, 144.02, 142.62, 129.53, 121.07, 115.88, 109.57, 89.59, 77.56, 73.46, 56.19, 48.30, 22.29, 20.86, 18.55, 15.36, 9.81.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
196	(Thin film) 3382, 2976, 1748, 1676, 1494, 1202, 1004, 967	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₈ , 475.2075; found, 475.2077	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.3 Hz, 1H), 7.31 – 7.20 (m, 2H), 6.94 (d, <i>J</i> = 5.6 Hz, 2H), 6.89 – 6.83 (m, 2H), 5.74 (d, <i>J</i> = 1.5 Hz, 2H), 5.10 (td, <i>J</i> = 6.5, 4.3 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.46 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.75 (p, <i>J</i> = 7.3 Hz, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.60, 170.25, 163.03, 160.28, 157.67, 145.71, 144.00, 142.60, 129.52, 121.16, 116.10, 109.57, 89.59, 77.75, 74.38, 56.18, 48.28, 23.22, 20.86, 18.59, 15.21, 9.89.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
197	(Thin film) 3376, 2960, 1753, 1677, 1497, 1236, 1202, 1004, 969	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2240	¹ H NMR (400 MHz, CDCl ₃) δ 8.33 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.20 (m, 2H), 7.00 – 6.89 (m, 4H), 5.74 (d, <i>J</i> = 2.1 Hz, 2H), 5.20 – 5.12 (m, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (qd, <i>J</i> = 6.3, 4.9 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.75 – 1.61 (m, 2H), 1.51 (d, <i>J</i> = 7.1 Hz, 3H), 1.48 – 1.31 (m, 2H), 1.29 (d, <i>J</i> = 6.4 Hz, 3H), 0.91 (t, <i>J</i> = 7.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.68, 170.25, 163.00, 160.30, 157.86, 145.71, 144.04, 142.60, 129.53, 121.07, 115.89, 109.57, 89.60, 75.95, 73.58, 56.19, 48.28, 31.21, 20.86, 18.69, 18.53, 15.31, 13.91.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
198	(Thin film) 3381, 2960, 1749, 1676, 1494, 1201, 1004, 968	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2235	¹ H NMR (400 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.3 Hz, 1H), 7.30 – 7.19 (m, 2H), 6.97 – 6.89 (m, 2H), 6.89 – 6.83 (m, 2H), 5.74 (d, <i>J</i> = 1.6 Hz, 2H), 5.18 (dt, <i>J</i> = 9.0, 4.0 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 3.90 (s, 3H), 2.07 (s, 3H), 1.81 – 1.56 (m, 2H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.48 – 1.33 (m, 2H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (t, <i>J</i> = 7.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.57, 170.25, 163.02, 160.29, 157.69, 145.71, 144.01, 142.60, 129.52, 121.16, 116.12, 109.56, 89.60, 76.26, 74.74, 56.18, 48.26, 32.19, 20.86, 18.75, 18.60, 15.15, 13.93.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
199	(Thin film) 3383, 2958, 1741, 1677, 1496, 1235, 1202, 1004, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2400	¹ H NMR (400 MHz, CDCl ₃) δ 8.34 (d, <i>J</i> = 7.8 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.20 (m, 2H), 6.98 – 6.89 (m, 4H), 5.80 – 5.70 (m, 2H), 5.24 (ddd, <i>J</i> = 10.2, 4.7, 3.0 Hz, 1H), 4.72 (p, <i>J</i> = 7.2 Hz, 1H), 4.48 (qd, <i>J</i> = 6.3, 4.7 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.77 – 1.56 (m, 2H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.49 – 1.43 (m, 1H), 1.29 (d, <i>J</i> = 6.4 Hz, 3H), 0.92 (d, <i>J</i> = 6.5 Hz, 3H), 0.87 (d, <i>J</i> = 6.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.66, 170.25, 162.99, 160.31, 157.79, 145.71, 144.05, 142.58, 129.53, 121.09, 115.91, 109.57, 89.61, 74.34, 73.71, 56.19, 48.27, 37.95, 24.58, 23.49, 21.72, 20.86, 18.48, 15.24.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
200	(Thin film) 3376, 2958, 1753, 1677, 1495, 1237, 1202, 1004, 969	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2401	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.19 (m, 2H), 6.98 – 6.89 (m, 2H), 6.89 – 6.81 (m, 2H), 5.74 (d, <i>J</i> = 2.2 Hz, 2H), 5.26 (dt, <i>J</i> = 10.0, 3.4 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 4.43 (qd, <i>J</i> = 6.3, 3.8 Hz, 1H), 3.90 (s, 3H), 2.07 (s, 3H), 1.78 – 1.60 (m, 2H), 1.49 (d, <i>J</i> = 7.1 Hz, 3H), 1.42 (ddd, <i>J</i> = 13.7, 8.9, 3.1 Hz, 1H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (dd, <i>J</i> = 7.6, 6.5 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.56, 170.24, 162.99, 160.29, 157.72, 145.70, 144.01, 142.61, 129.51, 121.16, 116.13, 109.55, 89.60, 75.18, 74.87, 56.18, 48.26, 38.95, 24.50, 23.47, 21.87, 20.86, 18.62, 15.07.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
201	(Thin film) 3382, 2972, 1742, 1677, 1495, 1236, 1201, 1041, 1003, 968	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2233	¹ H NMR (400 MHz, CDCl ₃) δ 8.34 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.21 (m, 2H), 7.00 – 6.87 (m, 4H), 5.74 (d, <i>J</i> = 1.4 Hz, 2H), 4.98 (t, <i>J</i> = 5.7 Hz, 1H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.58 – 4.47 (m, 1H), 3.91 (s, 3H), 2.20 – 2.03 (m, 4H), 1.51 (d, <i>J</i> = 7.1 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (apparent t, <i>J</i> = 6.9 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.64, 170.25, 162.95, 160.29, 157.99, 145.69, 144.03, 142.68, 129.52, 121.04, 115.86, 109.53, 89.63, 81.04, 73.32, 56.18, 48.37, 28.66, 20.86, 19.47, 18.59, 17.36, 16.14.
202	(Thin film) 3382, 2968, 1748, 1676, 1494, 1237, 1201, 1043, 1003, 969	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2234	¹ H NMR (400 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 7.32 – 7.21 (m, 2H), 6.99 – 6.89 (m, 2H), 6.89 – 6.82 (m, 2H), 5.75 (d, <i>J</i> = 2.4 Hz, 2H), 5.07 (dd, <i>J</i> = 6.7, 5.2 Hz, 1H), 4.81 (p, <i>J</i> = 7.2 Hz, 1H), 4.59 – 4.49 (m, 1H), 3.91 (s, 3H), 2.13 – 1.99 (m, 4H), 1.59 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.50, 170.25, 163.05, 160.28, 157.40, 145.72, 143.99, 142.63, 129.55, 121.10, 115.88, 109.57, 89.58, 79.93, 72.69, 56.18, 48.27, 28.97, 20.86, 19.15, 18.72, 17.83, 14.87.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
203	(Thin film) 3376, 2984, 1748, 1675, 1497, 1236, 1201, 1003, 969	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₈ , 447.1762; found, 447.1779	¹ H NMR (400 MHz, CDCl ₃) δ 8.30 (d, <i>J</i> = 7.8 Hz, 1H), 8.25 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.20 (m, 2H), 6.99 – 6.88 (m, 4H), 5.73 (d, <i>J</i> = 1.2 Hz, 2H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.63 (pd, <i>J</i> = 6.2, 4.6 Hz, 1H), 4.39 – 4.22 (m, 2H), 3.91 (s, 3H), 2.06 (s, 3H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.35 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.64, 170.26, 163.06, 160.31, 157.68, 145.69, 144.07, 142.45, 129.53, 121.30, 116.17, 109.61, 89.58, 71.63, 67.54, 56.19, 48.12, 20.86, 18.32, 16.87.
204	(Thin film) 3381, 2961, 1753, 1678, 1497, 1238, 1203, 1045, 1004, 971	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2387	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 7.30 – 7.20 (m, 2H), 6.98 – 6.89 (m, 4H), 5.79 – 5.70 (m, 2H), 5.25 (ddd, <i>J</i> = 9.9, 5.1, 3.0 Hz, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 4.50 – 4.38 (m, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.74 – 1.57 (m, 2H), 1.54 – 1.40 (m, 4H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.5 Hz, 3H), 0.88 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.65, 170.26, 163.00, 160.31, 157.69, 145.71, 144.05, 142.59, 129.54, 121.05, 115.77, 109.56, 89.62, 74.51, 73.87, 56.19, 48.25, 38.26, 24.46, 23.49, 21.83, 20.86, 18.58, 15.36.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
205	(Thin film) 3389, 2961, 1754, 1679, 1496, 1238, 1202, 1045, 1004, 971	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2383	¹ H NMR (400 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.6 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 7.32 – 7.21 (m, 2H), 7.01 – 6.79 (m, 4H), 5.81 – 5.70 (m, 2H), 5.20 (ddd, <i>J</i> = 10.1, 4.2, 3.0 Hz, 1H), 4.72 (p, <i>J</i> = 7.2 Hz, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.2 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.81 – 1.70 (m, 1H), 1.70 – 1.56 (m, 1H), 1.55 – 1.43 (m, 4H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (dd, <i>J</i> = 6.6, 3.4 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.49, 170.25, 163.02, 160.31, 157.80, 145.69, 144.05, 142.56, 129.51, 121.20, 116.32, 109.57, 89.63, 75.29, 56.18, 48.37, 38.75, 24.54, 23.54, 21.68, 20.86, 18.42, 15.60.
206	(Thin film) 3388, 2969, 1752, 1678, 1496, 1241, 1203, 1042, 1004, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2228	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.8 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.21 (m, 2H), 6.98 – 6.84 (m, 4H), 5.80 – 5.70 (m, 2H), 5.00 (t, <i>J</i> = 5.7 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.53 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.20 – 2.08 (m, 1H), 2.06 (s, 3H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.83, 170.25, 162.99, 160.27, 157.77, 145.71, 143.98, 142.66, 129.51, 120.94, 115.66, 109.53, 89.59, 80.93, 73.13, 56.18, 48.26, 28.61, 20.87, 19.51, 18.62, 17.17, 15.97.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
207	(Thin film) 3389, 2968, 1753, 1678, 1496, 1239, 1203, 1004	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2212	¹ H NMR (400 MHz, CDCl ₃) δ 8.40 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 7.31 – 7.20 (m, 2H), 6.99 – 6.84 (m, 4H), 5.80 – 5.71 (m, 2H), 5.07 (dd, <i>J</i> = 6.4, 5.1 Hz, 1H), 4.80 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.21 – 2.09 (m, 1H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.39, 170.27, 163.07, 160.32, 157.45, 145.73, 144.05, 142.58, 129.56, 121.11, 115.93, 109.61, 89.62, 80.12, 72.63, 56.20, 48.43, 28.72, 20.88, 19.42, 18.69, 16.98, 15.63.
208	(Thin film) 3389, 2933, 1752, 1677, 1496, 1238, 1202, 1043, 1004, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2540	¹ H NMR (400 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.22 (m, 2H), 6.97 – 6.89 (m, 4H), 5.79 – 5.71 (m, 2H), 5.15 (ddd, <i>J</i> = 8.6, 5.4, 4.3 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 4.52 – 4.43 (m, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.77 – 1.62 (m, 2H), 1.45 (d, <i>J</i> = 7.1 Hz, 3H), 1.42 – 1.18 (m, 9H), 0.91 – 0.79 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.70, 170.24, 162.99, 160.32, 157.76, 145.71, 144.06, 142.59, 129.53, 121.01, 115.75, 109.56, 89.63, 76.38, 73.68, 56.18, 48.26, 31.63, 29.36, 24.93, 22.43, 20.86, 18.59, 15.43, 13.97.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
209	(Thin film) 3389, 2935, 1753, 1679, 1496, 1240, 1202, 1046, 1004, 971	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2537	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.6 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.22 (m, 2H), 6.97 – 6.85 (m, 4H), 5.80 – 5.69 (m, 2H), 5.11 (ddd, <i>J</i> = 7.8, 6.4, 4.8 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.46 (qd, <i>J</i> = 6.3, 4.6 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.78 – 1.64 (m, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (dd, <i>J</i> = 12.8, 9.6 Hz, 9H), 0.86 (h, <i>J</i> = 3.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.49, 170.25, 163.02, 160.31, 157.77, 145.70, 144.05, 142.58, 129.51, 121.19, 116.27, 109.57, 89.62, 76.91, 74.82, 56.19, 48.35, 31.57, 29.81, 25.03, 22.45, 20.86, 18.51, 15.67, 13.94.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
210	(Thin film) 3372, 2934, 1754, 1679, 1497, 1239, 1202, 1043, 1004, 972	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2537	¹ H NMR (400 MHz, CDCl ₃) δ 8.35 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.19 (m, 2H), 6.99 – 6.89 (m, 4H), 5.79 – 5.70 (m, 2H), 5.14 (dt, <i>J</i> = 8.3, 4.8 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (qd, <i>J</i> = 6.3, 4.7 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.70 (qt, <i>J</i> = 7.8, 4.7 Hz, 2H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.44 – 1.19 (m, 9H), 0.86 (q, <i>J</i> = 6.3, 4.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.68, 170.25, 162.99, 160.30, 157.86, 145.71, 144.03, 142.59, 129.53, 121.07, 115.89, 109.57, 89.59, 76.19, 73.58, 56.19, 48.28, 31.55, 29.02, 25.03, 22.43, 20.86, 18.55, 15.32, 13.92.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
211	(Thin film) 3388, 2933, 1752, 1677, 1495, 1239, 1201, 1043, 1004, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2541	¹ H NMR (400 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.20 (m, 2H), 7.01 – 6.82 (m, 4H), 5.78 – 5.70 (m, 2H), 5.16 (dt, <i>J</i> = 8.5, 4.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.0 Hz, 1H), 3.90 (s, 3H), 2.07 (s, 3H), 1.79 – 1.57 (m, 2H), 1.51 (d, <i>J</i> = 7.1 Hz, 3H), 1.47 – 1.22 (m, 9H), 0.87 (q, <i>J</i> = 4.0 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.56, 170.24, 163.00, 160.30, 157.68, 145.70, 144.02, 142.59, 129.52, 121.15, 116.12, 109.56, 89.62, 76.53, 74.70, 56.18, 48.27, 31.64, 30.04, 25.11, 22.44, 20.86, 18.63, 15.13, 13.98.
212	(Thin film) 3375, 2985, 1750, 1676, 1498, 1237, 1201, 1003, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₈ , 447.1762; found, 447.1751	¹ H NMR (400 MHz, CDCl ₃) δ 8.32 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.22 (m, 2H), 7.00 – 6.88 (m, 4H), 5.74 (d, <i>J</i> = 1.6 Hz, 2H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.64 (pd, <i>J</i> = 6.4, 4.2 Hz, 1H), 4.40 (dd, <i>J</i> = 11.4, 6.6 Hz, 1H), 4.20 (dd, <i>J</i> = 11.4, 4.2 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.67, 170.26, 163.07, 160.32, 157.72, 145.70, 144.07, 142.43, 129.54, 121.30, 116.17, 109.62, 89.58, 71.71, 67.67, 56.19, 48.13, 20.86, 18.30, 16.79.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
213	(Thin film) 3380, 2958, 1772, 1679, 1507, 1200, 1275	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₇ , 473.2282; found, 473.2267	¹ H NMR (400 MHz, CDCl ₃) δ 8.54 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.29 – 7.20 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.93 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.91 – 6.85 (m, 2H), 5.20 (ddd, <i>J</i> = 10.1, 4.2, 3.0 Hz, 1H), 4.69 (p, <i>J</i> = 7.2 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.1 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 2.09 (s, 1H), 1.73 (ddd, <i>J</i> = 14.2, 10.1, 4.4 Hz, 1H), 1.52 – 1.40 (m, 4H), 1.29 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 (dd, <i>J</i> = 6.6, 3.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.37, 168.90, 162.44, 159.50, 157.80, 149.25, 146.65, 141.59, 137.55, 129.51, 121.19, 116.32, 109.77, 75.27, 56.29, 48.21, 38.77, 24.53, 23.54, 21.69, 20.74, 18.50, 15.53.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
214	(Thin film) 3383, 2967, 1771, 1677, 1507, 1198, 1174	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₇ , 459.2126; found, 459.2096	¹ H NMR (400 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 6.9 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.21 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.93 (tt, <i>J</i> = 7.3, 1.0 Hz, 1H), 6.90 – 6.80 (m, 2H), 5.06 (dd, <i>J</i> = 6.3, 5.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.50 (p, <i>J</i> = 6.2 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 3H), 2.16 – 2.09 (m, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.24, 168.88, 162.49, 159.50, 157.43, 146.68, 141.58, 137.55, 129.53, 121.09, 115.92, 109.79, 80.11, 72.60, 56.29, 48.28, 28.71, 20.73, 19.37, 18.72, 17.01, 15.52.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
215	(Thin film) 3385, 2933, 1772, 1679, 1508, 1200, 1175	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₇ , 487.2439; found, 487.2430	¹ H NMR (400 MHz, CDCl ₃) δ 8.54 (d, <i>J</i> = 7.6 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.29 – 7.22 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.93 (tt, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.91 – 6.85 (m, 2H), 5.14 – 5.08 (m, 1H), 4.71 (p, <i>J</i> = 7.2 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.71 (q, <i>J</i> = 8.1, 7.5 Hz, 2H), 1.50 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (dd, <i>J</i> = 11.2, 7.1 Hz, 9H), 0.87 (q, <i>J</i> = 6.2, 4.9 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.36, 168.90, 162.44, 159.49, 157.76, 146.66, 141.60, 137.54, 129.51, 121.18, 116.27, 109.76, 76.89, 74.80, 56.28, 48.19, 31.57, 29.82, 25.01, 22.44, 20.74, 18.58, 15.60, 13.94.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
216	(Thin film) 3386, 2956, 1771, 1741, 1679, 1510, 1202, 1175	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₇ , 487.2439; found, 487.2428	¹ H NMR (400 MHz, CDCl ₃) δ 8.52 (d, <i>J</i> = 7.9 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.21 (m, 2H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.97 – 6.89 (m, 3H), 5.13 (dt, <i>J</i> = 8.3, 4.8 Hz, 1H), 4.70 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (qd, <i>J</i> = 6.3, 4.8 Hz, 1H), 3.91 (s, 3H), 2.39 (s, 3H), 1.78 – 1.59 (m, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (dd, <i>J</i> = 7.5, 5.1 Hz, 9H), 0.92 – 0.79 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.57, 168.89, 162.41, 159.50, 157.85, 146.66, 141.61, 137.55, 129.54, 121.06, 115.89, 109.76, 76.21, 73.55, 56.29, 48.11, 31.55, 28.99, 25.01, 22.43, 20.74, 18.61, 15.30, 13.93.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
217	(Thin film) 3385, 2933, 1772, 1741, 1679, 1508, 1199, 1175	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₇ , 487.2439; found, 487.2426	¹ H NMR (400 MHz, CDCl ₃) δ 8.61 – 8.48 (m, 1H), 8.31 (d, <i>J</i> = 5.5 Hz, 1H), 7.25 (td, <i>J</i> = 7.3, 1.9 Hz, 2H), 6.99 (d, <i>J</i> = 5.5 Hz, 1H), 6.93 (tt, <i>J</i> = 7.2, 1.1 Hz, 1H), 6.89 – 6.81 (m, 2H), 5.15 (dt, <i>J</i> = 8.6, 4.4 Hz, 1H), 4.74 (p, <i>J</i> = 7.2 Hz, 1H), 4.44 (qd, <i>J</i> = 6.3, 4.2 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.78 – 1.58 (m, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.45 – 1.21 (m, 9H), 0.93 – 0.79 (m, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.44, 168.89, 162.45, 159.48, 157.68, 146.67, 141.59, 137.53, 129.51, 121.15, 116.12, 109.76, 76.56, 74.69, 56.28, 48.11, 31.64, 30.05, 25.08, 22.43, 20.73, 18.70, 15.16, 13.98.
218	(Thin film) 3373, 2982, 1771, 1745, 1678, 1510, 1201, 1176	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₅ N ₂ O ₇ , 417.1656; found, 417.1655	¹ H NMR (400 MHz, CDCl ₃) δ 8.49 (d, <i>J</i> = 8.0 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.21 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.97 – 6.90 (m, 3H), 4.78 – 4.67 (m, 1H), 4.63 (pd, <i>J</i> = 6.4, 4.3 Hz, 1H), 4.40 (dd, <i>J</i> = 11.4, 6.6 Hz, 1H), 4.19 (dd, <i>J</i> = 11.4, 4.4 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.45 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.55, 168.86, 162.50, 159.49, 157.72, 146.65, 141.51, 137.55, 129.54, 121.30, 116.17, 109.80, 71.68, 67.66, 56.29, 47.91, 20.74, 18.42, 16.81.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
219	(Thin film) 3380, 2985, 1770, 1677, 1507, 1199, 1174	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ N ₂ O ₇ , 457.1969; found, 457.1951	¹ H NMR (500 MHz, CDCl ₃) δ 8.53 (s, 1H), 8.35 – 8.28 (m, 1H), 7.26 (ddd, <i>J</i> = 8.6, 6.2, 2.6 Hz, 2H), 6.99 (dd, <i>J</i> = 5.5, 1.1 Hz, 1H), 6.96 – 6.85 (m, 3H), 4.76 – 4.66 (m, 1H), 4.57 (dq, <i>J</i> = 6.8, 5.3, 4.7, 2.4 Hz, 1H), 4.51 (ddd, <i>J</i> = 9.0, 3.6, 1.1 Hz, 1H), 3.90 (d, <i>J</i> = 1.1 Hz, 3H), 2.40 (d, <i>J</i> = 1.2 Hz, 3H), 1.50 (dd, <i>J</i> = 7.2, 1.2 Hz, 3H), 1.39 (dd, <i>J</i> = 6.4, 1.1 Hz, 3H), 1.38 – 1.35 (m, 1H), 1.23 – 1.14 (m, 1H), 0.70 – 0.59 (m, 1H), 0.58 – 0.35 (m, 2H).
220	(Thin film) 3385, 2932, 1771, 1678, 1507, 1200, 1174	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₅ N ₂ O ₇ , 499.2439; found, 499.2425	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.33 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 7.30 – 7.19 (m, 3H), 6.99 (dd, <i>J</i> = 5.5, 1.1 Hz, 1H), 6.96 – 6.90 (m, 1H), 6.88 (d, <i>J</i> = 8.1 Hz, 2H), 4.99 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 – 4.71 (m, 1H), 4.56 (p, <i>J</i> = 6.1 Hz, 1H), 3.90 (d, <i>J</i> = 1.1 Hz, 3H), 2.39 (d, <i>J</i> = 1.1 Hz, 3H), 1.88 – 1.59 (m, 7H), 1.41 (dd, <i>J</i> = 7.1, 1.2 Hz, 3H), 1.26 (dd, <i>J</i> = 6.4, 1.2 Hz, 3H), 1.24 – 1.02 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.71, 168.93, 162.36, 159.43, 157.71, 146.67, 141.56, 137.48, 129.50, 120.91, 115.68, 109.71, 80.41, 72.45, 56.27, 48.05, 38.09, 29.53, 27.54, 26.13, 26.01, 25.87, 20.75, 18.80, 15.90.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
221	(Thin film) 3379, 2929, 1771, 1678, 1507, 1199, 1174	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₅ N ₂ O ₇ , 499.2439; found, 499.2432	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.32 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 7.31 – 7.20 (m, 3H), 7.04 – 6.97 (m, 1H), 6.93 (t, <i>J</i> = 7.3 Hz, 1H), 6.86 (d, <i>J</i> = 8.1 Hz, 2H), 5.07 (t, <i>J</i> = 5.7 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.54 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.40 (d, <i>J</i> = 1.1 Hz, 3H), 1.84 – 1.59 (m, 6H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 1.27 – 1.03 (m, 4H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.15, 168.93, 162.42, 159.46, 157.40, 146.66, 141.52, 137.51, 129.51, 121.05, 115.98, 109.76, 79.46, 72.14, 56.28, 48.23, 38.40, 29.69, 27.43, 26.22, 26.09, 25.85, 20.76, 18.77, 15.23.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
222	(Thin film) 3385, 2970, 1771, 1678, 1504, 1201	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₀ FN ₂ O ₇ , 477.2032; found, 477.2026	¹ H NMR (500 MHz, CDCl ₃) δ 8.56 (s, 1H), 8.32 (dd, <i>J</i> = 5.5, 1.0 Hz, 1H), 7.00 (dd, <i>J</i> = 5.5, 1.1 Hz, 1H), 6.98 – 6.89 (m, 2H), 6.87 – 6.76 (m, 2H), 5.03 (td, <i>J</i> = 5.8, 1.0 Hz, 1H), 4.80 – 4.71 (m, 1H), 4.40 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (d, <i>J</i> = 1.0 Hz, 3H), 2.39 (d, <i>J</i> = 0.9 Hz, 3H), 2.09 (dq, <i>J</i> = 13.3, 6.4 Hz, 1H), 1.56 (dd, <i>J</i> = 7.2, 1.0 Hz, 3H), 1.26 (dd, <i>J</i> = 6.2, 1.1 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (dd, <i>J</i> = 6.8, 1.0 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.26, 168.92, 162.47, 159.48, 157.45 (d, <i>J</i> = 238.9 Hz), 153.47 (d, <i>J</i> = 2.2 Hz), 146.68, 141.48, 137.52, 117.31 (d, <i>J</i> = 7.9 Hz), 115.90 (d, <i>J</i> = 23.1 Hz), 109.79, 79.85, 73.74, 56.29, 48.21, 28.71, 20.75, 19.32, 18.71, 17.20, 15.29. ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 123.25 (tt, <i>J</i> = 8.4, 4.3 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
223	(Thin film) 3378, 2982, 1769, 1674, 1503, 1198	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₄ FN ₂ O ₇ , 435.1562; found, 435.1553	¹ H NMR (500 MHz, CDCl ₃) δ 8.47 (d, <i>J</i> = 8.0 Hz, 1H), 8.31 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 7.00 (dd, <i>J</i> = 5.5, 1.1 Hz, 1H), 6.94 (td, <i>J</i> = 8.7, 8.1, 1.2 Hz, 2H), 6.87 (ddd, <i>J</i> = 9.2, 4.3, 1.1 Hz, 2H), 4.76 – 4.67 (m, 1H), 4.52 (tdd, <i>J</i> = 6.3, 4.5, 1.2 Hz, 1H), 4.35 (ddd, <i>J</i> = 11.4, 6.7, 1.1 Hz, 1H), 4.19 (ddd, <i>J</i> = 11.4, 4.2, 1.1 Hz, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.39 (d, <i>J</i> = 1.1 Hz, 3H), 1.46 (dd, <i>J</i> = 7.2, 1.1 Hz, 3H), 1.31 (dd, <i>J</i> = 6.3, 1.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.53, 168.91, 162.49, 159.47, 157.56 (d, <i>J</i> = 239.0 Hz), 153.79 (d, <i>J</i> = 2.2 Hz), 146.65, 141.38, 137.53, 117.57 (d, <i>J</i> = 8.1 Hz), 115.90 (d, <i>J</i> = 23.0 Hz), 109.82, 72.84, 67.58, 56.30, 47.86, 20.75, 18.40, 16.74. ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 122.95 (tt, <i>J</i> = 8.5, 4.4 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
224	(Thin film) 3379, 2985, 1741, 1675, 1494, 1201, 967	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₁ N ₂ O ₈ , 487.2075; found, 487.2053	¹ H NMR (500 MHz, CDCl ₃) δ 8.34 (d, <i>J</i> = 7.4 Hz, 1H), 8.27 (dd, <i>J</i> = 5.3, 1.0 Hz, 1H), 7.31 – 7.18 (m, 2H), 6.98 – 6.85 (m, 4H), 5.80 – 5.69 (m, 2H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.57 (ddd, <i>J</i> = 15.9, 8.5, 4.5 Hz, 1H), 4.51 (dd, <i>J</i> = 9.2, 3.7 Hz, 1H), 3.91 (d, <i>J</i> = 1.0 Hz, 3H), 2.06 (d, <i>J</i> = 1.0 Hz, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.43 – 1.38 (m, 3H), 1.21 (qt, <i>J</i> = 8.8, 4.9 Hz, 1H), 0.65 (dd, <i>J</i> = 10.9, 6.4 Hz, 1H), 0.59 – 0.47 (m, 1H), 0.42 (d, <i>J</i> = 4.8 Hz, 2H).
225	(Thin film) 3380, 2932, 1752, 1678, 1496, 1240, 1202	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₇ N ₂ O ₈ , 529.2544; found, 529.2540	¹ H NMR (500 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.8 Hz, 1H), 8.28 (dd, <i>J</i> = 5.4, 1.2 Hz, 1H), 7.30 – 7.20 (m, 3H), 6.98 – 6.81 (m, 4H), 5.74 (dd, <i>J</i> = 3.2, 1.2 Hz, 2H), 4.99 (t, <i>J</i> = 6.0 Hz, 1H), 4.85 – 4.73 (m, 1H), 4.61 – 4.52 (m, 1H), 3.91 (d, <i>J</i> = 1.2 Hz, 3H), 2.07 (d, <i>J</i> = 1.2 Hz, 3H), 1.87 – 1.59 (m, 6H), 1.43 (dd, <i>J</i> = 7.2, 1.2 Hz, 3H), 1.27 (dd, <i>J</i> = 6.3, 1.2 Hz, 3H), 1.26 – 1.01 (m, 4H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.82, 170.29, 162.95, 160.25, 157.71, 145.73, 143.97, 142.57, 129.50, 120.92, 115.67, 109.53, 89.58, 80.43, 72.44, 56.18, 48.20, 38.10, 29.53, 29.27, 27.57, 26.13, 26.01, 25.87, 18.70, 15.92.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
226	(Thin film) 3378, 2928, 1751, 1677, 1495, 1202, 971	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₇ N ₂ O ₈ , 529.2544; found, 529.2536	¹ H NMR (500 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 7.31 – 7.20 (m, 2H), 6.94 (ddd, <i>J</i> = 10.7, 6.4, 1.2 Hz, 2H), 6.86 (d, <i>J</i> = 8.0 Hz, 2H), 5.76 (dd, <i>J</i> = 4.3, 1.2 Hz, 2H), 5.07 (td, <i>J</i> = 5.8, 1.1 Hz, 1H), 4.85 – 4.74 (m, 1H), 4.58 – 4.49 (m, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.07 (d, <i>J</i> = 1.1 Hz, 3H), 1.85 – 1.60 (m, 7H), 1.58 (dd, <i>J</i> = 7.2, 1.1 Hz, 3H), 1.29 (dd, <i>J</i> = 6.2, 1.2 Hz, 3H), 1.27 – 1.02 (m, 4H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.29, 170.30, 163.01, 160.29, 157.41, 145.70, 144.05, 142.48, 129.51, 121.07, 115.97, 109.56, 89.62, 79.48, 72.15, 56.18, 48.38, 38.41, 29.73, 27.39, 26.24, 26.10, 25.86, 20.88, 18.70, 15.33.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
227	(Thin film) 3389, 2971, 1747, 1677, 1504, 1203	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₂ FN ₂ O ₈ , 507.2137; found, 507.2126	¹ H NMR (500 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (dd, <i>J</i> = 9.9, 7.0 Hz, 3H), 6.82 (dd, <i>J</i> = 9.1, 4.3 Hz, 2H), 5.74 (d, <i>J</i> = 4.7 Hz, 2H), 4.98 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.43 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.15 – 2.04 (m, 2H), 1.67 – 1.58 (m, 2H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (dd, <i>J</i> = 6.9, 3.0 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.76, 170.29, 162.97, 160.26, 157.33 (d, <i>J</i> = 238.8 Hz), 153.79 (d, <i>J</i> = 2.2 Hz), 145.71, 143.99, 142.51, 116.91 (d, <i>J</i> = 7.8 Hz), 115.88 (d, <i>J</i> = 22.9 Hz), 109.54, 89.56, 80.78, 74.21, 56.18, 48.23, 28.56, 20.88, 19.49, 18.62, 17.10, 15.86. ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 123.48 (tt, <i>J</i> = 8.2, 4.4 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
228	(Thin film) 3379, 2971, 1746, 1675, 1503, 1201, 968	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₂ FN ₂ O ₈ , 507.2137; found, 507.2133	¹ H NMR (500 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 7.02 – 6.89 (m, 3H), 6.82 (ddd, <i>J</i> = 9.0, 4.3, 1.1 Hz, 2H), 5.80 – 5.67 (m, 2H), 5.04 (td, <i>J</i> = 5.8, 1.1 Hz, 1H), 4.79 (pd, <i>J</i> = 7.2, 1.1 Hz, 1H), 4.46 – 4.36 (m, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.12 (dt, <i>J</i> = 13.2, 6.7 Hz, 1H), 2.07 (d, <i>J</i> = 1.1 Hz, 3H), 1.58 (dd, <i>J</i> = 7.2, 1.1 Hz, 3H), 1.28 (dd, <i>J</i> = 6.2, 1.1 Hz, 3H), 0.96 (dd, <i>J</i> = 6.9, 1.1 Hz, 3H), 0.92 (dd, <i>J</i> = 6.8, 1.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.39, 170.30, 163.05, 160.29, 157.45 (d, <i>J</i> = 238.9 Hz), 153.48 (d, <i>J</i> = 2.3 Hz), 145.72, 144.04, 142.45, 117.29 (d, <i>J</i> = 8.1 Hz), 115.91 (d, <i>J</i> = 23.0 Hz), 109.59, 89.59, 79.86, 73.75, 56.19, 48.37, 28.70, 20.88, 19.36, 18.64, 17.12, 15.40. ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 123.24 (tt, <i>J</i> = 8.6, 4.4 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
229	(Thin film) 3377, 2985, 1746, 1674, 1503, 1200, 829	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₆ FN ₂ O ₈ , 465.1668; found, 465.1667	¹ H NMR (500 MHz, CDCl ₃) δ 8.30 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (dd, <i>J</i> = 5.4, 1.1 Hz, 1H), 6.99 – 6.91 (m, 3H), 6.87 (ddd, <i>J</i> = 9.2, 4.3, 1.1 Hz, 2H), 5.77 – 5.69 (m, 2H), 4.73 (pd, <i>J</i> = 7.2, 1.1 Hz, 1H), 4.53 (tt, <i>J</i> = 9.8, 3.1 Hz, 1H), 4.36 (ddd, <i>J</i> = 11.5, 6.8, 1.1 Hz, 1H), 4.20 (ddd, <i>J</i> = 11.4, 4.1, 1.1 Hz, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.07 (d, <i>J</i> = 1.1 Hz, 3H), 1.48 (dd, <i>J</i> = 7.2, 1.1 Hz, 3H), 1.32 (dd, <i>J</i> = 6.3, 1.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.65, 170.30, 163.07, 160.31, 157.56 (d, <i>J</i> = 239.1 Hz), 153.78 (d, <i>J</i> = 2.3 Hz), 145.70, 144.08, 142.28, 117.57 (d, <i>J</i> = 7.9 Hz), 115.89 (d, <i>J</i> = 23.0 Hz), 109.62, 89.55, 72.87, 67.59, 56.20, 48.10, 20.87, 18.26, 16.72. ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 122.94 (tt, <i>J</i> = 8.5, 4.4 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
230	(Thin film) 3388, 2967, 1677, 1494, 1193, 911, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₆ , 429.2020; found, 429.1992	¹ H NMR (400 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 7.7 Hz, 1H), 8.47 (dd, <i>J</i> = 3.8, 2.2 Hz, 1H), 7.54 – 7.45 (m, 2H), 7.33 – 7.20 (m, 2H), 6.94 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.90 – 6.83 (m, 2H), 5.07 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.50 (p, <i>J</i> = 6.1 Hz, 1H), 2.39 (s, 3H), 2.20 – 2.06 (m, 1H), 1.57 (d, <i>J</i> = 7.1 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.22, 169.48, 162.43, 157.44, 147.46, 145.49, 141.20, 132.96, 129.54, 127.42, 121.11, 115.94, 80.18, 72.64, 48.29, 28.73, 21.04, 19.39, 18.74, 17.04, 15.53.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
231	(Thin film) 2979, 1678, 1507, 1201, 911, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₇ , 473.2282; found, 473.2275	¹ H NMR (400 MHz, CDCl ₃) δ 8.56 (d, <i>J</i> = 7.6 Hz, 1H), 8.29 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.21 (m, 2H), 7.00 – 6.90 (m, 2H), 6.90 – 6.83 (m, 2H), 5.06 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (p, <i>J</i> = 6.2 Hz, 1H), 4.13 (q, <i>J</i> = 7.0 Hz, 2H), 2.39 (s, 3H), 2.12 (qd, <i>J</i> = 6.9, 5.3 Hz, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.44 (t, <i>J</i> = 7.0 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.26, 168.85, 162.55, 158.84, 157.45, 146.57, 141.67, 137.66, 129.53, 121.08, 115.94, 110.42, 80.10, 72.63, 64.98, 48.27, 28.72, 20.68, 19.38, 18.76, 17.01, 15.55, 14.28.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
233	(Thin film) 3393, 2969, 1744, 1676, 1494, 1200, 1007, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₇ , 459.2126; found, 459.2114	¹ H NMR (400 MHz, CDCl ₃) δ 8.41 – 8.30 (m, 2H), 7.53 (dd, <i>J</i> = 8.4, 1.3 Hz, 1H), 7.42 (dd, <i>J</i> = 8.4, 4.5 Hz, 1H), 7.32 – 7.20 (m, 2H), 6.94 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.91 – 6.82 (m, 2H), 5.87 – 5.79 (m, 2H), 5.08 (dd, <i>J</i> = 6.4, 5.1 Hz, 1H), 4.84 (p, <i>J</i> = 7.2 Hz, 1H), 4.51 (p, <i>J</i> = 6.2 Hz, 1H), 2.21 – 2.12 (m, 1H), 2.11 (s, 3H), 1.59 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.1 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.45, 169.67, 163.05, 157.44, 153.38, 143.31, 140.47, 129.55, 127.77, 127.09, 121.11, 115.92, 87.50, 80.17, 72.63, 48.43, 28.72, 20.86, 19.42, 18.73, 16.97, 15.65.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
234	(Thin film) 3379, 2979, 1751, 1676, 1495, 1200, 969, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2379	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.25 (d, <i>J</i> = 5.3 Hz, 1H), 7.34 – 7.20 (m, 2H), 6.93 (dd, <i>J</i> = 10.1, 6.4 Hz, 2H), 6.90 – 6.82 (m, 2H), 5.76 (d, <i>J</i> = 1.2 Hz, 2H), 5.07 (dd, <i>J</i> = 6.4, 5.1 Hz, 1H), 4.80 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (p, <i>J</i> = 6.2 Hz, 1H), 4.13 (q, <i>J</i> = 7.0 Hz, 2H), 2.20 – 2.09 (m, 1H), 2.07 (s, 3H), 1.57 (d, <i>J</i> = 7.1 Hz, 3H), 1.48 (t, <i>J</i> = 7.0 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.41, 170.18, 163.12, 159.55, 157.45, 145.61, 143.95, 142.71, 129.54, 121.09, 115.92, 110.27, 89.48, 80.10, 72.64, 64.86, 48.43, 28.71, 20.96, 19.41, 18.69, 16.96, 15.65, 14.37.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
236		HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2541.	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.02 – 6.82 (m, 4H), 5.85 – 5.64 (m, 2H), 5.23 (dd, <i>J</i> = 6.5, 4.5 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.57 (h, <i>J</i> = 6.3 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.71 – 1.49 (m, 3H), 1.48 – 1.13 (m, 10H), 0.92 (td, <i>J</i> = 7.4, 4.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.68, 170.24, 162.95, 160.28, 157.79, 145.71, 143.97, 142.70, 129.51, 120.91, 115.66, 109.52, 89.61, 78.07, 73.44, 56.18, 48.24, 41.46, 22.07, 21.20, 20.86, 18.62, 16.23, 11.52, 11.32.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
237		HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2543.	¹H NMR (400 MHz, CDCl₃) δ 8.40 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.21 (m, 2H), 6.99 – 6.84 (m, 4H), 5.81 – 5.70 (m, 2H), 5.25 (dd, <i>J</i> = 6.8, 4.2 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.54 (p, <i>J</i> = 6.3 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.68 (ddq, <i>J</i> = 7.7, 5.9, 3.8 Hz, 1H), 1.61 – 1.50 (m, 4H), 1.48 – 1.35 (m, 1H), 1.34 – 1.20 (m, 5H), 0.95 (t, <i>J</i> = 7.4 Hz, 3H), 0.85 (t, <i>J</i> = 7.5 Hz, 3H). ¹³C NMR (101 MHz, CDCl₃) δ 172.36, 170.24, 163.05, 160.31, 157.48, 145.69, 144.05, 142.54, 129.54, 121.10, 115.98, 109.60, 89.60, 77.45, 72.67, 56.19, 48.42, 41.64, 22.48, 21.29, 20.86, 18.56, 16.00, 11.60, 11.48.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
238		HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₅ N ₂ O ₈ , 515.2388; found, 515.2384.	¹ H NMR (400 MHz, CDCl ₃) δ 8.40 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 – 7.18 (m, 3H), 7.03 – 6.90 (m, 2H), 6.90 – 6.84 (m, 2H), 5.86 – 5.70 (m, 2H), 5.18 (dd, <i>J</i> = 7.4, 4.7 Hz, 1H), 4.79 (p, <i>J</i> = 7.2 Hz, 1H), 4.47 (qd, <i>J</i> = 6.3, 4.6 Hz, 1H), 3.91 (s, 3H), 2.35 – 2.19 (m, 1H), 2.07 (s, 3H), 1.84 – 1.45 (m, 9H), 1.45 – 1.19 (m, 4H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.33, 170.26, 163.02, 160.32, 157.56, 145.70, 144.04, 142.65, 129.50, 121.10, 116.13, 109.57, 89.64, 78.97, 74.33, 56.19, 48.43, 40.83, 29.14, 28.44, 25.51, 25.01, 20.86, 18.67, 15.18.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
239		ESIMS <i>m/z</i> 515.4 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 7.32 – 7.17 (m, 3H), 6.99 – 6.84 (m, 4H), 5.82 – 5.69 (m, 2H), 5.11 (dd, <i>J</i> = 7.3, 4.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.49 (qd, <i>J</i> = 6.3, 4.8 Hz, 1H), 3.91 (s, 3H), 2.33 (ddt, <i>J</i> = 17.1, 9.5, 7.6 Hz, 1H), 2.07 (s, 3H), 1.83 – 1.49 (m, 5H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.45 – 1.30 (m, 1H), 1.30 – 1.19 (m, 4H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.78, 170.25, 163.01, 160.29, 157.80, 145.72, 144.01, 142.65, 129.53, 120.95, 115.70, 109.56, 89.61, 79.62, 73.79, 56.19, 48.36, 40.20, 29.20, 28.30, 25.32, 25.09, 20.86, 18.64, 16.02.
240	(Thin film) 3383, 2985, 1751, 1675, 1495, 1043, 1004, 972 .	HRMS–ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₉ H ₃₃ N ₂ O ₈ , 537.2231; found, 537.2220.	¹ H NMR (400 MHz, CDCl ₃) δ 8.52 – 8.08 (m, 2H), 7.56 – 7.04 (m, 7H), 7.04 – 6.62 (m, 4H), 5.73 (dd, <i>J</i> = 6.2, 1.8 Hz, 2H), 5.41 – 5.23 (m, 1H), 4.68 (dp, <i>J</i> = 38.3, 7.2 Hz, 1H), 4.47 (dq, <i>J</i> = 8.5, 6.3, 4.5 Hz, 1H), 3.90 (d, <i>J</i> = 3.2 Hz, 3H), 3.17 – 2.93 (m, 2H), 2.05 (d, <i>J</i> = 2.3 Hz, 3H), 1.51 – 1.21 (m, 6H).
241		ESIMS <i>m/z</i> 507.3([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 8.53 – 8.37 (m, 1H), 8.32 (dd, <i>J</i> = 10.2, 5.5 Hz, 1H), 7.32 – 7.10 (m, 6H), 7.05 – 6.76 (m, 4H), 5.41 – 5.21 (m, 1H), 4.82 – 4.39 (m, 2H), 3.98 – 3.80 (m, 3H), 3.19 – 2.89 (m, 2H), 2.39 (d, <i>J</i> = 6.0 Hz, 3H), 1.45 – 1.17 (m, 7H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
242		ESIMS <i>m/z</i> 487.4 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 8.57 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.09 – 6.79 (m, 4H), 5.34 – 5.14 (m, 1H), 4.74 (p, <i>J</i> = 7.2 Hz, 1H), 4.53 (p, <i>J</i> = 6.3 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 3H), 1.67 (ddd, <i>J</i> = 13.3, 7.0, 3.2 Hz, 2H), 1.60 – 1.47 (m, 4H), 1.47 – 1.33 (m, 1H), 1.32 – 1.21 (m, 6H), 0.95 (t, <i>J</i> = 7.4 Hz, 3H), 0.85 (t, <i>J</i> = 7.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.21, 168.85, 162.44, 159.49, 157.46, 146.63, 141.57, 137.55, 129.52, 121.07, 115.97, 109.75, 72.65, 56.27, 48.25, 41.60, 22.43, 21.24, 20.72, 18.64, 15.91, 11.54, 11.44.
243	(Thin film) 3376, 2968, 2937, 2876, 1743, 1677, 1579, 1503, 1454, 1437, 1341, 1310, 1201, 1151, 1102, 1043, 1004, 970, 830, 701	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2382	¹ H NMR (500 MHz, CDCl ₃) δ 8.29 – 8.21 (m, 2H), 7.28 – 7.15 (m, 5H), 6.93 (d, <i>J</i> = 5.4 Hz, 1H), 5.76 – 5.68 (m, 2H), 5.20 (dt, <i>J</i> = 9.5, 4.3 Hz, 1H), 4.63 (p, <i>J</i> = 7.2 Hz, 1H), 3.90 (s, 3H), 3.55 – 3.49 (m, 1H), 3.44 (qt, <i>J</i> = 9.1, 6.6 Hz, 2H), 3.05 (dd, <i>J</i> = 14.4, 4.1 Hz, 1H), 2.91 (dd, <i>J</i> = 14.3, 9.4 Hz, 1H), 2.06 (s, 3H), 1.62 – 1.53 (m, 2H), 1.22 (d, <i>J</i> = 7.2 Hz, 3H), 1.20 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.21, 170.29, 162.88, 160.24, 145.69, 143.96, 142.52, 137.46, 129.36, 128.30, 126.45, 109.51, 89.57, 77.71, 75.94, 71.27, 56.17, 48.16, 35.96, 23.27, 20.88, 18.26, 16.13, 10.69 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
244	(Thin film) 3378, 2933, 2870, 1742, 1677, 1578, 1503, 1454, 1437, 1310, 1200, 1179, 1150, 1101, 1043, 1003, 970, 930, 744, 701	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₉ N ₂ O ₈ , 531.2701; found, 531.2696	¹ H NMR (500 MHz, CDCl ₃) δ 8.29 – 8.21 (m, 2H), 7.30 – 7.14 (m, 5H), 6.93 (d, <i>J</i> = 5.4 Hz, 1H), 5.78 – 5.69 (m, 2H), 5.20 (dt, <i>J</i> = 9.1, 4.3 Hz, 1H), 4.63 (p, <i>J</i> = 7.2 Hz, 1H), 3.90 (s, 3H), 3.56 – 3.40 (m, 3H), 3.05 (dd, <i>J</i> = 14.3, 4.0 Hz, 1H), 2.90 (dd, <i>J</i> = 14.3, 9.5 Hz, 1H), 2.06 (s, 3H), 1.61 – 1.49 (m, 2H), 1.36 – 1.30 (m, 4H), 1.22 (d, <i>J</i> = 7.2 Hz, 3H), 1.19 (d, <i>J</i> = 6.4 Hz, 3H), 0.93 – 0.87 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.21, 170.29, 162.87, 160.25, 145.68, 143.97, 142.51, 137.46, 129.37, 128.30, 126.45, 109.51, 89.58, 77.70, 75.97, 69.67, 56.17, 48.17, 36.00, 29.76, 28.38, 22.52, 20.88, 18.27, 16.14, 14.06 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
245	(Thin film) 3379, 2957, 2872, 1743, 1677, 1579, 1503, 1454, 1437, 1341, 1310, 1236, 1201, 1180, 1150, 1101, 1043, 1004, 970, 830, 746, 701	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₇ N ₂ O ₈ , 517.2544; found, 517.2541	¹ H NMR (500 MHz, CDCl ₃) δ 8.27 – 8.22 (m, 2H), 7.28 – 7.15 (m, 5H), 6.93 (d, <i>J</i> = 5.4 Hz, 1H), 5.77 – 5.70 (m, 2H), 5.20 (dt, <i>J</i> = 9.5, 4.3 Hz, 1H), 4.62 (p, <i>J</i> = 7.2 Hz, 1H), 3.90 (s, 3H), 3.51 (qd, <i>J</i> = 6.4, 4.6 Hz, 1H), 3.27 (dd, <i>J</i> = 8.9, 6.4 Hz, 1H), 3.21 (dd, <i>J</i> = 8.9, 6.7 Hz, 1H), 3.06 (dd, <i>J</i> = 14.4, 4.1 Hz, 1H), 2.90 (dd, <i>J</i> = 14.4, 9.5 Hz, 1H), 2.06 (s, 3H), 1.82 (dp, <i>J</i> = 13.3, 6.6 Hz, 1H), 1.22 (d, <i>J</i> = 7.2 Hz, 3H), 1.19 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 – 0.80 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.18, 170.29, 162.86, 160.25, 145.68, 143.96, 142.52, 137.49, 129.37, 128.29, 126.44, 109.50, 89.58, 77.75, 76.43, 76.14, 56.17, 48.16, 36.02, 28.81, 20.88, 19.45, 19.39, 18.27, 16.03

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
246	(Thin film) 3377, 2963, 2874, 1743, 1677, 1579, 1504, 1462, 1339, 1310, 1236, 1202, 1180, 1158, 1100, 1043, 1004, 970, 830	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₇ N ₂ O ₈ , 469.2544; found, 469.2543	¹ H NMR (500 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.79 – 5.70 (m, 2H), 4.88 (dd, <i>J</i> = 6.3, 5.2 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.48 (p, <i>J</i> = 6.2 Hz, 1H), 3.26 (dd, <i>J</i> = 8.7, 6.3 Hz, 1H), 3.12 (dd, <i>J</i> = 8.7, 6.8 Hz, 1H), 2.13 – 2.03 (m, 4H), 1.83 – 1.71 (m, 1H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 4.6 Hz, 3H), 0.91 (d, <i>J</i> = 4.7 Hz, 3H), 0.88 (d, <i>J</i> = 3.0 Hz, 3H), 0.87 (d, <i>J</i> = 3.1 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.43, 170.31, 162.95, 160.27, 145.70, 144.00, 142.55, 109.51, 89.62, 80.29, 75.92, 74.44, 56.17, 48.39, 28.76, 28.47, 20.89, 19.47, 19.44, 19.38, 18.77, 17.02, 15.46 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
247	(Thin film) 3378, 2964, 2937, 2876, 1741, 1676, 1579, 1504, 1459, 1437, 1338, 1310, 1236, 1201, 1179, 1156, 1100, 1042, 1004, 968, 941, 830	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₃₅ N ₂ O ₈ , 455.2388; found, 455.2387	¹ H NMR (500 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.81 – 5.70 (m, 2H), 4.88 (dd, <i>J</i> = 6.1, 5.4 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.50 (p, <i>J</i> = 6.3 Hz, 1H), 3.44 (dt, <i>J</i> = 8.9, 6.5 Hz, 1H), 3.35 (dt, <i>J</i> = 8.9, 6.7 Hz, 1H), 2.11 – 2.03 (m, 4H), 1.57 – 1.49 (m, 5H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 – 0.86 (m, 9H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.45, 170.31, 162.96, 160.27, 145.70, 144.00, 142.56, 109.51, 89.62, 80.18, 74.27, 70.67, 56.17, 48.39, 28.51, 23.23, 20.89, 19.45, 18.77, 17.13, 15.52, 10.67 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
248	(Thin film) 3386, 2968, 2879, 1755, 1679, 1580, 1507, 1453, 1311, 1252, 1233, 1204, 1181, 1151, 1102, 1042, 1031, 1005, 972, 831	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₄ F ₃ N ₂ O ₈ , 523.2262; found, 523.2262	¹ H NMR (500 MHz, CDCl ₃) δ 8.40 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 5.80 – 5.71 (m, 2H), 4.87 (t, <i>J</i> = 5.8 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.56 – 3.44 (m, 3H), 2.21 – 2.10 (m, 2H), 2.07 (s, 3H), 2.00 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.80 – 1.70 (m, 2H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.49, 170.30, 162.98, 160.29, 145.70, 144.03, 142.47, 131.30 – 123.76 (m), 109.54, 89.62, 79.79, 74.72, 66.96, 56.18, 48.34, 30.73 (q, <i>J</i> = 28.9 Hz), 28.58, 22.73 (q, <i>J</i> = 2.7 Hz), 20.88, 19.34, 18.69, 17.48, 15.15

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
249	(Thin film) 3378, 2965, 2875, 1742, 1677, 1579, 1504, 1454, 1367, 1339, 1310, 1236, 1202, 1180, 1155, 1102, 1004, 970, 830, 746, 700	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₉ N ₂ O ₈ , 531.2701; found, 531.2697	¹ H NMR (500 MHz, CDCl ₃) δ 8.43 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.23 (m, 2H), 7.20 – 7.13 (m, 3H), 6.93 (d, <i>J</i> = 5.4 Hz, 1H), 5.80 – 5.67 (m, 2H), 4.89 (t, <i>J</i> = 5.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.55 – 3.38 (m, 3H), 2.72 – 2.58 (m, 2H), 2.12 – 2.03 (m, 4H), 1.84 (tt, <i>J</i> = 7.7, 6.2 Hz, 2H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.13 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 – 0.86 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.48, 170.30, 162.95, 160.27, 145.69, 144.01, 142.52, 142.06, 128.45, 128.26, 125.68, 109.51, 89.62, 80.16, 74.41, 68.05, 56.17, 48.39, 32.39, 31.64, 28.54, 20.89, 19.45, 18.78, 17.27, 15.42 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
250	(Thin film) 3381, 2962, 2874, 1772, 1739, 1677, 1590, 1571, 1507, 1455, 1435, 1339, 1310, 1276, 1199, 1174, 1099, 1062, 905, 825, 801	ESIMS <i>m/z</i> 439.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 4.87 (dd, <i>J</i> = 6.2, 5.4 Hz, 1H), 4.77 – 4.69 (m, 1H), 3.91 (s, 3H), 3.47 (p, <i>J</i> = 6.2 Hz, 1H), 3.25 (dd, <i>J</i> = 8.7, 6.3 Hz, 1H), 3.12 (dd, <i>J</i> = 8.7, 6.8 Hz, 1H), 2.40 (s, 3H), 2.07 (pd, <i>J</i> = 6.9, 5.3 Hz, 1H), 1.77 (dp, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 – 0.85 (m, 12H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.29, 168.93, 162.36, 159.43, 146.65, 141.58, 137.46, 109.70, 80.27, 75.91, 74.44, 56.27, 48.24, 28.75, 28.47, 20.75, 19.43, 18.84, 17.07, 15.38 .
251	(Thin film) 3386, 2967, 2878, 1772, 1739, 1678, 1591, 1572, 1507, 1481, 1453, 1310, 1232, 1199, 1175, 1151, 1100, 1062, 1029, 905, 828	ESIMS <i>m/z</i> 493.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.56 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 4.86 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.78 – 4.69 (m, 1H), 3.91 (s, 3H), 3.55 – 3.42 (m, 3H), 2.39 (s, 3H), 2.20 – 2.08 (m, 2H), 2.03 – 1.94 (m, 1H), 1.79 – 1.73 (m, 2H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.11 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.37, 168.95, 162.40, 159.46, 146.66, 141.52, 137.51, 127.32 (q, <i>J</i> = 276.1 Hz), 109.75, 79.77, 74.72, 66.95, 56.29, 48.19, 30.73 (q, <i>J</i> = 28.9 Hz), 28.59, 22.73 (q, <i>J</i> = 3.1 Hz), 20.74, 19.31, 18.77, 17.57, 15.07 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
252	(Thin film) 3383, 2965, 2939, 2875, 1771, 1738, 1677, 1571, 1506, 1453, 1435, 1339, 1310, 1198, 1174, 1100, 1061, 1041, 907, 826, 738, 699	ESIMS <i>m/z</i> 501.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.25 (d, <i>J</i> = 12.0 Hz, 2H), 7.21 – 7.13 (m, 3H), 6.99 (d, <i>J</i> = 5.4 Hz, 1H), 4.89 (t, <i>J</i> = 5.8 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 3.90 (s, 3H), 3.53 – 3.37 (m, 3H), 2.71 – 2.60 (m, 2H), 2.39 (d, <i>J</i> = 0.9 Hz, 3H), 2.04 (qd, <i>J</i> = 6.9, 5.7 Hz, 1H), 1.88 – 1.79 (m, 2H), 1.54 (d, <i>J</i> = 7.1 Hz, 3H), 1.11 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 4.3 Hz, 3H), 0.90 (d, <i>J</i> = 4.6 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.36, 168.96, 162.40, 159.44, 146.67, 142.07, 141.56, 137.48, 128.46, 128.26, 125.67, 109.72, 80.15, 74.42, 68.05, 56.28, 48.25, 32.37, 31.62, 28.56, 20.75, 19.40, 18.83, 17.35, 15.32

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
253	(Thin film) 3380, 2970, 1741, 1676, 1504, 1457, 1437, 1368, 1339, 1310, 1236, 1201, 1180, 1154, 1101, 1042, 1003, 969, 830, 736	ESIMS <i>m/z</i> 467.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.78 – 5.72 (m, 2H), 4.94 (dq, <i>J</i> = 2.2, 1.1 Hz, 1H), 4.91 (t, <i>J</i> = 5.7 Hz, 1H), 4.87 – 4.83 (m, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 3.96 – 3.90 (m, 4H), 3.84 (d, <i>J</i> = 12.3 Hz, 1H), 3.58 (p, <i>J</i> = 6.2 Hz, 1H), 2.11 – 2.02 (m, 4H), 1.72 (t, <i>J</i> = 1.1 Hz, 3H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.15 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 – 0.88 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.46, 170.31, 162.95, 160.27, 145.70, 144.00, 142.55, 142.37, 112.08, 109.52, 89.62, 80.04, 73.63, 72.69, 56.17, 48.39, 28.58, 20.89, 19.60, 19.43, 18.76, 17.34, 15.26 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
254	(Thin film) 3379, 2968, 1740, 1675, 1579, 1504, 1458, 1437, 1339, 1310, 1201, 1179, 1154, 1099, 1061, 1041, 1003, 968, 940, 830, 737	ESIMS <i>m/z</i> 453.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.87 (ddt, <i>J</i> = 17.2, 10.4, 5.6 Hz, 1H), 5.79 – 5.71 (m, 2H), 5.25 (dq, <i>J</i> = 17.2, 1.7 Hz, 1H), 5.14 (dq, <i>J</i> = 10.4, 1.4 Hz, 1H), 4.90 (t, <i>J</i> = 5.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.07 – 3.94 (m, 2H), 3.91 (s, 3H), 3.60 (p, <i>J</i> = 6.2 Hz, 1H), 2.09 – 2.01 (m, 4H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.14 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 – 0.87 (m, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.47, 170.31, 162.96, 160.27, 145.70, 144.00, 142.56, 134.94, 116.77, 109.52, 89.62, 80.00, 73.60, 69.66, 56.18, 48.39, 28.56, 20.89, 19.41, 18.75, 17.36, 15.33 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
255	(Thin film) 3380, 2970, 1742, 1676, 1579, 1505, 1457, 1438, 1368, 1308, 1263, 1202, 1108, 1042, 1003, 964, 829, 737	ESIMS <i>m/z</i> 521.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.38 (ddq, <i>J</i> = 15.7, 4.0, 2.0 Hz, 1H), 5.88 (dqt, <i>J</i> = 15.3, 6.6, 2.2 Hz, 1H), 5.76 (d, <i>J</i> = 6.4 Hz, 1H), 5.73 (d, <i>J</i> = 6.4 Hz, 1H), 4.91 (dd, <i>J</i> = 6.3, 5.1 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 4.14 – 4.06 (m, 2H), 3.91 (s, 3H), 3.62 (qd, <i>J</i> = 6.3, 5.1 Hz, 1H), 2.07 (s, 3H), 2.02 (h, <i>J</i> = 6.8 Hz, 1H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.17 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H), 0.92 (d, <i>J</i> = 6.9 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.49, 170.30, 163.00, 160.29, 145.71, 144.03, 142.45, 136.71 (d, <i>J</i> = 6.5 Hz), 127.29 – 119.33 (m), 118.35 (q, <i>J</i> = 34.0 Hz), 109.56, 89.60, 79.61, 75.05, 66.51, 56.18, 48.35, 28.62, 20.88, 19.32, 18.64, 17.66, 15.05

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
256	(Thin film) 3378, 2970, 1771, 1739, 1678, 1507, 1437, 1368, 1308, 1263, 1199, 1175, 1109, 1062, 960, 827	ESIMS <i>m/z</i> 491.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.55 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.37 (ddq, <i>J</i> = 15.7, 4.0, 2.0 Hz, 1H), 5.88 (dqt, <i>J</i> = 15.4, 6.6, 2.2 Hz, 1H), 4.90 (dd, <i>J</i> = 6.5, 5.1 Hz, 1H), 4.78 – 4.69 (m, 1H), 4.13 – 4.07 (m, 2H), 3.91 (s, 3H), 3.61 (qd, <i>J</i> = 6.3, 5.0 Hz, 1H), 2.39 (s, 3H), 2.05 – 1.95 (m, 1H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.16 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.36, 168.94, 162.42, 159.46, 146.67, 141.49, 137.51, 136.70 (q, <i>J</i> = 6.2 Hz), 126.66 – 119.76 (m), 118.36 (q, <i>J</i> = 33.9 Hz), 109.76, 79.58, 75.04, 66.49, 56.29, 48.19, 28.63, 20.74, 19.29, 18.72, 17.72, 14.98 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
257	(Thin film) 3386, 2960, 2873, 1739, 1676, 1579, 1503, 1460, 1437, 1201, 1179, 1063, 1042, 1003, 967, 941, 830, 736	ESIMS <i>m/z</i> 469.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.40 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.76 (d, <i>J</i> = 6.4 Hz, 1H), 5.74 (d, <i>J</i> = 6.5 Hz, 1H), 4.83 – 4.74 (m, 2H), 3.91 (s, 3H), 3.54 (qd, <i>J</i> = 6.3, 5.0 Hz, 1H), 3.28 (dd, <i>J</i> = 8.7, 6.4 Hz, 1H), 3.04 (dd, <i>J</i> = 8.7, 6.7 Hz, 1H), 2.07 (s, 4H), 1.79 (dt, <i>J</i> = 13.3, 6.7 Hz, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.11 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.91 – 0.84 (m, 9H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.70, 170.30, 162.93, 160.25, 145.72, 143.96, 142.66, 109.49, 89.60, 81.82, 75.93, 74.56, 56.17, 48.27, 28.81, 28.46, 20.89, 19.48, 19.45, 18.78, 17.61, 15.56 .
258	(Thin film) 2975, 1737, 1675, 1497, 1455, 1202, 1175, 940, 736	ESIMS <i>m/z</i> 455.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.40 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.79 – 5.69 (m, 2H), 4.85 – 4.68 (m, 2H), 3.91 (s, 3H), 3.60 – 3.53 (m, 1H), 3.49 (dt, <i>J</i> = 9.0, 6.6 Hz, 1H), 3.25 (dt, <i>J</i> = 8.9, 6.8 Hz, 1H), 2.10 – 2.01 (m, 4H), 1.55 (s, 2H), 1.12 (d, <i>J</i> = 6.4 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.91 – 0.87 (m, 6H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
259	(Thin film) 2975, 2879, 1737, 1677, 1580, 1502, 1454, 1202, 1150, 1062, 1040, 1003, 969, 831, 736	ESIMS <i>m/z</i> 523.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.8 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.77 – 5.70 (m, 2H), 4.84 – 4.72 (m, 2H), 3.91 (s, 3H), 3.61 – 3.53 (m, 2H), 3.34 (dt, <i>J</i> = 9.2, 6.1 Hz, 1H), 2.21 – 2.10 (m, 2H), 2.07 (s, 3H), 2.02 (dt, <i>J</i> = 13.5, 6.7 Hz, 1H), 1.83 – 1.72 (m, 2H), 1.55 (d, <i>J</i> = 7.8 Hz, 3H), 1.12 (d, <i>J</i> = 6.4 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H), 0.89 (d, <i>J</i> = 6.7 Hz, 3H).
260	(Thin film) 3371, 2983, 1743, 1496, 1200, 1003, 971, 700	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₁ N ₂ O ₈ , 523.2075; found, 523.2070	¹ H NMR (400 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.8 Hz, 1H), 8.25 (d, <i>J</i> = 5.4 Hz, 1H), 7.45 – 7.18 (m, 7H), 6.97 – 6.91 (m, 2H), 6.89 – 6.82 (m, 2H), 5.96 (d, <i>J</i> = 4.4 Hz, 1H), 5.80 – 5.71 (m, 2H), 4.85 (p, <i>J</i> = 7.3 Hz, 1H), 4.67 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.90 (s, 3H), 2.06 (s, 3H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.64, 170.25, 163.07, 160.31, 157.70, 145.68, 144.06, 142.50, 136.76, 129.49, 128.32, 128.25, 127.19, 121.37, 116.45, 109.60, 89.61, 78.19, 76.10, 56.19, 48.15, 20.85, 18.29, 15.40.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
261	(Thin film) 3374, 2984, 1747, 1677, 1496, 1201, 1003, 972	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₁ N ₂ O ₈ , 523.2075; found, 523.2066	¹ H NMR (400 MHz, CDCl ₃) δ 8.30 (d, <i>J</i> = 7.8 Hz, 1H), 8.25 (d, <i>J</i> = 5.4 Hz, 1H), 7.43 – 7.30 (m, 5H), 7.30 – 7.21 (m, 2H), 6.99 – 6.90 (m, 4H), 5.96 (d, <i>J</i> = 6.8 Hz, 1H), 5.78 – 5.67 (m, 2H), 4.72 (dp, <i>J</i> = 22.6, 6.8, 6.4 Hz, 2H), 3.91 (s, 3H), 2.05 (s, 3H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.16 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.77, 170.25, 162.97, 160.29, 158.06, 145.67, 144.03, 142.59, 136.54, 129.54, 128.53, 128.47, 127.43, 121.27, 116.18, 109.56, 89.61, 78.88, 75.46, 56.18, 48.11, 20.85, 18.25, 16.18.
262	(Thin film) 3373, 2984, 1739, 1675, 1496, 1202, 970	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₈ , 461.1918; found, 461.1913	¹ H NMR (400 MHz, CDCl ₃) δ 8.34 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 – 7.21 (m, 2H), 7.00 – 6.87 (m, 4H), 5.74 (d, <i>J</i> = 0.8 Hz, 2H), 5.19 (p, <i>J</i> = 6.4 Hz, 1H), 4.71 (p, <i>J</i> = 7.3 Hz, 1H), 4.45 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.5 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.41, 170.25, 163.03, 160.31, 157.82, 145.71, 144.03, 142.59, 129.54, 121.07, 115.82, 109.57, 89.60, 74.55, 72.97, 56.18, 48.28, 20.86, 18.47, 15.28, 15.23.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
263	(Thin film) 3371, 2984, 1739, 1675, 1495, 1202, 1004, 969, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₈ , 461.1918; found, 461.1915	¹ H NMR (400 MHz, CDCl ₃) δ 8.32 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.21 (m, 2H), 6.97 – 6.87 (m, 4H), 5.83 – 5.69 (m, 2H), 5.09 (qd, <i>J</i> = 6.4, 4.3 Hz, 1H), 4.70 (p, <i>J</i> = 7.2 Hz, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.2 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.35 (d, <i>J</i> = 6.4 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H).
264	(Thin film) 3381, 2975, 1741, 1676, 1507, 1203, 1150, 970, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₁ F ₂ N ₂ O ₈ , 525.2043; found, 525.2038	¹ H NMR (400 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 7.06 – 6.92 (m, 2H), 6.71 (ddd, <i>J</i> = 9.7, 6.6, 3.0 Hz, 1H), 6.61 (ddt, <i>J</i> = 8.8, 7.5, 3.1 Hz, 1H), 5.84 – 5.69 (m, 2H), 5.09 (t, <i>J</i> = 5.7 Hz, 1H), 4.80 (p, <i>J</i> = 7.2 Hz, 1H), 4.47 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.17 – 2.02 (m, 4H), 1.58 (d, <i>J</i> = 7.1 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (dd, <i>J</i> = 10.3, 6.8 Hz, 6H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 116.83 (d, <i>J</i> = 15.1 Hz), -138.23 (dd, <i>J</i> = 15.0, 1.3 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
265	(Thin film) 3388, 2974, 1741, 1676, 1506, 1325, 1161, 1111, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₂ F ₃ N ₂ O ₈ , 557.2105; found, 557.2103	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.52 (d, <i>J</i> = 8.6 Hz, 2H), 6.94 (dd, <i>J</i> = 10.8, 7.0 Hz, 3H), 5.83 – 5.70 (m, 2H), 5.07 (t, <i>J</i> = 5.8 Hz, 1H), 4.80 (p, <i>J</i> = 7.3 Hz, 1H), 4.58 (p, <i>J</i> = 6.1 Hz, 1H), 3.92 (s, 3H), 2.07 (s, 4H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 61.56 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
266	(Thin film) 3381, 2969, 1742, 1676, 1488, 1201, 1133, 968, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₂ FN ₂ O ₈ , 507.2137; found, 507.2133	¹ H NMR (400 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.20 (td, <i>J</i> = 8.3, 6.8 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.75 – 6.54 (m, 3H), 5.76 (d, <i>J</i> = 3.0 Hz, 2H), 5.06 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 (p, <i>J</i> = 7.2 Hz, 1H), 4.48 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.16 – 2.04 (m, 4H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.37, 167.57 (d, <i>J</i> = 538.8 Hz), 163.08, 162.46, 160.33, 158.80 (d, <i>J</i> = 11.0 Hz), 145.72, 144.07, 142.56, 130.30 (d, <i>J</i> = 10.1 Hz), 111.40 (d, <i>J</i> = 2.9 Hz), 109.61, 107.90 (d, <i>J</i> = 21.3 Hz), 103.52 (d, <i>J</i> = 24.5 Hz), 89.62, 79.80, 73.07, 56.19, 48.40, 28.75, 20.86, 19.35, 18.61, 17.09, 15.39. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 111.60 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
267	(Thin film) 3377, 2967, 1751, 1676, 1497, 1201, 1003, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₄ ClN ₂ O ₈ , 537.1998; found, 537.1993	¹ H NMR (400 MHz, CDCl ₃) δ 8.43 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.15 (d, <i>J</i> = 2.1 Hz, 1H), 7.01 – 6.90 (m, 2H), 6.83 (d, <i>J</i> = 8.4 Hz, 1H), 5.80 – 5.70 (m, 2H), 5.12 (t, <i>J</i> = 5.7 Hz, 1H), 4.81 (p, <i>J</i> = 7.3 Hz, 1H), 4.47 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.26 (s, 3H), 2.24 – 2.12 (m, 1H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.38, 170.25, 163.04, 160.31, 150.80, 145.70, 144.04, 142.60, 131.84, 130.98, 128.04, 124.11, 115.94, 109.57, 89.63, 79.96, 74.53, 56.18, 48.42, 28.71, 20.87, 20.30, 19.39, 18.64, 17.25, 15.40.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
268	(Thin film) 3375, 2967, 1748, 1676, 1478, 1201, 970, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₁ Cl ₂ N ₂ O ₈ , 557.1452; found, 557.1447	¹ H NMR (400 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 7.34 (d, <i>J</i> = 2.6 Hz, 1H), 7.16 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.87 (d, <i>J</i> = 8.8 Hz, 1H), 5.81 – 5.70 (m, 2H), 5.10 (t, <i>J</i> = 5.7 Hz, 1H), 4.81 (p, <i>J</i> = 7.2 Hz, 1H), 4.50 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.14 (td, <i>J</i> = 13.4, 12.5, 5.8 Hz, 1H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.37, 170.24, 163.06, 160.31, 151.86, 145.70, 144.05, 142.50, 130.28, 127.54, 126.33, 125.22, 116.27, 109.61, 89.60, 79.61, 74.80, 56.19, 48.37, 28.72, 20.87, 19.34, 18.56, 17.37, 15.19.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
269	(Thin film) 3376, 2980, 1752, 1676, 1506, 1142, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₁ ClFN ₂ O ₈ , 541.1747; found, 541.1740	¹ H NMR (400 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 6.96 (d, <i>J</i> = 5.4 Hz, 1H), 6.71 – 6.63 (m, 2H), 6.50 (dt, <i>J</i> = 10.5, 2.2 Hz, 1H), 5.80 – 5.70 (m, 2H), 5.04 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 (p, <i>J</i> = 7.3 Hz, 1H), 4.46 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.14 – 2.00 (m, 4H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.35, 170.25, 163.40 (d, <i>J</i> = 248.0 Hz), 163.11, 160.34, 159.01 (d, <i>J</i> = 12.4 Hz), 145.73, 144.09, 142.49, 135.47 (d, <i>J</i> = 13.5 Hz), 112.13 (d, <i>J</i> = 3.2 Hz), 109.64, 109.02 (d, <i>J</i> = 25.3 Hz), 102.08 (d, <i>J</i> = 24.8 Hz), 89.61, 79.49, 73.51, 56.20, 48.37, 28.77, 20.86, 19.29, 18.52, 17.21, 15.15. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 109.98 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
270	(Thin film) 3376, 2970, 1751, 1676, 1505, 1201, 1003, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₂ ClN ₂ O ₈ , 523.1842; found, 523.1839	¹ H NMR (400 MHz, CDCl ₃) δ 8.39 (d, <i>J</i> = 7.6 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.18 (t, <i>J</i> = 8.1 Hz, 1H), 6.98 – 6.82 (m, 3H), 6.76 (ddd, <i>J</i> = 8.3, 2.5, 0.9 Hz, 1H), 5.80 – 5.72 (m, 2H), 5.05 (t, <i>J</i> = 5.8 Hz, 1H), 4.80 (pd, <i>J</i> = 7.2, 2.5 Hz, 1H), 4.54 – 4.43 (m, 1H), 3.91 (s, 3H), 2.17 – 2.03 (m, 4H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.1 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.37, 170.25, 163.08, 160.32, 158.19, 145.72, 144.06, 134.93, 130.33, 129.54, 121.28, 116.27, 114.12, 109.61, 89.61, 79.81, 73.07, 56.19, 48.40, 28.74, 20.86, 19.35, 18.60, 17.10, 15.37.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
271	(Thin film) 3375, 2972, 1750, 1676, 1505, 1201, 1040, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₉ , 519.2337; found, 519.2335	¹ H NMR (400 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.88 – 6.77 (m, 4H), 5.79 – 5.68 (m, 2H), 4.97 (t, <i>J</i> = 5.7 Hz, 1H), 4.79 (p, <i>J</i> = 7.2 Hz, 1H), 4.39 (h, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 3.76 (s, 3H), 2.13 (dq, <i>J</i> = 12.6, 6.8, 5.9 Hz, 1H), 2.07 (s, 3H), 1.46 (d, <i>J</i> = 7.1 Hz, 3H), 1.24 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (dd, <i>J</i> = 6.8, 5.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.81, 170.23, 162.99, 160.27, 154.11, 151.81, 145.71, 143.97, 142.67, 117.18, 114.69, 109.55, 89.58, 81.03, 74.32, 56.18, 55.69, 48.29, 28.60, 20.86, 19.52, 18.68, 17.21, 16.01.
272	(Thin film) 3377, 2967, 1745, 1675, 1505, 1201, 968, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₉ , 519.2337; found, 519.2335	¹ H NMR (400 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.88 – 6.77 (m, 4H), 5.88 – 5.69 (m, 2H), 5.04 (t, <i>J</i> = 5.7 Hz, 1H), 4.80 (p, <i>J</i> = 7.2 Hz, 1H), 4.37 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 3.76 (s, 3H), 2.19 – 2.09 (m, 1H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.1 Hz, 3H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (d, <i>J</i> = 7.0 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.39, 170.24, 163.06, 160.31, 154.25, 151.50, 145.72, 144.03, 142.59, 117.51, 114.72, 109.60, 89.60, 80.15, 73.97, 56.19, 55.69, 48.43, 28.72, 20.86, 19.42, 18.68, 17.06, 15.66.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
273	(Thin film) 3376, 2983, 1747, 1674, 1505, 1201, 1003, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₉ , 477.1868; found, 477.1865	¹ H NMR (400 MHz, CDCl ₃) δ 8.33 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.92 – 6.84 (m, 2H), 6.84 – 6.78 (m, 2H), 5.80 – 5.69 (m, 2H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.36 (dd, <i>J</i> = 11.4, 6.6 Hz, 1H), 4.20 (dd, <i>J</i> = 11.4, 4.1 Hz, 1H), 3.91 (s, 3H), 3.76 (s, 3H), 2.07 (s, 3H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.67, 170.26, 163.07, 160.31, 154.43, 151.72, 145.70, 144.06, 142.43, 117.87, 114.70, 109.62, 89.57, 73.11, 67.71, 56.19, 55.69, 48.14, 20.85, 18.34, 16.86.
274	(Thin film) 3387, 2968, 1770, 1676, 1508, 1195, 909, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ F ₂ N ₂ O ₇ , 495.1937; found, 495.1935	¹ H NMR (400 MHz, CDCl ₃) δ 8.55 (d, <i>J</i> = 7.6 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 6.99 (dq, <i>J</i> = 8.9, 5.7, 5.3 Hz, 2H), 6.70 (ddd, <i>J</i> = 9.7, 6.6, 2.9 Hz, 1H), 6.61 (ddt, <i>J</i> = 8.8, 7.6, 3.2 Hz, 1H), 5.08 (t, <i>J</i> = 5.7 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.46 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.39 (s, 3H), 2.15 – 2.05 (m, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.2 Hz, 3H), 0.95 (dd, <i>J</i> = 11.9, 6.8 Hz, 6H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 116.83 (d, <i>J</i> = 15.1 Hz), -138.18 (dd, <i>J</i> = 15.0, 1.3 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
275	(Thin film) 3387, 2969, 1771, 1676, 1511, 1110, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₀ F ₃ N ₂ O ₇ , 527.2000; found, 527.1997	¹ H NMR (400 MHz, CDCl ₃) δ 8.54 (d, <i>J</i> = 7.7 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.59 – 7.46 (m, 2H), 7.01 (d, <i>J</i> = 5.4 Hz, 1H), 6.92 (d, <i>J</i> = 8.6 Hz, 2H), 5.06 (t, <i>J</i> = 5.8 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.57 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.40 (s, 3H), 2.14 – 2.03 (m, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.31 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 61.54 .
276	(Thin film) 3384, 2968, 1770, 1588, 1507, 1140, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ ClFN ₂ O ₇ , 511.1642; found, 511.1634	¹ H NMR (400 MHz, CDCl ₃) δ 8.63 – 8.43 (m, 1H), 8.33 (d, <i>J</i> = 5.5 Hz, 1H), 7.01 (d, <i>J</i> = 5.5 Hz, 1H), 6.73 – 6.61 (m, 2H), 6.50 (dq, <i>J</i> = 10.4, 2.6, 2.2 Hz, 1H), 5.03 (t, <i>J</i> = 5.8 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 4.45 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.40 (s, 3H), 2.06 (dq, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 109.97 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
277	(Thin film) 3377, 2984, 1769, 1674, 1494, 1173, 907, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₂₉ N ₂ O ₇ , 493.1969; found, 493.1965	¹ H NMR (400 MHz, CDCl ₃) δ 8.55 (s, 1H), 8.30 (d, <i>J</i> = 5.4 Hz, 1H), 7.43 – 7.19 (m, 7H), 6.99 (d, <i>J</i> = 5.3 Hz, 1H), 6.93 (t, <i>J</i> = 7.3 Hz, 1H), 6.89 – 6.83 (m, 2H), 5.95 (d, <i>J</i> = 4.5 Hz, 1H), 4.82 (p, <i>J</i> = 7.3 Hz, 1H), 4.66 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.90 (s, 3H), 2.41 (s, 3H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.52, 168.88, 162.49, 159.49, 157.68, 146.64, 141.52, 137.57, 136.75, 129.49, 128.33, 128.23, 127.14, 121.37, 116.45, 109.80, 78.16, 76.12, 56.28, 47.96, 20.75, 18.39, 15.31.
278	(Thin film) 2940, 1770, 1676, 1495, 1193, 908, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₂₉ N ₂ O ₇ , 493.1969; found, 493.1963	¹ H NMR (400 MHz, CDCl ₃) δ 8.48 (d, <i>J</i> = 8.1 Hz, 1H), 8.29 (d, <i>J</i> = 5.4 Hz, 1H), 7.42 – 7.20 (m, 7H), 7.03 – 6.90 (m, 4H), 5.95 (d, <i>J</i> = 6.9 Hz, 1H), 4.70 (dp, <i>J</i> = 15.4, 6.8, 6.4 Hz, 2H), 3.90 (s, 3H), 2.39 (s, 3H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.15 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.66, 168.88, 162.39, 159.47, 158.04, 146.62, 136.50, 129.54, 128.52, 128.46, 128.10, 127.42, 127.39, 121.26, 116.18, 109.75, 78.93, 75.43, 56.28, 47.90, 20.74, 18.32, 16.16.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
279	(Thin film) 2988, 1771, 1676, 1493, 1179, 1040, 910, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₇ , 431.1813; found, 431.1809	¹ H NMR (400 MHz, CDCl ₃) δ 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.19 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.98 – 6.87 (m, 3H), 5.09 (qd, <i>J</i> = 6.4, 4.3 Hz, 1H), 4.68 (p, <i>J</i> = 7.3 Hz, 1H), 4.43 (qd, <i>J</i> = 6.3, 4.3 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.5 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.07, 168.88, 162.47, 159.48, 157.88, 146.66, 141.59, 137.53, 129.51, 121.24, 116.38, 109.78, 75.51, 73.82, 56.28, 48.07, 20.74, 18.42, 15.75, 15.14.
280	(Thin film) 3380, 2967, 1771, 1676, 1478, 1197, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ Cl ₂ N ₂ O ₇ , 527.1346; found, 527.1344	¹ H NMR (400 MHz, CDCl ₃) δ 8.56 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 (d, <i>J</i> = 2.6 Hz, 1H), 7.15 (dd, <i>J</i> = 8.8, 2.6 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.86 (d, <i>J</i> = 8.8 Hz, 1H), 5.09 (t, <i>J</i> = 5.7 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.49 (p, <i>J</i> = 6.1 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 2.15 – 2.06 (m, 1H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (d, <i>J</i> = 6.8 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.23, 168.85, 162.49, 159.50, 151.86, 146.67, 141.55, 137.55, 130.28, 127.53, 126.32, 125.24, 116.30, 109.81, 79.60, 74.79, 56.29, 48.22, 28.73, 20.73, 19.30, 18.60, 17.43, 15.08.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
281	(Thin film) 3380, 2967, 1771, 1676, 1508, 1195, 909, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₀ ClN ₂ O ₇ , 493.1736; found, 493.1733	¹ H NMR (400 MHz, CDCl ₃) δ 8.55 (d, <i>J</i> = 7.3 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.23 (m, 1H), 7.17 (t, <i>J</i> = 8.1 Hz, 1H), 7.01 (t, <i>J</i> = 5.6 Hz, 1H), 6.96 – 6.83 (m, 2H), 6.75 (ddd, <i>J</i> = 8.4, 2.5, 0.9 Hz, 1H), 5.04 (t, <i>J</i> = 5.8 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.51 – 4.44 (m, 1H), 3.91 (s, 3H), 2.40 (s, 2H), 2.13 – 2.03 (m, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.21, 168.86, 162.48, 159.50, 158.17, 146.66, 137.56, 134.90, 130.31, 129.52, 121.26, 116.21, 114.16, 109.79, 79.80, 73.04, 56.28, 48.23, 28.73, 20.72, 19.30, 18.64, 17.11, 15.27.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
282	(Thin film) 3387, 2967, 1771, 1677, 1506, 1199, 910, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2230	¹ H NMR (400 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 7.3 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.86 – 6.76 (m, 4H), 5.03 (t, <i>J</i> = 5.7 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.36 (p, <i>J</i> = 6.1 Hz, 1H), 3.90 (s, 3H), 3.75 (s, 3H), 2.39 (s, 3H), 2.17 – 2.06 (m, 1H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.25 (d, <i>J</i> = 6.2 Hz, 3H), 0.93 (dd, <i>J</i> = 13.1, 6.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.25, 168.86, 162.48, 159.50, 154.24, 151.49, 146.68, 141.59, 137.54, 117.52, 114.71, 109.80, 80.13, 73.95, 56.28, 55.68, 48.28, 28.72, 20.73, 19.38, 18.73, 17.10, 15.56.
283	(Thin film) 3378, 2941, 1770, 1675, 1505, 1198, 829, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₈ , 447.1762; found, 447.1754	¹ H NMR (400 MHz, CDCl ₃) δ 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 6.87 (td, <i>J</i> = 6.3, 2.5 Hz, 2H), 6.83 – 6.76 (m, 2H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.48 (pd, <i>J</i> = 6.4, 4.2 Hz, 1H), 4.36 (dd, <i>J</i> = 11.4, 6.5 Hz, 1H), 4.18 (dd, <i>J</i> = 11.4, 4.2 Hz, 1H), 3.90 (s, 3H), 3.76 (s, 3H), 2.39 (s, 3H), 1.47 (d, <i>J</i> = 7.1 Hz, 3H), 1.30 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.55, 168.87, 162.49, 159.49, 154.43, 151.73, 146.65, 141.51, 137.55, 117.88, 114.71, 109.81, 73.09, 67.71, 56.29, 55.70, 47.92, 20.74, 18.47, 16.89.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
285	(Thin film) 3370, 2978, 1709, 1493, 1239, 1160, 751, 693	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₄ H ₃₁ NNaO ₅ , 436.2094; found, 436.2066	¹ H NMR (400 MHz, CDCl ₃) δ 7.30 – 7.23 (m, 4H), 7.23 – 7.17 (m, 3H), 6.98 – 6.91 (m, 1H), 6.85 (d, <i>J</i> = 8.1 Hz, 2H), 5.33 (dt, <i>J</i> = 9.1, 4.7 Hz, 1H), 4.92 (d, <i>J</i> = 7.8 Hz, 1H), 4.55 – 4.40 (m, 1H), 4.21 (p, <i>J</i> = 7.3 Hz, 1H), 3.11 (dd, <i>J</i> = 14.3, 4.6 Hz, 1H), 2.98 (dd, <i>J</i> = 14.3, 8.8 Hz, 1H), 1.42 (s, 9H), 1.35 (d, <i>J</i> = 6.3 Hz, 3H), 1.10 (d, <i>J</i> = 7.2 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.66, 157.53, 154.96, 136.84, 129.54, 129.43, 128.39, 126.65, 121.28, 116.20, 79.70, 76.94, 74.12, 49.30, 36.29, 28.32, 18.40, 15.72.
286	(Thin film) 3369, 2980, 1705, 1492, 1238, 1160, 733	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₇ NNaO ₅ , 372.1781; found, 372.1752	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.22 (m, 2H), 6.95 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.92 – 6.88 (m, 2H), 5.94 (ddd, <i>J</i> = 17.3, 10.6, 6.6 Hz, 1H), 5.47 – 5.28 (m, 3H), 5.01 (d, <i>J</i> = 8.0 Hz, 1H), 4.52 (qd, <i>J</i> = 6.4, 3.8 Hz, 1H), 4.32 (t, <i>J</i> = 7.6 Hz, 1H), 1.44 (s, 9H), 1.35 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.27, 157.82, 155.07, 132.06, 129.52, 121.41, 119.41, 116.52, 79.75, 77.31, 75.06, 49.39, 28.34, 18.51, 15.56.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
287	(Thin film) 3364, 2980, 1710, 1493, 1240, 1162, 1067, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₇ NNaO ₅ , 372.1781; found, 372.1761	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.21 (m, 2H), 6.98 – 6.88 (m, 3H), 5.89 (ddd, <i>J</i> = 17.2, 10.6, 6.3 Hz, 1H), 5.49 (tt, <i>J</i> = 6.3, 1.2 Hz, 1H), 5.45 – 5.29 (m, 2H), 5.07 (d, <i>J</i> = 7.9 Hz, 1H), 4.49 (p, <i>J</i> = 6.2 Hz, 1H), 4.39 – 4.25 (m, 1H), 1.43 (s, 9H), 1.29 (app t, <i>J</i> = 6.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.52, 157.70, 155.01, 131.81, 129.56, 121.21, 119.51, 115.85, 79.77, 76.85, 74.01, 49.38, 28.33, 18.70, 15.67.
288	(Thin film) 3356, 2976, 1711, 1496, 1206, 1164	ESIMS <i>m/z</i> 420.3 ([M+Na] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 6.81 (ddd, <i>J</i> = 21.3, 8.6, 3.1 Hz, 2H), 6.72 (dd, <i>J</i> = 8.9, 4.6 Hz, 1H), 5.08 (d, <i>J</i> = 7.5 Hz, 1H), 4.97 (t, <i>J</i> = 5.7 Hz, 1H), 4.46 (p, <i>J</i> = 6.1 Hz, 1H), 4.35 (t, <i>J</i> = 7.5 Hz, 1H), 2.20 – 2.06 (m, 4H), 1.43 (s, 9H), 1.29 (d, <i>J</i> = 7.2 Hz, 3H), 1.22 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (app dd, <i>J</i> = 6.8, 5.6 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.21, 156.78 (d, <i>J</i> = 238.1 Hz), 155.02, 151.54 (d, <i>J</i> = 2.2 Hz), 129.59 (d, <i>J</i> = 7.6 Hz), 117.53 (d, <i>J</i> = 22.7 Hz), 112.71 (d, <i>J</i> = 8.4 Hz), 112.36 (d, <i>J</i> = 22.7 Hz), 80.85, 79.72, 73.52, 49.41, 28.66, 28.31, 19.40, 18.71, 17.26, 16.42 (d, <i>J</i> = 1.2 Hz), 15.84. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.33 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
289	(Thin film) 3347, 2977, 1710, 1496, 1207, 1165, 736	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₂ FNNaO ₅ , 420.2157; found, 420.2156	¹ H NMR (400 MHz, CDCl ₃) δ 6.88 – 6.75 (m, 2H), 6.71 (dd, <i>J</i> = 8.9, 4.6 Hz, 1H), 5.16 – 4.98 (m, 2H), 4.50 – 4.27 (m, 2H), 2.14 (s, 3H), 2.08 (dt, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.48 – 1.41 (m, 12H), 1.26 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (d, <i>J</i> = 6.9 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.98, 156.94 (d, <i>J</i> = 238.5 Hz), 155.06, 151.40 (d, <i>J</i> = 2.2 Hz), 129.85 (d, <i>J</i> = 7.7 Hz), 117.60 (d, <i>J</i> = 22.7 Hz), 113.27 (d, <i>J</i> = 8.5 Hz), 112.39 (d, <i>J</i> = 22.7 Hz), 80.02, 79.79, 73.29, 49.52, 28.87, 28.35, 19.33, 18.93, 17.45, 16.55, 15.06. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.10 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
290	(Thin film) 3358, 2979, 1705, 1495, 1203, 1159, 1068	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₂₆ FNNaO ₅ , 378.1687; found, 378.1683	¹ H NMR (400 MHz, CDCl ₃) δ 6.88 – 6.77 (m, 3H), 5.00 (d, <i>J</i> = 7.3 Hz, 1H), 4.50 (pd, <i>J</i> = 6.3, 4.0 Hz, 1H), 4.41 – 4.25 (m, 2H), 4.19 (dd, <i>J</i> = 11.4, 4.1 Hz, 1H), 2.19 (s, 3H), 1.44 (s, 9H), 1.33 (app t, <i>J</i> = 6.9 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.21, 157.24 (d, <i>J</i> = 239.0 Hz), 155.06, 151.87 (d, <i>J</i> = 2.3 Hz), 130.10 (d, <i>J</i> = 7.6 Hz), 117.48 (d, <i>J</i> = 22.6 Hz), 114.96 (d, <i>J</i> = 8.6 Hz), 112.59 (d, <i>J</i> = 22.8 Hz), 79.90, 73.04, 67.63, 49.26, 28.33, 18.55, 16.88, 16.41. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.30 .
291	(Thin film) 3372, 2975, 1712, 1509, 1238, 1164, 910, 735	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₅ , 402.2251; found, 402.2217	¹ H NMR (400 MHz, CDCl ₃) δ 7.06 (dd, <i>J</i> = 8.9, 2.8 Hz, 2H), 6.80 – 6.74 (m, 2H), 5.09 (d, <i>J</i> = 8.0 Hz, 1H), 4.93 (t, <i>J</i> = 5.8 Hz, 1H), 4.46 (p, <i>J</i> = 6.2 Hz, 1H), 4.35 (q, <i>J</i> = 7.3 Hz, 1H), 2.27 (d, <i>J</i> = 2.3 Hz, 3H), 2.11 (h, <i>J</i> = 6.6 Hz, 1H), 1.44 (d, <i>J</i> = 5.9 Hz, 9H), 1.31 (d, <i>J</i> = 7.2 Hz, 3H), 1.23 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (d, <i>J</i> = 5.2 Hz, 3H), 0.94 (d, <i>J</i> = 5.1 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.37, 155.61, 130.25, 129.97, 115.95, 115.64, 80.93, 79.68, 73.25, 49.43, 28.60, 28.35, 20.45, 19.44, 18.89, 17.27, 15.95.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
292	(Thin film) 3371, 2975, 1711, 1508, 1236, 1163, 1064, 733	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₅ , 402.2251; found, 402.2275	¹ H NMR (400 MHz, CDCl ₃) δ 7.06 (d, <i>J</i> = 8.3 Hz, 2H), 6.80 – 6.74 (m, 2H), 5.09 (d, <i>J</i> = 8.0 Hz, 1H), 5.01 (t, <i>J</i> = 5.8 Hz, 1H), 4.44 (p, <i>J</i> = 6.2 Hz, 1H), 4.35 (q, <i>J</i> = 7.3 Hz, 1H), 2.27 (s, 3H), 2.16 – 2.05 (m, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.2 Hz, 3H), 0.94 (d, <i>J</i> = 6.9 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.91, 155.32, 155.08, 130.42, 129.99, 115.95, 79.92, 79.73, 72.91, 49.59, 28.72, 28.35, 20.48, 19.35, 18.85, 17.08, 15.55.
293	(Thin film) 3362, 2979, 1702, 1508, 1233, 1161, 1067, 735	ESIMS <i>m/z</i> 360.3 ([M+Na] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 7.07 (d, <i>J</i> = 8.3 Hz, 2H), 6.85 – 6.79 (m, 2H), 5.02 (d, <i>J</i> = 7.9 Hz, 1H), 4.55 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.40 – 4.22 (m, 2H), 4.16 (dd, <i>J</i> = 11.4, 4.2 Hz, 1H), 2.28 (s, 3H), 1.44 (s, 9H), 1.37 – 1.29 (m, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.21, 155.57, 155.07, 130.70, 130.00, 116.23, 79.84, 72.03, 67.62, 49.28, 28.34, 20.48, 18.62, 16.79.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
294	(Thin film) 3365, 2976, 1711, 1493, 1239, 1161, 1057, 751, 692	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₉ NNaO ₅ , 374.1938; found, 374.1948	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.21 (m, 2H), 6.94 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.91 – 6.85 (m, 2H), 5.02 (dt, <i>J</i> = 8.6, 4.5 Hz, 2H), 4.45 (qd, <i>J</i> = 6.3, 4.6 Hz, 1H), 4.32 (q, <i>J</i> = 7.5 Hz, 1H), 1.84 – 1.67 (m, 2H), 1.45 (s, 9H), 1.38 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.98, 157.82, 155.06, 129.52, 121.21, 116.26, 79.73, 77.98, 74.52, 49.53, 28.34, 22.93, 18.71, 15.71, 9.79.
295	(Thin film) 3362, 2976, 1711, 1493, 1240, 1162, 1066, 752, 692	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₉ NNaO ₅ , 374.1938; found, 374.1948	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.22 (m, 2H), 6.98 – 6.85 (m, 3H), 5.14 – 5.01 (m, 2H), 4.51 – 4.40 (m, 1H), 4.38 – 4.24 (m, 1H), 1.84 – 1.61 (m, 2H), 1.44 (s, 9H), 1.31 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.4 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 173.29, 157.79, 155.07, 129.55, 121.03, 115.70, 79.75, 77.56, 73.54, 49.42, 28.35, 22.70, 18.79, 15.50, 9.70.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
296	(Thin film) 3371, 2979, 1711, 1493, 1234, 1160, 1053, 752, 691	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₄ H ₃₁ NNaO ₆ , 452.2044; found, 452.2003	¹ H NMR (400 MHz, CDCl ₃) δ 7.31 – 7.20 (m, 4H), 6.98 – 6.84 (m, 6H), 5.38 (td, <i>J</i> = 5.9, 3.8 Hz, 1H), 5.04 (d, <i>J</i> = 7.9 Hz, 1H), 4.72 (p, <i>J</i> = 6.2 Hz, 1H), 4.40 – 4.18 (m, 3H), 1.43 (s, 9H), 1.39 (d, <i>J</i> = 6.4 Hz, 3H), 1.35 (d, <i>J</i> = 7.2 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.87, 158.44, 157.43, 155.03, 129.59, 129.49, 121.54, 121.23, 116.32, 114.66, 79.85, 74.93, 72.68, 65.99, 49.43, 28.32, 18.58, 16.16.
297	(Thin film) 3354, 2979, 1712, 1493, 1239, 1162, 1067, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₂₉ NNaO ₆ , 390.1887; found, 390.1896	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.23 (m, 2H), 6.96 (td, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.93 – 6.87 (m, 2H), 5.19 (td, <i>J</i> = 5.5, 4.4 Hz, 1H), 5.05 (d, <i>J</i> = 7.9 Hz, 1H), 4.61 (p, <i>J</i> = 6.2 Hz, 1H), 4.43 – 4.22 (m, 1H), 3.68 – 3.57 (m, 2H), 3.32 (s, 3H), 1.45 (s, 9H), 1.39 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.82, 157.56, 155.05, 129.55, 121.38, 116.27, 79.79, 75.12, 72.53, 70.67, 59.12, 49.44, 28.34, 18.67, 15.97.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
298	(Thin film) 3362, 2978, 1712, 1493, 1163, 1067, 752, 694	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₅ H ₃₃ NNaO ₆ , 466.2200; found, 466.2197	¹ H NMR (400 MHz, CDCl ₃) δ 7.34 – 7.22 (m, 7H), 6.95 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.91 – 6.86 (m, 2H), 5.27 – 5.20 (m, 1H), 5.13 – 4.92 (m, 1H), 4.65 (p, <i>J</i> = 6.2 Hz, 1H), 4.56 – 4.42 (m, 2H), 4.33 (q, <i>J</i> = 7.3 Hz, 1H), 3.72 (d, <i>J</i> = 4.8 Hz, 2H), 1.44 (s, 9H), 1.37 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.78, 157.55, 155.01, 137.82, 129.54, 128.36, 127.68, 127.60, 121.34, 116.22, 79.79, 75.22, 73.26, 72.44, 68.16, 49.40, 28.34, 18.70, 15.97.
299	(Thin film) 3371, 2981, 1708, 1494, 1156, 1069, 753	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₂₅ F ₂ NNaO ₅ , 396.1593; found, 396.1589	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.26 (m, 2H), 7.00 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.93 – 6.88 (m, 2H), 6.08 (td, <i>J</i> = 54.4, 2.9 Hz, 1H), 5.29 (dtd, <i>J</i> = 17.2, 6.4, 2.9 Hz, 1H), 5.02 (d, <i>J</i> = 7.6 Hz, 1H), 4.71 – 4.59 (m, 1H), 4.47 – 4.31 (m, 1H), 1.45 (s, 9H), 1.43 (d, <i>J</i> = 7.3 Hz, 3H), 1.37 (dd, <i>J</i> = 6.3, 1.2 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 129.76 (d, <i>J</i> = 292.4 Hz), -132.83 (d, <i>J</i> = 292.5 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
300	(Thin film) 3362, 2976, 1710, 1493, 1239, 1161, 1051, 752, 733	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₁ H ₃₃ NNaO ₆ , 418.2200; found, 418.2203	¹ H NMR (400 MHz, CDCl ₃) δ 7.32 – 7.23 (m, 2H), 6.99 – 6.85 (m, 3H), 5.19 (td, <i>J</i> = 5.6, 4.4 Hz, 1H), 5.06 (d, <i>J</i> = 7.8 Hz, 1H), 4.62 (p, <i>J</i> = 6.2 Hz, 1H), 4.41 – 4.24 (m, 1H), 3.65 (h, <i>J</i> = 6.1 Hz, 2H), 3.36 (ddt, <i>J</i> = 31.1, 9.1, 6.6 Hz, 2H), 1.53 (h, <i>J</i> = 7.1 Hz, 2H), 1.45 (s, 9H), 1.39 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H), 0.87 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.78, 157.63, 155.03, 129.52, 121.31, 116.26, 79.76, 75.25, 73.09, 72.60, 68.64, 49.41, 28.35, 22.83, 18.74, 15.93, 10.50.
301	(Thin film) 3370, 2956, 1713, 1494, 1240, 1163, 1053, 752	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₂₃ H ₃₇ NNaO ₆ , 446.2513; found, 446.2503	¹ H NMR (400 MHz, CDCl ₃) δ 7.33 – 7.22 (m, 2H), 6.95 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.92 – 6.85 (m, 2H), 5.18 (q, <i>J</i> = 5.2 Hz, 1H), 5.05 (d, <i>J</i> = 7.8 Hz, 1H), 4.62 (p, <i>J</i> = 6.2 Hz, 1H), 4.41 – 4.24 (m, 1H), 3.70 – 3.59 (m, 2H), 3.42 (ddt, <i>J</i> = 30.8, 9.3, 6.7 Hz, 2H), 1.71 – 1.57 (m, 1H), 1.45 (s, 9H), 1.40 – 1.36 (m, 4H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H), 0.85 (dd, <i>J</i> = 6.6, 5.4 Hz, 7H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.78, 157.62, 155.03, 129.51, 121.30, 116.23, 79.78, 75.27, 72.55, 69.91, 68.70, 49.40, 38.43, 28.35, 25.00, 22.60, 22.56, 18.74, 15.92.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
302	(Thin film) 3361, 2973, 2876, 1711, 1497, 1453, 1366, 1207, 1163, 1064, 734, 697	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₃₄ NO ₅ , 380.2431; found, 380.2427	¹ H NMR (500 MHz, CDCl ₃) δ 7.37 – 7.24 (m, 5H), 5.13 – 5.05 (m, 1H), 4.94 (t, <i>J</i> = 5.8 Hz, 1H), 4.57 – 4.50 (m, 2H), 4.39 – 4.28 (m, 1H), 3.69 – 3.58 (m, 1H), 2.05 (h, <i>J</i> = 6.7 Hz, 1H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.18 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 – 0.85 (m, 6H).
303	(Thin film) 3372, 2962, 2874, 1716, 1502, 1454, 1366, 1168, 735	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₃₇ NO ₅ Na, 382.2564; found, 382.2563	¹ H NMR (500 MHz, CDCl ₃) δ 5.09 (d, <i>J</i> = 7.7 Hz, 1H), 4.84 (t, <i>J</i> = 5.8 Hz, 1H), 4.39 – 4.26 (m, 1H), 3.53 – 3.45 (m, 2H), 3.41 (dt, <i>J</i> = 9.0, 6.8 Hz, 1H), 2.03 (dq, <i>J</i> = 13.5, 6.8 Hz, 1H), 1.72 – 1.62 (m, 1H), 1.50 – 1.35 (m, 14H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.93 – 0.86 (m, 12H).
304	(Thin film) 3365, 2963, 2934, 2874, 1716, 1501, 1454, 1366, 1210, 1168, 1065	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₃₇ NO ₅ Na, 382.2564; found, 382.2561	¹ H NMR (500 MHz, CDCl ₃) δ 5.09 (d, <i>J</i> = 7.3 Hz, 1H), 4.85 (t, <i>J</i> = 5.9 Hz, 1H), 4.39 – 4.20 (m, 1H), 3.52 – 3.34 (m, 3H), 2.09 – 1.95 (m, 1H), 1.56 – 1.47 (m, 2H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.1 Hz, 3H), 1.34 – 1.26 (m, 4H), 1.11 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 – 0.86 (m, 9H).
305	(Thin film) 3356, 2974, 2936, 2877, 1713, 1501, 1454, 1366, 1165, 1065	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₃ NO ₅ Na, 366.2251; found, 366.2249	¹ H NMR (500 MHz, CDCl ₃) δ 5.09 (d, <i>J</i> = 7.8 Hz, 1H), 4.86 (t, <i>J</i> = 5.8 Hz, 1H), 4.38 – 4.29 (m, 1H), 3.55 (p, <i>J</i> = 6.2 Hz, 1H), 3.32 (dd, <i>J</i> = 10.0, 6.7 Hz, 1H), 3.26 (dd, <i>J</i> = 10.0, 6.9 Hz, 1H), 2.11 – 1.98 (m, 1H), 1.44 (s, 9H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 1.06 – 0.95 (m, 1H), 0.95 – 0.87 (m, 6H), 0.52 – 0.48 (m, 2H), 0.21 – 0.15 (m, 2H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
306		ESIMS <i>m/z</i> 358.3 ([M+H] ⁺)	¹ H NMR (400 MHz, CDCl ₃) δ 5.09 (d, <i>J</i> = 7.8 Hz, 1H), 4.85 (t, <i>J</i> = 5.9 Hz, 1H), 4.41 – 4.26 (m, 1H), 3.53 – 3.33 (m, 3H), 2.49 (hept, <i>J</i> = 7.3 Hz, 1H), 2.08 – 1.95 (m, 3H), 1.95 – 1.79 (m, 2H), 1.76 – 1.65 (m, 2H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.1 Hz, 3H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.91 (d, <i>J</i> = 5.5 Hz, 3H), 0.89 (d, <i>J</i> = 5.6 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.92, 155.02, 79.92, 77.20, 74.33, 73.43, 49.55, 35.28, 28.56, 28.32, 24.99, 24.89, 19.34, 18.98, 18.54, 17.25, 15.37.
307	(Thin film) 3362, 2963, 2934, 2875, 1715, 1501, 1454, 1366, 1166, 1101, 1066	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₈ H ₃₅ NO ₅ Na, 368.2407; found, 368.2405	¹ H NMR (500 MHz, CDCl ₃) δ 5.08 (d, <i>J</i> = 7.4 Hz, 1H), 4.85 (t, <i>J</i> = 5.9 Hz, 1H), 4.37 – 4.28 (m, 1H), 3.52 – 3.35 (m, 3H), 2.08 – 1.95 (m, 1H), 1.55 – 1.46 (m, 2H), 1.44 (s, 9H), 1.41 (d, <i>J</i> = 7.2 Hz, 3H), 1.39 – 1.30 (m, 2H), 1.11 (d, <i>J</i> = 6.2 Hz, 3H), 0.93 – 0.87 (m, 9H).
308	(Thin film) 3356, 2974, 2932, 2877, 1715, 1501, 1454, 1366, 1166, 1104, 1065	HRMS-ESI (<i>m/z</i>) ([M+Na] ⁺) calcd for C ₁₉ H ₃₅ NO ₅ Na, 380.2407; found, 380.2407	¹ H NMR (500 MHz, CDCl ₃) δ 5.08 (d, <i>J</i> = 7.7 Hz, 1H), 4.86 (t, <i>J</i> = 5.8 Hz, 1H), 4.33 (t, <i>J</i> = 7.4 Hz, 1H), 3.57 – 3.42 (m, 3H), 2.04 (h, <i>J</i> = 6.8 Hz, 1H), 1.44 (s, 9H), 1.42 – 1.34 (m, 5H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.90 (t, <i>J</i> = 6.5 Hz, 6H), 0.76 – 0.66 (m, 1H), 0.45 – 0.36 (m, 2H), 0.06 – 0.01 (m, 2H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
309		ESIMS <i>m/z</i> 314.2 ([M+H] ⁺)	
310		ESIMS <i>m/z</i> 298.2 ([M+H] ⁺)	
311		ESIMS <i>m/z</i> 298.2 ([M+H] ⁺)	
312		ESIMS <i>m/z</i> 256.2 ([M+H] ⁺)	
313		ESIMS <i>m/z</i> 280.2 ([M+H] ⁺)	
314		ESIMS <i>m/z</i> 280.2 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
315		ESIMS <i>m/z</i> 238.2 ([M+H] ⁺)	
316		ESIMS <i>m/z</i> 252.2 ([M+H] ⁺)	
317		ESIMS <i>m/z</i> 252.2 ([M+H] ⁺)	
318		ESIMS <i>m/z</i> 250.2 ([M+H] ⁺)	
319		ESIMS <i>m/z</i> 250.2 ([M+H] ⁺)	
320		ESIMS <i>m/z</i> 330.2 ([M+H] ⁺)	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
321		ESIMS <i>m/z</i> 268.2 ([M+H] ⁺)	
322		ESIMS <i>m/z</i> 344.2 ([M+H] ⁺)	
323		ESIMS <i>m/z</i> 274.1 ([M+H] ⁺)	
324		ESIMS <i>m/z</i> 296.2 ([M+H] ⁺)	
325		ESIMS <i>m/z</i> 324.2 ([M+H] ⁺)	
326	(Thin film) 3392, 2964, 2876, 1743, 1602, 1496, 1453, 1374, 1236, 1206, 1099, 1026, 911, 736, 697	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₆ H ₂₆ NO ₃ , 280.1907; found, 280.1897	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
327	(Thin film) 3394, 2956, 2871, 1744, 1598, 1513, 1464, 1368, 1235, 1207, 1117, 1101, 910	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₃₀ NO ₃ , 260.2220; found, 260.2197	
328	(Thin film) 3396, 2959, 2932, 2873, 1744, 1622, 1515, 1460, 1377, 1237, 1209, 1102, 912, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₃₀ NO ₃ , 260.2220; found, 260.2213	
329	(Thin film) 3387, 2966, 1743, 1627, 1521, 1461, 1388, 1239, 1211, 1117, 1040, 911	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₆ NO ₃ , 244.1907; found, 244.1901	
330	(Thin film) 3396, 2966, 2934, 2874, 1744, 1598, 1515, 1465, 1240, 1207, 1103, 911, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₂₈ NO ₃ , 258.2064; found, 258.2056	

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
331	(Thin film) 3389, 2960, 2933, 2873, 1744, 1599, 1513, 1462, 1378, 1236, 1207, 1116, 1101, 910, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₃ H ₂₈ NO ₃ , 246.2064; found, 246.2061	
332	(Thin film) 3395, 2964, 2931, 1744, 1620, 1515, 1461, 1377, 1237, 1209, 1103, 912, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₁₄ H ₂₈ NO ₃ , 258.2064; found, 258.2053	
333	(Thin film) 3369, 2980, 1741, 1649, 1528, 1453, 1240, 752	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₂₉ N ₂ O ₆ , 465.2020; found, 465.1996	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.35 (d, <i>J</i> = 7.9 Hz, 1H), 7.96 (d, <i>J</i> = 5.1 Hz, 1H), 7.32 – 7.14 (m, 6H), 6.95 (td, <i>J</i> = 7.3, 1.1 Hz, 1H), 6.90 – 6.83 (m, 3H), 5.36 (dt, <i>J</i> = 9.0, 4.5 Hz, 1H), 4.59 (p, <i>J</i> = 7.3 Hz, 1H), 4.51 (qd, <i>J</i> = 6.3, 4.6 Hz, 1H), 3.93 (s, 3H), 3.13 (dd, <i>J</i> = 14.3, 4.5 Hz, 1H), 3.03 (dd, <i>J</i> = 14.3, 9.0 Hz, 1H), 2.02 – 1.85 (m, 1H), 1.36 (d, <i>J</i> = 6.3 Hz, 3H), 1.27 (d, <i>J</i> = 7.2 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.54, 168.68, 157.56, 155.38, 148.79, 140.43, 136.76, 130.47, 129.56, 129.40, 128.41, 126.70, 121.35, 116.24, 109.48, 77.45, 74.16, 56.07, 47.95, 36.05, 17.94, 15.78.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
334	(Thin film) 3371, 2968, 1743, 1651, 1497, 1207, 802	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₀ FN ₂ O ₆ , 449.2082; found, 449.2074	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.48 (d, <i>J</i> = 8.0 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 6.89 – 6.68 (m, 4H), 5.02 (t, <i>J</i> = 5.6 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.48 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 2.20 – 2.08 (m, 4H), 1.48 (d, <i>J</i> = 7.1 Hz, 3H), 1.23 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (dd, <i>J</i> = 6.8, 2.8 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.00, 168.73, 156.80 (d, <i>J</i> = 238.3 Hz), 155.40, 151.52 (d, <i>J</i> = 2.2 Hz), 148.80, 140.43, 130.49, 129.69 (d, <i>J</i> = 7.5 Hz), 117.52 (d, <i>J</i> = 22.6 Hz), 112.78 (d, <i>J</i> = 8.4 Hz), 112.34 (d, <i>J</i> = 22.8 Hz), 109.45, 81.24, 73.60, 56.07, 48.07, 28.71, 19.50, 18.33, 17.22, 16.39, 15.88. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.25 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
335	(Thin film) 3370, 2968, 1743, 1650, 1496, 1205, 801	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₀ FN ₂ O ₆ , 449.2082; found, 449.2074	¹ H NMR (400 MHz, CDCl ₃) δ 12.14 (s, 1H), 8.52 (d, <i>J</i> = 8.0 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 6.80 (ddd, <i>J</i> = 17.8, 8.9, 3.1 Hz, 2H), 6.71 (dd, <i>J</i> = 8.8, 4.6 Hz, 1H), 5.10 (t, <i>J</i> = 5.8 Hz, 1H), 4.80 (p, <i>J</i> = 7.3 Hz, 1H), 4.45 (p, <i>J</i> = 6.1 Hz, 1H), 3.95 (s, 3H), 2.17 – 2.03 (m, 4H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.2 Hz, 3H), 0.99 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.78, 168.80, 156.96 (d, <i>J</i> = 238.4 Hz), 155.42, 151.37 (d, <i>J</i> = 2.1 Hz), 148.82, 140.50, 130.50, 129.88 (d, <i>J</i> = 7.6 Hz), 117.61 (d, <i>J</i> = 22.7 Hz), 113.33 (d, <i>J</i> = 8.6 Hz), 112.39 (d, <i>J</i> = 22.8 Hz), 109.51, 80.48, 73.34, 56.08, 48.11, 28.87, 19.35, 18.46, 17.49, 16.52, 15.04. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.99 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
336	(Thin film) 3369, 2979, 1743, 1649, 1495, 1261, 1201, 800	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₄ FN ₂ O ₆ , 407.1613; found, 407.1607	¹ H NMR (400 MHz, CDCl ₃) δ 12.06 (s, 1H), 8.42 (d, <i>J</i> = 7.9 Hz, 1H), 7.96 (d, <i>J</i> = 5.2 Hz, 1H), 6.90 – 6.74 (m, 3H), 4.72 (p, <i>J</i> = 7.3 Hz, 1H), 4.52 (pd, <i>J</i> = 6.4, 3.8 Hz, 1H), 4.40 (dd, <i>J</i> = 11.4, 6.7 Hz, 1H), 4.25 (dd, <i>J</i> = 11.4, 3.8 Hz, 1H), 3.94 (s, 3H), 2.17 (s, 3H), 2.02 – 1.85 (m, 1H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.30 .
337	(Thin film) 3372, 2968, 1742, 1651, 1509, 1241, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2157	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.51 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.04 (d, <i>J</i> = 8.3 Hz, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 6.81 – 6.72 (m, 2H), 4.99 (t, <i>J</i> = 5.7 Hz, 1H), 4.78 – 4.70 (m, 1H), 4.48 (t, <i>J</i> = 6.2 Hz, 1H), 3.94 (d, <i>J</i> = 2.0 Hz, 3H), 2.26 (s, 3H), 2.13 (ddd, <i>J</i> = 13.6, 12.3, 6.4 Hz, 1H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.2 Hz, 3H), 0.97 (dd, <i>J</i> = 6.8, 2.2 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.18, 168.72, 155.57, 155.37, 148.79, 140.43, 130.60, 130.29, 129.95, 115.67, 109.43, 81.31, 73.34, 56.06, 48.04, 28.60, 20.45, 19.52, 18.49, 17.11, 15.99.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
338	(Thin film) 3369, 2967, 1741, 1649, 1508, 1263, 801, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₆ , 431.2177; found, 431.2153	¹ H NMR (400 MHz, CDCl ₃) δ 12.16 (s, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.10 – 7.00 (m, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 6.80 – 6.72 (m, 2H), 5.06 (t, <i>J</i> = 5.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.3 Hz, 1H), 4.46 (p, <i>J</i> = 6.1 Hz, 1H), 3.94 (s, 3H), 2.27 (s, 3H), 2.17 – 2.08 (m, 1H), 1.60 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.2 Hz, 3H), 0.96 (d, <i>J</i> = 6.9 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.72, 168.82, 155.39, 155.27, 148.80, 140.49, 130.53, 130.48, 130.00, 115.95, 109.50, 80.41, 72.91, 56.07, 48.17, 28.71, 20.47, 19.37, 18.45, 17.11, 15.53.
339	(Thin film) 3364, 2981, 1742, 1648, 1529, 1238, 801, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₅ N ₂ O ₆ , 389.1707; found, 389.1695	¹ H NMR (400 MHz, CDCl ₃) δ 12.09 (s, 1H), 8.45 (d, <i>J</i> = 7.9 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.11 – 7.00 (m, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 6.84 – 6.77 (m, 2H), 4.71 (p, <i>J</i> = 7.3 Hz, 1H), 4.58 (pd, <i>J</i> = 6.4, 4.0 Hz, 1H), 4.39 (dd, <i>J</i> = 11.4, 6.7 Hz, 1H), 4.22 (dd, <i>J</i> = 11.5, 4.1 Hz, 1H), 3.94 (s, 3H), 2.27 (s, 3H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.2 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.04, 168.80, 155.55, 155.40, 148.80, 140.48, 130.73, 130.45, 129.99, 116.25, 109.50, 72.05, 67.91, 56.07, 47.89, 20.48, 18.18, 16.75.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
340	(Thin film) 3369, 2973, 1740, 1648, 1454, 1239, 800, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₆ , 403.1864; found, 403.1849	¹ H NMR (400 MHz, CDCl ₃) δ 12.15 (s, 1H), 8.49 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 – 7.19 (m, 2H), 6.98 – 6.85 (m, 3H), 5.07 (dt, <i>J</i> = 7.8, 4.7 Hz, 1H), 4.71 (p, <i>J</i> = 7.3 Hz, 1H), 4.48 (qd, <i>J</i> = 6.3, 4.4 Hz, 1H), 3.94 (s, 3H), 2.02 – 1.69 (m, 3H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.90, 168.80, 157.75, 155.40, 148.81, 140.48, 130.52, 129.53, 121.26, 116.24, 109.50, 78.44, 74.46, 56.07, 48.14, 22.86, 18.29, 15.65, 9.81.
341	(Thin film) 3368, 2974, 1739, 1648, 1528, 1481, 1240, 800, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₆ , 403.1864; found, 403.1825	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.50 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.30 – 7.19 (m, 2H), 6.96 – 6.85 (m, 3H), 5.10 (ddd, <i>J</i> = 9.3, 5.6, 4.1 Hz, 1H), 4.73 (p, <i>J</i> = 7.4 Hz, 1H), 4.48 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 2.01 – 1.61 (m, 3H), 1.48 (d, <i>J</i> = 7.1 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (t, <i>J</i> = 7.5 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 172.12, 168.77, 157.75, 155.40, 148.80, 140.47, 130.54, 129.54, 121.06, 115.72, 109.47, 78.03, 73.61, 56.07, 48.05, 22.74, 18.37, 15.55, 9.69.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
342	(Thin film) 3370, 2983, 1743, 1649, 1528, 1481, 1240, 801, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₅ N ₂ O ₆ , 401.1707; found, 401.1683	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.47 (d, <i>J</i> = 7.8 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 – 7.22 (m, 2H), 7.03 – 6.85 (m, 3H), 5.96 (ddd, <i>J</i> = 17.3, 10.6, 6.7 Hz, 1H), 5.52 – 5.28 (m, 3H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.54 (qd, <i>J</i> = 6.3, 3.6 Hz, 1H), 3.94 (s, 3H), 2.00 – 1.85 (m, 1H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.21, 168.81, 157.75, 155.39, 148.80, 140.48, 131.89, 130.49, 129.53, 121.45, 119.72, 116.49, 109.50, 77.75, 75.01, 56.07, 47.99, 18.13, 15.50.
343	(Thin film) 3369, 2982, 1743, 1648, 1528, 1481, 1240, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₅ N ₂ O ₆ , 401.1707; found, 401.1686	¹ H NMR (400 MHz, CDCl ₃) δ 12.09 (s, 1H), 8.48 (d, <i>J</i> = 7.9 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 – 7.20 (m, 2H), 6.94 – 6.89 (m, 2H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 5.90 (ddd, <i>J</i> = 17.2, 10.6, 6.6 Hz, 1H), 5.52 (tt, <i>J</i> = 6.5, 1.2 Hz, 1H), 5.44 (dt, <i>J</i> = 17.3, 1.3 Hz, 1H), 5.35 (dt, <i>J</i> = 10.6, 1.3 Hz, 1H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.51 (p, <i>J</i> = 6.3 Hz, 1H), 3.93 (d, <i>J</i> = 1.6 Hz, 3H), 2.02 – 1.85 (m, 1H), 1.46 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.38, 168.75, 157.69, 155.38, 148.78, 140.47, 131.70, 130.47, 129.54, 121.23, 119.91, 115.87, 109.49, 77.43, 74.08, 56.07, 48.02, 18.26, 15.74.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
344	(Thin film) 3366, 2939, 1746, 1528, 1481, 1239, 1049, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₂₉ N ₂ O ₇ , 481.1969; found, 481.1955	¹ H NMR (400 MHz, CDCl ₃) δ 12.09 (s, 1H), 8.47 (d, <i>J</i> = 7.7 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.34 – 7.18 (m, 4H), 7.01 – 6.80 (m, 7H), 5.43 (td, <i>J</i> = 5.9, 3.7 Hz, 1H), 4.80 – 4.67 (m, 2H), 4.36 – 4.22 (m, 2H), 3.92 (s, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.40 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.76, 168.87, 158.42, 157.40, 155.38, 148.80, 140.48, 130.42, 129.60, 129.49, 121.58, 121.26, 116.31, 114.66, 109.51, 75.36, 72.71, 65.94, 56.05, 48.06, 18.11, 16.18.
345	(Thin film) 3366, 2937, 1744, 1528, 1481, 1240, 1042, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₁ H ₂₇ N ₂ O ₇ , 419.1813; found, 419.1797	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.48 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 – 7.21 (m, 2H), 7.01 – 6.83 (m, 4H), 5.24 (td, <i>J</i> = 5.6, 4.3 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 4.62 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 3.66 (dd, <i>J</i> = 4.9, 1.5 Hz, 2H), 3.33 (s, 3H), 1.57 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.72, 168.83, 157.52, 155.40, 148.80, 140.49, 130.50, 129.55, 121.42, 116.26, 109.51, 75.53, 72.58, 70.61, 59.14, 56.07, 48.06, 18.19, 15.97.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
346	(Thin film) 3367, 2938, 1743, 1528, 1481, 1240, 1043, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₇ H ₃₁ N ₂ O ₇ , 495.2126; found, 495.2116	¹ H NMR (400 MHz, CDCl ₃) δ 12.12 (s, 1H), 8.47 (d, <i>J</i> = 7.8 Hz, 1H), 7.97 (d, <i>J</i> = 5.2 Hz, 1H), 7.36 – 7.18 (m, 7H), 6.95 (tt, <i>J</i> = 7.2, 1.1 Hz, 1H), 6.92 – 6.87 (m, 2H), 6.85 (d, <i>J</i> = 5.2 Hz, 1H), 5.32 – 5.24 (m, 1H), 4.79 – 4.63 (m, 2H), 4.55 – 4.44 (m, 2H), 3.93 (s, 3H), 3.76 (d, <i>J</i> = 4.9 Hz, 2H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.68, 168.82, 157.52, 155.39, 148.80, 140.48, 137.80, 130.48, 129.54, 128.36, 127.67, 127.56, 121.38, 116.23, 109.50, 75.68, 73.28, 72.47, 68.11, 56.06, 48.05, 18.20, 16.00.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
347	(Thin film) 3366, 2986, 1759, 1649, 1529, 1241, 1146, 1041, 755	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₀ H ₂₃ F ₂ N ₂ O ₆ , 425.1519; found, 425.1508	¹ H NMR (400 MHz, CDCl ₃) δ 12.01 (s, 1H), 8.44 (d, <i>J</i> = 7.7 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.35 – 7.23 (m, 2H), 7.04 – 6.95 (m, 1H), 6.93 – 6.89 (m, 2H), 6.88 (d, <i>J</i> = 5.2 Hz, 1H), 6.29 – 5.96 (m, 1H), 5.33 (dtd, <i>J</i> = 17.3, 6.3, 3.0 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.71 – 4.61 (m, 1H), 3.94 (s, 3H), 1.61 (d, <i>J</i> = 7.2 Hz, 3H), 1.38 (dd, <i>J</i> = 6.3, 1.2 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.29, 168.98, 156.67, 155.45, 148.86, 140.57, 130.34, 129.72, 122.08, 116.38, 112.82 (dd, <i>J</i> = 245.6, 243.0 Hz), 109.61, 73.45 (dd, <i>J</i> = 22.7, 20.6 Hz), 71.70 – 71.53 (m), 56.10, 47.90, 17.96, 16.06 (d, <i>J</i> = 2.1 Hz). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 129.59 (dd, <i>J</i> = 292.9, 2.5 Hz), - 132.79 (dd, <i>J</i> = 293.3, 4.2 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
348	(Thin film) 3370, 2964, 1744, 1527, 1481, 1240, 1151, 1043, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₁ N ₂ O ₇ , 447.2126; found, 447.2091	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.49 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 7.32 – 7.18 (m, 2H), 7.00 – 6.85 (m, 4H), 5.24 (td, <i>J</i> = 5.6, 4.3 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.69 – 4.60 (m, 1H), 3.94 (s, 3H), 3.77 – 3.65 (m, 1H), 3.37 (ddt, <i>J</i> = 30.9, 9.2, 6.6 Hz, 2H), 2.03 – 1.81 (m, 1H), 1.55 (dd, <i>J</i> = 13.6, 7.1 Hz, 5H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H), 0.86 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.69, 168.81, 157.60, 155.40, 148.81, 140.48, 130.52, 129.53, 121.36, 116.26, 109.50, 75.72, 73.13, 72.64, 68.58, 56.07, 48.06, 22.83, 18.24, 15.95, 10.48.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
349	(Thin film) 3371, 2954, 1745, 1650, 1528, 1241, 1046, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₅ N ₂ O ₇ , 475.2439; found, 475.2428	¹ H NMR (400 MHz, CDCl ₃) δ 12.13 (s, 1H), 8.48 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.35 – 7.21 (m, 2H), 6.95 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.92 – 6.88 (m, 2H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.23 (td, <i>J</i> = 5.5, 4.5 Hz, 1H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.64 (p, <i>J</i> = 6.2 Hz, 1H), 3.94 (s, 3H), 3.70 – 3.67 (m, 2H), 3.42 (ddt, <i>J</i> = 30.3, 9.4, 6.7 Hz, 2H), 1.63 (p, <i>J</i> = 6.7 Hz, 1H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.40 (q, <i>J</i> = 6.8 Hz, 2H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H), 0.85 (dd, <i>J</i> = 6.7, 5.3 Hz, 6H). ¹³ C NMR (101 MHz, CDCl ₃) δ 171.70, 168.80, 157.59, 155.41, 148.82, 140.47, 130.53, 129.53, 121.35, 116.23, 109.49, 75.74, 72.59, 69.95, 68.63, 56.08, 48.05, 38.43, 25.01, 22.60, 22.56, 18.24, 15.95.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
350	(Thin film) 3368, 2966, 2876, 1738, 1648, 1615, 1575, 1527, 1480, 1437, 1279, 1262, 1211, 1095, 1062, 943, 732	ESIMS <i>m/z</i> 431.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.53 (d, <i>J</i> = 7.9 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 7.31 (d, <i>J</i> = 4.4 Hz, 4H), 7.26 (s, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 5.03 – 4.95 (m, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.56 – 4.50 (m, 2H), 3.95 (s, 3H), 3.71 – 3.62 (m, 1H), 2.11 – 2.01 (m, 1H), 1.57 (d, <i>J</i> = 2.8 Hz, 3H), 1.18 (d, <i>J</i> = 6.3 Hz, 3H), 0.90 (d, <i>J</i> = 7.0 Hz, 3H), 0.90 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.89, 168.70, 155.34, 148.74, 140.46, 138.30, 130.54, 128.34, 127.72, 127.57, 109.41, 80.13, 73.63, 70.65, 56.07, 48.13, 28.57, 19.35, 18.52, 17.48, 15.17.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
351	(Thin film) 3370, 2958, 2872, 1739, 1649, 1576, 1527, 1480, 1452, 1438, 1330, 1280, 1263, 1242, 1211, 1150, 1122, 1097, 1061, 943, 849, 801, 733	ESIMS <i>m/z</i> 411.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.89 (t, <i>J</i> = 5.8 Hz, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 3.94 (s, 3H), 3.54 – 3.44 (m, 2H), 3.41 (dt, <i>J</i> = 9.0, 6.8 Hz, 1H), 2.11 – 1.98 (m, 1H), 1.67 (dp, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.57 (d, <i>J</i> = 2.1 Hz, 3H), 1.48 – 1.33 (m, <i>J</i> = 6.8 Hz, 2H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H), 0.87 (d, <i>J</i> = 6.7 Hz, 3H), 0.87 (d, <i>J</i> = 6.6 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.82 , 168.69 , 155.34 , 148.73 , 140.46 , 130.55 , 109.40 , 80.40 , 74.24 , 67.28 , 56.07 , 48.14 , 38.86 , 28.54 , 24.93 , 22.69 , 22.49 , 19.39 , 18.55 , 17.31 , 15.34 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
352	(Thin film) 3368, 2960, 2934, 2873, 1740, 1650, 1576, 1527, 1481, 1452, 1378, 1332, 1280, 1263, 1242, 1211, 1151, 1099, 1061, 945, 910, 849, 801, 736	ESIMS <i>m/z</i> 411.3 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.98 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 4.90 (t, <i>J</i> = 5.9 Hz, 1H), 4.75 (p, <i>J</i> = 7.3 Hz, 1H), 3.94 (s, 3H), 3.54 – 3.35 (m, 3H), 2.09 – 1.99 (m, 1H), 1.57 (d, <i>J</i> = 5.4 Hz, 3H), 1.54 – 1.46 (m, 2H), 1.33 – 1.24 (m, 4H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (dd, <i>J</i> = 6.8, 1.1 Hz, 6H), 0.89 – 0.85 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.82 , 168.69 , 155.34 , 148.73 , 140.46 , 130.55 , 109.40 , 80.33 , 74.23 , 69.05 , 56.07 , 48.14 , 29.71 , 28.55 , 28.34 , 22.50 , 19.37 , 18.56 , 17.34 , 15.36 , 14.01 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
353	(Thin film) 3369, 2966, 2876, 1738, 1648, 1576, 1526, 1480, 1438, 1327, 1279, 1262, 1242, 1211, 1150, 1092, 1062, 1040, 944, 849, 800, 733	ESIMS <i>m/z</i> 395.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (d, <i>J</i> = 0.6 Hz, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.1 Hz, 1H), 4.91 (t, <i>J</i> = 5.8 Hz, 1H), 4.80 – 4.72 (m, 1H), 3.94 (s, 3H), 3.57 (p, <i>J</i> = 6.2 Hz, 1H), 3.32 (dd, <i>J</i> = 9.9, 6.7 Hz, 1H), 3.27 (dd, <i>J</i> = 9.9, 6.9 Hz, 1H), 2.11 – 2.01 (m, 1H), 1.59 (d, <i>J</i> = 7.1 Hz, 3H), 1.13 (d, <i>J</i> = 6.3 Hz, 3H), 1.07 – 0.95 (m, 1H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H), 0.52 – 0.44 (m, 2H), 0.20 – 0.16 (m, 2H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.84 , 168.70 , 155.34 , 148.73 , 140.46 , 130.55 , 109.40 , 80.08 , 73.84 , 73.57 , 56.07 , 48.14 , 28.57 , 19.35 , 18.55 , 17.40 , 15.45 , 10.81 , 2.96 , 2.94 .
354	(Thin film) 3365, 2966, 2936, 2875, 1740, 1649, 1576, 1528, 1481, 1452, 1378, 1328, 1280, 1264, 1183, 1151, 1126, 1061, 944, 849, 801, 737	ESIMS <i>m/z</i> 409.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (d, <i>J</i> = 0.6 Hz, 1H), 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.86 (d, <i>J</i> = 5.2 Hz, 1H), 4.90 (t, <i>J</i> = 5.8 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 3.94 (s, 3H), 3.50 (p, <i>J</i> = 6.2 Hz, 1H), 3.44 (dd, <i>J</i> = 9.1, 6.5 Hz, 1H), 3.38 (dd, <i>J</i> = 9.1, 6.8 Hz, 1H), 2.55 – 2.43 (m, <i>J</i> = 7.3 Hz, 1H), 2.09 – 1.96 (m, 3H), 1.92 – 1.76 (m, 2H), 1.75 – 1.65 (m, 2H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
355	(Thin film) 3367, 2961, 2934, 2873, 1739, 1649, 1576, 1526, 1480, 1451, 1438, 1378, 1330, 1279, 1263, 1211, 1182, 1150, 1096, 1060, 943, 849, 801	ESIMS <i>m/z</i> 397.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (d, <i>J</i> = 0.6 Hz, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.90 (t, <i>J</i> = 5.8 Hz, 1H), 4.79 – 4.70 (m, 1H), 3.94 (s, 3H), 3.55 – 3.35 (m, 3H), 2.09 – 1.99 (m, 1H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.53 – 1.45 (m, 2H), 1.39 – 1.28 (m, 2H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H), 0.88 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.82 , 168.70 , 155.34 , 148.73 , 140.46 , 130.55 , 109.40 , 80.35 , 74.23 , 68.74 , 56.07 , 48.14 , 32.12 , 28.54 , 19.36 , 18.55 , 17.33 , 15.36 , 13.89 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
356	(Thin film) 3371, 2966, 2935, 2876, 1739, 1648, 1576, 1526, 1480, 1438, 1330, 1263, 1242, 1211, 1183, 1150, 1100, 1060, 944, 800	ESIMS <i>m/z</i> 409.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 12.18 (s, 1H), 8.54 (d, <i>J</i> = 7.8 Hz, 1H), 7.99 (d, <i>J</i> = 5.2 Hz, 1H), 6.87 (d, <i>J</i> = 5.2 Hz, 1H), 4.91 (t, <i>J</i> = 5.8 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 3.95 (s, 3H), 3.57 – 3.50 (m, 2H), 3.47 (dt, <i>J</i> = 8.9, 6.8 Hz, 1H), 2.10 – 1.99 (m, 1H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.49 – 1.33 (m, 2H), 1.13 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.92 (d, <i>J</i> = 7.0 Hz, 3H), 0.76 – 0.66 (m, 1H), 0.42 – 0.35 (m, 2H), 0.06 – 0.00 (m, 2H). ¹³ C NMR (126 MHz, CDCl ₃) δ 171.82, 168.69, 155.34, 148.73, 140.46, 130.54, 109.40, 80.36, 74.35, 69.07, 56.07, 48.14, 35.13, 28.57, 19.36, 18.55, 17.38, 15.35, 7.93, 4.23, 4.11.
357	(Thin film) 3372, 2983, 1770, 1675, 1507, 1196, 909, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₁ N ₂ O ₇ , 507.2126; found, 507.2113	¹ H NMR (300 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.5 Hz, 1H), 7.34 – 7.12 (m, 7H), 7.05 – 6.82 (m, 4H), 5.35 (dt, <i>J</i> = 8.6, 4.8 Hz, 1H), 4.67 – 4.54 (m, 1H), 4.47 (qd, <i>J</i> = 6.2, 4.8 Hz, 1H), 3.90 (s, 3H), 3.18 – 2.91 (m, 2H), 2.38 (s, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H), 1.26 – 1.20 (m, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.07, 168.94, 162.36, 159.45, 157.46, 146.66, 141.47, 137.49, 136.80, 129.56, 129.48, 128.40, 126.67, 121.24, 116.15, 109.77, 77.11, 73.99, 56.31, 48.00, 36.25, 20.77, 18.30, 15.71.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
358	(Thin film) 3381, 2968, 1771, 1676, 1496, 1200, 909, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₂ FN ₂ O ₇ , 491.2188; found, 491.2183	¹ H NMR (300 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 7.8 Hz, 1H), 8.32 (d, <i>J</i> = 5.5 Hz, 1H), 7.01 (d, <i>J</i> = 5.5 Hz, 1H), 6.90 – 6.75 (m, 2H), 6.71 (dd, <i>J</i> = 8.8, 4.7 Hz, 1H), 5.08 (t, <i>J</i> = 5.8 Hz, 1H), 4.85 – 4.72 (m, 1H), 4.43 (p, <i>J</i> = 6.0 Hz, 1H), 3.91 (s, 3H), 2.39 (s, 3H), 2.24 – 2.00 (m, 4H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.26 (d, <i>J</i> = 6.2 Hz, 3H), 0.98 (d, <i>J</i> = 7.0 Hz, 3H), 0.93 (d, <i>J</i> = 6.7 Hz, 3H). ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.13 .
359	(Thin film) 3376, 1770, 1675, 1496, 1199, 909, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₆ FN ₂ O ₇ , 449.1719; found, 449.1712	¹ H NMR (300 MHz, CDCl ₃) δ 8.48 (d, <i>J</i> = 8.0 Hz, 1H), 8.30 (d, <i>J</i> = 5.5 Hz, 1H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.89 – 6.75 (m, 3H), 4.72 (dq, <i>J</i> = 8.0, 7.2 Hz, 1H), 4.51 (pd, <i>J</i> = 6.3, 4.1 Hz, 1H), 4.38 (dd, <i>J</i> = 11.4, 6.5 Hz, 1H), 4.21 (dd, <i>J</i> = 11.4, 4.0 Hz, 1H), 3.91 (s, 3H), 2.39 (s, 3H), 2.17 (t, <i>J</i> = 0.5 Hz, 3H), 1.47 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.53, 168.93, 162.47, 159.46, 157.15 (d, <i>J</i> = 238.8 Hz), 151.83 (d, <i>J</i> = 2.2 Hz), 146.65, 141.34, 137.52, 130.08 (d, <i>J</i> = 7.5 Hz), 117.42 (d, <i>J</i> = 22.5 Hz), 114.85 (d, <i>J</i> = 8.5 Hz), 112.55 (d, <i>J</i> = 22.6 Hz), 109.82, 73.00, 67.70, 56.45 – 56.15 (m), 47.86, 20.76, 18.41, 16.86, 16.42. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.40 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
360	(Thin film) 3388, 2976, 1772, 1679, 1509, 1201, 910, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₇ , 473.2282; found, 473.2272	¹ H NMR (300 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 7.8 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.11 – 6.96 (m, 3H), 6.85 – 6.67 (m, 2H), 4.98 (t, <i>J</i> = 5.7 Hz, 1H), 4.82 – 4.67 (m, 1H), 4.55 – 4.39 (m, 1H), 3.91 (d, <i>J</i> = 1.4 Hz, 3H), 2.39 (d, <i>J</i> = 1.9 Hz, 3H), 2.27 (d, <i>J</i> = 2.2 Hz, 3H), 2.16 – 2.05 (m, 1H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.2 Hz, 3H), 0.95 (dd, <i>J</i> = 6.8, 3.1 Hz, 6H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.73, 168.95, 162.38, 159.42, 155.55, 146.69, 141.58, 137.46, 130.20, 129.95, 115.63, 109.71, 80.97, 73.31, 56.26, 48.08, 28.55, 20.77, 20.49, 19.50, 18.81, 17.13, 15.92.
361	(Thin film) 3380, 2968, 1771, 1676, 1508, 1199, 909, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₇ , 473.2282; found, 473.2270	¹ H NMR (300 MHz, CDCl ₃) δ 8.57 (d, <i>J</i> = 7.7 Hz, 1H), 8.33 (d, <i>J</i> = 5.5 Hz, 1H), 7.12 – 6.95 (m, 3H), 6.82 – 6.73 (m, 2H), 5.05 (dd, <i>J</i> = 6.3, 5.2 Hz, 1H), 4.83 – 4.69 (m, 1H), 4.44 (p, <i>J</i> = 6.2 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 3H), 2.27 (s, 3H), 2.20 – 2.05 (m, 1H), 1.56 (d, <i>J</i> = 7.2 Hz, 3H), 1.26 (d, <i>J</i> = 6.1 Hz, 3H), 0.95 (d, <i>J</i> = 7.0 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.25, 168.95, 162.46, 159.46, 155.23, 146.70, 141.51, 137.50, 130.38, 129.99, 115.87, 109.78, 80.10, 72.74, 56.31, 48.26, 28.67, 20.77, 20.49, 19.37, 18.77, 16.98, 15.56.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
362	(Thin film) 3380, 2983, 1770, 1675, 1508, 1175, 908, 824, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₇ N ₂ O ₇ , 431.1813; found, 431.1805	¹ H NMR (300 MHz, CDCl ₃) δ 8.50 (d, <i>J</i> = 7.9 Hz, 1H), 8.32 (d, <i>J</i> = 5.5 Hz, 1H), 7.10 – 6.97 (m, 3H), 6.87 – 6.76 (m, 2H), 4.78 – 4.66 (m, 1H), 4.57 (pd, <i>J</i> = 6.3, 4.3 Hz, 1H), 4.38 (dd, <i>J</i> = 11.4, 6.5 Hz, 1H), 4.18 (dd, <i>J</i> = 11.4, 4.4 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 2.28 (s, 3H), 1.46 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.58, 168.94, 162.47, 159.45, 155.52, 146.68, 141.43, 137.51, 130.66, 129.99, 116.20, 109.79, 71.97, 67.68, 56.28, 47.89, 20.77, 20.50, 18.47, 16.81.
363	(Thin film) 3380, 2976, 1770, 1676, 1507, 1199, 908, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₇ , 445.1969; found, 445.1940	¹ H NMR (300 MHz, CDCl ₃) δ 8.53 (d, <i>J</i> = 7.8 Hz, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.21 (m, 2H), 7.04 – 6.82 (m, 4H), 5.05 (dt, <i>J</i> = 8.1, 4.7 Hz, 1H), 4.78 – 4.66 (m, 1H), 4.45 (qd, <i>J</i> = 6.3, 4.8 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 3H), 1.88 – 1.64 (m, 2H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.30 (d, <i>J</i> = 6.3 Hz, 3H), 0.93 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.41, 168.96, 162.45, 159.46, 157.69, 146.69, 141.50, 137.49, 129.52, 121.16, 116.17, 109.78, 78.10, 74.38, 56.28, 48.18, 23.00, 20.77, 18.61, 15.65, 9.80.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
364	(Thin film) 3377, 2977, 1770, 1675, 1507, 1200, 908, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₇ , 445.1969; found, 445.1935	¹ H NMR (300 MHz, CDCl ₃) δ 8.55 (d, <i>J</i> = 7.6 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.19 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.97 – 6.88 (m, 3H), 5.08 (ddd, <i>J</i> = 8.7, 5.5, 4.1 Hz, 1H), 4.80 – 4.67 (m, 1H), 4.54 – 4.43 (m, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.87 – 1.57 (m, 2H), 1.43 (d, <i>J</i> = 7.2 Hz, 3H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.67, 168.95, 162.43, 159.44, 157.72, 146.70, 141.51, 137.49, 129.54, 120.99, 115.67, 109.77, 77.60, 73.43, 56.31, 48.07, 22.52, 20.76, 18.66, 15.42, 9.72.
365	(Thin film) 3377, 2986, 1770, 1676, 1507, 1197, 1174, 1063, 910, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₇ N ₂ O ₇ , 443.1813; found, 443.1799	¹ H NMR (300 MHz, CDCl ₃) δ 8.52 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.34 – 7.19 (m, 3H), 7.04 – 6.86 (m, 4H), 5.94 (ddd, <i>J</i> = 17.2, 10.6, 6.6 Hz, 1H), 5.52 – 5.26 (m, 3H), 4.74 (dq, <i>J</i> = 8.0, 7.2 Hz, 1H), 4.52 (qd, <i>J</i> = 6.3, 3.9 Hz, 1H), 3.90 (s, 3H), 2.40 (s, 2H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 171.72, 168.96, 162.46, 159.45, 157.71, 146.68, 141.45, 137.50, 132.04, 129.53, 121.38, 119.54, 116.46, 109.79, 99.99, 75.01, 56.28, 48.01, 20.77, 18.48, 15.51.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
366	(Thin film) 3378, 2984, 1769, 1675, 1507, 1197, 1174, 908, 734	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₇ N ₂ O ₇ , 443.1813; found, 443.1800	¹ H NMR (300 MHz, CDCl ₃) δ 8.53 (d, <i>J</i> = 7.9 Hz, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.21 (m, 2H), 6.99 (d, <i>J</i> = 5.5 Hz, 1H), 6.97 – 6.89 (m, 3H), 5.89 (ddd, <i>J</i> = 17.1, 10.6, 6.4 Hz, 1H), 5.51 (tt, <i>J</i> = 6.3, 1.2 Hz, 1H), 5.47 – 5.28 (m, 2H), 4.73 (dq, <i>J</i> = 8.1, 7.2 Hz, 1H), 4.51 (p, <i>J</i> = 6.3 Hz, 1H), 3.90 (s, 3H), 2.39 (s, 3H), 1.42 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 171.92, 168.94, 162.43, 159.44, 157.66, 146.69, 141.44, 137.49, 131.65, 129.55, 121.17, 119.69, 115.82, 109.79, 76.91, 73.89, 56.28, 48.02, 20.76, 18.59, 15.62.
367	(Thin film) 3381, 2984, 1744, 1674, 1494, 1200, 1002, 969, 731	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₉ H ₃₃ N ₂ O ₈ , 537.2231; found, 537.2219	¹ H NMR (300 MHz, CDCl ₃) δ 8.25 (t, <i>J</i> = 6.2 Hz, 2H), 7.32 – 7.14 (m, 7H), 7.00 – 6.91 (m, 2H), 6.91 – 6.83 (m, 2H), 5.72 (d, <i>J</i> = 1.6 Hz, 2H), 5.42 – 5.30 (m, 1H), 4.63 (p, <i>J</i> = 7.2 Hz, 1H), 4.49 (qd, <i>J</i> = 6.3, 4.9 Hz, 1H), 3.90 (s, 3H), 3.14 (dd, <i>J</i> = 14.3, 4.6 Hz, 1H), 3.02 (dd, <i>J</i> = 14.3, 8.8 Hz, 1H), 2.05 (s, 3H), 1.36 (d, <i>J</i> = 6.3 Hz, 3H), 1.25 (d, <i>J</i> = 7.2 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.20, 170.31, 162.94, 160.26, 157.47, 145.71, 144.00, 142.42, 136.84, 129.56, 129.47, 128.40, 126.66, 121.26, 116.15, 109.57, 89.56, 77.12, 74.05, 56.21, 48.17, 36.24, 20.87, 18.17, 15.79.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
368	(Thin film) 3379, 2972, 1744, 1675, 1496, 1202, 1003, 968, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₄ N ₂ O ₈ , 521.2294; found, 521.2289	¹ H NMR (300 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.8 Hz, 1H), 8.26 (d, <i>J</i> = 5.3 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.86 – 6.69 (m, 3H), 5.73 (d, <i>J</i> = 3.2 Hz, 2H), 5.01 (t, <i>J</i> = 5.7 Hz, 1H), 4.86 – 4.73 (m, 1H), 4.47 (h, <i>J</i> = 6.0 Hz, 1H), 3.91 (s, 3H), 2.20 – 2.11 (m, 4H), 2.07 (s, 3H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.23 (d, <i>J</i> = 6.3 Hz, 3H), 0.97 (dd, <i>J</i> = 6.8, 1.9 Hz, 6H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.68, 170.30, 162.95, 160.26, 156.72 (d, <i>J</i> = 237.8 Hz), 151.53 (d, <i>J</i> = 2.2 Hz), 145.71, 143.99, 142.44, 129.64 (d, <i>J</i> = 7.5 Hz), 117.49 (d, <i>J</i> = 22.9 Hz), 112.69 (d, <i>J</i> = 8.5 Hz), 112.33 (d, <i>J</i> = 22.9 Hz), 109.55, 89.55, 80.93, 73.56, 56.17, 48.25, 28.66, 20.87, 19.47, 18.53, 17.25, 16.44, 15.84. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.35 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
369	(Thin film) 3380, 2969, 1744, 1675, 1496, 1200, 1002, 969, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₄ FN ₂ O ₈ , 521.2297; found, 521.2287	¹ H NMR (300 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.3 Hz, 1H), 6.96 (s, 1H), 6.87 – 6.68 (m, 3H), 5.75 (d, <i>J</i> = 2.0 Hz, 2H), 5.09 (t, <i>J</i> = 5.8 Hz, 1H), 4.89 – 4.76 (m, 1H), 4.44 (p, <i>J</i> = 6.1 Hz, 1H), 3.91 (s, 3H), 2.17 – 2.10 (m, 4H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.1 Hz, 3H), 1.27 (d, <i>J</i> = 6.3 Hz, 3H), 0.98 (d, <i>J</i> = 6.9 Hz, 3H), 0.94 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.43, 170.32, 163.01, 160.29, 156.87 (d, <i>J</i> = 238.2 Hz), 151.34 (d, <i>J</i> = 2.1 Hz), 145.73, 144.05, 142.39, 129.83 (d, <i>J</i> = 7.6 Hz), 117.57 (d, <i>J</i> = 22.6 Hz), 113.23 (d, <i>J</i> = 8.6 Hz), 112.37 (d, <i>J</i> = 22.7 Hz), 109.59, 89.60, 80.14, 73.20, 56.22, 48.34, 28.80, 20.87, 19.37, 18.70, 17.32, 16.58, 15.15. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 124.10 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
370	(Thin film) 3380, 2985, 1745, 1674, 1495, 1199, 1002, 968, 730	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₈ FN ₂ O ₈ , 479.1824; found, 479.1819	¹ H NMR (300 MHz, CDCl ₃) δ 8.32 (d, <i>J</i> = 7.8 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.88 – 6.77 (m, 3H), 5.73 (d, <i>J</i> = 1.2 Hz, 2H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.52 (pd, <i>J</i> = 6.3, 4.0 Hz, 1H), 4.39 (dd, <i>J</i> = 11.4, 6.5 Hz, 1H), 4.22 (dd, <i>J</i> = 11.4, 4.0 Hz, 1H), 3.91 (s, 3H), 2.18 (d, <i>J</i> = 0.7 Hz, 3H), 2.07 (s, 3H), 1.49 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.65, 170.32, 163.05, 160.30, 157.14 (d, <i>J</i> = 238.7 Hz), 151.83 (d, <i>J</i> = 2.3 Hz), 145.70, 144.07, 142.23, 130.07 (d, <i>J</i> = 7.8 Hz), 117.41 (d, <i>J</i> = 22.7 Hz), 114.87 (d, <i>J</i> = 8.4 Hz), 112.55 (d, <i>J</i> = 22.8 Hz), 109.63, 89.55, 73.04, 67.70, 56.18, 48.09, 20.87 (d, <i>J</i> = 1.9 Hz), 18.25, 16.85, 16.42. ¹⁹ F NMR (376 MHz, CDCl ₃) δ - 123.39 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
371	(Thin film) 3378, 2971, 1744, 1676, 1508, 1201, 1003, 968, 733	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2379	¹ H NMR (300 MHz, CDCl ₃) δ 8.38 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.12 – 7.00 (m, 2H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 6.86 – 6.72 (m, 2H), 5.74 (d, <i>J</i> = 2.2 Hz, 2H), 4.98 (t, <i>J</i> = 5.7 Hz, 1H), 4.84 – 4.70 (m, 1H), 4.47 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (d, <i>J</i> = 1.1 Hz, 3H), 2.27 (s, 3H), 2.20 – 2.01 (m, 4H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.25 (d, <i>J</i> = 6.3 Hz, 3H), 0.96 (dd, <i>J</i> = 6.8, 1.0 Hz, 6H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.86, 170.31, 162.97, 160.24, 155.55, 145.74, 143.94, 142.56, 130.20, 129.95, 115.62, 109.53, 89.56, 80.98, 73.31, 56.17, 48.24, 28.56, 20.90, 20.46, 19.50, 18.68, 17.16, 15.93.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
372	(Thin film) 3378, 2969, 1747, 1676, 1508, 1202, 1003, 970, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₈ , 503.2388; found, 503.2380	¹ H NMR (300 MHz, CDCl ₃) δ 8.41 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.11 – 7.03 (m, 2H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.81 – 6.75 (m, 2H), 5.75 (d, <i>J</i> = 1.7 Hz, 2H), 5.05 (dd, <i>J</i> = 6.4, 5.1 Hz, 1H), 4.86 – 4.74 (m, 1H), 4.45 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 2.27 (s, 3H), 2.14 (ddd, <i>J</i> = 13.3, 6.5, 1.4 Hz, 1H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.1 Hz, 3H), 0.96 (d, <i>J</i> = 7.0 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.38, 170.32, 163.03, 160.28, 155.24, 145.74, 144.01, 142.47, 130.39, 129.99, 115.86, 109.58, 89.58, 80.10, 72.75, 56.18, 48.40, 28.66, 20.88, 20.49, 19.40, 18.70, 16.93, 15.64.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
373	(Thin film) 3373, 2986, 1751, 1677, 1509, 1235, 1202, 1004, 970, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₈ , 461.1918; found, 461.1912	¹ H NMR (300 MHz, CDCl ₃) δ 8.33 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.10 – 7.02 (m, 2H), 6.95 (d, <i>J</i> = 5.4 Hz, 1H), 6.87 – 6.79 (m, 2H), 5.74 (d, <i>J</i> = 1.2 Hz, 2H), 4.73 (p, <i>J</i> = 7.3 Hz, 1H), 4.57 (qd, <i>J</i> = 6.4, 4.2 Hz, 1H), 4.39 (dd, <i>J</i> = 11.4, 6.6 Hz, 1H), 4.19 (dd, <i>J</i> = 11.4, 4.3 Hz, 1H), 3.91 (s, 3H), 2.28 (s, 3H), 2.07 (s, 3H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.70, 170.32, 163.05, 160.29, 155.52, 145.72, 144.05, 142.34, 130.65, 129.99, 116.19, 109.60, 89.57, 72.00, 67.68, 56.18, 48.11, 20.87, 20.49, 18.34, 16.78.
374	(Thin film) 3380, 2977, 1743, 1675, 1494, 1201, 967, 909, 729	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₈ , 475.2075; found, 475.2057	¹ H NMR (300 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.22 (m, 2H), 6.98 – 6.85 (m, 4H), 5.75 (d, <i>J</i> = 1.2 Hz, 2H), 5.06 (dt, <i>J</i> = 8.1, 4.7 Hz, 1H), 4.74 (p, <i>J</i> = 7.2 Hz, 1H), 4.47 (qd, <i>J</i> = 6.2, 4.7 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.88 – 1.70 (m, 2H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.31 (d, <i>J</i> = 6.3 Hz, 3H), 0.94 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.54, 170.32, 163.03, 160.27, 157.69, 145.75, 144.00, 142.47, 129.52, 121.16, 116.16, 109.58, 89.58, 78.11, 74.39, 56.22, 48.35, 22.99, 20.88, 18.54, 15.71, 9.81.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
375	(Thin film) 3378, 2978, 1742, 1675, 1495, 1201, 1003, 967, 732	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₈ , 475.2075; found, 475.2054	¹ H NMR (300 MHz, CDCl ₃) δ 8.37 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.18 (m, 2H), 6.99 – 6.88 (m, 4H), 5.74 (d, <i>J</i> = 0.8 Hz, 2H), 5.09 (ddd, <i>J</i> = 8.7, 5.5, 4.1 Hz, 1H), 4.83 – 4.69 (m, 1H), 4.57 – 4.43 (m, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.87 – 1.62 (m, 2H), 1.45 (d, <i>J</i> = 7.2 Hz, 3H), 1.28 (d, <i>J</i> = 6.3 Hz, 3H), 0.95 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.79, 170.31, 163.01, 160.26, 157.73, 145.75, 143.99, 142.48, 129.54, 120.98, 115.66, 109.57, 89.56, 77.63, 73.49, 56.18, 48.24, 22.61, 20.90, 18.55, 15.47, 9.73.
376	(Thin film) 3381, 2987, 1749, 1676, 1494, 1235, 1201, 1003, 970, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ N ₂ O ₈ , 473.1918; found, 473.1912	¹ H NMR (300 MHz, CDCl ₃) δ 8.35 (d, <i>J</i> = 7.7 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.21 (m, 2H), 7.00 – 6.85 (m, 4H), 5.96 (ddd, <i>J</i> = 17.3, 10.6, 6.6 Hz, 1H), 5.74 (d, <i>J</i> = 1.2 Hz, 2H), 5.52 – 5.30 (m, 3H), 4.83 – 4.71 (m, 1H), 4.53 (qd, <i>J</i> = 6.3, 3.8 Hz, 1H), 3.91 (s, 3H), 2.07 (s, 3H), 1.51 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 171.83, 170.32, 163.04, 160.27, 157.71, 145.73, 144.02, 142.40, 132.05, 129.52, 121.37, 119.55, 116.44, 109.59, 89.58, 76.63, 74.99, 56.18, 48.20, 20.88, 18.35, 15.55.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
377	(Thin film) 3378, 2986, 1750, 1676, 1496, 1237, 1202, 1003, 971, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₂₉ N ₂ O ₈ , 473.1918; found, 473.1909	¹ H NMR (300 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.8 Hz, 1H), 8.26 (d, <i>J</i> = 5.4 Hz, 1H), 7.36 – 7.18 (m, 2H), 7.01 – 6.87 (m, 4H), 5.90 (ddd, <i>J</i> = 17.1, 10.6, 6.4 Hz, 1H), 5.73 (s, 2H), 5.52 (tt, <i>J</i> = 6.3, 1.2 Hz, 1H), 5.43 (dt, <i>J</i> = 17.3, 1.3 Hz, 1H), 5.34 (dt, <i>J</i> = 10.6, 1.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.52 (p, <i>J</i> = 6.3 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.44 (d, <i>J</i> = 7.2 Hz, 3H), 1.29 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (75 MHz, CDCl ₃) δ 172.06, 170.32, 162.99, 160.26, 157.67, 145.72, 144.02, 142.39, 131.69, 129.55, 121.17, 119.71, 115.81, 109.58, 89.55, 76.97, 73.96, 56.21, 48.20, 20.89, 18.45, 15.66.
378	(Thin film) 3377, 2940, 1770, 1677, 1495, 1197, 1041, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₁ N ₂ O ₈ , 523.2075; found, 523.2064	¹ H NMR (500 MHz, CDCl ₃) δ 8.52 (s, 1H), 8.31 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.22 (m, 4H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.98 – 6.84 (m, 6H), 5.41 (td, <i>J</i> = 6.0, 3.8 Hz, 1H), 4.77 – 4.69 (m, 2H), 4.29 (dd, <i>J</i> = 10.4, 3.8 Hz, 1H), 4.24 (dd, <i>J</i> = 10.5, 6.2 Hz, 1H), 3.91 (s, 3H), 2.38 (s, 3H), 1.48 (d, <i>J</i> = 7.2 Hz, 3H), 1.39 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.26, 168.93, 162.50, 159.45, 158.42, 157.36, 146.66, 141.43, 137.52, 129.58, 129.47, 121.48, 121.18, 116.26, 114.64, 109.78, 74.99, 72.58, 65.92, 56.29, 48.07, 20.76, 18.47, 16.12.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
379	(Thin film) 3381, 2939, 1770, 1677, 1508, 1198, 755	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₉ N ₂ O ₈ , 461.1918; found, 461.1882	¹ H NMR (500 MHz, CDCl ₃) δ 8.53 (s, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 – 7.23 (m, 2H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.95 (tt, <i>J</i> = 7.5, 1.1 Hz, 1H), 6.93 – 6.88 (m, 2H), 5.22 (td, <i>J</i> = 5.7, 4.1 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.61 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 3.68 – 3.60 (m, 2H), 3.32 (s, 3H), 2.39 (s, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.23, 168.93, 162.45, 159.45, 157.49, 146.67, 141.49, 137.51, 129.53, 121.31, 116.21, 109.76, 75.22, 72.43, 70.65, 59.16, 56.29, 48.07, 20.76, 18.53, 15.93.
380	(Thin film) 3381, 2940, 1770, 1677, 1507, 1198, 1174, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₉ H ₃₃ N ₂ O ₈ , 537.2231; found, 537.2221	¹ H NMR (500 MHz, CDCl ₃) δ 8.52 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.21 (m, 7H), 6.99 (d, <i>J</i> = 5.5 Hz, 1H), 6.95 (tt, <i>J</i> = 7.5, 1.1 Hz, 1H), 6.89 (dt, <i>J</i> = 7.8, 1.0 Hz, 2H), 5.26 (dt, <i>J</i> = 5.9, 4.8 Hz, 1H), 4.79 – 4.70 (m, 1H), 4.66 (p, <i>J</i> = 6.3 Hz, 1H), 4.54 – 4.44 (m, 2H), 3.91 (s, 3H), 3.74 (d, <i>J</i> = 4.9 Hz, 2H), 2.39 (s, 3H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.32 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.20, 168.93, 162.45, 159.45, 157.50, 146.67, 141.48, 137.84, 137.51, 129.53, 128.35, 127.64, 127.57, 121.28, 116.18, 109.76, 75.37, 73.24, 72.33, 68.14, 56.28, 48.06, 20.76, 18.55, 15.96.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
381	(Thin film) 3379, 2942, 1768, 1677, 1507, 1194, 1160, 1041, 909, 735	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₂ H ₂₅ F ₂ N ₂ O ₇ , 467.1624; found, 467.1613	¹ H NMR (500 MHz, CDCl ₃) δ 8.49 (d, <i>J</i> = 7.5 Hz, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.29 (dd, <i>J</i> = 8.7, 7.3 Hz, 2H), 7.03 – 6.96 (m, 2H), 6.93 – 6.89 (m, 2H), 6.10 (td, <i>J</i> = 54.4, 2.9 Hz, 1H), 5.32 (dtd, <i>J</i> = 17.4, 6.3, 2.9 Hz, 1H), 4.78 (p, <i>J</i> = 7.3 Hz, 1H), 4.65 (p, <i>J</i> = 6.4 Hz, 1H), 3.91 (s, 3H), 2.38 (s, 3H), 1.58 – 1.52 (m, 3H), 1.37 (dd, <i>J</i> = 6.3, 1.0 Hz, 3H). ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 129.77 (ddd, <i>J</i> = 292.4, 54.1, 6.2 Hz), -132.75 (dd, <i>J</i> = 293.4, 54.6 Hz).
382	(Thin film) 3381, 2937, 1771, 1678, 1507, 1198, 1174, 1043, 755	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₅ H ₃₃ N ₂ O ₈ , 489.2231; found, 489.2215	¹ H NMR (500 MHz, CDCl ₃) δ 8.54 (s, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.30 – 7.23 (m, 3H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 6.94 (tt, <i>J</i> = 7.4, 1.1 Hz, 1H), 6.92 – 6.88 (m, 2H), 5.22 (td, <i>J</i> = 5.7, 4.2 Hz, 1H), 4.74 (p, <i>J</i> = 7.3 Hz, 1H), 4.63 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 3.67 (h, <i>J</i> = 6.2 Hz, 2H), 3.40 (dt, <i>J</i> = 9.3, 6.6 Hz, 1H), 3.33 (dt, <i>J</i> = 9.2, 6.6 Hz, 1H), 2.39 (s, 3H), 1.53 – 1.50 (m, 4H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H), 0.86 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.21, 168.93, 162.43, 159.45, 157.56, 146.67, 141.52, 137.51, 129.51, 121.25, 116.20, 109.75, 75.37, 73.09, 72.51, 68.60, 56.28, 48.05, 22.82, 20.76, 18.58, 15.89, 10.50.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
383	(Thin film) 3381, 2983, 1752, 1677, 1495, 1233, 1201, 1043, 1004, 971, 755	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₉ H ₃₃ N ₂ O ₉ , 553.2181; found, 553.2171	¹ H NMR (500 MHz, CDCl ₃) δ 8.34 (d, <i>J</i> = 7.6 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.29 – 7.23 (m, 3H), 6.99 – 6.84 (m, 8H), 5.78 – 5.70 (m, 2H), 5.41 (td, <i>J</i> = 6.1, 3.6 Hz, 1H), 4.79 – 4.68 (m, 2H), 4.31 (dd, <i>J</i> = 10.5, 3.7 Hz, 1H), 4.26 (dd, <i>J</i> = 10.5, 6.3 Hz, 1H), 3.91 (s, 3H), 2.06 (s, 3H), 1.50 (d, <i>J</i> = 7.2 Hz, 3H), 1.40 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.39, 170.30, 163.08, 160.26, 158.43, 157.36, 145.72, 144.04, 142.37, 129.59, 129.48, 121.49, 121.18, 116.26, 114.63, 109.58, 89.55, 75.04, 72.60, 65.97, 56.19, 48.27, 20.88, 18.34, 16.21.
384	(Thin film) 2984, 1751, 1676, 1496, 1202, 1042, 1004, 970, 755	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₄ H ₃₁ N ₂ O ₉ , 491.2024; found, 491.2012	¹ H NMR (500 MHz, CDCl ₃) δ 8.35 (d, <i>J</i> = 7.6 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.33 – 7.22 (m, 2H), 6.98 – 6.93 (m, 2H), 6.93 – 6.89 (m, 2H), 5.82 – 5.70 (m, 2H), 5.22 (td, <i>J</i> = 5.7, 4.1 Hz, 1H), 4.76 (p, <i>J</i> = 7.3 Hz, 1H), 4.62 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 3.70 – 3.59 (m, 2H), 3.33 (s, 3H), 2.07 (s, 3H), 1.54 (d, <i>J</i> = 7.2 Hz, 3H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.36, 170.31, 163.04, 160.27, 157.49, 145.72, 144.04, 142.45, 129.54, 121.32, 116.21, 109.57, 89.59, 75.25, 72.44, 70.67, 59.16, 56.19, 48.26, 20.88, 18.41, 16.01.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
385	(Thin film) 2983, 1750, 1676, 1495, 1201, 1042, 1003, 970, 753	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₃₀ H ₃₅ N ₂ O ₉ , 567.2337; found, 567.2333	¹ H NMR (500 MHz, CDCl ₃) δ 8.35 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.32 – 7.22 (m, 7H), 6.98 – 6.92 (m, 2H), 6.92 – 6.87 (m, 2H), 5.80 – 5.69 (m, 2H), 5.27 (dt, <i>J</i> = 5.8, 4.7 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.67 (p, <i>J</i> = 6.2 Hz, 1H), 4.55 – 4.44 (m, 2H), 3.91 (s, 3H), 3.75 (d, <i>J</i> = 4.8 Hz, 2H), 2.06 (s, 3H), 1.52 (d, <i>J</i> = 7.2 Hz, 3H), 1.33 (d, <i>J</i> = 6.3 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.33, 170.30, 163.03, 160.27, 157.50, 145.72, 144.03, 142.44, 137.83, 129.53, 128.35, 127.64, 127.58, 121.29, 116.17, 109.56, 89.57, 75.39, 73.24, 72.35, 68.16, 56.18, 48.25, 20.88, 18.42, 16.03.
386	(Thin film) 3380, 2988, 1756, 1677, 1496, 1201, 1155, 1041, 1004, 970, 756	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₂₇ F ₂ N ₂ O ₈ , 497.1730; found, 497.1724	¹ H NMR (500 MHz, CDCl ₃) δ 8.31 (d, <i>J</i> = 7.6 Hz, 1H), 8.29 (d, <i>J</i> = 5.3 Hz, 1H), 7.34 – 7.27 (m, 2H), 7.00 (tt, <i>J</i> = 7.5, 1.1 Hz, 1H), 6.96 (d, <i>J</i> = 5.4 Hz, 1H), 6.93 – 6.89 (m, 2H), 6.25 – 5.97 (m, 1H), 5.79 – 5.71 (m, 2H), 5.32 (dtd, <i>J</i> = 17.6, 6.4, 2.9 Hz, 1H), 4.79 (p, <i>J</i> = 7.3 Hz, 1H), 4.66 (p, <i>J</i> = 6.4 Hz, 1H), 3.92 (s, 3H), 2.07 (s, 3H), 1.58 (d, <i>J</i> = 7.2 Hz, 3H), 1.39 (dd, <i>J</i> = 6.3, 1.1 Hz, 3H). ¹⁹ F NMR (471 MHz, CDCl ₃) δ - 129.80 (ddd, <i>J</i> = 292.2, 53.9, 6.1 Hz), -132.93 (ddd, <i>J</i> = 292.3, 54.9, 17.7 Hz).

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
387	(Thin film) 2937, 1750, 1676, 1495, 1201, 1042, 1003, 969, 754	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₆ H ₃₅ N ₂ O ₉ , 519.2337; found, 519.2327	¹ H NMR (500 MHz, CDCl ₃) δ 8.36 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.42 – 7.11 (m, 2H), 6.97 – 6.89 (m, 4H), 5.78 – 5.72 (m, 2H), 5.22 (td, <i>J</i> = 5.7, 4.1 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.64 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 3.72 – 3.64 (m, 2H), 3.40 (dt, <i>J</i> = 9.2, 6.6 Hz, 1H), 3.33 (dt, <i>J</i> = 9.2, 6.6 Hz, 1H), 2.07 (s, 3H), 1.53 (dd, <i>J</i> = 7.3, 1.4 Hz, 5H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H), 0.86 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.34, 170.30, 163.02, 160.26, 157.56, 145.72, 144.02, 142.48, 129.51, 121.26, 116.20, 109.55, 89.58, 75.41, 73.09, 72.52, 68.63, 56.18, 48.24, 22.81, 20.88, 18.46, 15.97, 10.50.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
388	(Thin film) 2955, 1752, 1677, 1495, 1201, 1043, 1004, 971, 830, 737	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₈ H ₃₉ N ₂ O ₉ , 547.2650; found, 547.2643	¹ H NMR (500 MHz, CDCl ₃) δ 8.35 (d, <i>J</i> = 7.7 Hz, 1H), 8.28 (d, <i>J</i> = 5.4 Hz, 1H), 7.26 (s, 2H), 6.98 – 6.87 (m, 4H), 5.80 – 5.71 (m, 2H), 5.21 (td, <i>J</i> = 5.6, 4.2 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 4.63 (p, <i>J</i> = 6.2 Hz, 1H), 3.91 (s, 3H), 3.72 – 3.64 (m, 2H), 3.46 (dt, <i>J</i> = 9.4, 6.7 Hz, 1H), 3.39 (dt, <i>J</i> = 9.4, 6.7 Hz, 1H), 2.07 (s, 3H), 1.63 (dp, <i>J</i> = 13.4, 6.7 Hz, 1H), 1.53 (d, <i>J</i> = 7.2 Hz, 3H), 1.40 (q, <i>J</i> = 6.8 Hz, 2H), 1.34 (d, <i>J</i> = 6.3 Hz, 3H), 0.85 (t, <i>J</i> = 6.7 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.34, 170.30, 163.02, 160.27, 157.56, 145.72, 144.02, 142.49, 129.51, 121.25, 116.17, 109.55, 89.58, 75.42, 72.47, 69.89, 68.68, 56.18, 48.23, 38.40, 24.96, 22.60, 22.56, 20.88, 18.44, 15.96.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
389	(Thin film) 3377, 2967, 1740, 1675, 1579, 1504, 1454, 1310, 1237, 1202, 1180, 1062 1041, 1003, 968, 830, 738, 699	ESIMS <i>m/z</i> 503.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 7.31 (d, <i>J</i> = 4.4 Hz, 4H), 7.26 (s, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.76 – 5.71 (m, 2H), 4.97 (t, <i>J</i> = 5.8 Hz, 1H), 4.78 (p, <i>J</i> = 7.2 Hz, 1H), 4.56 (d, <i>J</i> = 11.7 Hz, 1H), 4.51 (d, <i>J</i> = 11.7 Hz, 1H), 3.91 (s, 3H), 3.65 (p, <i>J</i> = 6.2 Hz, 1H), 2.13 – 2.03 (m, 4H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.19 (d, <i>J</i> = 6.2 Hz, 3H), 0.90 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.52 , 170.30 , 162.95 , 160.28 , 145.69 , 144.03 , 142.53 , 138.38 , 128.33 , 127.72 , 127.54 , 109.52 , 89.63 , 79.98 , 73.67 , 70.64 , 56.18 , 48.40 , 28.53 , 20.89 , 19.44 , 18.76 , 17.24 , 15.35 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
390	(Thin film) 3379, 2958, 2872, 1741, 1676, 1579, 1504, 1463, 1339, 1201, 1179, 1100, 1042, 1003, 968, 829, 737	ESIMS <i>m/z</i> 483.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.80 – 5.72 (m, 2H), 4.87 (dd, <i>J</i> = 6.3, 5.2 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.55 – 3.46 (m, 2H), 3.40 (dt, <i>J</i> = 9.0, 6.8 Hz, 1H), 2.11 – 2.02 (m, 4H), 1.71 – 1.63 (m, 1H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.46 – 1.34 (m, 2H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H), 0.88 (d, <i>J</i> = 6.7 Hz, 3H), 0.87 (d, <i>J</i> = 6.7 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.45 , 170.30 , 162.94 , 160.28 , 145.69 , 144.02 , 142.55 , 109.51 , 89.63 , 80.23 , 74.27 , 67.27 , 56.17 , 48.40 , 38.88 , 28.49 , 24.93 , 22.70 , 22.49 , 20.90 , 19.48 , 18.79 , 17.07 , 15.53 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
391	(Thin film) 3380, 2960, 2934, 2873, 1740, 1675, 1579, 1503, 1457, 1309, 1236, 1200, 1154, 1099, 1041, 1002, 967, 911, 829, 731	ESIMS <i>m/z</i> 483.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.79 – 5.69 (m, 2H), 4.88 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.54 – 3.43 (m, 2H), 3.38 (dt, <i>J</i> = 8.9, 6.7 Hz, 1H), 2.13 – 2.01 (m, 4H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.54 – 1.47 (m, 2H), 1.34 – 1.23 (m, 4H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H), 0.91 – 0.84 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.45 , 170.30 , 162.94 , 160.28 , 145.69 , 144.02 , 142.55 , 109.51 , 89.64 , 80.18 , 74.26 , 69.04 , 56.17 , 48.40 , 29.72 , 28.50 , 28.34 , 22.50 , 20.90 , 19.47 , 18.79 , 17.10 , 15.56 , 14.03 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
392	(Thin film) 3378, 2968, 2876, 1741, 1676, 1579, 1504, 1460, 1310, 1236, 1202, 1180, 1062, 1041, 1004, 969, 930	ESIMS <i>m/z</i> 467.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.79 – 5.70 (m, 2H), 4.89 (dd, <i>J</i> = 6.2, 5.4 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.56 (p, <i>J</i> = 6.2 Hz, 1H), 3.33 (dd, <i>J</i> = 9.9, 6.7 Hz, 1H), 3.26 (dd, <i>J</i> = 9.9, 6.9 Hz, 1H), 2.14 – 2.03 (m, 4H), 1.56 (d, <i>J</i> = 7.1 Hz, 3H), 1.13 (d, <i>J</i> = 6.3 Hz, 3H), 1.06 – 0.96 (m, 1H), 0.95 – 0.87 (m, 6H), 0.52 – 0.46 (m, 2H), 0.22 – 0.14 (m, 2H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.47 , 170.30 , 162.95 , 160.28 , 145.69 , 144.02 , 142.55 , 109.51 , 89.64 , 79.97 , 73.86 , 73.55 , 56.18 , 48.40 , 28.51 , 20.90 , 19.45 , 18.78 , 17.15 , 15.64 , 10.83 , 2.98 , 2.95 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
393	(Thin film) 3378, 2961, 2874, 1741, 1675, 1579, 1505, 1458, 1310, 1236, 1202, 1180, 1100, 1042, 1003, 969, 830, 738	ESIMS <i>m/z</i> 469.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.7 Hz, 1H), 8.27 (d, <i>J</i> = 5.4 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.80 – 5.69 (m, 2H), 4.88 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.76 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.53 – 3.44 (m, 2H), 3.38 (dt, <i>J</i> = 9.0, 6.6 Hz, 1H), 2.12 – 2.02 (m, 4H), 1.55 (d, <i>J</i> = 7.1 Hz, 3H), 1.54 – 1.42 (m, 2H), 1.40 – 1.28 (m, 2H), 1.12 (d, <i>J</i> = 6.2 Hz, 3H), 0.92 (d, <i>J</i> = 6.8 Hz, 3H), 0.91 (d, <i>J</i> = 6.9 Hz, 3H), 0.89 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.45 , 170.30 , 162.94 , 160.28 , 145.69 , 144.02 , 142.56 , 109.51 , 89.63 , 80.20 , 74.26 , 68.72 , 56.17 , 48.40 , 32.14 , 28.50 , 20.90 , 19.47 , 19.36 , 18.79 , 17.09 , 15.55 , 13.90 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
394	(Thin film) 3377, 2967, 1740, 1674, 1579, 1504, 1459, 1309, 1200, 1179, 1126, 1042, 1002, 967, 812, 828, 731	ESIMS <i>m/z</i> 481.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.42 (d, <i>J</i> = 7.8 Hz, 1H), 8.27 (d, <i>J</i> = 5.3 Hz, 1H), 6.94 (d, <i>J</i> = 5.4 Hz, 1H), 5.78 – 5.70 (m, 2H), 4.89 (t, <i>J</i> = 5.8 Hz, 1H), 4.77 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.60 – 3.42 (m, 3H), 2.12 – 2.02 (m, 4H), 1.55 (d, <i>J</i> = 7.2 Hz, 3H), 1.49 – 1.32 (m, 2H), 1.13 (d, <i>J</i> = 6.2 Hz, 3H), 0.95 – 0.85 (m, 6H), 0.78 – 0.66 (m, 1H), 0.43 – 0.37 (m, 2H), 0.05 – 0.00 (m, 2H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.46, 170.30, 162.94, 160.28, 145.69, 144.02, 142.55, 109.51, 89.63, 80.19, 74.39, 69.05, 56.18, 48.39, 35.15, 28.53, 20.90, 19.44, 18.79, 17.16, 15.53, 7.95, 4.24, 4.10.
395	(Thin film) 3378, 2967, 2249, 1770, 1737, 1675, 1590, 1571, 1506, 1453, 1435, 1339, 1309, 1198, 1174, 1062, 1040, 907, 730	ESIMS <i>m/z</i> 473.1 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.35 – 7.29 (m, 4H), 7.26 (s, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 4.96 (t, <i>J</i> = 5.7 Hz, 1H), 4.75 (p, <i>J</i> = 7.2 Hz, 1H), 4.55 (d, <i>J</i> = 11.8 Hz, 1H), 4.51 (d, <i>J</i> = 11.7 Hz, 1H), 3.91 (s, 3H), 3.65 (p, <i>J</i> = 6.1 Hz, 1H), 2.39 (s, 3H), 2.11 – 2.03 (m, 1H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.17 (d, <i>J</i> = 6.3 Hz, 3H), 0.89 (d, <i>J</i> = 6.8 Hz, 6H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.38, 168.93, 162.38, 159.45, 146.66, 141.59, 138.39, 137.49, 128.33, 127.53, 109.71, 79.97, 73.66, 70.62, 56.28, 48.25, 28.53, 20.76, 19.42, 18.83, 17.30, 15.29.

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
396	(Thin film) 3379, 2960, 2934, 2873, 1772, 1739, 1677, 1571, 1506, 1454, 1339, 1310, 1198, 1175, 1099, 1062, 907, 825, 734	ESIMS <i>m/z</i> 453.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 4.87 (t, <i>J</i> = 5.8 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.53 – 3.34 (m, 3H), 2.40 (s, 3H), 2.09 – 2.01 (m, 1H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.52 – 1.47 (m, 2H), 1.34 – 1.24 (m, 4H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H), 0.90 (d, <i>J</i> = 6.9 Hz, 3H), 0.89 – 0.85 (m, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.31 , 168.93 , 162.37 , 159.44 , 146.66 , 141.61 , 137.48 , 109.70 , 80.16 , 74.26 , 69.02 , 56.27 , 48.26 , 29.72 , 28.51 , 28.34 , 22.50 , 20.76 , 19.43 , 18.87 , 17.16 , 15.48 , 14.03 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
397	(Thin film) 3379, 2967, 2876, 1772, 1739, 1677, 1591, 1571, 1509, 1455, 1311, 1201, 1176, 1096, 1063, 1041, 909, 737	ESIMS <i>m/z</i> 437.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.5 Hz, 1H), 4.89 (t, <i>J</i> = 5.8 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.55 (p, <i>J</i> = 6.2 Hz, 1H), 3.32 (dd, <i>J</i> = 10.0, 6.7 Hz, 1H), 3.26 (dd, <i>J</i> = 9.9, 6.9 Hz, 1H), 2.40 (s, 3H), 2.11 – 2.02 (m, 1H), 1.54 (d, <i>J</i> = 7.1 Hz, 3H), 1.12 (d, <i>J</i> = 6.3 Hz, 3H), 1.06 – 0.96 (m, 1H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H), 0.91 (d, <i>J</i> = 7.0 Hz, 3H), 0.52 – 0.46 (m, 2H), 0.21 – 0.13 (m, 2H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.33 , 168.93 , 162.37 , 159.44 , 146.66 , 141.61 , 137.48 , 109.71 , 79.94 , 73.86 , 73.54 , 56.28 , 48.25 , 28.52 , 20.76 , 19.41 , 18.86 , 17.21 , 15.57 , 10.83 , 2.97 , 2.95 .

Cmpd. No.	IR (cm ⁻¹)	MASS	NMR (¹ H, ¹³ C or ¹⁹ F)
398	(Thin film) 3381, 2961, 2935, 2874, 1771, 1738, 1676, 1590, 1571, 1506, 1480, 1310, 1198, 1174, 1098, 1061, 907, 825, 733	ESIMS <i>m/z</i> 439.2 ([M+H] ⁺)	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.33 (d, <i>J</i> = 5.4 Hz, 1H), 7.00 (d, <i>J</i> = 5.4 Hz, 1H), 4.87 (t, <i>J</i> = 5.8 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.53 – 3.44 (m, 2H), 3.38 (dt, <i>J</i> = 9.0, 6.6 Hz, 1H), 2.40 (s, 3H), 2.10 – 2.00 (m, 1H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.51 – 1.46 (m, 2H), 1.39 – 1.29 (m, 2H), 1.10 (d, <i>J</i> = 6.3 Hz, 3H), 0.91 (d, <i>J</i> = 6.7 Hz, 3H), 0.90 (d, <i>J</i> = 7.0 Hz, 3H), 0.89 (t, <i>J</i> = 7.4 Hz, 3H). ¹³ C NMR (126 MHz, CDCl ₃) δ 172.32, 168.93, 162.37, 159.44, 146.66, 141.60, 137.48, 109.70, 80.18, 74.26, 68.71, 56.27, 48.25, 32.14, 28.51, 20.76, 19.43, 19.36, 18.87, 17.16, 15.47, 13.90.
399	(Thin film) 3378, 2967, 2936, 1772, 1739, 1678, 1590, 1508, 1455, 1311, 1201, 1176, 1100, 1063, 910, 736	HRMS-ESI (<i>m/z</i>) ([M+H] ⁺) calcd for C ₂₃ H ₃₅ N ₂ O ₇ , 451.2439; found, 451.2427	¹ H NMR (500 MHz, CDCl ₃) δ 8.58 (s, 1H), 8.32 (d, <i>J</i> = 5.4 Hz, 1H), 6.99 (d, <i>J</i> = 5.4 Hz, 1H), 4.87 (dd, <i>J</i> = 6.2, 5.3 Hz, 1H), 4.73 (p, <i>J</i> = 7.2 Hz, 1H), 3.91 (s, 3H), 3.49 (p, <i>J</i> = 6.3 Hz, 1H), 3.44 (dd, <i>J</i> = 9.1, 6.5 Hz, 1H), 3.36 (dd, <i>J</i> = 9.1, 6.9 Hz, 1H), 2.54 – 2.44 (m, 1H), 2.40 (s, 3H), 2.11 – 1.96 (m, 2H), 1.93 – 1.78 (m, 3H), 1.75 – 1.65 (m, 2H), 1.53 (d, <i>J</i> = 7.1 Hz, 3H), 1.10 (d, <i>J</i> = 6.2 Hz, 3H), 0.91 (d, <i>J</i> = 6.8 Hz, 3H), 0.90 (d, <i>J</i> = 7.0 Hz, 3H).

*Cmpd. No. – Compound Number

Table 3. Biological Testing Rating Scale

Rating Table for Fungal Pathogens	
% Control	Rating
> 80	A
≤ 80	B
Not Tested	C
No Activity Observed in the Reported Assay	D

Table 4. Biological Activity – PUCCRT and SEPTTR Disease Control in High Volume Applications (100 ppm)*

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
122	D	B	D	D
123	A	B	B	B
124	D	B	B	B
125	B	D	D	B
126	B	B	D	B
127	B	D	D	D
128	B	D	D	D
129	D	D	D	D
130	A	A	D	D
131	A	B	B	B
132	B	D	D	B
133	A	B	D	B
134	A	A	B	A
135	A	A	D	B
136	A	A	B	A
137	B	D	D	B
138	A	A	D	B
139	A	D	D	B
140	B	D	D	B
141	D	D	D	B
142	A	A	B	A

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
143	A	B	D	B
144	A	A	B	A
145	C	C	C	C
146	A	A	A	A
147	D	B	D	D
148	A	B	D	B
149	B	A	D	B
153	C	C	C	C
154	A	A	B	B
155	A	A	D	A
156	C	C	C	C
157	A	A	B	B
158	D	B	D	B
159	D	B	D	B
160	B	B	D	B
161	B	B	D	A
162	B	A	D	A
163	B	A	D	A
164	A	A	D	A
165	B	A	D	B
166	B	A	D	B
167	B	A	D	D
168	C	C	C	C
169	C	C	C	C
170	C	C	C	C
171	A	A	B	B
172	B	B	D	B
173	C	C	C	C
174	B	B	D	A
175	A	A	D	B
176	A	A	B	B
177	A	A	D	A
178	C	C	C	C
179	B	B	D	B
180	A	A	B	A
181	A	A	B	A
182	A	B	D	B
183	A	A	D	A
184	B	D	D	B

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
333	A	A	A	B
334	B	D	B	D
335	C	C	C	C
336	B	D	B	D
337	C	C	C	C
338	A	B	B	B
339	B	D	D	D
340	A	A	B	A
341	B	A	B	B
342	A	B	B	B
343	B	D	B	B
344	A	A	B	B
345	A	A	B	B
346	A	A	B	B
347	B	D	B	B
348	A	A	D	B
349	A	A	D	A
350	A	A	B	B
351	A	A	D	A
352	A	A	B	A
353	A	A	B	B
354	C	C	C	C
355	A	A	B	B
356	A	A	D	A

*Cmpd. No. – Compound Number

*PUCCRT – Wheat Brown Rust (*Puccinia triticina*)

*SEPTTR – Wheat Leaf Blotch (*Zymoseptoria tritici*)

*1DP – 1 Day Protectant

*3DC – 3 Day Curative

*ppm – Parts Per Million

Table 5. Biological Activity – PUCCRT and SEPTTR Disease Control in Low Volume Applications (121.5 g/H)*

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
185	B	D	B	B

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
186	A	A	B	A
187	B	D	D	B
188	D	D	D	D
189	D	B	D	B
190	B	A	D	B
191	D	D	D	B
192	D	D	D	B
193	B	A	B	B
194	D	D	D	B
195	A	A	D	B
196	D	A	D	D
197	B	A	D	D
198	D	B	D	B
199	D	B	D	B
200	B	D	D	B
201	D	B	B	B
202	B	B	B	B
203	D	D	D	B
204	A	A	B	B
205	A	A	B	A
206	A	A	D	B
207	A	A	B	A
208	B	D	B	B
209	A	A	B	A
210	A	A	B	B
211	B	D	D	B
212	B	D	B	B
213	A	A	B	A
214	A	A	B	A
215	A	A	B	A
216	A	B	B	B
217	B	D	B	B
218	D	D	D	B
219	A	A	B	D
220	B	B	D	D
221	A	A	A	A
222	A	A	A	A
223	B	B	B	D
224	A	A	B	B

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
225	B	D	B	B
226	A	A	A	B
227	A	B	B	B
228	A	A	A	A
229	D	B	D	D
230	B	B	D	D
231	A	B	B	D
233	B	B	D	D
234	A	B	D	D
236	A	B	B	B
237	A	A	B	A
238	A	A	B	A
239	A	D	B	B
240	A	B	B	D
241	A	B	B	D
242	A	A	B	B
243	B	B	B	B
244	B	B	B	B
245	B	D	B	B
246	A	A	B	A
247	A	A	D	D
248	A	A	B	B
249	A	B	B	B
250	A	A	B	A
251	A	B	B	B
252	A	A	B	B
253	B	A	D	B
254	B	B	B	D
255	A	A	B	B
256	B	B	D	D
257	A	A	D	B
258	B	A	D	D
259	A	A	D	D
260	A	A	D	B
261	A	A	D	B
262	B	A	D	D
263	A	A	D	D
264	A	A	B	D
265	A	A	B	A

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
266	A	A	B	D
267	A	A	D	D
268	A	B	D	B
269	A	A	A	A
270	A	A	B	A
271	B	B	D	D
272	A	A	B	A
273	D	B	D	B
274	A	A	D	B
275	A	A	B	A
276	A	A	A	A
277	A	A	D	D
278	B	B	D	B
279	D	B	D	B
280	B	B	B	B
281	A	A	B	A
282	A	A	A	A
283	D	D	D	D
357	A	B	A	A
358	A	B	B	D
359	D	D	D	D
360	D	B	B	B
361	A	A	A	B
362	D	D	B	D
363	A	A	B	A
364	B	B	B	D
365	D	D	B	D
366	D	D	D	B
367	A	A	A	B
368	B	B	D	D
369	A	A	B	B
370	D	D	B	D
371	A	A	D	B
372	A	A	A	A
373	D	D	D	B
374	A	A	A	B
375	A	A	B	D
376	B	B	B	D
377	D	B	D	B

	PUCCRT*		SEPTTR*	
	1DP*	3DC*	1DP*	3DC*
378	A	A	B	B
379	B	D	D	D
380	A	A	B	B
381	D	D	D	D
382	A	A	B	B
383	A	A	B	B
384	A	A	D	B
385	A	A	B	B
386	B	D	D	B
387	A	A	D	B
388	A	A	B	A
389	A	A	B	D
390	A	A	D	B
391	A	A	B	D
392	A	A	B	D
393	A	A	B	D
394	A	A	B	A
395	A	A	B	D
396	A	A	B	D
397	A	A	B	D
398	A	A	B	D

*Cmpd. No. – Compound Number

*PUCCRT – Wheat Brown Rust (*Puccinia tritica*)

*SEPTTR – Wheat Leaf Blotch (*Zymoseptoria tritici*)

*1DP – 1 Day Protectant

*3DC – 3 Day Curative

*g/H – Grams per Hectare

*ppm – Parts Per Million

Table 6. Biological Activity – PHAKPA Disease Control in High Volume Applications (25 ppm)*

Cmpd. No.	PHAKPA	
	1DP*	3DC*
186	A	B
204	A	B
205	A	A
206	A	B

Cmpd. No.	PHAKPA	
	1DP*	3DC*
207	A	A
208	B	D
209	A	B
210	A	B
211	B	D
213	A	A
214	A	A
215	A	B
216	B	D
217	B	B
218	B	D
219	A	A
220	B	D
221	A	B
222	A	A
223	D	D
224	A	A
225	A	D
226	A	A
228	A	A
229	D	D
230	B	D
231	B	B
233	B	B
234	A	B
236	B	B
237	A	A
238	A	B
239	B	D
240	A	B
241	B	D
242	A	A
243	B	B
244	A	B
245	B	B
246	A	A
247	A	B

Cmpd. No.	PHAKPA	
	1DP*	3DC*
248	A	B
249	A	B
250	A	B
251	A	B
252	A	B
253	A	A
254	A	A
255	A	B
256	A	B
257	A	B
259	A	B
260	A	A
261	A	B
262	B	B
263	B	B
264	A	B
265	B	B
266	A	A
267	A	B
268	A	B
269	A	A
270	A	A
271	B	B
272	A	B
273	B	B
274	A	A
275	B	B
276	A	A
277	A	A
278	B	B
279	B	B
280	B	B
281	A	A
282	A	B
283	D	B
357	A	B
358	A	D

Cmpd. No.	PHAKPA	
	1DP*	3DC*
359	D	D
360	A	D
361	A	B
362	B	D
363	A	B
364	A	B
365	D	D
366	D	B
367	A	B
368	B	B
369	A	D
370	B	D
371	A	B
372	A	B
373	B	B
374	A	A
375	A	B
376	B	B
377	B	D
389	A	D
390	A	A
391	A	B
392	A	B
393	A	A
394	A	A
395	A	B
396	A	A
397	A	B
398	A	A
399	A	B

*Cmpd. No. – Compound Number

*PHAKPA – Asian Soybean Rust (*Phakopsora pachyrhizi*)

*1DP – 1 Day Protectant

*3DC – 3 Day Curative

*ppm – Parts Per Million

Table 7. Biological Activity – 1DP* Disease Control at 100 ppm

Cmpd. No.	ALTESO	CERCBE*	COLLA*	LEPTNO*	PYRIOR*	RHYNSE*	VENTIN*
186	D	B	B	A	C	B	C
205	D	A	B	B	A	B	A
207	B	A	A	A	A	B	A
209	D	B	B	A	C	B	C
213	D	B	B	A	C	B	C
214	D	B	B	A	C	B	C

*Cmpd. No. – Compound Number

*1DP – 1 Day Protectant

*ALTESO – Tomato Early Blight (*Alternaria solani*)

*CERCBE – Leaf Spot of Sugar Beets (*Cercospora beticola*)

*COLLA – Cucumber Anthracnose (*Colletotricum lagenarium*)

*LEPTNO – Wheat Glume Blotch (*Leptosphaeria nodorum*)

*PYRIOR – Rice Blast (*Pyricularia oryzae*)

*RHYNSE – Barley Scald (*Rhynchosporium secalis*)


*VENTIN – Apple Scab (*Venturia inaequalis*)

*ppm – Parts Per Million

CLAIMS

What is claimed is:

1. A compound of Formula I




wherein

X is hydrogen or C(O)R₅;

Y is hydrogen, C(O)R₅, or Q;

Q is



R₁ and R₁₁ are independently chosen from hydrogen or alkyl, optionally substituted with 0, 1 or multiple R₈;

alternatively, R₁ and R₁₁ may be taken together to form a 3 – 6 membered saturated or partially saturated carbocyclic or heterocyclic ring, optionally substituted with 0, 1 or multiple R₈;

R₂ and R₁₂ are independently chosen from hydrogen, alkyl, aryl, or alkenyl, each optionally substituted with 0, 1 or multiple R₈;

R₃ is methyl;

R₄ is chosen from alkyl, aryl, or acyl, each optionally substituted with 0, 1 or multiple R₈;

R₅ is chosen from alkoxy or benzyloxy, each optionally substituted with 0, 1, or multiple R₈;

R₆ is chosen from hydrogen, alkoxy, or halo, each optionally substituted with 0, 1, or multiple R₈;

R₇ is chosen from hydrogen, -C(O)R₉, or -CH₂OC(O)R₉;

R₈ is chosen from hydrogen, alkyl, aryl, acyl, halo, alkenyl, alkoxy, or heterocyclyl, each optionally substituted with 0, 1, or multiple R₁₀;

R₉ is chosen from alkyl, alkoxy, or aryl, each optionally substituted with 0, 1, or multiple R₈;

R₁₀ is chosen from hydrogen, alkyl, aryl, acyl, halo, alkenyl, alkoxy, or heterocyclyl.

2. A compound according to Claim 1, wherein X and Y are hydrogen.
3. A compound according to Claim 2, wherein R₁ and R₁₁ are independently chosen from hydrogen or alkyl.
4. A compound according to Claim 2, wherein R₂ and R₁₂ are independently chosen from hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R₈.
5. A compound according to Claim 2, wherein R₄ is aryl, optionally substituted with 0, 1 or multiple R₈.
6. A compound according to Claim 2, wherein R₁ and R₁₁ are independently chosen from hydrogen or alkyl, R₂ and R₁₂ are independently hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R₈, and R₄ is aryl, optionally substituted with 0, 1 or multiple R₈.
7. A compound according to Claim 1, wherein X is C(O)R₅ and Y is hydrogen.
8. A compound according to Claim 7, wherein R₁ and R₁₁ are independently chosen from hydrogen or alkyl.

9. A compound according to Claim 7, wherein R_2 and R_{12} are independently chosen from hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 .
10. A compound according to Claim 7, wherein R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .
11. A compound according to Claim 7, wherein R_1 and R_{11} are independently chosen from hydrogen or alkyl, R_2 and R_{12} are independently hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 , and R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .
12. A compound according to Claim 1, wherein X is hydrogen and Y is Q.
13. A compound according to Claim 12, wherein R_6 is alkoxy.
14. A compound according to Claim 13, wherein R_7 is hydrogen.
15. A compound according to Claim 14, wherein R_1 and R_{11} are independently chosen from hydrogen or alkyl.
16. A compound according to Claim 14, wherein R_2 and R_{12} are independently chosen from hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 .
17. A compound according to Claim 14, wherein R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .
18. A compound according to Claim 14, wherein R_1 and R_{11} are independently chosen from hydrogen or alkyl, R_2 and R_{12} are independently hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 , and R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .

19. A compound according to Claim 13, wherein R_7 is chosen from $-C(O)R_9$, or $-CH_2OC(O)R_9$.
20. A compound according to Claim 19, wherein R_1 and R_{11} are independently chosen from hydrogen or alkyl.
21. A compound according to Claim 19, wherein R_2 and R_{12} are independently chosen from hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 .
22. A compound according to Claim 19, wherein R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .
23. A compound according to Claim 19, wherein R_1 and R_{11} are independently chosen from hydrogen or alkyl, R_2 and R_{12} are independently hydrogen or alkyl, each optionally substituted with 0, 1 or multiple R_8 , and R_4 is aryl, optionally substituted with 0, 1 or multiple R_8 .
24. A compound according to Claim 23, wherein R_9 is chosen from $-CH_3$, $-CH_2OCH_2CH_3$, $-CH_2CH_2OCH_3$, $-CH(CH_3)_2$, $-CH_2CH_2CH_2CH_3$, $-cyclopropyl$.
25. A composition for the control of a fungal pathogen including mixtures of at least one of the compounds of Claim 1 and another pesticide including fungicides, insecticides, nematocides, miticides, arthropodocides, bactericides and combinations thereof.
26. A composition for the control of a fungal pathogen including mixtures of at least one of the compounds of Claim 14 and another pesticide including fungicides, insecticides, nematocides, miticides, arthropodocides, bactericides and combinations thereof.

27. A composition for the control of a fungal pathogen including mixtures of at least one of the compounds of Claim 19 and another pesticide including fungicides, insecticides, nematocides, miticides, arthropodicides, bactericides and combinations thereof.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US15/67201

A. CLASSIFICATION OF SUBJECT MATTER

IPC(8) - A01N 47/18, 43/40 (2016.01)

CPC - A01N 47/18, 43/40

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC(8): A01N 47/18, 43/40 (2016.01)

CPC: A01N 47/18, 43/40

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

PatSeer (US, EP, WO, JP, DE, GB, CN, FR, KR, ES, AU, IN, CA, INPADOC Data); ProQuest; Scifinder; Google/Google Scholar;

KEYWORDS: picolinamide, fungicide, pathogen, insecticide, nematocide, miticide, arthropodicide, bactericide

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 2006/0040995 A1 (BACQUE, E et al.) 23 February 2006; paragraphs [0005]-[0011], [0014], [0018]-[0019], [0021]-[0022], [0032]	1-27
Y	US 2008/0070985 A1 (DERRER, S et al.) 20 March 2008; paragraphs [0011], [0016]	1-27
Y	US 2013/0296375 A1 (DOW AGROSCIENCES LLC) 07 November 2013; paragraph [0047]	25-27

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&" document member of the same patent family

Date of the actual completion of the international search

03 February 2016 (03.02.2016)

Date of mailing of the international search report

11 MAR 2016

Name and mailing address of the ISA/

Mail Stop PCT, Attn: ISA/US, Commissioner for Patents

P.O. Box 1450, Alexandria, Virginia 22313-1450

Facsimile No. 571-273-8300

Authorized officer

Shane Thomas

PCT Helpdesk: 571-272-4300

PCT OSP: 571-272-7774