

(12) PATENT
(19) AUSTRALIAN PATENT OFFICE

(11) Application No. **AU 199944867 B2**
(10) Patent No. **755757**

(54) Title
System and method of managing displayed message priorities in an EPL system

(51)⁶ International Patent Classification(s)
G06F 017/60

(21) Application No: **199944867** (22) Application Date: **1999 .08 .31**

(30) Priority Data

(31) Number (32) Date (33) Country
09/144293 1998 .08 .31 US

(43) Publication Date : **2000 .03 .16**
(43) Publication Journal Date : **2000 .03 .16**
(44) Accepted Journal Date : **2002 .12 .19**

(71) Applicant(s)
NCR International, Inc

(72) Inventor(s)
John Coker Goodwin III

(74) Agent/Attorney
BALDWIN SHELSTON WATERS, Level 21, 60 Margaret Street, SYDNEY NSW 2000

(56) Related Art
US 5870714
US 5945975
US 5873069

SYSTEM AND METHOD OF MANAGING DISPLAYED
MESSAGE PRIORITIES IN AN EPL SYSTEM

Abstract

5 A system and method of managing displayed message priorities in an electronic price label (EPL) system (10) through a data file (28,32) containing message records including message priorities for each EPL (18) is provided. The system (10) includes a computer (12) which stores a plurality of records for an electronic price label (18) in the data file (28,32), which reads the data file (28,32) to identify all of the records for the electronic price label (18), which determines the priorities in the records, and which displays the messages at start times within the records in accordance with the priorities. The computer (12) records the records in response to operator input and/or inputs received from an application program through an application programming interface (26). For 10 inputs received from application programs, the computer (12) establishes new priorities for the messages based upon different application priorities assigned to the application programs.

(Fig. 1)


AUSTRALIA

PATENTS ACT 1990

COMPLETE SPECIFICATION

FOR A STANDARD PATENT

ORIGINAL



Name of Applicant/s: NCR International, Inc



Actual Inventor/s: John Coker Goodwin III



Address for Service: BALDWIN SHELSTON WATERS
60 MARGARET STREET
SYDNEY NSW 2000



Invention Title: 'SYSTEM AND METHOD OF MANAGING DISPLAYED MESSAGE
PRIORITIES IN AN EPL SYSTEM'

The following statement is a full description of this invention, including the best method of performing it known to me/us:-

File: 25056AUP00

SYSTEM AND METHOD OF MANAGAING DISPLAYED
MESSAGE PRIORITIES IN AN EPL SYSTEM

The present invention relates to electronic price label (EPL) systems and, more
5 specifically, to a system and method of managing displayed message priorities in an EPL
system.

Any discussion of the prior art throughout the specification should in no way be
considered as an admission that such prior art is widely known or forms part of common
general knowledge in the field.

10 Point-of-sale (POS) transaction processing systems typically include a price look-
up (PLU) file which contains item identification information and item price information.

EPL systems typically include a plurality of EPLs for merchandise items in a
transaction establishment. EPLs typically display the price of corresponding
15 merchandise items on store shelves and are typically attached to a rail along the leading
edge of the shelves. A transaction establishment may contain thousands of EPLs to
display the prices of the merchandise items. The EPLs are coupled to a central server
from where information about the EPLs is typically maintained in an EPL data file.
Price information displayed by the EPLs is obtained from the PLU data file and stored
within an EPL price change record.

20 Retailers wish to display ever increasing amounts of information besides price
information. Current EPLs include a limited amount of memory, which is primarily used
to store price information. Memory capacity in currently available EPLs can be as low
as thirty-two bits, which is typically spread across four eight-bit data registers. One data
register must be reserved for price information. Thus, only three data registers remain
25 for displaying promotional information. Even if new EPLs with more data registers
become available, it would be too expensive to replace all the old EPLs. Thus,
management of combinations of old and new EPLs complicates the problem.

Therefore, it would be desirable to provide a system and method of managing
displayed message priorities in an EPL system which is capable of using limited amounts
30 of EPL memory effectively to display promotional information. It would also be
desirable to provide a method of managing EPLs of various memory capacities.



According to the invention there is provided a system and method of managing displayed message priorities in an EPL system. Another object is to provide a system and method of managing displayed message priorities in an EPL system which temporarily stores information to be displayed again at a later time to a data file. Yet
5 another object is to provide such a system and method which temporarily stores regular information displayed by an EPL in a data file, causes the EPL to display temporary information during a special promotion, and causes the EPL to display the regular information following expiration of the special promotion.

According to one aspect of the invention there is provided a method of managing
10 displayed message priorities for an electronic price label includes the steps of:

providing a plurality of records for the electronic price label in a data file, wherein each record contains a different message to be displayed by the electronic price label, a different priority for each message, a start time for each message, and an end time for each message;

15 reading the data file to identify all of the records for the electronic price label;
determining the priorities in the records; and
displaying the messages at the start times in accordance with the priorities.

According to a second aspect of the invention there is provided a system for
managing displayed message priorities for an electronic price label, including a computer
20 which stores a plurality of records for the electronic price label in a data file; wherein each record contains a different message to be displayed by the electronic price label, a different priority for each message, a start time for each message, and an end time for each message; the computer being arranged to read the data file to identify all of the records for the electronic price label, determine the priorities in the records, and display
25 the messages at the start times in accordance with the priorities.

Preferably, the providing step includes the substep of recording the records by a computer in response to operator input and/or in response to inputs received from an application program through an application programming interface. For inputs received from application programs, the computer establishes new priorities for the messages
30 based upon different application priorities assigned to the application programs.



As presently contemplated, in one broad form the invention provides a first message having a first priority is stored within a data file and may be replaced by a second message also stored within the data file having a second priority which is higher than the first priority. If the period of display of the second message is within the period
5 of display of the first message, then the first message is temporarily replaced by the second message.

Unless the context clearly requires otherwise, throughout the description and the claims, the words 'comprise', 'comprising', and the like are to be construed in an inclusive sense as opposed to an exclusive or exhaustive sense; that is to say, in the sense
10 of "including, but not limited to".

A preferred embodiment will now be described, with reference to the accompanying drawings, in which:

Fig. 1 is a block diagram of the electronic price labels system;

Fig. 2 is a perspective view of an EPL which is displaying a promotional
15 message;

Fig. 3 is a diagram showing data files used within a transaction establishment;
and



Fig. 4 is a flow diagram illustrating operation of a message priority management application.

Referring to Fig. 1 of the accompanying drawings, electronic price label (EPL) system 10 includes computer 12, storage medium 14, communication base stations (CBSs) 16, EPLs 18, input device 21, display 22 and printer 23. Computer 12 executes EPL control software 20, EPL message priority software 22, and other applications 30 which control EPL message priority software 22. EPL control software 20 records, schedules and transmits all messages to EPLs 18 through CBSs 16, and receives and analyzes status messages from EPLs 18 through CBSs 16. Such messages include queries to EPLs 18 requesting an acknowledgment signal. Preferably, EPLs 18 do not initiate communication with computer 12, they only respond to requests from computer 12.

To assist with execution of certain tasks performed by EPL control software 20, computer 12 includes a built-in time keeping device, commonly referred to as a system clock, which is synchronized with current time, in order automatically to execute the tasks at their scheduled times.

EPL control software 20 primarily includes data scheduler 34 and CBS manager 36. Data scheduler 34 schedules price change and other messages to be sent to EPLs 18 through CBSs 16.

CBS manager 36 schedules the actual transmission of messages to EPLs 18 and the reception of messages from EPLs 18.

EPL message priority software 22 includes EPL message priority application 24 and application programming interface (API) 26. EPL message priority application 24 temporarily stores regularly displayed information for an EPL, causes the EPL to display temporary information during a special promotion, and causes the EPL to display the regular information following expiration of the special promotion. EPL message priority application 24 stores the regularly displayed information for an EPL in message priority data file 32 in accordance with priority rules stored within message priority configuration file 33.

API 26 allows other applications 30 to control EPL message priority application 24. Other applications 30 automatically add records to message priority data file 32, including messages for display and priorities associated with the messages.

Applications 30 include applications that promote items on a "buy one, get one" basis, applications that promote items on a "buy X, get Y" basis, where Y can be an item or other reward such as points, applications that limit sales of items, such as on Sunday,

applications that provide suggested retail pricing, applications that provide member discounts, applications that provide manufacturer and departmental promotional messages, and applications that sell items under government subsistence programs.

- 5 Applications 30 automatically obtain price and schedule information from PLU data file 44. For example, every PLU item may have a flag field (FS) that states that the item can be purchased with food stamps (FS = 1) or cannot be purchased with food stamps (FS = 0).

- 10 In order to avoid priority conflicts among other applications 30, operation of EPL message priority application 24 is governed by message priority configuration file 33, which contains rules which establish priority among applications 30. For example, if messages associated with Advertisements, Temporary Price Reductions, In store Manager's specials, and New Items are each implemented by different applications 30, one priority rule might be

- 15 Advertisements > Temporary Price Reductions > In store
 Manager's specials > New Items,

in which Advertisements have the highest priority and New Items have the lowest priority.

- 20 Storage medium 14 is preferably a fixed disk drive. Storage medium 14 stores EPL data file 28, message priority data file 32, and message priority configuration file 33.

CBSs 16 each include one transmit antenna 37 and up to four receive antennas 38 for transmitting and receiving messages between CBSs 16 and EPLs 18. CBSs 16 each include CBS circuitry 39 which controls operation of each CBS 16.

- 25 EPLs 18 include control circuit 40, data registers 44, and display 42. Data registers 44 contain data sent by EPL control software 20. Price data is regularly displayed, but, in addition, promotional data may be displayed. Promotional data may be displayed regularly with price data or temporarily, such as during special promotions. One of data registers 44 is reserved for price information. The remaining data registers 44 may be empty or occupied with additional information, such as promotional information.
- 30 If the EPL is a commonly-used four-register EPL, only three data registers remain for displaying the additional information.

Display 42 displays the data. Control circuit 40 controls operation of EPL 18.

Input device 21 allows an operator to enter temporary display information into message priority data file 32. Input device 21 is preferably a keyboard.

Turning now to Fig. 2, EPL 18 is shown in more detail. The promotional message 42 is shown as "\$1.00/BUY ONE/ GET ONE".

Turning now to Fig. 3, EPL data file 28 and message priority data file 32 are shown in more detail.

5 EPL data file 28 includes a line entry for each EPL 18 in EPL system 10. Each line entry has an item identification entry (ITEM ID), an EPL identification entry (EPL ID), and an EPL price verifier entry (EPL CHECK).

Entry ITEM ID identifies a store item. Entry EPL ID identifies which EPL is assigned to the item. Entry EPL CHECK is a checksum value of the digits of the price
10 information that is displayed by display 42.

Message priority data file 32 includes line entries for a number of EPL identification numbers or item identification numbers, a start time for displaying temporary information (START TIME), an end time for restoring regularly displayed information (END TIME), a priority value (PRIORITY) for ranking messages assigned to
15 the same EPL, and the temporary information (MSG).

Message priority data file 32 and message priority configuration file 33 may consist of many files or a single file.

During normal operation, EPL control software 20 sends price and other information to data registers 44. Display 42 displays the price and other information
20 contained within data registers 44.

Message priority application 24 automatically reads message priority data file 32 and causes EPL control software 20 to send messages to EPLs at the times scheduled in message priority data file 32.

Message priority application 24 includes an interface which allows an operator to
25 add, delete, and change entries in message priority data file 32 and message priority configuration file 33.

Other applications 30 control priority of messages for the same EPL by automatically executing calls to API 26; however, other applications 30 control display 42 in accordance with priorities established in message priority configuration file 33.

30 Turning now to Fig. 4, the operation of EPL message priority application 24 is explained in more detail, beginning with START 60.

In step 62, EPL message priority application 24 reads a record from message priority data file 32.

In step 64, EPL message priority application 24 reads an EPL identification number in the record.

In steps 66-74, EPL message priority application 24 looks for records containing the same EPL identification number to determine a highest priority message.

5 In step 66, EPL message priority application 24 reads another record in message priority data file 32.

In step 68, EPL message priority application 24 determines whether the EPL identification number in the other record is the same as the EPL identification number. If not, operation proceeds to step 72. If so, EPL message priority application 24 notes the
10 priority in step 70.

In step 72, EPL message priority application 24 determines whether the record is the last record. If not, operation returns to step 66. If so, operation proceeds to step 74.

In step 74, EPL message priority application 24 ranks the noted priorities for the EPL having the identification number.

15 In step 76, EPL message priority application 24 causes EPL control software 20 to display the messages associated with the highest priority at the scheduled time, followed in order by the other messages of lower priority.

In step 78, EPL message priority application 24 determines whether the record is the last record. If not, operation returns to step 62. If so, operation ends at step 80.

20 Operation may alternatively be modified to exit after one execution and to run on a variable timer (sleep until the timer has expired).

For purposes of illustration, suppose times T1-T4 are chronological times in which:

Time T1 represents a time at which a manager initiates an "in-store manager's special" that is scheduled to run from time T1 until time T4. EPL message priority
25 application 24 sends a message to EPL 18 to display a first message, such as "in-store manager's special".

Time T2 represents a time at which EPL message priority application 24 sends a second message for an advertised special to EPL 18 to run from time T2 until time T3.

30 The priority of this second message is higher than the priority of the first message, so EPL message priority application 24 replaces the display information with the second message, which is "as advertised".


Time T3 represents a time at which the advertised special is over. EPL message priority application 24 determines this, but notices that the in-store manager's special is still active. EPL message priority application 24 replaces the display information with the first message highlighting the in-store manager's special.

5 Time T4 represents a time at which the in-store manager's special is over, so EPL message priority application 24 removes the first message from the display.

Although the invention has now been described with reference to specific examples, it will be appreciated that the invention is not limited to that field of use.

10

50
51
52
53
54
55
56
57
58
59
60



THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS :

1. A method of managing displayed message priorities for an electronic price label including the steps of:
 - providing a plurality of records for the electronic price label in a data file, wherein
 - 5 each record contains a different message to be displayed by the electronic price label, a different priority for each message, a start time for each message, and an end time for each message;
 - reading the data file to identify all of the records for the electronic price label;
 - determining the priorities in the records; and
 - 10 displaying the messages at the start times in accordance with the priorities.
2. The method according to claim 1, wherein the providing step comprises the substep of:
 - recording the records in response to operator input.
3. The method according to claim 1 or 2, wherein the providing step comprises the
- 15 substep of:
 - recording the records in response to inputs received from an application program through an application programming interface.
4. The method according to claim 1, 2 or 3 for displaying the messages by the electronic price label, further including the steps of:
 - 20 providing first and second records for the electronic price label in the data file; wherein the first record contains a first message for display, a first priority associated with the first message, and a first display period defined by a first start time and a first end time;
 - wherein the second record contains a second message different than the first
 - 25 message for display, a second priority associated with the second message which is higher than the first priority, and a second display period defined by a second start time and a second end time;
 - wherein the second display period overlaps the first display period during an overlap period;
 - 30 reading the data file to identify the first and second records for the electronic price label;
 - determining the first and second priorities in the records;



displaying the first message during the first display period , except during the overlap period; and

displaying the second message during the second display period.

5. The method according to claim 1, 2 or 3 for displaying the messages by the electronic price label, further including the steps of:

providing first and second records for the electronic price label in the data file;

wherein the first record contains a first message for display, a first priority associated with the first message, and a first display period defined by a first start time and a first end time;

- 10 wherein the second record contains a second message different than the first message for display, a second priority associated with the second message which is higher than the first priority, and a second display period defined by a second start time and a second end time;

wherein the second display period is contained within the first display period;

- 15 reading the data file to identify the first and second records for the electronic price label;

determining the first and second priorities in the records;

displaying the first message during the first display period until the second start time;

displaying the second message from the second start time to the second end time; and

- 20 displaying the first message from the second end time to the first end time.

6. The method according to claim 1, further including the steps of:

receiving a plurality of different messages to be displayed by the electronic price label, a priority for each message, a start time for each message, and an end time for each message for storage in the data file from a plurality of application programs through an

- 25 application programming interface;

establishing new priorities for the messages based upon different application priorities assigned to the application programs;

recording the different messages, the new priorities, the start times, and the end times in the data file;

- 30 reading the data file to identify all of the different messages for the electronic price label;



determining the new priorities associated with the different messages in the records; and

displaying the different messages at the start times in accordance with the new priorities.

- 5 7. A system for managing displayed message priorities for an electronic price label, including a computer which stores a plurality of records for the electronic price label in a data file; wherein each record contains a different message to be displayed by the electronic price label, a different priority for each message, a start time for each message, and an end time for each message; the computer being arranged to read the data file to
10 identify all of the records for the electronic price label, determine the priorities in the records, and display the messages at the start times in accordance with the priorities.

8. The system according to claim 7, wherein the computer records the records in response to operator input.

9. The system according to claim 7 or 8, wherein the computer records the records in
15 response to inputs received from an application program through an application programming interface.

10. The system according to claim 7 or 8, wherein the computer records the records in response to inputs received from application programs through an application programming interface and establishes new priorities for the messages based upon
20 different application priorities assigned to the application programs.

11. A method of managing displayed message priorities for an electronic price label, the method being substantially as herein described with reference to any one of the embodiments of the invention illustrated in the accompanying drawings and/or examples.

- 25 12. A system for managing displayed message priorities for an electronic price label, the system being substantially as herein described with reference to any one of the embodiments of the invention illustrated in the accompanying drawings and/or examples.

- 30 DATED this 11 October 2001.
NCR INTERNATIONAL, INC.

Attorney: PETER R. HEATHCOTE
Fellow Institute of Patent and Trade Mark Attorneys of Australia
of BALDWIN SHELSTON WATERS



FIG. 1





FIG. 2

FIG. 3




FIG. 4

4/4

