United States Patent [19]

Mori

[11] Patent Number: Des. 276,479

[45] Date of Patent: ** Nov. 27, 1984

[54] COMBINED KEY HOLDER AND WRITING INSTRUMENT

[76]	Inventor:	Gian L. Mori, Via Andorno 5,
		Torino, Italy

[**]	Term:	14 Years

[21] Appl. No.: 398,786

[22] Filed: Jul. 16, 1982

[30] Foreign Application Priority Data

Jan	. 18, 1982	[IT] Italy	52820/82[U]
[52]	U.S. Cl.		D3/62; D19/36;
r3			D19/43: D19/44

[56] References Cited

U.S. PATENT DOCUMENTS

D. 93,476	10/1934	Harris	D19/45
		Baff	
		Bailey	
		Earl	

OTHER PUBLICATIONS

Hong Kong Enterprise 3/81, p. 347, "key ring" bottom left

Eberhard Faber Cat. 1907, p. 31, Item No. 1544.

Primary Examiner—George P. Word Attorney, Agent, or Firm—Young & Thompson

[57] CLAIM

The ornamental design for a combined key holder and writing instrument, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combined key holder and writing instrument, showing my new design;

FIG. 2 is a plan view thereof;

FIG. 3 is a side elevational view thereof;

FIG. 4 is a plan view thereof from the side opposite that shown in FIG. 2;

FIG. 5 is a side elevational view thereof from the side opposite that shown in FIG. 3;

FIG. 6 is a left end elevational view of FIG. 3;

FIG. 7 is a right end elevational view of FIG. 3;

FIG. 8 is an exploded perspective view thereof with the key holder separated from the writing instrument;

FIG. 9 is a side elevational view of the writing instrument:

FIG. 10 is a plan view of the writing instrument from the side opposite that shown in FIG. 8;


FIG. 11 is a side elevational view of the writing instrument from the side opposite that shown in FIG. 9;


FIG. 12 is a left end elevational view of FIG. 11;


FIG. 13 is a right end elevational view of FIG. 11;

FIG. 14 is an exploded perspective view similar to FIG. 8 but with the writing instrument turned in the opposite direction; and

FIG. 15 is a view similar to FIG. 1 but with the writing instrument inserted into the key holder in the writing position, that is, turned 180° from the position it occupies in FIG. 1.







ì

U.S. Patent Nov. 27, 1984 Sheet 2 of 3 Des. 276,479

