



US00D360856S

United States Patent [19]

Himuro et al.

[11] Patent Number: Des. 360,856

[45] Date of Patent: ** Aug. 1, 1995

[54] AUTOMOBILE TIRE

[75] Inventors: **Yasuo Himuro; Yasuhiro Hamada,**
both of Tokyo, Japan[73] Assignee: **Bridgestone Corporation,** Tokyo,
Japan[**] Term: **14 Years**[21] Appl. No.: **20,470**[22] Filed: **Mar. 28, 1994**

[30] Foreign Application Priority Data

Sep. 29, 1993 [JP] Japan 5-29103

[52] U.S. Cl. **D12/146**[58] Field of Search D12/141-143,
D12/145-151, 136; 152/209 R, 209 A, 209 B,
209 D

[56] References Cited

U.S. PATENT DOCUMENTS

D. 312,993 12/1990 Guernandi et al. D12/146

D. 328,444 8/1992 Graas D12/147

D. 349,675 8/1994 Shinohara et al. D12/147

D. 350,715 9/1994 Labbe et al. D12/146

Primary Examiner—James M. Gandy
Attorney, Agent, or Firm—Sughrue, Mion, Zinn,
Macpeak & Seas

[57] CLAIM

The ornamental design for an automobile tire, as shown
and described.

DESCRIPTION

FIG. 1 is a perspective view of an automobile tire showing our new design, it being understood that the tread pattern is repeated uniformly throughout the circumference of the tire;

FIG. 2 is a front elevation view thereof, a rear elevation view, a top plan view, and a bottom plan view are identical with the front elevation view;

FIG. 3 is a left side elevation view thereof, a right side elevation view is identical with the left side elevation view;

FIG. 4 is an enlarged fragmentary front elevation view thereof; and,

FIG. 5 is an enlarged cross-sectional view thereof taken along line 5—5 in FIG. 4.




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5

