



US00D720115S

(12) **United States Design Patent**
Kawlath

(10) **Patent No.:** **US D720,115 S**

(45) **Date of Patent:** **** Dec. 23, 2014**

(54) **COIN BANK**

109/1 R, 1 V, 3, 4, 45; 206/0.8, 0.81,
206/0.815, 0.82, 0.83, 0.84

(71) Applicant: **KCG Kawlath-Consulting-GmbH**,
Ingolstadt (DE)

See application file for complete search history.

(72) Inventor: **Sonja Kawlath**, Ingolstadt (DE)

(56) **References Cited**

(73) Assignee: **KCG Kawlath Creativ GmbH**,
Ingolstadt (DE)

U.S. PATENT DOCUMENTS

(**) Term: **14 Years**

D68,804	S	*	11/1925	Hall	D99/38
2,114,167	A	*	4/1938	Grauer	235/100
2,304,415	A	*	12/1942	Lawson, Sr.	446/9
D144,618	S	*	5/1946	Glassman	D99/38
2,448,807	A	*	9/1948	Kimball	446/8
D153,775	S	*	5/1949	Dubiner	D99/40
D156,365	S	*	12/1949	O'Malley	D99/38
D158,230	S	*	4/1950	Stone	D99/38
D161,973	S	*	2/1951	Stier	D99/40
D162,255	S	*	2/1951	Stier	D99/38
D169,309	S	*	4/1953	Fuller	D99/40
D176,104	S	*	11/1955	Brooks	D99/40
2,779,128	A	*	1/1957	West	446/8
2,804,718	A	*	9/1957	Follis et al.	446/9
D184,129	S	*	12/1958	Hull	D99/40
2,955,752	A	*	10/1960	Thomas	232/4 R

(21) Appl. No.: **29/478,299**

(22) Filed: **Jan. 3, 2014**

(30) **Foreign Application Priority Data**

Jul. 3, 2013 (EM) 002268144-0002

(51) **LOC (10) Cl.** **99-00**

(52) **U.S. Cl.**
USPC **D99/38**

(58) **Field of Classification Search**

CPC A45C 1/12; A45C 2001/006; A45C
2001/10; A45C 2001/102; A45C 2001/104;
A45C 2001/105; A45C 2001/107; A45C
2001/12; A45C 2001/125; E05G 1/00; E05G
1/005; E05G 1/024; E05G 5/00; E05G 7/001;
E05G 2700/00; E05G 2700/02; A63F 2250/13;
A63F 2250/133; A63F 2250/136; A63H 3/02;
A63H 23/00; A63H 23/10; A63H 3/06;
G07F 9/06; G07F 9/08; G07F 9/04; G07F
17/105; G07D 11/00; G07D 11/0009; G07D
11/0021; G07D 9/00; G07D 9/002; G07D
9/004; G07D 9/02; G07D 9/06
USPC D99/28, 34, 35, 36, 37, 38, 99;
D21/398, 576, 597, 599; D9/606;
446/8, 9, 10, 11, 12, 13, 153, 226, 268,
446/369; 232/1 D, 4 R; 453/58, 63, 3, 39;

(Continued)

Primary Examiner — Elizabeth J Oswecki

(74) *Attorney, Agent, or Firm* — Laurence A. Greenberg;
Werner H. Stemer; Ralph E. Locher



(57) **CLAIM**

The ornamental design for a coin bank, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the coin bank, showing my new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a left side elevation view thereof;
FIG. 4 is a rear elevation view thereof;
FIG. 5 is a right side elevation view thereof; and,
FIG. 6 is a top plan view thereof.

1 Claim, 6 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D193,402 S * 8/1962 Florence D99/40
D216,139 S * 11/1969 Tavela D99/40
D225,757 S * 1/1973 Lavine D99/38
D260,318 S * 8/1981 Miyazaki D99/38
D291,938 S * 9/1987 Kauffman D99/40
D303,035 S * 8/1989 O'Dunlaing D99/40
5,437,408 A * 8/1995 Chesnut 232/4 R
D445,446 S * 7/2001 Knox et al. D18/3.1

D458,727 S * 6/2002 Beacham D99/38
D503,505 S * 3/2005 Beacham D99/38
D512,805 S * 12/2005 Anderson D99/38
6,976,619 B2 * 12/2005 Beacham et al. 232/4 R
D520,407 S * 5/2006 Zhang D11/158
7,383,980 B1 * 6/2008 Beacham 232/4 R
D579,175 S * 10/2008 Pickering et al. D99/40
D591,025 S * 4/2009 Kan D99/40
D614,246 S * 4/2010 Cohen D21/472
D643,995 S * 8/2011 McMaster et al. D99/38

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6