



US0D1020005S

(12) **United States Design Patent**
Hartenstein

(10) **Patent No.:** **US D1,020,005 S**

(45) **Date of Patent:** **** Mar. 26, 2024**

(54) **VEHICLE CARGO LIGHT**

(71) Applicant: **AAC Enterprises LLC**, Metairie, LA (US)

(72) Inventor: **Justin Hartenstein**, Metairie, LA (US)

(73) Assignee: **AAC Enterprises, LLC**, Metairie, LA (US)

(**) Term: **15 Years**

(21) Appl. No.: **29/791,529**

(22) Filed: **Jan. 14, 2022**

(51) **LOC (14) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**

USPC D26/28, 29, 30, 31, 32, 33, 34, 35, 36,
D26/37, 38, 39, 122, 113; D12/181, 182,
D12/196, 107, 86
CPC F21V 21/04; F21S 43/00; F21S 43/237;
F21S 43/15; F21S 48/10; F21S 48/225;
F21S 48/1266; F21S 48/1388; F21S
41/36; F21S 41/50; F21S 41/00; F21S
41/33

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D243,791 S *	3/1977	Nagel	D26/122
D243,792 S *	3/1977	Nagel	D26/122
D243,793 S *	3/1977	Nagel	D26/122
D561,366 S *	2/2008	Wang	D26/37
D848,042 S *	5/2019	Feng	D26/39
D867,639 S *	11/2019	Dennis	D26/31
D872,331 S *	1/2020	Smith	D26/39
D872,918 S *	1/2020	Smith	D26/39
D883,529 S *	5/2020	Tsai	D26/28

D912,286 S *	3/2021	Zhang	D26/28
D922,634 S *	6/2021	Qin	D26/31
D928,352 S *	8/2021	Yuan	D26/28
D949,444 S *	4/2022	Shirota	D26/28
D957,707 S *	7/2022	Huang	D26/31

* cited by examiner

Primary Examiner — Sheryl Lane

Assistant Examiner — Kathryn Elizabeth Chambers

(74) *Attorney, Agent, or Firm* — Sisson & Banyas,
Attorneys at Law, LLC; Jeffrey J. Banyas

(57) **CLAIM**


The ornamental design for a vehicle cargo light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a vehicle cargo light;
FIG. 2 is a front view of the embodiment of a vehicle cargo light of FIG. 1;
FIG. 3 is a rear view of the embodiment of a vehicle cargo light of FIG. 1;
FIG. 4 is a left-side view of the embodiment of a vehicle cargo light of FIG. 1;
FIG. 5 is a right-side view of the embodiment of a vehicle cargo light of FIG. 1;
FIG. 6 is a top view of the embodiment of a vehicle cargo light of FIG. 1;
FIG. 7 is a bottom view of the embodiment of a vehicle cargo light of FIG. 1; and,
FIG. 8 is a front view of the embodiment of a vehicle cargo light of FIG. 1 installed on a rear window of a vehicle viewed from inside the vehicle.

The dash-dash broken lines in the drawings depict portions of the vehicle cargo light that form no part of the claimed design. The dot-dash broken lines represent environment and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 4




FIG. 6




FIG. 7




FIG. 8