



US00D341679S

# United States Patent [19]

[11] Patent Number: **Des. 341,679**

Levine

[45] Date of Patent: **\*\* Nov. 23, 1993**

[54] **PROTECTIVE PAD**

4,796,303 1/1989 Atwater ..... 2/24  
5,077,837 1/1992 Meistrell ..... 2/16

[76] Inventor: **Norman D. Levine**, P.O. Box 1867,  
Pompano Beach, Fla. 33061

*Primary Examiner*—Ruth McInroy  
*Attorney, Agent, or Firm*—Malin, Haley, DiMaggio &  
Crosby

[\*\*] Term: **14 Years**

[21] Appl. No.: **810,805**

### [57] CLAIM

[22] Filed: **Dec. 19, 1991**

The ornamental design for a protective pad, as shown and described.

[52] U.S. Cl. .... **D29/10**

[58] Field of Search ..... D29/10, 20, 99;  
D24/190-192; 128/846, 876, 878, 881, 882; 2/2,  
16, 22-24, 415

### DESCRIPTION

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 255,728	7/1980	Baron	.....	D29/10
D. 259,058	4/1951	Marshall	.....	D24/190
4,250,578	1/1981	Barlow	.....	2/24
4,292,263	9/1981	Hanrahan et al.	.....	2/16
4,599,747	7/1986	Robinson	.....	2/16

FIG. 1 is a front elevational view of a protective pad showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a left side elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.  
The cross hatch shading in FIGS. 1-6 is understood to repeat throughout the indicated area. The broken lines in FIGS. 1 and 2 represent conventional stitching.




FIG. 2




FIG. 1




FIG. 3




FIG. 4




FIG. 5




FIG. 6

