



US00D794846S

(12) **United States Design Patent** (10) **Patent No.:** **US D794,846 S**
Fujiwara et al. (45) **Date of Patent:** **** Aug. 15, 2017**

(54) **HEADLAMP FOR AN AUTOMOBILE**

(71) Applicant: **Nissan Motor Co., Ltd.**, Yokohama,
Kanagawa (JP)

(72) Inventors: **Masahide Fujiwara**, Kanagawa (JP);
En Hung Liu, Beijing (CN)

(73) Assignee: **Nissan Motor Co., Ltd.**, Yokohama
(JP)

(**) Term: **15 Years**

(21) Appl. No.: **29/563,165**

(22) Filed: **May 3, 2016**

(30) **Foreign Application Priority Data**

Nov. 4, 2015 (JP) 2015-024567

(51) **LOC (10) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/28**

(58) **Field of Classification Search**
USPC D26/28–36; 362/80–83, 267–269,
362/459–468, 475–478, 485–487
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

D528,681 S * 9/2006 Nakahara D26/28
D528,685 S * 9/2006 Yoshida D26/28
(Continued)

FOREIGN PATENT DOCUMENTS

JP D1483832 S 11/2013
JP D1498623 S 6/2014

(Continued)

Primary Examiner — Marcus Jackson

(74) *Attorney, Agent, or Firm* — Global IP Counselors,
LLP

(57) **CLAIM**

The ornamental design for a headlamp for an automobile, as
shown and described.

DESCRIPTION

FIG. 1 is an outside elevational view of a headlamp for an
automobile in accordance with a first embodiment of our
new design;

FIG. 2 is an inside elevational view of the headlamp in
accordance with the first embodiment of our new design of
FIG. 1;

FIG. 3 is a top plan view of the headlamp in accordance
with the first embodiment of our new design of FIGS. 1 and 2;
FIG. 4 is a bottom plan view of the headlamp in accordance
with the first embodiment of our new design of FIGS. 1 to
3;

FIG. 5 is a front side elevational view of the headlamp in
accordance with the first embodiment of our new design of
FIGS. 1 to 4;

FIG. 6 is a rear side elevational view of the headlamp in
accordance with the first embodiment of our new design of
FIGS. 1 to 5; and,


FIG. 7 is a front side perspective view of the headlamp in
accordance with the first embodiment of our new design of
FIGS. 1 to 6.

The inside elevational view of FIG. 2 and the rear side
elevational view of FIG. 6 form no part of the claimed
design. In addition, the headlamp is configured to be
mounted to an automobile. The mounting structure and
support structure of the headlamp, visible in FIGS. 1 to 7,
form no part of the claimed design since the mounting
structure and support structure are hidden when the head-
lamp is mounted to the automobile.

In addition, the appearance of the rear side structures and
inside side structures of the headlamp as seen in FIGS. 1, 3,
4, 5 and 7 is for purpose of illustrating the boundaries of the
exterior surface of the outside of the headlamp, and forms no
part of the claimed design.

A second embodiment of our new design is identical to the
first embodiment except that the second embodiment of our
new design includes the mirror image of the headlamp
shown in FIGS. 1 to 7.

1 Claim, 7 Drawing Sheets



(58) **Field of Classification Search**

CPC F21S 48/00; F21S 48/10; F21S 48/115;
 F21S 48/225; F21S 48/1233; F21S
 48/1266; F21S 48/1388; F21S 48/2268;
 F21V 21/04

See application file for complete search history.

FOREIGN PATENT DOCUMENTS

JP	D1500452 S	6/2014
JP	D1503981 S	8/2014
JP	D1504929 S	8/2014
JP	D1508645 S	10/2014
JP	D1511433 S	11/2014
JP	D1513542 S	12/2014
JP	D1518109 S	2/2015
JP	D1518266 S	2/2015
JP	D1518517 S	3/2015
JP	D1518620 S	3/2015
JP	D1501252 S	6/2015
JP	D1530843 S	8/2015
JP	D1531002 S	8/2015
JP	D1546167 S	3/2016
JP	D1540800 S	6/2016
JP	D1552069 S	6/2016
JP	D1552160 S	6/2016

(56) **References Cited**

U.S. PATENT DOCUMENTS

D544,114 S *	6/2007	Ohta	D26/28
D549,857 S *	8/2007	Lin	D26/28
D561,358 S *	2/2008	Tachibana	D26/28
D683,057 S	5/2013	Aikawa et al.	
D684,714 S	6/2013	Fuchigami et al.	
D695,936 S	12/2013	Ishizuka et al.	
D708,375 S	7/2014	Endo	
D752,785 S	3/2016	Horiuchi et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7