






N. L. ANTHONY.  
COIN HOLDER.  
APPLICATION FILED APR. 4, 1912.

1,043,560.

Patented Nov. 5, 1912.



Witnessed  
Vada C. Vagety.  
Annie H. Miller

Noel L. Anthony, Inventor  
Joseph A. Miller, Attorney

# UNITED STATES PATENT OFFICE.

NOEL L. ANTHONY, OF CRANSTON, RHODE ISLAND.

## COIN-HOLDER.

1,043,560.

Specification of Letters Patent.

Patented Nov. 5, 1912.

Application filed April 4, 1912. Serial No. 688,478.

*To all whom it may concern:*

Be it known that I, NOEL L. ANTHONY, a citizen of the United States, residing at Cranston, in the county of Providence and State of Rhode Island, have invented a new and useful Improvement in Coin-Holders, of which the following is a specification.

This invention pertains to certain new and useful improvements in coin holders, and relates particularly to a coin holder in which separate compartments are provided to hold coins of different denominations.

The object of the invention is to provide an improved simple and economical device of the type set forth in which means are provided to hold the coins against rattling when the holder is in use.

A further object of the invention is to provide a coin holder of attractive appearance, and one which can be easily opened and closed and which is extremely compact.

In the drawings—Figure 1 is a top plan view of the invention in open position. Fig. 2 is a section on the line 2—2 of Fig. 1. Fig. 3 is a transverse section taken through the device when closed. Fig. 4 is a perspective view of the holder in closed position, and Fig. 5 is a section on the line 5—5 of Fig. 1.

A block 1 which is preferably of wood, is provided on its top and bottom with upraised end ribs 2 and 2' and is formed with a plurality of coin compartments 3, which are shaped to receive coins of different denominations. By reference to Figs. 1, 2 and 3 of the drawings it will be observed that the coin pockets 3 are located in such proximity to the sides of the block 1, that when the coins C are placed therein in usual superimposed relation, the arcs of the coin peripheries at the sides of the block 1, will project beyond said sides, for a purpose shortly to be referred to.

A strip of leather or other suitable material of a flexible nature, has its central portion 4 suitably secured to the back of the block 1 between the ribs 2' and has its ends 5 and 6 extending beyond the block sides to form flaps which are for folding engagement about the block sides and top, the flap 6 having a head 7, and the flap 5 having a socket member 8, which are for interlocking engagement common to snap fasteners of this type. By reference to Fig. 3 of the drawings it will be seen that the flaps directly engage the projecting edges of the

coins, where same extend beyond the block sides, and when the flaps are locked together as shown in Fig. 3 of the drawings, the flaps are drawn against said projecting edges of the coins thereby forcing the latter inwardly in the coin pockets and hold the coins against rattling action. The flap 6 which engages on top of the block 1 has a section of cloth, preferably velvet secured thereto, the cloth or fabric being formed with a plurality of upraised portions 9, which latter are shaped to be received in the several coin pockets 3, as depicted in Fig. 3 of the drawings. The projecting portions 9 form tops for the coin pockets, and serve to hold the coins against the pocket bottoms. The strip of leather or the like is of less width than the length of the block 1, so that the same will be received in the space between the ribs 2, the ribs thereby protecting the leather strip and any sidewise movement of the flaps and also serve to give the holder a finished and attractive appearance.

Having thus described my invention, I claim as new and desire to secure by Letters Patent;—

1. In a coin holder, a block formed with a series of coin pockets located adjacent the sides thereof so that when the coins are in position therein the same will partly project beyond the sides of the block, a strip of leather or the like having its central portions secured to the back of the block, and having its ends extended beyond the block sides to form closing flaps, the top and bottom faces of the block being formed with an upraised rib at each end thereof, said flaps being for folding engagement about the sides of the block to exert pressure against the projecting parts of the coins, one of the flaps being disposed to overlap the other, and fastening means to hold the flaps locked in overlapping position.

2. In a coin holder, a block formed with coin compartments, end ribs carried by the block on both its top and bottom faces, a strip of flexible material having its central portions secured to the back of the block between said ribs and having its ends extended to form flaps which overlap and engage on the top face of the block between the ribs thereon, and means to secure the flaps together.

3. In a coin holder, a block formed with coin pockets located so that the coins when therein will project partly beyond the block

sides, end flaps carried by the body to engage said projecting portions of the coins to hold the latter against movement by exerting pressure thereagainst to force the coins  
5 against the rear walls of the pockets, and means to secure the end flaps together.

In testimony whereof I have signed my

name to this specification in the presence of two subscribing witnesses.

NOEL L. ANTHONY.

Witnesses:

ADA E. HAGERTY,  
J. A. MILLER.