



US00D561007S

(12) **United States Design Patent**  
**Kaesler**

(10) **Patent No.:** **US D561,007 S**

(45) **Date of Patent:** **\*\* Feb. 5, 2008**

(54) **SECURING STRAP**

(75) Inventor: **Peter Kaesler**, Prospect (AU)

(73) Assignee: **Loadtec, Pty, Ltd.**, Prospect (AU)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/266,592**

(22) Filed: **Sep. 25, 2006**

(30) **Foreign Application Priority Data**

Mar. 23, 2006 (AU) ..... 11365/2006

(51) **LOC (8) CL.** ..... **08-05**

(52) **U.S. CL.** ..... **D8/354; D8/367**

(58) **Field of Classification Search** ..... D8/349,  
D8/354, 367; 24/300, 499, 130, 598.4, 265 H  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,187,852 A \* 2/1993 Stanley et al. .... 29/243.57

5,987,707 A *	11/1999	DeShon	.....	24/17 AP
6,014,794 A *	1/2000	McCoy	.....	24/300
6,099,060 A *	8/2000	Towers	.....	294/159
6,868,589 B2 *	3/2005	Borne	.....	24/300
D525,861 S *	8/2006	Mackey et al.	.....	D8/367

\* cited by examiner

*Primary Examiner*—Holly H. Baynham

(74) *Attorney, Agent, or Firm*—R. Neil Sudol; Henry D. Coleman; William J. Sapone

(57) **CLAIM**

The ornamental design for a securing strap, as shown and described.


**DESCRIPTION**

FIG. 1 is a perspective view of a securing strap, showing our new design; and,

FIG. 2 is a perspective view thereof.

The securing strap is shown broken away to indicate indeterminate length.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2