

(19) (KR)
(12) (B1)

(21) 10-2000-0068361 (65) 2001-0107509
(22) 2000 11 17 (43) 2001 12 07

(30) 2000-154379 2000 05 22 (JP)

$$(72) \quad 1 \quad 5-1 \quad \text{가} \quad \text{가}$$

1 5-1 가 가

가 1 5-1 가 가

(74)

10

(54)

가		가	
가	.	.	.
(39)	,	(38)	,

1		1
2		
3	SCSI - 3	EXTENDED
4		1
5		2
6		2
7		
8		3
9		3

- 2 :
- 4 :
- 30 :
- 32 :
- 33, 60, 80 :
- 34 :
- 36 :
- 62, 82 :
- 63, 64 :
- 65 :
- 70 :
- 71 :
- 72, 73, 74, 75 :
- 81 :

5 (51) (50) (50)
4) , , 가 가 . , 1
3) 가 가 .
30) 8 9 8 6 ,
32) (32) (80) 1 (61)
80) , (30) (32) (31) (32) (34)
80) (34) (80) (a) (32) (81) (35) 가
9 (a) (30) 가 가 (b) 9 (D) (71)
(70) (70) (71) (71), III(74), (70) 가 가 (b)
9 (E) (F) (70) (70) (70), (70) (70) (70)
9 (F) (70) IV(75), (71) (71), (70) (70) III(74)
9 (E) (70) 가 , (70) (70) (70) (70)
3 , , , , , , ,
1) , , , , , , ,
2) , , , , , , ,
3) 1) , , , , , , ,

가

가

(57)

1.

(30) 가

, 2

(34)

,

,

2.

3.

4.

,

,

1

,

2

,

,

,

5.

6.

7.

8.

1

,

가

9.

1

,

10.

4



,

가

11.

4


,




3

Byte \ Bit	7	6	5	4	3	2	1	0	
0	유효	Error Code							20
1	Segment Number								21
2	화일	EOM	ILI	R	Sense Key				22
3	Information Byte(MSB)								
4	Information Byte								
5	Information Byte								
6	Information Byte(LSB)								
7	Additional Sense Length								
8 대지 11	Command-Specific Information								
12	Additional Sense Code								
13	Additional Sense Code Qualifier								
14	FRU Code								
15	SKSV								
16	Sense-Key Specific								
17									
18 대지 31	Additional Sense Bytes								


4




5




6



7



8



9

